MARITIME
MARINE SUPPLY
2026/27



Photo by Odyssey Virtual

SIERRA®

PARTS THAT KEEP YOU MOVING.



OILS & LUBES

Sierra offers the widest variety of oils on the market to match your engine's needs. 4-stroke, 2-stroke, gear lubes and engine greases. Sierra has the right lubricant for the job. Our oils are blended to the same high standards as the OEM oils and meet the same FC-W and TC-W3 certification standards. Sierra offers specific oils for your brand of engine, not a "one oil fits all" like some companies.



MARITIME MARINE SUPPLY
TEAM

MANAGEMENT


LEE TOOLE
VICE PRESIDENT
OF SALES


LAURA STEWART
VICE PRESIDENT
OF FINANCE


STEVE TRAINOR
OPERATION MANAGER
PEI BRANCH


DARLENE BALLANTYNE
PURCHASING
MANAGER


DIANE HENDRICAN
CUSTOMER SERVICE MANAGER


BEN GARRO
WAREHOUSE
MANAGER PEI


TIM MACDONALD
WAREHOUSE MANAGER NS
& SALES

SALES TEAM


DREW SANDERSON
SALES


CHRIS SULLIVAN
SALES


JEREMY FRASER
SALES


DEREK FINLEY
SALES


MAXIME HÉBERT
SALES


CASEY SPENCE
SALES


STEPHEN WAHL
SALES


JASON BRUSHETT
SALES


JOANNE LÉGERE
BUSINESS DEVELOPMENT
REPRESENTATIVE

PURCHASING


LISA GEORGE
PURCHASING


ERIC MALDRE
PURCHASING

ADMINISTRATION


ANDREW ROSS
INFORMATION
TECHNOLOGY MANAGER


MARVIN SANCHEZ
MARKETING ADVERTISING

ACCOUNTING TEAM



BETH BATEMAN
ACCOUNTING



CHRISTY MILLER
ACCOUNTING



ALLISON BANGAY
ACCOUNTING

CUSTOMS



ROXANN SPICER
CUSTOMS

CUSTOMER CARE TEAM



MICHELLE JOSEPH
CUSTOMER SERVICE



LINDA MACLEOD
CUSTOMER SERVICE



KIM KOSZKULICS
CUSTOMER SERVICE



TRISTAN EVANS
CUSTOMER SERVICE



DANA GAMMON
WARRANTY & RETURNS



TARA CONDON
WARRANTY & RETURNS



TRENT EDWARDS
WARRANTY, RETURNS & TECHNICAL SUPPORT

WAREHOUSE TEAM



FREDDIE SERAPIO JR.
RECEIVING



BRAD ONEILL
RECEIVING



CATHY JOHNSON
RECEIVING



GERRY MAGALONG
RECEIVING



JHUN CABANIT
RECEIVING



ROB HALL
SHIPPING



FERNANDO CRUZ
SHIPPING



PAUL THURMAN
SHIPPING



KAREN LOGAN
SHIPPING



WALTER COSA
ORDER FULLFILMENT



RK MATUGUINAS
ORDER FULLFILMENT



NICK JOHNSON
ORDER FULLFILMENT



STEMSON BARENG
ORDER FULLFILMENT



TRACY JOHNSON
ORDER FULLFILMENT



JOSEPH MANANSALA
ORDER FULLFILMENT



DARRYL RAMOS
ORDER FULLFILMENT



BRIANNA TUFTS
ORDER FULLFILMENT



MATT JOHNSON
ORDER FULLFILMENT



IVY HUGHES
ORDER FULLFILMENT



JIM MACLEOD
PRODUCT ASSEMBLY

Terms & Conditions of Sale & Disclaimer

Conditions of Sale
All prices subject to change without notice. Prices are F.O.B. warehouse unless otherwise noted.

Terms
We accept Cash, Visa, Mastercard, American Express, Certified Cheque, Bank Drafts, and Money Orders.

Shipping Charges
If shipping charges apply, they will be added to the total of your order. Your order will be shipped the same day received (conditions permitting) by the best routing available.

Returns or Exchanges
No returns or exchanges will be accepted without our consent. Product must be returned in original packaging. Please see page 5 for full details on returns.

Customer Service
Our staff at Maritime Marine Supply are specialized in all your product needs. Call MMS Representatives for a free evaluation, recommendation or application to suit your needs. We are ready to help solve your problems.

Disclaimer
All references to names, trademarks, part numbers or other descriptors relating to parties other than the identified manufacturer of a catalogue product are for reference purposes only and do not imply that such product is made by or for, or approved by, such parties.

Conditions de vente
Tous les prix sont sujets à changement sans préavis. Les frais de transport sont facturés à partir de l'entrepôt.

Modalités de paiment
Comptant, Visa, Mastercard, chèque certifié, mandat bancaire ou mandat postal sont acceptés.

Frais de transport
Des frais de transport seront ajoutés à votre commande. Soyez assuré d'une livraison rapide; votre commande sera envoyée le jour même (selon l'heure de réception de votre commande).

Retours et échanges
Aucun retour ou échange ne sera accepté sans notre autorisation. Veuillez nous aviser avant de retourner la marchandise. La marchandise doit être retournée intacte et dans son emballage original. Voir page 5 pour tous les détails.

Service garanti
Le personnel de Maritime Marine Supply est spécialisé et il sera heureux de répondre à toutes vos questions sur nos produits et de vous conseiller selon vos besoins. N'hésitez pas à demander à un représentant de MMS une évaluation gratuite. Notre personnel éfficace ne vise que votre satisfaction.

Avertissement
Toutes les références à des noms, marques commerciales, numéros de pièce ou autres descripteurs relatifs à des parties autres que le fabricant identifié d'un produit du catalogue sont uniquement à des fins de référence et n'impliquent pas que ce produit est fabriqué par, pour ou approuvé par ces parties.

Charlottetown Location

26 Fourth St.,
Charlottetown,
PE, C1E 2B3

T: 902.566.1220
F: 902.368.3660



HOW TO ORDER

To find the Maritime Marine Supply authorized dealer nearest to you, visit www.maritimemarinesupply.ca and click "FIND A DEALER"

You can also contact Customer Service at: 1(902) 928-1900 NS - 1(902) 566-1220 PEI or email info@mmsupply.ca for information on dealers in your area

Returns & refunds

1. **All returns must be new and in undamaged original packaging.**
Restocking fees will be handled as follows below:

Up to 30 days,	From date of purchase. No restocking fee.
31 to 60 days,	10% restocking fee.
61 to 120 days,	20% restocking fee.
121 days+,	Requires approval & restocking fee will be determined for each product.

2. **You must call, email or use the electronic form on the dealer site to obtain an RMA # with all parts you would like to return.**

Include the reason for the return (defective, not needed, wrong part ordered, etc).
Email returns@mmsupply.ca, or use the electronic form located on the dealer ordering system on the web.

Items that are NOT eligible for return, unless they are warranty issues.

a. Any discontinued or clearance product.
b. Items that were purchased on booking orders.
c. Special order items.
d. Electrical items that have been opened or have been used.
e. No return of electrical engine components.
f. No cut products (hose, rope, tubing etc.)

After your initial contact with us, an RMA will be issued to you, via email or fax.

3. **All returns MUST include the RMA paperwork supplied to you.**
Please print a copy of the RMA or include the faxed RMA with your products you intend to return.

Any Maritime Marine shipment damages or piece shortages must be indicated to the courier at time of delivery to your door. Failure to do so results in the consignee accepting all responsibility for the shipment signed for as 'complete and free of damages'.

Please note that all items returned should be sent pre-paid freight, unless otherwise instructed. If the price of a returned item has changed, the product will be credited at the lowest price.
Shipping costs to return warranty items to the Supplier are billable to the customer if not covered under the Supplier Warranty Policy

New Glasgow Location

209 Terra Cotta Dr.,
New Glasgow,
NS, B2H 6A8

T: 902.928.1900
F: 902.928.1905



MARITIME
MARINE SUPPLY

Proudly Canadian Owned & Operated
Serving Businesses From Coast to Coast

We offer over 30,000 stocked products from all major brands to meet all your needs!



Photo by Tom Hearn

MARITIMEMARINESUPPLY.CA

MARITIME
MARINE SUPPLY

WHERE IS THE PRICING?

How to use this QR Code on your phone



SCAN HERE FOR PRICING



1 **Open the camera app on your phone. Then point it at the QR code to scan it.**

2 **Tap the pop-up banner or the QR icon This will immediately send you to our website.**

3 **Enter the part number to check current price.**

NOTE: If you don't see the banner or QR icon, make sure that you have the Scan QR Codes feature enabled. Also, some phones need a QR app to be installed.

GUNWALE MOULDING



CUT VIEW

PART NO.	MFG#	DESCRIPTION
7927430	R1082, BLK	Black 20'
7927431	V21-9939WHA20	White 20'

GUNWALE MOULDING



CUT VIEW

PART NO.	MFG#	DESCRIPTION
7927440	V21-9940BKA20	Black 20'
7927441	V21-9940WHA20	White 20'

RIGID RUB RAIL



7927200
7927201



7927202
7927203

PART NO.	COLOUR	L	A	B	C
7927200	Black	20'	2-1/4"	1-3/8"	3/4"
7927202	Black	20'	3"	1-3/8"	7/8"
7927201	White	20'	2-1/4"	1-3/8"	3/4"
7927203	White	20'	3"	1-3/8"	7/8"

RIGID HALF OVAL RUB RAIL

Same as 7927202/7927203 without lip



- Cuts and drills with standard woodworking tools
- Designed for use without an insert - ideal for work boats
- Requires heat for radius forming

PART NO.	MFG#	DESCRIPTION
7927206	V21-9953BKA20	Black 20', No Lip

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

GUNWALE MOULDING



- Cuts and drills with standard woodworking tools
- Designed for use without an insert - ideal for work boats
- Requires heat for radius forming

PART NO.	MFG#	DESCRIPTION
7927444	V21-9954BKA20	Black 20'
7927445	V21-9954WHA20	White 20'

HULL SPRAY RAIL



- 1-1/4" x 1-1/8" Spray Rail
- Provides protection against water spray
- Keeps boats dry and improves performance through lift

PART NO.	MFG#	DESCRIPTION
7927100	V21-9941WHA20	White 20'

RIGID RUB RAIL



- Cuts and drills with standard woodworking tools
- Designed for use without an insert
- Drilled and countersunk for #8 on 6" centers
- Requires heat for radius forming

PART NO.	MFG#	DESCRIPTION
7927820	V21-0188BKA20D	Black 20'

RIGID RUB RAIL, HALF OVAL, VINYL



- Cuts and drills with standard woodworking tools
- Designed for use without an insert
- Ideal for work boats
- Requires heat for radius forming

Colour: Black

PART NO.	MFG#	DESCRIPTION
7927500	V21-0460BKA20	1" x 3/8" x 20'L
7927515	V21-0456BKA20	1-1/2" x 5/8" x 20'L

PVC MOULDING END CAPS



Finishing end caps to fit 1" PVC half oval moulding. 1-3/4" long by 1-1/4" wide outside measurements. Uses #8 screw. **Fits 1" Moulding.**

PART NO.	MFG#	DESCRIPTION
7927512	7489B	PVC Moulding End Caps

304 STAINLESS STEEL RUB STRAKES



Uses #8 fasteners (not included).



Taco Metals Stainless Steel Rub Strakes are constructed of 304 stainless steel for unmatched corrosion protection and an attractive look. They are designed to prolong the life of dock, fender and anchor lines by preventing chafing.

PART NO.	MFG#	DESCRIPTION
7928008	S11-1700P8	3/4"W x 8"L
7928012	S11-1700P12	3/4"W x 12"L

STAINLESS STEEL HOLLOW HALF OVAL ENDS



Highly polished. 304 stainless steel **12" (1') in length.**

PART NO.	MFG#	DESCRIPTION
7928076	2000-12	3/4" x 1'L
7928101	2100-12	1"x 1'L
7928126	2200-12	1-1/4"x 1'L

RADIAL RUB RAIL KITS, COMPLETE

Cut your construction time in half!



Fast and easy to install, Radial is the PVC fender profile without competition. Radial fender profiles can be fitted cold in just a few steps.

Soft Profile

All Radial Fender Profiles are available in cut to length rolls to match the length of your boat, eliminating waste and unwanted joints.

Kit comes standard with 2 plastic end caps and one plastic joint cap (Stainless Steel optional).

Radial 30 Complete Kit

- 1-1/4" Height x 1" Thickness
- Complete kit includes:
- 46' of soft rubrail
- Seven bars of semi-rigid tracks

Radial 40 Complete Kit

- 1-5/8" Height x 1-1/4" Thickness
- Complete kit includes:
- 52' of soft rubrail
- Eight bars of semi-rigid tracks

PART NO.	MFG#	Length	DESCRIPTION
9952-155	T130-141-004-W1	46 Ft	Radial 30 Kit, White
9952-156	T130-141-004-B1	46 Ft	Radial 30 Kit, Black
9952-157	T130-140-110-W1	52 Ft	Radial 40 Kit, White
9952-139	T130-140-110-B1	52 Ft	Radial 40 Kit, Black

END CAPS AND JUNCTIONS FOR RADIAL 30 AND 40



- Stainless Steel

PART NO.	MFG#	DESCRIPTION
9952-143	T130-500-500	Radial 30, End cap, each
9952-145	T130-500-510	Radial 40, End cap, each
9952-147	T130-500-610	Radial 40, Joint cap, each

STAINLESS STEEL HOLLOW HALF OVAL



Highly polished and drilled every 6" for #10 screws. 304 S/S.

PART NO.	MFG#	DESCRIPTION
7928075	12-1100-077	3/4" x 12'L
7928100	12-1200-077	1" x 12'L
7928125	12-1000-077	1-1/4 "x 12'L
7928127	16-1000-077	1-1/4 "x 16'L

STAINLESS STEEL SOLID HALF OVAL



Highly polished and drilled every 6" for #10 screws. 304 S/S. **Sold in standard length of 12'.**

PART NO.	MFG#	DESCRIPTION
7928150	12-0500-150	1/2" x 12'L
7928175	12-1400-187	3/4" x 12'L

2 PART BINO RUB RAIL



- 3-1/2" H x 2-1/8" thick
- Suitable for docks, piers, military boats, and workboats
- Supplied in coils, the basic profile is fitted with the aid of fender washers and self-tapping screws, the ridge profile is set simply by pressure

PART NO.	MFG#	DESCRIPTION
9952-174	T130-115-010-B	Black, 20'L
9952-149	T130-500-095-B	End caps, plastic, each

ALUMINUM RUB RAIL

Sold in 12' lengths.

These Taco Rub Rails are made with a tempered aluminum alloy designed for easy tight radius bending as well as providing strength and protection. The surface has an anodized finish to protect against the harsh marine environment. Drilled and countersunk on 6" centers.





PART NO.	DESCRIPTION
7927725	1" x 3/16"

PART NO.	DESCRIPTION
7927730	1" x 7/16"



Insert is sold separately and is 3/4" x 50'.



Insert is sold separately and is 1" x 70'

PART NO.	DESCRIPTION
7927700	1-1/8" x 5/8"
7927905	Black Insert

PART NO.	DESCRIPTION
7927705	1-1/2" x 5/8"
7927900	Black Insert

For the most up to date pricing, please visit maritimemarinesupply.ca/price

RUB RAIL KITS

These convenient kits include the rub rail in a continuous coil for a one piece installation without seams, along with the insert, end caps where applicable, screws and installation guide. **Rub Rails and inserts are both black.**



Sold in 50' lengths

PART NO.	DESC
7927800	1-1/16" x 11/16" x 50'L



Sold in 50' lengths

PART NO.	DESC
7927805	1-7/8" x 1-1/16"x 50'L



Sold in 70' lengths

PART NO.	DESC
7927810	1-1/4" x 15/16"x 70'L

MOULDING AND INSERT KIT





Continuous 50' coil allows for one piece installation without seams. Tight radius bending can be made with little or no heating.

Kit Includes:

- Rub Rail
- Insert
- End Caps
- Screws
- Installation Guide

PART NO.	MFG#	DESCRIPTION
7927302	V11-9795BBK50D-2	50' Moulding and Insert Kit

RUB RAIL KIT





Kit Includes:

- 70' of white semi-rigid rub rail
- 70' of flex chrome insert
- Hardware and Installation DVD

PART NO.	MFG#	DESCRIPTION
7927825	V11-9811WCM70-2	1-5/8" x 3/4"

RIGID VINYL RUB RAIL



Rub Rail sold in 20' lengths.
Insert sold in 50' lengths.

PART NO.	MFG#	DESCRIPTION
7927315	V21-9501WHC20D	1-1/2" x 7/8", White, x 20'L
7927910	V12-0303BKA50-1	Vinyl Insert, Black, 1" x 50'L

RIGID VINYL RUB RAIL WITH S/S INSERT



With a little heat, this vinyl rigid rub rail will form tightly to the boat's contours and has exceptional lasting qualities in the most adverse conditions. Ideal for the 20' to 40' boat, it provides the ultimate in durability and elegance with a stainless steel insert. Rub Rail drilled and countersunk on 8" centers. Insert drilled and countersunk on 6" centers.

Rub Rail sold in 20' lengths.
Insert sold in 12' lengths.

PART NO.	MFG#	DESCRIPTION
7927090	V21-9659WHC20D	White 1-5/8" x 5/8" x 20'L
7928075	12-1100-077	3/4", S/S Insert x 12'L

PE 902-566-1220 NS 902-928-1900

TWIN EYE RIBBED BOAT FENDERS



All DockSide roto-molded fenders are manufactured from the best quality marine grade vinyl resulting in superior strength, cushioning and a high gloss finish. DockSide fenders have been tested for many years in various marine environments worldwide. DockSide fenders resist deterioration from mildew, gas, oil, seawater and bacteria and have built-in U.V. Stabilizers. All fenders include an inflation valve to allow adjustment for the desired level of firmness.

DockSide's new Twin Eye Ribbed fenders feature specially reinforced heavy-duty integral lugs for added strength and longer durability. These fenders provide maximum protection and value for your dollar.

PART NO.	MFG#	Length In.	Dia. In.	Colour
9969-090	DE79161F	16"	4-1/2"	White
9969-091	DE79162F	16"	4-1/2"	Royal Blue
9969-092	DE79166F	16"	4-1/2"	Black
9969-093	DE79201F	20"	5-1/2"	White
9969-094	DE79202F	20"	5-1/2"	Royal Blue
9969-095	DE79206F	20"	5-1/2"	Black
9969-096	DE79231F	23"	6-1/2"	White
9969-097	DE79232F	23"	6-1/2"	Royal Blue
9969-098	DE79236F	23"	6-1/2"	Black
9969-099	DE79271F	27"	8-1/2"	White
9969-100	DE79272F	27"	8-1/2"	Royal Blue
9969-101	DE79276F	27"	8-1/2"	Black

NEW

BOAT FENDER VALUE PACK



These twin-eye ribbed fenders 2 pack Includes 3/8" x 5' double braided MFP fender lines with a reinforced nylon mesh loop on one end.
Size: 6-1/2 x 23"

PART NO.	MFG#	DESCRIPTION
9969-120	DE77231F	Fender Kit, 2 Pack, White, 6-1/2" x 23"
9969-121	DE77236F	Fender Kit, 2 Pack, Black, 6-1/2" x 23"

TWIN EYE FENDER KIT 2 PACK



2 pack of high gloss white finish ribbed fenders with 5' of 3/8" white fender lines & black covers. Twin-eye allows for horizontal/ vertical use. Resists deterioration from UV and bacterias and includes a Molded-in inflation valve for desired level of firmness Available in 2 sizes.

PART NO.	MFG#	DESCRIPTION
7925207	DE77331F	2 Pk, 6-1/2" x 23" White Ribbed
7925208	DE77301F	2 Pk, 5-1/2" x 20" White Ribbed

CENTRE HOLE BOAT FENDERS



This product combines unsurpassed softness and superior strength to provide boaters maximum protection from a utility fender. Features reinforced molded-in withstand the enduring pull of everyday use. It contains a rubber football needle valve for easy inflation and long life. All sizes have inflation valves to modify the level of firmness to satisfy all applications. Custom inflated to adjust the exact pressure for maximum effectiveness, ships inflated. A unique oval design that stops the fender from rolling out of position. The oval shape helps minimize roll and reduces hull rub.



PART NO.	MFG#	Length In.	Dia. In.	Colour
9969-106	DE71151F	15"	6"	White
9969-107	DE71152F	15"	6"	Royal Blue
9969-108	DE71156F	15"	6"	Black
9969-109	DE71159F	15"	6"	Navy Blue
9969-102	DE71201F	20"	8"	White
9969-103	DE71202F	20"	8"	Royal Blue
9969-104	DE71206F	20"	8"	Black
9969-105	DE71209F	20"	8"	Navy Blue
9969-110	DE71251F	25"	10"	White
9969-111	DE71252F	25"	10"	Royal Blue
9969-112	DE71256F	25"	10"	Black
9969-113	DE71259F	25"	10"	Navy Blue

For the most up to date pricing, please visit maritimemarinesupply.ca/price

TWIN PACK INFLATABLE FENDER WITH FENDER LINE



Kit comes with two fenders and double braided 6' x 3/8" fender lines. Fenders are ribbed to prevent roll and are made with the highest quality marine grade vinyl. UV Stable for years of protection.

Pack of 2 fenders with fender lines.

PART NO.	MFG#	COLOR	DESCRIPTION
7925204	310132P	White	Fender, 4" x 16", 2-pk.
7925205	310152P	White	Fender, 5" x 18", 2-pk.
7925209	31015B2P	Black	Fender, 5" x 18", 2-pk.
7925206	310162P	White	Fender, 6" x 22", 2-pk.
7925211	31016B2P	Black	Fender, 6" x 22", 2-pk.

ECONOMY FENDER

Limited One Year Warranty



Economy level vinyl fender with moulded-in eyelets. Provides basic protection at a lower cost.

PART NO.	COLOUR	SIZE
7925236	Blue	4" x 16"
7925231	White	4" x 16"
7925241	Black	4" x 16"
7925237	Blue	5" x 18"
7925232	White	5" x 18"
7925242	Black	5" x 18"
7925238	Blue	6" x 22"
7925233	White	6" x 22"
7925243	Black	6" x 22"
7925239	Blue	8" x 26"
7925234	White	8" x 26"
7925244	Black	8" x 26"

HULL GARD INFLATABLE FENDERS



A unique oval design which prevents the fender from rolling out of position combined with unsurpassed softness and superior strength to provide boaters with the maximum protection available from a utility fender. Inflation valves to adjust the level of firmness to satisfy all applications.

Recommended Inflation: 2 PSI

PART NO.	COLOUR	SIZE
7925500	White	4.5" x 16"
7925219	White	5.5" x 20"
7925221	Black	5.5" x 20"
7925223	Hunter Green	5.5" x 20"
7925224	Navy Blue	5.5" x 20"
7925225	Cranberry	5.5" x 20"
7925323	White	6.5" x 23"
7925331	Black	6.5" x 23"
7925332	Blue	6.5" x 23"
7925333	Hunter Green	6.5" x 23"
7925335	Cranberry	6.5" x 23"
7925427	White	8.5" x 27"
7925431	White	10.5" x 30"

BIG B INFLATABLE FENDERS



Recommended Inflation: 2 PSI

The versatile Big B Fender incorporates a center rope tube that allows end-to-end line passage. It can be hung vertically or horizontally with a single line. Horizontal hanging is useful protection against pilings, awkward docking situations, and tidal change areas. Big B inflatable vinyl fenders feature seamless construction, with moulded ribs to minimize roll. Big B's are made from the highest quality marine grade vinyl with a high gloss finish.

PART NO.	COLOUR	SIZE
7926315	White	6" x 15"
7926321	Black	6" x 15"
7926322	Blue	6" x 15"
7926329	Dark Blue	6" x 15"
7926420	White	8" x 20"
7926421	Black	8" x 20"
7926422	Blue	8" x 20"
7926429	Dark Blue	8" x 20"
7926527	White	10" x 26"
7926531	Black	10" x 26"
7926535	Dark Blue	10" x 26"
7926631	Black	12" x 34"
7926634	White	12" x 34"

SUPER GARD INFLATABLE FENDERS



These fenders feature a high gloss finish and double moulded black ends for extra strength where you need it the most. Seamless one-piece construction with ribbed sides minimizes roll, and a moulded-in valve ensures easy inflation and long life.

Recommended Inflation: 2 PSI

PART NO.	COLOUR	SIZE
7925350	White	5.5" x 20"
7925352	Blue	5.5" x 20"
7925357	Yellow	5.5" x 20"
7925360	White	6.5" x 22"
7925361	Black	6.5" x 22"
7925362	Blue	6.5" x 22"
7925363	Hunter Green	6.5" x 22"
7925364	Navy Blue	6.5" x 22"
7925365	Cranberry	6.5" x 22"
7925366	Sand	6.5" x 22"
7925367	Yellow	6.5" x 22"
7925368	Red	6.5" x 22"
7925370	White	8.5" x 26"

INFINITY DEFENDER FENDER

NEW

JOBE



These inflatable fenders are here to protect your boat. With the Defender, worrying about docking is a thing of the past. Can only be inflated with a connection to the Halkey Roberts Valve.
Pressure up to 0.19 bar (2.7PSI).
Available in 2 meter and 4 meter size.



PART NO.	MFG#	DESCRIPTION
7240585	281026010	Inflatable Boat Fender, 2m
7240586	281026011	Inflatable Boat Fender, 4m

INFLATABLE FENDERS

PLASTIMO



- Abrasion resistant black polyester cover w/ polyurethane coating
- 3 webbing straps sewn along fender for increased tear resistance
- Bottom strap helps using the fender horizontally
- Black PVC thermo-welded air chamber w/ Halkey Roberts valve
- Supplied with 2 m Ø 10 mm rope

PART NO.	MFG#	DESCRIPTION
9990-166	65494	12" x 30"
9990-168	65495	14" x 40"

INFLATABLE HEAVY DUTY FENDERS



- Constructed for extreme strength, chosen by navies from the world over and in use under the most demanding conditions
- High strength solid injection molded rope eyes and easy to use leak free brass inflation valve

White with Black Rope Eyes

PART NO.	MFG#	DESCRIPTION
9970-000	53052051	20" L x 5" Dia., 3/4" eye
9970-001	53062351	23" L x 6" Dia., 3/4" eye
9970-002	53082751	27-3/4" L x 8" Dia., 1" eye
9970-003	53103551	35" L x 10" Dia., 1" eye
9970-004	53124251	41-3/4" L x 12" Dia., 1" eye
9970-005	53155051	50" L x 15" Dia., 1 1/4" eye

Blue with Black Rope Eyes

PART NO.	MFG#	DESCRIPTION
9970-300	53052052	20" L x 5" Dia., 3/4" eye
9970-301	53062352	23" L x 6" Dia., 3/4" eye
9970-302	53082752	27-3/4" L x 8" Dia., 1" eye
9970-303	53103552	35" L x 10" Dia., 1" eye
9970-304	53124252	41-3/4" L x 12" Dia., 1" eye
9970-305	53155052	50" L x 15" Dia., 1 1/4" eye

PREMIUM FENDER COVERS

Taylor Made Products



Premium Fender Covers are made of heavy weight polyester knit fabric for lasting protection from UV damage, abrasion and mildew. Four sizes are available to fit most fenders. Washable in cold water with mild detergent for protection season after season. Sold individually.
Colour: Black or Navy Blue

	Big B	Super Gard	Hull Gard
Small	6" x 15"	5.5" x 20"	6.5" x 23"
Medium	8" x 20"	8.5" x 26"	8.5" x 27"
Large	10" x 26"	10.5" x 30"	10.5" x 30"
X-Large	12" x 34"	-	-

PART NO.	MFG#	DESCRIPTION
7925454	9204N	Small, Navy Blue
7925455	9204R	Small, Black
7925456	9205N	Medium, Navy Blue
7925457	9205R	Medium, Black
7925458	9206N	Large, Navy Blue
7925459	9206R	Large, Black
7925460	9207N	X-Large, Navy Blue
7925461	9207R	X-Large, Black

FENDER COVERS

NEW

DOCK EDGE INC.



Dock Edge fender covers are an ideal choice for marine applications where durability is paramount. Highly durable, colorfast and water repellent.
Features and Benefits

- Fully reversible black/blue.
- Durable double cord lock fastener w/ heavy elastic drawstrings.
- Antibacterial, dry-wick quick drying.
- Double layer for superior abrasion resistance.
- Extended lifespan with high UV resistance.

PART NO.	MFG#	DESCRIPTION
7925490	DE965669F	Fender Cover, Blu/Blk, 6" Dia., sm
7925491	DE965869F	Fender Cover, Blu/Blk, 8" Dia., med
7925492	DE965069F	Fender Cover, Blu/Blk, 10" Dia., lg
7925493	DE965269F	Fender Cover, Blu/Blk, 12" Dia., xl

GENERAL REFERENCE GUIDE

FENDER TO BOAT SIZE

Below you will find a chart on general recommendations on what fender size would accomodate most boating situations.

Fender Diameter	3"	4"	5"	6"	8"	10"	12"
Boat Size	0-10'	10-15'	15-20'	20-25'	25-35'	35-50'	50-60'

For the most up to date pricing, please visit maritimemarinesupply.ca/price

FENDERS "HTM" SERIES



Moulded-in vertical ribs for extra protection against abrasion, reinforced tube ends to prevent lines from pulling through if the fender gets caught in a tight spot, extra wall thickness for maximum strength and durability to resist punctures and tears and the unique Polyform valve for years of service. They are designed for medium-duty use in both permanently protected and unprotected moorings.

Series	HTM-1	HTM-2	HTM-3	HTM-4
Hole Size	0.625"	0.625"	0.625"	0.625"
Fits Boats	20 - 30'	20' - 30'	30' - 40'	40' - 50'

PART NO.	MFG#	DESC	SIZE
7926720	HTM-1 WHITE	White	6.3" x 15.5"
7926721	HTM-1 BLACK	Black	6.3" x 15.5"
7926722	HTM-1 COBALT BLUE	Cobalt Blue	6.3" x 15.5"
7926723	HTM-1 GRAPHITE	Graphite	6.3" x 15.5"
7926730	HTM-2 WHITE	White	8.5" x 20.5"
7926731	HTM-2 BLACK	Black	8.5" x 20.5"
7926732	HTM-2 COBALT BLUE	Cobalt Blue	8.5" x 20.5"
9970-073	23-684-762	Forest Green	8.5" x 20.5"
9970-077	15-460-041	Burgundy	8.5" x 20.5"
7926733	HTM-2 GRAPHITE	Graphite	8.5" x 20.5"
7926740	HTM-3 WHITE	White	10.5" x 27"
7926741	HTM-3 BLACK	Black	10.5" x 27"
7926742	HTM-3 COBALT BLUE	Cobalt Blue	10.5" x 27"
9970-074	01-469-416	Forest Green	10.5" x 27"
9970-078	28-678-786	Burgundy	10.5" x 27"
7926743	HTM-3 GRAPHITE	Graphite	10.5" x 27"
7926750	HTM-4 WHITE	White	13.5" x 34.8"
7926751	HTM-4 BLACK	Black	13.5" x 34.8"
7926752	HTM-4 COBALT BLUE	Cobalt Blue	13.5" x 34.8"
7926753	HTM-4 GRAPHITE	Graphite	13.5" x 34.8"

FENDERS "F" SERIES



These Polyform 'F' series fenders have multiple ribbed reinforced rope holes, unique vinyl valve seals and an even wall thickness providing strength and dependability to protect vessels from the rigours of the sea and weather.
They are designed with twin rope holes for vertical or horizontal use in permanent unprotected moorings, pilings, locks and concrete walls

Series	F1	F2	F3	F4	F5	F7
Hole Size	0.7"	0.9"	0.9"	0.9"	1.0"	1.0"
Fits Boats	20' - 30'	20' - 30'	20' - 30'	30' - 40'	30' - 40'	50' - 60'

PART NO.	MFG#	DESC	SIZE
7926100	F-1 WHITE	White	6" x 24"
7926110	F-2 WHITE	White	8.2" x 25"
7926120	F-3 WHITE	White	8.2" x 30"
7926130	F-4 WHITE	White	8.5" x 40.5"
7926140	F-5 WHITE	White	11" x 30"
7926160	F-7 WHITE	White	15" x 41"
7926103	F-1 GRAPHITE	Graphite	6" x 24"
7926113	F-2 GRAPHITE	Graphite	8.2" x 25"
7926123	F-3 GRAPHITE	Graphite	8.2" x 30"
7926133	F-4 GRAPHITE	Graphite	8.5" x 40.5"

FENDERS "G" SERIES



Polyform 'G' series fenders feature moulded-in ribs for long term durability, abrasion resistant reinforced rope holes and a unique Polyform inflation valve for the larger sizes providing years of dependable service. Designed with twin rope holes for vertical or horizontal mounting on trailered boats and for boats in permanently protected moorings.

Series	G1	G2	G3	G4	G5	G6
Size	3.5" x 12.8"	4.5" x 15.5"	5.5" x 19"	6.5" x 22"	8.8" x 26.8"	11" x 30"
Eye Dia.	0.375"	0.5"	0.625"	0.750"	0.750"	0.875"
Fits Boats	Up to 10'	10' - 15'	10' - 20'	20' - 30'	20' - 30'	35' - 40'

PART NO.	MFG#	DESC
7926220	G-1 WHITE	G-1 White
7926221	G-1 BLACK	G-1 Black
7926222	G-1 NAVY BLUE	G-1 Navy
7926229	G-1 GREY	G-1 Grey
9969-006	92-206-044	G-1 Forest Green
9969-012	94-643-715	G-1 Burgundy
9970-092	45-162-056	G-2 White
9969-001	06-198-906	G-2 Black
9970-098	G-2 NAVY BLUE	G-2 Navy
9969-007	96-985-316	G-2 Forest Green
9969-013	44-927-434	G-2 Burgundy
7926230	G-3 WHITE	G-3 White
7926231	G-3 BLACK	G-3 Black
7926232	G-3 NAVY BLUE	G-3 Navy
7926239	G-3 GREY	G-3 Grey
9969-008	73-030-171	G-3 Forest Green
9969-014	82-095-487	G-3 Burgundy
7926240	G-4 WHITE	G-4 White
7926241	G-4 BLACK	G-4 Black
7926242	G-4 NAVY BLUE	G-4 Navy
7926249	G-4 GREY	G-4 Grey
9969-009	71-537-490	G-4 Forest Green
9969-015	25-707-693	G-4 Burgundy
7926250	G-5 WHITE	G-5 White
7926251	G-5 BLACK	G-5 Black
7926252	G-5 NAVY BLUE	G-5 Navy
7926259	G-5 GREY	G-5 Grey
9969-010	14-443-278	G-5 Forest Green
9969-016	94-151-787	G-5 Burgundy
9970-096	41-137-889	G-6 White
9969-005	71-201-180	G-6 Black
9970-011	G-6 NAVY BLUE	G-6 Navy
9969-011	59-562-690	G-6 Forest Green
9969-017	59-292-624	G-6 Burgundy

ELITE FENDER COVERS



Made with premium grade polyester yarn that is resistant to abrasion and UV exposure. Additionally, they resist water absorption better than other materials, keeping fenders manageable and light when wet. Produces a seamless tube providing a heavier, stronger yarn content. These washable fenders have a 1/4" line drawstring.

PART NO.	MFG#	DESCRIP-TION	FITS
7925470	EFC-1 BLACK	Black	G4, F1, HTM1, NF4
7925471	EFC-2 BLACK	Black	G5, F2, HTM2, NF5
7925472	EFC-3 BLACK	Black	G6, HTM3
7925473	EFC-4 BLACK	Black	HTM4
9969-029	EFC-8 BLACK	Black	F-8
7925480	EFC-1 BLUE	Blue	G4, F1, HTM1, NF4
7925481	EFC-2 BLUE	Blue	G5, F2, HTM2, NF5
7925482	EFC-3 BLUE	Blue	G6, HTM3
7925483	EFC-4 BLUE	Blue	HTM4





For the most up to date pricing, please visit maritimemarinesupply.ca/price

BASS BOAT FENDER



Shaped to protect the gunwales and rub rails compared to regular fenders. Made from specially formulated tough marine grade vinyl and features an inflation valve for pressure adjustment.

PART NO.	COLOUR	SIZE
7925250	White	5" x 14"
7925251	Black	5" x 14"

PONTOON FENDERS





Made from marine grade UV resistant vinyl and have an integrated rubber football style valve for easy inflation. Specifically designed to fit snugly between the pontoon and the deck of the boat. The fence saver secures to the fence or railing and is designed to prevent contact to the delicate aluminum fencing.

PART NO.	MFG#	DESCRIPTION
7925260	31030	White Pontoon Fender
7925261	31035	Silver Pontoon Fender

PONTOON FENCE SAVER FENDER



This fender is designed to protect the aluminum fence panelling on pontoon boats.

It helps prevent bumps, scrapes and dings that can easily damage the delicate siding.

The Fence Saver is particularly suited for providing protection when rafting alongside vessels with conventional-style hulls.

Dimensions: 9"W x 36"L

PART NO.	MFG#	DESCRIPTION
7925262	31032	Pontoon Fender, Fence Saver

NEW

RIB FENDER



A traditional fender will tilt away from the hull and may eventually slip above or below, whereas the articulated RIB fender follows the curves of the hull and remains in the right position to protect the boat efficiently.

Rotomoulded construction, UV protected.

PART NO.	MFG#	DESCRIPTION
9990-908	66345	White, 4-3/4" x 19"
9990-909	66346	Blue, 4-3/4" x 19"
9990-910	66428	Black, 4-3/4" x 19"
9990-911	66780	White, 6" x 23-1/2"
9990-912	66875	Blue, 6" x 23-1/2"
9990-913	66876	Black, 6" x 23-1/2"

SOFTSIDE MOORING FENDERS



Moulded from a lightweight polymeric material these 5" fenders are a one piece constructed soft to the touch,easy on hulls, but resistant to UV, chalking, splitting and crushing. Double-moulded eye ends for extra strength Guaranteed for life against splitting or bursting 5" x 22"

PART NO.	MFG#	DESCRIPTION
7925210	93553P2	Fender, 5" x 22", 3-pk.

BOW FENDER



- Dimensions: 24" x 5-1/2"

PART NO.	MFG#	DESCRIPTION
9990-656	63918	White PVC

HULL HUGR PWC FENDER



Engineered specifically for Personal Water Crafts, this fender hinges in the centre to better protect the crafts body from docks designed for bigger boats.

Easy to install and provided with an adjustable strap. Sold individually, but two are recommended. **5"W x 12"L x 4"T**

PART NO.	MFG#	DESCRIPTION
7925100	HH-P1B	PWC Hull Hugr Fender

MULTI FENDERS

- White flexible PVC
- Waffle design creates an articulated bumper grid that adapts to the boat hull or dock shape: flat, rounded or angled







PART NO.	MFG#	DESCRIPTION
9990-329	63919	24" x 12", thickness 3"

HULL HUGR CONTOUR FENDER



Hull Hugr Contour Fenders hinge at the rub rail to wrap around the gunwale and hull, following the contours of the boat. They always stay put, unlike other fenders.



They are constructed of durable tri-laminate covering closed cell foam with polycarbonate grommets. Hull Hugrs stow in half the space of a round fender, under seats or inside storage compartments.

PART NO.	MFG#	DESCRIPTION
7925101	HH-1CW	6"W x 24"L x 2-1/2"T, White
7925102	HH-1CB	6"W x 24"L x 2-1/2"T, Black
7925103	HH-1C	6"W x 24"L x 2-1/2"T, Blue
7925104	HH-30CW	6"W x 30"L x 4"T, White
7925105	HH-30CB	6"W x 30"L x 4"T, Black
7925106	HH-30C	6"W x 30"L x 4"T, Blue

FLAT FENDERS



- Polyethylene closed cell foam, they provide good hull protection and will not mark the hull
- Does not absorb oils or water
- Easily stack in a locker for storage
- Easy to clean

PART NO.	MFG#	DESCRIPTION
9990-432	64401	65 cm x 24 cm x 8 cm
9990-433	14520	96 cm x 31 cm x 8 cm

LADDER FENDER

- Protects topsides and enables easy boarding



PART NO.	MFG#	DESCRIPTION
9990-545	186362	White, 2 step, 21-½" L
9990-546	186364	White, 3 step, 29-½" L
9990-547	186366	White, 4 step, 37-½ "L
9990-548	186363	Blue, 2 step, 21-½" L
9990-549	186365	Blue, 3 step, 29-½" L
9990-550	186367	Blue, 4 step, 37-½ "L

FENDER STEPS

1 Step Version

- 15-3/4" W x 15-3/4" L x 8" D



- Unique patented design that functions as both a fender and a step — the practical alternative to a ladder
- Compact size requires minimal storage space, and is useful if you have to enter a dinghy





2 Step Version

- 17-3/4" W x 22" L x 7" D



PART NO.	MFG#	DESCRIPTION
9970-348	54151351	1 Step, White
9970-349	54151359	1 Step, Blue
9970-350	54151355	1 Step, Black
9970-351	54152251	2 Step, White
9970-352	54152259	2 Step, Blue

For the most up to date pricing, please visit maritimemarinesupply.ca/price

INFLATABLE NET BUOYS

- Solid injection molded for heavy duty, professional use with black rope eye for strength and durability
- Brass inflation valve for easy inflation and leak free operation
- Unique pear shape provides 12% more buoyancy than competitive buoys



PART NO.	MFG#	Color	DIA.	CIRC.
9970-333	55503054	Yellow	9-1/2"	30"
9970-334	55504054	Yellow	12-1/2"	40"
9970-335	55505054	Yellow	16"	50"
9970-336	55506054	Yellow	19"	60"
9970-337	55507554	Yellow	24"	75"
9970-338	55510054	Yellow	32"	100"
9970-033	55503053	Red	9-1/2"	30"
9970-034	55504053	Red	12-1/2"	40"
9970-035	55505053	Red	16"	50"
9970-036	55506053	Red	19"	60"
9970-037	55507553	Red	24"	75"
9970-038	55510053	Red	32"	100"
9970-433	55503051	White	9-1/2"	30"
9970-434	55504051	White	12-1/2"	40"
9970-435	55505051	White	16"	50"
9970-436	55506051	White	19"	60"
9970-437	55507551	White	24"	75"
9970-438	55510051	White	32"	100"

COMMERCIAL BUOYS



- Strongest rope eye in the industry, ideal for use with shackles
- Superior valve design, conveniently located in the rope eye for increased durability
- Single valve system for ease of inflation and deflation also helps prevent leaks and stripping
- **Lifetime Warranty: refer to www.dockedge.com/support/warranty.asp for details**

PART NO.	MFG#	Color	DIA.	CIRC.
9969-070	DE95610F	Orange	10"	31"
9969-071	DE95612F	Orange	12"	38"
9969-072	DE95615F	Orange	15"	47"
9969-073	DE95618F	Orange	18"	57"
9969-074	DE95620F	Orange	20"	63"
9969-075	DE95710F	White	10"	31"
9969-076	DE95712F	White	12"	38"
9969-077	DE95715F	White	15"	47"
9969-078	DE95718F	White	18"	57"
9969-079	DE95720F	White	20"	63"

LD SERIES LOW DRAG BUOYS

- 1" eye diameter
- Patented rib design and unique shape allow the buoy to skip along the water surface, making retrieval easier
- Seamless one piece commercial marine grade vinyl construction
- Multiple rib reinforced, 1" diameter rigid ropehold eye provides added strength and disperses shock loads
- Quick and easy inflation or deflation with unique vinyl valve system



White | Yellow | Saturn Yellow | Red | Orange | Blue | Green

LD-1

18-1/2" L x 8-1/2" Dia., 29 lb. Buoyancy

PART NO.	MFG#	DESCRIPTION
9970-230	LD-1 BLUE	Blue
9970-238	LD-1 YELLOW	Yellow
9970-231	LD-1 WHITE	White
9970-232	LD-1 GREEN	Green
9970-233	LD-1 RED	Red
9970-234	LD-1 SATURN YELLOW	Saturn Yellow

LD-2

23" L x 12" Dia., 68 lb. Buoyancy

PART NO.	MFG#	DESCRIPTION
9970-200	LD-2 BLUE	Blue
9970-201	LD-2 WHITE	White
9970-202	LD-2 GREEN	Green
9970-203	LD-2 RED	Red
9970-204	LD-2 SATURN YELLOW	Saturn Yellow
9970-205	LD-2 YELLOW	Yellow
9970-206	LD-2 ORANGE	Orange

LD-3

30" L x 14-1/2" Dia., 121 lb. Buoyancy

PART NO.	MFG#	DESCRIPTION
9970-207	LD-3 BLUE	Blue
9970-208	LD-3 WHITE	White
9970-209	LD-3 GREEN	Green
9970-210	LD-3 RED	Red
9970-211	LD-3 SATURN YELLOW	Saturn Yellow
9970-212	LD-3 YELLOW	Yellow
9970-214	LD-3 ORANGE	Orange

TUFF END COMMERCIAL GRADE BUOYS

H/D seamless construction meets the punishing demands of the commercial marine industry. Tuff End buoys make great fenders for larger boats, and are also well suited for net buoys, mooring buoys or markers. Inflation is easy through the patented tri-valve located on the fender body for easy access. Simply insert a football-style needle or unscrew the valve for fast inflation from larger air pumps. Made from injection moulded vinyl tested to 2000 PSI tensile strength. Large line holes that will accept standard shackles. The curved design hole prevents chafing.

Colour: Orange or white.



PART NO.	MFG#	TYPE	CIRC.
7925112	61143	12" Orange	38"
7925113	1143	12" White	38"
7925115	61146	15" Orange	47"
7925116	1146	15" White	47"
7925118	61149	18" Orange	57"
7925119	1149	18" White	57"
7925121	61152	21" Orange	66"
7925122	1152	21" White	66"
7925127	61155	27" Orange	85"
7925202	2022108181	Tri-Valve Repl. Kit	

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

ALL-PURPOSE "A" SERIES BUOYS



All-purpose 'A' Series Buoys have an even wall thickness for maximum strength and durability to resist punctures and tears, reinforced rope holes for improved strength and the unique Polyform valve, dual valve for inflation and deflation for the A5 size, for years of service. These signature "Blue Rope Holes" have proven themselves in the most adverse conditions. You name it—ocean, sea, river or lake—and the 'A' Series has been there.

Series	A0	A1	A2	A3	A4	A5
Size	8" x 11.5"	11" x 15"	14.5" x 19.5"	17" x 23"	20.5" x 27"	27" x 36"
Eye Dia.	0.6"	1.0"	1.125"	1.125"	1.125"	1.125"
Fits Boats	Up to 20'	20' - 30'	30' - 40'	40' - 50'	50' - 60'	60' & Up

PART NO.	MFG#	DESCRIPTION		DIA.	CIRC.
7925150	84-083-844	A-0	Red	8"	25"
7925151	45-125-827	A-0	White	8"	25"
7925155	11-706-223	A-1	Red	11"	35"
7925156	13-814-852	A-1	White	11"	35"
9970-274	50-766-620	A-1	Yellow	11"	35"
9970-275	64-218-664	A-1	Orange	11"	35"
7925160	36-649-954	A-2	Red	14.5"	46"
7925161	93-589-640	A-2	White	14.5	46"
9970-278	23-133-894	A-2	Yellow	14.5	46"
9970-279	16-691-632	A-2	Orange	14.5	46"
7925165	77-400-354	A-3	Red	17"	54"
7925166	32-152-798	A-3	White	17"	54"
7925170	25-901-934	A-4	Red	20.5"	65"
7925171	27-685-394	A-4	White	20.5"	65"
7925175	78-597-643	A-5	Red	27"	85"
7925176	40-498-717	A-5	White	27"	85"

MOORING BUOYS



- 1/2" Galvanized steel mooring iron with the additional protection of a vinyl coated eye
- large 4-3/8" diameter eye and swivel (1-1/2" diameter long)

Measurements are based on the recommended inflation pressure of 2 psi.

PART NO.	MFG#	DESCRIPTION
9969-021	CM-2 WHITE	White with Blue Stripe , 15" Dia.
9969-022	CM-3 WHITE	White with Blue Stripe, 18" Dia.
9969-023	CM-2 RED	Red, 15" Dia.
9969-024	CM-3 RED	Red, 18" Dia.



A permanent mooring system that will securely position a boat. A good system usually consists of a mooring buoy (to float the chain), a mooring anchor & a length of chain
(running between the anchor and the mooring buoy). Also, the proper ground tackle includes correct sized galvanized shackles & swivels.

Always keep in mind that the mooring system is only as reliable as the current conditions of the environment.

The buoys themselves are made of a seamless tough polyethylene. This hard skin shell features an ultraviolet light inhibitor for long-term life under the sun and a sand blasted finish which allows the buoy to be easily painted for identification. They are filled with EPS foam allowing them to positively displace water and they have a 2" wide blue reflective stripe around the centre for easy locating.

TRADITIONAL SUR-MOOR BUOY



Traditional steel eyelet on top and swivel at the bottom. All hardware is 1/2" diameter hot dip galvanized steel. The eyelet on top is for pick up only, the boat & anchor chain should always be attached at the lower swivel.

PART NO.	DIAMETER	CIRCUM.	BNCY *
7925010	12"	38"	30 lbs.
7925011	15"	47"	60 lbs.

SUR-MOOR T3C BUOY



2.5" diameter tube through the center allowing the anchor chain to pass through. The chain must be attached to a shackle or ring of adequate size to not pull through the tube. Allows for boat line attachment to the shackle at the top of the buoy. The purchase of a mooring collar is recommended to prevent chain wear at the top of the buoy (Part #7925098).

PART NO.	DIAMETER	CIRCUM.	BNCY *
7925020	18"	57"	100 lbs.
7925024	24"	75"	240 lbs.

T3C MOORING COLLAR



Galvanized protects your T3C buoy from anchor chain wear. Designed to work with standard shackles. Sized to slip into the top of a 2-1/2" tube diameters. **Fits:** 7925020 and 7925024

PART NO.	MFG#	DESCRIPTION
7925098	33025	For 2-1/2" Diameter Tube



WATER SKI SLALOM BUOYS

- High quality PVC with strong rope hold
- 9" diameter



PART NO.	MFG#	DESCRIPTION
9969-018	WS-1 GREEN	Green
9969-019	WS-1 RED	Red
9969-020	WS-1 YELLOW	Yellow

BUOY SHACKLES



- Specifically for Polyform buoys, the PVC bushing insert distributes load evenly over the entire ropehold area
- Breaking strength tested at 5,000 lbs

PART NO.	MFG#	DESCRIPTION
9970-216	21-554-162	1" galvanized – Model 52
9970-213	33-957-400	1 1⁄4" galvanized – Model 50

WATER SKI MARKER BUOYS



Made from PVC, lightweight,durable inflatable buoys will mark your slalom course in accordance with the American Water Ski Association.

Each buoy has a moulded-in loop to fasten anchor line and contains an inflation valve for air pressure adjustment.

PART NO.	MFG#	COLOUR	SIZE
7925001	161	Green	9"
7925002	164	Red	9"
7925003	165	Yellow	9"

SPAR BUOY - WINTER STICK



- Designed to replace mooring buoys during winter months
- Tapered to remain free in icy conditions
- Dimensions: 60" H x 6" bottom diameter x 4" top diameter

PART NO.	MFG#	DESCRIPTION
9955-066	510-W	36"
9955-067	511-W	60"

FENDER ADJUSTER FOR SQUARE RAILS



These ABS plastic fender adjusters are made specifically for the 1" square rails commonly found on pontoon boats. They clamp securely to tubing, but can be easily repositioned. These fender adjusters accept lines up to 3/8".

Sold in a package of 4.

PART NO.	MFG#	DESCRIPTION
7926812	1139	Fender Adjuster, 4-pk.

FENDER HOOK



For a quick, easy and secure way to hang your boat fenders, these chrome plated brass fender hooks can be placed just about anywhere. For 3/8" line.
Requires 2 x #8 Flat Head screws.

PART NO.	MFG#	DESCRIPTION
7912260	672520-1	Fender Hook

FENDER LOCKS



Made of chrome plated zinc alloy. The eye is to be permanently attached to the fender line.

Dimensions:
I.D. Eye: 3/8"
O.D. Flange: 1-1/2"
Screw Size: #8

PART NO.	MFG#	DESCRIPTION
7926815	1299DP0CHR	Fender Locks, Pair

QUICK RELEASE FENDER LOCK



Taco Marine's Quick Release Fender Locks are designed for simple single hand operation making easy installation and removal of float style fenders. Made of highly polished 316 Stainless Steel, it has a large push button for comfortable operation and a large 7/8" diameter hole for rope.

PART NO.	MFG#	DESCRIPTION
7912265	F16-0151-1	Fender Lock

QUICK DRAW FENDER ADJUSTER





This quick draw fender hanger has an easy to use button to provide quick fender height adjustments and to secure the line tightly in place. Holds to bow rails up to 1" diameter, also many grab handles, lifelines, cleats, and more. Stainless steel screws and internal spring. **Fits:** 1/4"-1/2" fender lines

PART NO.	MFG#	DESCRIPTION
7926813	1092	Quick Draw Fender Adjuster

LIFELINE FENDER CLIP



These injection moulded polyethylene Lifeline Fender Clips mount securely to your 3/16" to 1/4" lifelines. They are useful for hanging fenders, holding power cords, etc.

Sold in pairs.

PART NO.	MFG#	DESCRIPTION
7926816	8812208	Fender Clips, Pair

FENDER ADJUSTER



- Adjusts fender height for lines up to 5/8" diameter
- UV resistant vinyl with stainless steel hardware

PART NO.	MFG#	DESCRIPTION
9969-036	DE91531F	Fender Adjusters

FENDER HOOKS – RAIL MOUNT

Sold in pairs.



- Clamp securely to 7/8" and 1" rails, or up to 1/4" lifelines
- Double locking clamp design allows easy adjustment on fender height

PART NO.	MFG#	DESCRIPTION
9972-010	8810219	Nylon

FENDER HOOKS – RAIL MOUNT

Sold in pairs.



- Nylon
- Provides quick and easy way to fasten fenders to rails

PART NO.	MFG#	DESCRIPTION
9972-009	8812209	Nylon

FENDER HOOKS



- Screw size #8

Sold in pairs.

PART NO.	MFG#	DESCRIPTION
9972-005	8631407	316 SS

FENDER HOOK



- Concealed fasteners
- One-hand operation
- Spring loaded hook secures the line firmly

PART NO.	MFG#	DESCRIPTION
9970-257	0408585	Oval, 316 SS

DAVIS FENDER TENDER II



Fender Tender II simplifies the handling and relocation of boat fenders. The railing lock firmly grasps rails from 7/8" to 1" Diameter. Serrated lifeline lock provides added safety. Use 1/4" to 3/8" diameter nylon line. Made of tough sun-resistant plastic. Easy on, easy off, easy to adjust, no knots.

Packaged in pairs.

PART NO.	MFG#	DESCRIPTION
7926800	393	Fender Tender II 2 pack

FENDER TIDY-UPS



Quick and simple. These fender adjusters simply snap over your lifelines or railing and are ready to use.

Holds up to 5/8" Line.

PART NO.	MFG#	DESCRIPTION
7926810	1015	White
7926811	1016	Black

NO-SLIP FENDER STRAPS



No more tying and untying knots! Attach boat fenders to rails and cleats quickly and securely with these Hull Hugr fender straps. The NO-SLIP pads sewn to the underside of the straps minimize sliding along rails. They easily adjust in seconds from 6" to 40" to fit most boats and docking situations.
Colour: White Sold 2 per package.

PART NO.	MFG#	DESCRIPTION
7926801	SF-2	Fender Straps, 2-pk.

NEW

PONTOON RAIL FENDER HANGER



A plastic hanger that fits on the 1-1/4" square rails of a pontoon boat to hang fenders. It is sold as a set of four and is designed to allow boat owners to easily attach and adjust fenders without using cleats

PART NO.	MFG#	DESCRIPTION
7926840	53570	Fender Hanger, Pontoon, 1-1/4"

FENDER FRIEND





Fender not included.

Fender whip, hanger and adjuster all in one. Anyone can quickly and easily set them in place. Built-in Shockle stretches to absorb the impact when fenders get squeezed between the hull and dock or against another boat during surges and wakes. The UV resistant strap adjusts from 16 to 72" (0.4-1.8m) and a sturdy marine grade nylon buckle makes attaching fenders a snap.

PART NO.	MFG#	DESCRIPTION
7924855	2450	Twin-Eye, Black
7924856	2455	Center-Tube, Black

FENDER TIDY UP KITS



Made from high quality marine grade components, they are quick and easy to use. Simply snap adjuster over your lifeline, railing, or stanchion and set fender height in an instant. It will not fade or kink and is mildew and rot resistant. A pre-spliced and professionally finished end allows your fender to be tightly secured without hard to untie knots.

Includes: 1 x Tidy Up, 1 x 6' (3/8") solid braid rope

PART NO.	MFG#	DESCRIPTION
7926817	1137	Tidy Up, 3/8" x 6' Rope, Navy

BIG B FENDER HANGER







Designed for use on Taylor Made fenders with 3/4" ID tubing. May be used on other brands, but due to variation among brands the consumer must verify a tight enough fit between the tube and product for proper function (center tubes must be small enough to keep the product halves firmly together).

Features:

- Injection moulded reinforced nylon for strength
- Vented to prevent water accumulating in fender tube
- Professional "finished" look
- Fits 3/8" diameter rope



PART NO.	MFG#	DESCRIPTION
7926802	1085	Fender Hanger, Big B, 3-pk.
7926803	11085	Fender Hanger, Big B, 36-pcs.

TIDY UP LINE HOLDERS



UV resistant vinyl strap securely holds rope, cords, etc.

PART NO.	MFG#	DESCRIPTION
7926819	1019	Line Holder, 1-1/2" to 2"
7926820	1101	Line Holder 1" to 1-1/4"

HAND PUMP WITH HOSE ADAPTER



7925201

Hand Pump with hose adapter is a compact hand pump for filling fenders, rafts, etc. Includes 1 needle and adapter hose.

PART NO.	MFG#	DESCRIPTION
7925200	1005	Hand Pump & Adapter
7925201	31010	Package of 3 Inflation Needles

HAND PUMP







Remove screw from valve | **Insert inflation adapter (if needed)** | **Inflate (2 psi max.)** | **Remove screw; tighten with screw driver**

PART NO.	MFG#	DESCRIPTION
9970-020	62-078-262	Model 30
9970-006	22-689-786	Adapter - Model 10

BUOY/FENDER HAND PUMP



- Specially designed for Dan-Fender's metal valve
- Useful on-board to add extra air to soft fenders
- Small size makes stowing easy

PART NO.	MFG#	DESCRIPTION
9970-087	950100	Hand pump

INFLATION ADAPTER KIT



- Allows for various modes of inflation nozzles
- Adapter can be used to remove/install valve plug

PART NO.	MFG#	DESCRIPTION
9970-088	500001	-Kit

TRUEFIT FENDER HOLDER SYSTEM



- UV resistant vinyl with stainless steel hardware
- Modular system fits rail systems from 7/8" to 1"
- At any height or any angle – mix or match sizes, or add on as your needs change



Parallel connectors



Swivel connector

PART NO.	MFG#	DESCRIPTION
9969-030	TFR-170	6-3⁄4" holder for 6" fender
9969-031	TFR-230	9" holder for 8" fender
9969-032	TFR-280	12" holder for 10" fender
9969-034	TFR-402	Rail swivel connector
9969-035	TFR-403	Parallel connectors, pair

STAINLESS STEEL FENDER RACK



Made of #316 Stainless Steel. Holds any style fender. Movable J-hooks mount on 7/8" rails and stanchion system. Folds flat for easy storage.

Fenders not Included.

PART NO.	MFG#	DESCRIPTION
7926821	2009	Double Rack 7"–9"
7926822	2011	Double Rack 9"–11"
7926826	3009	Triple Rack 7"–9"
7926827	3011	Triple Rack 9"–11"

FENDER HOLDER



Fender Holders adjust to angle of railing and fold down when not in use. **Fenders not included.**



Part #	A	B
7926830	7-1/2"	7/8" - 1"
7926831	9-1/2"	7/8" - 1"
7926832	11-1/2"	7/8" - 1"

PART NO.	MFG#	DESCRIPTION
7926830	327357-1	Fender Holder Dual 7-1/2"
7926831	327359-1	Fender Holder Dual 9-1/2"
7926832	327361-1	Fender Holder Dual 11-1/2"

CHAFE GUARDS



Great for anchor lines or mooring pennants the outside cover is made of marine-tough nylon for resistance to chafe over years of use. The inside is lined with Velcro brand hook fasteners to grip the line securely and making it easy to reposition, no need for additional strings or ties.
Fits line sizes 3/8" to 1". 10-25cm
Sold in pairs.

PART NO.	MFG#	DESCRIPTION
7249990	395	16" long (40cm) White
7249991	397	16" long (40cm) Black

SAILBOAT RIGGING CABLE COVERS



These Cable Covers will protect your sails and sheets from chafe. They will also keep your sails clean and prevent wear. Made to last longer from tough, durable plastic that can absorb more ultraviolet than other brands. 6' (180cm) lengths and they are split for quick "snap-on" installation.

PART NO.	MFG#	DESCRIPTION
7249993	252	1/8" (3mm)
7249994	253	5/32" (4mm)
7249995	254	3/16" (5mm)
7249996	255	1/4" (6mm)
7249997	256	5/16" (8mm)
7249999	257	3/8" (10mm)

NEW

FENDER HOLDER



Provides secure and organized storage for your boat fenders, ensuring they are readily accessible when needed. Constructed from high-quality 304 SS, these fender holders offer exceptional durability and corrosion resistance, making them ideal for marine environments

PART NO.	MFG#	DESCRIPTION
7926841	91674-02	Double, 304 SS, 8" Fender
7926842	91674-03	Double, 304 SS, 10" Fender

NEW

DOCK BUMPER



Durable, UV-protected PVC dock bumpers designed for permanent fixation on docks to protect vessels during mooring.

Size: 12" W x 35-1/2" L

PART NO.	MFG#	DESCRIPTION
9990-905	65690	Grooved, White
9990-906	65928	Grooved, Blue
9990-907	65929	Grooved, Grey

SOFT-SIDE DOCK FENDERS



Soft-Side Dock Fenders are moulded from a lightweight polymeric material that is soft to the touch, easy on hulls and resistant to UV, chalking, splitting, and crushing. They are a seamless one-piece construction with double-moulded eye ends for extra strength. They are oval shaped and have ribbed sides to resist rolling against the hull. **Guaranteed for life.**

	Length/Diameter	Thickness	Height	Fits	Mounting Holes
7925295	11-3/4" x 11-3/4"L	3-1/2"	4-1/2"	Dock Corner	4 x 5/16"
7925296	7" Dia.	-	15"	Dock Corner	6 x 5/16"
7925297	7" Dia.	-	15"	2-3/8" Post	4 x 5/16"
7925298	18"L	3-1/2"	4-1/2"	Dock Side	3 x 5/16"
7925299	45"L	6"	4"	Dock Side	4 x 5/16"

PART NO.	MFG#	DESCRIPTION
7925295	93531-1	90° Corner Dock Fender
7925296	93534-1	Round Corner Dock Fender
7925297	93533-1	Slide-On Post Dock Fender
7925298	93532-1	Straight-Edge Dock Fender
7925299	93537-1	Straight-Edge Dock Fender

MULTI DOCK FENDERS

Unique multifunction design allowing you several different use-options with just one product. As standard, the Multi Dock Fender is delivered as a long-side fender, but it can be converted into a corner-fender. As another option, integration of a centrally mounted twin eye fender for extra vertical protection is possible. A brilliant and innovative product for multiple use option.



Multi Dock

PART NO.	MFG#	DESCRIPTION
9969-060	54073501	7-1/16" x 35-7/16" Dia, white.



Mini Multi Dock

PART NO.	MFG#	DESCRIPTION
9969-064	54053701	4-3/4" x 37-3/8" Dia, white

DOCK GUAR BUMPERS



This roto-molded bumper is fabricated from soft vinyl with UV Inhibitors and Fungicides. Each piece has angled ends to deflect craft and molded-in ribs for additional strength. The contours of each piece protects above as well as the dock face, providing excellent gunnel protection for bass and ski boats.

PART NO.	MFG#	DESCRIPTION
9952-636	DE73100F	Dock bumper kit, white
9952-652	DE73103F	Dock bumper corner, white
9952-680	DE73104F	Dock bumper corner, black
9952-653	DE73106F	Dock bumper straight, white
9952-681	DE73107F	Dock bumper straight, black

PROTECT CORNER BUMPER



- Air-filled nylon reinforced vinyl with a built-in air valve for inflation or deflation if necessary

PART NO.	MFG#	DESCRIPTION
9952-617	DE10571F	ProTect Corner Bumper, White

DOCK BUMPERS



3/4 Round



1/2 Round



- Rotomolded UV protected PVC bumpers can be secured with fastening clamps (except for articulated model) or screws on the pontoon

PART NO.	MFG#	DESCRIPTION
9990-081	30102	3/4 Round White, 10" x 35-1/2"
9990-085	38082	3/4 Round White, 7" x 15-3/4"
9990-083	37781	3/4 Round Blue, 10" x 35-1/2"
9990-089	39357	3/4 Round Blue, 7" x 15-3/4"
9990-082	36856	3/4 Round Grey, 10" x 35-1/2"
9990-084	38068	1/2 Round White, 10" x 35-1/2"
9990-086	51025	1/2 Round Grey, 10" x 35-1/2"
9990-088	39356	1/2 Round Blue, 10" x 35-1/2"

ARTICULATED DOCK BUMPERS





- For protection in corner and curved sections

PART NO.	MFG#	DESCRIPTION
9990-087	39146	White, 7" x 31-1/2"
9990-091	39359	Blue, 7" x 31-1/2"

For the most up to date pricing, please visit maritimemarinesupply.ca/price

DOCK BUMPER – P SHAPE



Barbour Dock Bumpers are produced from flexible, top quality, Marine Grade Vinyl and reinforced with ribs for added protection.

- Good low temperature flexibility.
- Mar resistant textured surface.
- Durable with great bounce back.
- UV and Fungicide protected

Dimensions : 3-5/8" x 2-3/8" x 1-1/4" Inside Lip
Sold in 10 foot lengths

PART NO.	MFG#	DESCRIPTION
7925300	602906	Large-P, 10' Length, White

DOCK BUMPERS – D SHAPE



Barbour Dock Bumpers are produced from flexible, top quality, Marine Grade Vinyl and reinforced with ribs for added protection.

- Good low temperature flexibility.
- Mar resistant textured surface.
- Durable with great bounce back.
- UV and Fungicide protected.

Dimensions : Small-D 3-3/4" x 1" Large-D 4-3/4" x 1-1/4"
Sold in 10 foot lengths

PART NO.	MFG#	DESCRIPTION
7925302	92480WHT-10	Small-D, 10' Length, White
7925303	92481WHT-10	Large-D, 10' Length, White

DOCK BUMPER – CORNER FOR P SHAPE



This one piece Marine Grade PVC Dock Corner is designed to be used with standard P shape dock bumpers or as a stand alone corner.

- Fits most industry standard P shape dock bumper.
- Good low temperature flexibility.
- Mar resistant textured surface.
- Durable with great bounce back.
- UV protected

PART NO.	MFG#	DESCRIPTION
7925301	BPC-10 WHT	for P Shape



HULL HUGR MARINA BUMPERS



Heavy duty commercial grade bumpers are great for commercial marinas and personal docks. Manufactured from UV and tear resistant vinyl/polyester tri-laminate and are filled with high-density closed-cell foam. S/S grommets are spaced along the length for secure mounting to docks. 8" wide by 6" deep. **Available in 2 lengths:** 36" & 60". White.

PART NO.	MFG#	DESCRIPTION
7925290	HH-A36	Marina Bumper 36" Long
7925292	HH-A60	Marina Bumper 60" Long

HULL HUGR DOCK BUMPER



Manufactured from a UV-resistant and tear-proof vinyl/polyester tri-laminate. These dock bumpers are filled with high-density closed-cell polyethylene foam. There are 4 corrosion-proof polycarbonate grommets for mounting to docks. White. **24" x 4" x 2-1/2"**

PART NO.	MFG#	DESCRIPTION
7925269	HHB-24W	Dock Bumper 24"

HULL HUGR CORNER BUMPER



7925279
12" x 12" x 6" high x 4" deep

Protect boats from damaging dock corners, Manufactured from UV and tear resistant vinyl/polyester tri-laminate and filled with high-density closed-cell foam. Equipped with corrosion-proof grommets for securely mounting to docks. White.

PART NO.	MFG#	DESCRIPTION
7925279	HHB-C2W	Dock Corner Large

DOCK CUSHION



Foam plugs are supplied to give the dock cushion a clean, finished look.

Hybrid construction with inner core is made of a lower density EVA foam and the outer (front and back) pieces are tougher, higher density PE foam. Material is UV protected, maintenance free, non-marring and provides superior cushioning from impact. Designed for both horizontal and vertical applications, this dock cushion is pre-drilled and ready to mount. Hardware not included.
Dimensions: 36"L x 5"H x 3.375"D

PART NO.	MFG#	DESCRIPTION
7925288	46011	36" Dock Cushion

AIR CUSHION PROFILE DOCK BUMPER SYSTEM

"P" section large air volume provides excellent protection, and is easily installed on any horizontal or vertical surface.





Heavy "P" Profile

PART NO.	MFG#	DESCRIPTION
9952-654	DE1200F	3 lengths of 8'



"C" Guard

Economy co-extruded profile made to exacting standards from Marine Grade PVC with UV Inhibitors and Fungicides. It will not crack or distort with temperature extremes.

- 3" H x 1-1/4" D

PART NO.	MFG#	DESCRIPTION
9952-678	DE1125F	6', White
9952-679	DE1129F	6', grey
9952-655	DE1132F	10' Roll, white



"P" Profile Air Cushion



Small "P" Profile Air Cushion



90° Corners



Connectors



End Caps

"P" Profile

PART NO.	MFG#	DESCRIPTION
9952-601	DE1001F	8' length – 1001-F, white
9952-676	DE1001BF	8' length – 1001-B-F, black

"P" Profile Connectors

PART NO.	MFG#	DESCRIPTION
9952-603	DE1048F	90° Corners, pkg of 2
9952-605	DE1028F	Connectors, pkg of 2
9952-607	DE1026F	End caps, pkg of 2

Small "P" Profile

PART NO.	MFG#	DESCRIPTION
9952-613	DE1105F	8' length, white
9952-677	DE1118F	8' length, black

Small "P" Profile Connectors

PART NO.	MFG#	DESCRIPTION
9952-629	DE1049F	Small 90° Corners, pkg of 4
9952-635	DE1027F	Small End caps, pkg of 4
9952-639	DE1029F	Small Connectors, pkg of 4

For the most up to date pricing, please visit maritimemarinesupply.ca/price

PVC CEMENT



- Ideal for cementing all corners, end plugs and connectors to air cushion profiles to create the air cushion system
- PVC Solvent, Clear

PART NO.	MFG#	DESCRIPTION
9952-609	DE1051F	PVC cement, 118mL

DOCK PRO VINYL DOCK BUMPERS



Protects the side and top of dock with 1-1/4" cushion above dock level.

Solid flaps attach easily to any dock.

Colour is permanently moulded into the vinyl and will not transfer to the hull.

PART NO.	MFG#	DESCRIPTION
7925270	46082	18" Straight White
7925271	46075	18" Straight Black
7925272	46081	Corner White
7925273	46076	Corner Black

VINYL DOCK EDGING

Double moulded vinyl dock edging is moulded twice then molecularly bonded for extra durability and protection. A tough inner core is surrounded with a soft white vinyl for extra cushion. **Installs easily with screws or nails.**
"C" Shape comes as 2 x 8ft lengths.







"C" Shape
* 2 x 8ft pieces



"P" Shape
10ft pieces

PART NO.	MFG#	DESCRIPTION
7925276	46053	C-Shape 3-5/8"H x 1-1/2"W x 16ft*
7925278	46031	P-Shape 3-1/2"H x 2"W x 10ft

PARTS FOR PLASTIMO DOCK BUMPERS





PART NO.	MFG#	DESCRIPTION
9990-430	56860	Inflation Adaptor
9990-449	63935	Replacement valve, 6/PK, black
9990-445	63936	Replacement valve, 6/PK, white

DOCK FLOATS

- Provides more stability than standing docks since they distribute weight more evenly
- Rotationally molded from black virgin polyethylene with UV inhibitors
- Easy to reach attachment points for stringers
- Countersunk pilot holes for easy drilling
- Top mounted 1" drain plug with sloped trough eliminates water accumulation around plug
- Equipped with heavy rotomolded wall thickness and recessed flanges to accommodate the use of 2' or 4' centres



550 lb.



400 lb.



600 lb.



260 lb.

550 lb. flotation capacity

Made from rotationally molded black virgin polyethylene with a consistent 5/16" wall thickness and 1/2" at fastening points

- Recessed flanges and center trough allow float to be used on 2' or 4' centers
- Each float has 10 easy to get at locations from which to attach the stringers
- Using standard 2" x 6" lumber the surface of the dock will be about 14" above the water
- Weight 40 lbs.; 24" W x 48" L x 16" H

PART NO.	MFG#	DESCRIPTION
9952-622	DE99246F	Howell 550

600 lb. flotation capacity

- Weight: 45 lbs.; 24" W x 48" L x 16" H

PART NO.	MFG#	DESCRIPTION
9952-660	DE99243F	Howell 600, foam filled

400 lb. flotation capacity

- Weight 28 lbs.
- 24" W x 48" L x 12" H

400 lb. Foam Filled option

- Filled with closed cellular foam for commercial use
- Weight: 30 lbs.
- 24" W x 48" L x 12" H



PART NO.	MFG#	DESCRIPTION
9952-620	DE99242F	Howell 400
9952-661	DE99241F	Howell 400, foam filled

260 lb. flotation capacity

- Weight 20 lbs.; 24" W x 48" L x 8" H

PART NO.	MFG#	DESCRIPTION
9952-621	DE99238F	Howell 250

FLOATS



Buoyancy: 450 lbs.
Size: 24"W x 48"L x 12"H

Made of tough virgin polyethylene with UV inhibitors to prevent damage from the sun, debris, oil, gas, marine organisms and salt water. One piece rotational moulded drum. Nominal wall thickness of 1/4" for the strongest and most durable floats. Has a special groove under it to insert a wooden 2" x 6" skid to ease winterizing of docks.

PART NO.	MFG#	DESCRIPTION
7950105	46116	Foam Filled Float

FLIP UP DOCK CLEAT



PART NO.	MFG#	DESCRIPTION
9952-649	DE2603WF	3", white
9952-651	DE2608WF	8", white

DOCK PRO INFLATABLE DOCK WHEEL



Smooth rolling wheels offer substantial dock cushioning and feature moulded-in valves to adjust the level of the firmness.

Heavy duty hot dipped galvanized hardware mounts securely to the dock. 12" wheels use a large 2" diameter axle housing for maximum strength.

PART NO.	MFG#	DESCRIPTION	BOAT SIZE
7925280	1078	9" Corner Mt.	Up to 20'
7925281	1079	9" Straight Mt.	Up to 20'
7925282	1072	12" Corner Mt.	20' x 30'
7925283	1073	12" Straight Mt.	20' x 30'

DOCK WHEELS – CORNER MOUNT



- Substantial dock cushioning
- Molded-in valves to adjust firmness

PART NO.	MFG#	DESCRIPTION
9952-618	DE95072F	12"
9952-619	DE95078F	9"

GATOR GRIP PREMIUM NON-SKID TAPE



- **Sold in 60' roll**
- Thick PVC base layer with aggressive, long lasting black 60 grit aluminum oxide compound
- Extremely durable, waterproof and double bonded for chemical resistance

PART NO.	MFG#	DESCRIPTION
9954-413	RE141	1"
9954-414	RE142	2"
9954-415	RE160	4"
9954-416	SG3106B	6"

ANTI-SLIP SAFETY GRIT STEP STRIPS



- Black pre-cut 46 grit aluminum oxide compound strips; permanent adhesive backing
- Durable in dry or wet conditions

PART NO.	MFG#	DESCRIPTION
9954-410	RE172	2" x 5', each
9954-412	RE629BL	6" x 21", each

GATORSKINZ NON-SKID



- Use anywhere you need a grip in or out of the water!
- Grit & Pebble Non Skid Patterns
- Black, White, Light Gray Colors
- Available in 2-pack step pads (16”x 4”)
- Uses exclusive 3M KeelShield adhesive
- No curing time – No peeling or lifting edges
- Superior UV Stability & Lifespan

PART NO.	MFG#	DESCRIPTION
9941-018	GSSTEPBLK-GRIT-DPX	Black grit
9941-019	GSSTEPLGY-GRIT-DP	Gray grit
9941-020	GSSTEPWHT-GRIT-DP	White grit
9941-022	GSSTEPBLK-PEB-DP	Black pebble

TEXTURED VINYL TRACTION STRIPS







- Pre-cut embossed PVC strips with permanent self-adhesive backing
- Suitable for bare foot contact, with no harsh grit particles

PART NO.	MFG#	DESCRIPTION
9954-390	RE3895BL	4" x 9", black - pkg of 2
9954-391	RE3896GR	4" x 9", grey - pkg of 2
9954-392	RE3897WH	4" x 9", white - pkg of 2
9954-396	RE3904BL	6" x 21", black - each
9954-397	RE3905GR	6" x 21", grey - each
9954-398	RE3906WH	6" x 21", white - each

For the most up to date pricing, please visit maritimemarinesupply.ca/price

BOATGUARD MOORING WHIPS



Designed for:
- **Fresh Water**
- **Non-Tidal**

Economical way to protect your boat in higher wake areas. Designed with the same tough standards as fixed based and premium mooring whips, these whips provide the "Safety Zone" between dock and boat for many types of docking applications. A large diameter solid fiberglass pole is used to withstand rugged environments and provide that spring action to keep your boat safely away from the dock. This CAD designed whip base system is injection moulded from high impact reinforced plastic for incredible strength & durability. The Mooring Whips are sold in pairs & includes all lines and hardware to complete the installation.

Note: *These Mooring Whips are designed for boats up to 25' max. & under 2500 lbs. or 5000lbs. depending on version purchased. Tidal & some docking conditions may be too rugged for this product.*

PART NO.	MFG#	DESCRIPTION
7924800	99079	8' Up to 2500 lbs.
7924801	99080	12' Up to 5000 lbs.

PREMIUM MOORING WHIPS



- Cast aluminum base with built-in tie-off cleat, ring and thumb screw
- Stainless steel mounting hardware included
- "Plug & Socket" design for quick, easy separation includes unique roller tip and cleat

PART NO.	MFG#	DESCRIPTION
9969-050	DE3200F	8', 2,500 lbs. capacity
9969-051	DE3400F	12', 5,000 lbs. capacity
9969-052	DE3600F	14', 10,000 lbs. capacity
9969-053	DE3800F	16', 20,000 lbs. capacity

STATIONARY DOCK - HARDWARE

LEG PIPE



- Heavy wall steel with twice the corrosion resistance of hot dipped galvanized
- 1.9 gauge, 1-7/8" outside diameter

PART NO.	MFG#	DESCRIPTION
9952-641	DE93168F	Leg Pipe. 6'8", Galv

CORNER LEG HOLDER



- Bolts to side of dock frame to anchor it in place yet allows vertical movement
- 8" x 5-1/4" x 1/4"

PART NO.	MFG#	DESCRIPTION
9952-642	DE86100F	Corner Leg Holder, Galv

SIDE LEG HOLDER



Mounts on the inside or outside of the dock frame
- 5-7/8" x 5-1/4"

PART NO.	MFG#	DESCRIPTION
9952-643	DE86101F	Side Leg Holder, Galv

BOTTOM ANCHOR PAD



- Large surface area used in soft bottom areas and leg pipe can extend through the pad into lake bottom for extra lateral support
- The pointed corners also grab when the bottom is rocky

PART NO.	MFG#	DESCRIPTION
9952-644	DE94102F	Bottom Anchor Pad, Galv

PIPE LEG CAP



- Contain UV inhibitors and cover raw leg pipe edges for safety, while adding a finishing touch to the dock

PART NO.	MFG#	DESCRIPTION
9952-645	DE91111F	Pipe Leg Cap, Wht PVC, 4PK

BOTTOM BASE PLATE



- Is used as a footing. It may be bolted to a 2" x 6" piece of lumber and joined to an adjacent leg base plate for increased stability

PART NO.	MFG#	DESCRIPTION
9952-646	DE86102F	Bottom Base Plate, Galv

CONNECTOR HINGE



- Used to easily join sections of dock together
- Accommodates joining a fixed ramp to the dock at varying angles, hinge pin included

PART NO.	MFG#	DESCRIPTION
9952-647	DE86103F	Connector Hinge, Galv

PREMIUM DOCKHINGE KIT



This innovative DockHinge kit allows you to easily connect and secure dock sections without having to be in the water. A patented bushing system means no metal-on-metal squeaking.





- No locking pins to loose.
- Virtually silent bushing system

This simple hitch & hinge system works for wood or aluminum docks.

Hardware is sold separately.

PART NO.	MFG#	DESCRIPTION
9952-690	DE85328F	For 3/8" Hardware
9952-691	DE85329F	For 1/2" Hardware

DOCK EDGE INC.

- 1/4" thick, hot dipped galvanized steel
- 5-1/4" width is perfect for use with 2" x 6" lumber
- 9/16" square holes punched on 3 1/2" centers



Outside Corner



9952-600

- Used on outside ends of docks, fingers and swim platforms, in conjunction with an Inside Corner for extra strength, 10" x 10" x 5-1/4"

PART NO.	MFG#	DESCRIPTION
9952-600	DE99004F	Outside Corner

Inside Corner



9952-602

- Used with an Outside Corner or Corner Hinge where high strength is required, or alone when an Outside Corner is not necessary, 5-1/4" x 5-1/4" x 5-1/4"

PART NO.	MFG#	DESCRIPTION
9952-602	DE92104F	Inside Corner

Female Corner Hinge



9952-606

- Used with Male Corner Hinge; for inside corner support, add an Inside Corner or an Anchor Chain Inside Corner for maximum strength. 10 " x 10" x 5-1/4"

PART NO.	MFG#	DESCRIPTION
9952-606	DE99010F	Female Hinge

Male Corner Hinge



9952-608

- Used with Female Corner Hinge; add an Inside Corner or an Anchor Chain Inside Corner for maximum strength, 10 "x 10" x 5-1/4"

PART NO.	MFG#	DESCRIPTION
9952-608	DE99009F	Male Hinge

Female T Connector



9952-612

- Matches with Male T Connector; can be placed anywhere on the side of the dock for attaching fingers or ramps, 5-1/4" x 5-1/4"

PART NO.	MFG#	DESCRIPTION
9952-612	DE99011F	Female Connector

Male T Connector



9952-614

- Matches with Female T Connector; can be placed anywhere on the side of the dock for attaching fingers or ramps, 5-1/4" x 5-1/4"

PART NO.	MFG#	DESCRIPTION
9952-614	DE99012F	Male Connector

Anchor Chain Inside Corner



9952-604

- Maximum corner strength when used with an Outside Corner or Corner Hinge 10" x 10" x 5-1/4"
- Accepts chain up to 1/2" to secure dock

PART NO.	MFG#	DESCRIPTION
9952-604	DE99001F	Inside Corner

Chain Retainer



9952-626

- Bolts to side of the dock and uses chain up to 1/2" to secure the dock in place; use with washer plate for reinforcement, 6" x 5-1/2" x 2-1/4"

PART NO.	MFG#	DESCRIPTION
9952-626	DE99013F	Retainer

Connector Pin Kit



9952-616

- Used to join male and female connectors
- Complete with retaining pin 3-1/4" x 3/4" DIA

PART NO.	MFG#	DESCRIPTION
9952-616	DE96111F	Connector Pin Kit

Washer Plate



9952-624

- Used on Side Pipe Holders, Joist Corners and Chain Retainers 5-1/4" L x 1-1/2" H

PART NO.	MFG#	DESCRIPTION
9952-624	DE99006F	Washer Plate

Inside Joist Corner



9952-623

- To mount stringers, either in pairs or on washer plates; also useful as a backer on the inside edges of the dock to prevent cleats from pulling out, 2-1/2" x 5-1/4"

PART NO.	MFG#	DESCRIPTION
9952-623	DE99002F	Joist Corner

Backer Plate



9952-627

- Used to prevent bolts from working into the wood and lock washers from becoming loosened 5-1/4" x 5-1/4"

PART NO.	MFG#	DESCRIPTION
9952-627	DE93122F	Backer Plate

Floating Connector Hinge Kit



- Kit includes all heavy duty hot dipped Galvanized mounting hardware required to securely attach modular dock sections together

PART NO.	MFG#	DESCRIPTION
9952-638	DE85205F	Kit

Floating Inside Corner Kit



- Kit includes all heavy duty hot dipped Galvanized mounting hardware required applications where an outside corner is not necessary

PART NO.	MFG#	DESCRIPTION
9952-662	DE85210F	Kit

Floating Joist Corner Kit



- Kit includes all heavy duty hot dipped Galvanized mounting hardware required to mount stringers with washer plates on your floating dock

PART NO.	MFG#	DESCRIPTION
9952-663	DE85215F	Kit

For the most up to date pricing, please visit maritimemarinesupply.ca/price

Reboarding devices are required on all vessels with a freeboard of more than 20" (50cm). You can choose a permanent or a portable version, but you should make sure the bottom rungs extend below the waterline. You'll also want to ensure that you can secure the ladder well enough to provide a safe surface for climbing.

Required item
for most recreational vessels

Children's arms are substantially shorter than adults'. It's a good idea to make sure every member of your crew is able to re-board the vessel without assistance in case of an emergency.



Marine Dock Ladders

STEP LADDER



These Dock Step Ladders are made of durable, lightweight anodized aluminum.

They have large angled steps for climbing comfort and anti-skid tread for safety.

They easily attach to the dock with J-Hook hardware that is included.

Mounting Hardware is included.

	3 Step	4 Step
Overall Height:	54"	66"
Width:	15"	15"
Step Height:	12"	12"
Step Depth:	5.25"	5.25"
Handle Depth:	15"	15"
Weight:	12 lbs.	15 lbs.
Capacity:	300 lbs.	300 lbs.

PART NO.	MFG#	DESCRIPTION
7903380	ASE	3 Step, Dock
7903381	ASH	4 Step, Dock

ROPE LADDER







5 Step Boarding Ladder features sturdy 11-3/4" Polycarbonate steps, textured for sure footing.

Ladder secures easily to cleats or railings by top loop.

Nylon rope allows compact folding for easy storage.

Height: 5' **White in Colour.**

PART NO.	MFG#	DESCRIPTION
7903320	11865-4	Rope Ladder, 5 Step

LADDER ATTACHMENT KIT



This Stainless Steel hardware kit contains:

- 2 x Stainless Steel Footman's Loops
- 4 x 3/16" x 1-3/4" Flat Head Phillips S/S Bolts
- 4 x Stainless Steel Washers
- 4 x Lock Nuts

PART NO.	MFG#	DESCRIPTION
7903399	EKA	S/S Hardware Kit

GUNWALE SIDE BOARDING LADDERS



These Gunwale Side Boarding Ladders are made of durable 1" diameter anodized aluminum tubing with vinyl sleeves that will not mar hull fabric and comfortable moulded poly steps. The ladder attaches with 3/8" line and swivel snap and the contour design hugs the hull for easy side boarding.

PART NO.	MFG#	DESCRIPTION
7903322	EOO3	3 Step 250 lbs. cap.

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

HOOK LADDERS



Anodized Aluminum Gunwale Hook Ladders have folding vinyl covered hooks for flat storage.

	3 Step	4 Step	5 Step
Overall H:	40"	50"	60"
Width:	15"	15"	15"
Hook Depth:	7"	11"	11"
Weight:	8 lbs.	9 lbs.	10 lbs.
Capacity:	250 lbs.	250 lbs.	250 lbs.

PART NO.	MFG#	DESCRIPTION
7903330	DMT3A-7	3 Step, 7" Hook
7903331	DMT4A-7	4 Step, 7" Hook
7903335	DMT3A-11	3 Step, 11" Hook
7903336	DMT4A-11	4 Step, 11" Hook
7903337	DMT5A-11	5 Step, 11" Hook

TELESCOPING REAR-ENTRY LADDER



This Premium Rear-Entry Ladder is made of 316 Stainless Steel tubing that telescopes and flips up out of the way. It has extra wide steps and quick release mounting brackets

Weight: 4-Step, 26 lbs.
Capacity: 400 lbs.

Mounting hardware **not** included.

PART NO.	MFG	DESCRIPTION
7903358	GAT	4 Step, Telescoping

DIVE LADDERS



316 Stainless Steel using a 1.25" center post design angled mounted for stair like usability. Non-skid steps provide easy boarding for swimmers and divers with fins and gear. Quick release mounting bracket included. Mounting hardware **not** included.

	3 Step	4 Step
Length:	34"	50"
Width:	14"	14"
Weight:	13 lbs.	14 lbs.
Capacity:	400 lbs.	400 lbs.

PART NO.	MFG#	DESCRIPTION
7903307	EES3	3 Step
7903308	EES4	4 Step

Drop Ladders

TELESCOPING LADDERS



These Telescoping Drop Ladders are made of electro-polished 316 stainless steel with non-skid plastic tread steps for increased comfort and safety. The ladder flips up and over then telescopes down easily.
Mounting hardware **not** included.

	2 Step	3 Step
Overall Height:	23.5"	34.5"
Width:	11.38"	11.5"
Weight:	8 lbs.	10 lbs.
Capacity:	400 lbs.	400 lbs.

PART NO.	MFG#	DESCRIPTION
7903300	DMX2	2 Step, Telescoping
7903303	DMX3	3 Step, Telescoping

TELESCOPING LADDERS W/ GRIP



Electro-polished 316 stainless steel with non-skid plastic tread on the steps for added comfort and safety. Flips up and over then telescopes down easily. Sturdy hand grip at the top of the ladder allows for easier and safer use. Ladders are 11.5" wide
Mounting hardware **not** included.

	3 Step	4 Step
Length, Deployed:	34"	44"
Length, Stowed:	15"	18"
Weight:	8 lbs.	10 lbs.
Capacity:	400 lbs.	400 lbs.

PART NO.	MFG#	DESCRIPTION
7903317	EQB3	3 Step, Telescoping
7903318	EQB4-9C-117	4 Step, Telescoping

UNDER PLATFORM LADDERS



These Under Platform Sliding Ladders are made of electro-polished 316 stainless steel with flat poly treads steps for increased stepping comfort. The ladder telescopes up then slides under swim platform or deck. Ladders are 11.5" wide.
Mounting hardware is **not** included.

	2 Step	3 Step
Height:	23.5"	34.5"
Weight:	5.5 lbs.	8 lbs.
Capacity:	400 lbs.	400 lbs.

PART NO.	MFG#	DESCRIPTION
7903305	FOG2	2 Step, Under Platform
7903306	FOG3	3 Step, Under Platform

For the most up to date pricing, please visit maritimemarinesupply.ca/price

Pontoon Ladders

4-STEP REMOVABLE LADDER



Mounting hardware is included.

This Removable Folding Pontoon Ladder is made of 1" anodized aluminum tubing and installs instantly with plastic mounting cups. It features injection moulded, UV resistant plastic steps. It folds and locks for easy compact storage.
Height: 44.5" **Width:** 15.5"
Weight: 8 lbs. **Capacity:** 300 lbs.

Mounting Cups
Height: 5.1" **Depth:** 3"



PART NO.	MFG#	DESCRIPTION
7903340	ASC4	4 Step, Removable

PLATFORM WITH LADDER



HD Polyethylene with 1" diameter 316 Stainless Steel tubing steps, arms and support rails. Soft flat vinyl treads for extra comfort. Mounting hardware **not** included.

	1 Step	2 Step
Platform W:	18"	18"
Platform L:	15.5"	15.5"
Weight:	12 lbs.	16 lbs.
Capacity:	300 lbs.	300 lbs.

PART NO.	MFG#	DESCRIPTION
7903370	EEQ	1 Step
7903375	EKT	2 Step

TRANSOM LADDER



Folds down and provides easy boarding. Made of durable 1" diameter anodized aluminum and comfortable contoured traction poly steps it fits most angled or curved transoms.
Capacity: 250 lbs.
S/S fasteners & securing strap included

Height, Down: 18"
Height, Up: 13"
Width: 17"
Weight: 5 lbs.

*Mounting hardware is ***not*** included

PART NO.	MFG#	DESCRIPTION
7903325	ESG2	2 Step, Transom

4-STEP UNDER-DECK LADDER



This Under-Deck Pontoon Ladder for flat front pontoon decks is made of anodized aluminum and mounts conveniently under the deck and out of the way. It deploys easily and provides safer boarding away from prop and motor.
Length: 48" **Width:** 17"
Depth: 5.5" **Weight:** 19 lbs.
Capacity: 300 lbs.

Mounting hardware is included.

PART NO.	MFG#	DESCRIPTION
7903350	CSD1	4 Step, Under-Deck

SWIM PLATFORM WITH LADDER



This handy polypropylene swim platform is a spacious 450mm x 355mm x 25mm thick and is supported by 304 stainless steel frame made of 224mm diameter tubing and is collapsible for easy storage.

The 3 steps are each 800mm long and 38mm wide. Mounting hardware is **not** included.

PART NO.	MFG#	DESCRIPTION
7903319	71067	3 Step

JIF LLC



PE 902-566-1220 NS 902-928-1900

SAFETY LADDER – FLUSHMOUNT



- Three polypropylene steps and a stainless steel handle assembled with a highly resistant 3 mm polyester line and stored in a polyamide tube with a grey polypropylene cap, for optimum protection and waterproofness

The person overboard simply removes the cap, pulls the ladder down and climbs onboard.

PART NO.	MFG#	DESCRIPTION
9990-225	51558	3 Step Safety ladder

SAFETY LADDER





Comes in a canvas bag with one handle to attach the bag alongside the boat and another for the man fallen overboard to grab

The bag pulls open and the ladder unfolds instantly, helping the person get back onboard.

PART NO.	MFG#	DESCRIPTION
9990-226	29008	4 step
9990-608	29009	5 step

ROPE LADDER



- PVC Step & PE Rope
- 300 Lbs Strength

PART NO.	MFG#	DESCRIPTION
9931-834	71075	5 step

TELESCOPING LADDER 304 SS



3 Step

- 10" wide steps
- 14-1⁄2" stowed,
- 34-1⁄2" deployed



4 Step

- 15-3⁄4" stowed,
- 44-11⁄16" deployed

PART NO.	MFG#	DESCRIPTION
9992-234	SLT3A	3 step
9991-007	SLT4A	4 step

FOLDING LADDER 304 SS



3 Step

- 9" wide steps
- 12-1⁄2" stowed,
- 25-1⁄2" deployed



4 Step

- 10" wide steps
- 17-3⁄4" stowed,
- 34-1⁄2" deployed

PART NO.	MFG#	DESCRIPTION
9992-235	SLF3A	3 step
9992-236	SLF4A	4 step

UNDER PLATFORM LADDER



- 304 stainless steel
- 16" L x 12-3/16" W stowed
- 35" extended

PART NO.	MFG#	DESCRIPTION
9931-837	71070-03	3 step

ECO - WELD FREE ALUMINUM LADDER



These durable ladders have been designed to make a minimum carbon footprint. It is manufactured with no welding processes involved. Easily assembled in a few minutes with stainless steel fasteners. Wider steps make for a sure grip and a safe climb.

- Rail Height: 18-1/2" above the dock
- Distance to first step: From dock surface is 11" & 11" between steps
- Steps: Are 2-1/2" deep and 14" wide
- Capacity: 500 lb

PART NO.	MFG#	DESCRIPTION
9952-670	DE2073F	Fixed Ladder, 3 Step
9952-671	DE2074F	Fixed Ladder, 4 Step
9952-672	DE2075F	Fixed Ladder, 5 Step
9952-673	DE2173F	Flip Up Ladder, 3 Step
9952-674	DE2174F	Flip Up Ladder, 4 Step
9952-675	DE2175F	Flip Up Ladder, 5 Step

FLIP-UP DOCK LADDER



This tough and durable, Polyethylene roto-molded ladder swings up and out of the way, locking in place when not in use. It extends into the water at a 60 degree angle to make getting out of the water easier. It will not corrode with exposure and will not fade or crack. Features molded-in U.V. inhibitors and fungicides.

PART NO.	MFG#	DESCRIPTION
6870300	DE2084F	4-Step, Flip-Up, Ladder

FLIP-UP LADDER



Tough and durable, this roto-molded ladder swings up and out of the way, locking in place when not in use. Will not corrode with exposure and will not fade or crack. Molded-in U.V. inhibitors and fungicides.



- Rail Height: 20-1/2" above the dock
- Distance to first step: From dock surface, 11-3/4" & 10-1/2" between steps.
- Steps: Are 4" deep and 14" wide.
- Capacity: 500 lb. (227 kg).

Color: Grey

PART NO.	MFG#	DESCRIPTION
6870301	DE2064F	4 Step Flip up

FOLDING STEP



- Spring loaded step
- Screw size #14
- Oversized step pad
- Folds flat when not in use

PART NO.	MFG#	DESCRIPTION
9972-314	8414003	316 Stainless Steel

BOARDING BUDDY - HANDRAIL



For safe convenient access both on and off a boat or dock. Ideal for any docking platform to help prevent accidents.
Textured, high gloss, grey powder coated finish. 7/16" punched mounting holes for carriage bolts or lags.

PART NO.	MFG#	DESCRIPTION
9952-648	DE90800F	Grey



DOCK PRO DOCK CART



This Dock Pro Dock Cart has a curved handle design to reduce bending-over, making the Dock Pro Dock Cart easier to handle than conventional carts, and its unique angled tub provides better leg clearance for maneuvering. The Dock Pro Dock Cart is simply the easiest way to carry all your gear from the car to the boat.

It features a spacious 7 cu. ft. (47"L x 23"W x 13"D) heavy wall roto-moulded poly-tub that will not rust or rot. Zinc coated corrosion resistant hardware used throughout. Plastic rim wheels with roller bearings will stand up to the harshest marine environment. 20" Solid Wheels.

PART NO.	MFG#	DESCRIPTION
7927000	1060	Load capacity up to 300 lb (136 kg)

ICART - DOCKSIDE CART



- Removable heavy-wall poly bucket
- Powder coated steel frame
- Solid rubberized tires

PART NO.	MFG#	DESCRIPTION
9952-657	DE90605F	Load capacity up to 300 lb (136 kg)

SMART CART - FOLDING DOCKSIDE CART

- Removable ends for long loads
- Collapsible for quick & easy storage
- E-Z-Roll inflatable pneumatic tires easily traverse the most irregular surfaces
- Corrosion resistant aluminum



PART NO.	MFG#	DESCRIPTION
9952-656	DE90700F	Load capacity up to 300 lb (136 kg)

SAFE STEP DOCK STEPS





Moulded in durable UV resistant polyethylene, on top of each step, a non-slip pad is adhered for additional slip protection while boating. 1-1/2" wide flange provides adequate mounting surface for docks. Additional hand rails are available for two and three step models, sold separately.

PART NO.	DESCRIPTION	Length	Width	Height
7924291	1 Tread Step	22"	18"	11.5"
7924292	2 Tread Step	26.75"	23.5"	17"
7924293	3 Tread Step	35"	25"	25.5"
7924294	2 Tread Rail			
7924295	3 Tread Rail			

MOORING SNUBBERS



- Superior protection for boat, cleats and lines from the strain of wind, waves and wakes while docked or mooring
- Stretches more than twice its length

PART NO.	MFG#	DESCRIPTION
9954-090	LLM1	3⁄8" Line
9954-091	LLM2	5⁄8" Line
9954-092	LLM3	3⁄4" Line
9954-093	LLM4	1" Line

MOORING SNUBBER - ECONOMY



- Highly elastic mooring snubber stretches to absorb shock loads on dock lines
- Nylon rib inside strengthens the ends

PART NO.	MFG#	DESCRIPTION
9954-162	8809221	1⁄4" to 1⁄2" Line
9954-163	8809222	1⁄2" to 5⁄8" Line
9954-164	9508252	5⁄8" to 11⁄16" Line

RUBBER MOORING SNUBBER



These LineSaver Mooring Snubbers prevent mooring line breakage along with compensating for sudden jolting and excess stretching of lines beyond parting strength. Made from super elastic isoprene natural rubber, the LineSaver also provides maximum protection against the stress caused by wind, waves, and wakes. No tools needed to install. Locks lines safely and securely. Self-locking internal system, eliminates chafing.

PART NO.	MFG#	DESCRIPTION
7924825	308	5/8"
7924826	309	3/4"

SHOCKLES LINESNUBBER





Minimize stress on dock and mooring lines caused by tidal surges, wakes, winds and current changes with these LineSnubber shock absorbers. The Shockles internal line limiter is made of 2500 lb. (1140 kg) test nylon webbing. The outer sheath is 3500 lb. (1590 kg) test tubular nylon webbing that is UV resistant to protect the internal parts. They come with two 316 Stainless Steel Clips for easy hook up. **Stretches to 36" (91cm).**

PART NO.	MFG#	DESCRIPTION
7924830	2410	20" (51cm), Black

MINISHOCKLE



12"



18"



24"



Here are Bungee Cords on Steroids! Take these MiniShockles everywhere you want to be sure your load is held in place solidly, securely and safely. They are made with a UV resistant nylon webbing sewn over marine grade elastomer with a 316 stainless steel wire gate snap at each end that will hold up to 300 lbs (136kg). That's ten times the capacity of most standard bungee cords.

PART NO.	MFG#	DESCRIPTION
7924840	2430	12" (31cm), Black
7924841	2440	18" (46cm), Black
7924842	2445	24" (61cm), Black

ANCHORSNUBBER







AnchorSnubber safely absorbs shock loads and helps keep your anchor set. AnchorSnubber helps your boat ride comfortably at anchor, even in rough anchorages, adverse currents, or strong winds. No more chain noise keeping you awake! It attaches directly to chain, rope anchor rode, or anchor snubber line. The AnchorSnubber has two 316 stainless captive key pin shackles to fit most anchor chains.

PART NO.	MFG#	DESCRIPTION
7924850	2420	20" (5cm), Black

DOCKSHOCKLE





DockShockle safely absorbs shock loads on smaller, lighter boats up to 40' (12m). The Shockles internal line limiter is made of 2500 lb. (1140 kg) test nylon webbing with an outer sheath of 3500 lb. (1590 kg) test tubular nylon webbing that is UV resistant to protect internal the parts.

Includes:

- 1 x 12" (31cm) DockShockle with two 316 S/S carabiners
- 2 x 7" (17cm) Mini-LineGrabbers for braided or twisted lines up to 3/4"

PART NO.	MFG#	DESCRIPTION
7924835	2415	DockShockle Kit, Black

LINEGRABBER





Add a strong, convenient attachment point to any line with LineGrabber. Made of 1/4" (6mm) ultra high modulus fiber to stand up to UV rays and abrasion the LineGrabber employs a basic constrictor knot, to provide a quick and secure loop used to grab a dock cleat, pulpit, handrail or anchor line. LineGrabber's are also great for safely unloading a line or affixing to line snubbers.

Holds up to 2000 lbs. (900 kg) safe working load and will not damage braided or twisted line.

PART NO.	MFG#	DESCRIPTION
7924860	2460	1/4" x 9" (6 x 23cm)

PREMIUM DOCK LINE
DOUBLE BRAIDED NYLON



- Cover and core are 100% continuous filament high tenacity Type 6 Nylon
- Cover yarns are solution dyed for color fastness and reduced fading with extra twist to improve abrasion resistance and strength
- Already professional hand spliced eye—splice is stronger than rope
- Bitter end is heat sealed to prevent fraying & protected with a polyolefin shrink tube
- Exceeds Cordage Institute standards for strength
- Heavy duty reusable storage strap

PART NO.	MFG#	SIZE	COLOUR
7244450	CDL3810BK	3/8" X 10ft	Black
7244451	CDL3815BK	3/8" X 15ft	Black
7244454	CDL3815WH	3/8" X 15ft	White
7244453	CDL3815WG	3/8" X 15ft	Gold/White
7244452	CDL3815NY	3/8" X 15ft	Blue
7244455	CDL3820BK	3/8" X 20ft	Black
7244456	CDL3825BK	3/8" X 25ft	Black
7244459	CDL3825WH	3/8" X 25ft	White
7244458	CDL3825WG	3/8" X 25ft	Gold/White
7244457	CDL3825NY	3/8" X 25ft	Blue
7244460	CDL3830BK	3/8" X30ft	Black
7244470	CDL1215BK	1/2" X15ft	Black
7244471	CDL1215NY	1/2" X15ft	Blue
7244472	CDL1215WG	1/2" X15ft	Gold/White
7244473	CDL1215WH	1/2" X15ft	White
7244474	CDL1220BK	1/2" X20ft	Black
7244475	CDL1225BK	1/2" X25ft	Black
7244476	CDL1225NY	1/2" X25ft	Blue
7244477	CDL1225WG	1/2" X25ft	Gold/White
7244478	CDL1225WH	1/2" X25ft	White
7244479	CDL1230BK	1/2" X30ft	Black
7244480	CDL5820BK	5/8" X 20ft	Black
7244481	CDL5820NY	5/8" X 20ft	Blue
7244482	CDL5820WG	5/8" X 20ft	Gold/White
7244483	CDL5825BK	5/8" X 25ft	Black
7244484	CDL5825NY	5/8" X 25ft	Blue
7244485	CDL5825WG	5/8" X 25ft	Gold/White
7244486	CDL5830BK	5/8" X 30ft	Black
7244487	CDL5830NY	5/8" X 30ft	Blue
7244488	CDL5840BK	5/8" X 40ft	Black
7244489	CDL5840WG	5/8" X 40ft	Gold/White
7244490	CDL3425BK	3/4" X 25ft	Black
7244491	CDL3440BK	3/4" X 40ft	Black

SPLICING SPIKES



- Stainless steel spike with wood handle

PART NO.	MFG#	DESCRIPTION
9915-006	50036-01	13⁄16" x 6-11⁄16"
9915-007	50036-02	1-1⁄4" x 11"

PREMIUM DOCK LINE
DOUBLE BRAIDED NYLON



Double Braided Nylon Dock Line.

- 100% premium double braided nylon
- Professionally spliced soft eye at one end
- Yacht whipped at the bitter end & splice point
- Available in a wide range of colours and sizes
- Comes in an attractive, reusable clamshell package



PART NO.	A	B	C	WLL	B.S.	COLOUR
7244125	3/8"	10'	12"	376/825	1880/3800	Black
7244123	3/8"	10'	12"	376/825	1880/3800	White
7244124	3/8"	10'	12"	376/825	1880/3800	Blue
7244122	3/8"	10'	12"	376/825	1880/3800	Gold/White
7248222	3/8"	15'	12"	376/825	1880/3800	Black
7248122	3/8"	15'	12"	376/825	1880/3800	White
7248124	3/8"	15'	12"	376/825	1880/3800	Blue
7248121	3/8"	15'	12"	376/825	1880/3800	Gold/White
7248126	3/8"	15'	12"	376/825	1880/3800	Red
7244226	3/8"	20'	12"	376/825	1880/3800	Black
7244126	3/8"	20'	12"	376/825	1880/3800	White
7244326	3/8"	20'	12"	376/825	1880/3800	Blue
7244128	3/8"	20'	12"	376/825	1880/3800	Gold/White
7244426	3/8"	20'	12"	376/825	1880/3800	Red
7248242	1/2"	15'	12"	438/960	2190/4400	Black
7248142	1/2"	15'	12"	438/960	2190/4400	White
7248342	1/2"	15'	12"	438/960	2190/4400	Blue
7248143	1/2"	15'	12"	438/960	2190/4400	Gold/White
7248442	1/2"	15'	12"	438/960	2190/4400	Red
7244246	1/2"	20'	12"	438/960	2190/4400	Black
7244146	1/2"	20'	12"	438/960	2190/4400	White
7244546	1/2"	20'	12"	438/960	2190/4400	Blue
7244447	1/2"	20'	12"	438/960	2190/4400	Gold/White
7244446	1/2"	20'	12"	438/960	2190/4400	Red
7244247	1/2"	25'	12"	438/960	2190/4400	Black
7244147	1/2"	25'	12"	438/960	2190/4400	White
7244347	1/2"	25'	12"	438/960	2190/4400	Blue
7244647	1/2"	25'	12"	438/960	2190/4400	Gold/White
7244547	1/2"	25'	12"	438/960	2190/4400	Red
7244652	5/8"	20'	15"	927/2045	4650/9400	Black
7244650	5/8"	20'	15"	927/2045	4650/9400	White
7244648	5/8"	20'	15"	927/2045	4650/9400	Gold/White
7244166	5/8"	25'	15"	927/2045	4650/9400	White
7244649	5/8"	25'	15"	927/2045	4650/9400	Gold/White
7244268	5/8"	35'	15"	927/2045	4650/9400	Black
7244270	5/8"	35'	15"	927/2045	4650/9400	White
7244269	5/8"	35'	15"	927/2045	4650/9400	Gold/White
7244272	3/4"	35'	18"	1104/2430	5520/11200	Black
7244274	3/4"	35'	18"	1104/2430	5520/11200	White
7244273	3/4"	35'	18"	1104/2430	5520/11200	Gold/White

WLL - Working Load Limit (kg/lbs) *B.S. - Breaking Strength (kg/lbs)*

DOCK LINE PREMIUM 3 STRAND TWISTED NYLON



3-strand twisted dock lines for securing boats to a dock or to other boats. Resistant to effects of UV rays, with a spliced eye at one end. Dock lines should be about 2/3 of the boat's length when used on the bow and stern. Spring lines should be equal to your boat's length.

Maximum Working Load and boat length:

- 3/8", 540 lbs. (249.5 kg)–27' (8.2m)
- 1/2", 850 lbs. (385.6 kg)–32' (9.75m)

PART NO.	COLOUR	SIZE
7243127	White	3/8" x 15'
7243145	White	1/2" x 15'
7243146	White	1/2" x 20'
7243147	White	1/2" x 25'

For the most up to date pricing, please visit maritimemarinesupply.ca/price

DOUBLE BRAIDED NYLON DOCK LINE



- Professionally spliced soft eye at one end
- Yacht whipped at the bitter end and splice point

PART NO.	MFG#	SIZE	COLOUR
9978-206	625311	3/8" X 15ft	Black
9978-207	628311	3/8" X 15ft	Blue
9978-208	627311	3/8" X 15ft	Gold/White
9978-220	626311	3/8" X 15ft	White
9978-221	625321	3/8" X 20ft	Black
9978-222	628321	3/8" X 20ft	Blue
9978-223	627321	3/8" X 20ft	Gold/White
9978-225	626321	3/8" X 20ft	White
9978-226	625221	1/2" X20ft	Black
9978-227	628221	1/2" X20ft	Blue
9978-228	627221	1/2" X20ft	Gold/White
9978-230	626221	1/2" X20ft	White
9978-231	625231	1/2" X25ft	Black
9978-232	628231	1/2" X25ft	Blue
9978-233	627231	1/2" X25ft	Gold/White
9978-235	626231	1/2" X25ft	White
9978-236	625551	5/8" X 35ft	Black
9978-247	627551	5/8" X 30ft	Gold/White
9978-248	626551	5/8" X 35ft	White

PREMIUM FENDER LINE
DOUBLE BRAIDED NYLON



Double Braided Fender Line.

- 100% premium double braided nylon
- Professional double braided nylon splice
- Yacht whipped at bitter end & splice point
- Sold in pairs



PART NO.	A	B	C	WLL	B.S.	COLOUR
7243021	1/4"	6'	2"	132/290	660/1330	Gold/White
7243022	1/4"	6'	2"	132/290	660/1330	Black
7243023	1/4"	6'	2"	132/290	660/1330	Blue
7243027	1/4"	6'	2"	132/290	660/1330	Navy Blue
7243028	1/4"	6'	2"	132/290	660/1330	Red
7243029	1/4"	6'	2"	132/290	660/1330	White
7243024	3/8"	6'	3"	376/825	1880/3800	White
7243025	3/8"	6'	3"	376/825	1880/3800	Blue
7243026	3/8"	6'	3"	376/825	1880/3800	Black
7243030	3/8"	6'	3"	376/825	1880/3800	Navy Blue
7243031	3/8"	6'	3"	376/825	1880/3800	Gold/White
7243032	3/8"	6'	3"	376/825	1880/3800	Red

***WLL** - Working Load Limit (kg/lbs)* ***B.S.** - Breaking Strength (kg/lbs)*

FENDER LINE
Twisted Nylon



Twisted Nylon Fender Line.

- 100% premium twisted 3-strand nylon
- Professionally spliced with 5 tucks
- Yacht whipped at bitter end & splice point
- Sold in pairs



PART NO.	A	B	C	WLL	B.S.	COLOUR
7243034	1/4"	6'	2"	124/275	620/1250	White
7243035	3/8"	8'	3"	370/815	1850/3750	White

***WLL** - Working Load Limit (kg/lbs)* ***B.S.** - Breaking Strength (kg/lbs)*

DOUBLE BRAIDED NYLON ROPE



- White
- **Sold per foot.**
- 600 ft. per coil.

PART NO.	MFG#	DESCRIPTION
9971-357	630080-00600-000.	1/4", breaking load 2,400 lbs.
9971-358	630100-00600-000	5/16", breaking load 3,400 lbs.
9971-359	630120-00600-000..	3/8", breaking load 4,800 lbs.
9971-360	630140-00600-000	7/16", breaking load 6,400 lbs.
9971-361	630160-00600-000.	1/2", breaking load 8,400 lbs.
9971-362	630200-00600-000	5/8", breaking load 15,400 lbs.
9971-363	630240-00600-000.	3/4", breaking load 19,085 lbs.
9971-364	630320-00600-000	1", breaking load 33,200 lbs.

3 STRAND NYLON ROPE – ECONOMY



Sold per foot

PART NO.	MFG#	DESCRIPTION
9971-365	636173	1/4", breaking load 1,400 lbs
9971-366	636373	3/8", breaking load 2,900 lbs
9971-367	636273	1/2", breaking load 4,100 lbs

DOUBLE BRAID NYLON ROPE – ECONOMY



Sold per foot

PART NO.	MFG#	DESCRIPTION
9971-368	626173	1/4", breaking load 1,600 lbs
9971-369	626673	5/16", breaking load 2,210 lbs
9971-370	626373	3/8", breaking load 3,400 lbs

STAINLESS STEEL LINE HOLDERS



Designed to bolt into place. Stainless steel construction for the marine environment.

4 Hook dimensions: 5"H x 3"W x 16"L

PART NO.	MFG#	DESCRIPTION
7205544	960012	S/S Line Holder, 4 Prong

PE 902-566-1220 NS 902-928-1900

3-STRAND NYLON ROPE



- White 100% high tenacity multifilament nylon, manufactured at full weight with medium firm lay and heat set with steam to reduce hardening
- Sold per foot; 600 ft. per coil

PART NO.	SIZE	BREAKING LOAD
9971-375	5/16"	Breaking load 2,735 lbs
9971-376	3/8"	Breaking load 3,850 lbs.
9971-173	1/2"	Breaking load 7,886 lbs.
9971-175	5/8"	Breaking load 11,771 lbs.
9971-379	3/4"	Breaking load 12,150 lbs
9971-383	1"	Breaking load 32,065 lbs
9971-384	1-1/4"	Breaking load 40,312 lbs
9971-385	1-1/2"	Breaking load 51,225 lbs

MANILA ROPE



Sold per foot

PART NO.	MFG#	DESCRIPTION
9971-380	70527864	1" diameter
9971-381	70527890	1-1/4" diameter
9971-382	70527362	1-1/2" diameter

OLDTIMER 3 STRAND ROPE



- Made of an up-to-date synthetic material the appearance of which resembles natural material and is especially suitable for traditional boats
- Thanks to the material used, OLDTIMER provides better strength and utility properties compared to ropes made of natural materials
- Price per foot

PART NO.	MFG#	DESCRIPTION
9997-965	97-965	3/4"
9997-966	97-966	1"
9997-967	97-967	1-1/4"

NYLON ROPE 3-STRAND



Nylon has the highest stretch, strength and shock absorbency of any synthetic rope. Nylon rope is resistant to gasoline, oil, grease, many chemicals, rot, mildew and marine growth.

PART NO.	COLOUR	SIZE
7243130	White	1/4" x 600'
7243109	White	5/16" x 600'
7243119	White	3/8" x 600'
7243139	White	1/2" x 600'
7243160	White	5/8" x 600'
7243170	White	3/4" x 600'

DOUBLE BRAIDED PREMIUM NYLON ROPE



This high strength rope is engineered for general marine, industrial, commercial and general use where controlled elongation and abrasion resistance are needed. It has a 100% nylon braided core and cover that is fully spliceable. It resists mildew, rot and most chemicals.

PART NO.	COLOUR	DESCRIPTION
7244110	White	1/4" x 600'
7244130	White	5/16" x 600'
7244121	White	3/8" x 600'
7244221	Black	3/8" x 600'
7244141	White	1/2" x 600'
7244241	Black	1/2" x 600'
7244160	White	5/8" x 600'
7244170	White	3/4" x 600'

BUNGIE CORD REELS



Braided with colour fast solution dyed polyester cover yarns for superior protection against abrasion and ultra-violet light. The core is comprised of parallel strands of round latex rubber yielding 85% to 100% elongation and recovery even after exposure to freezing conditions.

PART NO.	COLOUR	DESCRIPTION
6880173	White	3/16" x 250' Roll
6880174	White	1/4" x 250' Roll
6880175	White	5/16" x 250' Roll
6880176	White	3/8" x 250' Roll
6880177	White	1/2" x 250' Roll

BUNGIE CORD HOOKS



Steel hooks used to complete assembly of bungie cords.

PART NO.	MFG#	DESCRIPTION
9971-185	657060	Hook for 1/4"
9971-186	657080	Hook for 5/16"
9971-187	657100	Hook for 3/8"

BUNGIE CORD HOOKS STAINLESS STEEL



Resist the elements with these stainless steel hooks and crimps for bungie cord. Ideally suited for marine environment. Sold in packs of 2.

PART NO.	MFG#	DESCRIPTION
6880114	657066-1	1/4", 2-pk.
6880115	657086-1	5/16", 2-pk.
6880116	657106-1	3/8", 2-pk.

FLEXIBLE SHOCK CORD



- Flexible latex rope suitable for many applications aboard
- Polyester cover offers extraordinary resistance to abrasion and UV radiation
- **Sold per 100m roll (328')**

White/Blue

PART NO.	MFG#	DESCRIPTION
9998-970	G0501B000R	5mm – 3⁄16"
9998-971	G0601B000R	6mm – 1⁄4"
9998-972	G0801B000R	8mm – 5⁄16"

Black

PART NO.	MFG#	DESCRIPTION
9998-104	G0501A100R	5mm – 3⁄16"
9998-105	G0601A100R	6mm – 1⁄4"
9998-106	G0801A100R	8mm – 5⁄16"

MOORING ROPE – FLEXI DOCK



Extremely elastic rope, soft and strong. Once you touch it, you will never change it for anything else. Easy to splice, easy to handle, hard to destroy.

- CONSTRUCTION: Double braided line
- CORE: Nylon
- COVER: Nylon
- **Sold per foot**

White

PART NO.	MFG#	DESCRIPTION
9997-094	97-094	9/16" breaking load 10,560 lbs.
9997-096	97-096	5/8" breaking load 11,088 lbs.
9997-098	97-098	3/4" breaking load 14,630 lbs.
9997-100	97-100	13/16" breaking load 17,886 lbs.

Black

PART NO.	MFG#	DESCRIPTION
9997-095	97-095	9⁄16", breaking load 10,560 lbs.
9997-097	97-097	5⁄8", breaking load 11,088 lbs.
9997-099	97-099	3⁄4", breaking load 14,630 lbs.
9997-101	97-101	13⁄16", breaking load 17,886 lbs.

BAHAMA MOORING AND ANCHORING ROPE



- 3 strand white polyamide
- Outstanding mooring and anchoring rope with high elongation and impact absorbing capacity
- Extremely strong, with excellent resistance to abrasion and very good splice ability
- Suitable for windlasses

Sold per foot.

PART NO.	MFG#	DESCRIPTION
9997-793	97-793	3⁄8", breaking load 4,500 lbs
9997-794	97-794	1⁄2", breaking load 6,500 lbs
9997-795	97-795	9⁄16", breaking load 8,800 lbs
9997-796	97-796	9/16", breaking load 9,400 lbs
9997-797	97-797	3⁄4", breaking load 11,400 lbs

MOORING ROPE – LAGUNA



Dock line, made of quality polyester fibre easy to splice with its 16-strand cover construction. Best selling long life line in the dock and mooring line category.

- Double braided line
- CORE: High Tenacity Polyester
- COVER: High Tenacity Polyester
- **Sold per foot**

White / Black



PART NO.	MFG#		DESCRIPTION
9997-085	97-085	5/16"	breaking load 4,532 lbs.
9997-088	97-088	3/8"	breaking load 4,840 lbs.
9997-090	97-090	1/2"	breaking load 6,380 lbs.
9997-092	97-092	9/16"	breaking load 7,700 lbs.

Black



PART NO.	MFG#		DESCRIPTION
9997-087	97-087	5/16"	breaking load 4,532 lbs.
9997-089	97-089	3/8"	breaking load 4,840 lbs.
9997-091	97-091	1/2"	breaking load 6,380 lbs.
9997-093	97-093	9/16"	breaking load 7,700 lbs.

BENCH TOP ROPE CUTTERS



7243000

7243003

1100° Fahrenheit (600° Celsius)
50 Watt

1000° Fahrenheit (500° Celsius)
30 Watt

Easily cuts and heat seals nylon, polyester, polypropylene, and Dacron cordage and webbing. Replaceable blade heats up in 10 seconds and includes brass bristle cleaning brush and T-handle Allen wrench for installing the replaceable blade. Powder coated steel. **Power Requirement:** 120VAC ETL certified #5002516.

PART NO.	MFG#	DESCRIPTION
7243000	300090-3	Bench Top Rope Cutter. 50 Watt
7243003	300092-3	Bench Top Rope Cutter, 30 Watt
7243001	300091-1	Repl. Knife Blades

DELUXE HAND HELD ROPE CUTTER



Certification: ETL listed

Deluxe Hand Held Rope Cutter easily cuts and heat seals nylon, polyester, polypropylene and Dacron cordage and webbing. Replaceable blade heats to 1100° Fahrenheit (600° Celsius) in less than 10 seconds. The cutter has a heavy duty grounded power cord for 120VAC. Kit includes: Brass bristle cleaning brush T-handle Allen wrench Carrying case

PART NO.	MFG#	DESCRIPTION
7243002	300095-3	Rope Cutter

YACHTING ROPES

BY Lanex



PLEASE VISIT OUR SAILING SECTION TO VIEW OUR FULL LINES OF YACHTING ROPES AVAILABLE





RacingLine

SportLine

CruisingLine

UniversalLine



LEWMAR SETS THE STANDARD FOR POWERFUL ANCHORING SYSTEMS

Revolutionize your anchoring experience with Lewmar windlasses — one touch moves your rode-chain or all-chain anchor lines effortlessly.

V700



With 100% 316 stainless steel housing and a sleek flush-mount design that hides the motor down below, the V700 is one of the most attractive and durable windlasses on the market. It works at the push of a button and has two built-in features that make it unique; motor protection and anchor lock.

Pro-Fish



Our Pro-Fish model is the ultimate windlass for fishermen. The Pro-Fish has an automatic freefall that allows you to pull right up over a wreck or ledge, and drop anchor with speed and precision. No more running your motor or wasting fuel while you hover over fish.

lewmar.com

NEW

LEWMAR WINDLASSES

LEWMAR

The Lewmar Pro Fish Horizontal windlasses easy to install DIY Kits are a favorite among anglers because of its automatic free fall capability. With just a push of a button, you have an integrated anchoring system complete with a built-in emergency manual recovery system.

- 100% 316 stainless steel housing.
- Auto Free-Fall system.
- Minimal parts for enhanced reliability.
- 5-year warranty.

Kits Include :
Base Basket Seal, Fast-Mounting Studs, Installation Wrench, Circuit Breaker, Dual-Direction Solenoid and Guarded Rocker Switch.

	PROFISH 700	PROFISH 1000G
		
Part No.	**6896214**	**6896215**
MFG#	**6656211967-310**	**6656411108-102**
Chain / Gypsy	1/4” G4 (6-7 mm)	5/16” G4 (8 mm)
Maximum Pull	700 Lbs. (320 kg)	1000 Lbs. (454 kg)
Working Load	175 Lbs. (79 kg)	250 Lbs. (114 kg)
Maximum Line Speed	105 ft/min (32 m/min)	105 ft/min (32 m/min)
Manual Recovery	Yes	Yes
Motor Power	500 Watts	700 Watts
Motor Voltage	12 Vdc	12 Vdc
Nominal Draw	35 Amps	50 Amps
Thermal Breaker	50 Amps	70 Amps
Above Deck Dimensions	7" W x 5-3/4" H x 9-5/8" L (178 x 146 x 222 mm)	7" W x 5-3/4" H x 9-5/8" L (178 x 146 x 222 mm)
Total Weight	19 Lbs. (8.5 kg)	21 Lbs. (9.5 kg)
Boat Length	28' to 38' (8-12)	28' to 38' (8-12)

For the most up to date pricing, please visit maritimemarinesupply.ca/price

LEWMAR WINDLASSES

LEWMAR®

The Lewmar windlasses easy to install DIY Kits feature a high-quality product for smaller power and sailboats. With just a push of a button, you have an integrated anchoring system complete with a built-in emergency manual recovery system.

- 100% 316 stainless steel housing.
- Minimal parts for enhanced reliability.
- 5-year warranty.

Kits Include : Base Basket Seal, Fast-Mounting Studs, Installation Wrench, Circuit Breaker, Dual-Direction Solenoid and Guarded Rocker Switch.

	V700	PRO 700H	PRO 1000H
			
Part No.	**6896200**	**6896201**	**6896202**
MFG#	**6670011108-312**	**6656011967-310**	**6657011108-102**
Chain / Gypsy	1/4" G4 (6-7 mm)	1/4" G4 (6-7 mm)	5/16" G4 (8 mm)
Maximum Pull	700 Lbs (320 kg)	700 Lbs (320 kg)	1000 Lbs (454 kg)
Working Load	175 Lbs (79 kg)	175 Lbs (79 kg)	250 Lbs (114 kg)
Maximum Line Speed	82 ft/min (25 m/min)	105 ft/min (32 m/min)	105 ft/min (32 m/min)
Manual Recovery	Yes	Yes	Yes
Motor Power	320 Watts	500 Watts	700 Watts
Motor Voltage	12 Vdc	12 Vdc	12 Vdc
Nominal Draw	45 Amps	35 Amps	50 Amps
Thermal Breaker	70 Amps	50 Amps	70 Amps
Above Deck Dimensions	7" W x 5-3/4" H x 9-3/4" L (178 x 146 x 222 mm)	7" W x 5-3/4" H x 9-3/4" L (178 x 146 x 222 mm)	7" W x 5-3/4" H x 9-3/4" L (178 x 146 x 222 mm)
Total Weight	14 Lbs (6.5 kg)	19 Lbs (8.5 kg)	21 Lbs (9.5 kg)
Boat Length	20'-35' (6-10.5 m)	20'-38' (6-12 m)	20'-38' (6-12 m)

WINDLASS / WINCH DECK SWITCH

LEWMAR



Switch Features:

- IP67/5 rated for water resistance
- Twin sealed switch compartment
- Stainless steel construction
- 3 layers of ingress protection
- Power Supply: 12 or 24V DC
- Max. Current Draw: 5A

PART NO.	MFG#	DESCRIPTION
7249833	68001257	S/S Deck Switch, Closed
7249834	68001258	S/S Deck Switch, Open

WINDLASS DECK FOOTSWITCH

LEWMAR



Lewmar Deck Foot Switches are single direction switches and come ready to install. A hinged cover prevents accidental operation.
They are suitable for DC electric windlasses running on 12 or 24 volts and must be used with a contactor or control box

PART NO.	MFG#	DESCRIPTION
6896208	68000917	FootSwitch, Up, White
6896209	68000918	FootSwitch, Down, White

WINDLASS GUARDED ROCKER SWITCH

LEWMAR



This Guarded Rocker Switch controls the up and down function of all Lewmar anchor windlass models. The switch can be mounted at the helm as the main switch for operation, or mounted at a second station as a secondary switch. It features a raised plastic guard surrounding the rocker switch which helps prevent accidental activation of the windlass, enabling safer operation.

PART NO.	MFG#	DESCRIPTION
6896207	68000593	Guarded Rocker Switch

WIRELESS RF REMOTE CONTROL KIT

LEWMAR



The 3-Button Windlass Wireless Remote Control allows wireless remote up/down operation of any Lewmar windlass. Using over 1 billion individual codes, Lewmar's propriatary encryption scheme prevents false triggering from any other device or similar fob.

- Easily retrofitted to existing installations
- The fobs float and are waterproof to IP67(1m)
- FCC & CE compliant.

PART NO.	MFG#	DESCRIPTION
6896211	68000967	Remote Control Kit

NEW

WIRED WINDLASS CONTROL & DECK PLUG

LEWMAR



Designed for remote operation of all Lewmar windlasses. The wired remote is constructed to ensure robust durability and a secure grip whatever the conditions. This unit is supplied complete with a connecting cable extendable up to 3 meters, a watertight deck fitting and socket, and a support bracket for stowing.

- Two moulded soft touch buttons.
- High-Density rubber gasket
- Secure grip.
- Can extend up to 10 feet (3 meters)
- Watertight IP67 deck fitting and socket

PART NO.	MFG#	DESCRIPTION
6896216	66940002	Wired Up/Down Control

NEW

WINDLASS CONTROL AND DECK PLUG

LEWMAR



This Lewmar Windlass Hand Held Control is hard wired with an 8' coil cord and locking plug. It will pair with any Lewmar windlass that accepts multiple station control

- Up/Down buttons to set or hoist.
- Shock and Corrosion resistant.
- Deck mount socket and cap, included.
- One-year limited warranty.

Input : 9 to 30 Vdc

Watertight Rating for Case : IP56
Watertight Rating for Plug and Socket : IP68

PART NO.	MFG#	DESCRIPTION
6896212	68000599	Control, Up/Down, Handheld
6896213	66000001	Power Socket, Deck Mount

V700 MOTOR KIT

LEWMAR



Replacement motor for Lewmar V700

Power Rating: 12 Vdc, 40 Amps
Kit Includes: Motor, Gasket, Fasteners, a Plastic Splash Cover, and Zip Ties.

PART NO.	MFG#	DESCRIPTION
6896203	66000610	Replacement Motor Kit, 12 Vdc

WINDLASS DUAL DIRECTION CONTACTOR

LEWMAR



These replacement Dual-direction sealed solenoid / contactors control the up and down direction on windlasses with permanent magnet (PM) motors.

6896204 Replacement for Sprint 1500 and 3000A Windlasses
6896205 Replacement for Horizon, Sprint 600 & 1000 / Pro Series, Pro Fish 700 & 1000 windlasses.

Nominal Voltage: 12V DC
Dimensions: 3-1/8" W x 2-7/8" H x 2" D

PART NO.	MFG#	DESCRIPTION
6896204	0052507	Dual Direction Control, PM, 12 Vdc
6896205	0052531	Dual Direction Control, PM, 12 Vdc

WINDLASS DUAL COMPACT CONTACTOR

LEWMAR


Previous Iteration


Current Model

A compact Bi-Directional sealed changeover solenoid that controls the up and down direction on Pro Sport / Pro, HX1, VX1 & Pro Fish 700, 1000, V700 windlasses. 12Vdc

Note: Lewmar has changed the design of this contactor. The part number has not changed just some design improvements have been made.
Note: Replaces previous model number 68000695

PART NO.	MFG#	DESCRIPTION
6896206	68000939	Compact Dual Contactor, 12 Vdc

WINDLASS CIRCUIT BREAKER

LEWMAR



This panel mount Thermally responsive Bi-metal blade circuit breaker is to be installed with every Lewmar Electric Windlass.

Power Rating: 70 Amps, 48 Vdc
50 Amps, 48 Vdc

* Do not use as a switch where high inrush currents are expected

PART NO.	MFG#	DESCRIPTION
6896210	68000240	Thermal Circuit Breaker, 70 Amp
9833050	7083-BSS	Thermal Circuit Breaker, 50 Amp

For the most up to date pricing, please visit maritimemarinesupply.ca/price

Genius Series
GP2 2000

The GP2 1500 windlasses are equipped with an epicyclical gearbox, that provides much higher efficiency (40% compared to equivalent traditional gearboxes).



- Anodized aluminum base
- Integrated sensor and magnet for chain counter
- Available with automatic Free-Fall system
- Supplied with pressure lever IP66 watertight motor
- Epicyclical gearbox
- 40 mm Thicknes

PART NO.	MFG#	DESCRIPTION
6896020	FSGP22012005A00	800W, 12 VDC, 5⁄16" chain



9994-480



9994-124

PART NO.	MFG#	DESCRIPTION
9994-480	FVSSSGP24000A00	White plastic support base
9994-124	FVSSTCG00000A00	Replacement pressure lever kit

GYPSY	5/16"
CHAIN SIZE	5/16" G4
ROPE SIZE	1/2" - 5/8"

Hector Series
HC3 1000/1500



- Base in anodized aluminum
- Jacket in composite material
- Integrated sensor and magnet for chain counter
- Supplied with pressure lever
- Integrated solenoids
- Emergency manual lift system
- Manual Free-Fall system
- IP66 watertight motor

PART NO.	MFG#	DESCRIPTION
6896030	FSHC1012D008A00	1000W, 12 VDC, 5⁄16" chain
9994-439	FSHC1512D008A00	1500W, 12 VDC, 5⁄16" chain
6896040	FSHC1512D010A00	1500W, 12 VDC, 3⁄8" chain
9994-132	FVSSTCHC0000A00	Replacement pressure lever kit

GYPSY	8 mm - 5/16"				10 mm - 3/8"		
CHAIN SIZE	8 mm DIN 766	8 mm ISO	5/16" G4	5/16" BBB	10 mm DIN 766	10 mm ISO	3/8" G4
ROPE SIZE	9/16" - 5/8"				5/8"		

	GP2 2000		HC 1000D		HC 1500D	
MOTOR POWER	800 W		1000 W		1500 W	
VOLTAGE	12 V		12 V		12 V	
MAX. PULL	900 Kg	1984 lb	1300 Kg	2866 lb	1500 Kg	3307 lb
MAX. WORKING LOAD	350 Kg	772 lb	400 Kg	882 lb	450 Kg	992 lb
WORKING LOAD	120 Kg	265 lb	130 Kg	286.6 lb	150 Kg	331 lb
ABSORPTION @ WORKING LOAD	96 A		140 A		150 A	
MAXIMUM CHAIN SPEED	30 m/min	98 ft/min	37.3 m/min	122.4 ft/min	37.5 m/min	123 ft/min
CHAIN SPEED @ WORKING LOAD	20 m/min	66 ft/min	17.8 m/min	58.5 ft/min	17.8 m/min	58.4 ft/min
WEIGHT	10.2 Kg	22.5 lb	25.3 Kg	55.8 lb	25.4 Kg	56 lb
BOAT LENGTH	8-12 m	26-30 ft	10-13 m	33-43 ft	12-15 m	39-49 ft

Prince Series
DP2E 1000

The DP2E windlass is equipped with an epicyclical gearbox that provides much higher efficiency (40% compared to equivalent traditional gearboxes).



- AISI 316 Stainless steel base
- Integrated sensor and magnet for chain counter
- Manual Free-Fall system
- Supplied with pressure lever inspection lid
- IP66 watertight motor
- Anodized aluminum gearbox

PART NO.	MFG#	DESCRIPTION
6896112	FSDP2E100516A00	800W, 12 VDC, 5/16" chain
9994-157	FSDP2E10D516A00	800W, 12 VDC, 5/16" chain w/ drum

GYPSY	5/16"
CHAIN SIZE	5/16" G4
ROPE SIZE	1/2"

Prince Series
DP3 1000/1500



- AISI 316 stainless steel base
- Integrated sensor and magnet for chain counter
- Manual Free-Fall system
- Supplied with pressure lever inspection lid
- IP67 watertight motor
- Anodized aluminum gearbo

PART NO.	MFG#	DESCRIPTION
6896120	FSDP31012008A00	1000W, 12 VDC, 5/16" chain
9994-161	FSDP31512008A00	1500W, 12 VDC, 5/16" chain
9994-162	FSDP31512D08A00	1500W, 12 VDC, 5/16" chain w/drum

GYPSY	8 mm - 5/16"			
CHAIN SIZE	8 mm DIN 766	8 mm ISO	5/16" G4	5/16" BBB
ROPE SIZE	1/2" - 5/8"			

	DP2E 1000 / 1000D		DP3 1000 / 1000D		DP3 1500 / 1500D	
MOTOR POWER	800 W		1000 W		1500 W	
VOLTAGE	12 V		12 V		12 V	
MAX. PULL	820 Kg	1808 lb	1000 Kg	2204 lb	1100 Kg	2425 lb
MAX. WORKING LOAD	290 Kg	639 lb	370 Kg	816 lb	470 Kg	1036 lb
WORKING LOAD	95 Kg	209 lb	120 Kg	264 lb	160 Kg	353 lb
ABSORPTION @ WORKING LOAD	84 A		140 A		155 A	
MAXIMUM CHAIN SPEED	22.5 m/min	73.8 ft/min	39.6 m/min	129.2 ft/min	29.2 m/min	95.8 ft/min
CHAIN SPEED @ WORKING LOAD	15.2 m/min	50 ft/min	20.4 m/min	66.9 ft/min	16.3 m/min	53.5 ft/min
WEIGHT [WITHOUT DRUM]	9.5 Kg	20.9 lb	18.1 Kg	39.9 lb	20.4 Kg	45 lb
WEIGHT [WITH DRUM]	10.7 Kg	23.6 lb	19.1 Kg	42.1 lb	21.4 Kg	47.2 lb
BOAT LENGTH	8-10 m	23-36 ft	10-13 m	33-43 ft	12-15 m	39-49 ft

For the most up to date pricing, please visit maritimemarinesupply.ca/price

Rider Series
R3 1000



- Base in anodized aluminum
- Integrated sensor and magnet for chain counter
- Manual Free-Fall system
- IP67 watertight motor
- Anodized aluminum gearbox

PART NO.	MFG#	DESCRIPTION
9994-365	FSR010120008A00	1000W, 12 VDC, 5⁄16" chain
9994-375	FSR01012D008A00	1000W, 12 VDC, 5⁄16" chain w/ drum

GYPSY	8 mm - 5/16"			
CHAIN SIZE	8 mm DIN 766	8 mm ISO	5/16" G4	5/16" BBB

Aleph Series
AL3 1000/1500



- Base in anodized aluminum in hard oxide
- Integrated sensor and magnet for chain counter
- Manual Free-Fall system
- Emergency manual lift system
- Supplied with pressure lever - inspection lid
- IP67 watertight motor
- Anodized aluminum gearbox

PART NO.	MFG#	DESCRIPTION
9994-137	FSAL10120008A00	1000W, 12 VDC, 5⁄16" chain
9994-138	FSAL1012D008A00	1000, 12 VDC, 5⁄16" chain w/ drum
9994-139	FSAL15120008A00	1500,W 12 VDC, 5⁄16" chain
9994-142	FSAL1512D008A00	1500W, 12 VDC, 5⁄16" chain w/ drum
9994-129	FVSSTCAL0000A00	Replacement pressure lever kit

GYPSY	Aleph Gypsy 8 mm - 5⁄16"			
CHAIN SIZE	8 mm DIN 766	8 mm ISO	5/16" G4	5/16" BBB
ROPE SIZE	1/2" - 9/16" - 5/5"			

	R3 1000 / 1000D		AL3 1000 / 1000D		AL3 1500 / 1500D	
MOTOR POWER	1000 W		1000 W		1500 W	
VOLTAGE	12 V		12 V		12 V	
MAX. PULL	1000 Kg	2204 lb	1000 Kg	2204 lb	1100 Kg	2425 lb
MAX. WORKING LOAD	370 Kg	816 lb	370 Kg	816 lb	470 Kg	1036 lb
WORKING LOAD	120 Kg	264 lb	120 Kg	264 lb	160 Kg	353 lb
ABSORPTION @ WORKING LOAD	140 A		140 A		155 A	
MAXIMUM CHAIN SPEED	39.6 m/min	129.2 ft/min	39.6 m/min	129.2 ft/min	29.2 m/min	95.8 ft/min
CHAIN SPEED @ WORKING LOAD	20.4 m/min	66.9 ft/min	20.4 m/min	66.9 ft/min	16.3 m/min	53.5 ft/min
WEIGHT [WITHOUT DRUM]	17.5 Kg	38.6 lb	17.5 Kg	38.6 lb	20.8 Kg	45.9 lb
WEIGHT [WITH DRUM]	18.9 Kg	41.7 lb	18.9 Kg	41.7 lb	22.2 Kg	48.9 lb
BOAT LENGTH	10-13 m	33-43 ft	10-13 m	33-43 ft	12-15 m	39-49 ft

Totem Series

TM3 1000

The TM3 warping winch is equipped with an epicyclical gearbox, that provides much higher efficiency (40% compared to equivalent traditional gearboxes).



- AISI 316 Stainless steel base
- Vertical watertight motor for easy and fast drop-in installation
- Anodized aluminum gearbox
- Drum diameter 5 1/8"

PART NO.	MFG#	DESCRIPTION
9994-525	FSTM31000000B00	12 VDC

	TM3 1000	
MOTOR POWER	800 W	
VOLTAGE	12 V	
MAX. PULL	820 Kg	1808 lb
MAX. WORKING LOAD	290 Kg	639 lb
WORKING LOAD	95 Kg	209 lb
ABSORPTION @ WORKING LOAD	80 A	
MAXIMUM CHAIN SPEED	25.8 m/min	84.6 ft/min
CHAIN SPEED @ WORKING LOAD	16.8 m/min	55.1 ft/min
WEIGHT [WITHOUT DRUM]	-	
WEIGHT [WITH DRUM]	8.1 Kg	17.8 lb
BOAT LENGTH	11-14 m	36-46 ft

HAND HELD REMOTE CONTROLS







- Patented and maintenance free, designed for remote operation of onboard electrically operated equipment such as cranes, gangways, windlasses, sea ladders etc.
- Rubber inserts ensure strength, durability, IP67 water tightness and a secure grip
- Complete with connecting cable extendible up to 4.2 metres, watertight deck plug and socket, and support bracket for stowing

PART NO.	MFG#	DESCRIPTION
9994-530	FPHRC1002000C00	2 buttons – HRC1002
9994-149	FVSPPCHRC200A00	Spare deck plug for - HRC1002
9994-535	FPHRC1002L00D00	2 buttons with LED lamp
9994-151	FVSPPCHRC2LDA00	Spare deck plug for - HRC1002L
9994-540	FPHRC1004000C00	4 buttons handheld remote control
9994-152	FVSPPCHRC400A00	Spare deck plug for - HRC1004
9994-153	FVSPPCHRC4LDA00	Spare deck plug for - HRC1004L
9994-114	FVSPSTHRC000A00	Spare bracket

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

HAND HELD CONTROL/CHAIN COUNTERS

Operating functions

• Automatic lowering function • Up alarm function • Locked keys function • Ability to control free fall windlass feature

Displayed Information in 5 different languages • Chain speed • Supply voltage • Equipped with clock/calendar

• Depth of chain lowered shown in metres or feet.

General features • Graphic LCD display; can be easily read from any angle • Backlit display screen with 8 brightness levels • 8 different display contrast levels can be set • Automatic display contrast compensation • Backlit function keys • CAN bus interface for data transfer





- Comes with integrated LED light, connecting cable extensible up to 4.2 m, a watertight deck plug and socket, and a bracket for stowing

PART NO.	MFG#	DESCRIPTION
9994-670	FNCHC1103000A00	Hand held control with sensor
9994-114	FVSPSTHRC000A00	Spare bracket

FOOT SWITCH WINDLASS CONTROLS



- Includes safety cover to prevent accidental push button operation



PART NO.	MFG#	DESCRIPTION
6896330	FP900UB00000A00	Up, Black – 900/UB
6896331	FP900DB00000A00	Down, Black – 900/DB
6896332	FP900UW00000A00	Up, White – 900/UW
6896333	FP900DW00000A00	Down, White – 900/DW
6896334	FVSP900G0000A00	Replacement, Grey
6896335	FVSP900R0000A00	Replacement, Red

RADIO RECEIVER



- Full power range (from 10.5 to 31VDC)
- Indication of the system operating status, errors and problems by means of LED and seven-segment display
- Protection against polarity inversion and low battery
- Translation mode to activate more receivers, installed in different spots, by one transmitter

PART NO.	MFG#	DESCRIPTION
9994-134	FRRRCR902000A00	2 Channel
9994-148	FRRRCR904000A00	4 Channel

POCKET RADIO REMOTE CONTROLS



- Microcontroller-operated functions
- Possibility to control more receivers with one transmitter
- Two functions can be activated at the same time
- Floating, IP67 watertight
- 2-7/16" L x 1-7/8" W

PART NO.	MFG#	DESCRIPTION
9994-119	FRRRCP902000A00	2 buttons
9994-133	FRRRCP904000B00	4 buttons

HAND HELD RADIO REMOTE CONTROLS



- Microcontroller-operated functions
- Possibility to control more receivers with one transmitter
- Two functions can be activated at the same time
- Floating, IP67 watertight
- Keyboard backlighting by means of LEDs.
- 4-9/16" L x 2-7/16" W

PART NO.	MFG#	DESCRIPTION
9994-117	FRRRCH902000B00	2 buttons
9994-118	FRRRCH904000B00	4 buttons

TOGGLE SWITCH WINDLASS CONTROL



- New panel with a scratch-resistant glossy surface and minimal frame.
- Windlass control board (UP/DOWN)

PART NO.	MFG#	DESCRIPTION
6896320	FPWCS8200000A00	Control board up/down

CHAIN COUNTER CHC SMART



- Displays the chain lowered in meters or feet. Compatible only on ON/OFF systems
- Configurable on Smartphone (NFC technology) using a dedicated APP.
- iOS compatibility: from iPhone 7 or newer models and devices with iOS13 or newer.
- Android compatibility: Android 6 or newer.
- 1.44" TFT color disp. Readable in bright light.

PART NO.	MFG#	DESCRIPTION
6896310	FNSCHCF00000A00	Chain Counter
9994-660	FVSNSNS00000A00	Spare sensor kit

CHAIN COUNTER QNC CHC SMART



- Automatic descent function
- Up alarm function
- Anchor weighing function in case of sensor failure.
- Windlass management w/auto-free fall.
- Display the lowered chain length, in meters, feet, and fathom.
- Glass front and Extremely thin profile
- Capacitive keys
- High brightness 3.5" color graphic display
- Multilingual user interface
- Power supply 12/24 Vdc
- Works over a wide range of environmental temps w/ Protection rating IP67
- CAN bus Communication Interface

PART NO.	MFG#	DESCRIPTION
6896311	FNQNCCHCF000A00	Chain Counter
9994-660	FVSNSNS00000A00	Spare sensor kit

HYDRAULIC MAGNETIC CIRCUIT BREAKERS



- 2" W x 3" H x 2-7/8" D
- "Slow burn" hydraulic magnetic circuit breakers offer protection for systems up to 80VDC, may be reset manually

PART NO.	MFG#	DESCRIPTION
9994-625	FDWCB0400000A00	40 Amp
9994-630	FDWCB0500000A00	50 Amp
9994-635	FDWCB0600000A00	60 Amp
9994-640	FDWCB0800000A00	80 Amp
9994-645	FDWCB1000000A00	100 Amp

SOLENOIDS AND REVERSING SOLENOIDS



- Contactors that are able to operate electric motors for windlasses and capstans.
- Available in Reversing or Non Reversing

PART NO.	MFG#	DESCRIPTION
9994-585	FTT641512000B00	12V, 2500W reversing
9994-590	FTT641524000B00	24V, 3500W reversing
9994-575	FTT631512000B00	12V, 2500W non reversing
9994-580	FTT631524000B00	24V, 3500W non reversing

MAXWELL

All Maxwell windlasses include circuit breaker, solenoid, toggle switch, and crank handle.

Wave Design™

Unique spacer tube design allows installation through virtually any deck thickness; multiple mounting positions and self aligning gearbox ensure optimal location of gearbox and motor.



Both the RC and HRC series incorporate Maxwell's patented **Wave Design™** universal chain wheel, which accepts any G4, BBB, PC, or DIN766 marine grade chain. The wave pattern design, with no sharp rope pocket teeth, ensures maximum hold while not chafing, fraying, or jamming the anchor line.





RC6



RC8



RC10



HRC8





HRC10

RC SERIES VERTICAL WINDLASSES

- 316 stainless steel; heavy duty stainless steel pressure arm effectively helps grasp rope/chain splice
- Cone type clutch/brake mechanism for Free Fall anchoring and manual retrieval

HRC SERIES HORIZONTAL WINDLASSES

- Easy above deck installation
- Sleek anodized aluminum design
- Internal pressure arm
- Free Fall or power up/down

ITEM NO.	MODEL	MOTOR POWER, VOLTAGE	MAX. PULL LB.	CHAIN SHORT LINK	ROPE SIZE	ROPE SPEED FT./MIN.	CHAIN SPEED FT./MIN.
		RC Series					
9991-950	RC6	500W, 12V	660	6 mm / 7 mm 1/4"	12 mm 1/2"	69	79
9991-955	RC8	1000W, 12V	1320	8 mm 5/16"	14–16 mm 9/16" – 5/8"	92	105
9991-960	RC8 with capstan	1000W, 12V	1320	8 mm 5/16"	14–16 mm 9/16" – 5/8"	92	105
		HRC Series				Line Speed	
9991-975	HRC8	600W, 12V	900	8 mm 5/16"	12 mm / 14 mm 1/2" – 9/16"	108	———
9991-980	HRC10	1000W, 12V	1540	8 mm 5/16"	14–16 mm 9/16" –5/8"	65	79
9991-981	HRC1010	1200W, 12V	1870	10 mm 3/8"	16 mm –5/8"	65	79

HAND HELD CONTROL

MAXWELL



- Enables visual check of anchor retrieval or lowering if vision is obstructed
- Includes 4 m cable, marine plug for foredeck, cockpit or wheelhouse, and socket
- Suitable for DC, AC and hydraulic solenoid systems

PART NO.	MFG#	DESCRIPTION
9991-918	P102992	Grey, push button

CHAIN AND ROPE/CHAIN COUNTER KIT

MAXWELL



- Standard 60 mm (2.36") console
- Adjustable LCD backlit display in feet or metres
- Docking alarm

PART NO.	MFG#	DESCRIPTION
9991-926	P102939	AA150 with plugs

ANCHOR SWITCH

MAXWELL



- Up-Down Operation

PART NO.	MFG#	DESCRIPTION
9991-917	P102938	Up/Down, 12 or 24 Volt

BREAKER/ISOLATOR PANELS

MAXWELL



PART NO.	MFG#	DESCRIPTION
9991-921	P100789	40 Amp
9991-922	P102902	50 Amp
9991-923	P102903	70 Amp
9991-924	P100790	80 Amp
9991-925	P100791	135 Amp

FOOT SWITCHES - 12/24 VDC

MAXWELL



PART NO.	MFG#	DESCRIPTION
9991-915	P19006	Covered foot switch, black
9991-916	P19007	Covered foot switch, white
9991-919	P104897	Cover only, black
9991-920	P104896	Cover only, white

COMPACT FOOT SWITCHES - 12 VDC

MAXWELL



- 2-3/4" L x 2-1/2"
- W x .9" H

PART NO.	MFG#	DESCRIPTION
9991-909	P104810	Foot switch, black
9991-908	P104809	Foot switch, white

REPLACEMENT PARTS FOR FREEDOM SERIES WINDLASSES

MAXWELL



PART NO.	MFG#	DESCRIPTION
9991-929	P100084	Freedom 500 Chain stripper
9991-930	P100085	Freedom 800 Chain stripper
9991-931	P100019	Pressure Lever for Freedom 500/800

SOLENOIDS

MAXWELL



These Maxwell Anchor Winch Reversing Solenoids are suitably rated for winch motors



- Dual-direction heavy-duty solenoids
- Controls direction of windlass motor
- IP66 rated

PART NO.	MFG#	DESCRIPTION
9991-910	SP5104	12V Reversing, 3 Posts
9991-911	SP5105	24V Reversing, 3 Posts
9991-912	SP5102	12V, 4 Posts

ANCHOR SWIVEL



Investment Cast 316 Stainless

	7931150	7931151	7931152
Chain	1/4"-5/16"	5/16"-1/2"	1/2"-5/8"
Breaking Strength (lbs.)	5,500	17,000	21,500
Weight (lbs.)	0.52	1.17	2.54

PART NO.	MFG#	DESCRIPTION
7931150	182608-1	Swivel, 1/4"–5/16"
7931151	182612-1	Swivel, 5/16"–1/2"
7931152	182614	Swivel, 1/2"–5/8"

ANCHOR SWIVELS - STAINLESS STEEL



PART NO.	MFG#	DESCRIPTION
9990-554	57725	Safe working load 1100 lbs., 1⁄4" chain
9990-555	56392	Safe working load 1980 lbs., 5⁄16" chain
9990-556	56393	Safe working load 3100 lbs., 3⁄8" chain

CHAIN STOP



Prevents damage to windlass. Mounts alone or inside most bow rollers.



Part #	A	B	C	D	E	F	
7931110	2-3/8"	1-13/16"	1-13/16"	2-3/4"	3/8"	1-3/8"	5/16" FH
7931111	3-1/8"	2-3/8"	2-7/16"	3-5/8"	1/2"	1-7/8"	3/8" FH

PART NO.	MFG#	DESCRIPTION
7931110	321820	For 3/16" & 1/4"
7931111	321825	For 5/16" & 3/8"

CHAIN STOPPER W/ PIN



- Designed to take tension off your windlass while boat is at anchor
- Handles 1/4" to 5/16" chain
- Mounting base: 62mm (2-7/16") L x 62mm (2-7/16") W
- Pin Ø: 9mm (3/8") , Screw size #14

PART NO.	MFG#	DESCRIPTION
9972-003	8631424	Stopper

ROPE DECK PIPE – CHROME



- Chrome plated zinc
- Maximum rope size 1"
- Outside flange diameter 3-3/8"

PART NO.	MFG#	DESCRIPTION
9972-291	0757DP0CHR	Chrome

CHAIN & ROPE DECK PIPE





Chrome-plated brass.
Overall Dimensions: 6-1/4"L x 4-1/2"W
Inside Dimensions: 4"L x 2-1/4"W

PART NO.	MFG#	DESCRIPTION
7931100	322070	Rope Deck Pipe

SPLIT LINK GALVANIZED



PART NO.	MFG#	DESCRIPTION
9971-450	SPLITLINK,3/8,GALV	Split Link 3⁄8"
9971-451	SPLITLINK,1/2,GALV	Split Link 1⁄2"
9971-455	SPLITLINK,5/8"	Split Link 5⁄8"

TRANSPORT CHAIN – YELLOW CHROMATED STEEL



Sold per foot.

- Coated manganese steel Grade 70 transport tie down chain
- Working load 6,600 lbs.; breaking load 26,400 lbs.
- Can be used for moorings

PART NO.	MFG#	DESCRIPTION
9971-530	380700241	3⁄8" Grade 70

CHAIN – 316 STAINLESS STEEL



- ASTM-80, polished stainless steel

Sold per foot.

PART NO.	MFG#	DESCRIPTION
9971-525	38160016	1⁄4", per foot
9971-526	38160020	5⁄16", per foot
9971-527	38160024	3⁄8", per foot

GALVANIZED GENERAL PURPOSE ANCHOR CHAIN



ISO Proof Coil Chain is low carbon steel general purpose/anchor chain with an ISO short pitch link. It is used in applications where high tensile strength is not required. **Finish:** Hot Dip Galvanized
Exceeds NACM, RR-C-271D specifications.

PART NO.	MFG	DESCRIPTION
7913323	10312737	3/16" (250' Pail)
7913324	10312738	1/4" (141' Pail)
7913325	10312739	5/16" (92' Pail)
7913326	10312740	3/8" (63' Pail)
7913328	10312741	1/2" (36' Pail)

For the most up to date pricing, please visit maritimemarinesupply.ca/price

GALVANIZED MOORING LONG LINK CHAIN G43



High tensile strength mooring chain with long links that allows the use of shackles.
Finish: Hot Dip Galvanized

Sold Per Foot

Work Load Limit: 6900 lbs. for 1/2"
Work Load Limit: 9750 lbs. for 5/8"

PART NO.	MFG#	DESCRIPTION
7913318	10312730	1/2"
7913319	10312731	5/8"

GALVANIZED CHAIN G30



Hot dipped galvanized. Grade 30 proof coil chain for marine and industrial applications.
Working load limit:
- 1/4", 1100 lbs. 5/16",1900 lbs.
- 3/8", 2400 lbs. 1/2", 4150 lbs.
- 3/4, 10600 lbs.

Sold Per Foot

PART NO.	MFG#	DESCRIPTION
7913304	10313037	1/4"
7913305	38030020	5/16"
7913306	10313039	3/8"
7913308	10313040	1/2"
7913312	10313042	3/4"

ISO G43 HIGH TEST WINDLASS CHAIN CALIBRATED FOR WINDLASSES



ISO High Test Chain uses high tensile strength carbon steel providing a greater strength-to-weight ratio than proof coil chain. ISO short pitch link makes it more flexible and ideally suited as a windlass chain. Each link is proof tested and calibrated.
Finish: Hot Dip Galvanized

PART NO.	MFG#	DESCRIPTION
7913334	10313043 (800' DRUM)	1/4" (sold per ft.)
7913335	10313044 (550' DRUM)	5/16" (sold per ft.)
7913336	10313047 (400' DRUM)	3/8" (sold per ft.)

METRIC ANCHOR CHAIN G30 DIN766



A low carbon steel chain specifically designed for anchoring applications. Each link is calibrated to the latest DIN766 standard to ensure proper fit for most metric windlasses.

Finish: Hot Dip Galvanized

PART NO.	MFG#	DESCRIPTION
7913338	10315923	8mm (sold per ft.)
7913339	10315916	10mm (sold per ft.)

3 STRAND ANCHOR RODE



The Anchor Rode with Three Stranded rope is fairly easy to splice and is more elastic than most other ropes making it a great shock absorber for sudden loads caused by wind and waves. It can help reduce the weight in the bow by up to 30% without sacrificing strength.

PART NO.	ROPE DIA.	ROPE LENGTH	CHAIN LENGTH	WIRE DIA.	LOAD LBS.
7243180	1/2"	150'	15'	1/4"	1500

8 STRAND ANCHOR RODE



Eight Strand Plaited Anchor Rode (With G4 HT Chain) is pre-spliced and ready to use. Special marking tape is included for marking the rode at increments. Check manufacturer's specification prior to purchase.

Compared to 3-Strand Twisted Rope, 8-Plait Rope offers important performance advantages. It provides higher strength-to-weight ratios, will not rotate under load, stays supple over time, grips and renders well on winches, bollards, and capstans.

PART NO.	ROPE DIA.	ROPE LENGTH	CHAIN LENGTH	WIRE DIA.	LOAD LBS.
7243181	1/2"	150'	15'	1/4"	1134
7243182	5/8"	200'	50'	5/16"	2330

CHAIN/ROPE COMBINATION



- Chain/rope combination includes DIN 766 chain and 200 feet of 3-strand braided nylon rope

PART NO.	MFG#	DESCRIPTION
9994-680	FVC070312120Q00	15' of 7 mm chain plus1/2" rope
9994-681	FVC080391220Q00	25' of 8 mm chain plus 9/16"rope
9994-682	FVC100358220Q00	20' of 10 mm chain plus 5/8" rope

ANCHOR RODE



The Lewmar anchor rode features a rope-chain-spliced design and smooth transition to ensure a dependable attachment from windlass to anchor. This high-strength model features a galvanized G4 chain and treated, 3-strand nylon rope with shackle.

PART NO.	MFG#	DESCRIPTION
7243190	69000334	15' 1/4" Chain
7243191	69000339	20' 5/16" Chain

TWISTED NYLON ANCHOR LINE

SEAGRACE



- Our premium twisted three strand nylon anchor line is manufactured to a balanced multi stage heat stabilized finish that stays flexible with minimal shrink.

PART NO.	MFG#	DESCRIPTION
9978-200	636310	3⁄8" x 50', White
9978-201	636320	3⁄8" x 100' White
9978-202	636330	3⁄8" x 150', White
9978-203	636220	1⁄2" x 100', White
9978-204	636230	1⁄2" x 150', White
9978-205	636550	5⁄8" x 250', White

PREMIUM THREE STRAND TWISTED NYLON ANCHOR LINE

attwood



These three-strand twisted anchor lines are strong, hang straight and resist kinking. They can also be spliced, making them a favourite for the seasoned boaters. They feature a galvanized thimble spliced in at one end.

Maximum Working Load:

- 3/8", 278 lbs. (126.1 kg)

PART NO.	MFG#	DESCRIPTION
7243122	11734-1	White, 3/8" x 100'
7243123	11708-1	White, 3/8" x 150'

BOW ROLLER

MAXWELL



PART NO.	MFG#	DESCRIPTION
9991-990	P104340	Hinged, Extendable
9991-287	P104330	For chain up to 5⁄16"

BOW ROLLERS

Investment Cast 316 Stainless.

SEADOGLINE



PART NO.	MFG#	DESCRIPTION
7931200	328050	7-7/8"
7931201	328050L	12-1/2"

PIVOTING MED BOW ROLLER

SEADOGLINE



A great match with Sea-Hook II anchors and most Bruce type anchors. Stamped 304 Stainless, Polished to a mirror finish.

PART NO.	MFG#	DESCRIPTION
7931210	328068	Bow Roller

DELTA BOW ANCHOR ROLLER

LEWMAR



Lewmar bow anchor rollers make dropping and weighing the anchor on your boat easier while protecting your boat from scratches and reducing chafe. They are made from high-quality steel and are easy to install on your boat deck.

PART NO.	MFG#	DESCRIPTION
7931215	66840008	Delta Bow Anchor Roller

ANCHOR ROLLER



- 304 stainless steel
- 15-1/4" L x 2-1/16" W x 2-1/2" (Roller)

PART NO.	MFG#	DESCRIPTION
9971-163	56022	Roller

STAINLESS STEEL ANCHOR LOCK

LEWMAR



Confidently keep your anchor chain or shackle in place with our anchor lock. For boats 20'-50' and anchors up to 55 lbs., this anchor pin allows quick release of anchors on bow rollers.

PART NO.	MFG#	DESCRIPTION
7931216	66840070	DTX S/S Anchor Lock

ANCHOR CHOCKS

SEADOGLINE



- Chrome plated bronze

PART NO.	MFG#	DESCRIPTION
9973-076	322150-1	Fits Danforth models S600, S920, and S1300

PERFORMANCE ANCHOR TROLLEY KIT

SEADOGLINE



The Performance Anchor Trolley Kit features easy one-handed adjustability for setting anchor into the wind, cross current, with the wind at your back and everywhere in between. This anchor trolley makes an easy task of pulling the anchor up and gives you total control in any type of water.

Kit includes:
(1) 30' of 3/16" polypro deck line,
1) zig cleat, (1) ring clip,
(2) cheek blocks, (6), nylon pad eyes,
(10) 10-32 X 3/4" PH machine screws,
(10) 10-32 Nyloc nuts,
(10) #10 flat washers,
(10) well nuts.

PART NO.	MFG#	DESCRIPTION
7933650	318110-9	Anchor Trolley Kit

For the most up to date pricing, please visit maritimemarinesupply.ca/price

FOLDING ANCHOR SYSTEM



Designed for small boats this 3-1/3 lbs., 4-fluke folding anchor will hold in mud, sand, gravel and rock. It has a protective coating and comes complete with a 25' long marine-grade rope, an in-line buoy, a heavy-duty stainless steel snap hook and a durable nylon storage case.

PART NO.	MFG#	DESCRIPTION
7933600	A-2	Folding Anchor

AIRHEAD FLUKE ANCHOR



This vinyl-dipped fluke anchor weighs only 1-3/4 lbs. and won't scratch finishes. Perfect for the temporary mooring of PWCs and other small crafts.

Includes a 25' marine-grade rope which is pre-spliced, and a sturdy nylon case included for convenient storage.

PART NO.	MFG#	DESCRIPTION
7933601	A-5	Airhead Fluke Anchor

GRAPNEL FOLDING ANCHOR



Here is the ideal four-fluke anchor for personal watercraft (PWC), small craft, and dinghies.

It is made of heavily galvanized, malleable iron. It folds up easily for storage and it is lockable in both the opened and closed positions.

PART NO.	MFG#	DESCRIPTION
7933603	11964-1	Galvanized, 3 lbs.
7933605	11966-1	Galvanized, 5 lbs.
7933607	11968-1	Galvanized, 7 lbs.

GRAPNEL FOLDING ANCHOR



Made with four arms that fold flat against the shank for compact storage, an inexpensive backup anchor on larger boats or great as a primary anchor on dinghies, PWCs, canoes, kayaks and small sailboats. Lockable in opened or closed position and have an effective holding power in mud, sand, gravel or rocky conditions.

Weights vary due to metal and coating content. Listed weights are approximate.

Made of hot dipped galvanized iron with forged flukes.

Weight	Boat Length	Line Length*	Chain Length*	A	B	C
13 lbs.	14'-22'	3/8" x 150'	3/16" x 10'-20'	1/2"	21-1/2"	4-3/4"
18 lbs.	18'-26'	3/8" x 150'	1/4" x 10'-20'	1/2"	22-1/2"	5"
22 lbs.	22'-30'	3/8" x 150'	1/4" x 10'-20'	1/2"	24-1/4"	5"

*Recommended length. Line & chain not included.

PART NO.	MFG#	DESCRIPTION
9973-158	318003	Anchor, Folding 3 lbs.
9973-159	318007	Anchor, Folding 7 lbs.
7933613	318013	Anchor, Folding 13 lbs.
7933618	318018	Anchor, Folding 18 lbs.
7933619	318022	Anchor, Folding 22 lbs.

RIVER ANCHOR



River anchors catch and hold river bottoms where mud, rocks, stumps, and brush are present. Flukes act like a grappling hooks to snag rocks or other objects. Made of grey cast iron with a large steel eye. Covered with a black PVC-coated finish.

PART NO.	MFG#	DESCRIPTION
7933321	9948B1	Black, 15 lbs.
7933326	9946B1	Black, 18 lbs.

RIVER ANCHORS



- High tensile, corrosion resistant aluminum magnesium alloy that outperforms heavier steel anchors at half the weight
- Black vinyl

PART NO.	MFG#	DESCRIPTION
9973-155	314272	12 lbs
9973-156	314278	18 lbs
9973-157	314290	30 lbs

MUSHROOM ANCHOR



These anchors are an economical solution for light-weight boats. The wide-area mushroom cup provides sufficient holding power in mud and weed bottoms. They are made of grey cast iron with a large steel eye. Covered with a black PVC-coated finish.

PART NO.	MFG#	DESCRIPTION
7933342	9941B1	Black, 8 lbs.
7933347	9942B1	Black, 10 lbs.
7933352	9943B1	Black, 15 lbs.

MUSHROOM ANCHORS



- Great holding power in all types of bottoms
- Top quality hot-dipped galvanized construction
- Black vinyl

PART NO.	MFG#	DESCRIPTION
9973-152	314168	8 lbs
9973-153	314170	10 lbs
9973-154	314175	15 lbs

SEA ANCHORS – VINYL COATED NYLON



- Vinyl coated nylon, with 1" polypropylene shroud lines, designed for trolling purposes
- Easily collapsed for storage

PART NO.	MFG#	BOAT SIZE	DIA.
9953-752	927	16-20ft, Min 75ft behind boat	24" Dia
9953-753	928	20-24ft, Min 100ft behind boat	30" Dia
9953-754	929	Under 50ft, Min 100ft behind boat	36" Dia



ELEVATE AND ENRICH THE ON-WATER EXPERIENCE.

Trust Lewmar for top-performing products that combine style, strength, and durability. Our anchors provide the reliability and performance you've come to expect from Lewmar, and we have revolutionized steering with innovative design and expert engineering, giving control and precision to the captain navigating the boat.

LFX ALUMINUM FLUKE ANCHOR

LEWMAR



The Lewmar LFX fluke anchor is constructed from high-grade anodized aluminum to be highly resilient to the marine environment, and it has adjustable, angled flukes for faster setting in sand or mud seabeds, making this a perfect secondary anchor.

PART NO.	MFG#	DESCRIPTION
7933828	0058102	LFX Aluminum Fluke Anchor 4lbs
7933829	0058103	LFX Aluminum Fluke Anchor 7lbs
7933830	0058105	LFX Aluminum Fluke Anchor 10lbs

FLUKE ANCHOR GALVANIZED

LEWMAR



Durable materials and a traditional design make this an economical alternative to heavier, more expensive anchors. Constructed of high tensile steel. Hot dipped galvanized and specially treated to ensure a long lasting, bright finish. 20" Stock Length, 15-1/2" Fluke. Specially designed to fit smaller anchor lockers.

PART NO.	MFG#	DESCRIPTION
7933842	HKG-S8	Fluke Anchor 8lbs

DTX STAINLESS STEEL ANCHOR

LEWMAR



The Lewmar DTX stainless steel anchor offers top-performance and has a narrow shank profile for deep penetration. The DTX utilizes lead ballast within the tip of the anchor to achieve the perfect center of gravity for the initial bite and holding reliability.

PART NO.	MFG#	DESCRIPTION
7933800	0057210	DTX S/S Anchor 22lbs
7933801	0057216	DTX S/S Anchor 35lbs

EPSILON ANCHOR STAINLESS STEEL

LEWMAR



Epsilon stainless steel anchors offer an extremely high holding power. This anchor's concave fluke and ballast keel make this self-launching anchor a robust and quick setting anchor.

PART NO.	MFG#	DESCRIPTION
7933834	0057510	Epsilon Anchor 22lbs
7933835	0057516	Epsilon Anchor 35lbs

DELTA GALVANIZED STEEL ANCHOR

LEWMAR



The Lewmar galvanized steel Delta anchor offers top-performance and has a narrow shank profile for deep penetration, utilizing the lead ballast within the tip of the anchor to achieve the perfect center of gravity for the initial bite and holding reliability.

PART NO.	MFG#	DESCRIPTION
7933809	0057404	Galvanized Delta Anchor 9lbs
7933810	0057406	Galvanized Delta Anchor 14lbs
7933811	0057410	Galvanized Delta Anchor 22lbs
7933812	0057416	Galvanized Delta Anchor 35lbs

QUIK-SET ANCHOR KIT



Hooker Quick-Set Kit for boats 20-24'.

Kit includes:

- 1 x 10HQ Quik Set Anchor
- 1 x Coil of 3/8" x 100' Nylon anchor line with thimble
- 1 x Length of 1/4" x 4' galv. chain
- 2 x 5/16" Shackles

PART NO.	MFG#	DESCRIPTION
7933620	95090	5 lbs., Quick Set

DANFORTH DELUXE ANCHOR KITS



Deluxe #8 Kit for boats up to 27'.

Kit includes:

- 1 x S600 Danforth Anchor
- 1 x Coil of 3/8" x 150' rope
- 1 x Length of 1/4" x 4' S/S chain
- 2 x Stainless Steel Shackles

PART NO.	MFG#	DESCRIPTION
7933625	95096	Deluxe # 8 Kit, 9 lbs.

SUPER HOOKER ANCHOR KITS



#8 Kit for boats 17'-24'.

Kit includes:

1 x 95040 Super Hooker Anchor
1 x Coil of 3/8" x 100' nylon anchor line with thimble
1 x Length of 1/4" x 6' galv. chain
2 x 5/16" shackles

#13 Kit for boats 25'-30'.

Kit includes:

1 x 95045 Super Hooker Anchor
1 x Coil of 3/8" x 100' nylon anchor line with thimble
1 x Length of 1/4" x 6' galv. chain
2 x 5/16" shackles

PART NO.	MFG#	DESCRIPTION
7933630	95095	# 8 Kit, 9 lbs.
7933631	95100	# 13 Kit, 14 lbs.

HOOKER ANCHOR – QUIK SET



- Designed with “Slip Lock” shank ensures a proper set regardless of which way anchor lands
- A slip design permits easy retrieval in snag prone areas
- Hot dipped galvanized

PART NO.	MFG#	DESCRIPTION
9973-103	95011	4.5 lbs, boats 15 - 19'
9973-104	95016	5 lbs, boats 20 - 24'
9973-105	95021	6.5 lbs, boats 25 - 28'
9973-106	95026	8 lbs, boats 28 - 30'

NAVY ANCHOR



Navy anchors combine weight with flukes to dig in and hold firmly in sand and mud. The reverse action of the shank allows quick retrieval of a fouled anchor. Made with a high-quality grey iron casting covered with a black PVC-coated finish.

PART NO.	MFG#	DESCRIPTION
7933312	9933B1	Black, 10 lbs.
7933317	9934B1	Black, 15 lbs.
7933318	9935B1	Black, 20 lbs.

SLIP RING FLUKE ANCHOR



Penetrating Fluke Anchors pivot and rotate down to the bottom and set with an excellent weight-to-holding-power ratio in mud, sand and gravel. Made of hot dip galvanized steel for corrosion resistance and strength that maintains consistent fluke-to-shank angles ensuring quick penetration and a firm hold. A slip-ring shank provides for an easy retrieval in any situation.

PART NO.	MFG#	WEIGHT	WIDTH	HEIGHT
7933375	9960-1	4-1/2 lbs.	11.5"	13.85"
7933377	9962-1	6-1/2 lbs.	14.25"	19.85"
7933378	9963-1	8 lbs.	21"	21.85"

HOOKER ANCHOR – SUPER HOOKER



- Lightweight, hot dipped galvanized anchor has strong wide flukes that penetrate quickly
- The fully welded crown configuration provides the right angle for maximum holding power

PART NO.	MFG#	DESCRIPTION
9973-108	95040	9lbs, Boats 17 – 24'
9973-109	95045	14lbs, Boats 25 – 30'
9973-110	95050	18lbs, Boats 31 – 34'
9973-111	95055	25lbs, Boats 35 – 38'
9973-112	95060	43lbs, Boats 38 – 43'

DANFORTH ANCHORS – GALVANIZED



- Great holding power in all types of bottoms
- Top quality hot-dipped galvanized construction

PART NO.	MFG#	DESCRIPTION
9973-052	94012	9 lbs., 24" L, 18 1⁄4" stock – S600
9973-053	94013	14 lbs., 28" L, 21" stock – S920
9973-054	94014	16 lbs., 32" L, 24" stock – S1300
9973-055	94015	25 lbs., 35" L, 27" stock – S1600
9973-056	94016	43 lbs., 41" L, 31" stock – S2000
9973-057	94017	70 lbs., 50" L, 38" stock – S3000
9973-059	94018	100 lbs., 54" L, 41" stock – S3500

ECONOMY DANFORTH STYLE ANCHOR

Hot dipped galvanized anchor provides good holding power for day anchoring.



PART NO.	WEIGHT (LBS)	ANCHOR LENGTH	STOCK LENGTH
7933104	4	18-1/2"	11-1/2"
7933109	9	21 3/4"	16.5"
7933113	13	25"	16.5"
7933118	18	27"	17-1/2"
7933122	22	28"	20"
7933133	33	35"	23.5
7933144	44	33"	23"
7933170	70	36"	27.5"
7933200	100	43"	38"

HEAVY DUTY DANFORTH STYLE ANCHOR



These Danforth-style anchors are constructed of mild steel and hot dipped galvanized.

Height: 48"
Stock Width: 46"

PART NO.	MFG#	DESCRIPTION
7933202	7933202	150 lbs. Danforth Anchor
7933203	7933203	180 lbs. Danforth Anchor

CLAW ANCHOR GALVANIZED STEEL

LEWMAR



The Lewmar claw anchor is designed after the anchors used to secure oil rigs in the North Sea. Made from galvanized one-piece steel, the bruce-style claw sets quickly and performs well in a variety of seabeds.

ART NO.	MFG#	DESCRIPTION
7933819	0057901	Galvanized Claw Anchor 2.2lbs
7933820	0057902	Galvanized Claw Anchor 4.4lbs
7933821	0057905	Galvanized Claw Anchor 11lbs
7933822	0057907	Galvanized Claw Anchor 16.5lbs
7933823	0057910	Galvanized Claw Anchor 22lbs
7933824	0057915	Galvanized Claw Anchor 33lbs
7933825	0057920	Galvanized Claw Anchor 44lbs
7933826	0057930	Galvanized Claw Anchor 66lbs

ANCHORS – ALUMINUM ALLOY

FORTRESS MARINE ANCHORS
NOT JUST STRONGER, LIGHTER!



- High tensile, corrosion resistant aluminum magnesium alloy that outperforms heavier steel anchors at half the weight

PART NO.	MFG#	DESCRIPTION
7933207	FX-7	4 lbs., boat size 16 – 27'
7933211	FX-11	7 lbs., boat size 28 – 32'
7933216	FX-16	10 lbs., boat size 33 – 38'

BRUCE ANCHORS



Hot Dipped Galvanized
Designed to secure oil platforms in the rugged North Sea, Bruce Anchors are easy to set, have an excellent holding control and a low breakout force. They are very effective and reset quickly in a variety of sea-bed conditions and in quick changing wind, tide and current situations. They also store very well in anchor rollers.

PART NO.	WEIGHT	DEPTH	ANCHOR LENGTH	STOCK LENGTH
7933505	11 lbs.	9-1/2"	18-1/2"	12-1/2"
7933507	16-1/2 lbs.	10-3/4"	21"	14-1/8"
7933510	22 lbs.	11-1/2"	23"	15-1/8"
7933515	33 lbs.	13-1/2"	25-3/4"	17"
7933520	44 lbs.	14-3/4"	27-1/2"	18"
9973-181	66 lbs.	17-3/4"	32"	21"

ECONOMY PLOW ANCHORS – GALVANIZED



- Economical alternative for temporary anchor or less critical application

PART NO.	MFG#	DESCRIPTION
9973-171	ANCHOR,12KGPLOW	26 lbs.
9973-172	ANCHOR,16KGPLOW	35 lbs.
9973-173	ANCHOR,24KGPLOW	53 lbs.
9973-174	ANCHOR,27KGPLOW	60 lbs.

BRUCE STYLE ANCHORS – STAINLESS



- Sets fast and secure to almost any type of sea bottom, burying itself in two shank lengths
- Polished type 316 stainless steel

PART NO.	MFG#	DESCRIPTION
9973-146	ANCHOR,5KG,BRUCE316SS	5 kg (11 lbs.)
9973-147	ANCHOR,7.5KGBRUCE316SS	7.5 kg (16.5 lbs.)
9973-148	ANCHOR,10KG,BRUCE316SS	10 kg (22 lbs.)
9973-149	ANCHOR,15KG,BRUCE316SS	15 kg (33 lbs.)

For the most up to date pricing, please visit maritimemarinesupply.ca/price

ANCHOR VULCAN GALVANIZED



A unique combination of shank and fluke geometry – including an innovative Roll-Palm at the rear of the fluke – which self-rights the anchor on the seabed without the use of a roll-bar. This is assisted by the V-Bulb which extends fluke ballast downward to gain maximum leverage and efficiency allowing for a larger fluke surface area. The omission of a roll-bar along with a carefully designed shank profile ensures a snug fit on the bows of a widely expanded range of vessels. Platforms, bowsprits, prods, stays, and other protrusions are easily cleared with no hassle or inconvenience. The Vulcan's shank shape encourages self-launching and self-stowing upon retrieval on the majority of bow rollers, with a liquid smooth action, ensuring ease of use for all operators.

PART NO.	MFG#	DESCRIPTION
7933750	VLC4GS	9 lbs., 4 kg.
7933752	VLC6GS	13 lbs., 6 kg.
7933753	VLC9GS	20 lbs., 9 kg.
7933754	VLC12GS	27 lbs., 12 kg.
7933755	VLC15GS	33 lbs., 15 kg.
7933756	VLC20GS	44 lbs., 20 kg.
7933757	VLC25GS	55 lbs., 25 kg.
7933758	VLC33GS	73 lbs., 33 kg.
7933759	VLC40GS	88 lbs., 40 kg.
7933760	VLC55GS	121 lbs., 55 kg.

ROCNA GALVANIZED AND STAINLESS STEEL ANCHORS



The Rocna is a true multi-purpose anchor that sets and holds in most seabeds, from soft mud to hard sand, clay, grass, and kelp. Resistant to wind and tide shifts, the Rocna anchor remains stable and buried, and does not roll out on reversal or veering of load, or if dragged beyond yield. Rocna anchors are built for strength and durability. The shank is designed so the anchor self-launches and self-stows on the majority of bow-rollers.

PART NO.	MFG#	DESCRIPTION
	GALVANIZED STEEL	
7933700	ROCORG004GS	9 lbs., 4 kg.
7933702	ROCORG006GS	13 lbs., 6 kg.
7933704	ROCORG010GS	22 lbs., 10 kg.
7933705	ROCORG015GS	33 lbs., 15 kg.
7933706	ROCORG020GS	44 lbs., 20 kg.
7933707	ROCORG025GS	55 lbs., 25 kg.
7933708	ROCORG033GS	73 lbs., 33 kg.
7933710	ROCORG055GS	121 lbs., 55 kg.
	STAINLESS STEEL	
7933724	ROCORG010SS	22 lbs., 10 kg.
7933725	ROCORG015SS	33 lbs., 15 kg.
7933726	ROCORG020SS	44 lbs., 20 kg.
7933727	ROCORG025SS	55 lbs., 25 kg.
7933728	ROCORG033SS	73 lbs., 33 kg.
7933729	ROCORG040SS	88 lbs., 40 kg.
7933730	ROCORG055SS	121 lbs., 55 kg.

ANCHOR ROCNA MKII



An idealized form of the Rocna design, the Rocna Mk II is based on the same proven design pattern, but refines every element close to perfection.

The Rocna has established the highest performance and consistency of behavior when put to the test both by a worldwide array of boaters and in numerous independent tests. This performance is the result of careful design and engineering by Peter, and it is all completely retained and tuned in the new Rocna Mk II.

The Rocna Mk II brings substantial upgrades in performance and strength by way of revision and refinement — inheriting and prating the original's proven performance advantages for an extremely quick and reliable set across a range of seabeds, with rock solid holding power.

PART NO.	MFG#	DESCRIPTION
	GALVANIZED STEEL	
7933732	RM2004GS	9 lbs., 4 kg.
7933733	RM2006GS	13 lbs., 6 kg.
7933734	RM2009GS	20 lbs., 10 kg.
7933735	RM2012GS	27 lbs., 12 kg.
7933736	RM2015GS	33 lbs., 15 kg.
7933737	RM2020GS	44 lbs., 20 kg.
7933738	RM2025GS	55 lbs., 25 kg.
	STAINLESS STEEL	
7933741	RM2004SS	9 lbs., 4 kg.
7933742	RM2006SS	13 lbs., 6 kg.
7933743	RM2009SS	20 lbs., 10 kg.
7933744	RM2012SS	27 lbs., 12 kg.
7933745	RM2015SS	33 lbs., 15 kg.
7933746	RM2020SS	44 lbs., 20 kg.
7933747	RM2025SS	55 lbs., 25 kg.

SKEGPRO

The Megaware SkegPro protects your motor's skeg against harsh marine environments. Its mirror-polished finish creates a custom look and lasting protection.



SkegPro Installed



Damaged Skeg

Constructed of high quality, anti-corrosive, 18-gauge stainless steel to withstand damage or abrasion from hidden rocks and debris or accidental ramp dragging. Conforms to your lower unit to insure there is no discernible drag or compromise in performance. A drain hole keeps water from collecting and remaining stagnant.

Mounting Hardware Included

PART NO.	MFG#	DESCRIPTION
7924480	02655	Merc., Alpha I, 1973 - Current
7924481	02667	Merc., Bravo I & III
7924482	02668	Merc., Bravo II, 1994 - Current
7924490	02656	Merc., Verado, 135-250, 2005 - Current

SKEGGUARD

MEGAWARE



The Megaware SkegGuard provides the best of two worlds. It will protect and prevent damage to your motor's skeg and can also be used to repair and replace an already broken skeg.



Can be installed to replace a damaged lower unit with as little as 2" of skeg remaining.

It is constructed of a high quality marine grade 316 Stainless Steel that incorporates an extra reinforced wear tab across the bottom where the skeg is most vulnerable. This 3mm thickened lower plate will withstand damage or abrasion from hidden rocks and debris or accidental ramp dragging. A drain hole keeps water from collecting and remaining stagnant.

PART NO.	MFG#	DESCRIPTION
7924450	27021	Merc., Alpha 1, 1985 - 1990
7924451	27031	Merc., Alpha Gen. II, 1991 - Current
7924452	27051	Merc., Bravo I & III, 1990 - Current
7924454	27071	Force, Mariner, Mercury, Nissan, Yamaha
7924455	27131	Evinrude, Johnson
7924456	27191	Volvo SX Dual Prop
7924457	27221	Volvo SX Single Prop
7924459	27291	Yamaha, 115-130, 2/4 stroke, 2003 - Current
7924460	27301	Yamaha, 200-300, 2/4 Stroke, 2003 - Current
7924461	27151	Mercury, Suzuki, Yamaha
7924462	27211	Mercury, 150-300, 2005 - Current
7924470	27171	Mariner, Mercury, Nissan, Suzuki, Yamaha
7924473	27271	Honda, 135-225, 2/4 Stroke, 2004 - Current
7924493	27321	Yamaha, 60-100, 2/4 Stroke, 2002 - Current

Note: If your motor is not listed here, search the internet for '**Megaware SkegGuard Model Guide**'.

SKEGSHIELD

GATOR GUARDS "The Ultimate in Boat Protection"

KEELSHIELD





- Superior end cap design with a reinforced lower edge for protection from ramp damage or riverbed lake bed dragging, and better water/hydro streamlining
- Made from SS, package includes Allen wrenches

PART NO.	MFG#	DESCRIPTION
9941-896	SS00502-DP	Alpha 1 Gen II, 91-current
9941-897	SS00503-DP	Bravo 1 & 3, 90-current
9941-890	SS00504-DP	Yamaha 60-100 HP, 2 stroke, 98-01 / Merc 40-60 HP, 2-4 stroke (Bigfoot) 03-current / Merc 70-80 HP, 2-4 stroke, 84-current /Merc 90-125 HP, 2-4 stroke, 83-current (Incl. Verado & Opti)
9941-891	SS00512-DP	Yamaha 115-230 HP, 2 stroke, 84-02 / 150 HP, 2-4 stroke, 84-current /150-350 HP, 4 stroke, 04-current / 175-250 HP, stroke, 84-02
9941-892	SS00513-DP	Mercury 40-60 HP, 2-4 stroke, 03-current
9941-893	SS00514-DP	Mercury 150-275 HP, 2-4 stroke, 05-current (Incl. Verado & Opti) /225 HP, 2 stroke, 96-04
9941-894	SS00515-DP	Yamaha 60-100 HP, 2-4 stroke, 02-current
9941-895	SS00516-DP	Yamaha 115-130 HP, 2 stroke, 03-current / Yamaha 115-130 HP, 4 stroke 00-current

KEELGUARD

MEGAWARE



A powerful abrasion-resistant protector that prevents abrasive sand, rocks, concrete ramps and oyster beds from breaking down protective gelcoat finishes. It is designed to be the most dependable and easiest Do-It-Yourself keel protector to install.

PART NO.	MFG#	DESCRIPTION
7924404	20104	KeelGuard, 4', White
7924406	20106	KeelGuard, 6', White
7924408	20108	KeelGuard, 8', White
7924410	20110	KeelGuard, 10', White
7924414	20204	KeelGuard, 4', Black
7924416	20206	KeelGuard, 6', Black
7924418	20208	KeelGuard, 8', Black
7924420	20210	KeelGuard, 10', Black

BOWSHIELD BOW PROTECTORS – SS

KEELSHIELD



- Protects the bow area, around the bow eye, from docks, trailer stops and bow rollers
- Covers scratches; creates a custom look
- Strong, durable marine grade mirror finish stainless steel with pre-creased centerline for easy bending and fitting
- Simple to apply with the included urethane adhesive for a permanent installation

PART NO.	MFG#	DESCRIPTION
9941-804	BOWSHIELD SM	6" H x 6-1⁄2" W
9941-805	BOWSHIELD MED	7-1⁄2" H x 9" W

KEELSHIELD KEEL PROTECTORS

KEELSHIELD





Great for topside deck protection against wear and chafing from chain, rope etc.

- 5" wide urethane with UV inhibitors
- Comes complete with 3M™ Marine adhesive; all you need for installation are paper towels and isopropyl alcohol and once Keelshield is installed, your boat can be used immediately
- Guards against sand, rocks and concrete ramps while beaching and prevents scuffing and damage of gelcoat or fibreglass keels without affecting performance
- Install topside on deck for protection from wear and chafing from chain, rope etc.
- Works on fibreglass, treated wood and most aluminum (will not conform to boats with the knife-like reinforced keelbone)

PART NO.	MFG#	DESCRIPTION
9941-800	KS6WHT-DP	6', white
9941-802	KS6DGY-DP	6', dark grey
9941-810	KS8WHT-DP	8', white
9941-812	KS8DGY-DP	8', dark grey
9941-820	KS10WHT-DP	10', white
9941-822	KS10DGY-DP	10', dark grey

SCUFFBUSTER BOWGUARDS

MEGAWARE



The Megaware Scuffbuster Bowguard is designed to protect your boat from unsightly scuffs and marring caused by trailer rollers.

They are made from anti-corrosive, 22-gauge 304 stainless steel and they attach to your boat's bow surface with the highest quality 3M pressure-sensitive adhesives. Available as solid or notched for towing-eye.

PART NO.	MFG#	DESCRIPTION
7924495	02637	Bowguard, Solid, 5.75" x 4.5"
7924496	02638	Bowguard, Notched, 5.75" x 4.5"
7924497	80637	Bowguard XL, Solid, 9" x 8.75"
7924498	80638	Bowguard XL, Notched, 9" x 8.75"

PONTOONGUARD HULL PROTECTION

MEGAWARE



The Megaware PontoonGuard is a custom engineered protection and safety product designed specifically for pontoon boats. It provides protection to the side of the tubes against abrasion and chafing caused by docks, other pontoons, and hidden obstacles.

The PontoonGuard edging strips are made with a super strong ultra-tough polymer composite coated with a do-it-yourself 3M bonding system and trimmed with a special 3M reflective safety strip to increase visibility, day and night. **Burnishing tool included.**

Dimensions: 1/4" Thick x 3"W x 40'L

PART NO.	MFG#	DESCRIPTION
7924440	30240	PontoonGuard, 40', Black
7924442	30540	PontoonGuard, 40', Grey

OB MOTOR BRACKET ALUM 12HP

PANTHER



- This adjustable outboard motor bracket is designed for 2-stroke motors up to 12hp or 82 lbs
- Manual power with heavy duty spring assist, 14" of travel with 5 stop locations
- Pad Size 8-1/4" x 10-1/2"
- Safety cable not included

PART NO.	MFG#	DESCRIPTION
9945-014	55-0012	Pad Size 8-1/4" x 10-1/2"

OB MOTOR BRACKET ALUM 15HP

PANTHER



- Designed for 2- and 4-stroke motors up to 15 HP or 132 lbs
- 10" of travel and 5 vertical running positions let you fine tune the motor height for optimal performance

PART NO.	MFG#	DESCRIPTION
9945-043	55-0407AL	Pad Size 11-1/2" x 10-3/4"

OB MOTOR BRACKET SS 20HP

PANTHER



- Works with 4-Stroke motors up to 15hp or 2-Stroke motors up to 20hp, max weight 132lbs
- Built extra-tough and extra-wide for secondary, higher-torque, four-stroke engines
- Four-position lock bar and 11" of travel allow for a better range of trim adjustment

PART NO.	MFG#	DESCRIPTION
9945-044	55-0408SS	Pad Size 11-1/2" x 10-3⁄4"

OB MOTOR BRACKET ALUM 20HP

PANTHER



- This adjustable outboard motor bracket is designed for 2-stroke motors up to 20hp or 115 lbs
- Manual power with heavy duty spring assist, 11" of travel with 5 stop locations
- Safety cable not included



- Braided, Stainless Steel cable, plastic coated for protection.
- Use with all outboard motor brackets to secure the motor to your boat.

(All Panther 4-stroke brackets come with Panther safety cable.)

PART NO.	MFG#	DESCRIPTION
9945-015	55-0021	• Pad Size 8-1/2" x 10-1/2"
9945-019	55-0415	Safety cable

OB MOTOR BRACKET ALUM 35HP



- Handles up to 35 HP, 263 lbs. motors with 10” of travel
- Hand-adjustable with just the turn of a knob, stainless steel torsion springs

PART NO.	MFG#	DESCRIPTION
9945-041	55-0410	Pad Size 11-1/2" x 10-3/4”

NEW O/B MOTOR BRACKET ALUM 35HP



Hand-adjustable with just the turn of a knob, stainless steel torsion springs counterbalance motor weight making adjustments easy.

Features 2”-thick, extra-wide mounting board, along with aircraft-type stainless steel hardware.

Rated for motors up to 35 HP or 263 lbs. Motors with 16” of travel.

PART NO.	MFG#	DESCRIPTION
9945-042	55-0416	Pad Size 11-1/2” x 12-1/2”

FIXED OB MOTOR BRACKET



Up to 10 HP or 85 lbs.
9945-032



Up to 35 HP or 260 lbs
9945-017

- Heavy-duty Stainless Steel
- Rugged Polypropylene mounting board 2" thick
- Recommend using cable(not included)
- 2 and 4 Stroke

PART NO.	MFG#	DESCRIPTION
9945-032	55-0024	Pad Size 8" x 10"
9945-017	55-0028	Pad Size 8" x 10"

O/B MOTOR BRACKET



6880510

6880511

Supports an outboard motor up to 20HP. The rugged polypropylene mounting board provides a firm mounting platform to secure your engine.
Mounting board:
10-3/8" x 8-1/4" x 2"
Weight Rating:
115 Lbs (52Kg)
Mounting holes: 3/8" diameter (square) accommodates carriage bolts up to 3/8".
Mounting hardware is not included.

PART NO.	MFG#	DESCRIPTION
6880510	72534	Aluminum
6880511	72533	304 Stainless Steel

OUTBOARD MOTOR HOLDER



- Fixed motor bracket, features a built-in compartment to store the cable neatly
- Fibreglass reinforced polyamide 6 and SS screws
- Mounting on Ø 1" stainless steel tube
- 35 7/16" stainless steel sheathed cable included (Ø 3/16")

PART NO.	MFG#	DESCRIPTION
9990-721	65628	For motor 5 HP max. (30 kg max.)

NEW O/B MOTOR SUPPORT



Ensure the safety of your outboard motor during trailering and transport with Panther’s Motor Support. Durable, adaptable, and designed for convenience, it’s the go-to solution for boat owners who frequently move their boats over rough roads or long distances.

- Adapts to various shaft diameters.
- Suited for outboards ranging from 50 to 300 HP.
- Injection-molded polyurethane.
- Built to withstand harsh conditions.
- Fits trim ram diameters of 5/8” to 3/4”.
- Length: 4-7/8”

PART NO.	MFG#	DESCRIPTION
9945-033	552195	O/B Motor Support

NEW OUTBOARD EXTENSION HANDLE



Premium Construction: Crafted from robust aluminum tubing paired with a comfortable plastic handle, ensuring a lightweight yet sturdy design for prolonged use.
Adjustable Telescopic Design: Features a 28.5mm (1.12 inches) outer diameter tubing with extendable lengths to suit various boating needs

The telescopic functionality allows for quick and easy length adjustments, providing enhanced maneuverability and control over your outboard engine.

PART NO.	MFG#	DESCRIPTION
6880515	50039-S	Telescoping, 20” to 26”
6880516	50039-L	Telescoping, 25” to 40”

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting
maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

HIGH-SECURITY OUTBOARD MOTOR LOCK



This High-Security outboard motor lock fits up to 1/2" (12mm) engine mount bolts preventing loosening of transom nuts. It is constructed of high strength 300 series marine grade stainless steel with anti-theft by drill protection. Keys cannot be duplicated.

PART NO.	MFG#	DESCRIPTION
7207611	758101	H-S Outboard Motor Lock

OUTBOARD MOTOR LOCK



The Panther Outboard Lock is a heavy carbon steel design and fits turnbuckle mounted engines. It has a recessed solid brass lock and noise dampeners that reduce rattle

PART NO.	MFG#	DESCRIPTION
7207610	758000	Outboard Motor Lock

HEAVY-DUTY OUTBOARD MOTOR LOCK



Fits turnbuckle design & has anti-theft by drill protection. Made of high strength 300 ser. marine grade S/S with noise dampeners to reduce rattle. Keys cannot be duplicated.

PART NO.	MFG#	DESCRIPTION
7207612	758201	H-D Outboard Motor Lock

ANGLED ADJUSTABLE REACH TRANSOM SAVER



A lifted outboard puts enormous pressure on a boats transom–especially during trailering. The "Swivl-Eze" Transom Saver will protect both your boat's transom and engine by supporting the weight of the motor at the lower unit end. This has the added feature of stabilizing your engine and steering mechanism while in motion.

- Adjustable from 30 to 60"
- Unique angle adjustable from 0 to 36° with 12° increments
- Heavy duty rubber extruded pads with Zinc plated Steel arms

PART NO.	MFG#	DESCRIPTION
6880530	460-ADJ	Angle Adjustable Transom Saver

ADJUSTABLE LENGTH TRANSOM SAVER



Protect your investment with Attwood Transom Savers. A lifted outboard puts hundreds of foot-pounds of pressure on the transom–especially during trailering.

- Support the cantilevered weight of the motor
- Stabilize engine and steering mechanism when trailering

PART NO.	MFG#	DESCRIPTION
6880535	SP-4000-ADJ-RB	HD Transom Saver

MOTOR SUPPORTS





- Cast aluminum head with high-strength aluminum shaft
- Stabilizes engine and steering mechanism when trailering
- Includes 15" black EPDM rubber holding strap

PART NO.	MFG#	DESCRIPTION
9953-346	1780240	25 – 37"
9953-347	1780242	20 – 31"

TROLLING PLATE FOR O/B ENGINE



For the Fisherman who thinks he has everything! Slows motors down to that "ever-so-slow" fish tantalizing speed. A significant invention in the sport of troll fishing, Happy Troller and Lil' Fella mount on the anti-cavitation plate to allow fine control of trolling speed. Lil' Fella is made of the highest quality polycarbonates with a clear anodized aluminum finish. Stainless steel mounting hardware and installation & operating instructions are provided.

PART NO.	MFG#	DESCRIPTION
6401110	462	For Outboards up to 25 HP

PANTHER SECURITY SYSTEMS

NEW

OUTBOARD MOTOR TROLLEY

PLASTIMO



- Suitable for outboards up to 15 HP (132 lbs).
- Lightweight, compact, and stable.
- Adjustable height aluminium tubes can accommodate long shaft engines.
- Ergonomic design, foldable.

PART NO.	MFG#	DESCRIPTION
9990-920	67436	Outboard Motor Trolley

OUTBOARD MOTOR STAND

TITAN



This outboard motor stand is ideal for holding, moving and displaying outboard motors.

It is easy to assemble and made of a powder coated steel frame that includes a solid and durable mounting board, rubber handles with ergonomic grip, and solid polyurethane wheels. Features 175 lbs. capacity and can handle up to 30 HP 4-stroke outboard motors.

PART NO.	MFG#	DESCRIPTION
6870290	10826942	Outboard Motor Stand

DELUXE OUTBOARD MOTOR TROLLEY

TITAN



This Deluxe Motor Trolley has dual solid rubber wheels with a heavy duty steel shaft and includes a heavy duty cloth tool bag and a buckle strap for for a gas tank. It is ideal for storing, moving and displaying outboard motors.

- Powder-coated steel frame with rubber handles.
- 4 X 8" solid rubber dual rear wheels.
- 2 X 3" front casters.
- Heavy-duty steel shaft.
- 315LB capacity.
- Includes user-friendly assembly instructions and all of the required tools.

PART NO.	MFG#	DESCRIPTION
6870291	10826943	Deluxe Heavy Duty Trolley

OUTBOARD MOTOR RACK

MarineMart



This Rack is designed to hold Outboard Motors for effortless mobility and simple maintenance access. For safety it includes locking casters and can be disassembled for easy storage.

Finish: Blue
Capacity: 14,766 lbs.
Weight: 155 lbs.

PART NO.	MFG#	DESCRIPTION
6870285	OMSR	Outboard Motor Rack

NEW

SWIVELLING PUSHPIT MOUNT

PLASTIMO





Pushpit-mount for solar panel, Kit includes:

- 1 holding rack (316 SS tube)
- 2 pushpit-mount Plastic clips (suitable for rail 18.5 to 25.5 mm in diameter).

PART NO.	MFG#	DESCRIPTION
9990-967	49169	Solar Panel Pushpit-Mount

NEW

CARGO BOOM ASSEMBLY

PLASTIMO



Facilitates the handling of heavy and bulky loads (up to 35 kg or the equivalent of a 6 HP/4-stroke engine). It helps carrying the engine from the tender to the boat's motor bracket or lifting the life raft from the pontoon to the boat's deck. Swivels on 360°.

Supplied with a storage bag including:

- The 316 L stainless steel folding cargo boom
- 1 rope system (2 double blocks, + 10 m braided polyethylene)
- 1 Plastic clip equipped with a SS fixing plate
- 1 SS articulated mounting shoe which adapts to different mounting angles.

PART NO.	MFG#	DESCRIPTION
9990-950	39122	SS Cargo Boom Assembly

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

BROWNELL®
Boat Stands & Equipment

"PROFESSIONALS CHOOSE BROWNELL"

AUTHENTIC BROWNELL BOAT STANDS

All Brownell Boat Stands are guaranteed for life!

Lifetime Warranty

Brownell is the preferred brand by boatyards across North America. Brownell guarantees that its products are made from top quality, authentic, heavy duty American steel. With a steel handle and precision threads, a Brownell Boat Stand can support the weight of the boat while allowing for the convenience of adjustments while under the load.

...Brownell is the most trusted, safe and reliable product on the boat stand market...

Never a product failure in 40 plus years!

KEEL STANDS COMPLETE WITH TOPS



Keel support takes the most weight off the vessel while it is out of the water, while boat stands are used for balancing and stability. Brownell offers three different options for keel support.

PART NO.	MFG#	DESCRIPTION
9960-530	K4	15"- 24"
9960-531	KS1F	24"- 33"
9960-532	KS28F	28"- 42"
9960-505	KTOP	Replacement Flat Top, 13" for K4
9960-506	KFTOP	Replacement Flat Top, 23" for KS1 & KS28
9960-507	KVTOP	Replacement V Top, 21" for KS1 & KS28

MOTORBOAT STANDS COMPLETE WITH TOPS



The system is simple. Most of the vessel's weight rests on its keel on either wood blocking or keel stands. The boat stands safely balance the load when used properly; one stand every 8' – 10' (3 meters) along each side of the boat.

PART NO.	MFG#	DESCRIPTION
9960-519	MB4	18"- 25"
9960-518	MB3	25"- 38"
9960-517	MB2	29"- 46"
9960-516	MB1	33"- 50"
9960-515	MB0	41"- 58"
9960-648	MBOX	54"- 72"

REPLACEMENT PAD



There may come a time when you need to replace the Top Pads of your Boat Stands to ensure continued protection and safety for your vessel. These pads are made from 3/4-inch Marine Grade Plywood and are one square foot (12 x 12 inches). Each of our Replacement Top Pads includes the Fasteners so you can update everything at once.

PART NO.	MFG#	DESCRIPTION
9960-520	OPLY	Orange, 12" x 12"

SAILBOAT STANDS COMPLETE WITH TOPS



The boat stands safely balance the load when used properly; one stand every 8' – 10' (3 meters) along each side of the boat. With sailboat stands, it is crucial that a chain be utilized to connect the stands across the width of the boat (port to starboard). A slot is welded on each base to allow for the chain. This prevents the stands from slipping.

PART NO.	MFG#	DESCRIPTION
9960-514	SB4	24"- 36"
9960-513	SB3	35"- 52"
9960-512	SB2	48"- 65"
9960-511	SB1	64"- 79"
9960-510	SB0	79"- 96"

TOPS

Choose from various lengths with plywood pads, TLC pads or steel V-Tops, depending on your needs. All tops have a 1-7/16" O.D. rods and carry a 20,000 lb. (9,100 kg) safe working load.



9960-524 9960-525 9960-526 9960-527 9960-528

PART NO.	MFG#	DESCRIPTION
9960-524	OTOP	Orange flat top, 27"
9960-525	OVTOP	Orange V top, 27"
9960-526	OWV	Orange wide V, 27"5
9960-527	GTOP	Grey flat top (fits SB4, MB3)
9960-528	BTOP	Blue flat top (fits MB4)

3/16" SAFETY CHAIN





PART NO.	MFG#	DESCRIPTION
9960-521	CHAIN 8	8'
9960-522	CHAIN 10	10'
9960-523	CHAIN 12	12'

BROWNELL
BOAT STANDS & EQUIPMENT

SERVICE STATIONS

- Floor-mounted pedestal base or bench mount available
- Locking pin secures the unit at 45deg intervals for easy access
- Accommodates lower units up to 400HP and outboards up to 50HP
- Holds lower units, sterndrives, and small outboards for seasonal maintenance or repairs





IBEX 2025 INNOVATION AWARDS WINNER

OBR1 & OBR2 OUTBOARD MOTOR RACKS

- OBR1 designed for small and medium sized motors up to 2,000lbs total capacity
- OBR2 designed for large single motors up to 1,200lbs total capacity





SWD1 DISPENSING DOLLY



- Convenient, mobile rack for dispensing a variety of rolled materials, e.g., shrink wrap, fiberglass, carpet, headliner and more
- No flat tires
- Holds four 200 lb. rolls

SD3 HEAVY DUTY DRIVE JACK

- Ideal for outboard lower units or stern drives
- Adjusts on three axes for easy installation or removal
- Cart handle provides easier maneuverability and additional leverage



STERN DRIVE RACKS

- SD1 single unit drive rack with 500lb capacity
- SDR4 four unit drive rack unit with 2,500lb capacity





BOAT DOLLIES





- Dollies for small craft, pontoon boats and motorboats of various sizes up to 35,000lbs
- High quality casters
- Phenolic, iron and poly wheel options for various surfaces







BROWNELL
BOAT STANDS & EQUIPMENT



For the most up to date pricing, please visit maritimemarinesupply.ca/price

MarineMart

Makers of the World's Finest Boat Stand



REPLACEMENT PLYWOOD
FOR BOAT STANDS



This Replacement Plywood Pad is made with high quality wood laminated with a waterproof Marine-Grade resin to help fight extreme weather conditions.
Dimensions:
12" x 12" x 3/4" Thick
Weight: 2 lbs.

PART NO.	DESCRIPTION
6870246	Plywood Pad, Orange

SOFT PLASTIC GEL TOPS



This Soft Plastic Gel Top is designed to make boat stands virtually maintenance free. The backing plate is a very rigid hard plastic that serves to hold the softer translucent and flexible blue upper plastic layer that contacts the hull. The Gel Top is designed to let water drain away and vastly decrease chances of rot, hull fading and hull blistering.
Dimensions: 12" x 12" x 1" thick
Weight: 3 lbs.

PART NO.	DESCRIPTION
6870245	Replacement Gel Top

KEEL BOAT STANDS



6870230
Base Dimensions:
11" x 11" x 12" High
Weight: 21.0 lbs.

6870231
Base Dimensions:
20" x 22" x 20" High
Weight: 29.5 lbs.

These Keel Boat Stands have thicker tubing and a high quality hot dipped galvanized coating inside and out with a 1-1/2" nut collar to provide 8,000 lbs. of support.

Stands are sold complete Base and Top.

PART NO.	DESCRIPTION
6870230	Keel Stand, 16"-24"
6870231	Keel Stand, 23"-32"

BOAT STAND TOPS



Weight: 13.40 lbs.
Plywood Dimensions:
12" x 12"
Rod Length: 16"
Wing Nut Length: 9.5"
Rod Diameter: 1.375"



Weight: 15.10 lbs.
Plywood Dimensions:
12" x 12"
Rod Length: 23"
Wing Nut Length: 9.5"
Rod Diameter: 1.375"



Weight: 17.85 lbs.
Plywood Dimensions:
12" x 12"
Rod Length: 26"
Wing Nut Length: 9.5"
Rod Diameter: 1.375"



Weight: 13.50 lbs.
Carpeted V Dimensions:
2" x 6-1/2" Each Side
Rod Length: 26"
Wing Nut Length: 9.5"
Rod Diameter: 1.375"

These Boat Stand Tops are hot dip galvanized in three individual pieces for maximum coverage. They feature a precision threaded rod, providing increased adjustability under load. The Marine-Grade Plywood Pads use Marine Grade Adhesive and are pre-drilled and through-bolted, not screwed. The hardware is 316L stainless steel with nylon backing nuts providing strength and longevity.

PART NO.	DESCRIPTION
6870240	16" Blue
6870241	23" Gray
6870242	26" Orange
6870243	Carpeted V-Top

BOAT STANDS BY MARINE MART

All Marine Mart Boat Stands are made to the same high quality level using superior marine grade processes and materials to provide effortless use, high load capacity, maximum corrosion resistance and the best weather resistance available.

Solid-steel, hot-dip galvanized acme-threaded rod and backing plate – galvanized individually.

Hot-dipped individually, wing-nut made 50% longer for 50% more contact and increased load capacity.

Base hot-dipped inside and out for maximum corrosion resistance.

Main vertical tube 3mm versus 2.6mm, significantly bolstering load capacity.





Rod/backing-plate connection slotted, so weight rests on rod and not on bolt.

Plywood through-bolted to backing plate with nylon backing nut.

316-L marine-grade stainless steel fasteners.

Only marine-grade adhesive in our plywood.

STRAIGHT STANDS

Marine Mart's boat stands are fully hot-dip galvanized inside and out. They are completely nestable and interchangeable with competitor's boat stands. **Flat tops included.**



PART NO.	6870200	6870201	6870202	6870203	6870204	6870205	6870206	6870207
MFG #	MBS-4	MBS-3	MBS-2	MBS-1	MBS-0	MBS-0X	MBS-0XX	MBS-7
TOP COLOUR	Blue	Grey	Orange	Orange	Orange	Orange	Orange	Orange
RANGE	18″ - 25″ 45 – 63 cm	25″ - 38″ 63 – 96 cm	28″ - 46″ 71 – 116 cm	33″ - 50″ 83 – 127 cm	41″ - 58″ 104 – 147 cm	53″ - 72″ 134 – 182 cm	66″ - 84″ 167 – 213 cm	84″ - 100″ 213 – 254 cm
BASE HEIGHT	14.5"	20.5"	24.5"	28.5"	36.5"	49.5"	64.0"	80.5"
BASE AREA	12"x12"	19"x19"	19"x19"	19"x19"	19"x19"	19"x19"	19"x19"	19" x 19"
WEIGHT	27 lbs.	30 lbs.	34 lbs.	36 lbs.	38 lbs.	44 lbs.	47 lbs.	50 lbs.

ANGLED STANDS

Marine Mart's angled sailboat stands feature the same strength and durability as their straight stands. Even the tops are hot-dip galvanized inside and out so there is no bare steel. Collar is 50% longer for 50% more contact area in the thread. Includes 316L stainless hardware and nylon locking nuts. **Flat tops included.**



PART NO.	6870220	6870221	6870222	6870223	6870224
MFG #	SBS-4	SBS-3	SBS-2	SBS-1	SBS-0
TOP COLOUR	Blue	Orange	Orange	Orange	Orange
RANGE	24"-36" 61–91cm	35"-52" 89–132cm	48"-65" 123–165cm	64"-79" 163–201cm	79"-96" 201–244cm
BASE HEIGHT	20"	31"	44"	60"	75"
BASE AREA	23" x 23" x 25"	38" x 38" x 33"	41" x 41" x 35"	54" x 54" x 47"	59" x 59" x 47"
WEIGHT	27 lbs.	37 lbs.	43 lbs.	55 lbs.	57 lbs.

HEAVY DUTY BOAT SCAFFOLDING





MarineMart
A division of ScaffoldMart

This Boat Scaffolding can be set up to follow the curvature of the boat and allow you to walk from one end to the other without stepping/climbing/ wrestling with anything.

A lever arm is used to quickly adjust the height even with heavy supplies on the Boat Scaffold. This Boat Scaffolding provides a stable, secure and safe working environment with a 32" wide platform, 20mm tightening jam nuts and 3" high end tabs to prevent boards from sliding off.

'L'-Bracket standing height range is 37.5" to 90.5" (in 8" increments).

Studs are also incorporated into the scaffolding to accommodate safety rails where needed.

Weight: 137.50 lbs.

Includes: 1 x 'H' Frame Base, 1 x Vertical Main Post, 1 x Platform 'L'-Bracket, Assembly Hardware.

PART NO.	DESCRIPTION
6870260	Boat Scaffolding

PONTOON STORAGE BLOCKS

PONTOON PRODUCTS

Designed with special features for added stability and convenience, each storage block can hold up to 3,000 lbs. The bottom has a moulded-in texture to ensure maximum grip on concrete or ground surfaces.



Pre-drilled holes make fastening or staking easy. Ergonomic hand-holds make carrying more comfortable. Drainage channels and holes prevent water from pooling against your pontoon. Pkg of 4.

Dimensions: 3-1/2" x 13-1/2" x 9-1/2"

PART NO.	MFG#	DESCRIPTION
6870999	11401-4	4 Pack of Storage Blocks

MarineMart
A division of ScaffoldMart

Makers of the World's Finest Boat Stand



SHRINK WRAP

BALCAN/MARINEMAX BOAT WRAP



Balcan/First Film MarineMax boat wrap is a high-strength plastic film specifically conceived and refined for the winterization and storage of boats and yachts. This film is extremely clean and very resistant, providing strong optimum protection and proper storage during the harsh winter months for boat manufacturers, marinas and storage facilities. MarineMax plastic film features high shrinkage levels as well as high resistance to burn-through.

Weather resistance: 6–12 months

PART NO.	MFG#	COLOUR	THICKNESS	DESCRIPTION
7923705	13004005	White	7 mil	Shrink Wrap, 14' x 128'
7923706	13004016	Blue	7 mil	Shrink Wrap, 14' x 128'
7923710	13004007	White	7 mil	Shrink Wrap, 17' x 110'
7923711	13004006	Blue	7 mil	Shrink Wrap, 17' x 110'
7923715	13004008	White	7 mil	Shrink Wrap, 17' x 350'
7923716	13004019	Blue	7 mil	Shrink Wrap, 17' x 350'
7923720	13004010	White	7 mil	Shrink Wrap, 20' x 89'
7923721	13004009	Blue	7 mil	Shrink Wrap, 20' x 89'
7923725	13004020	White	7 mil	Shrink Wrap, 20' x 298'
7923726	13004022	Blue	7 mil	Shrink Wrap, 20' x 298'
7923730	13004012	White	7 mil	Shrink Wrap, 26' x 100'
7923731	13004011	Blue	7 mil	Shrink Wrap, 26' x 100'
7923735	13004014	White	7 mil	Shrink Wrap, 32' x 65'
7923736	13004013	Blue	7 mil	Shrink Wrap, 32' x 65'
7923740	13004015	White	7 mil	Shrink Wrap, 40' x 100'
7923741	13004017	Blue	7 mil	Shrink Wrap, 40' x 100'
7923830	13004023	White	8 mil	Shrink Wrap, 26' x 100'
7923831	13004024	Blue	8 mil	Shrink Wrap, 26' x 100'
7923835	13004002	White	8 mil	Shrink Wrap, 32' x 65'
7923836	13004001	Blue	8 mil	Shrink Wrap, 32' x 65'
7923837	13004026W	White	8 mil	Shrink Wrap, 32' x 186'
7923840	13004004	White	8 mil	Shrink Wrap, 40' x 100'
7923841	13004003	Blue	8 mil	Shrink Wrap, 40' x 100'
7923842	13004025W	White	8 mil	Shrink Wrap, 40' x 149'

This wrapping material is of the Highest quality premium film made with 100% virgin resin and has extremely consistent mil thickness in a wide range of widths and lengths.

These wrapping materials contain maximum UV inhibitors providing the ultimate in weather protection during long term storage.





Shrink Wrap Rolls



Dr.Shrink+
INTERNATIONAL SHRINKWRAP SUPPLIER

...100% virgin resin shrink wrap with maximum UV inhibitors costs only pennies per square foot...



Dr. Shrink is an international shrink wrap supplier who carries the finest shrink wrap and installation supplies available on the market.

Dr. Shrink supplies only premium 100% virgin resin shrink wrap in a wide range of widths, lengths and mil thicknesses and colors. All of their shrink wrap contains maximum UV inhibitors.

PART NO.	MFG#	DESCRIPTION
9960-400	DS-147128BLUE	14' x 128', blue
9960-411	DS-147128WHT	14' x 128', white
9960-401	DS-177110BLUE	17' x 110', blue
9960-412	DS-177110WHT	17' x 110', white
9960-406	DS-177350B	17' x 350', blue
9960-417	DS-177350W	17' x 350', white
9960-402	DS-207089BLUE	20' x 89', blue
9960-413	DS-207089WHT	20' x 89', white
9960-407	DS-207298B	20' x 298', blue
9960-418	DS-207298W	20' x 298', white
9960-403	DS-267100BL	26' x 100', blue
9960-414	DS-267100WHT	26' x 100', white
9960-479	DS-267229BL	26' x 229', blue
9960-478	DS-267229W	26' x 229', white
9960-408	DS-287213B	28' x 213', blue
9960-419	DS-287213W	28' x 213', white

PART NO.	MFG#	DESCRIPTION
9960-404	DS-327100B	32' x 100', blue
9960-415	DS-327100WHT	32' x 100', white
9960-409	DS-327186B	32' x 186', blue
9960-420	DS-327186W	32' x 186', white
9960-405	DS-407100BLUE	40' x 100', blue
9960-416	DS-407100WHT	40' x 100', white
9960-410	DS-407149B	40' x 149', blue
9960-421	DS-407149W	40' x 149', white

TRAINING DVD



Dr.Shrink+
INTERNATIONAL SHRINKWRAP SUPPLIER

Become a shrink wrap professional with this training guide.

PART NO.	DESCRIPTION
7923045	Training DVD



HEAT SHRINK TAPE



Designed to patch holes and tape on doors, this tape is available in 2", 4", and 6" widths. Available in both Blue and White.

PART NO.	DESCRIPTION
7923102	2" x 180' Blue
7923103	2" x 180' White
7923104	4" x 180' Blue
7923105	4" x 180' White
7923106	6" x 180' Blue
7923107	6" x 180' White

PRESERVATION TAPE



Preservation tape contains UV inhibitors for long term storage and leaves minimal adhesive residue on hulls.

PART NO.	DESCRIPTION
7923113	3" x 108' Blue
7923114	3" x 108' White
9960-438	4" x 108' Blue
9960-439	4" x 108' White

ANTI-CHAFE TAPE



Anti-Chafe Tape is a high performance polyethylene film designed to protect shrink wrapped areas from UV, punctures, scratches and chafing. It is coated with a "light tack" adhesive is easily removed and leaves no residue.

PART NO.	DESCRIPTION
9960-440	3" x 1,000' White
9960-441	6" x 1,000' White
7923120	24" x 600' White

SUPERGRIP TAPE



- Designed to work on all applications requiring a higher bond strength and a lasting permanent bond
- Made with a Polyethylene film backing and has
- A rubber adhesive that can be applied in wet/ moist conditions
- ***Shrink wrap MUST be shrunk before tape is applied***

PART NO.	DESCRIPTION
7923122	4" x 100' White

PE 900 HEAT SHRINK TAPE



9.0 mil, UV-resistant polyethylene film tape used for marine shrink applications & vapor barrier seaming in boat storage and sealing across a variety of surfaces. PE 900 marine heat shrink tape offers high conformability that creates a watertight seal & humidity resistance in all weather & climate conditions.

- **Available in Serrated or Straight edge.**

PART NO.	MFG#	DESCRIPTION
3270350	105732	Blue, 2"x180ft (48mmx55m) Serrated Edge
3270351	105730	White, 2"x180ft (48mmx55m) Serrated Edge
3270352	105731	Blue, 2"x180ft (48mmx55m) Straight Edge
3270353	105729	White, 2"x180ft (48mmx55m) Straight Edge
3270354	105743	Blue, 4"x180ft (96mmx55m) Serrated Edge
3270355	105737	White, 4"x180ft (96mmx55m) Serrated Edge
3270356	105740	Blue, 4"x180ft (96mmx55m) Straight Edge
3270357	105734	White, 4"x180ft (96mmx55m) Straight Edge
3270358	105741	Blue, 6"x180ft (144mmx55m) Straight Edge
3270359	105735	White, 6"x180ft (144mmx55m) Straight Edge

RAPID SHRINK 100 HEAT TOOL



(nozzle not included with extension)

100,000 BTU

This heat tool kit puts out 100,000 BTUs and comes with complete certification. Kit includes heat tool, 25' hose, adjustable regulator, training CD & carrying case. Lightweight to get the job done quickly. **Optional 3' extension also available.**

PART NO.	MFG#	DESCRIPTION
7923002	DS-RS100	Heat Tool
7923001	DS-RS-EXT	3' Extension (nozzle not incl'd.)

SHRINKFAST 200 HEAT TOOL



(heat tool / nozzle not included with extension)

200,000 BTU

The Shrinkfast 200 is a durable, propane powered heat tool that puts out up to 200,000 BTUs at 22 lbs. of gas pressure. Kit includes heat tool, 25' of hose, adjustable regulator, wrench for tightening fittings, and a high quality metal storage case. Includes 1 year warranty. Optional extensions are available in 2', 4', 6' sizes.

PART NO.	MFG#	DESCRIPTION
7923010	DS-SHFAST998	Heat Tool
9960-542	DS-998-CLIP	Belt Clip
7923012	DS-SHFAST998-2	2' Extension (nozzle not incl'd.)
7923014	DS-SHFAST998-4	4' Extension (nozzle not incl'd.)
7923016	DS-SHFAST998-6	6' Extension (nozzle not incl'd.)

WOVEN CORD AND BUCKLES



Available in 1/2" and 3/4" widths, these cords and buckles are used with wooden uprights and buckles to form the support structure under shrink wrap covers.

PART NO.	DESCRIPTION
7923050	Cord 1/2" 1500'
7923052	Cord 1/2" 3900'
7923055	Cord 3/4" 2100'
7923060	1/2" Buckle, 100 Pack
7923062	3/4" Buckle, 100 Pack

STRAP DISPENSER



Sleek, durable, and lightweight design. Compatible with all of our 1/2" and 3/4" strapping rolls. Convenient carrying handle for mobile shrink wrappers.

PART NO.	DESCRIPTION
7923049	Dispenser

STRAP TENSIONING TOOL



For strapping with 1/2" or 3/4" Woven Cord and Buckles.

PART NO.	DESCRIPTION
7923020	Tool

SAFETY GLOVES



Quality protective gloves are essential for any job involving use of heat guns.

PART NO.	DESCRIPTION
7923040	Gloves

RING CUTTER



Cost effective means of cutting strapping.

PART NO.	DESCRIPTION
7923036	Ring Cutter

CUTTING KNIFE PRO



Cut Shrink Wrap to desired sizes with this high quality knife. Replacement blades available.

PART NO.	DESCRIPTION
7923030	Knife
7923031	Replacement Blade

WRAP N' STRAP KNIFE



One end for cutting shrink wrap film, tapes & openings after installing a shrink wrap door. Other end for cutting your strapping. Spare blades stored inside housing.

PART NO.	DESCRIPTION
7923032	Knife
7923031	Replacement Blade

CUTTING KNIFE DISPOSABLE



Cost effective means of cutting shrink wrap to desired sizes.

PART NO.	DESCRIPTION
7923035	Knife

STRAPPING PROTECTOR



Designed to keep strapping from forming dents and permanent depressions on vinyl upholstery and for use as corner guards to keep shrink wrap and strapping from being cut on sharp edges.

PART NO.	DESCRIPTION
7923059	Strapping Protector

TRIANGULAR VENT



- Designed to be taped onto your shrink-wrapped project
- Easily allows airflow

PART NO.	DESCRIPTION
9960-443	12 mm plastic,Package of 6

AIRFLOW VENT





This vents allow air flow under your wrapped boat.

PART NO.	DESCRIPTION
7923080	Weathertight Black
9960-494	Weathertight White

VENT, SELF-PIERCING



Dr. Shrink's Lightning Vent provides airflow under shrink wrap to keep covered products moisture free.

- Large hood over vent opening for better weather protection
- Easy one-hand installation with self-piercing design
- Works for both storage and transportation covers

Dimensions: 9"L x 5" W x 1-1/2" H
22.5 x 12.5 x 4 cm

PART NO.	DESCRIPTION
7923091	Vent, Self-Piercing, White

SUPER CAP



- Designed to transfer the weight of snow, ice, and rain from the top of 2" x 4" support poles

PART NO.	DESCRIPTION
9960-540	Transfer weight

TOP SUPPORT POLECAP



Designed to fit on the top of 2x4 boards that are commonly used as support poles under shrink wrap covers.

PART NO.	DESCRIPTION
7923070	Pole Cap

TOP SUPPORT, POLECAP



100% stronger than existing end cap design with 20% more surface area. Edges are strengthened around the entire perimeter to provide maximum strength against snow load. Moulded plastic base fits 2x4 support post. Moulded strapping slots allow easier installation. Reusable and durable design so you can use year after year.

Improves upon a tested and proven end cap design by adding additional support and rigidity.

PART NO.	DESCRIPTION
7923071	Top Support

BOTTOM SUPPORT POLE CAP



Designed to fit on the bottom of 2x4 boards that are commonly used as support poles under shrink wrap covers.

- Textured anti-slip bottom surface

PART NO.	DESCRIPTION
7923072	Pole Cap

For the most up to date pricing, please visit maritimemarinesupply.ca/price

LIFTOFF



Liftoff is designed to separate shrink wrap from the product it is covering. The benefit of this separation is to promote air circulation and surface protection for painted surfaces.

PART NO.	DESCRIPTION
7923074	Liftoff Assembly

CORROSION INHIBITING CAPSULE



Volatile Corrosion Inhibiting (VCI) Capsules protect electrical and mechanical metal components against corrosion failures during storage.

Capsules create an invisible corrosion inhibiting vapor shield on the metal surface. The molecules in the vapor prevent the reactions that cause corrosion to form. Installation is easy- simply peel away adhesive backing and affix to almost any interior surface.

PART NO.	DESCRIPTION
9960-543	Vapor Capsule protects 1cu/ft for 1 year
9960-544	Vapor Capsule protects 2cu/ft for 1 year

EASY KLIPS



Perfect for securing your shrink wrap on boats or equipment when installing the wrap outdoors. The Easy Klips offer a tight, secure hold without tearing plastic. Packs of 4.

PART NO.	DESCRIPTION
7923064	Klips

SEAT SAVER, PONTOON BLOCK



The Seat Saver protects vinyl seat backs from being indented by support structure strapping
Fits on all 1.25" square tubing top rails on pontoon boats. Provides either a 2" or 4" lift of the strapping over the vinyl seat backs.

This product is reversible with strapping receivers at both ends of the product. Prevents damage to seat backs from strapping abrasion and heat damage by lifting shrink wrap off the seat backs during the shrinking process. Reusable and durable design, so you can use year after year.

PART NO.	MFG#	DESCRIPTION
7923058	DS-SEATSAVER	Seat Saver, Pontoon Block

EDGEGUARD



- Vinyl coated metal core
- Used to protect strapping from sharp pontoon supports, typically found connecting pontoon to deck
- Easy re-use season after season

PART NO.	DESCRIPTION
7923076	3" Length, 4-Pack

"DRI II" CONTAINER BAG



Absorbs moisture vapour and reduces dew point temperatures inside transport containers, boats and other storage containers.

PART NO.	DESCRIPTION
7923075	Dri II Bag (each)

ACCESS DOOR



Tape on the finished cover to allow access in a shrink wrapped boat without compromising the durability of the cover. 30" x 48" sized door is available in both clear and white.

PART NO.	DESCRIPTION
7923130	30" x 36" Clear
7923131	30" x 36" White
7923135	30" x 48" Clear
7923137	36" x 48" White
9960-445	36" x 72" Clear
9960-484	40" x 82" Clear

BOATGUARD ECLIPSE BOAT COVERS



Taylor's universal BoatGuard Eclipse cover is designed to be eye-catching and fully trailerable. Made from strong, durable, heavy duty 6.25 oz. polyester in a two-tone colour.

BoatGuard Eclipse has sewn-in air vents to provide proper air circulation under cover and offers excellent mildew and water resistance and can withstand harsh environments with ease.

A unique design spreads strap tension evenly across the cover surface. Each cover includes a storage bag, tie down straps, and a support pole for a complete boat cover care system.

PART NO.	DESCRIPTION
7924214	14'-16' Alum. 75" Beam
7924215	14'-16' V-Hull 90" Beam
7924216	17'-19' V-Hull 102" Beam
7924217	19'-21' V-Hull 102" Beam



BOAT COVER SUPPORT SYSTEM



Extend the life of your boat cover by preventing water from pocketing. The system includes 50' of webbing, quick release buckles, a boat cover support pole that snaps to webbing and two hooks to attach to the transom.

PART NO.	DESCRIPTION
7924250	Support System

BOAT COVER SUPPORT KIT

CAMCO





The Camco Boat Cover Support Kit is an easy to use telescoping support system which extends the life of your boat cover and boat by preventing the cover from sagging and collecting water, leaves, snow, ice and debris.

The Boat Cover Support is a self-standing system with support plates on the top and bottom. The bottom support plate has a foam pad to protect the boat and prevent sliding. The telescopic handle adjusts from 30" to 50" in 2.5" increments to accommodate different styles of boats. The nylon strap assembly is 50' long and fits most boats up to 22' in length. It is easy to install and stores compactly when not in use.

Telescoping handle accepts all Camco quick release snap button style attachments.

PART NO.	MFG#	DESCRIPTION
7924251	41970	Boat Cover Support Kit

NOVELTY FLAGS

Before radios and cellphones, mariners communicated with a system of signal flags. You don't need to learn International Signal Code to show the world exactly what you're up to. With these novelty flags, it's fun and easy to hoist your colours and declare your intentions to salty dogs and landlubbers alike.

All Flags Measure: 12" x 18"
Flags come with brass grommets and may vary in colour.


7902860


7902830


7902831


7902832


7902839



7902850


7902851



7902852


7902855

PART NO.	MFG#	DESCRIPTION
7902830	3218	Shark
7902831	3118	Tuna
7902832	5618	Crab
7902839	93155	Port Captain
7902850	9818	Margarita Time
7902851	9218	Beer
7902852	5418	Happy Hour
7902855	1818	Jolly Roger
7902860	1319	Canada

DIVER DOWN FLAG



The 'Diver Down' flag is displayed to mark an area where diving activity is in progress. If a small vessel is involved in diving operations, additional signals may also be required. A plastic stiffener ensures that the Vinyl Red Flag and White Diagonal Stripe remains visible even when it is calm.
Flag Measures: 13" x 15"

PART NO.	MFG#	DESCRIPTION
7902820	4200	Diver Down Flag

INTERNATIONAL CODE FLAG SET





International Code of Signals flag set includes 40 signal flags and a storage pouch with a separate compartment for each flag.

Flags Measure: 12" x 18"
(Rope & Toggle)

Flag set includes:
- Complete Alphabet (A-Z)
- Numbers (0-9)
- Repeaters + Answering Pennant (4)

PART NO.	MFG#	DESCRIPTION
7902800	93245	Code Flag Set

VESSEL IDENTIFICATION NUMERALS

- Tough, black pressure sensitive vinyl license numbers are easy to apply — just peel back and stick on clean surface



16" — FOR VESSELS OVER 40'

PART NO.	MFG#	DESCRIPTION
9915-021	NUMBER, 16" - 1	1 – 16" Black
9915-022	NUMBER, 16" - 2	2 – 16" Black
9915-023	NUMBER, 16" - 3	3 – 16" Black
9915-024	NUMBER, 16" - 4	4 – 16" Black
9915-025	NUMBER, 16" - 5	5 – 16" Black
9915-026	NUMBER, 16" - 6	6 – 16" Black
9915-027	NUMBER, 16" - 7	7 – 16" Black
9915-028	NUMBER, 16" - 8	8 – 16" Black
9915-029	NUMBER, 16" - 9	9 – 16" Black
9915-030	NUMBER, 16" - 0	0 – 16" Black

12" — FOR VESSELS UNDER 40'

PART NO.	MFG#	DESCRIPTION
9915-031	NUMBER, 12" - 1	1 – 12" Black
9915-032	NUMBER, 12" - 2	2 – 12" Black
9915-033	NUMBER, 12" - 3	3 – 12" Black
9915-034	NUMBER, 12" - 4	4 – 12" Black
9915-035	NUMBER, 12" - 5	5 – 12" Black
9915-036	NUMBER, 12" - 6	6 – 12" Black
9915-037	NUMBER, 12" - 7	7 – 12" Black
9915-038	NUMBER, 12" - 8	8 – 12" Black
9915-039	NUMBER, 12" - 9	9 – 12" Black
9915-040	NUMBER, 12" - 0	0 – 12" Black

NYLITE NYLON FLAGS



All flags are printed on Nylite 200Denier Nylon, double needle lock-stitched and finished with 4 rows of stitching on the fly end. The flags are printed with vivid permanent dyes containing UV protection.

Header Codes:
GRM = Grommets, #2, 2 places
RT = Rope and Toggle
Stick = Finished with sleeve and mounted to 15" black ball top black stick

Canada

PART NO.	MFG#	DESCRIPTION	HEADER
9950-050	34-001006T	10" x 6"	STICK
9950-051	34-001809T	18" x 9"	GRM
9950-052	34-002412T	24" x 12"	GRM
9950-053	34-003015T	30" x 15"	GRM
9950-054	34-003618T	36" x 18"	RT
9950-055	34-005427T	54" x 27"	RT
9950-056	34-007236T	72" x 36"	RT

Ontario

PART NO.	MFG#	DESCRIPTION	HEADER
9950-059	ONTARIO	24" x 12"	GRM
9950-060	ONTARIO, 36"X18"	36" x 18"	RT

Quebec

PART NO.	MFG#	DESCRIPTION	HEADER
9950-061	QUEBEC	24" x 12"	GRM
9950-062	QUEBEC, 36"X18"	36" x 18"	RT

New Brunswick

PART NO.	MFG#	DESCRIPTION	HEADER
9950-063	NEW BRUNSWICK	24" x 12"	GRM
9950-064	NEW BRUNSWICK, 36"X18"	36" x 18"	RT

Nova Scotia

PART NO.	MFG#	DESCRIPTION	HEADER
9950-065	NOVA SCOTIA	24" x 12"	GRM
9950-066	NOVA SCOTIA, 36"X18"	36" x 18"	RT

Newfoundland

PART NO.	MFG#	DESCRIPTION	HEADER
9950-067	NEWFOUNDLAND	24" x 12"	GRM
9950-068	NEWFOUNDLAND, 36"X18"	36" x 18"	RT

Prince Edward Island

PART NO.	MFG#	DESCRIPTION	HEADER
9950-069	PRINCE EDWARD ISLAND	36" x 18"	RT

Jolly Roger

PART NO.	MFG#	DESCRIPTION	HEADER
9950-070	41-001006HB	10" x 6"	STICK
9950-071	41-003618HB	36" x 18"	RT

ALUMINUM FLAG POLE WITH CLIPS



Flag not Included

Flag pole made of marine grade anodized aluminum. Available in two lengths: 30" and 36". Pole diameter is 3/4". Includes removable nylon flag clips that can either clamp tight to hold your flag securely, or spin freely around the pole. The bottom clip attaches to the pole below an O-ring that can be adjusted to fit any size of flag. **Screws and flag not includes.** Requires 3/4" flag pole socket.

PART NO.	MFG#	DESCRIPTION
7902932	917	30" Flag Pole
7902933	918	36" Flag Pole

PONTOON BOAT FLAGPOLE MOUNT



Includes:
(1) flagpole mount, stainless steel mounting, hardware and a thumb screw

This Pontoon Flagpole Mount is made of durable aluminum and is compatible with up to 1-1/4" square pontoon rails and is designed for flagpoles with a 3/4" diameter.

PART NO.	MFG#	DESCRIPTION
7902906	41972	Flag Pole Mount

RAIL MOUNT FLAG POLE



- Fits 7/8" or 1" rail
- Comes with fasteners, split rings for flag attachment and polyethylene spacer to reduce scratching of the rail

PART NO.	MFG#	DESCRIPTION
9951-124	328115-1	15-1/2" high

FLAG POLE HOLDERS



- Flagpole Socket.
- Constructed of chrome plated sand cast brass.
- Accepts flagpoles either 3/4", 1", or 1-1/4" in diameter.
- Installs with three FH fasteners (not included).

PART NO.	MFG#	DESCRIPTION
9950-040	492211	3/4"
9950-041	492212	1"
9950-042	492213	1-1/4"

TEAK FLAG POLES



- Traditional style solid teak with ball cap
- Hardware not included

PART NO.	MFG#	DESCRIPTION
9951-246	60748	18", fits ¾" base
9951-247	60750	24", fits 1" base
9951-248	60752	30", fits 1" base
9951-249	60754	36", fits 1-¼" base
9951-250	60756	48", fits 1-¼" base
9951-251	60758	60", fits 1-¼" base

FLAG POLE FOR PONTOONS



This Stainless Steel Pontoon Flag Pole is optimum for standard 12" x 18" (320 x 480mm) flags. **Dimensions:** 25"L x 3/4" dia.

PART NO.	MFG#	DESCRIPTION
7902902	54007	Pontoon Flag Pole

S/S FLAG POLE STANCHION



Made of S/S, this 1" diameter stanchion is 19-1/2" long.

PART NO.	MFG#	DESCRIPTION
7902909	54000	Stanchion

ADJUSTABLE RAIL MOUNT FLAG POLE



The Sea-Dog Adjustable Flag Pole is made of highly polished, heavy wall stainless steel tubing. The flag is attached to the flagpole using nylon pennant mounts with stainless steel spring wire quick release clips which are designed to hold their shape after continued use.

Weight: 0.36 lbs.
Includes: Flag Pole, Mount and Pennant Clips. Fits 7/8" or 1" rail

Flag not Included.

PART NO.	MFG#	DESCRIPTION
7902905	327122-1	17" Flag Pole Kit

STAINLESS STEEL FLAG POLE KIT



These deluxe flag poles are made of highly polished 304 stainless steel from top to bottom. The finials and bases are cast 304 stainless steel. The unique flag clips are cast from 304 stainless steel which hold your flag taut so your flag is never tangled. Kit includes pole, base, and 2 flag clips.

PART NO.	MFG#	DESCRIPTION
7902925	902	18" (12" x 18" Flag)
7902926	903	24" (16" x 24" Flag)

RAIL MOUNT FLAG POLE SOCKET



Mounts to round rails with diameters from 7/8" up to 1-1/4" and adjusts to any angle. Accommodates flag poles 3/4" to 7/8". Constructed from 304 stainless steel.

PART NO.	MFG#	DESCRIPTION
7902901	968	Flag Pole Socket

FLAG CLIPS



Stainless Steel Skipper Clips provide an easy way of attaching flags, canopies, curtains, etc. The extended length of these versatile clips reaches grommets 3/4" from fabric edges. Package includes 4 x Skipper Clips and self-tapping screw eyes for attachment to wood, metal of fiberglass.

PART NO.	MFG#	DESCRIPTION
7902910	57933	Skipper Clips, 4-pk.

FLAG CLIPS



7902912

Fly your flag securely with these removable non-metal flag clips. Easily attach or remove your flag in seconds.



7902911

Two sizes are available. The 1/2" clips are perfect for mounting a courtesy flag. A neoprene insert is provided for use with poles that are less than 1/2" in diameter.

The larger clips fit both 7/8" and 1" poles. They are ideal for flag poles, stern light poles, and most round rail tubing. These semi-permanent clips will hold flags firmly at speeds up to 50 MPH (80 km/h). **Sold in pairs.**

PART NO.	MFG#	DESCRIPTION
7902912	57925	Flag Clips, 1/2" Pole
7902911	57928	Flag Clips, 7/8" to 1" Pole

STAINLESS STEEL HORNS



These extremely loud 12V horns have stainless steel trumpets, diaphragms and mounting brackets. The sound unit is pre-wired, sealed and marked positive and negative.

Mini Compact Single:

- **Max amp draw:** 12V 3A. Rating 105 dB.
- **Dimensions:** 3"L x 3-1/4"W x 1-3/4"H

for vessels <12m up to 39'4"

PART NO.	MFG#	DESCRIPTION
7904410	10035	12V Mini Single Horn, 3-1/4"

DELUXE STAINLESS STEEL MINI HORNS

Deluxe All Stainless Steel



for vessels <12m up to 39'4"

These single and dual mini horns are also all stainless steel inside and outside. Pre-wired, sealed, and marked positive and negative.

Mini Compact Single:

- **Max amp draw:** 12V 3A. Rating 105 dB.
- **Dimensions:** 3"L x 3-1/4"W x 1-3/4"H

Mini Compact Dual:

- **Max amp draw:** 12V 6A. Rating 112 dB.
- **Dimensions:** 8"L x 3-1/4"W x 1-3/4"H

for vessels <12m up to 39'4"

PART NO.	MFG#	DESCRIPTION
7904420	10036	12V Mini Single Horn, 3-1/4"
7904421	10002	12V Mini Double Horn, 6-1/2"

ONGARO STAINLESS STEEL HORNS



Duals Singles

for vessels <12m up to 39'4"

Stainless steel mini drop-in horns let you conceal the horn with just a flush mount grill exposed. Constructed of 304 stainless steel inside and out including the sealed sound unit and grill with waterproof fabric. 5 Year Rust Warranty, 1 Year Components.

Dual High and Low Pitch:

- **Max amp draw:** 6A. Rating 114 dB.

Single High or Low Pitch:

- **Max amp draw:** 3A. Rating 106 dB.

Dimensions: 3"L x 3-1/4"W x 1-3/4"H

for vessels <12m up to 39'4"

PART NO.	MFG#	DESCRIPTION	LENGTH
7904417	10055	12V Dual 1 High 1 Low	3" x 2"
7904418	10050	12V Single Low Pitch	3"
7904419	10051	12V Single High Pitch	3"

MINI COMPACT SINGLE HIDDEN HORN



This Hidden Mini Horn is made of 304 Stainless Steel inside and outside with a sealed sound unit.

for vessels <12m up to 39'4"

- Fits existing hole patterns.
- Meets ABYC A-[23] for boats up to [12] meters

Max Amp Draw: 3 Amps Sound Rating: 105 db @ 1 meter
Dimensions: 3"L x 3-1/4"W x 1-3/4"H (7.5 x 8 x 4.5 mm)

PART NO.	MFG#	DESCRIPTION
7904412	11032	Mini Hidden Horn, 12 Vdc

MINI COMPACT ELECTRIC HORNS



Totally sealed; type 304 stainless steel cover, diaphragm and mounting bracket 1 year warranty



for vessels <12m up to 39'4"

- **Twin**
- dB(A) rating: 109 @ 1 metre
- Maximum draw 6 Amp
- 3" L x 8" W x 1-3/4" H

- **Single**
- dB(A) rating 106 @ one metre
- Maximum draw 3 Amp
- 3" L x 3-1/4" W x 1-3/4"

PART NO.	MFG#	DESCRIPTION
9931-904	10035	12V, Single
9931-905	10001	12V, Twin

'H' HORN PHASE II DROP-IN HIDDEN HORN WITH GRILL



- Comes with both white and black screw-in grills
- Grills have water resistant fabric liners
- Easy installation: 2-3/4" dia. hole x 1" deep
- 12 Volt, maximum amp draw: 4 Amps
- 111 dB at one meter, frequency: 370 ± 20Hz

for vessels <12m up to 39'4"

PART NO.	MFG#	DESCRIPTION
9931-906	10080	12V

SHARK HORN - TOP MOUNT



- Electromagnetic horn for small boats
- High impact ASA material casing and stainless steel AISI 304 mounting bracket for easy installation
- Its acoustic power and improved performance is complemented by aggressive, compact and streamlined design features
- Improved water drainage system

for vessels <12m up to 39'4"

PART NO.	MFG#	DESCRIPTION
9931-805	132-081-22	Shark, top mnt, 12V, wht
9931-806	132-082-22	Shark, top mnt, 12V, SS

TOP MOUNT ELECTRIC HORN



- Single electromagnetic horn
- Acoustic unit carefully protected and manufactured of non-corrosive materials
- Entirely chrome plated, complete with fixing hardware

for vessels <12m up to 39'4"

PART NO.	MFG#	DESCRIPTION
9931-800	132-000-12	12V, Top mount

SMILE HORN - TOP MOUNT



- Inside mounted electromagnetic horn for small rubber and sailing boats
- New mounting system through a fast front positioning
- Body and grill in ASA material UV resistant
- Grill with snap-on system
- Breathable protection membrane
- Horn with louder sound and marine tone

for vessels <12m up to 39'4"

PART NO.	MFG#	DESCRIPTION
9931-807	132-101-22	Smile, flush mnt, 12V, wht
9931-808	132-102-22	Smile, flush mnt, 12V, SS

DELUXE STAINLESS STEEL TRUMPET HORNS

Deluxe All Stainless Steel



These Single and Dual Deluxe Trumpet or mini horns constructed of 304 stainless steel inside and out. The sound unit is pre-wired, sealed, and marked positive and negative. For the ultimate in sound and reliability choose one of these Deluxe Horns. They have extreme sound levels that quiet all competition.

Deluxe Single Trumpets:

- **Max amp draw:** 12V 4A, 24V 2A. Rating 118 dB.
- **Dimensions:** 16-1/2"L x 4"W x 4-3/4"H

for vessels <12m up to 39'4"

Deluxe Dual Trumpets:

- **Max amp draw:** 12V 8A, 24V 4A. Rating 125 dB.
- **Dimensions:** 18-1/2"L x 8"W x 5"H

for vessels <20m up to 65'7"

PART NO.	MFG#	DESCRIPTION	LENGTH
7904422	10027	12V Single	16-1/2"
7904423	10028	12V Dual	18"
7904425	12427	24V Single	18"
7904424	12428	24V Dual	16"

STAINLESS STEEL SHORTY HORNS



for vessels <12m up to 39'4"

for vessels <20m up to 65'7"

These trumpet horns are constructed of 304 stainless steel inside and out. The sound unit is pre-wired, sealed, and marked positive and negative.

Deluxe Single Shorty Trumpet:

- **Max amp draw:** 4A. Rating 114 dB.
- **Dimensions:** 13-1/2"L x 3-1/2"W x 4"H

Deluxe Dual Shorty Trumpet:

- **Max amp draw:** 7A. Rating 120 dB.
- **Dimensions:** 16"L x 7-1/2"W x 4"H

PART NO.	MFG#	DESCRIPTION	LENGTH
7904442	10009	12V Single	14"
7904443	10012	12V Dual	16"

ELECTROMAGNETIC - SINGLE TRUMPET



for vessels <20m up to 65'7"

- Single electromagnetic horn with stainless steel trumpet, bracket and membrane
- New support design with integrated cable
- Complete with fixing hardware

PART NO.	MFG#	DESCRIPTION
9931-801	132-043-12	12V, single
9931-802	132-042-13	24V, single

ELECTRONIC HORN - COMPACT



for vessels <12m up to 39'4"

- Electromagnetic horn with reduced dimensions but with high sound output
- Body made of white enamel brass and stainless steel, white brass trumpet

PART NO.	MFG#	DESCRIPTION
9931-803	132-120-12	12V, compact
9931-804	132-120-13	24V, compact

ECONOMY MARINE ELECTRIC HORNS



Marine single and twin electric horn. Components made of chrome plated brass and stainless steel mounting bracket. 12V.

for vessels <12m up to 39'4"

PART NO.	MFG#	DESCRIPTION
7904312	15013-12	Single 16"
7904313	15023-12	Twin 18"

AIR HORN WITH COMPRESSOR



for vessels <20m up to 65'7"

These chrome plated brass horns meet the US Coast Guard's COLREGs and US Inland Navigation Rules, Annex III regulations for boats up to 20m/66'. They come complete with air compressor, tubing and mounting hardware.

Specifications:
Single: 120 dB, 17" x 2-3/4"
Dual: 120 dB, 17" x 5-7/8"
Compressor: 20A, 12VDC, 9-11 PSI, 2-1/2" x 4"

PART NO.	MFG#	DESCRIPTION
7904320	432510-1	Single, 120 dB
7904322	432520-1	Dual, 120 dB

CHROME AIR HORNS



- Chrome plated with non-corrosive Lexan diaphragm
- Includes compressor, air tubing, fittings and hardware
- 17" L x 3 /4" W x 3-3/4" H

Single Trumpet

- dB(A) rating 120 @ one metre

Dual Trumpet

- dB(A) rating 127 @ one metre

for vessels <20m up to 65'7"

PART NO.	MFG#	DESCRIPTION
9931-907	10105	Single Trumpet, 12V, 20 Amp
9931-908	10524	Single Trumpet, 24V, 10 Amp
9931-909	10106	Dual Trumpet, 12V, 20 Amp
9931-910	10624	Dual Trumpet, 24V, 10 Amp
9931-911	10102	Replacement Compressor, 12V
9931-912	10224	Replacement Compressor, 24V

PREMIUM XL ELECTRIC HORNS

MARINCO®



- Rustproof 100% stainless steel exterior and type 304 stainless steel diaphragm
- Over-molding process completely shields steel motor housing, the only part of the horn that is not stainless steel
- All inclusive 5 year warranty

Single Trumpet

- dB(A) rating 118 @ one metre
- Maximum draw 5 Amp
- 16-1/2" L x 4" W x 4-3/4" H

for vessels <12m up to 39'4"

Dual Trumpet

- dB(A) rating 123 @ one metre
- Maximum draw 10 Amp
- 18-1/2" L x 8"W x 5" H

for vessels <20m up to 65'7"

PART NO.	MFG#	DESCRIPTION
9931-900	10028XLP	12V
9931-901	10017XL	24V
9931-902	10029XLP	12V
9931-903	10018XL	24V

REMOTE WIRELESS HORN BUTTON

SEADOGLINE



- Activates by pushing a button transmitter to send a signal to the receiver to activate your existing horn
- Receiver connects to your existing horn switch wiring for an easy installation.
- The Transmitter button uses a CR2032 battery (included) and installs to your steering wheel center cap either by double back tape or two #8 fasteners (included).
- Dimensions:
- Transmitter: 2-15⁄16” Dia. x 7⁄8” H
- Receiver: 2-1⁄4” L x 1-1⁄4” W

PART NO.	MFG#	DESCRIPTION
9802020	431050-3	12V, 20A Max.

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

PUSH-BUTTON FOR MARINE HORN

vetus



- Watertight to IP67
- Maximum draw 15 Amp

PART NO.	MFG#	DESCRIPTION
9991-879	HORNPB	12/24V

SCHMITT MARINE



HELM SEAT, NORSAP 800



- Popular choice for smaller operator base
- Height adjustable column with gas-spring
- Seat height of 27-1/2" to 34-1/4"
- Adjustable foot and arm rests which can be folded up
- Adjustable backrest and seat with forward/aft adjustment
- Chair swivels 360°
- Flanged base mounts at 6 points for secure fastening to the deck
- Black leather

PART NO.	MFG#	DESCRIPTION
9953-280	6200	Black Leather

HELM SEAT, NORSAP 1000



- Perfect solution for comfort and ergonomics in a rugged environment with a smaller profile pedestal
- Chair has several adjustable features to ensure comfortable seating
- Height adjustable seat column and foot rest, seat height of 27-1/4" to 35-1/2"
- Adjustable foot and arm rests which can be folded up
- Storage net on the back rest
- Chair swivels 360°

PART NO.	MFG#	DESCRIPTION
9953-281	6010	Black leather

HELM SEAT, NORSAP 1100



- Designed to follow modern ergonomic requirements for maritime chairs in its class, and will give the user comfort and flexibility
- Full range of back support inclination, fully reclining backrest
- Seat height / footrest height fully adjustable
- Seat height of 20-1/16" to 27-3/16"
- Forwards and backwards seat adjustment
- Flip up armrests

PART NO.	MFG#	DESCRIPTION
9953-308	5050	Black leather

HELM SEAT, NORSAP 1500



- The most used and tested chair in NorSap's line with excellent seating comfort
- Height adjustable seat column and foot rest, seat height of 28-1/4" to 36-1/4"
- Shock dampening adjustable height column
- The seat bottom, foot rest and armrests all fold up
- Chair is mounted to 5-7/8" diameter column creating a firm base for the foot rest and seat
- Grey powder coated aluminum frame
- Black leather

PART NO.	MFG#	DESCRIPTION
9953-282	6500	Black Leather

HIGH BACK HELM SEAT



- Seat (arms attached) 24" W x 21" D x 34-1/2" H
- Base 19 1/2" x 19 1/2" square x 19"–25"H
- Built in lumbar support, serpentine seat springs that isolate shock from rough seas and contour molded seat cushions and padding
- High back style offers head support and easy 360° visibility
- Durable 9" diameter polymer swivel is the largest made; adjustable seat offers 4 different tilt positions and 6" variable height, with 7" fore and aft adjustment and fingertip slide adjustment
- Fold up footrest with three height positions

PART NO.	MFG#	DESCRIPTION
9953-141	4925-2033M	Charcoal tweed cloth
9953-140	4925-2601M	Oyster grey vinyl
9953-655	4925-2603M	Black Vinyl

SIERRA TORSION SEAT



- 24" W x 21" D x 40" H
- High strength torsion bar allows 4" ride zone; front hand wheel adjusts mechanical suspension seat to isolate shock
- Operates smoothly from 110 to 275 pounds
- 7" fore and aft fingertip slide adjustment
- Back lever control recline, built in lumbar support
- Built in damper; serpentine seat springs isolate shock from rough seas, with seat cushion and padding contour molded for added comfort

PART NO.	MFG#	DESCRIPTION
9953-340	9602-3033M	Grey marble cloth
9953-142	9602-3601M	Oyster grey vinyl

HELM & TORSION SEAT REPLACEMENT COVERS



Fabric



Vinyl

PART NO.	MFG#	DESCRIPTION
9953-341	8016-0033M	Back seat cover, cloth
9953-342	8012-1033M	Seat cover, cloth
9953-343	8016-0601M	Back seat cover, vinyl
9953-344	8012-1601M	Seat cover, vinyl

I3MM MARINE SUSPENSION SEAT



Standard Features:

- Reclining Backrest 7-pos. Lumbar
- EVC Anti-Vibration Cushion Suspension
- Easy adjust 3" Suspension
- Bellow Suspension Cover
- Two tone Charcoal/Gray

Dimensions:
23.5"W x 18.5"D x 28.5"H

Boasting one of the lowest profile suspension seats available the patented mechanical low-profile design has 3 inches of precisely balanced weight distribution suspension making it perform better than competitors 5" and 6" suspensions. Low-profile design makes it perfect for mounting on top of a pedestal or directly to boat. Perfect as bass boat, fishing boat, or pedestal mounted suspension seat.

PART NO.	MFG#	DESCRIPTION
7260757	186633VA1339	I3MM Marine Suspension Seat

XL CAPTAINS HIGHBACK SEAT



Outside Dimensions:
26.5"W x 18.5"D x 32"H

Designed for occupants who need comfort and support for a full shift. 21.5" wide cushion with a dual layer foam system, bottom layer is high-density foam for support and the top layer is soft for comfort. Includes Elastomeric Vibration Control (EVC), the support holding the cushion. It is a trampoline-type material that stretches with the occupant to absorb some impact, reduce vibration, and fatigue. Designed to be mounted on a pedestal, directly to the boat, or a suspension.

Standard Features:

- Reclining Backrest w/7-pos Lumbar
- Adjustable Armrests
- EVC Anti-Vibration Cushion Suspension
- Padded Adjustable Armrests
- D2 Foam Technology
- Black Duraleather Covering Material

PART NO.	MFG#	DESCRIPTION
7260750	183189MW61	XL Captains Highback Chair

MARINER SUSPENSION, SEVERE DUTY



The natural, flowing motion of the mariner suspension seat enables the operator to maintain positive steering and throttle control in the harshest of conditions.

Standard Features:

- 3" Independent Height Adjustment
- 15° Adjustable Recline
- Occupant weight adjusts
- Fore/Aft slide tracks
- EVC Anti-Vibration Cushion Suspension
- Dual Heavy-Duty Shocks
- 6" Fore/Aft Seat Adjust
- Black Vinyl Covering Material

Dimensions: 24"W x 18.5"D x 37.75"H

PART NO.	MFG#	DESCRIPTION
7260754	161586VA01	Mariner Suspension

WHEELHOUSE HELM SEAT



- Armrests flip up and out of way
- 9" thick cushions with HD marine grade vinyl
- Reclines 45° back for maximum comfort
- 34" H x 24-1/2" W x 24" D

PART NO.	MFG#	DESCRIPTION
9953-443	1042120-XLB1	Black HD Vinyl

HELMSMEN PILOT SEAT



- Heavy-duty powder coated steel frame
- Reclines 45° back for maximum comfort
- Shock absorbing suspension seat frame
- 6" thick cushions with HD marine grade vinyl
- 29" H x 20" W x 22" D

PART NO.	MFG#	DESCRIPTION
9953-442	1042110-B1	Black HD Vinyl

CHARTER HELM SEAT



Dimensions:
31" High, 20" Wide, 23" Deep

The premium Charter Helm High-Back seat is designed to offer exceptional comfort during extended journeys. It features soft foam cushioning enveloped in durable marine-grade vinyl. The robust powder-coated steel frame is equipped with suspension springs for added support.

Features:

- Back reclines 45°
- Premium adjustable, flip-up armrests and headrest
- Premium weather-resistant marine-grade vinyl
- Universal mount pattern: 5" x 12"
- Adjustable angles of armrest

PART NO.	MFG#	DESCRIPTION
7260705	1042130-02	Charter Helm Chair, Black

COMMANDER MID-BACK SEAT

SHOCKWAVE MARINE SUSPENSION SEATING



This Shockwave Commander Mid-Back Seat is a lightweight, robust boat seat built over a machined aluminum seat frame and a fiberglass seat back.

It comes equipped with Corbin cushions, folding arm- rests and a storage pocket. The Commander marine boat seat is the definition of quality and strength, made using the best materials available today.

Seating Dimensions:
18-3/4"W x 17-1/2"D x 24"H

SEAT SLIDES AND SUSPENSION MODULE SOLD SEPARATED

PART NO.	MFG#	DESCRIPTION
7260853	SW-04920-B	Commander Seat, Black

SHOCK PUMP

SHOCKWAVE MARINE SUSPENSION SEATING

This high-pressure shock pump features an integrated pressure gauge and bleed valve for simple adjustment with a maximum inflation pressure of 350 psi. Required to operate the Shockwave Suspension Module.



PART NO.	MFG#	DESCRIPTION
7260856	SW-01983	Shock Pump w/Gauge

SUSPENSION MODULE

SHOCKWAVE MARINE SUSPENSION SEATING



The SHOCKWAVE Sentinel Suspension Module provides a smoother, safer and more comfortable ride, protecting occupants from the shock of wave impact and allows you to stay out longer and travel farther with less fatigue.

- Easy to install
- Can be paired with almost any seat
- Designed and manufactured in Canada

Requires the Shockwave Shock Pump to operate.



7260856

PART NO.	MFG#	DESCRIPTION
7260852	SW-07823-B	S5 Sentinel Base, Black
7260856	SW-01983	Shock Pump w/Gauge

SEAT SLIDES

SHOCKWAVE MARINE SUSPENSION SEATING



7260854

These corrosion resistant Seat Slides offer a full 5-inches of fore-aft travel with premium tracks and cars for smooth operation.



7260855

The Swivel Slide system will also rotate 360 degrees with a positive lock that engages every 22.5 degrees (16 positions).

PART NO.	MFG#	DESCRIPTION
7260854	SW-05489	Seat Slide
7260855	SW-05488	Seat Swivel



COMMERCIAL CAPTAIN'S SEAT MODEL 1000



Tough commercial grade captain's chair made with a solid foam core, these chairs are designed specifically for constant heavy duty use. Reinforced self-draining foamed seat bottom that can withstand stress and ensure years of use.
Width: 22" **Height:** 21-1/2"
Depth: 18-1/2"

PART NO.	DESCRIPTION
7260764	White Shell w/Black Cushions and Slider
7260765	White Shell w/White Cushions and Slider
7260766	White Cushions Only
7260769	Black Cushions Only
7260942	Slider
9953-337	Non-Locking Seat Swivel
9953-338	Locking Seat Swivel

TEMPRESS ELITE HIGHBACK CAPTAINS CHAIRS



Incorporates the patented NaviStyle Style Panel System & ensures superior comfort, unequalled quality, & a wide possibility of styles. The contoured style panels create a comfortable seating surface that is ergonomically correct without the excessive use of foam.

Built in lumbar support and a rolled front edge make it perfect for any application in which comfort, durability, and superior style are desired.

- Ergonomically designed with superior lumbar support
- Easy-to-clean, marine-grade vinyl

PART NO.	MFG#	DESCRIPTION
7260694	57014	Black Shell, Black
7260695	57017	Black Shell, Charcoal/Grey
7260696	57010	White Shell, White
9953-337	1100521-1	Non-Locking Seat Swivel
9953-338	1100521-L1	Locking Seat Swivel

PROBAX CAPTAIN'S BOAT SEAT



Clinically proven to provide optimal long-term back and upper body support promoting better posture and reduced back aches.

- Equipped with a patented base and back dual core foam support system.
- Water resistant and durable for prolonged use.
- UV and abrasion-resistant polyester thread and covered in 30oz. marine grade vinyl.

Dimensions: 27"H x 24"W x 27.5"D
Note: Reinforcing plate required when using standard 4-hole square bolt pattern spider

PART NO.	MFG#	DESCRIPTION
7260698	68352	Charcoal/Grey/Carbon
9953-646	68350	Blk/Grey/Carbo
9953-650	68359	Wht/Grey/Carbon
9953-651	57005	Reinforcement plate
9953-337	1100521-1	Non-Locking Seat Swivel
9953-338	1100521-L1	Locking Seat Swivel

SKIPPER PREMIUM HIGH BACK FOLDING SEATS



Contour lumbar cushion cradles your back for maximum support. Designed for style, comfort and durability. Folds down easily.

- Injected plastic frame
- Folds down easily
- T-nuts installed into seat for better mounting durability
- Universal Mounting Pattern: 5" x 5"
- Sorrento/Heritage Vinyl



PART NO.	MFG#	DESCRIPTION
7260678	1061069-B	Blue/Grey Black Shell
7260679	1061063-B	Charcoal/Grey Black Shell

FOLD-DOWN FISHING SEATS



- Constructed for performance, comfort and longevity in the marine environment
- Corrosion-resistant, e-coated steel frame and stainless hardware
- Ultra Leather, premium, soft touch vinyl that also resists UV rays, mold and mildew

PART NO.	MFG#	DESCRIPTION
9953-398	702520	Hi-Back

CAPTAIN'S SEAT



- Perfect for riding out rough conditions
- High density foam cushions for maximum comfort
- Plastic durable frame with anodized aluminum arms and back support bars
- Foam padding covered in marine grade vinyl
- Armrests are padded 3" thick
- 19" H x 24" W x 20" D

PART NO.	MFG#	DESCRIPTION
9953-444	1040009	Black
9953-652	1040002	White

THE BLUEWATER SEAT



With its wide, cupped seat, high armrests and low-cut back, the Bluewater allows complete freedom of movement no matter your size. Cut-away sides provide ample leg movement. Hand grip, an ideal feature in rough water, is moulded right into chair back. White seat shell with off white cushions
Width: 24-1/2"
Height: 19-1/2" **Depth:** 24"

PART NO.	MFG#	DESCRIPTION
7260759	7260759	Bluewater Chair, White

STANDARD PILOT SEAT



- Rotational molded plastic
- Compression foam padding
- Heavy-duty 28 oz. Marine grade vinyl
- Mildew resistant & UV treated
- Stainless steel hardware
- Adapter plate included to accept slider, spider or swivel
- 18-1/2" H x 17" W x 22-1/2" D

PART NO.	MFG#	DESCRIPTION
9953-744	8WD015-3-710	White

DELUXE PILOT SEAT



- Seat Depth 16"
- 23-1/2" H x 17-3/4" W x 26-1/4" D
- Roto Molded Platic Frame
- 28 oz marine grade vinyl
- Compression foam padding
- SS hardware

PART NO.	MFG#	DESCRIPTION
9953-327	8WD007-3-710	White

ECONOMY FOLDING SEATS



These Economy Folding Seats have a rigid injection moulded frame with heavy-duty powder coated aluminum hinges. They have durable upholstery providing comfortable cushioned support. They fold easily and have straps with snaps for secure storage.



PART NO.	MFG#	DESCRIPTION
7260620	1040629	Off-White
7260621	1040623	Grey
7260640	1040625	Red
7260641	1040621	Blue

BUCKET SEAT



This spacious and attractive Bucket Seat is made of a Rotomoulded high-strength composite shell with a high density foam padding covered by heavy-duty Marine Grade vinyl. This seat is made to last.
Colour: Off White

PART NO.	MFG#	DESCRIPTION
7260600	1040407	Bucket Seat

HIGH BACK FOLDING SEATS



These High Back Folding Seats have a rigid injection moulded frame with Heavy-Duty powder coated aluminum hinges. They have durable upholstery providing comfortable cushioned support for your back. They fold easily and have straps with snaps for secure storage.



PART NO.	MFG#	DESCRIPTION
7260650	1040665	Red on Grey
7260651	1040661	Blue on Grey
7260652	1040663	Charcoal on Grey
7260653	1040667	Blue on White

LOW BACK SEAT





- 15-3/4" w x 17-1/2" D x 18-3/4" H
- Aluminum hinges
- Compression foam padding
- Plastic sealed to resist moisture
- 5-1/4" hole pattern

PART NO.	MFG#	DESCRIPTION
9953-364	8WD734PLS-710	White
9953-765	8WD618PLS-728	Mossy Oak Shadow Grass

HIGH-BACK FISHING BOAT SEAT



- 21" H x 17" W x 19" D x 14" seat depth
- Aluminum hinges
- Compression foam padding
- Plastic sealed to resist moisture
- 5-1/4" hole pattern





PART NO.	MFG#	DESCRIPTION
9953-375	8WD588PLS-710	White
9953-376	8WD588PLS-717	Grey
9953-377	8WD617PLS-733	Max 5 Camo
9953-283	8WD617PLS-728	Mossy Oak Shadow Grass

VETUS V-QUIPMENT BOAT SEATS

All seats and benches in this range are finished in maintenance free and water resistant vinyl, which is ideal for marine use. All seats are supplied without a seat base, which should be ordered separately, if required.

DELUXE FOLDABLE BOAT SEAT



- Backrest 14-1⁄4" H
- Sturdy folding aluminum hinges
- Plush padded seat, 15-3⁄4" W

PART NO.	MFG#	DESCRIPTION
9992-213	CHFSW	White
9992-214	CHFSB	Blue

CLASSIC FOLDABLE BOAT SEAT



- Backrest, 14-1⁄4"
- Sturdy folding aluminum hinges
- Seat is 15-3⁄4" W

PART NO.	MFG#	DESCRIPTION
9992-215	CHFSWW	White
9992-216	CHFSBW	Blue

FOLDING BOAT SEATS



- Ergonomic lightweight plastic frames
- Deluxe versions include cushions
- Backrest, 16" H
- Seat is 18-1⁄2" W x 19-1/4" D

PART NO.	MFG#	DESCRIPTION
9992-225	CHCBWB	Deluxe Folding, blue/white
9992-226	CHCW	Deluxe Folding, white

VETUS V-QUIPMENT HELM SEATS

DELUXE HELM SEATS



- Full back rest, 20" H
- 304 SS frame and tubing
- Padded arm rests
- Seat is 19-5⁄8" W x 19-5⁄8" D

PART NO.	MFG#	DESCRIPTION
9992-210	CHFASB	Blue
9991-019	CHFASC	Cream

CLASSIC HELM SEAT



- Raised back rest, 16-5⁄16" H
- Aluminum construction
- Independent arm rests
- Seat is 16-15⁄16" W x 16-1/2" D

PART NO.	MFG#	DESCRIPTION
9992-217	CHCASW	White

ADJUSTABLE BACK REST HELM SEAT



- Swingback back rest, 14-7⁄8" H
- Aluminum Construction
- Ideal for fast boats
- Seat is 16-1/2" W x 14-3/4" D

Pedestal is not included with Helm Seats

PART NO.	MFG#	DESCRIPTION
9992-221	CHTBSW	White
9992-222	CHTBSB	Blue

VETUS V-QUIPMENT CAPTAINS SEAT



- Full wrap around high-back backrest, 19 5⁄8" H
- Armrests fully incorporated for one piece construction
- Flip-up bolster for steering in standing position
- Seat is 17-3/4" W x 19-1/4" D

PART NO.	MFG#	DESCRIPTION
9992-211	CHFUSB	Captains Chair, Blue
9992-212	CHFUSW	Captains Chair, White

FOLDING BENCH SEAT

- Swingback back rest, 14 7⁄8" H
- Aluminum Construction
- Seat is 35 1/2" W x 14 3/4" W



PART NO.	MFG#	DESCRIPTION
9992-219	DCHFSW	White
9992-220	DCHFSB	Blue

PORTABLE FOLDING SEAT



This Camco Portable Folding Seat has a durable steel frame construction with high-quality polyester covering a padded cushion seat, back support and arm rests. The underside of the chair has a reinforced non-skid texture to stop slipping and keep your seat dry. The integrated armrests provide additional comfort and can be inverted to increase the width of the seat to 20-inches.

- Folds flat for easy transport and storage.
- 19" x 6" Large-zippered rear storage compartment.
- Weighs 7-1/2 pounds. Load Rated at 300 pounds

Dimensions: 6" High x 20"Wide x 16" Deep Opened
20" Wide x 32" Long x 2-1/4" Thick Closed

PART NO.	MFG#	DESCRIPTION
7260685	53095	Portable Seat, Folding, Blue

FIRST MATE SHELL SEATS



These First Mate Shell Seats are a one piece moulded shell made from PP plastic. They are lightweight and durable providing years of care free use. Universal Mounting Pattern 5" x 5".

PART NO.	MFG#	DESCRIPTION
7260630	1061014-SG	Green
7260631	1061014-S	Grey

TRAVELLER FOLDING SHELL SEATS



These Traveller Folding Shell Seats have a super strong copolymer shell with an extra wide contoured seat and a curved back for comfort. A durable strap holds the seat closed when folded.

PART NO.	MFG#	DESCRIPTION
7260636	1061100-S	Grey
7260637	1061104-S	White

TRAVELLER PADDED FOLDING SHELL SEATS



These Traveller Padded Folding Shell Seats have a super strong copolymer frame with an extra wide contoured seat, a curved back and back and seat padding for extra comfort. A durable strap holds the seat closed when folded.



PART NO.	MFG#	DESCRIPTION
7260626	1061106-C	Camo
7260627	1061105-C	Green
7260628	1061100-C	Grey

PLASTIC FOLD-DOWN



- 20-1/4" W x 18-1/2" D x 15-1/4" H
- T-nut construction
- Mounting screws included

PART NO.	MFG#	DESCRIPTION
9953-277	8WD139CLS-B-733	Mossy Oak

SKIPPER FOLDING SEATS







- Injection molded seat
- Interlocking hinge for greater structural support
- Extra wide seat, 20"

PART NO.	MFG#	DESCRIPTION
9953-439	1061015-S	Grey
9953-440	1061015-SB	Black
9953-441	1061015-SW	White

MOLDED PLASTIC SEAT



- 17" W x 19" D x 16" H
- T-nut construction
- Mounting screws included



PART NO.	MFG#	DESCRIPTION
9953-369	8WD140LS-713	Green
7260632	8WD140LS-710	White
9953-370	8WD140LS-717	Grey

COOLER/LIVEWELL/SEAT



This rugged polyethylene, double-wall insulated, swing back seat is made with a corrosion resistant composite frame and deep foam cushions covered with a marine grade vinyl material sewn with a mildew-resistant thread.

It has moulded-in mounting plates with Stainless Steel Hardware.

- **50 Quart:** 30"W x 17"D x 34.50"H
- **72 Quart:** 37"W x 18.5"D x 34.5"H

PART NO.	MFG#	DESCRIPTION
7260838	ST3000	50 Quart, (47 Liter) Seat
7260839	ST2200P	72 Quart, (68 Liter) Seat

EURO DECK CHAIR



- Folds flat, locking bar keeps legs in place for extra stability
- Can be used with or without the cushions
- Includes back and seat cushions

PART NO.	MFG#	DESCRIPTION
9953-330	1080121	White

CANVAS DECK CHAIR



- Premium upholstery and cushions are designed to provide maximum comfort and quality
- Perfect for picnics, decks or docks
- Heavy aluminum tubing
- Weather resistant vinyl and substrates

PART NO.	MFG#	DESCRIPTION
9953-445	1080120	Canvas Chair

FOLDING DECK CHAIR



- Seat Depth 15-3/4"
- 30" H x 26" W x 24" D
- 16 gauge Anodized aluminum frame
- 8 legs for added strength

PART NO.	MFG#	DESCRIPTION
9953-328	3316-784	White

DECK CHAIR



This Classic Folding Deck Chair is great for relaxing on deck or dock after a long day on the water. Durable vinyl upholstery is mildew and UV resistant. High density foam padding. Corrosion resistant aluminum construction.

Folds for easy storage.

Seating area: 16"H x 20"W x 16"D

PART NO.	MFG#	DESCRIPTION
7260822	1080021	Deck Chair, White

LOCKING SEAT SWIVEL



- Black powder coated steel
- 12 positions, 360 deg.
- Convenient handle locks swivel in place
- 5-1/4" hole pattern

PART NO.	MFG#	DESCRIPTION
9953-380	8WD15	Seat Swivel Black

SEAT SWIVEL



- Trendler ball bearings swivels freely 360 deg.
- 5-1/4" hole pattern

PART NO.	MFG#	DESCRIPTION
9953-381	8WD10	Seat Swivel Blac

SEAT SWIVELS





360° nylon ring bearing seat swivel. Available in stainless steel or mild steel with e-coat finish for rust resistance.
Dimensions: 6-3/4" Square x 1-1/8" High
5" Square bolt pattern.

PART NO.	MFG#	DESCRIPTION
7260910	1100007	Seat Swivel Black
7260911	1100009	Stainless Steel
9953-339	1100019	Stainless Steel, 12 way, locking

REMOVABLE BRACKET & SWIVEL COMBO



- Non-locking 7" x 7" quick release seat bracket
- Non-locking 12-way swivel, rotates 360°
- E-Coat finish to resist corrosion

PART NO.	MFG#	DESCRIPTION
9953-518	1100115	Bracket & Swivel Combo

REMOVABLE SEAT MOUNT



This marine grade plastic seat mount is designed for fast and easy installation and take down of seats. Non-locking.
Dimensions: 7" Square
Fits: Seat Swivel 7260910

PART NO.	MFG#	DESCRIPTION
7260917	1100015	Quick Disconnect

QUICK DISCONNECT SEAT MOUNT FOR 6" SWIVEL



- Positive locking disconnect allows quick installation or removal of any standard swivel seat
- Durable molded plastic steel rail frame stainless steel spring

PART NO.	MFG#	DESCRIPTION
9953-745	8WD17	Plastic

SEAT SUSPENSION SYSTEM



- High-strength aluminum seat mount
- Heavy-duty springs provide a comfortable ride

PART NO.	MFG#	DESCRIPTION
9953-348	1840220	Heavy-Duty Suspension System

SEAT CLAMP MOUNT



Adjustable to fit seats 8-19" zinc plated, swivels with universal mounting holes.

PART NO.	MFG#	DESCRIPTION
7260913	1100012	Seat Clamp Mount

BOAT SEAT CLAMP





- Adjusts from widths of 8" to 20-1/2"
- Mounts on any flat surface
- Steel and plastic construction

PART NO.	MFG#	DESCRIPTION
9953-383	8WD14	Clamp and swivel
9953-384	8WD80	Clamp

SEAT STANDS



- 14 gauge black powder coated steel
- 13" H x 19-1⁄4" W x 18-1⁄4" D
- Quick Disconnect accepts 5 -1/4" bolt pattern

PART NO.	MFG#	DESCRIPTION
9953-746	8WD1174	Seat stand with Quick Disconnect
9953-734	8WD1234	Seat stand

SPRINGFIELD TRAC LOCK SEAT SWIVEL



High strength aluminum with powder coated finish. Rotates 360°. Fits 2-7/8" post.

Dimensions: 7" x 7" (mounting holes are spaced at 5-1/2")

PART NO.	MFG#	DESCRIPTION
9953-335	1100021-1	Non Locking Seat Swivel

SEAT SLIDE/SWIVEL



- 2-7⁄8" post mount with bushing for snug fit
- Large 7-1⁄4" x 13" seat mounting platform
- Travels 5-1⁄4" forward and backward on self lubricating pads
- Rotates 360°

PART NO.	MFG#	DESCRIPTION
9953-337	1100521-1	Non-Locking Seat Swivel

SEAT SLIDE/SWIVEL LOCKING



- 2 7⁄8" post mount with bushing for snug fit
- Large 7 1⁄4" x 13" seat mounting platform
- Travels 5 1⁄4" forward and backward on self lubricating pads
- Rotates 360°

PART NO.	MFG#	DESCRIPTION
9953-338	1100521-L1	Locking Seat Swivel

VETUS V-QUIPMENT SEAT SLIDE



- For direct surface mounting
- Seat slide incorporated

PART NO.	MFG#	DESCRIPTION
9992-230	SCU	Seat Slide

ELITE 4" SLIDE & SWIVEL



Anodized aluminum structural parts, with a bright dip anodized aluminum slide extrusion. Clamps and locks onto the 4" post with nylon bushings and S/S locking pin. Swivel rotates internally on nylon bearings for smooth operation in any fore or aft position. Single control handles both swivel and slide operations.

PART NO.	MFG#	DESCRIPTION
7260950	3100460-LE1	4" Slide and Swivel

VETUS V-QUIPMENT SEAT PEDESTALS



9992-227

- Gas assisted height adjustment, 13-3⁄8" to 18-1/2"
- Seat slide incorporated



9992-228

- Manual height adjustment, 16-7⁄8" to 24-3/4"
- Seat swivel incorporated



9992-229

- Manual height adjustment, 16-7⁄8" to 24-3/4"
- Seat slide incorporated

PART NO.	MFG#	DESCRIPTION
9992-227	PCG3547	34-37cm w/ Gas Assist Pedestal
9992-228	PCM4363	43-63cm w/ Swivel Pedestal
9992-229	PCMS4363	43-63cm w/ Slide Pedestal

UNI-LOCK WITH SLIDE PEDESTAL SYSTEM



Auto locks in the forward driving position. Includes a 12" x 2-7/8" Satin Finish Post, a 9" low-Profile Base and Track-Lock Swivel/Slide that features a centrally located Locking Handle, Large 7-1/4" x 13" Seat Mounting Platform that travels 5-1/4" forward and Backwards on self-lubricating pads.

PART NO.	MFG#	DESCRIPTION
7260931	1240716-L	12" Assembly
7260978	2171001	Bushing 2-7/8" x 3-1/2"

ADJUSTABLE HEIGHT PEDESTAL



- High-strength aluminum w/stainless-steel hardware
- Manual adjustment lever, 1" increments
- 9" round base
- 2-7/8" Post

PART NO.	MFG#	DESCRIPTION
9953-543	1240748-MLNS	12-15"
9953-554	1240749-MLNS	14-20"
9953-596	1240750-MLNS	18-24"

FIXED HEIGHT PEDESTAL





- 2-7/8" non-locking pedestal
- 9" round base
- Non-locking swivel included

PART NO.	MFG#	DESCRIPTION
9953-332	1240616	10"
9953-333	1240629	18"
9953-334	1240646	30"
7260978	2171001	Pedestal Bushing

WEDGE SERIES PLUG-IN ADJUSTABLE PEDESTAL



This 2-3/8" Removable Plug-In Pedestal system features a unique keyed design that provides stability and security against rotation once the post is securely engaged into the base. The plug-in base has a satin finish and the die cast swivel is powder coated.

PART NO.	MFG#	DESCRIPTION
7260918	SP-37904	Post, 13" - 19"
7260922	SP-68914	Base 9" Diameter

STEEL PEDESTALS



- Black powder coated steel
- 5-1⁄4" hole pattern for seat and deck attachment

PART NO.	MFG#	DESCRIPTION
9953-386	8WD1251	Steel Pedestal, 7"
9953-385	8WD1250	Steel Pedestal, 13"

STEEL PEDESTALS



Gloss black painted steel.
Base measures 6-7/8" x 6-7/8".

PART NO.	MFG#	DESCRIPTION
7260926	1561105	7" High
7260927	1561106	13" High
7260928	1561107	12" to 18" Adj.

ELITE PEDESTAL, 4"



This pedestal is fabricated from aluminum alloys for strength, and is excellent for seawater applications where corrosion is a problem. The Elite pedestal is designed to work with fighting chairs for that added stability. 4" pedestal 30" post 12" polished base. **Requires 4" slide & swivel (7260950) as its mount.**

PART NO.	MFG#	DESCRIPTION
7260939	1450030-P	4" Fixed Height Pedestal

HEAVY DUTY "SWING-ASIDE" PEDESTAL



Mounts on any bulkhead and allows any chair assembly to be neatly moved aside allowing more open floor space. The aluminum pedestal will accept any standard 2-7/8" seat mount.

The two stainless steel mounting brackets have nylon bushings for smooth swivel action. The top bracket can be drilled to allow for positive locking in any swivel position. The pedestal has a 24-1/2" swing radius and is only 5-1/2" wide when swivelled aside. 29" high. **Requires 6 x 3/8" mounting bolts.**

PART NO.	MFG#	DESCRIPTION
7260933	1580074	HD Pedestal

SLIDE-OUT FOOTREST, 4"



With the bottom clamp providing the height adjustment and stability, the footrest can swivel to match chair rotation without affecting height adjustment. Designed with 8" of in & out slide travel, the footrest stores easily under the chair, allowing the user to stand in front of the chair without interference. Measuring 20"W x 7" deep in an arc sweep.

PART NO.	MFG#	DESCRIPTION
7260958	1580074	Slide Out Footrest

SWIVEL FOOTREST



Stylish, solid cast aluminum footrest with bushings to fit a 2-7/8" diameter pedestal. Adjusts for desired height; can be locked in any position and swivels as needed.

Pedestal and base sold separately.

PART NO.	MFG#	DESCRIPTION
7260955	1580017	Footrest
7260954	2171040	4" Pedestal Bushing

NEW

STAND-UP CONSOLE



This ultra-durable molded polyethylene Stand-Up Console is designed to last a lifetime without cracking, yellowing or chipping. It has a raised floor with a perimeter gutter to help keep stored items dry and it can be worked with standard tools producing limited itchy dust or fibers.

- 316 SS grab handle and cup holders.
- Will accept side mount or binnacle controls.
- Bolt-on devices like running lights, rod holders easily installed.

Great for RIB, skiff or small boat.
Dimensions: 19"W x 13-1/4"Deep x 34-7/8"H

PART NO.	MFG#	DESCRIPTION
7260510	RPD-1019-GRAY	Stand-Up Console, 1019, Gray

FULL CONSOLE WITH WINDSHIELD



This Console is a low profile console for seated steering. Suitable as a side console or sit-down center console. It comes standard with a smoked acrylic windshield and a forward Starboard™ hatch.

- Smoked acrylic windshield.
- Starboard™ backing plate behind dash area.
- Molded in 30 qt cooler/bait well.
- Made from super-durable rotomolded polyethylene

Dimensions : 43-1/4" x 25-3/8"W x 25-3/4"H

PART NO.	MFG#	DESCRIPTION
7260516	RPD-1219-WHITE	Full Console, w/Windshield, White

JUMP SEAT



The Jump seat is designed to fit nicely in front of the 1019 Console. Its compact footprint makes it easy to walk around and leaves a comfortable spot to put your feet when seated.

- Two cubic feet (16 gallons) of storage.
- Easy accessible watertight hatch.
- Stainless Steel grab handles.
- Padded seat won't absorb water.

Great for jackets, towels, binoculars, tools . . . .
Dimensions : 22"L x 21"W x 15-1/8"H

PART NO.	MFG#	DESCRIPTION
7260511	RPD-1019-JS-GRAY	Jump Seat

ULTRA COMPACT CONSOLE



Virtually indestructible this Ultra Compact polyethylene construction has a smooth, clean interior with no fiberglass hooks, hairs or spatter. It can be worked with standard tools producing limited itchy dust or fibers.

- Can be mounted on a bench seat or raised deck area.
- 316 Stainless Steel grab handle and cup holders.
- Will accept side mount or binnacle controls.
- Bolt-on devices like running lights, rod holders easily installed

Great for RIB, skiff or small boat. Ideal for auxiliary T-Top or Fly Bridge Helm.
Dimensions : 19"L x 13-1/4"W x 14-3/4"H

PART NO.	MFG#	DESCRIPTION
7260513	RPD-519-GRAY	Compact Console, Gray

SIDE CONSOLE KIT



This simple, low profile Side Console is perfect for adding remote steering to your Jon Boat or Skiff with plenty of room to mount helm, gauges and switches on the dash. A Large flat top provides easy mounting for fish finders and other accessories.

- Leg adjustable up to 23"H, Console is 7"H
- HD construction w/full backing plate behind the dash area.
- Made from super-durable rotomolded polyethylene.
- Colour is molded through.

Kit comes complete with an adjustable height leg.Hardware is included.
Dimensions : 25" L x 14-3/4" W x adj. up to 30" H

PART NO.	MFG#	DESCRIPTION
7260514	RPD-1422-GRAY	Side Console Kit, Gray

SIDE CONSOLE KIT



This fully-featured console kit comes with everything you need; windshield, side mount control mount, adjustable height leg, mounting angle, trim and hardware. A side accessory deck provides a solid surface for mounting a 7" display.

- Leg adj. up to 18"H, Side Deck 6"H, Console is 10"H.
- Side deck w/316 S/S cup holder.
- Padded cell phone pocket is built-in.
- Made from super-durable rotomolded polyethylene.

Overall Dimensions : 28-1/2"L w 13-1/2"W x adj. up to 34"H

PART NO.	MFG#	DESCRIPTION
7260515	RPD-1822-SM-GRAY	Side Console Kit, Gray

ACRYLIC WINDSHIELD



The 1019 Windshield is made from 3/16" UV stable acrylic. The custom design has five quick release, quarter turn, mounts, removing or mounting your windshield is a 30 second job.

- Quick release mounts.
- Easy cleaning and storage.

A little more protection when you need it and out of your way when you don't.

PART NO.	MFG#	DESCRIPTION
7260512	RPD-1019-WINDSHIELD	Smoke Gray

For the most up to date pricing, please visit maritimemarinesupply.ca/price

TABLES W/ PEDESTAL



- 23-5⁄8" Round, poly tabletop
- 17-3/4" x 30" Oval, poly tabletop
- Aluminum pedestals adjust from 19 3/4" to 27 1/2"

PART NO.	MFG#	DESCRIPTION
9992-232	TPM5070	60 cm Dia, Round
9992-233	PTT5070	45 x 76 cm, Oval

OVAL TABLE PACKAGE

SPRINGFIELD MARINE





Package includes: Table top with moulded in cup holders, thread-lock 27" post with locking table mount assembly, and thread-lock deck base. Table is a 18" x 30" oval top made from high impact ABS material. UV stable and injection moulded for maximum durability.

PART NO.	MFG#	DESCRIPTION
7260905	1690106	White Table Package

ROUND TABLE PACKAGE

SPRINGFIELD MARINE





Package includes: Table top with moulded in cup holders, thread-lock 27" post with locking table mount assembly and thread-lock deck base. Table is a 24" Diameter round top make from high impact ABS material (UV stable and injection moulded) for maximum durability.

PART NO.	MFG#	DESCRIPTION
7260904	1690102	White Table Package

PARTY PLATTER TABLE PACKAGE

SPRINGFIELD MARINE



This package consists of a Marine Grade, UV safe, bright white smooth plastic table that has five cup holders and lots of surface space, a 2-Piece 29" Anodized Aluminum Thread-Lock post and a black plastic thread-lock surface mount base. A compact combination for small spaces and easy stowage.

16"W x 18-1/8"L

PART NO.	MFG#	DESCRIPTION
7260899	1690901	Party Platter Table

NEW

TABLE TOPS

PLASTIMO



Round 24" **Oval 30" x 17-3/4"**

Made of ASA plastic, these Table Tops are exceptionally resistant to ultraviolet (UV) light and general weathering, which prevents it from yellowing or becoming brittle when exposed to sunlight and outdoor conditions over time. These are the table tops only, to be combined with the bases and pedestals listed below.



TABLE BASE

White Nylon plastic to mount the telescoping pedestals



TELESCOPING PEDESTALS

- White lacquered aluminium pole.
- Anti-grip system.
- Telescoping for desired height.
- 15" to 23-1/2" or 19" to 32"
- Tube diameter: 60 mm.



FLOOR BASE

Flush Mounted White Nylon plastic to mount the telescoping pedestals

PART NO.	MFG#	DESCRIPTION
9990-934	197241	Table Top Round, 24"
9990-935	197292	Table Top Oval, 30" x 17-3/4"
9990-931	43263	Table top Base Nylon
9990-930	43261	Flushmount Floor Base, Nylon
9990-932	44058	Pedestal Telescoping 19 to 32"
9990-933	44060	Pedestal Telescoping 15 to 23-1/2"

GAS TELESCOPING TABLE PEDESTAL

SPRINGFIELD MARINE



This heavy-duty table pedestal features internal opposing gas cylinders that allow infinite height adjustments between the 12-3/4" up to the 28" table height. Two machined clamping bushings clamp the telescoping posts at the desired height, also providing wobble free use! Ideal for use where berth to table height is needed.

Features:

- **Base:**12" low profile alum **Mounting:** 11" std hole pattern, 6 fasteners
- **Posts:** telescoping alum extrusion, 0.120" wall
- **Outer Post:** 4" alum extrusion **Center Post:** 3.5" keyed alum extrusion
- **Top Inner Post:** 2-7/8" alum extrusion
- **Top Plate:** 11" x 11" x 1/4" anodized alum

PART NO.	MFG#	DESCRIPTION
7260909	1660230	Adj. Table Pedestal

FILLET TABLES



Made from UV-stabilized, high density polyethylene. Pliers and knife holders are incorporated into the table. A rugged nylon tilt mount can be set and locked at any practical angle.

This table fits into any rod holder and can fold flat for convenient storage. Stainless Steel hardware is included.

PART NO.	MFG#	DESCRIPTION
7260350	P01-2120W	20" x 12"
7260352	P01-2132W	32" x 12"

FILLET & PREP TABLE, SQUARE RAIL MOUNT



Solid 1 -piece Fillet & Prep Table provides a strong long-lasting work surface that is easy to clean and maintain. Made of a UV stabilized high-density polyethylene and provides easy access for 6 knives, 2 pliers and 2 hoses. Includes a Round Rail Mount Adapter kit, a Square Rail Mount Adapter kit and all necessary hardware.

30 " x 12-5/8" x 2-3/8" Fits 1" to 1-1/4" tubing

PART NO.	MFG#	DESCRIPTION
7260354	326535-3	Table, Large

LOCKING STOWABLE PEDESTAL MOUNT



- 28” locking anodized alum. pedestal mount for all Magma rectangular grills
- Locks into the 7" mounting base and grill mounting bracket with single push-buttons
- Designed with a flush bottom so there is no need to cut a hole in your deck
- Flush base measures 5/8"H x 7" dia. with 5-3/4" bolt pattern

PART NO.	MFG#	DESCRIPTION
9953-274	T10-185	28" High Grill Pedestal

TABLE LEG KIT



7260890



7260891



7260892

- Kit includes Surface mount base, 26" stainless steel pedestal and table mount.
- The mounts are made of high impact plastic and have 8 x 1/4" mounting holes
- Optional Floor base is surface mount, sold separatley

PART NO.	MFG#	DESCRIPTION
7260890	DTX3	Table Leg Kit, 2 in.
7260891	DTZ	Optional Flush Mount Base
7260892	DTY	Repl. Surface Mount Floor/Table Mount
7260893	DTX	Repl. Pedestal, 2 in. Dia. x 26 in. L

VETUS ADJUSTABLE TABLE PEDESTAL



- Aluminum pedestal and table base
- Manually adjustable from 11-1/2" to 27-1/4"

PART NO.	MFG#	DESCRIPTION
9992-231	PCMS2969	29-63cm

FOLDING TABLE BRACKETS STAINLESS STEEL (PAIR)



- Stamped 304 Stainless
- 11-11/16" deep when open; 15/16" when folded
- Takes #12 pan head screws
- 500 lbs load limit

PART NO.	MFG#	DESCRIPTION
9953-605	221355	Folding Table Brackets Per Pair

FOLDING TABLE BRACKETS – ECONOMY



- Sold per each
- 304 Stainless Steel
- 12" L x 6-1/2" H x 1/2" (closed)

PART NO.	MFG#	DESCRIPTION
9953-604	54016	Sold Individually

STAINLESS STEEL MULTIPURPOSE ANGLE BRACKET



Stainless steel angle bracket.
Size: 2-3/4"L x 2-1/2"W x 2-1/4"H

PART NO.	MFG#	DESCRIPTION
7212410	54086	Bracket

STAINLESS STEEL TABLE BRACKET



PART NO.	MFG#	DESCRIPTION
7212405	54081	Table Bracket (Pair)

TABLE BRACKETS – STAINLESS STEEL



- 2 wall brackets and 2 table brackets
- 3-3/8" W x 2-1/8" H
- Takes #10 flat head screws

PART NO.	MFG#	DESCRIPTION
9951-126	221320-1	Table bracket, per pair

MELAMINE TABLEWARE

Marina

Fun nautical themed table settings made from Melamine that is lightweight, break resistant and scratch resistant. Dishwasher safe and ideal for indoor/outdoor us. The use of Melamine in microwaves is not recommended.



Dinner Plate, 9 13/16" dia.



Soup Plate, 8 7/8" dia.



Bowl, 5 1/8" dia.



Mug, 3 3/8" dia.



Salad Bowl, 9 7/16" dia.



Serving Tray, 19 11/16" x 14 3/4"

PART NO.	MFG#	DESCRIPTION
9990-396	5280480	Dinner Plate, Pack of 6
9990-397	5280481	Soup Plate, Pack of 6
9990-398	5280483	Bowl, Pack of 6
9990-399	5280486	Mug, Pack of 6
9990-409	5280488	Salad Bowl, Per each
9990-414	5280490	Serving Tray, Per each



TABLE SET

Marina



- Contains 4 each: dinner plate, soup plate, dessert plate, and mug

PART NO.	MFG#	DESCRIPTION
9990-410	5280489	16 piece

CUTLERY SET





- Stainless Steel
- ABS handles
- Dishwasher Safe
- Contains 6 each: knife, fork, spoon, and teaspoon

PART NO.	MFG#	DESCRIPTION
9990-411	5280491	24 piece

NEW

TABLEWEAR CUTLERY



For 6 people:

- 6 knives
- 6 forks
- 6 spoons
- 6 teaspoons/dessert spoons
- Stainless Steel
- Dishwasher Safe

PART NO.	MFG#	DESCRIPTION
9990-936	5242124	24 Piece Cutlery Set

MARINE DINNER SET



The Camco Marine Dinner Set includes place settings for four, bowls, salad plates and dinner plates.

The bowl is white with a navy blue anchor design, the small plate is blue and white striped and the large plate is blue with a white anchor design. The durable dinnerware is great for boats, RVs, and camping. The Marine Dinner Set is easy to clean and is top rack dishwasher safe. Do not use in the microwave, BPA free.

PART NO.	MFG#	DESCRIPTION
7009025	41951	Dinnerware Set, 12 Pc.

STACK-A-PLATE



Stack-A-Plate with non-slip backing. Use in your cabinet to keep plates organized, and to stop them from sliding and rattling. Plates stay in place while travelling and are more protected from breakage. Set of two—one fits plates up to 7-1/4", the other fits plates up to 10-1/4". Bright white. Dishwasher safe.

PART NO.	MFG#	DESCRIPTION
7009030	43601	Stack-A-Plate

NEW DUCKBOARD BAMBOO TRAYS



18" x 12-1/2"

- The glue-laminated structure ensures excellent resistance and durability.
- Rotproof and withstands hygrometry fluctuatuations.
- Does not generate any toxic substances and is totally adapted to marine environment.

PART NO.	MFG#	DESCRIPTION
9990-937	5998754	Bamboo Duckboard Tray
9990-938	5998755	Bamboo Duckboard TableTop

MINI ICE TRAYS



Small trays fit perfectly into Marine or RV freezers. Provides small size cubes for quick freezing.

Measures: 9"L x 4"W x 1"D

PART NO.	MFG#	DESCRIPTION
7009040	44100	Mini Ice Trays (2pk)

REFRIGERATOR/CUPBOARD BARS



Keep order in your refrigerator and cupboards during travel. Spring loaded bars keep items in place.

Cupboard bars extend from 10" to 17".

Refrigerator bars extend from 16" to 28".

PART NO.	MFG#	DESCRIPTION
7009035	44073	Refrigerator Bar, 16"-28"
7009036	44093	Cupboard Bar, 10"-17"

MARINE MINI DISH DRAINER W/TRAY



This Mini Dish Drainer fits boat sinks, and is sized just right for limited counter space. A sloped drainer tray keeps counters dry. The drain tray snaps on top of rack for handy storage. Durable heavy-duty construction.

Dimensions:
9.50" x 11.69" x 4.75"

PART NO.	MFG#	DESCRIPTION
7009020	43511	Mini Dish Drainer

PAPER TOWEL HOLDER



This plastic paper towel holder can slide off the mounting bracket to stand alone or carry as needed. It features a side knob for adjusting the tension and keeping the roll in place while you tear.

Dimensions : 13-3/8" H x 7" W

Includes mounting hardware.

PART NO.	MFG#	DESCRIPTION
7009041	57114	Plastic Towel Holder, White
7009042	57115	Plastic Towel Holder, Black

BOATERS' CLOTHESPINS



Countertop Merchandiser contains 48 Clothes Claws Boaters' Clothespins.

Features:

- Fits 7/8" and 1" hand rails
- One-piece construction
- Floating
- Incredible holding power



PART NO.	MFG#	DESCRIPTION
7009039	1651	Clothes Claws, 48 pcs.

For the most up to date pricing, please visit maritimemarinesupply.ca/price

TEAK HARDWOOD

DISH/CUP/PAPER TOWEL RACK



- Holds four plates up to 11" dia
- Fits standard paper towel roll
- Features spring-loaded bar

PART NO.	MFG#	DESCRIPTION
9951-210	62402	22-1/4" L x 16" H x 4-1/8" D

DISH/CUP/UTENSIL HOLDER



- Holds cups, two sizes of plates, and flatware

PART NO.	MFG#	DESCRIPTION
9951-211	62404	16-1/4" L x 9-7/8" H x 7-1/8" D

WINEGLASS RACK WITH SHELF



- Holds up to eight small wine glasses or four regular wine glasses
- Bulkhead mount provides extra shelf space

PART NO.	MFG#	DESCRIPTION
9951-212	62426	17-1/2" W x 5" D x 2-1/2" H

STAY-PUT NAPKIN HOLDER



- Holds cocktail and regular napkins
- Designed to prevent napkins from blowing away

PART NO.	MFG#	DESCRIPTION
9951-213	62434	7-3/8" W x 6-3/4" D x 2-3/4" H

SMALL SPICE RACK



- Holds up to 9 standard spice bottles.

PART NO.	MFG#	DESCRIPTION
9951-214	62436	14" L x 2-7/8" H x 4" D

WALL-MOUNT PAPER TOWEL HOLDER



- Fits standard or jumbo roll
- Spring-loaded bar

PART NO.	MFG#	DESCRIPTION
9951-215	62442	1-7/8" H x 12-1/4" W x 4-3/8" D

PAPER TOWEL RACK WITH SPICE RACK



- Holds standard paper towel roll and six standard spice bottles
- Spring-loaded bar

PART NO.	MFG#	DESCRIPTION
9951-216	62446	13-1/16" W x 10" H x 3-3/4" D

RECTANGULAR MIRROR



- Solid teak, oiled finish frame 11" W x 15" H

PART NO.	MFG#	DESCRIPTION
9951-227	62544	11" W x 15" H

LOUVERED INSERTS



PART NO.	MFG#	DESCRIPTION
9951-239	60710	16" H x 9-1/8" W; cutout 15" H x 8-1/8" W
9951-240	60712	7-1/2" H x 9-1/8" W; cutout size 6-1/2" H x 8-1/2"W
9951-241	60714	6-3/8" H x 11-3/16" W; cutout 5-3/8" H x 10-3/16"W
9951-242	60716	9-3/8" H x 18" W; cutout size 8-3/8" H x 17" W

SOAP DISH



- Comes with clear plastic insert for easy cleanup

PART NO.	MFG#	DESCRIPTION
9951-218	62314	1-9/16" H x 4-3/4" W x 3-1/4" D

TOILET TISSUE RACK



- Spring-loaded teak roller bar.

PART NO.	MFG#	DESCRIPTION
9951-219	62322	1-7/8" H x 5-1/2" W x 3-3/4" D

TOWEL BAR



- Mounting hardware included

PART NO.	MFG#	DESCRIPTION
9951-220	62330	14" L x 1" H x 2-1/2" D

TOWEL RACK



- Mounting hardware included

PART NO.	MFG#	DESCRIPTION
9951-222	62334	16" L x 3" D x 1-7/8" thick

TOWEL RING



- Mounting hardware included

PART NO.	MFG#	DESCRIPTION
9951-221	62338	6" W x 9-1/2" L x 2" D

TOOTHBRUSH HOLDER



- Holds four standard toothbrushes

PART NO.	MFG#	DESCRIPTION
9951-217	62310	5-3/4" W x 1-7/8" D

MAGAZINE RACK



- Rear mounting bar for bulkhead mount. Wall mount or stand alone.

PART NO.	MFG#	DESCRIPTION
9951-224	62506	14-3/4" W x 12" H x 4-1/4" D

NAVIGATION RACK



- Perfect for ending desk-top clutter, with space for a variety of items

PART NO.	MFG#	DESCRIPTION
9951-225	62532	5" H x 16-3/4" W x 3-1/2" D



UTILITY HOOK



- Sturdy hook for clothing and other items
- 7" H x 3-3/4" W x 7/8" D

PART NO.	MFG#	DESCRIPTION
9951-226	62560	7" H x 3-3/4" W x 7/8" D

MEDICINE CHEST



- Can be mounted to open left or right
- Adjustable shelves with glass mirror

PART NO.	MFG#	DESCRIPTION
9951-223	62354	11" W x 15" H x 4-1/2" D

DRAWER PULLS – TEAK

Recess Mount

- Come in package of two, with mounting screws



PART NO.	MFG#	DESCRIPTION
9951-229	60124-A	Oblong – 4-1/16" L x 1/2" D
9951-230	60127-A	Round – 1-3/8" Dia. x 3/8" D
9951-233	60135-A	Rectangular – 3-1/4" L x 1/2"
9951-236	60142-A	Large rectangular – 4-1/2" L x 1/2" D

DRAWER KNOBS – TEAK



- Package of two with mounting screws included

PART NO.	MFG#	DESCRIPTION
9951-228	60120-A	2" dia., round
9951-231	60130-A	1-1/8", square
9951-232	60131-A	2-3/4" L, rectangular

WALL PLATES – TEAK



- 5-1/16" H x 3-5/8" W
- Hardware not included

PART NO.	MFG#	DESCRIPTION
9951-237	60170	Outlet covers, package of 2
9951-238	60172	Switch covers, each

FOUR DRINK/BINOCULAR RACK



- Holds 4 cans or bottles, or 2 drinks and one pair of binoculars.

PART NO.	MFG#	DESCRIPTION
9951-245	62632	14-¼" L x 4" W x 3-½" H

THREE-MUG RACK



- Holds standard size mugs or insulated can holders.

PART NO.	MFG#	DESCRIPTION
9951-244	62410	11-⅛" L x 3-½" H x 4-⅛" D

FOLDING DRINK HOLDER – TEAK



- Holds regular size cans and bottles
- Folds up when not in use

PART NO.	MFG#	DESCRIPTION
9951-243	62601	Closed: 4-1/2" W x 3-3/4" H x 1-1/2" D

LOCKING GLOVE BOX



- With 2 integrated cup holder
- UV stabilized ABS
- 13-1/2" x 5" door
- Box is 12-1/2" L x 4" H x 6-1/2" Deep

PART NO.	MFG#	DESCRIPTION
9951-006	71054	Globe Box Black

FOLDING DRINK HOLDER



- Plastic with Stainless Steel 304 Cover
- Screw size #8

PART NO.	MFG#	DESCRIPTION
9951-264	9511716	Drink Holder

FOLDABLE DRINK HOLDER STAINLESS STEEL



- Adjustable arms
- 4" W x 3-7/8" L

PART NO.	MFG#	DESCRIPTION
9951-156	54098	Stainless Steel

ADJUSTABLE FOLDING DRINK HOLDER

Adjusts for containers with 2-3/8" to 3-7/8" diameter. Stamped 304 Stainless.
Fasteners: 2 x #8 RH
A 4-1/8"
B 3-7/16"
C 3-5/8"
D 3/4"





PART NO.	MFG#	DESCRIPTION
7263854	588250-1	Drink Holder

DRINK HOLDER – STAINLESS STEEL



Stainless Steel 304

PART NO.	MFG#	DESCRIPTION
9951-097	8733024	Stainless Steel

DRINK HOLDER



Simple plastic folding drink holder, A must have in any vessel.

PART NO.	MFG#	DESCRIPTION
9951-099	54092-BK	Drink Holder Plastic

FOLD-AWAY DRINK HOLDER



An easy to use secure design which holds coffee mugs with a handle, 12-ounce cans or drink insulators. Mounts quickly and easily Constructed of black plastic.
Dimensions:
4"H x 4"W, 1" folded

PART NO.	MFG#	DESCRIPTION
7263859	54093-BK	Black drink Holder
9951-162	54093-WH	White drink Holder

DRINK HOLDER



This cup holder will handle full-sized insulated cups and mugs. It is made of white polyethylene and include mounting hardware.

Dimension: 4-1/2"L x 5"D x 3-1/2" H

PART NO.	MFG#	DESCRIPTION
7263850	P01-2003W	1 Cup Holder

S/S DRINK HOLDER



7263864

Accommodates standard beverage containers and bottles and has an opening on the bottom for draining. 7263865 includes a 3/8" hose barb drain fitting.



7263865

Dimensions	7263864	7263865
Inside Diameter	2-3/4"	3-5/8"
Flange Width	3-3/8"	4-1/4"
Cup Depth	2-11/16"	3-1/2"
Hole Cutout	3"	3-1/2"

PART NO.	MFG#	DESCRIPTION
7263864	60012	3" Hole Drink Holder
7263865	60002	3 1/2" Hole Drink Holder

For the most up to date pricing, please visit maritimemarinesupply.ca/price

DRINK HOLDER – STAINLESS STEEL



- Stepped inside diameter, 2-5/8" and 3-7/16"

PART NO.	MFG#	DESCRIPTION
9951-166	54097	Drink Holder Stainless Steel

IMPACT CUP HOLDER WITH DRAIN



- Innovative blowout-proof cup holder from MarineEast uses unique impact barbs to combat the strongest gusts

PART NO.	MFG#	DESCRIPTION
9951-098	4079W	Cup Holder with Drain

LED LIGHTED DRINK HOLDER



These Stainless Steel LED can holders come with 3 x 5mm LEDs and a 3/8" (9.5mm) drain tube.

Operating Voltage: 12VDC

Dimensions:
- 90mm, Opening ID
- 75mm, Depth
- 68mm, Base Diameter

PART NO.	MFG#	DESCRIPTION
7263870	54099-02BU	Blue
7263871	54099-02RD	Red

PLASTIC DRINK HOLDER



Install almost anywhere! Table, counter top, dashboard etc, Under the flange makes caulking easy for installation without fasteners. Holes allow drainage and standoffs prevent containers from sticking.

Dimensions:
- **Inside Diameter:** 2-11/16"
- **Flange Width:** 3-7/16"
- **Cup Depth:** 2-15/16"
- **Hole Cutout:** 3"

PART NO.	MFG#	DESCRIPTION
7263855	GH33-W1#	White Drink Holder
7263856	GH33-B1#	Black Drink Holder

DRINK HOLDER WITH COOLER



Handy, compact drink holder has a suction cup that can be placed on the back or the bottom. Designed to hold cans with a cozy wrap or mugs with handles.

White.
Dimensions: 3.60" Dia. x 3.50"

PART NO.	MFG#	DESCRIPTION
7263860	2150-1	Drink Holder

PORTABLE CUP HOLDER FOR PONTOON FURNITURE



A weighted vinyl flap fits down in between the seat and the backrest cushions to ensure a snug fit

FEATURES:
- Dual stainless steel cupholders
- Upholstered, high-impact plastic frame

DIMENSIONS: 12.25"L x 7.5"W x 4.625"H

PART NO.	MFG#	DESCRIPTION
7263875	3059-784	Bright White Cup Holder

DRINK-A-LONG SCREWMOUNT DRINK HOLDER



Chrome plated or stainless steel holder. Exclusive design swivels in 2 directions to keep the drink upright. Holds standard cans, cups, and mugs securely.

PART NO.	DESCRIPTION
7263868	Chrome Drink Holder
7263869	S/S Drink Holder

NO-TIP DRINK COASTERS



- Resilient foam fits most glasses, bottles and cans
- Ideal non-spill drink holder aboard boat or anywhere as a distinctive coaster
- Features multi-coloured bands on white buoy joined with realistic white grab line

PART NO.	MFG#	DESCRIPTION
9951-315	400	6 pack

BOTTLE OPENER



- Investment Cast 316 Stainless
- Length 2-3/8"
- **Fasteners:** 2 x #6 FH (Not included)

PART NO.	MFG#	DESCRIPTION
7263800	588450-1	Bottle Opener

AUTO INFLATE KEY BUOY



Should the Key Buoy fall into the water, the plastic case automatically pops open and a 14" (36cm) air tube inflates and rises to the surface for an easy retrieval. It will hold items weighing up to 2.8 ounces (80 grams), such as keys and small tools. Stays afloat for over an hour. Single use.

PART NO.	MFG#	DESCRIPTION
9890109	530	Key Buoy

CORK KEY FLOAT



No more sinking keys with this handy cork made key float.

PART NO.	MFG#	DESCRIPTION
9890107	568010-1	Cork Key Chain

KEY BUOY



This handy floating key holder has a small storage area with a distinctive and easily visible orange water tight snap on cover.

PART NO.	DESCRIPTION
9890108	Key Buoy

FLOATING LANYARDS AND CARD SAVER KIT



Kit Includes:

- Floating Wrist Lanyard
- Floating Neck Lanyard
- Fox 40 Sonik Blast CMG Pealess Whistle
- Waterproof Card Pouch
- Carabiner Clip

PART NO.	MFG#	DESCRIPTION
6557012	7928-0900	Floating Lanyard Kit

KEYCHAINS



Attractive solid brass keychains available in two styles.

PART NO.	DESCRIPTION
9890106	Propeller

WRAP IT UP ORGANIZER



We've all struggled with organizing extension cords, hoses and wires. WRAP IT UP to the rescue! You'll find 100s of uses for these 12" Long Velcro wraps. 3 per blister pack, assorted colours. 100 per display pack, assorted colours.



PART NO.	MFG#	DESCRIPTION
7264030	WR-123	Wrap it Up 3 Pack
7264032	WR-12100	Wrap it Up Display Pack

BOOT SAVER



The BoatMates Boot Saver is designed for easy storage of all types of boots, waders, hiking, foul weather, etc. The Boot Saver protects any boot from damage from improper storage. By hanging upside down, the Boot Saver promotes drainage and proper drying. **Dimensions:** 12" x 6" x 3.5" **Colour:** Black

PART NO.	MFG#	DESCRIPTION
7260385	41203	Boot Saver

DRY CASE PERSONAL STORAGE LARGE



Easy open latch with O-ring seal for waterproofing. Great for rugged sports as well as kayaking, boating, canoeing, hiking, camping

Size:
7-1/4" x 4-3/4" x 1-5/8"

Waterproof up to 80ft

PART NO.	MFG#	DESCRIPTION
7224491	11896-1	Dry Case Large

WATERPROOF VHF RADIO BAG



Waterproof bag is made of soft vinyl allows you to operate all functions of your handheld. Protects radios from wet hands and water spray. Fits all handhelds.

PART NO.	MFG#	DESCRIPTION
7276985	71031	Waterproof Bag

PATROL 35 INSULATED ICE CHEST



This high-performance Dometic Patrol 35 Insulated Ice Chest is made using a single piece roto-molded construction and has thick polyurethane walls with environmentally friendly C5 insulation and a full-length hinge pin.

Features:

- Leak proof drain
- Deep-freeze lid seal
- One-hand rubber latch opening
- Weight: 25.8 lbs
- Dimensions: 27.2"L x 16.3"W x 15.31"H

PART NO.	MFG#	DESCRIPTION
7016406	9600028788	Ice Chest, Slate, 35 Qt.

POP-UP COOLER



- Lightweight, convenient cooler pops open for use and collapses flat for storage
- Water resistant interior prevents leaks, spills and condensation
- Insulated access hatch allows you to retrieve food and beverages while minimizing cold loss
- Features a zippered lid, carry handles, and buckle strap to keep flat when not in use and bottle opener also included
- Measures 13" x 10 1/2" tall when expanded and 3" high when collapsed for storage

PART NO.	MFG#	DESCRIPTION
9951-324	51995	Cooler

COOLER MOUNTING KIT



Complete with four corner mounts and two straps. Fastens with #8 screws, is corrosion proof, and has a quick disconnect strap design allowing easy access to cooler. **Cooler not included.**

PART NO.	MFG#	DESCRIPTION
7260841	14137-7	Cooler Mounting Kit

NEW

OSEA WAIST PACK



Durable, water-repellent hip pack made of 210D nylon ripstop fabric, suitable for various outdoor activities like sailing, hiking, and travel. Includes an internal mesh pocket for organization. The waist band has a comfortable webbing strap.

PART NO.	MFG#	DESCRIPTION
9993-080	P203104	Waist Pack, Black

NEW

WATERPROOF DRY BAG



Made from a durable & waterproof 250D reach compliant tarpaulin material, the roll top range is ideal for any watersport. 100% waterproof with welded seams inside.

Available in 5L, 10L and 15L options

PART NO.	MFG#	DESCRIPTION
9993-084	P022356	Waterproof Bag, Yellow, 5L
9993-085	P022357	Waterproof Bag, Yellow, 10L
9993-086	P022358	Waterproof Bag, Yellow, 15L

WATERPROOF BARREL BAG



- All-rounder dry tube, protects and carries your personal essentials when practising watersports or outdoor activities by the seaside
- Waterproof, IP66 rating: thermo-welded seams, roll-down closure with buckle and strap
- Tough abrasion resistant materials: Tarpaulin 500D and Polyester 600
- Capacity: 20 L
- Dimensions: 10-1/4" x 18-7/8" H

PART NO.	MFG#	DESCRIPTION
9990-746	66058	20L Orange/black

NEW

3 PIECE DRY BAG SET



Ultralight waterproof dry sacks. The waterproof E-Vent bottom allows air to escape out of the sack as it is roll compressed but prevents any water from entering. An arched rolling stay helps keep the top open while loading and shapes an easy grab handle when sealed.

PART NO.	MFG#	DESCRIPTION
9993-081	P203105	3 Piece Dry Set, Orange/Green/Blue

NEW

WATERPROOF DRY BAG



Waterproof backpacks made of heavy-duty red 500 D PVC.

- Fold-over closure and straps with buckles.
- Semi-rigid flap for easy collar roll-up.
- Padded shoulder straps.

Ideal for water activities: sailing, canoeing, rafting, fishing, etc.

PART NO.	MFG#	DESCRIPTION
9993-082	71865	Drybag, Red, 47L
9993-083	71864	Drybag, Red, 75L

NEW

OSEA DRY BACKPACK 2.0

PLASTIMO



Made from a very resistant and waterproof 500D polyester canvas. Adjustable roll-up closure with compression straps and ergonomic padded backpack system. Shoulder strap and waist band are both adjustable.

Available in 20L and 40L options

- 100% waterproof with welded seams inside
- Front exterior pocket with waterproof zipper for quick access to gear
- Buckle with whistle on chest strap for added safety
- Front elastic cord for attaching additional gear

PART NO.	MFG#	DESCRIPTION
9993-074	P202498	Backpack, 20L, Black/Solar
9993-075	P202499	Backpack, 20L, Slate/Lime
9993-076	P202500	Backpack, 40L, Black/Solar
9990-892	P202502	Backpack, 40L, Slate/Lime

NEW

OSEA DRY DUFFEL BAG 2.0

PLASTIMO



Made from a very resistant and waterproof 500D polyester canvas. Adjustable roll-up closure with compression straps and ergonomic padded backpack system. Shoulder strap & waist band both adjustable.

Available in 40L and 60L options

- 100% waterproof with welded seams inside
- Front exterior pocket with waterproof zipper for quick access to gear
- Buckle with whistle on chest strap for added safety
- Front elastic cord for attaching additional gear

PART NO.	MFG#	DESCRIPTION
9993-070	P202494	Duffel Bag, 40L, Black/Solar
9993-071	P202495	Duffel Bag, 40L, Slate/Lime
9993-072	P202496	Duffel Bag, 60L, Black/Solar
9990-893	P202497	Duffel 60L 2.0 - Slate/ Lime

NEW

DRYBAGS

JOBE



Waterproof bags keeps your gear clean and dry during watersports and travel wherever you go. Built to withstand the elements and they come with 4 carabiner clips to easily attach to a Jobe SUP board.

- 1 shoulder strap. 1 handle.
- Dimensions 10 L : 20” x 12”
- Dimensions 20 L : 26” x 14”

PART NO.	MFG#	DESCRIPTION
7240610	220025002	DryBag, 10 Ltrs.
7240611	220025003	DryBag, 20 Ltrs.

NEW

WET GEAR BAG

JOBE



The Jobe practical waterproof Wet Gear Bag is designed to transport wet items like swimwear and towels without leaking onto other belongings. It is ideal for water sports or trips to the beach, pool, or spa.

- 2 carabiner clips to hang bag upside to dry.
- Mesh fabric to let water out of the bag.
- PVC bottom. Zipper closure at top. 1 Neoprene comfort handle.

PART NO.	MFG#	DESCRIPTION
7240614	220025001	Wet Gear Bag

NEW

DRYBAGS

JOBE



30 L 50 L

Waterproof bags will keep your gear clean and dry during watersports and travel wherever you go. Built to withstand the elements and they come with 4 carabiner clips to easily attach to a Jobe SUP board.

- 2 closure options 1 at top & 1 at sides.
- Adjustable chest strap.
- Double side coated 420D TPU.
- Easy to carry as backpack.
- Dimensions 30L: 28" x 16"
- Dimensions 50L : 34" x 18"

PART NO.	MFG#	DESCRIPTION
7240612	220025004	DryBag, 30 Ltrs.
7240613	220025005	DryBag, 50 Ltrs.

NEW

DAYPACK

JOBE



Jobe stylish waterproof Daypack is ready for any weather. It is spacious and versatile, ideal for keeping your belongings dry and organized during every day use or outdoor trips

- 1 handle Adjustable chest strap. Adjustable shoulder straps with 3D mesh.
- 2 Water-repellent pockets on the outside.
- 4 Carabiner clips to attach the bag to a SUP board.
- Laptop pocket inside. Single side coated 420D TPU

PART NO.	MFG#	DESCRIPTION
7240615	220025006	DayPack, Grey

NEW

COOLERBAG

JOBE



The Jobe waterproof Coolerbag uses foam insulation with TPU lining to keep food and drinks cool for hours. Great for water activities like boating, paddleboarding, beach days and outdoor activities. Easy to carry as backpack

- 1 Neoprene comfort handle.
- Adjustable chest strap.
- Adjustable shoulder straps with 3D mesh.
- 4 Carabiner clips to attach to a SUP board.
- Double side coated 420D TPU
- Water repellent pocket on the outside
- Dimensions: 20" x 14"

PART NO.	MFG#	DESCRIPTION
7240616	220025007	CoolerBag, Midnight Blue

ULTIMATE GEAR BAG

TEMPRESS



Marine Grade fabric with detachable shoulder strap plus large padded handles for carrying. Holds clothing, towels, shoes, life jackets and everything else you want to take aboard. Great for the car, camper or SUV too!

Dimensions: 20"H x 20"W x 10"D

PART NO.	MFG#	DESCRIPTION
7224540	3122-4	Ultimate Gear Bag

STORAGE NET

PLASTIMO



This simple and easy to instal storage net is ideal for integrating into your boat's cockpit or steering console. The frame is made of ASA with a thermoplastic honeycomb net that is anti-UV treated for longer life.

Dimensions:
Small 8"W x 4-3/4"H x 1-1/2" 208
Large 11"W x 5-1/2"H x 1-1/2"Th

PART NO.	MFG#	DESCRIPTION
9990-810	70656	Storage Net, Small, White
9990-811	70614	Storage Net, Large, White
9990-812	70997	Storage Net, Small, Black
9990-813	70998	Storage Net, Large, Black

GEAR HAMMOCK



Made of 100% white Polyester fibers, it is rot proof, resists oil, water and most chemicals. Flexible and lightweight with loops at each end for easy hanging or carrying. 14" deep, expands to 3 ft. wide, 52" long.

PART NO.	MFG#	DESCRIPTION
7224539	71056	Gear Hammock

GEAR HAMMOCK

SEADOGLINE



- Ventilated, suspended storage
- Perfect hanging for bunk areas, 60"L
- Constructed of mildew and rot resistant nylon
- Use with SS hammock hooks

PART NO.	MFG#	DESCRIPTION
9953-598	671100-1	Nylon

HAMMOCK HOOKS

SEADOGLINE



- 304 stamped SS
- Designed with an extra bend for additional holding power
- Ideal for fender and lashing hook applications
- Installs with two #6 FH fasteners (Not Included)

PART NO.	MFG#	DESCRIPTION
9953-599	671461-1	5⁄8" opening

CRUISIN' CADDY

TEMPRESS



- 12" L x 4-1/2" H x 3-1/2" D
- Suction mounts vertically or on a flat surface; great for small boats with limited cockpit storage

PART NO.	MFG#	DESCRIPTION
9953-230	2131-1	Perfect for small boats

GPS/CELL PHONE CADDY

TEMPRESS



Compact organizer holds most hand-held GPS units, and cell phones. Can be mounted vertically, or on any flat, smooth surface, using the Super Suction cups included, or mount with screws.
Dimensions: 6" x 4.5" x 3.5"

PART NO.	MFG#	DESCRIPTION
7260382	2134-1	GPS/Cell Caddy

COCKPIT ORGANIZER

TEMPRESS



The original instant organizer! Suction mounts on any smooth surface in the cockpit or cabin, and holds fishing gear, binoculars, or personal items. Keeps baits, pliers, and fillet knife safe, and organized. Can be mounted with screws.
Dimensions: 12" x 6" x 4"

PART NO.	MFG#	DESCRIPTION
7260381	2133-1	Cockpit Organizer

KNIFE AND PLIERS HOLDER

TACO MARINE



This Heavy-Duty knife and pliers holder offers safe & convenient storage. It holds a pair of pliers and 2 knives. Offered in white polyethylene and includes stainless steel mounting screws

PART NO.	MFG#	DESCRIPTION
7260379	P01-1000W	Holder, White

TRASH BAGGER

TEMPRESS



The Trash Bagger has an easy to mount resin frame with a hinged cover to keep the contents from spilling out. It quickly mounts on any smooth surface with three super suction cups or screws. It uses typical supermarket bags or kitchen trash bags.
Dimensions:
12-1/4"W x 5-1/2"D x 2-1/2"H

PART NO.	MFG#	DESCRIPTION
7260386	2132-1	Trash Bagger

MESH TRASH BAG

Star brite



Tough PVC and nylon construction made for rugged, outdoor adventures on land and sea. Attaches to smooth surfaces with suction cup or to any surrounding support structures with the tie cords and clips.

- Holds 20 liters
- Locking suction cup for mounting.
- Drawstring top with Litter Guard cinch.
- Collect trash or laundry.
- Portable, Reusable and Washable.
- Durable Mesh sides allow air flow preventing strong musty or foul smells.

PART NO.	MFG#	DESCRIPTION
7260387	52074	Mesh Trash Bag

OSCILLATING FAN



- For de-misting or cooling wheelhouse or cabin
- Draws 1.4 Amp
- 6" dia. blade
- Complete with mounting bracket

PART NO.	MFG#	DESCRIPTION
9932-060	13061-12	12VDC

COATED OSCILLATING FAN



ABS Marine Fan is engineered for harsh marine environments, offering optimal airflow and ventilation on your boat.

- Resists corrosion and wear.

Diameter: 6" (150 mm)

PART NO.	MFG#	DESCRIPTION
7250130	8403083	Coated Oscillating Fan, 12VDC
7250132	8403083-24	Coated Oscillating Fan, 24VDC

"TURBO" FAN



This universal fan can be turned and pivoted in all directions, and locked in position. It provides a very quiet operation, and produces high air capacity with low power consumption. Fan features a side, or upright mounting option, and a two speed switch located in front of the fan guard.

PART NO.	MFG#	DESCRIPTION
9932-084	003361022	2 Speed, 12VDC, White
7250180	003361002	2 Speed, 12VDC, Black
7250181	003361012	2 Speed, 24VDC, Black

ULTIMATE CABIN FAN WITH FINGER SAFE BLADE



- Comes with two mounting options (permanent or removable suction cup)
- 12V motor, draws only 0.59 Amps
- High speed 210 CFM, low speed 144 CFM
- 7" "finger-safe" blade

PART NO.	MFG#	DESCRIPTION
9932-072	747DCWCS	DC socket, white
9932-012	747DCBCS	DC socket, black
9932-014	757DCWBX	Direct wire, white
9932-015	757DCBBX	Direct wire, black

FAN, "SIROCCO II" SERIES





The Sirocco II series cabin fans are made in Canada and feature a unique gimbal design that allows a 360° airflow with a versatile 12/24VDC auto-sensing capability. These fans have 4 timer settings (3/6/9 or 12 hours) and a quieter operation make the Sirocco II series the perfect choice for cruising comfort.

Dimensions: 3.5" x 9.5" x 12" **Weight:** 2.7 lbs.

PART NO.	MFG#	DESCRIPTION
7250153	7010CAWBX	White, 3-Speed, 140 CFM
7250154	7010CABBX	Black, 3-Speed, 140 CFM
7250158	7012CAWBX	**Elite**, White, 4-Speed, 240 CFM
7250159	7012CABBX	**Elite**, Black, 4-Speed, 240 CFM

NEW

"BORA II" SERIES MARINE FAN



The "Bora" series High Efficiency blade design will provide an outstanding output to handle any onboard airflow challenge. It's compact size fits in tight corners where good airflow is needed the most. Most quiet and most powerful marine fan in its class.

- Powerful airflow up to 130 CFM.
- 3-Speed center push button control.
- Manual Stand-Nut to swivel fan side to side.
- Cam lever to adjust vertical position.
- Input : 12 Vdc, 0.15 Amp, 0.18 Amp and 0.27 Amp.

Most quiet and most powerful marine fan in its class.
Dimensions: 6-1/4W" x 9"H x 4"Deep 160 x 227 x 100 mm

PART NO.	MFG#	DESCRIPTION
7250160	7483CABBX	12Vdc, 3 Speed, Black
7250161	7483CAWBX	12Vdc, 3 Speed, White



For the most up to date pricing, please visit maritimemarinesupply.ca/price

PLASTIMO PORTHOLE CLOCKS AND BAROMETERS

- Clocks have quartz mechanism, bevelled glass edge
- Tide Clocks include 3rd hand to show high/low tide time
- Barometers are highly sensitive aneroid units with an entirely metallic chain
- Thermometer/Hygrometer combined in one unit to show temp and humidity

AVAILABLE IN SOLID BRASS OR MATTE CHROME

3" Facia Models



PART NO.	MFG#	COLOUR	DESCRIPTION
9990-280	12765	Brass	Clock
9990-281	12767	Brass	Barometer
9990-441	18683	Brass	Thermo/Hygrometer
9990-288	35886	Matte Chrome	3" clock, porthole
9990-289	35884	Matte Chrome	3" barometer, porthole

4 1/2" Facia Models



PART NO.	MFG#	COLOUR	DESCRIPTION
9990-275	31229	Brass	Clock
9990-276	31230	Brass	Barometer
9990-277	56051	Brass	Tide Clock
9990-444	31231	Brass	Thermo/Hygrometer
9990-285	38206	Matte Chrome	4" clock
9990-286	38207	Matte Chrome	4" barometer
9990-287	38209	Matte Chrome	4" tide clock

6" Facia Models



PART NO.	MFG#	DESCRIPTION
9990-278	12763	Clock
9990-279	12762	Barometer

WEATHERMAN 4-IN-1 CLOCK



- Overall diameter 13-13/16"
- Quartz clock
- barometer
- hygrometer
- thermometer

PART NO.	MFG#	DESCRIPTION
9990-190	12761	Teak base, porthole

SHIP CLOCK & BAROMETER



Clock requires 1 x AA Battery

Solid brass case, mirror polished.
Face: 3" Diameter
Back: 4-1/2" Diameter
Deep: 2"

PART NO.	MFG#	DESCRIPTION
7263100	70014	4-1/2" Dia. Ship Clock
7263200	70045	4-1/2" Dia. Barometer

BRASS SHIP'S CLOCK

7263205 - Clock is housed in a lacquered brass case that is mounted on an 8" oak base plate.

7263210 - Clinometer, thermometer & moisture meter in a lacquered brass case. Mounted on an 11-1/2" wood base plate.



PART NO.	MFG#	DESCRIPTION
7263205	70015	8" Ship's Clock
7263210	70047	11-1/2" Ship's Clock

ENERGIZER MAX ALKALINE BATTERIES



PART NO.	MFG#	DESCRIPTION
9931-550	E91BP4	AA , pkg of 4
9931-551	E92BP4	AAA, pkg of 4
9931-552	E93BP2	C, pkg of 2
9931-553	E95BP2	D, pkg of 2
9931-554	522BP	9V, pkg of 1

NEW

TIDE AND TIME CLOCK

TrinTec NAUTICAL INSTRUMENTS



7263196



7263197

Nautical flagged themed Tide and Time clocks available in Black or White.

- Injection molded high impact polystyrene case.
- Snap in polystyrene lens.
- Red hand indicates tide condition.
- One "AA" battery required

Dimensions: 10" diameter

PART NO.	MFG#	DESCRIPTION
7263196	TT-W-02-NF	White Face
7263197	TT-B-02-NF	Black Face

ATLANTIC SERIES CLOCKS

TrinTec NAUTICAL INSTRUMENTS



7263198 7263199

The Atlantic Series housings are made of high impact black polystyrene and have a scratch-resistant acrylic lens. The black/white hands indicate the time and the red hand indicates the tide condition. One "AA" battery is required, not included.
Dial Diameter: 9"**Weight:** 1 lb.

PART NO.	MFG#	DESCRIPTION
7263198	TT-W-02	Time and Tide, White
7263199	TT-B-02	Time and Tide, Black

COASTLINE SERIES CLOCKS

TrinTec NAUTICAL INSTRUMENTS



7263110 7263113

7263112 7263114

The Coastline Series housings are made of corrosion-resistant ABS and have a scratch-resistant acrylic lens. A hinged front bezel allows easy access. The quartz clock and the time and tide clock each require one "AA" battery, not included.
Dial Diameter: 3.75", **Weight:** 10 oz.
Mounting hardware is included.

PART NO.	MFG#	DESCRIPTION
7263110	CC-W-01	Quartz Clock
7263112	CC-W-02	Time and Tide
7263113	CC-W-03	Thermometer
7263114	CC-W-04	Aneroid Barometer

EURO SERIES CLOCKS

TrinTec NAUTICAL INSTRUMENTS



7263120 7263122 7263123 7263124

The Euro Series housings are made of solid brass with a lacquered finish and have a scratch-resistant acrylic lens. The quartz clock and the time and tide clock each require one "AA" battery, not included.
Dial Diameter: 3.75" **Weight:** 8.5 oz.
Mounting hardware is included.

PART NO.	MFG#	DESCRIPTION
7263120	EUR-01	Quartz Clock
7263122	EUR-02	Time and Tide
7263123	EUR-03	Thermometer
7263124	EUR-04	Aneroid Barometer

SOLARIS THERMOMETER

TrinTec NAUTICAL INSTRUMENTS



The Solaris Series housings are made of solid brass with a lacquered finish and have a glass lens. **Dial Diameter:** 6.375" **Weight:** 8.5 oz.

Mounting hardware is included.

PART NO.	MFG#	DESCRIPTION
7263143	SOL-03	Thermometer

TrinTec NAUTICAL INSTRUMENTS



ALL WEATHER NOTE BOOKS



- 50 sheets per book
- Specially coated note books for record keeping in any kind of weather

PART NO.	MFG#	DESCRIPTION
9954-217	RR-373-MX	8-1⁄2" x 11" journal book
9954-216	RR-146BL	4" x 6" note book
9954-215	RR-135BL	3" x 5" note book

ALL WEATHER COPY PAPER



You can copy or laser print your own all-weather forms, charts, maps, and worksheets on 8-1/2" x 11" Rite in the Rain 8511 copier paper.

Perfect for use in the field, this 20# paper resists water, sweat, grease and mud. Completely recyclable wood-based paper. Not for ink-jet printers. Copy or laser print both sides!

PART NO.	MFG#	DESCRIPTION
9954-219	RR-8511	8 1⁄2" x 11" copier paper, 200 sheets

MEMORY MATE LOG BOOKS



- Soft cover, spiral bound
- All radio pages, for recording radio trafficand watches
- Trip log, radio use, maintenance, guest register

PART NO.	MFG#	DESCRIPTION
9954-220	MM401	Radio Book
9954-221	MM402	Guest Register
9954-222	MM403	Trip Log

BILINGUAL LOG BOOK/ JOURNAL DE BORD



- 51 days, 104 pages overall
- Rigid coated cover
- Dimensions : 200 x 285 mm
- To record information on navigation (with or without GPS), weather, engine and other comments

PART NO.	MFG#	DESCRIPTION
9990-189	58415	7" x 10"

NAUTICAL PLOTTER



- 13" x 4-3/4" (33 x 12 cm)
- Extremely simple to use, with easy to follow legend and fixed silk screened graduations

PART NO.	MFG#	DESCRIPTION
9990-060	29521	Easy to use

CRAS NAVIGATION PLOTTER



- 14 15/16" x 3 15/16" with two scales

PART NO.	MFG#	DESCRIPTION
9990-058	29519	Black graduation
9990-059	29520	Bicolour graduation

PARALLEL RULES AND DIVIDERS



PART NO.	MFG#	DESCRIPTION
9954-206	57	18" calibrated
9954-200	60	Nickel plated brass, interchangeable tips 7"

TRADITIONAL BRITISH DIVIDERS



- Brass with stainless steel points, highly polished with friction adjustment
- Comes with PVC wallet

PART NO.	MFG#	DESCRIPTION
9990-053	10556	Straight, 7"
9990-744	1020022	Straight, 8"
9990-055	10558	Single handed, 7"
9990-056	1020021	Single handed, 8"
9990-057	17118	PVC holder for single handed

CHART HOLDER



- High quality marine plastic, watertight case to keep your charts clean and dry in any weather with molded caps that stay on

PART NO.	MFG#	DESCRIPTION
9954-730	RCM-336	3” Dia. x 40” long

NAVIGATOR Series Compasses

RITCHIE®

For easy reading, this series features a 4-1/2" PowerDamp flat card dial with large numerals, 45° lubber lines and a movable sun shield. For enhanced accuracy, this series also features powerful directive force magnets for fast heading lock-on, scientifically matched sapphire jewel and hardened steel pivot dial movement and a built-in compensator to easily adjust for any deviations. All models also have a high temperature composite construction for extended operating range and an exclusive built-in, 12V green NiteVu lighting for easy night viewing. The binnacle mount also features a black powder coated housing with internal gimbal systems for maximum stability during adverse pitch and roll conditions making this model ideal for both power and sail boats.

FLUSH MOUNT



Black with black dial, flush mount fits 5-1/8" (13.02cm) mounting hole.



White with white dial, flush mount fits 5-1/8" (13.02cm) mounting hole.

PART NO.	MFG#	DESCRIPTION
7262710	FN-201	Black/Black Dial
7262712	FNW-201	White/White Dial

BINNACLE MOUNT



Stainless Steel housing with internal Gimbal Systems for maximum stability.



Powder Coated housing with internal Gimbal Systems for maximum stability.

PART NO.	MFG#	DESCRIPTION
9954-125	DNP-200	Stainless steel/Black Dial
7262720	DNB-200	Powder Coated Black Dial

Accessories & Replacement Parts

PART NO.	MFG#	DESCRIPTION
9954-182	SH-0126-200	24V Step down resistor
9954-113	SH-0176XSP	LED bulb, Green
9954-114	N-203-C	Navigator Cover

SUPER SPORT Series Compasses

RITCHIE®

The SuperSport flush mount compasses come in 2 sizes. The **SS-1002** with a 3-3/4"(94mm) PowerDamp Plus dial in white or black. The **SS-2000** has a 4-1/2" (114mm) PowerDamp Plus dial. Both include a high-visibility blue dial with extra large white numerals, 45° lubber lines and an exclusive built-in green NiteVu illumination in movable sun shields. An internal gimbal system provides maximum stability during adverse pitch and roll conditions. The **Super Sport SS-PR2** is designed primarily for power boats 16' (4.88m) to 35' (10.66m) in length. Includes a 3-3/4" (9.35cm) blue CombiDial with green LED Night Lighting (12VDC). Vertical mounting, internal gimballing allows up to 40° off axis. A protective front cover and internal compensators are included.

FLUSH MOUNT



SS-1002
Mounting requires a 4" hole.



SS-2000
Mounting requires a 4.75" hole.

PART NO.	MFG#	DESCRIPTION
7262760	SS-1002	Flush Mount
7262770	SS-2000	Flush Mount

Accessories & Replacement Parts

PART NO.	MFG#	DESCRIPTION
9954-180	SH-0126-330	24V Step down resistor
9954-116	SH-0195KIT	LED bulb, Green
9954-117	H-741-C	Cover Fits SS-1002
9954-114	N-203-C	Cover Fits SS-2000

DASH MOUNT



SS-PR2
Mounting requires a 4-5/8" hole.

PART NO.	MFG#	DESCRIPTION
7262765	SS-PR2	Dash Mount

Accessories & Replacement Parts

PART NO.	MFG#	DESCRIPTION
9954-113	SH-0176XSP	LED bulb, Green

For the most up to date pricing, please visit maritimemarinesupply.ca/price

HELMSMAN Series Compasses

RITCHIE®

For easy reading, this series features a 3-3/4" Dial with 45° lubber lines and a movable sun shield. For enhanced accuracy, this series features powerful directive force magnets for fast heading Lock-on, scientifically matched sapphire jewel and hardened steel pivot dial movement and a built-in compensator to easily adjust for any deviations. The flush and deck models have a high temperature composite construction for extended operating range. All models come with an exclusive built-in, 12V green NiteVu lighting for easy night viewing. The bracket mount model is designed for steel boats and also features a special reinforced bracket with quadrantal correctors and full internal gimbals.

FLUSH MOUNT



Available in both black or white. Fits 4" (10.16cm) Mounting Hole.

PART NO.	MFG#	DESCRIPTION
7262700	HF-742	Black/Black Dial
7262702	HF-742W	White/White Dial

BRACKET MOUNT



For Steel Boats.

PART NO.	MFG#	DESCRIPTION
7262730	HB-845	Black/Black Dial

BRACKET MOUNT



- 4" mounting hole
- 3 3/4" 'power-damp' dial, black finish
- Movable sun shield
- 12V green NiteVu light for night illumination
- Full internal gimbals, built in compensators
- Sapphire jewels
- 45° lubber lines
- 100% repairability

PART NO.	MFG#	DESCRIPTION
9954-145	HB-740	Bracket mount

Accessories & Replacement Parts

PART NO.	MFG#	DESCRIPTION
9954-180	SH-0126-330	24V Step down resistor
9954-116	SH-0195KIT	LED bulb, Green
9954-117	H-741-C	Cover
9954-178	SH-0202KIT	Replacement bulb

VOYAGER Series Compasses

RITCHIE®

3" PowerDamp flat card dial (except the surface mount compass which features the CombiDamp dial), 45° lubber lines and a movable sun shield. Powerful Directive Force magnets for fast heading lock-on, scientifically matched sapphire jewel and hardened steel pivot dial movement and built-in compensators to easily adjust for any deviations. All models also have a high temperature composite construction for extended operating range and an exclusive built-in, 12V green NiteVu lighting for easy night viewing.

FLUSH MOUNT



Available in both black or white. Fits 4-1/8" (10.48cm) mounting hole.

PART NO.	MFG#	DESCRIPTION
7262682	F-82W	White/White Dial
7262680	F-82	Black/Black Dial

BRACKET MOUNT



Adjustable and removable, bracket with thumbscrews.

PART NO.	MFG#	DESCRIPTION
7262685	B-80	Black/Black Dial

SURFACE MOUNT



Compact low-profile design.

PART NO.	MFG#	DESCRIPTION
7262692	S-87W	White w/ White Dial
7262690	S-87	Black w/ Black Dial

Accessories & Replacement Parts

PART NO.	MFG#	DESCRIPTION
9954-180	SH-0126-330	24V Step down resistor
9954-116	SH-0195KIT	LED bulb, Green

EXPLORER Series Compasses

2-3/4" easy to read direct reading dial and a movable sun shield (not included with dash mount model). Also features powerful directive force magnets for fast heading Lock-on (except the dash mount model), scientifically matched sapphire jewel and hardened steel pivot dial movement and built-in compensators to easily adjust for any deviations. All models also have a high temperature composite construction for extended operating range and an internal 12V green illumination for easy night viewing.

FLUSH MOUNT



Available in either black or white. Fits 3-3/4" (9.53cm) mounting hole.

PART NO.	MFG#	DESCRIPTION
7262652	F-50W	White/White Dial
7262650	F-50	Black/Black Dial

DASH MOUNT



Available in white or black. Fits 3" Instrument Hole adjustable 45° to match dash angles.

PART NO.	MFG#	DESCRIPTION
7262665	V-57W.2	White/White Dial
9954-123	V-57.2	Black/Black Dial

BRACKET MOUNT

Adjustable and removable, bracket with thumbscrews.



PART NO.	MFG#	DESCRIPTION
7262657	B-51W	White w/ White Dial
7262655	B-51G	Grey w/ Blue Dial
7262654	B-51	Black w/ Black Dial

SURFACE MOUNT



Compact low-profile design; quick push-button removal of compass binnacle for storage and security.

PART NO.	MFG#	DESCRIPTION
7262660	S-53W	White w/ White Dial
7262662	S-53G	Grey w/ Blue Dial
7262663	S-53	Black w/ Black Dial

Accessories & Replacement Parts

PART NO.	MFG#	DESCRIPTION
9954-176	EX-0005-2	Replacement bulb

SPORT Series Compasses

RITCHIE®

This series features an easy to read 2" Direct-reading, high visibility dial. The dash mount model view adjusts up to 30°. Built-in compensators to correct for deviation (except for the X-21WW dash mount model which has strong Directive Force magnets). High temperature composite construction for extended operating range. Scientifically matched Sapphire jewel & hardened steel pivot dial movement. All models come with a built-in, 12V green NiteVu lighting for easy night viewing.



7262600

Bracket Mount (Reversible) Adjusts through 300°. Easy to install on wind-shield or dash. Includes two-sided, mounting pads.

7262602

Bracket Mount (Reversible) Adjusts through 300°. Easy to install on wind-shield or dash. Includes two-sided, mounting pads.

7262610

Dash Mount Fits Standard 2-1/16" (5.50cm) Instrument Hole.

PART NO.	MFG#	DESCRIPTION
7262600	X-10B-M	Bracket Mounted Black
7262602	X-10W-M	Bracket Mounted White
7262610	X-23WW	Dash Mount Black/White Dial

HANDHELD, SPORTABOUT

RITCHIE®



This handheld version is housed in a compact size,yellow,impact resistant, silicon carrying case with a neck lanyard. A QuickSight V-notch and lubber line makes for easy heading alignment. A non-electric Chem Stick provides 18 hours of night lighting.

Optional Holder features no drilling or holes in deck. Flexible pad and foam ring easily conforms to deck shape. Won't scratch finishes. Attaches by bungee cord and clips (incl). Great for Kayaks!



PART NO.	MFG#	DESCRIPTION
7262740	X-11Y	SportAbout Compass
7262742	X-TD	Optional Holder

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

GLOBEMASTER COMPASS

RITCHIE®



- 5" 'power damp' dial
- Lightweight aluminum gimbals, spherical bowls with bronze bellows, high quality pivots and sapphire jewels, plus low level night light
- Built in compensators
- 100% repairability

PART NO.	MFG#	DESCRIPTION
9954-165	FB-500-5N12	Flush mount, black
9954-182	SH-0126-200	24V Step down resistor
9954-178	SH-0202KIT	Replacement bulb
9954-109	LL-C	Globemaster Cover - LL-C

VENTURE Series Compass

RITCHIE®



The Venture SR-2 is designed primarily for sailboats 16' (4.88m) to 36' (10.68m) in length. Features include a 3-3/4" (9.35cm) blue CombiDial with green LED night lighting (12VDC). This compass is vertically mounted, internal gimballing allows up to 45° off axis. Mounting requires a small 4-5/8" (118mm) hole. Protective front and back covers are included as well as an INC-45 Inclinometer to be mounted beneath the compass. An optional SR-CM2 compensator module is also available, sold separately.

INC-45 Clinometer Included

PART NO.	MFG#	DESCRIPTION
7262750	SR-2	Venture Compass

KAYAKER COMPASS

RITCHIE®



- 2-3⁄4" high visibility direct-reading dial
- Low 2" profile height for use on sea kayaks
- CourseMinder movable bezel tracks heading
- Surface mount is easily installed with simple hand tools; twist on/off provides easy removal for security, transport and storage
- No power or wiring required

PART NO.	MFG#	DESCRIPTION
9954-160	XP-99	Kayaker S-59

KAYAKER COMPASS TIE-DOWN

RITCHIE®



- Mount the Kayaker compass easily with included cord and clips; no drilling, no holes
- Flexible pad and foam ring conforms to deck shape, won't scratch your deck's finish

PART NO.	MFG#	DESCRIPTION
9954-161	K-TD.2	Tie-down

X-PORT TACTICIAN

RITCHIE®



- High visibility blue 3" combidial with extra large numerals; tactical quadrants show wind shifts and headers
- CourseMinder movable bezel and heading indicator locks in rhumb or lay lines
- 45° lubber lines; forward lubber line to steer magnetic courses
- Compact 4-1/4" base diameter and low 2-3/4" mounted height
- 25° heel angle Twist on/off for easy removal

PART NO.	MFG#	DESCRIPTION
9954-132	XP-98W	Flush mount

CLINOMETER

PLASTIMO





- Special dampening fluid that precisely controls ball movement within the tube

PART NO.	MFG#	DESCRIPTION
9954-195	70086	45 degree and 6 degree
9990-541	51601	45 degree

ADVANSEA MINI-CONTEST COMPASS

PLASTIMO



- Designed for vessels up to 23'
- Apparent card diameter 3-1/3" (85 mm)
- Mounted vertically or inclined up to 15°

PART NO.	MFG#	DESCRIPTION
9990-468	28976	Mini-Contest

DORIS BOX COMPASS

PLASTIMO



- Apparent card diameter 2-3/4"
- Overall dimensions 6" sq. x 4" H
- Traditional compass for small crafts presented in a varnished wooden box, with transparent plexiglass sliding lid
- Gimballed and accurate up to 60° rolling and 30° pitching

PART NO.	MFG#	DESCRIPTION
9990-049	66485	Compass

MINI-CONTEST COMPASS

PLASTIMO



5 year Warranty



- Designed for vessels up to 30'
- Apparent card diameter 3-1/3" (8.1 cm)
- Mounted vertically or inclined up to 15° 12/24V lighting, LED

PART NO.	MFG#	DESCRIPTION
9990-827	65743	White 3-7/16 dia.

PLASTIMO COMPASSES: MORE OF 50 YEARS ON THE RIGHT COURSE

ONLY THE BEST WILL DO!

- A sapphire equips every compass : its hardness is a warranty for the long life and precision of your compass.
- All Plastimo compasses feature an anti-vibration system, which ensures a minimal contact between the pivot and the sapphire cup ; the latest-born "Vibration absorber" device damps spinning caused by high-speed pounding and vibration.
- A compass is a meticulously engineered instrument : all the "precious" components are produced by Swiss clock-makers, worldwide famous for their legendary precision.
- The soft Viton® diaphragm or the semi-soft ultra-sound welded diaphragm is fully waterproof and has an extreme expansion and retraction capacity: it compensates the fluctuations in fluid volume caused by the differences in temperature and atmospheric pressure.

For ultimate quality, Plastimo selects the best components in order to ensure that your compass is a highly dependable instrument which will provide years of reliable service.

- All plastic components -and more specifically the material used for the dome- are carefully selected to withstand shocks, UV-rays and harsh marine environment.
- The crystal transparency of the dome and the exceptional magnifying index of the fluid contribute to the perfect legibility of the card.Viton® is a registered trade mark of Dupont de Nemours.



INNOVATION STEMS FROM STATE-OF-THE-ART RESEARCH & DEVELOPMENT

For over 45 years, the Plastimo Research and Development department has created and engineered extremely dependable compasses, combining top performance with stylish design. Building on the same development philosophy, our engineers now use the most sophisticated computer assisted design programs.

To be allowed on your boat, a Plastimo compass must pass challenging quality control tests. Needless to say, all Plastimo compasses comply with the regulation... but Plastimo's stringent requirements are even more demanding: at every stage of production, each compass is tracked, checked and thoroughly inspected, so that quality is never a coincidence.

- Accelerated ageing tests, carried out in our laboratories, guarantee that the dome and all other components are totally impervious to UV rays.
- Vibration tests used to simulate the vibrations generated by rough sea and high-speed : the card must remain absolutely stable, whatever the vibration frequency. While the regulation requires tests from 7 to 40 Hz, Plastimo challenges its compasses to tests between 5 and 100 Hz



Our compasses are tested in heated and refrigerated cabinets from +60° to -20° C (+180° to -70 °F). Even in these extreme temperatures, the compass must not leak or develop bubbles.

- Stability tests : when the card is deflected (40° or 90°), it must return to its original position and settle within a predetermined time (called the "half-period").
- Precision and accuracy are tested on each cardinal point. After a 95° deflection, the card must return to its original position, within a 1° maximum allowance.
- Packaging protection : in order to guarantee optimum protection during transport, we regularly drop test our packaged compasses from a 1 metre height to a hard surface.
- Final quality tests : assembled, packaged and ready for shipment, Plastimo compasses are once again inspected with a statistical sampling. Plastimo compasses : the champions' choice. These stringent tests and quality assurance procedures allow Plastimo to offer a 5-year warranty on all its compasses, and to certify an outstanding quality that meets all European and ISO specifications.

OFFSHORE 95 COMPASSES

PLASTIMO





- For power boats 19 to 40'
- Black conical card graduated every 5 degrees
- Apparent diameter 81 mm (3.2")
- Magnetic cell equipped with unique Vibration Absorber system
- Compensator included
- 12/24V lighting, LED

Flush Mount

PART NO.	MFG#	DESCRIPTION
9990-452	65733	Conical card, Black
9990-575	65732	Flat card, Black

Optional Covers

PART NO.	MFG#	DESCRIPTION
9990-454	55402	White
9990-455	55599	Black

OFFSHORE 95 COMPASSES

PLASTIMO





- Rose: conical or flat rose graduated every 5°, Reminder of headings every 30°.
- Resistance to shocks and vibrations: magnetic equipment equipped with the unique "Vibration Absorber" system.
- Faith line: 1 faith line.
- Lighting: 12-24 V LED.
- Supplied with mounting bracket, screws, drilling template.
- Multi-zone balancing: around the world with a single compass.
- Exceptional readability whatever the weather conditions and brightness for comfort of use and optimum reliability.
- Black rose with black housing

PART NO.	MFG#	DESCRIPTION
9990-825	65734	Black Flat Rose with Bracket
9990-826	65735	Black Conical Rose with Bracket

For the most up to date pricing, please visit maritimemarinesupply.ca/price

OFFSHORE 75 COMPASS





VIBRATION ABSORBER

5 year Warranty

ISO 25862



9990-572



9990-573



9990-574



9990-128



- For powerboats of 5 - 8 metres (17 - 26 ft)
- Highly stable conical card, 70 mm (2-3/4") apparent diameter
- Every card is balanced individually in our workshops
- Front reading: graduation every 5° and compact figures allow for easy reading
- 12/24V bulb is integrated in the bowl, thus spreading the illumination evenly and preventing eye strain and fatigue at night
- All parts fully UV-impervious, Scratch resistant dome

PART NO.	MFG#	DESCRIPTION
9990-572	63857	Flush mount
9990-573	63861	Binnacle mount
9990-574	63865	Bracket mount
9990-128	63859	Vertical mount

OFFSHORE 115 COMPASSES





9990-580



9990-582

8-12m

ISO 25862

5 year Warranty

SOLAS



9990-581



9990-583



9990-581

- Flush mounted inclined 45° max



- For power boats 26 to 40 ft.
- Apparent diameter 4"
- Compensation supplied as standard
- Built-in articulated cover
- 12/24V lighting, LED

PART NO.	MFG#	DESCRIPTION
9990-580	60992	Black with flat card
9990-582	60993	White with flat card
9990-581	60991	Black with cone card
9990-583	60990	White with cone card
9990-828	60999	Black, Black Card

Optional Binnacle Mounts

PART NO.	MFG#	DESCRIPTION
9990-584	61000	Black
9990-585	61001	White

Replacement Light – LED

PART NO.	MFG#	DESCRIPTION
9990-586	62037	12/24V





ISO 25862

5 year Warranty

PLASTIMO









OFFSHORE 105 COMPASSES

- For power boats 17 to 30'
- Apparent card diameter 91 mm (3.582")
- Black card graduated every 5 degrees, heading numerals every 30 degrees
- Magnetic cell mounted on shock absorbers
- Compensator included
- 12/24V lighting, LED



PART NO.	MFG#	DESCRIPTION
9990-456	65004	Flat card, black
9990-459	65005	Flat card, white
9990-457	65001	Conical card, black
9990-460	65002	Conical card, white

Optional Mounting Bracket Kits

PART NO.	MFG#	DESCRIPTION
9990-458	17268	Black
9990-461	17267	White

Replacement Hoods

PART NO.	MFG#	DESCRIPTION
9990-474	14451	Black
9990-475	14450	White

OFFSHORE 135 COMPASSES

- For power boats 30' and above
- Apparent card diameter 130 mm (5 1/8")
- Black card graduated every 5 degrees, heading numerals every 30 degrees
- Magnetic cell mounted on shock absorbers
- Compensator included 12/24V lighting, LED



PART NO.	MFG#	DESCRIPTION
9990-462	65350	Flat card, black
9990-465	65524	Flat card, white
9990-463	23484	Conical card, black
9990-466	23493	Conical card, white

Optional Mounting Bracket Kits

PART NO.	MFG#	DESCRIPTION
9990-464	17260	Black
9990-467	17262	White

Replacement Hoods

PART NO.	MFG#	DESCRIPTION
9990-476	14453	Black
9990-477	14452	White

For the most up to date pricing, please visit maritimemarinesupply.ca/price

OFFSHORE 55 COMPASS





- Ideal on small size power boats up to 6 m (20 ft)
- Large stable base bracket absorbs vibrations, simply screwed on dashboard
- 55 mm (2-3/16") conical card contributes to safety and provides reliable reading, whatever the ambient light and weather/navigation conditions
- All parts fully UV-ray treated, Scratch resistant dome
- One-piece moulded flange and bowl, Diaphragm for absolute watertightness

PART NO.	MFG#	DESCRIPTION
9990-571	63854	UV Ray treated

CONTEST 130 COMPASSES



9990-015



9990-017



9990-657







- Apparent card diameter 127 mm (5")
- Perfect card stability and exceptional magnification, remaining legible up to 16' away, day or night
- Compensator included
- 12/24V lighting, LED

Bulkhead Mount

PART NO.	MFG#	DESCRIPTION
9990-015	17291	Black with red card
9990-017	17294	White with red card
9990-657	39669	Black with black card

Inclined Bulkhead Mount

PART NO.	MFG#	DESCRIPTION
9990-016	17292	Black with red card

Replacement Cover



PART NO.	MFG#	DESCRIPTION
9990-018	17296	White

HORIZON 135 COMPASSES



9990-033



9990-034



9990-031



9990-473





- Designed for vessels over 30 ft.
- Apparent card diameter 130 mm (5.1")
- For flush mounting or pedestal mounting
- 12/24V lighting, LED
- Incorporates tunnel rods for compensation
- Comes with sun shield and protective cover



Flush or Pedestal Mount

PART NO.	MFG#	DESCRIPTION
9990-033	65514	Black w/black card
9990-034	65523	Black w/ Red Card

Optional Binnacle Mounts

PART NO.	MFG#	DESCRIPTION
9990-031	10300	ABS binnacle

Replacement Cover

PART NO.	MFG#	DESCRIPTION
9990-473	17280	White

OLYMPIC 135 COMPASSES







- Designed for vessels over 30 ft.
- Apparent card diameter 130 mm (5.1")
- Double lighting illumination, 12/24V LED
- Incorporates tunnel rods for compensation
- Stylish design; articulated hood slides shut



Flush or Pedestal Mount

PART NO.	MFG#	DESCRIPTION
9990-026	65476	Black, black card
9990-027	65533	Black, red card
9990-029	65534	White, black card
9990-030	65535	White, red card

Binnacle Mount

PART NO.	MFG#	DESCRIPTION
9990-024	65529	Black, black card
9990-022	65530	Black, red card
9990-025	65531	White, black card
9990-023	65532	White, red card

Optional Binnacle Mounts

PART NO.	MFG#	DESCRIPTION
9990-021	10301	ABS binnacle

Replacement Cover

PART NO.	MFG#	DESCRIPTION
9990-471	29403	Black
9990-472	29404	White

CONTEST 101 COMPASSES





- Apparent card diameter 100 mm (4")
- Double reading design allows the yachtsman to follow his course from cockpit or cabin
- Mounts on any thickness bulkhead
- 12/24V lighting, LED


9990-011


9990-002


9990-000

Bulkhead Mount

PART NO.	MFG#	DESCRIPTION
9990-012	64421	Black, black card
9990-001	64416	Black, red card
9990-037	64425	Black, tactical card
9990-003	64417	White, red card

Inclined Bulkhead Mount

PART NO.	MFG#	DESCRIPTION
9990-004	64418	Black, red card
9990-005	64419	White, red card

Replacement Parts and Accessories

PART NO.	MFG#	DESCRIPTION
9990-000	17673	Compensation module
9990-002	25332	Replacement cove, Contest 101
9990-300	17302	Replacemente cover, Contest 100 only
9990-011	39201	Mast Mounting kit

MINI-CONTEST COMPASSES

- Designed for vessels up to 30'
- Apparent card diameter 3-1/3" (8.1 cm)
- Mounted vertically or inclined up to 15°
- 12/24V lighting, LED

5 year Warranty





PART NO.	MFG#	DESCRIPTION
9990-020	65742	Black





Replacement Covers

PART NO.	MFG#	DESCRIPTION
9990-455	55599	Black
9990-454	55402	White After 2009
9990-051	17308	White Before 2009

OFFSHORE 55 KAYAK COMPASS

- Bracket-mount: Large stable base absorbs vibrations. Attachment on the kayak lifeline with the shock cords and hooks (included).
- Card: Contributes to safety and provides reliable reading, whatever the ambient light and weather/navigation conditions
- Conical card graduated every 5°, apparent diameter 55 mm
- Moulded-in notch to visualise heading easily
- Materials: All parts fully UV-ray treated. Scratch resistant dome.
- Watertight construction: One-piece moulded flange and bowl. Diaphragm for absolute water tightness.



PART NO.	MFG#	DESCRIPTION
9990-335	63856	Watertight

IRIS 50 HAND BEARING COMPASSES

- Soft and smooth, protective finish will not slip, even when wet
- Outstanding card legibility with one-degree graduations
- A prism projects the bearing reading to infinity, ensuring no parallax error and eliminating the need to alternate close-reading to read the card and infinite-reading to take bearings
- Superb card stability and wide 20° field of view
- Built in, maintenance free photo luminescent lighting operates without batteries or tritium





PART NO.	MFG#	DESCRIPTION
9990-041	63871	Yellow
9990-040	63870	Blue
9990-990	63599	Orange
9990-991	63603	Sand
9990-992	63873	Army Green
9990-993	63601	Pink
9990-048	17244	PVC holder
9990-050	38184	Carrying pouch

IRIS 100 COMPASSES

- Installs on any inclination or position, clipped on a smooth-edge bracket
- A course compass which can also be used to take bearings, it can be easily removed for use around the boat
- Soft protective rubber casing
- Conical card with double reading (direct and horizontal)
- Gimballed magnetic set: the card remains perfectly horizontal, whatever the angle of the compass installation
- 2 mobile lubber lines
- Legendary Plastimo pivot and hard stone guarantee accuracy and durability
- Iris 100 floats
- Weight: 295 g









PART NO.	MFG#	DESCRIPTION
9990-045	63875	Blue with lighting
9990-038	63867	Blue with tactical card
9990-044	63874	Blue
9990-047	63877	Yellow with lighting
9990-046	63876	Yellow
9990-036	22477	Additional bracket

COMPASS LIGHTS

Replacement LED light assembly (12v/24v clear) recommended for Plastimo compasses after 2016 Including Offshore 115 and Olympic 115 models since 2014



PART NO.	MFG#	DESCRIPTION
9990-586	62037	12/24V LED

HOW TO SELECT YOUR BINOCULARS

Magnification

Magnification power is determined by the first number indicated.
Ex.: for the 7 x 50 mm models, the image will appear to be 7 times larger than with the naked eye.
7 x magnification is recommended for marine use.



x 7



x 10

Objective lens diameter

Objective diameter is indicated in mm by the second number. The bigger the number is, the brighter the image will be seen. Particularly useful in low light conditions. 50 mm diameter is the maximum recommended on board.



32 mm



50 mm

Field of view

Indicates the width of a scene that can be viewed from a distance of 1000 m. The greater the magnification, the smaller the field of view.



Lens coating

Fully: for improved brightness and higher contrast.

Multi: Fully-coated + clearer colours and UV-resistance.

Ruby: Multi-coated + ruby-red colouring filtering out red light (ideal for snow and sea).

Prism type

BAK-7: standard borosilicate glass.

BAK-4: barium higher qulaity glass, for brighter and crisper images with 30% more light.

Types of focusing systems

Centre eye focus: manual focusing system with central roller.

Autofocus: remains automatically in focus.

NEW

INTEGRATED COMPASS MONOCULAR

PLASTIMO



Ergonomic monocular with rubber texture for a firm grip. Shock-proof and highly reliable in all weather conditions. Light and compact, this monocular integrates a compass with rangefinder to enable the measurement of the size of an object.

- Immersion-proof for use in all circumstances
- Fitted with roof prisms, BAK-7 type.
- Lens are fully multi-coated for a better transmission of light.

PART NO.	MFG#	DESCRIPTION
9990-823	61380	Monocular w/ Compass, 8 x 42mm

ADMIRAL BINOCULARS

PLASTIMO



- Multilayer coatings for clearer colours and UV-resistance
- Waterproof and Fogproof
- Rubber outer coating promote grip
- Carrying case, neck strap and cleaning cloth incl.
- 7 x 50mm optics , BAK-4 prism

PART NO.	MFG#	DESCRIPTION
9990-794	1045030	Central focus
9990-795	1045025	Auto focus

RESCUE BINOCULARS

PLASTIMO



- Floating and waterproof
- High resolution, eye focusing, optics
- Multilayer coatings for clearer colours and UV-resistanceRubber exterior promotes grip while providing good protection
- Carrying case, strap and cleaning cloth incl.
- BAK-4 prism , Coating: fully

PART NO.	MFG#	DESCRIPTION
9990-797	1045039	7 x 50mm

MARINE BINOCULARS

PLASTIMO

These Alpha RC 7X50 binoculars are ideal for coastal navigation. They offer good brightness, a stable image and easy focusing thanks to its ergonomic focus adjustment wheel.



Specifications

- Magnification x7
- Optical Ø x50mm
- Focusing by central wheel
- Field of view: 400 ft. (123 m)
- BAK-7 prism
- Color: Black
- Height: 7-1/4" (185 mm)
- Weight: 1-3/4 Lbs. (790 g)

PART NO.	MFG#	DESCRIPTION
9990-821	1045000	Binocular, Autofocus, Black

POCKET MARINE BINOCULARS

These Pocket 7x18 marine binoculars are completely waterproof and immersion resistant. They are easily folded to fit in your pocket. A yellow rubber coating and an ergonomic shape provide an excellent grip.



Specifications

- Magnification : x7
- Optical Ø: 18 mm
- Focusing: Eyepiece
- Waterproofing: Immersion
- Field of view: 163m to 1000 meters
- BAK-7 prism
- Height : 3-1/2" (8,5 cm)
- Weight : 1/2 Lbs (160g

PART NO.	MFG#	DESCRIPTION
9990-820	1045061	Binocular, Pocket, Yellow

RESCUE BINOCULARS WITH COMAPASS AND LIGHT



- Magnetic compass with liquid damping
- Built-in reticle for measuring distance or height
- Ring marking to assist with distance calulations
- Multilayer coatings for clearer colours and UV-resistance
- BAK-4 prism

PART NO.	MFG#	DESCRIPTION
9990-796	1045038	7 x 50mm

AUTO FOCUS - 7 X 50 MM



- Multilayer coatings for clearer colours and UV-resistance Auto focus
- Spray-proof
- BAK-7 prism
- Fully coated for improved brightness and higher contrast

PART NO.	MFG#	DESCRIPTION
9990-518	40561	7 x 50mm

BINOCULARS



7x50 ZWCF high quality triple tested prism binoculars. Rubber coating protects it from knocking and corrosion. Protective covers are provided for all lenses.

Comes in carry case with strap.

PART NO.	MFG#	DESCRIPTION
7265150	30745	7X50mm Binoculars

MARINE BINOCULARS - 7 X 50 MM



- Well-balanced, bright and steady for long hours on the water
- Fully Multi-coated optics for superior light transmission and brightness
- 100% waterproof/fogproof
- Non-slip, non-skid rubber armor cushions bumps and shock, prevents sliding and provides a firm grip when wet

PART NO.	MFG#	DESCRIPTION
9950-108	137501	7 x 50mm

10 X 50MM FOCUS FREE BINOCULARS



- Full-size and full-featured for increased brightness at long distances
- Unique "Focus-Free" feature which is ideal for scanning the horizon
- Non-slip rubber armor absorbs shock while providing a firm grip
- Designed for viewing distant subjects
- Spray-proof

PART NO.	MFG#	DESCRIPTION
9950-102	BS11050	10 x 50mm

MARINE 7 X 50MM W/COMPASS



- Illuminated, analog compass & ranging reticle
- Fully Multi-coated optics for superior light transmission and brightness
- O-ring sealed and nitrogen-purged to keep out moisture, 100% waterproof / fogproof
- Non-slip, non-skid rubber armor cushions bumps and shock, prevents sliding and provides a firm grip when wet

PART NO.	MFG#	DESCRIPTION
9950-101	137500	7 x 50mm



BINOCULAR HOLDER



This PVC binocular holder is a very practical way to store and organize your best Marine binoculars. It is designed for 7x50 binoculars.

Specifications

- White PVC,
- Anti-UV treated
- 8-7/8"W x 9"H x 3-1/5"

PART NO.	MFG#	DESCRIPTION
9990-822	31356	Binocular Case, White

TEAK DRINK/BINOCULAR RACK



- 14-1/4" L x 4" W x 3-1/2" H
- Holds two drinks and one pair of binoculars, or four cans or bottles

PART NO.	MFG#	DESCRIPTION
9951-245	62632	Binocular Rack

DEFOGGER "FAIRVIEW"



Owners can quickly defog their windshield in just minutes using the space saving Fairview defogger.

It is easy to install with either a sure grip suction cup or with a permanent screw down base and a standard lighter plug (with 5' of wire).

The Fairview defogger uses a PTC ceramic heating element, warm to the touch but is never hot.
Dimensions: 7"W x 4"H x 2"D

PART NO.	MFG#	DESCRIPTION
7010095	9303CA-BCS	12V, 8.3A, 100W, 340 BTU

STOR-DRY ELECTRIC HEATER



- Compact 10" Diameter x 4-3/4" H
- Rugged, corrosion resistant aluminum construction
- Low wattage element and an internal fan heat and circulate air, combating dampness, mold, mildew and musty odours
- Draws only 70 Watts at 120VAC

PART NO.	MFG#	DESCRIPTION
9932-076	9406CAABX	120VAC

HEATER "PALI" ENGINE COMPARTMENT



Protect your engine against freeze damage and continue boating into the cooler months with safe, ignition-protected engine compartment heaters. Ideal for heating bilge/engine compartments, Pali bilge-safe heaters utilize energy-efficient, self-regulating PTC heating elements that cannot overheat and meet all requirements for ignition protection.

Also benefit batteries by reducing cold temperatures that can shorten battery life. Internal hermetically sealed thermostat to turn the heater on at 46°F (7°C) and off at 65°F (18°C). Designed to heat engine rooms up to 220 ft³ at 1365 BTUs. Includes a quick-release mounting plate for easy installation and removal.
Power Source: 120VAC/60Hz
Current Draw: Start-up: 9.0A **Running:** 3.4A
Dimensions: 5"H x 9"W x 5"D **Power Cord:** 20'L with grounded plug (quick mount brackets incl'd.)

PART NO.	MFG#	DESCRIPTION
7010090	9510CA-BBX	120V, 400W

HEATER "TRUE NORTH" AC ELECTRIC



This rugged AC electric heater with built-in thermostat keeps the cabin warm on the chilliest of those early and late season nights in the marina. Equipped with 5 settings including sleep mode for quiet, steady heat to high output for maximum heat and circulation.

The anti-freeze setting to eliminate snow and frost build up is a great winter storage solution that ensures that the air temperature remains above freezing. Made of steel and plastic with dual overheat protection.
Power Source: 120VAC/60Hz
Current Draw: 5A-13A
Dimensions: 11"W x 9.5"D x 4.5"H
Warranty: Five years

PART NO.	MFG#	DESCRIPTION
7010092	9206CA-BBX	120VAC, 600/900/1500W



Webasto



Platinum 6K



Platinum 10K



Platinum 12K



Platinum16K

Webasto FCF Platinum Air Conditioning Units - Cool with Reverse Cycle Heat

Introducing the All-New FCF Platinum Series with New Slim Footprint

allowing the Platinum to fit where others may not. This is the latest development in Webasto's line of marine comfort solutions.

The FCF Platinum features improved design with Marine-grade stainless steel frame for durability and longevity and a proprietary compressor unit for a well balanced and a more quiet performance offering a higher BTU/h rating across a variety of ambient scenarios, while still providing unmatched product reliability.



FCF Platinum units have been designed with a long and slim footprint to allow for easy replacement of existing air-conditioning units. All units use refrigerant R410A which is a hydro-fluorocarbon (HFC) which does not contribute to ozone depletion.

AC Specifications:

Product	7003306	7003310	7003317
Capacity	**6000 BTU**	**10000 BTU**	**16000 BTU**
Voltage AC	115 / 60 Hz	115 / 60 Hz	115 / 60 Hz
Run Load	4.8A	8.1A	12.7A
Starting Load	22A / 142 ms.	35A / 122 ms.	57A / 240 ms.
Cooling Cap.	6000 BTU/h	10000 BTU/h	16000 BTU/h
Heating Cap.	6000 BTU/h	10000 BTU/h	16200 BTU/h
Min. Ret. Air	75 in²	100 in²	160 in²
Raw Water Flow	1.6 Gl./min. Rated	2.4 Gl./min. Rated	4.2 Gl./min. Rated
	2.6 Gl./min. Max.	4.0 Gl./min. Max.	6.6 Gl./min. Max.
Refrigerant	R410A	R410A	R410A
Duct Collar	4" (91.5mm) dia.	4" (91.5mm) dia.	5" (119.4mm) dia.
Condenser	3/4" Hose	3/4" Hose	3/4" Hose
Drain Fits	3/4" - 5/8" Hose	3/4" - 5/8" Hose	3/4" - 5/8" Hose
Weight	56 lbs. / 25.5kg	60 lbs. / 27kg	88 lbs. / 40kg
Dimensions	285 x 408 x 295mm	380 x 408 x 310mm	619 x 343 x 330mm
L x W x H	11.2" x 16" x 11.6"	15" x 16" x 12.2"	24.3" x 13.5" x 13.0"
MFG #	5011394A	5011396A	5011400A

GRILLS



7003410
Return Grill w/ filter



7003420
Supply Grill

PART NO.	DESCRIPTION
7003410	Return Air Grill 10" x 10"
7003411	Return Air Grill 14" x 10"
7003412	Return Air Grill 12" x 12"
7003420	Supply Grill 10" x 4"

OVAL HOSE RING



Interface between the insulated flex ducting and the transition box.

PART NO.	DESCRIPTION
7003432	Oval Hose Ring, 5"
7003433	Oval Hose Ring, 4"

ROUND RING FOR TRANSITION BOX



Interface between the insulated flex ducting and the transition box.

PART NO.	DESCRIPTION
7003430	4" Round Ring for Transition Box
7003431	5" Round Ring for Transition Box

"Y" ADAPTER



For dropping off an insulated flex duct to a designated area.

PART NO.	A	B	C
7003450	4"	4"	4"
7003451	5"	4"	4"
7003452	5"	5"	4"
7003453	5"	5"	5"

T-AIR DIVIDER



For splitting the main cold air insulated flex ducting into two independent directions.

PART NO.	A	B	C
7003441	5"	4" Fem	4"
7003443	5"	5" Fem	4"
7003442	5"	5" Fem	5"
7003444	4"	4" Male	4"
7003440	4"	5" Male	4"

TRANSITION BOX



The transition box interfaces between the oval or round hose ring and the supply grill. It serves as an expansion chamber to reduce the air velocity and therefore providing a more comfortable noise level.

PART NO.	DESCRIPTION
7003437	Transition Box, 10" x 4"
7003435	Transition Box, 12" x 4"
7003436	Transition Box, 12" x 5"

CIRCULATION PUMP FOR AIR CONDITIONING SYSTEMS



Field proven reliability. Made from corrosion resistant materials.

Model	WB250	WB350
Flow Rate (L/Min)	15	25
Voltage	115V	115V
Port Size	1/2" male hose barb	3/4" male pipe thread
Dimensions (mm)	198L x 95W x 114H	205L x 95W x 115H

PART NO.	MFG#	FITS UNITS
7003350	WBCL001301	Up to 12000 BTU
7003351	WBCL001302A	12000 BTU and up

NEW

AIR CONDITIONER DUCT HOSE



Thermo-efficient insulated Heating & A/C Duct Hose.

Black CPE Core (bonded to coated wire helix) easily expands over fittings & supports thick blanket of fiberglass insulation. Fiberglass reinforced metalized cover.

Operating temperature: (-29°C to +121°C).
Rated: R-42.

Sold by the foot.

PART NO.	MFG#	DESCRIPTION
9924-400	471-4000	Insulated 4"
9924-401	471-5000	Insulated 5"

MAG DRIVE CENTRIFUGAL PUMP

JABSCO



Designed for applications that require a safe and leak free, continuous duty pump. Great for marine air conditioning circulation, ice makers, hot water circulation, livewell and bait tank installations. Pump head is manufactured in chemical resistant thermo-plastics - entirely non-metallic. UL listed, ignition and thermally protected fan cooled motor.

Dimensions:
8.50"L x 4.25"W x 5.60"H

Specifications	7003357	9921-007	9921-006
Open Flow, GPM	11.35	13.75	21.15
Voltage, AC	110 @ 60HZ	110 @ 60HZ	110 @ 60HZ
Ports, NPT	1/2"	1/2"	3/4"
Head, feet	18	21	18

PART NO.	MFG#	DESCRIPTION
7003357	436977	1/2" NPT ports, 11GPM, 110VAC
9921-007	436979	1/2" NPT ports, 13GPM, 110VAC
9921-006	436981	3/4" BNPT ports, 21GPM, 110VAC

For the most up to date pricing, please visit maritimemarinesupply.ca/price

Marine Air Heaters

Extend Your Boating Season



- Quiet operation
- Fresh-air or recirculated air-intake
- Sealed control electronics and connectors
- Precise electronic temperature control system to maintain a constant cabin temperature through stepless modulation
- Continuous heat output provides the exact temperature desired
- High air flow output due to powerful radial blower
- Very low electrical power and fuel consumption
- Robust composite casing, resistant to high temperature or salt

Webasto Marine Air Top Heaters provide a better solution to boaters who require the ultimate in compartment and cabin heating. Operating up to 20 hours on a single gallon of fuel, these heaters are quiet and a powerful source of heat on any vessel.



Installation example for Air Heater

A. Heater unit
B. Fresh air intake
C. Warm air outlets
D. Safe and clean: the fuel system
E. Combustion air intake
F. Stainless steel exhaust
G. Controls - simple and logical to use

PART NO.	MFG#	DESCRIPTION
7003220	5013921B	12V Airtop STC 2000 Furnace
7003239	5013922C	12V AirTop Evo 40 Furnace
7003238	5013924B	24V AirTop Evo 40 Furnace
7003255	5013925B	12V AirTop Evo 55 Furnace
7003254	5013927B	24V AirTop Evo 55 Furnace

Technical Specifications:

Model	Air Top Evo 55	Air Top Evo 40	Air Top 2000 STC
DIY Kits	5013925B (12V) 5013927B (24V)	5013922C (12V) 5013924B (24V)	5013921B (12V)
Heater Output	5,100 - 17,000 BTU (1.5 - 5.0 kW)	5,100 - 12,000 BTU (1.5 - 3.5 kW)	3,000 - 7,000 BTU (0.9 - 2.0 kW)
Fuel	Diesel	Diesel	Diesel
Fuel Consumption	0.04 - 0.15 g/h (0.17 - 0.60L/h)	0.04 - 0.11 g/h (0.17 - 0.42L/h)	0.03 - 0.06 g/h (0.12 - 0.24L/h)
Air Flow (against 0.5 bar)	117.7 cfm (200m³/h)	77.7 cfm (132m³/h)	55 cfm (93m³/h)
Rated Power Consumption	15 - 95W	15 - 40W	14 - 29W
Net Weight	13 lbs. (5.9kg)	13 lbs. (5.9kg)	5.7 lbs. (2.58kg)
Dimensions (L x W x H)	16.65" x 5.83" x 6.38" (423 x 148 x 163mm)	16.65" x 5.83" x 6.38" (423 x 148 x 163mm)	12.2" x 4.7" x 4.7" (311 x 120 x 121mm)
Controller	SmarTemp Controller 3.0 Bluetooth	SmarTemp Controller 3.0 Bluetooth	SmarTemp Controller 3.0 Bluetooth

EVO "M" STYLE CONTROL



Replacement Control Thermostat for older Air Top EVO 40/55 heaters

ECO mode for reduced electrical power consumption

Power mode PLUS for +10% increased heating power output (from 3,500W to 3,900W and from 5,000W to 5,500W)

Ventilation mode to provide fresh and cool air to cabins on a hot day

PART NO.	MFG#	DESCRIPTION
7003208	1322720B	Replacement Evo Heater Control

SMARTEMP CONTROL 2.0



Replacement control thermostat for Air Top heaters 3900/5500 and older EVO 40/55

- 12/24 Vdc

PART NO.	MFG#	DESCRIPTION
7003206	5010624C	Replacement Smartemp Controller 2.0

SMARTEMP 3.0 DIGITAL CONTROL W/BLUETOOTH



Control your heater via a Webasto app (iOS and Android). You can upgrade from a rheostat-style controller or an older version of the SmarTemp controller. The SmarTemp controller has a built-in temperature sensor so you don't need a remote/ room temp sensor. Requires adapter harness.

7003226 Adapter Harness, EVO 40/55

This genuine Webasto wiring adapter harness is used when upgrading an EVO40/55 heater from a standard rheostat control to a Smartemp 3.0 Bluetooth control.

- Voltage: 12 vdc and 24 vdc
- Length: 4 meters



7003227 Adapter Harness, 2.0 to 3.0

This genuine Webasto wiring adapter harness is used when upgrading an AT2000STC or EVO40/55 heater from a SmarTemp 2.0 control to a SmarTemp 3.0 control.

- Voltage 12 vdc and 24 vdc
- Length 6 inches (15 cm)



PART NO.	MFG#	DESCRIPTION
7003225	5013874B	SmarTemp Control, w/Bluetooth
7003226	5013930A	Adapter Harness, EVO 40-55
7003227	5013931A	Adapter Harness, 2.0 to 3.0

"DO-IT-YOURSELF" KITS INCLUDE:



Item	Qty	DESCRIPTION
1	1	Heater
2	1	Heater Control Element
3	1	Metering Pump, 12V or 24V, (with mounting)
4	1	Wiring Harness with Fuse Holder, 12/24V
5	1	Wiring Harness (metering pump), 7m length
6	1	Gasket
7	1	Exhaust Hose Clamp
8	1	Exhaust Tube
9	1	Thru Hull
10	1	Fuel Line Coupler
11	1	Fuel Hose
12	1	Intake Hose
13	1	Standpipe
14	1	Fuel Filter
15	1	Mounting Bracket
16	1	Temperature Sensor, external (option)
	1	Bag (w/ mech. mounting hardware) consisting of:
17	8	Hose Clamp (steel)
18	2	Pipe Clip
19	1	Pipe Clip
20	1	Hose Clamp (chrome steel)
21	17	Cable Tie
22	1	Angle Bracket
23		Various Washers, nuts, screws

* Copper fuel line (25' only), Part #500691A.

WEBASTO REPLACEMENT PARTS

PART NO.	MFG#	DESCRIPTION
7003195	1303326A	Isolator Set
7003198	1322440A	Fuel Pump Kit, Old Style, 12VDC
7003204	1322924A	Burner for AirTop 2000
7003205	1313158A	Overheat Temp Sensor
7003200	5010159A	Gasket Kit for AirTop 2000
7003202	1322415A	Glow Pin for AirTop 2000
7003203	50487171A	Fuel Filter / Airtop
7003210	1322643A	Gasket Kit for 3500/5000 AirTop

"TEE" AIR HEATING ACCESSORIES





PART NO.	MFG#	DESCRIPTION
7003270	1320476A	T 60/60/60mm for 2000 Marine
7003271	1320475A	T 90/60/90mm for 3500/5000 Marine
7003276	1320707A	Y Adapter for 3500/5000 Marine

AIR OUTLET



High temperature threaded grilles with closable louvers for use with Webasto marine hot air heating systems. Available in black or white and 60 mm or 90 mm

PART NO.	MFG#	DESCRIPTION
7003280	9012300A (old 1320206A)	Air Outlet 60mm Black
7003281	1320207A	Air Outlet 60mm White
7003290	1320355A	Air Outlet 90mm Black
7003291	1320713A	Air Outlet 90mm White

AIR OUTLET TO EXHAUST TUBING ADAPTER



High temperature threaded grille duct adaptor for air outlets. Available for 60 mm or 90 mm

PART NO.	MFG#	DESCRIPTION
7003282	1320922A	Adapter for 60mm Outlet
7003292	1320468A	Adapter for 90mm Outlet

WALL PIPE ADAPTER



High temperature 60mm duct adapter snaps onto the front of grille. Use with 60mm and 90mm air outlets to make a thru bulkhead adapter.

PART NO.	MFG#	DESCRIPTION
7003283	1320923A	Wall Pipe Adapter 60mm

EXHAUST TUBING S/S



Stainless Steel flexible exhaust pipe 1" by 15ft. for webasto heaters.

PART NO.	MFG#	DESCRIPTION
7003215	5000324A	1" x 15' Exhaust Tubing

EXHAUST HULL SKIN FITTING



A SS solution specifically designed for marine use on boats and yachts. With a 24mm internal diameter, this fitting is suitable for Webasto and Eberspacher heaters, providing a comprehensive solution for 24mm ID exhaust systems.

PART NO.	MFG#	DESCRIPTION
7003217	1320363A	Fitting, 24mm

WEBASTO FLEX PACK HEAT DUCT TUBING



250°F max continuous temperature ducting for use with webasto heaters. Available in 60mm and 90mm.

PART NO.	MFG#	DESCRIPTION
7003260	5000692A	Ducting 60mm x 3m (9.84ft)
7003265	5000753B	Ducting 90mm x 5m (16.4ft)

For the most up to date pricing, please visit maritimemarinesupply.ca/price

MARINE FORCED AIR HEATER KITS

Each kit comes complete with everything required for installation.



AIRTRONIC D2

- 7500 BTU/hr, suitable for vessels up to 26' (8m)
- Kit includes 35 ft. of 3" ducting, loose duct fittings, copper fuel lines, fire resistant fuel adaptors, 10' double wall exhaust, digi-controller with diagnostics

PART NO.	MFG#
9953-610	20.2820.69.0900.0Z

AIRTRONIC D4

- 13,600 BTU/hr, suitable for vessels up to 36' (11m)
- Kit includes: 30' of 3-1/2"ducting, 13' of 3"ducting, air silencer, loose duct fittings, 2 Y-pieces, 2 closables, 1 non-closable, copper fuel lines, fire resistant fuel adaptors, 10' double wall exhaust, digi-controller with diagnostics

PART NO.	MFG#
9953-630	20.2821.13.0900.0Z

Espar



	PART NO.	DESCRIPTION
D2 Replacement Parts		
29	9953-611	Heat exchanger
30	9953-612	Burner
31	9953-613	Burner gasket
14	9953-614	Grommet
33	9953-615	Blower motor
34	9953-616	Blower gasket
35	9953-617	Control unit
36	9953-618	Upper casing
37	9953-619	Lower casing
19	9953-620	Flange seal
20	9953-621	Overheat/flamesensor
21	9953-622	Glow pin with wrench
22	9953-623	Glow pin screen
10	9953-624	Fuel metering pump
11	9953-625	Fuel screen
39	9953-626	Flex exhaust, 1" x 50"
40	9953-627	Rheostat
D4 Replacement Parts		
12	9953-631	Burner
13	9953-632	Burner gasket
14	9953-614	Grommet
15	9953-634	Blower motor
16	9953-635	Control unit
17	9953-636	Upper casing
18	9953-637	Lower casing
19	9953-620	Flange seal
20	9953-621	Overheat/flame sensor
21	9953-622	Glow pin with wrench
22	9953-623	Glow pin screen
25	9953-644	Clamp for fuel metering pump
10	9953-624	Fuel metering pump
11	9953-625	Fuel screen
26	9953-647	Flex exhaust, 1"x 39"
27	9953-627	Rheostat
28	9953-649	Digi-Controller

MARINE FORCED AIR HEATER KITS

Each kit comes complete with everything required for installation.





Espar

AIRTRONIC D6

Fuel: Diesel
Voltage: 12v
Heat flow: 20,472 BTU
Electrical power consumption: 6-90W
Power output: 5kW – 6kW
Weight: 15.4 lb (7kg)

INCLUDED IN THE KIT:

- The Espar Airtronic D6L 12v
- Pro Controller
- Fuel metering pump
- Fuel hose
- Exhaust Silencer / Muffler
- Electrical harnesses
- Stainless exhaust pipe – 35" (900mm)
- Combustion intake pipe 1 meter
- Flexible ducting 3-1/2" (90 mm. O.D) 0.5 meter
- Inlet / Outlet grills
- Air outlet grill 3-1/2" (90 mm. diameter)
- Screws, clips, and plastic straps

PART NO.	MFG#	DESCRIPTION
9953-682	20.2800.10.0049.0A	**Airtronic D6 Kit, 12V**

D6 Replacement parts

	PART NO.	DESCRIPTION
1	**9953-683**	Blower Motor
2	**9953-684**	Overheat/Flame Sensor
3	**9953-685**	Blower Motor Gasket
4	**9953-686**	Glow Plug 12v
5	**9953-687**	Control Unit
6	**9953-688**	Fuel Metering pump
7	**9953-625**	Fuel Screen

OPTIONAL INSTALLATION HOSE AND VENTS

Flexible Air Ducting

PART NO.	MFG#	DESCRIPTION
9953-671	10.2114.37.0000.0Z	90 mm (3 ½"), per metre
9953-672	10.2114.34.0000.0Z	75 mm (3"), per metre
9953-673	10.2114.29.0000.0Z	50 mm (2"), per metre

3 way Y Connectors

PART NO.	MFG#	DESCRIPTION
9953-674	25.1226.89.0044.0Z	75 mm (3")
9953-675	22.1000.01.0021.0Z	90 mm (3 ½")
9953-676	25.1226.89.0046.0Z	75 mm to 50 mm reducer
9953-677	22.1000.01.0012.0Z	90 mm to 75 mm reducer

Vents



PART NO.	MFG#	DESCRIPTION
9953-678	22.1000.01.0076.0Z / 0036.0Z	75 mm (3") louver Kit, Black
9953-679	29.2100.01.3110	50 mm (2") louver
9953-680	22.1000.01.0076.0Z	75 mm (3") Outlet, Black
9953-681	22.1000.01.0036.0Z	75 mm (3") Flange, Black

NEW

HEATER EASY START

Espar



Unit offers on screen temperature display, current and set temperature figures. This unit is suitable for the latest generation of Airtronic and Hydronic heaters.

PART NO.	MFG#	DESCRIPTION
9953-689	22.1000.35.1500.0Z	Easy Start Timer



For the most up to date pricing, please visit maritimemarinesupply.ca/price

BISON MARINE BUNK HEATERS

Ensure consistent warmth on your boat with the Bison Marine Bunk Air Heater Kit.

These powerful forced air heaters are designed to deliver reliable heating even in the harshest marine conditions while also minimizing fuel consumption, making it an eco-friendly and cost-effective solution for boat owners who spend extended time on the water.







PART NO.	7003500	7003501	7003502
MFG#	GC6314	GC6328	GC6338
Model	2200A	4000A	5000A
Output, BTU/Hr	2900-7506	3070-13650	8190-17000
Voltage DC	10.5 - 16	10.5 - 16	10.5 - 16
Current @ 12 Vdc amps	0.6 – 2.8	0.7 – 2.9	1.3 - 8
Diesel Fuel Ltrs/hr	0.1 – 0.28	0.11 – 0.51	0.27 – 0.62
LxWxH, inches	12 x 4-1/2 x 4-3/4	14-1/2 x 5-1/2 x 6	16-3/4 x 6 x 6-1/2
Weight Lbs (kg)	6 (2.7)	10 (4.5)	13 (6)

BISON INSTALATION KITS



These installation kits include all parts required for typical installation of the Bison Marine Bunk Forced Air Heaters.

Kit Includes: Stainless Steel thru-hull, exhaust elbow with drain, muffler, 1m length of air duct, T-Joint, extra outlet, and clamps.

PART NO.	MFG#	DESCRIPTION
7003504	GC6351	Marine Installation Kit, Bison 2200A
7003505	GC6352	Marine Installation Kit, Bison 4000A / 5000A

BISON MAINTANENCE KITS

These comprehensive BISON Maintenance Kits include essential components for regular routine maintenance, addressing normal wear and tear ensuring your heater remains efficient, reliable, and durable.







PART NO.	7003506	7003507	7003508
MFG#	GC6102	GC6121	GC6116
Description	Maintenance Kit, Bison 2200A, 12V	Maintenance Kit, Bison 5000A, 12V	Maintenance Kit, Bison 5000A, 12V

BISON FUEL COMPONENTS





PART NO.	7003509	7003510
MFG#	GC0132	GC0076
Description	Fuel Pump, 12V, 2200A, 4000A, 5000A	Fuel Tank, 10 Ltrs., 2200A, 4000A, 5000A

BISON EXHAUST COMPONENTS





PART NO.	7003513	7003514
MFG#	GC0806	GC5013
Description	Exhaust Elbow w/Drain, 24mm, Non-Slitted, 2200A, 4000A, 5000A	Silicone Heat Resistant Sleeve, 24mm, 1m Long

BISON DUCTING COMPONENTS



7003511
7003512



7003520



7003516



7003515
7003517



7003518
7003519

PART NO.	MFG#	DESCRIPTION
7003511	GC5006	Air Ducting, 60mm, 5m Long, 2200A, 6000AW
7003512	GC5007	Air Ducting, 90mm, 5m Long, 4000A, 5000A
7003520	GC0089	Air Duct Straight Connector, 60mm
7003516	GC0086	T-Joint, 60mm
7003515	GC5010	Air Outlet, , w/Adj. Louvers, 60mm, 2200A, 6000AW
7003517	GC5011	Air Outlet, , w/Adj. Louvers, 90mm, 4000A, 5000A
7003518	GC6311	Air Duct Clamp, 50-70mm, 304SS
7003519	GC6310	Air Duct Clamp, 80-100mmmm, 304SS

WOLF 6000AW 12V DIESEL AIR & WATER HEATER KIT



The Wolf Air and Water Heater excels at providing reliable and efficient heating for both air and water simultaneously. The unit boasts a 10L stainless steel water tank, providing superior durability and resistance to corrosion ensuring long-lasting performance and reliability even in harsh conditions.

The heater comes with a complete basic installation kit with four outlets.

PART NO.	7003503
MFG#	GC6182
Model	6000AW
Output, BTU/Hr	20000
Voltage DC	10.5 - 16
Current @ 12 Vdc	4 Amps (10 max.)
Water Tank Capacity	10 Ltrs
Diesel Fuel Ltrs/hr	0.3 – 0.6
LxWxH, inches	20 x 17-3/4 x 12
Weight	16 kg. without water

Key Features:

- **Dual Heating Functionality:** The Wolf 6000AW excels at providing both air and water heating simultaneously.
- **Durable Construction:** The unit boasts a 10L stainless steel water tank, providing superior durability and resistance to corrosion. This robust construction ensures long-lasting performance and reliability even in harsh conditions.
- **Standard NPT Threads:** All valves on the Wolf 6000AW feature NPT (National Pipe Thread) threads, ensuring compatibility with standard fittings and making installation straightforward and hassle-free.
- **Comprehensive Installation Kit:** The heater comes with a complete kit for basic installation.



Maradyne Heaters are designed with the marine environment in mind.
US Coast Guard approved ignition protected motors as well as RFI suppression means these electric motors will not interfere with other electrical components as well as sensitive electronics. Heater casings are glass filled nylon, providing 100% corrosion resistance. Balanced blower wheels extend motor life and allow for smooth and quiet operation. Maradyne heaters are mounted with 1/4"–20 nut inserts and mounting bolts. The 9" heaters feature a cooling duct built in the unit to direct cool air across the motor allowing the motor to run at a lower temperature thus increasing life expectancy. The 16" heaters feature a Counter Flow Core which produces 15% more BTUs.

HEATER KITS

2 OUTLET STOKER 9" HEATER KIT



Rated at 28,000 BTUs. Kit includes 2 x 3" dome style louvers, 1 pair of heavy duty mounting brackets, complete S/S mounting hardware kit, 3 speed switch and switch plate, 9' wiring harness, 25' of 3" vent hose as well as mounting instructions. Requires 5/8" water hose.

Amp draw: 4.9/6.6/9.6 at 12VDC
Dimensions: 9.5"W x 6.5"H x 9"D

PART NO.	MFG#	DESCRIPTION
7010022	MM-1B000001	12V Heater Kit
7010023	MM-1B000014	24V Heater Kit

3 OUTLET STOKER 16" HEATER KIT



Rated at 40,000 BTUs. Kit includes 3 x 3" dome style louvers, 1 pair of heavy duty mounting brackets, complete S/S mounting hardware kit, 3 speed switch and switch plate, 9' wiring harness, 37' of 3" vent hose as well as mounting instructions. Requires 5/8" water hose.
Amp Draw: 5.5/7.1/11.6 at 12VDC
Dimensions: 15.9"W x 7"H x 9.6"D

PART NO.	MFG#	DESCRIPTION
7010033	MM-1B000005	12V Heater Kit
7010034	MM-1B000017	24V Heater Kit

4 OUTLET STOKER 16" HEATER KIT



Rated at 40,000 BTUs. Kit includes 4 x 3" Dome style louvers, 1 pair of heavy duty mounting brackets, complete S/S mounting hardware kit, 3 speed switch and switch plate, 9' wiring harness, 50' of 3" vent hose as well as mounting instructions. Requires 5/8" water hose.

Amp draw: 5.5/7.1/11.6 at 12VDC
Dimensions: 15.9"W x 7"H x 9.6"D

PART NO.	MFG#	DESCRIPTION
7010042	MM-1B000009	12V Heater Kit
7010043	MM-1B000019	24V Heater Kit

3" DEFROST KIT



- (2) Defrost Chute Grille
- (2) Defrost Chute
- 2.5" Y connector
- 3" step-Up Adapter
- (9') 2.5" Flexible Duct
- (1') 3" Flexible Duct
- (4) #8 x 1/2" SS Screws
- (7) 14" Cable Ties

PART NO.	MFG#	DESCRIPTION
9953-516	MFA128	Kit

3" LOUVER KIT



- I2) 3" Dome Style Louver with Shut off
- (2) Mounting Bracket for 3" Louver
- 3" Y Connector
- (12.5') 3" Flexible Duct
- (4) #6 x 3/8"Slotted SS Screws
- (8) #8 x 1/2" SS Screws
- (7) 14" Cable Ties

PART NO.	MFG#	DESCRIPTION
9953-517	MFA130	Kit

MARADYNE REPLACEMENT PARTS



*** These parts will also fit the HeaterCraft units.**

PART NO.	MFG#	DESCRIPTION
9953-576	TA8000448	3" Y Connector
9953-577	TA7000078	3" Speed Switch Kit
7010013	TA8000462	3" Dome Style Louvered Vent
7010015	TA1160007	12V Motor/Housing 2 Outlet
7010016	TB1160005	24V Motor/Housing 2 Outlet
7010017	BH1301-21-1	12V Motor/Housing 3 or 4 Outlet
7010018	BH1301-13	24V Motor/Housing 3 or 4 Outlet
7010019	TA7000076	4 Position Switch w/ Knob
7010036	TA8000518	Maradyne Repl. Core 2 Outlet
7010037	TA8000437	Maradyne Repl. Core 3 or 4 Outlet
3911302	400-3000	3" ID Vent Hose, 50 Ft.

CABIN UNIT KITS

9" STOKER CABIN UNIT KIT



Rated at 28,000 BTUs. Kit includes complete S/S mounting hardware kit, 3 speed switch and switch plate, 9' wiring harness as well as mounting instructions. Features built in cooling duct to direct cool air across the motor to extend motor life. Requires 5/8" water hose.
Amp draw: 4.9/6.6/9.6 at 12VDC
Dimensions: 9.5"W x 6.5"H x 9"D
Face plate dimensions: 11.37"W x 7.5"H

Features a counter flow core to increase efficiency producing approx. 15% more BTUs.

PART NO.	MFG#	DESCRIPTION
7010055	MM-1B000002	12V 9" Heater Kit
7010057	MM-1B000016	24V 9" Heater Kit

16" STOKER CABIN UNIT KIT



Rated at 40,000 BTUs. Kit includes complete S/S mounting hardware kit, 3 speed switch and switch plate, 9' wiring harness as well as mounting instructions. Requires 5/8" water hose.
Amp draw: 5.5/7.1/11.6 at 12VDC
Dimensions: 15.9"W x 7"H x 9.6"D
Face plate dimensions: 15.9"W x 7"H

PART NO.	MFG#	DESCRIPTION
7010056	MM-1B000013	12V 16" Heater Kit
7010058	MM-1B000020	24V 16" Heater Kit

COMPACT FLUSH MOUNT CABIN HEATERS



- 28,000 BTU heater with wire harness
- Grill Size: 7.45" H x 11.3" W
- Air flow: low 172 cfm, med 228 cfm, high 263 cfm.
- Hose barb: 5/8"
- 1 - 12 or 24 Volt heater unit with wire harness
- 1 - 4 position switch and mounting plate
- 2 - 6' lengths of 14 gauge wire

PART NO.	MFG#	DESCRIPTION
9953-415	500 COM	12V, Black
9953-416	500 COM 24	24V, Black

FLUSH MOUNT CABIN HEATERS



- 40,000 BTU, four outlet heater, with wire harness
- Grill Size: 8.5" H x 17.5" W
- Air flow: low 188 cfm, med 250 cfm, high 366 cfm.
- Hose barb: 5/8"
- 1 - 12 or 24 volt heater unit with wire harness
- 1 - 4 position switch and mounting plate
- 2 - 6' lengths of 14 gauge wire

PART NO.	MFG#	DESCRIPTION
9953-420	400 COM	12V, Black
9953-421	400 COM 24	24V, Black

6 OUTLET - COMMERCIAL HEATER KIT



- 4 - Fixed 2" louvers
- 2 - Fixed 3" louvers
- 24ft of 2" Vent Hose
- 12ft of 3"Vent hose
- 4 Year/48 month warranty

360 Series - (2) 3" and (4) 2"

- 40,000 BTU Heater with wire harness
- 2 - Universal mounting brackets & screws
- 1 - High low switch with indicator assembly

PART NO.	MFG#	DESCRIPTION
9953-407	360 COM	12V
9953-408	360 COM 24V	24V

2 OUTLET - COMMERCIAL HEATER KIT



200 Series - (2) 3"

- 28,000 BTU heater with wire harness
- 2 - Universal mounting brackets & screws
- 1 - High low switch with indicator assembly
- 12' of 3" Vent hose
- 2 - Fixed 3" louvers

PART NO.	MFG#	DESCRIPTION
9953-400	200 COM	12V
9953-401	200 COM 24	24V

4 OUTLET - COMPACT HEATER KIT



240 Series - (4) 2"

28,000 BTU heater with wire harness

- 2 - Universal mounting brackets & screws
- 1 - High low switch with indicator assembly
- 24' of 2" Vent hose
- 4 - Fixed 2" louvers

PART NO.	MFG#	DESCRIPTION
9953-410	240 COM 12V	12V
9953-411	240 COM 24V	24V

4 OUTLET – COMMERCIAL HEATER KIT



340 Series – (4) 3"

40,000 BTU, four outlet heater, wire harness

- 2 - Universal mounting brackets & screws
- One 3-way, high-off-low, rocker switch
- 4 x 3" Louvered vents
- 24' of 3" Vent hose

PART NO.	MFG#	DESCRIPTION
9953-412	340 COM	12V
9953-413	340 COM 24	24V

For the most up to date pricing, please visit maritimemarinesupply.ca/price








	2 & 4 Vent and Compact Flush Mount Heaters		4 & 6 Vent and Flush Mount Heaters	
	Item No.	MFG#	Item No.	MFG#
Fan motor assembly, 12V	**9953-500**	2-1193 12V	**9953-509**	2-1195 12V
Fan motor assembly, 24V	**9953-501**	2-8000	**9953-510**	2-8926 24V
Heater core assembly	**9953-402**	H202	**9953-403**	H301
2" Vent	**9953-430**	7-5614	**9953-430**	7-5614
3" Vent	**9953-504**	H5041B	**9953-504**	H5041B
2" Vent hose (Sold per foot)	**9953-431**	H501-2	**9953-431**	H501-2
3 position switch	**9953-515**	2-6098	**9953-515**	2-6098
4 position switch (old models)	**9953-505**	E112	**9953-505**	E112
Replacement Fan Wheel	**9953-506**	H205	**9953-506**	H205

COMMERICAL SINGLE SPEED DEFOGGER/DEFROSTER KIT



Keeps frost, fog and mist off the inside of windows without the plumbing required to install traditional bus heaters. Simple, convenient bracket mount. Kit includes 6' of 3" diameter blower hose, Euro style vent, tie wraps and mounting screws.

- 1 - 12/24VDC unit
- 1 - H5041b louver
- 1 - 6' H501-3 vent hose
- 1 - 2-6070 switch
- 1 - hardware kit

PART NO.	MFG#	DESCRIPTION
9953-512	1002HC	12VDC Kit
9953-513	1002HC24	24VDC, Electric

HEATER HOSE



- 2 spiral polyester reinforced for engine coolant water
- 50PSI WP, 212°F (100°C)

PART NO.	MFG#	DESCRIPTION
9925-099	130-0580	5/8", per foot

MAGNETIC DRIVEN CENTRIFUGAL PUMP



- 5/8" hose barb connections
- Ideal for heating and cooling systems

PART NO.	MFG#	DESCRIPTION
7010102	10-24488-03	12VDC, 6.9 GPM

DICKINSON RADEX HEATER

Hot water forced air heaters. Use the waste energy from your coolant to provide dry cabin heat. Available in single or double format. The Radex is an efficient, reliable heater that can be mounted on either floor, wall or ceiling applications. These heaters are equipped with a single or double 12V fans. Each fan is controlled by a separate on/off switch. A 2A fuse is suggested for the installation. Hose connections are 3/4".



7010076

7010075

	Dimensions	Volts	Amps	CFM	BTU/h-KW
SINGLE	10.38" x 7" x 5"	12V	0.74A	100	**12000/3.5kW**
DOUBLE	16.88" x 7" x 5"	12V	1.48A	200	**24000/7kW**

PART NO.	MFG#	DESCRIPTION
7010071	00-RAD1	Single Fan Heater
7010072	00-RAD2	Double Fan Heater
7010075	22-001	Side Bracket Kit
7010076	22-002	Flush Bracket Kit Single
7010080	01-041	12V Boxer Replacement Fan

VENTILATION (BLOWER) HOSE



- Corrugated wire reinforced PVC hose for air transfer in bilges or other spaces
- Will not support flame **Sold Per Foot**

PART NO.	MFG#	DESCRIPTION	SOLD
9953-431	H501-2	2" Venthose	Per Ft.

DIESEL CABIN HEATERS

World renowned stainless steel diesel oil heaters from Denmark. Reliable, efficient and safe. Type 316 stainless steel construction.

- Water coil on 61MS can be connected to radiators for heating remote spaces



2000K | 61MS | 60M

Cast iron lid and small window for viewing flame.

Output BTU	Flue in.	Heater Size Dia. x H in.	Model	Item No.
14,350	3-1/2	10-1/4 x 22-1/2	2000K	**9953-002**
Stove 6,250; Water heater 13,500	3-1/2	13 x 29	61MS w/ water coil	**9953-038**
19,750	3-1/2	13 x 25	60M	**9953-039**

REFLEKS HEATER REPLACEMENT PARTS

PART NO.	MFG#	DESCRIPTION
9953-132	2660	Burner pot for 60M
9953-131	2661	Burner pot for 61MS
9953-291	262000	Burner pot, 2000K
9953-134	2860 / 2861	Burner ring for 60M and 61MS
9953-083	28N60	Burner net for 60M

Carburetors & Brackets



May Require :
9953-268 Adapter Bracket
9953-641 Conversion kit
To retrofit for older heaters

PART NO.	MFG#	DESCRIPTION
9953-027	313-14	For 6oM and 61MS
9953-268	39KON	Carb adapter bracket
9953-269	40NI	Overflow pipe
9953-645	313-9	For 2000K

Conversion Kit

PART NO.	MFG#	DESCRIPTION
9953-641	39OM	Adapts new carburetor to old stove

Stove Cleaning Tablets

PART NO.	MFG#	DESCRIPTION
9953-202	36MI	pk of 8, 36 ml

MARINE HOT WATER RADIATORS



- 1/2" IPS fittings
- For use with Refleks heaters equipped with hot water coils; convection style for maximum heat output designed for natural circulation, but if forced circulation is desired, see circulation pumps in the Pumps & Plumbing section

PART NO.	MFG#	DESCRIPTION
9953-111	30500300	15-3/4" L x 11-7/8" H x 2-1/4" D
9953-112	301000300	39-3/8" L x 11-7/8" H x 3-1/4" D

REFLEKS PIPES AND ACCESSORIES – SS



Stove Pipes – Straight
Non Insulated, for inside boat

PART NO.	MFG#	DESCRIPTION
9953-010	21901	3-1/2" x 1 m
9953-011	21905	3-1/2" x 1/2 m

Insulated, for roof to smoke cap

- Heavy gauge stainless will not deteriorate in harshest conditions of heat, water and salt
- Use non insulated pipe inside boat and insulated outside from roof to smoke cap

PART NO.	MFG#	DESCRIPTION
9953-013	2290-1141	3-1/2" x 1 m
9953-014	2290-1145	3-1/2" x 1/2 m

H Smoke Cap

PARTS NO.	MFG#	DESCRIPTION
9953-640	2390H	3-1/2"

Elbows

PARTS NO.	MFG#	DESCRIPTION
9953-012	2190K	90° 3-1/2"
9953-079	2190S	45° 3-1/2"

Deck Flanges

PARTS NO.	MFG#	DESCRIPTION
9953-016	2490	For 3-1/2" pipe

Draft Stabilizers

PARTS NO.	MFG#	DESCRIPTION
9953-017	2090T	For 3-1/2" pipe

Smoke Caps

PARTS NO.	MFG#	DESCRIPTION
9953-009	2390R	For 3-1/2" non insulated pipe
9953-015	23114R	For 3-1/2" insulated pipe

For the most up to date pricing, please visit maritimemarinesupply.ca/price



Dickinson Marine, Quality Marine Products Since 1932.

DICKINSON NATURAL DRAFT DIESEL HEATERS

Unique natural draft heaters that are greatly prized by boaters who enjoy the comfort of dry heat and the ambiance of a warm cosy fireplace. They can be supplied by a gravity feed day tank or by a low pressure pump directly from your boat's main tank.

DICKINSON PROPANE CABIN HEATER



The Newport propane heater is beautifully crafted in stainless steel and is an attractive and functional addition to any boat interior. High temperature, stainless steel burner and components for corrosion resistance and long life. Large ceramic glass flame-viewing window with high radiant efficiency. Safe, direct-vent operation, with airtight combustion chamber means no interior oxygen depletion, variable heat output and excellent thermal efficiency. Low fuel consumption.

Dimensions:
- 8-1/2"W x 5-1/2"D x 14"H

Weight: 15 lbs.
Flue Size: 2-1/2"
Fuel consumption:
- Low: 1 lb–7hrs; 20 lb–140hrs.
- High: 1 lb–5hrs; 20 lb–100hrs.

Heat rating with Fan:
- Low 5,500 BTU
- High 7,500 BTU

Kit Includes:
- Blower Fan to enhance hot air circulation
- Stainless steel wall mounting plate
- Exclusive Dickinson stainless steel, flexible direct vent pipe 2.5" x 28"
- Exclusive Dickinson stainless steel direct vent through deck fitting & flue cap.

PART NO.	MFG#	DESCRIPTION
7002160	00-NEW-P9000	Newport

ALASKA DIESEL HEATER



Small, compact, floor mounted. An attractive economical diesel burning fireplace producing comfortable dry heat. 3" diameter chimney accessories required.

Dimensions: 8-3/4"W x 10"D x 20.5"H
Weight: 20-1/2 lbs.
Flue Size: 3"
Fuel: Diesel #2, #1 or Kerosene

Fuel Consumption:
- Gal per 24 hrs: 1.29 low, 3.20 high,
- L per 24 hrs: 5.86 low, 14.54 high

Assist Fan: 12V Sta (24V or 32V Optional)
Heat Output:
Low - 6,500 BTU High - 16,250 BTU
Burner: 6" S/S "airflow"

PART NO.	MFG#	DESCRIPTION
7002110	00-ALA	Alaska

LOFOTEN DIESEL HEATER



Similar to the Antarctic in performance but with a larger top area and a cast-iron lid providing a top cooking surface. 4" diameter chimney accessories required.

Dimensions: 10-3/4"W x 17"D x 17"H
Weight: 25 lbs.
Flue Size: 4"
Fuel: Diesel #2, #1 or Kerosene
Fuel Consumption:
- Gal per 24 hrs.: 1.29 low, 3.20 high
- L per 24 hrs.: 5.86 low, 14.54 high

Assist Fan: 12V Std (24V or 32V Optional)
Heat Output:
Low - 6,500 BTU
High - 16,250 BTU
Burner: 6" S/S "airflow"

PART NO.	MFG#	DESCRIPTION
7002140	00-LOF	Lofoten

NEWPORT DIESEL HEATER



Mounted low on the bulkhead to provide excellent, dry, comfortable heat convection with a good natural draft and to reduce through deck stack temperatures.

3" diameter chimney accessories required.

Dimensions: 8-1/2"W x 10-1/2"D x 19-3/4"H
Weight: 22 lbs.
Flue Size: 3"
Fuel: Diesel #2, #1 or Kerosene
Fuel Consumption:
- Gal per 24 hrs: 1.29 low 3.20 high , L per 24 hrs: 5.86 low 14.54 high

Assist Fan: 12V Std (24V or 32V Optional)
Heat Output: Low - 6,500 BTU High - 16,250 BTU
Burner: 6" S/S "airflow"

PART NO.	MFG#	DESCRIPTION
7002100	00-NEW	Newport

ANTARCTIC DIESEL HEATER



Size of heater produces greater heat output than the smaller heaters although fuel consumption is the same. Dry comfortable heat and large flame viewing window.

3" diameter chimney accessories required.

Dimensions: 13"W x 25"H x 14"D
Weight: 29 lbs.
Flue Size: 3"
Fuel: Diesel #2, #1 or Kerosene
Fuel Consumption:
- Gal per 24 hrs: 1.29 low, 3.20 high
- L per 24 hrs: 5.86 low, 14.54 high

Assist Fan: 12V Std (24V or 32V Optional)
Heat Output: Low - 6,500 BTU High - 16,250 BTU
Burner: 6" S/S "airflow"

PART NO.	MFG#	DESCRIPTION
7002130	00-ANT	Antarctic

STAINLESS STEEL WALL LINER



- To protect the wall behind a heater or stove
- 304SS, 12" x 24"

PART NO.	MFG#	DESCRIPTION
9953-388	25-000	Wall Liner

dickinson MARINE

Since 1932



Diesel Cookstoves

All cookstoves use diesel #1, #2, or kerosene. An assist 12V fan is standard.

Features include: Sea Rail, variable heat zones on cooking surface, rugged cast iron cooking surface, non-rusting stainless steel construction, fast efficient convection heat (cooks 1/3 faster than direct heat ovens), dry radiant heat.

BERING DIESEL COOKSTOVE



The Bering Cook Stove is our utility model ideal for boats 30'-35' This model has the chimney outlet exiting from the right side of the cast-iron top. The cooking surface and oven size is similar to the Pacific stove.

SPECIFICATIONS

- Requires 5" diameter chimney parts
- Minimum 6' of chimney is required, a straight run with no elbows work best
- Chimneys 6' or longer, we highly recommend a barometric damper
- Permanent fresh air vent needed in area of the unit
- Creates a dry heat to dry out moisture in the vessel.
- In sailboat installations, this unit must face fore or aft, if facing port or starboard is desired, the valve would need to be mounted to the side of the unit so the gravity fed valve won't starve the burner on heels up to 15°
- 12V draft assist fan included (can be converted to 24V and 32V). Used for start up and draft assistance on high fire
- Valve is calibrated for diesel but can be re-calibrated for kerosene or stove oil
- 1 turn hot water coil for 5-10 gal or a 2 turn hot water coil for 15-20 gal can be installed for water heating

Width: 23.25", **Height:** 23.50", **Depth:** 16.25"
Weight: 93 lbs.

24hr Fuel Consumption: *Low:* 1.30 gal, *High:* 3.20 gal
Heat Output: *Low:* 6500 BTU, *High:* 16,250 BTU

PART NO.	DESCRIPTION
7002220	Bering Diesel

BRISTOL DIESEL COOKSTOVE



The Bristol Cook Stove is our smallest model ideal for boats 30'-35'. This stove is designed to fit the standard small boat cut-out and designed primarily to be mounted to face port or starboard.

SPECIFICATIONS

- Requires 4" diameter chimney parts
- Minimum 6' of chimney is required, a straight run with no elbows work best
- Chimneys 6' or longer, we highly recommend a barometric damper
- Permanent fresh air vent needed in area of the unit
- Creates a dry heat to dry out moisture in the vessel.
- In sailboat installations, this unit must face port or starboard, so the gravity fed valve won't starve the burner on heels up to 15°. Having the unit face fore or aft is currently not an option
- 12V draft assist fan included (can be converted to 24V and 32V). Used for start up and draft assistance on high fire
- Valve is calibrated for diesel but can be re-calibrated for kerosene or stove oil
- 1 turn hot water coil for 5-10 gal can be installed for water heating

Width: 21", **Height:** 19.25", **Depth:** 18.25"
Weight: 85 lbs.

24hr Fuel Consumption: *Low:* 1.30 gal, *High:* 3.20 gal
Heat Output: *Low:* 6500 BTU, *High:* 16,250 BTU

PART NO.	DESCRIPTION
7002210	Bristol Diesel

PACIFIC DIESEL COOKSTOVE



The Pacific Cook Stove is the most popular model ideal for boats 30'-40'. Has an attractive appearance that will enhance the interior of any vessel.

SPECIFICATIONS

- Requires 5" diameter chimney parts
- Minimum 6' of chimney is required, a straight run with no elbows work best
- Chimneys 6' or longer, we highly recommend a barometric damper
- Permanent fresh air vent needed in area of the unit
- Creates a dry heat to dry out moisture in the vessel.
- Most popular size, will fit most stove cut outs
- In sailboat installations, this unit must face fore or aft, if facing port or starboard is desired, the valve would need to be mounted to the side of the unit so the gravity fed valve won't starve the burner on heels up to 15°
- 12V draft assist fan included (can be converted to 24V and 32V). Used for start up and draft assistance on high fire
- Valve is calibrated for diesel but can be re-calibrated for kerosene or stove oil
- 1 turn hot water coil for 5-10 gal or a 2 turn hot water coil for 15-20 gal can be installed for water heating

Width: 21.75", **Height:** 23.50" **Depth:** 21.50"
Weight: 126 lbs.

24hr Fuel Consumption: *Low:* 1.30 gal, *High:* 3.20 gal
Heat Output: *Low:* 6500 BTU, *High:* 16,250 BTU

PART NO.	DESCRIPTION
7002230	Pacific Diesel

DICKINSON STOVE REPLACEMENTS PARTS

PART NO.	MFG#	DESCRIPTION
9953-395	08-031	3" Flue collar
9953-394	08-020	4" Flue collar
9953-008	08-000	5" Flue collar
9953-222	08-010	5" Flue collar (old style)
9953-023	07-100	Cook top for Pacific c/w lid
9953-024	07-050	Cook top for Bering c/w lid
9953-115	04-011	7" Burner pot for Atlantic
9953-116	04-040	7" Burner ring set
9953-122	03-011	6" Burner pot for Newport/Alaska
9953-123	03-015	6" Burner pot for Pacific/Adriatic
9953-124	03-013	6" Burner pot for Bristol
9953-092	03-014	6" Burner pot for Bering
7001032	03-060	Superheater for 6" burner
9953-094	03-040	Mica window for Bering
7002327	05-065	Replacement glass Bering
9953-114	07-000	6 3/4" x 10" Stove top lid
9953-118	05-020	Furnace cement 5 lbs.

FAN MOTOR (NEW STYLE)

dickinson MARINE



7002302

These New Style Dickinson Marine Stove and Heater Fan Motors are:

- More powerful.
- Stronger
- Longer lasting.



7002303

These fans require a New Style speed control with a higher resistance to regulate the New Style Fans increased power

PART NO.	MFG#	DESCRIPTION
7002302	01-999H	12 Vdc, All Stoves, Lofoten & Antarctic Heaters
7002303	01-999-NEWALA	12 Vdc, Newport & Alaska Heaters

SPEED CONTROL



- Stainless Steel Housing.
- Higher Resistance Potentiometer.
- ON/OFF Switch

Required to regulate Dickinson. New Style Stove and Heater Fans.

PART	MFG#	DESCRIPTION
7002307	01-998H	12 Vdc, New Style Speed Control, all Heaters

FUEL PUMP



Works with carbureted stoves only. It comes complete with all mounting hardware, fuel filter and fittings for 5/16" hose. It can be mounted horizontal or vertical. (not corrosion resistant, no marine approval.) 2.5-5PSI

PART NO.	MFG#	DESCRIPTION
7002562	SP8016	12V, 2.5 - 5psi

FUEL PUMP

- Pump is factory pressure set for Dickinson stoves/heaters to 3 psi
- For non fuel-injection applications with a pump lift requirement under 6'
- Ideal for diesel oil stoves when a gravity fed system is not possible or preferred



PART NO.	MFG#	DESCRIPTION
9953-022	20-000	12V

FUEL SUPPLY TANKS

FOR HEATERS AND STOVES

S/S gravity fed, fuel supply tank for diesel, stove oil or kerosene fuel. It has an attached 2" mounting bracket for easy vertical or horizontal mounting. It can be vented for inside or outside mounting. It will function without a fuel pump or pressure regulator.

Dimensions:
2.0 Gal – 8.5" x 8.5" x 15.75"; *5.0 Gal* – 10.25" x 10.25" x 18.5"



PART NO.	MFG#	DESCRIPTION
7001002	24-001	2.0 Gal. Tank
7001005	24-002	5.0 Gal. Tank

CARBURETOR ASSEMBLY





7002315

Complete replacement oil metering valve (carburetor) comes with control knob and brass oil line fittings installed. Compatible with all of the Dickinson Heaters and Cookstoves listed bellow.

PART NO.	MFG#	DESCRIPTION
7002310	02-000	Adriatic, Antarctic, Bering, Pacific
7002311	02-001	Atlantic
7002312	02-011	Alaska, Newport
7002313	02-012	Bristol
7002314	02-019	Lofoten
7002315	02-060	Replacement Hi-Fire Adjustment Screw

REPLACEMENT WINDOWS



Replacement windows for Dickinson heaters listed below.

PART NO.	DESCRIPTION
7002325	Mica Window
7002326	Window Glass (Antarctic)
7002327	Window Glass (all Others Stoves)
7002328	Door Glass (Alaska/Newport Diesel)

STOVE ACCESSORIES



PART NO.	MFG#	DESCRIPTION
7001311	16-000	3" x 24" Stainless Steel Pipe
7001312	16-010	3" x 7" S/S C/W Damper Pipe
7001316	16-040	3" x 45° Stainless Steel Elbow
7001317	16-050	3" Deck Fitting C/W Dress Ring
7001411	17-000	Stainless Steel 4" x 24" Pipe
7001412	17-010	4" x 7" Damper Pipe
7001413	17-001	4" x 24" Damper Pipe
7001416	17-040	4" x 45° Stainless Steel Elbow
7001417	17-050	4" Deck Fitting C/W Dress Ring
7001511	18-000	5" x 24" Stainless Steel Pipe
7001512	18-010	5" x 9" S/S C/W Damper Pipe
7001513	18-030	5" x 22" S/S Flue Guard Pipe
7001516	18-040	5" x 45° Stainless Steel Elbow
7001517	18-050	5" Deck Fitting C/W Dress Ring

For the most up to date pricing, please visit maritimemarinesupply.ca/price

"DP" & "H" FLUE CAPS



DP Caps



H Caps

PART NO.	MFG#	DESCRIPTION
7001314	16-080	3" DP Flue Cap
7001414	17-080	4" DP Flue Cap
7001514	18-080	5" DP Flue Cap
7001310	16-090	3"H Flue Cap
7001410	17-090	4"H Flue Cap
7001510	18-090	5"H Flue Cap

FIRE BRICK



Dimensions:
4-1/2"W x 9"L x 1-1/4" Thick

PART NO.	DESCRIPTION
7002320	Fire Brick

Dickinson has been producing reliable, quality marine stoves since 1932

DICKINSON GAS STOVE/OVEN

The Dickinson Marine Caribbean Two Burner and Mediterranean Three Burner propane gas stove/ovens have a heavy duty stainless steel construction with an efficient, powerful 'Triple style' 11,000 and a 7,000 BTU burner, all equipped with safety 'flame-out' protection. Comes with safe push and turn electronic ignition, a thermostatically controlled oven complete with broiler, 1 set of pot holders, 1 sea rail and a removable wooden cutting board. 11" WC regulator and fittings are required and not included.





Caribbean 2-Burner

7016105

Heat Output:
- Left Burner - 11,000 BTU
- Right Burner - 7,000 BTU
- Oven Burner - 7,000 BTU
- Broiler Burner - 4,500 BTU

Dimensions: 20.375"W x 21.750"H x 14.750"D
Weight: 70 lbs.

Mediterranean 3-Burner

7016110

Heat Output:
- Back Burner - 11,000 BTU
- Front Burners - 7,000 BTU each
- Oven Burner - 7,000 BTU
- Broiler Burner - 4,500 BTU

Dimensions: 20.375"W x 21.750"H x 20.250"D
Weight: 80 lbs.



7016106

Gimballed or build-in installation options available. **Note:** The gimbals can be locked into place, and should be if you aren't using the stove, and/or are expecting really rough weather.

PART NO.	MFG#	DESCRIPTION
7016105	00-CAR2B	Caribbean Gas Stove/Oven
7016110	00-MED3B	Mediterranean Gas Stove/Oven
7016106	26-003	Gimbal Mount Kit

MARINE PROPANE TWO BURNER COOKTOP



Designed for small boats or for all applications where space is at a premium. This unit is easily installed with under-counter brackets and even easier to keep clean. The cooktop comes with pot holders, a hardwood cutting board and will fit standard cut outs. Stainless steel construction.

Specifications:

- **Overall dimensions:** 23"W x 14"D x 4-3/4"H
- **Cut out:** 21-1/2"W x 12-1/2"D x 4-1/4"H

Features:

- Non-Rattle high heat porcelain burner
- Safety control valve with thermocouple flame out shut off
- Limited one year warranty

PART NO.	MFG#	DESCRIPTION
7016118	00-2BP	Cooktop

GIMBALLED PROPANE COOK STOVE



- 3 burners: one 5,000 BTU and two 8,000 BTU
- Overall 21 5/8" W x 20" D x 21 3/4" H
- Cutout 22" W x 21" D x 22 1/4" H
- Durable 100% stainless steel construction
- Thermostatically controlled oven has 2 position slide away door to maximize galley space
- Maintains true gimbal balance whether the oven door is open or closed; adjustable gimbal knobs for leveling on installation
- Removable top grill for easy cleaning and maintenance
- Push button electronic ignition system; no standing pilot light
- Includes pot holders and mounting hardware

PART NO.	MFG#	DESCRIPTION
9953-520	63351	Model 63351



PORTABLE PROPANE OUTDOOR COOKERS



- 105,000 BTU
- 12" tripod jet burner with baffle
- Attachable steel heat shield
- Listed LP hose and adjustable regulator with type 1 connection
- Comes with deep fry thermometer, and instruction/ recipe booklet
- CSA design certified

PART NO.	MFG#	DESCRIPTION
9953-261	C90PKBN	Cooker
9953-267	00502	Replacement Regulator
9953-279	34502	Replacement Regulator and S/S Hose

SS DOUBLE JET COOKERS



- 12"H, CSA certified for pots upto 120qts
- 180,000 BTU double burner
- Attachable SS heat sheild
- LPG hose with Type 1 connection

PART NO.	MFG#	DESCRIPTION
9953-260	SS1316N	Stainless Cooker
9953-267	00502	Replacement Regulator
9953-279	34502	Replacement Regulator and S/S Hose

STAINLESS STEEL BOILING POTS



- Includes punched stainless steel basket strainer and lid



PART NO.	MFG#	DESCRIPTION
9953-270	KK44SR	44 quart
9953-271	KK62SR	62 quart
9953-272	KK82SR	82 quart
9953-265	00068	Strainer rack

For the most up to date pricing, please visit maritimemarinesupply.ca/price

ELECTRICDROP-INCOOKTOP



- Cooktop 21" L x 12" W x 3-3/4" D Cutout 20" L x 10-5/8" W x 8" D
- Two high speed, efficient 1000 Watt burners
- Ceramic glass countertop with low profile elegance is easy to clean

PART NO.	MFG#	DESCRIPTION
9953-522	75221	120VAC

SPITFIRE 180 BARBECUE

Each of these exquisitely designed barbecues are made from 20 Gauge brushed stainless steel for the ultimate finish. The Spitfire Grill is loaded with extra features like electric ignition, thermometer, table legs, and a bonus UV resistant black canvas cover. Other accessories are available.



Spitfire 180

- 11,000 BTUs of Wind proof grilling
- Cooking Surface 180 sq. Inches (457cm²)
- Cool touch handles, side and front
- Black canvas cover
- Deck legs
- 24"W x 13"H x 14-3/4"D

PART NO.	MFG#	DESCRIPTION
7016225	00-SPT-180	SPT-180 BBQ

DENATURED STOVE ALCOHOL



- As a fuel, produces a hot, clean, smokeless, and odorless flame, providing a maximum amount of heat
- Excellent for shellac thinner and shellac cleanup
- Superior cleaner for metal parts

PART NO.	MFG#	DESCRIPTION
7016301	STOVEALCOH1L	1 L
7016304	STOVEALCOH4L	4 L

SEA B-QUE PROPANE

Made of 20 gauge 304 stainless steel in an octagonal shape. Features roll away hood with built in thermometer. Non-stick porcelain cooking surface on both large and small models. Removable drip tray with standard deck leg mount. Operates well in windy conditions.



Dimensions:
Small Model:
24-1/4"W x 10"D
x 12-3/8"H
Weight: 18 lbs. 9,000 BTU
w/o Electric Ignition

Dimensions:
Large Model:
28"W x 12-1/4"D x 14-1/2"H
Weight: 30 lbs. 10,000 BTU
Includes Electric Ignition

PART NO.	MFG#	DESCRIPTION
7016155	00-SBQ-S	Small Sea-B-Que
7016165	00-SBQ-L	Large Sea-B-Que

PEDESTAL MOUNT



7016274

The Dickinson pedestal mount is the perfect way for you to mount your Sea-B-Que or Spitfire grill in locations such as a deck or patio, boat, swim platform or pontoon boat.

It features a quick release latch for easy removal and storage of your barbecue.

BBQ not included.

PART NO.	MFG#	DESCRIPTION
7016194	15-150B	Pedestal Mount Kit
7016274	2100115	Quick Release Latch

FISHING ROD HOLDER MOUNT KIT



7260400

A versatile mounting kit for your Sea-B-Que! Crafted from the most durable materials, the Fishing Rod Holder Mount Kit sets into most fishing rod holders and has a universal level joint and a quick release snap latch for quick and easy use.

Even if you don't already have one installed, mounting your BBQ in a rod holder is a great way to save rail space!

PART NO.	MFG#	DESCRIPTION
7016192	15-150F	Fishing Rod Holder Mount Kit
7260400	54071	S/S Rod Holder



PROPANE BARBECUE ACCESSORIES



7016191



7016153



7016151
7016166



7016190



7016187

7016164

PART NO.	DESCRIPTION
7003143	6' T-type Propane Hose
7003152	Gas Regulator, Large/Small
7016151	Stainless Steel Grill Section Small for 7016155
7016152	Burner, Small
7016153	Aussie Griddle Pan SBQS Small
7016154	Small Cover
7016162	Burner, Large
7016164	Large Cover
7016166	Porcelain Grill Section for 7016165
9953-246	Aussie Griddle, Spitfire
7016167	Aussie Griddle Pan SBQl
7016168	Thermometer, Large/Small
7016169	Igniter, Large/Small
7016186	Small Food/Drink Tray
7016187	Large Food/Drink Tray
7016190	Taff Mount Kit for Wood Rail
7016191	Vert/Horiz Rail Mount
9953-063	For round Sea-B-Que
9953-062	Drip Tray for large and small Sea-B-Que
9953-249	For Spitfire



Made of stainless steel (304) and specifically designed for the marine environment and salt water use. The integral fold-away legs enable you to grill on any flat surface. The stainless steel gas grill can be mounted either on a rail, on a pedestal or in a rod holder. The flavour plate distributes the heat evenly, the removable grease tray makes cleaning a breeze and the vented marine grill lid provides great protection even in windy conditions. These BBQs use portable propane canisters and come with a gas regulator. * **Note:** BBQs are set-up for High Pressure Propane. To use low pressure propane, a Low Pressure Conversion kit must be installed.

KUUMA "STOW N GO" BBQS

216 ELITE BBQ



Dimensions: 22"L x 15"D x 13"H
Weight: 14.5 lbs.

Built-in thermometer, piezo igniter, removable Lift-and-Clean liner, grease tray, latching lid and stay cool handle. Designed to use disposable high pressure propane cylinders or larger refillable tanks.

PART NO.	MFG#	DESCRIPTION
7016280	58154	Elite 216 13,000 BTU
7016290	58357	Quick-Release Regulator 216

BBQ COVER



This Kuuma Cover/Tote is made of heavy duty weather resistant polyester to provide long lasting protection for your portable BBQ in every storage environment.

PART NO.	MFG#	DESCRIPTION
7016256	58300	Cover for 125/160
7016286	58303	Cover for 216

FISH & VEGGIE TRAY



This Fish and Veggie Tray is made of stainless steel and fits all Kuuma grills. Carrying Handle included.
Dimensions: 11.6" x 8.4" x 1.6"

PART NO.	MFG#	DESCRIPTION
7016247	58380	Tray





160 STOW N GO BBQ



Dimensions:19"L x 10"D x 9"H
Weight: 16 lbs. No igniter

Kuuma grills are designed for use on boats and built to withstand harsh marine environments, but are also perfect for RVing, tailgating and patio or deck grilling. The Stow N' Go 160 is easy to transport and can be mounted to any Kuuma rail, rod or pedestal mount for use on your boat (sold separately). It is compatible with 1 lb. throwaway propane cylinders. This high quality lightweight 304 stainless-steel barbecue increases flavor while minimizing flare-ups. It has a large cooking area of 160 square inches, and the stainless-steel burner heats up fast, is easy to clean, and resists rust. The integrating folding legs are perfect for tabletop use and the grill is quick and easy to assemble.

PART NO.	MFG#	DESCRIPTION
70162 55	58134	BBQ 160 13,000 BTU
7016289	58356	Quick-Release Regulator 160

BBQ GRILL



Replacement BBQ Grill for Stow and Go 160 BBQ.
Dimensions: 17-5/16" x 9-1/4"

PART NO.	MFG#	DESCRIPTION
7016258	58221	Grill for 160

125 STOW N GO BBQ





Dimensions:15"L x 10"D x 9"H
Weight: 14.5 lbs. No igniter

The Kuuma Stow N' Go 125 Gas Grill is a compact grill that offers quality construction and convenient portability. Its compact size is perfect for when space is at a premium. Stow N' Go grills can be easily transported and can also be mounted to any Kuuma rail, rod, or pedestal mount. The grill has a cooking surface of 125 square inches and a heat output of 9,000 BTU/HR. It is compatible with 1 lb. throwaway propane cylinders. Constructed of 304 stainless-steel.

PART NO.	MFG#	DESCRIPTION
7016250	58146	BBQ 125 9,000 BTU
7016288	58355	Quick-Release Regulator 125

BBQ FOOD TRAYS

Extend your BBQ work area! These BBQ Food Trays are a convenient place to put your utensils, BBQ sauces and food or they can be used as an extra table top on a confined deck.

7016269



7016252



- Stainless steel construction
- Easily snaps to the front of your grill

Large Food Tray measures 17" x 6" inside. **Fits:** Stow N' Go 160 & Elite 316

Small Food Tray measures 12" x 6" inside. **Fits:** Stow N' Go 125 & Elite 216

PART NO.	MFG#	DESCRIPTION
7016252	58233	Large Rack w/ Utensil Hooks
7016269	58231	Small Rack

RAIL MOUNT



7016260



7016270

Rail mounting your Stow & Go requires ONE rail mount and can be used on 7/8" to 1-1/4" round horizontal railings or on a 1-1/4" square railing.

Easy to use Quick Release feature makes the grill easy to mount and remove for quick and easy storage.

PART NO.	MFG#	DESCRIPTION
7016260	58182	Rail Mount
7016270	58195	Quick Release

KNOB, BBQ MOUNT



These replacement barbed knobs are designed to fit all Kuuma propane gas BBQ grill mounts.
Sold in pairs.

PART NO.	MFG#	DESCRIPTION
7016259	58208	Knobs

For the most up to date pricing, please visit maritimemarinesupply.ca/price

KUUMA RV MOUNT



- Mount your Kuuma Grill to your existing RV mounting rail
- Rubber feet help prevent scratches

PART NO.	MFG#	DESCRIPTION
9953-592	58090	Mount

PEDESTAL MOUNT



The Kuuma pedestal mount is the perfect way to mount your Stow & Go or Profile grill in stationary location such as on a dock, deck or patio.

The pedestal mount is 30" tall. Measures approximately 5" x 5" x 32". Base Plate included.

PART NO.	MFG#	DESCRIPTION
7016261	58184	Mount

ROD HOLDER MOUNTS



7016271 7016262

Kuuma's rod holder mount enables you to turn your fishing rod holder into a BBQ grill mount.

The rod holder mount has a 60° angle with an adjustable height. Fits into most rod holders with cross pins.

Full adjustable ball and socket rotates and pivots for use on any rod mount design.

PART NO.	MFG#	DESCRIPTION
7016262	58180	60° Mount
7016271	58196	Full Adjustable

ADAPTER FOR PONTOON BOATS



Provides BBQ rail mounting options for newer model pontoon boats. BBQ Rail Mounts sold separately.

PART NO.	MFG#	DESCRIPTION
7016272	58197	Adapter Pontoon

BURNERS (NEW STYLE)



Replacement burners for BBQ grills with the quick release twist lock regulators.

Small Fits: Stow N' Go 125, Elite 216
X-Large Fits: Elite 316

PART NO.	MFG#	DESCRIPTION
7016275	58215	Small, 16"
7016277	58217	X-Large, 22"

GREASE TRAY



Designed for the Kuuma Stow N' Go propane gas barbecue grill.

PART NO.	MFG#	DESCRIPTION
7016253	58241	125 Kuuma, Before 2009
7016254	58244	125 Kuuma, 2009 - Present
7016266	58242	160 Kuuma, Before 2008,
7016267	58243	160 Kuuma, 2008 - Present

REPLACEMENT REGULATOR



Propane Grill Regulator, standard for all Stow N Go models.

Propane Hose, 6'

PART NO.	MFG#	DESCRIPTION
7016257	58275	Regulator

QUICK RELEASE REGULATORS



Designed for easy removal to help prevent overexposure to harsh environmental conditions and prevent premature failures.**These regulators are not made to travel while attached to the BBQ as the vibration may cause them to uncouple** **(not covered under warranty).**

PART NO.	MFG#	DESCRIPTION
7016288	58355	Kuuma 125 Quick Release
7016289	58356	Kuuma 160 Quick Release
7016290	58357	Kuuma 216 Quick Release

REGULATOR KIT



This 5 piece kit includes a propane regulator, gauge, and necessary fittings to enable you to monitor remaining pressure in the propane tank.

PART NO.	MFG#	DESCRIPTION
7003151	GR-800-KIT-PG1	Regulator Kit

REGULATOR



Propane regulator, compact style with standard POL type fitting for easy connection to cylinder and 3/8" FPT to appliance.

PART NO.	MFG#	DESCRIPTION
7003150	GR-876	Regulator

TANK MNT. LPG REGULATOR W/GAUGE



- Most compact low pressure regulator that meets ABYC marine standard with gauge for required LPG systems
- Solid brass male POL cylinder fitting, street tee & 300 psi gauge
- UL Listed die cast zinc regulator body with 3⁄8" FPT outlet

PART NO.	MFG#	DESCRIPTION
9935-481	1200-1411	Male POL to 3⁄8" FPT

WALL MNT. SINGLE STAGE LPG REGULATOR



- UL Listed, die cast body which is assembled with 300 psi leak test gauge, wall mount brackets and 3/8" FPT outlet
- Wall mount saves crucial space in LPG tank lockers
- 100% leak tested

PART NO.	MFG#	DESCRIPTION
9935-482	1211-1411	24V, 1⁄4" FPT

PRESSURE GAUGE STAINLESS STEEL



304 stainless steel case. Liquid filled pressure gauge 0–300 PSI, 2.5" Dial diameter with 1/4" MPT stem mount.
Operating temperature: -10°C to +60°C.

PART NO.	MFG#	DESCRIPTION
7003145	PG-300SG25	Gauge

WALL MNT. TWIN CYLINDER 2 STAGE REGULATOR



- For use with two cylinders
- UL Listed body is assembled and leak tested with two 300PSI leak test gauges, wall mounting brackets, and 3/8" FPT Outlet
- With both cylinder valves open it automatically changes over to full cylinder when 1st selected cylinder is empty. Indicator dome shows orange until selector switch is pushed fully towards full cylinder. Then empty tank can be disconnected for refill

PART NO.	MFG#	DESCRIPTION
9935-483	1230-1411	3⁄8" FPT outlet

PROPANE GAS REGULATOR W/ HOSE



- Compact low pressure regulator with gauge
- Male POL cylinder fitting
- 300psi gauge

PART NO.	MFG#	DESCRIPTION
9935-615	1211-1402	With hose

RESERVE CYLINDER ADAPTER



- Connects a disposable LPG Cylinder to existing LPG System
- Female POL to 1" 20 fitting
- Brass fitting

PART NO.	MFG#	DESCRIPTION
9935-490	G-487	Female POL

LOW PRESSURE BRASS SOLENOID



- Connects to the Regulator outlet port with a hex nipple (included)
- Connect a Supply Hose to the outlet port of Solenoid with 90 deg. Flare Elbow (included)
- Draws 790 M.A.

PART NO.	MFG#	DESCRIPTION
9935-480	1300-7706.2-KIT	12V, 3/8" FPT 12V
9935-282	1300-7708.2-24V-KIT	1/4" FPT outlet 24V

LPG PIGTAIL HOSE



- Used to connect wallmount regulators to LPG cylinders
- Fully assembled, leak tested and UL Listed
- 1/4" male inverted flare end
- 20" in length

PART NO.	MFG#	DESCRIPTION
9935-484	1014-1415-20	New Type1 connector
9935-485	1014-1401-20	POL Connector

LPG SUPPLY LINE



- 3/8" female swivel flare each end
- Hose is fully assembled and leak tested with solid brass fittings

PART NO.	MFG#	DESCRIPTION
9935-486	1014-3838-24	2' L
9935-487	1014-3838-60	5' L
9935-488	1014-3838-120	10' L
9935-616	1014-3838-180	15' L

PROPANE HOSE ASSEMBLY



UL listed type 1 Propane Hose Assembly with standard propane fitting on one end and 1/4" MPT on the other, for easy attachment to propane cylinder and appliance.

PART NO.	MFG#	DESCRIPTION
7003140	I4C18MP4POL	18" Hose
9923-563	I4C72MP4POL	6 ft Hose
9923-565	I4C48MP4POL	4 ft Hose

SOFT COPPER TUBING



- Heavy walled refrigeration tubing

PART NO.	MFG#	DESCRIPTION
9944-339	DCT-4X25	1/4" OD x 25' coil
9944-335	DCT-6X50R	3/8" OD x 50' coil
9944-336	DCT-8X50R	1/2" OD, 50' coil

PROPANE BRASS BALL VALVE



7551039



7551025
7551038

CGA certified. Tube to tube valve is certified to 5 PSI Pipe thread valves are certified 125 PSI maximum.

PART NO.	MFG#	DESCRIPTION
7551039	BV5042-6	3/8" Tube x 3/8" Tube
7551025	BV2103-B	1/4" NPT x 1/4" NPT
7551038	BV2103-C	3/8" NPT x 3/8" NPT

BRASS FITTINGS FOR TUBING



PART NO.	MFG#	DESCRIPTION
5349004	40-4	1/4" Tube Nut
5349006	40-6	3/8" Tube Nut
53320404	42-4	1/4" x 1/4" Tube Union
53320606	42-6	3/8" x 3/8" Tube Union
53300404	48-4B	1/4" Tube x 1/4" NPT
53300406	48-6B	3/8" Tube to 1/4" NPT
9923-546	48-4C	1/4" tube x 3/8" pipe
9923-547	46-4B	1/4" tube x 1/4" FNPT
9923-548	46-6B	3/8" Tube x 1/4" FNPT
53310404	49-4B	90° Elbow 1/4" Tube to 1/4" NPT
53310606	49-6C	90° Elbow 3/8" Tube to 3/8" NPT
53310406	49-6B	3/8" tube x 1/4" pipe
533304	44-4	1/4" Male Tube Tee
533306	44-6	3/8" Tube Tee
9923-550	36-6B	3/8" Tube tee x 1/4" FNPT

THRU-FITTING FOR LPG LINE



- Slides over and seals around LPG hose assemblies
- Fits bulkhead or decks up to 1/2" thick
- Requires 1.35" hole to install
- Liquid and vapor tight

PART NO.	MFG#	DESCRIPTION
9935-489	1438-8439	LPG line



ALUMINUM LPG CYLINDER – 10 LBS.



- Strong, lightweight and maintenance free brushed aluminum
- Manufactured to D.O.T. specifications
- LPG capacity 10 lbs.
- 16-1/2" H x 10-1/2" OD

PART NO.	MFG#	DESCRIPTION
9935-198	1410-0010	10 Lbs.

COMPOSITE TANKS



- Portable attractive design; the only cylinder engineered with an internal bladder encased in fibreglass – the safest cylinder on the market
- Ergonomic outer casing and translucent composite cylinder with visible gas level



Unique internal bladder

PART NO.	MFG#	DESCRIPTION
9935-194	1420-0011	15-¼" H x 12" diameter, 11 lbs
9935-218	1420-0017	18" H x 12 ½" diameter, 17 lbs

PROPANE LOCKER



- Constructed of a UV protected molded polymer
- Double walled lid for added toughness
- Stainless steel hardware
- 21" H x 15" W x 15.50"

PART NO.	MFG#	DESCRIPTION
9935-613	1601-0000	Propane Locker

PROPANE FUME DETECTORS



- Draws 55mA @ 12VDC
- 2-3/16"round black display with LEDs & Silence/Test button, solenoid version has On/Off
- 20' of cable to connect remote sensor
- Automatically closes solenoid valve in alarm condition

PART NO.	MFG#	DESCRIPTION
9935-493	P-1B-R	Detector Only, 12-24V
7003113	P-1BS-R	Detector w/solenoid, 12V
7003115	FS-T01-R	Repl. Sensor, 20 ft cable

PROPANE FUME DETECTOR KIT



- Kit includes detector with 2x sensors, 2x 20' connector cables & LPG Solenoid
- 9-30 VDC, draws 95mA @ 12VDC
- 2 5/8"square black display with LEDs & Silence/Test button and solenoid On/Off
- Automatically closes solenoid valve in alarm condition
- 68 dBA alarm will sound and red LED will light at 20% of the LEL

PART NO.	MFG#	DESCRIPTION
7003114	P-2BS-R	Kit
7003115	FS-T01-R	Repl. Sensor, 20 ft cable

MARINE GAS CONTROL AND DETECTION SYSTEM



- System turns Gas ON/OFF from inside the galley
- Continuously monitors spaces for presence of LP Gas in up to 3 locations with additional detectors (one included, 35-197A)
- Automatically turns Gas OFF when detected
- Panel has: 3 alarm zone indicators, 95 db alarm, mute/test button
- Includes 10' detector cable

PART NO.	MFG#	DESCRIPTION
9935-196	1300-7761-KIT	12VDC

- Same features and expandable like above, kit does not include solenoid

PART NO.	MFG#	DESCRIPTION
9935-195	1300-7760	Less Solenoid

MARINE LPG GAS CONTROL PANEL KIT



- Incudes panel, 3/8" Solenoid & 2 Connection Fittings
- Turns LP Gas ON/OFF from inside the Galley
- Panel can operate on 24VDC with the use of 24VDC Solenoid (available by special order)

PART NO.	MFG#	DESCRIPTION
9935-185	1300-7705.3-KIT	12VDC

MARINE GAS DETECTOR



Marine UL Listed with red function light. Remains ON and monitoring even when Gas Control Panel is OFF. It sends an alarm signal to the Gas Control Panel when LP Gas is present at 10% Lower Explosion Limit (LEL) or more.

PART NO.	MFG#	DESCRIPTION
9935-197	1300-7720	Detector Only
9935-183	1300-7721-120	10' detector cable
9935-184	1300-7721-240	20' detector cable

For the most up to date pricing, please visit maritimemarinesupply.ca/price

COMPRESSOR REFRIGERATOR SERIES

The Dometic NRX refrigerator series can be used as a refrigerator, a freezer or both at the same time. A powerful high-end compressor gives you a choice of different operating modes with Superior efficiency, utilizing up to 25% less energy compared to comparable models. All models have a convenient full-width handle, opening to a well-equipped interior that includes a removable freezer compartment, multiple shelves, crispers, a bottle holder, and door shelves.

All models feature :
- Ultra-quiet operation regardless of mode setting.
- LED compartment lighting with door-open sensor.
- Simple, easy-to-use control panel in the front.

The Black Category has :
- 3-Pre-Set Climate Modes tailored for any condition or situation: Eco, Performance, and Quiet.

The Stainless Steel Category has:
- 4-Pre-Set Climate Modes tailored for any condition or situation: Eco, Performance, Quiet, and Freeze.
- Stainless steel door (316SS) & stainless steel shelves (304SS) for long-lasting durability.
- 3-in-1: Use as refrigerator & freezer or remove the freezer compartment & use entire unit as a fridge or freezer.















	NRX 35 BK	NRX 50 BK	NRX 60 BK	NRX 80 BK	NRX 115 BK	NRX 130 BK
Category Black	REFRIGERATOR ONLY					
Part No. Black	**7016068**	**7016069**	**7016070**	**7016071**	**7016072**	**7016073**
MFG# Black	9620001840	9620001838	9620001837	9620017088	9620001835	9620017098



	NRX 35 SS	NRX 50 SS	NRX 60 SS	NRX 80 SS	NRX 115 SS	NRX 130 SS
Category S/S	CAN BE SET AS REFRIGERATOR FREEZER, REFRIGERATOR ONLY, FREEZER ONLY					
Part No. S/S	**7016074**	**7016075**	**7016076**	**7016077**	**7016078**	**7016079**
MFG# S/S	9620017101	96200017089	96200017095	9620017096	96200017084	96200017091

SPECIFICATIONS: SStainless Steel

	NRX 35	NRX 50	NRX 60	NRX 80	NRX 115	NRX 130
Capacity, Ltrs / cu ft	32.0	44.0	55.0	75.0	113.0	126.0
Supply, Black	12 / 24 Vdc					
Supply, S/S	12 / 24 Vdc, 100 – 240 VAC					
Height, Black – S/S	20.7 (525mm)	20.7(525mm)	20.7(525mm)	24.6(625mm)	29.3(745mm)	32.0(812mm)
Width, Black – S/S	15.0 (380mm)	15.0(380mm)	17.6(448mm)	18.7(475mm)	20.7(525mm)	20.7(525mm)
Depth, Black – S/S	18.9(480mm)	20.1(510mm)	21.1(537mm)	21.1(537mm)	22.4(568mm)	22.4(568mm)
Weight, Black	29.8(13.5kg)	32.0(14.5kg)	35.3(16kg)	39.7(18kg)	52.9(25kg)	55.1(25kg)
Weight, S/S	37.5(17kg)	40.8(18.5kg)	39.7(18kg)	46.3(21kg)	59.5(27kg)	61.7(28kg)
Lock Mechanism	Black: Top - **S/S:** Top and Bottom					

1.7 CUBIC FT DC FREEZER

DOMETIC



7016041



7016042

2.7 CUBIC FT DC FREEZER

DOMETIC



7016044



7016043

Storage Capacity	1.7 cu. Ft.	2.7 cu. Ft.
Fridge Door Options	Black Trim and Insert Panel - Grey Trim and Stainless Steel Insert Panel	
Refrigerant	R600a eco-friendly refrigerant gas	
Input Power	12 Vdc / 3.6 Amps- 24 Vdc / 1.8 Amps	
Cutout Dimensions	20-1/2" x 15-1/4" x 20-1/2" (52 x 39 x 52 cm)	20-1/2" x 18-1/2" x 21" (52 x 47 x 54 cm)
Flush Mount Depth	20" (51 cm)	23-1/8" (59 cm)
Shipping Weight	45 Lbs. (21 kg.)	53 LBS. (24 kg.)
Net Weight	41 Lbs. (19 kg.)	49 Lbs. (23 kg.)

PART NO.	MFG#	DESCRIPTION
7016041	DC740BB	Black 1.7 cu. ft 12/24Vdc
7016042	DC740SS	Grey 1.7 cu. ft 12/24Vdc

PART NO.	MFG#	DESCRIPTION
7016044	DC751SS	Black 2.7 cu. ft 12/24Vdc
7016043	DC751BB	Grey 2.7 cu. ft 12/24Vdc

NEW

ELECTRIC DRAWER REFRIGERATORS

DOMETIC

These Drawer Refrigerators are energy-efficient using a variable-speed compressor with 3 operating modes (Eco/Performance/Silent) and can be used as a fridge-freezer combination or as a full freezer or fridge. They have a flush-mounted control panel inside the cabinet, with nicely integrated LED light bar. The interior is modular with adjustable partitions and a versatile storage tray.

- Convenient slide-out access to refreshments.
- Premium self-closing door slides.
- Frameless door with Stainless Steel or Dark Grey front panel.





Model	NRXD1050S	NRXD1060S
Size	50 Ltrs (1.77 cu. ft.)	60 Ltrs (2.1 cu. ft.)
Input	100 to 240 VAC 12/24 DC	
Fridge	12°C to 0°C Fridge	
Freezer	-5°C to -15°C Freezer	
Height	20-3/4", 525 mm	
Width	15", 380 mm	20-3/4", 525 mm
Depth	20-1/8", 510 mm	17-3/4", 450 mm
Ship Weight	50 Lbs., 23 Kg.	21-1/4", 540 mm

Model	NRXD0050C	NRXD0060C
Size	50 Ltrs (1.77 cu. ft.)	60 Ltrs (2.1 cu. ft.)
Input	12 Vdc or 24 Vdc	
Fridge	12°C to 0°C Fridge	
Freezer	-5°C to -15°C Freezer	
Height	20-3/4", 525 mm	
Width	15", 380 mm	20-3/4", 525 mm
Depth	20-1/8", 510 mm	17-3/4", 450 mm
Ship Weight	50 Lbs., 23 Kg.	21-1/4", 540 mm

PART NO.	MFG#	DESCRIPTION
7016085	9620017632	Stainless AC/DC 50L 1.77 cu. ft.
7016086	9620017627	Stainless AC/DC 60L 2.1 cu. ft

PART NO.	MFG#	DESCRIPTION
7016087	9620017628	Dark Grey 12/24Vdc 50L 1.77 cu.ft.
7016088	9620017631	Dark Grey 12/24Vdc 60L 2.1 cu. ft.

NOVA KOOL REFRIGERATORS

All Nova Kool Refrigerators Feature:

- Positive latch system
- Storage for tall bottles
- Shelves are a powder coated wire for durability
- Replaceable door panels for a custom finish
- Backed with Nova Kool's easy 2 year warranty program on all components
- Environmentally sound 134a refrigerant
- CPC free urethane foam in cabinet and doors
- Magnetic door gaskets for positive seal
- Stainless fasteners & hinges used throughout
- Maintenance friendly & efficient static condenser
- Low battery disconnection to help prevent full discharge of batteries
- Strongest mounting flanges in the industry
- Quiet & efficient Danfoss compressor

R1900 COMPACT REFRIGERATOR

NOVA KOOL Mfg. Inc.



- 1.9 cu. ft. refrigerator
- 12VDC/110VAC
- Weight 43 lbs.
- Cutout 20-1/2" H x 15-5/8" W x 17-3/4" D

The R1900 is a 1.9 cu. ft. (54 liter) refrigerator with integrated freezer compartment. It comes standard with a black front panel. The interior freezer cabinet is 0.21 cu. ft. (6 liters).





PART NO.	MFG#	DESCRIPTION
9953-110	R1900 AC/DC	12VDC / 110VAC

R2600 COMPACT REFRIGERATOR

NOVA KOOL Mfg. Inc.



- 2.4 cu.ft. refrigerator
- 12VDC/110VAC
- Weight 67 lbs.
- Cutout 20-1/4" H x 18" W x 19-1/2" D

The R2600 is a 2.4 cu. ft. (68 liter) refrigerator with freezer compartment. It comes standard with a black front panel. The freezer compartment is 0.14 cu. ft. (4 liters).





PART NO.	MFG#	DESCRIPTION
9953-107	R2600 AC/DC	12VDC / 110VAC

R3100 COMPACT REFRIGERATOR

NOVA KOOL Mfg. Inc.



- 3 cu. ft.
- 12VDC/110VAC
- 48 lbs
- Cutout: 28-3/8" x 20 -1/4" x 18"

The R3100 is a 3.1 cu. ft. (87 liter) refrigerator with freezer compartment. It comes standard with a black front panel. The freezer compartment is 0.33 cu. ft. (9.3 liters).





PART NO.	MFG#	DESCRIPTION
9953-435	R3100 AC/DC	12VDC / 110VAC

R4500 COMPACT REFRIGERATOR

NOVA KOOL Mfg. Inc.



- 4.3 cu.ft. refrigerator
- 12VDC/110VAC
- Weight 67 lbs.
- Cutout 28-3/8" H x 20-1/4" W x 21" D
- Convertible for left or right opening

The R4500 is a 4.3 cu. ft. (122 liter) refrigerator with built in freezer compartment. It comes standard with a black front panel. The freezer compartment is 0.6 cu. ft. (17 liters).





PART NO.	MFG#	DESCRIPTION
9953-108	R4500 AC/DC	12VDC / 110VAC

REFRIGERATOR WITH BOTTOM FREEZER



- 6.5 cu.ft. refrigerator; 2.6 cu. ft. bottom freezer
- 12VDC/110VAC
- Weight 115 lbs.
- Cutout 52-7/8" H x 23-1/4" W x 23-1/2" D
- Door hinges on right hand side

An efficient single compressor unit with a refrigerator on top and freezer compartment on the bottom. It comes standard with black front panels.





PART NO.	MFG#	DESCRIPTION
9953-109	RFU9000 AC/DC	12VDC / 110VAC

LT201 ICE BOX CONVERSION KIT



- 12VDC compressor
- Weight 30 lbs.
- Condenser unit 9" W x 11" L x 7-1/2" H
- Evapourator plates 16" L x 11-3/8" H
- Plates should be placed no more than 18" apart

Design, build and install your own custom refrigerator or freezer box. Suitable for an all-freezer box, an all-refrigerator box or a spill over all-in-one refrigerator and freezer. Small footprint for easy mounting; three plates for maximum capacity. Thermostatically controlled for a wide range of settings. Quiet, vibration free, safe and reliable 12VDC compressor. Condenser is fan cooled for increased efficiency. Powder coated galvanized base is corrosion resistant and easy to clean. Optional power supply available for 110VAC operation.

PART NO.	MFG#	DESCRIPTION
9953-103	LT201F 3 PLATE SYST	12VDC

UNDER COUNTER REFRIGERATORS



- 6.4 cu.ft. interior volume with 2.1 cu.ft. freezer
- 12VDC/110VAC
- Cutout 28-3/4" H x 37-7/8" W x 19 /4" D

The RFS6500 is a 6.4 cu. ft. (181 liter) refrigerator/freezer unit. It comes standard with black front panels.





PART NO.	MFG#	DESCRIPTION
9953-121	RFS6500 AC/DC	12VDC / 110VAC

UNDER COUNTER REFRIGERATORS



- 7.5 cu. ft. interior volume with 2 cu. ft. freezer
- 12VDC/110VAC
- Cutout 34" H x 28" W x 22" D

The RFS6500 is a 6.4 cu. ft. (181 liter) refrigerator/freezer unit. It comes standard with black front panels.





PART NO.	MFG#	DESCRIPTION
9953-119	RFS7501 AC/DC	12VDC / 110VAC

For the most up to date pricing, please visit maritimemarinesupply.ca/price

COMBO STOP AND TAIL LIGHT



- Complete light kit for small trailers, provides all legal lighting and reflectors for trailers under 8" wide
- Kit includes one each or R/L taillights, two side marker lights, trailer harness, license bracket, and mounting hardware

Meets DOT requirements

PART NO.	MFG#	DESCRIPTION
6517230	M540	Complete Kit
6517231	V440L	Left Replacement Light
6517232	V440	Right Replacement Light

SUBMERSIBLE TRAILER LIGHT KIT



This submersible combination tail light kit provides all the legal lighting and reflectors for trailers under 80" wide. **Kit Includes:** 2x tail lights, 2x side marker lights, 20' trailer harness, 48" trunk connector, licence plate bracket and mounting hardware.

Meets DOT requirements

PART NO.	MFG#	DESCRIPTION
6517233	E546	Complete Kit
6517235	E441	Right Replacement Light
6517234	E441L	Left Replacement Light

SUBMERSIBLE, RECTANGULAR TRAILER LIGHT KIT



Complete light kit for small trailers provides all legal lighting and reflectors for trailers over 80" wide. Kit include 2x tail light, 20' trailer harness, license bracket, mounting hardware, and installation instructions.

Meets DOT requirements

PART NO.	MFG#	DESCRIPTION
6517236	V547	Complete Kit
6517237	V456L	Left Replacement Light
6517238	V456	Right Replacement Light

SUBMERSIBLE, LED REAR TRAILER LIGHT



Submersible Rear Lighting Kit For trailers over 80" wide
Includes 2x of Low Profile LED Tail Lights Plus License Bracket, Mounting Hardware, And Installation Instructions
Limited Lifetime Warranty

Meets DOT requirements

PART NO.	MFG#	DESCRIPTION
6517242	V947	Complete Kit
6517243	856L	Left Replacement Light
6517244	856	Right Replacement Light

SUBMERSIBLE, LED TRAILER LIGHT KIT



Submersible LED rear lighting kit for trailers under 80" wide. Solid state super bright LED diodes, 100,000 hour rated life. Includes 2x LED tail light plus license bracket, mounting hardware and installation instructions

Meets DOT requirements

PART NO.	MFG#	DESCRIPTION
6517239	V941	Complete Kit
6517240	V840L	Left Replacement Light
6517241	V840	Right Replacement Light

Enlightening Your Trailer

What regulations apply to the lighting of a trailer?

In the USA, FMVSS 108, www.nhtsa.dot.gov.
In Canada, CMVSS 108 is used: www.tc.gc.ca.

Basic Trailer Lights Required
Boat Trailer <30' long, <10,000 lbs., >80" wide



1. Tail/Stop/Turn Lamps
Rear Reflex Reflectors
On the rear, as far apart as practicable
2. License Plate Lamp(s)
On the rear, above or beside license plate
3. Rear Side Marker Lamps/Reflectors
Each side at rear as far back as practicable
4ab. Front Side Marker Lamps/Reflectors
Each side at front as far forward as practicable
6. Rear Clearance Lamps
At widest point, near the rear, facing rearward
7. Rear Identification (ID) Lamps
On the rear - centered horizontally
8. Front Clearance Lamps
At widest point, near the front, facing forward



**Because requirements differ, please do not rely solely on this diagram to determine your lighting requirements. Always consult CMVSS 108 to ensure complaince.*

INCANDESCENT SUBMERSIBLE, CLEARANCE/SIDE MARKER LIGHTS

PETERSON VEHICLE SAFETY LIGHTING



These lights function as side marker or clearance lights. The lens is welded to the housing to form a single unit. A mounting stud serves as a ground when mounted to a metallic surface. Includes a single 24" lead wire.
Dimensions: 2-1/8" x 1-1/8"W x 1"

Meets DOT requirements

PART NO.	MFG#	DESCRIPTION
6517249	E151R	Red
6517250	E151A	Amber

INCANDESCENT MARKER/ CLEARANCE LIGHT

PETERSON VEHICLE SAFETY LIGHTING



- Long life Single bulb. , Integral Reflex.
- Surface mounts on 3.25" centers.
- Single lead wire for electrical connection.
- Grounds through mounting hardware.
- 15,000-hour-rated long-life bulb.

Dimensions: 3-3/4"x 2"W x 1"

Meets DOT requirements

PART NO.	MFG#	DESCRIPTION
6517251	V112A	Amber Marker Light

INCANDESCENT CLEARANCE/ SIDE MARKER LIGHT

PETERSON VEHICLE SAFETY LIGHTING



- Snap-off lens and twist-out bulb socket provide easy bulb access from outside vehicle or from behind mounting panel.
- Two-wire electrical connection.
- Mounts on industry standard 3" centers.

Dimensions: 4"L x 2"W x 1"Thick

Meets DOT requirements

PART NO.	MFG#	DESCRIPTION
6517245	V2549R	Incandescent, Red
6517246	V2549A	Incandescent, Amber

LED MARKER/CLEARANCE

PETERSON VEHICLE SAFETY LIGHTING



- 2 diodes, Double Bulls-Eye
- Hardwired power and ground leads
- LED light functions as both clearance and side marker when mounted at a 45° angle.
- Mounts on industry standard 3" centers.

Dimensions: 4"L x 2"W x 1"Thick

LED

Meets DOT requirements

PART NO.	MFG#	DESCRIPTION
6517247	V38R	LED, Red
6517248	V38A	LED, Amber

4-WAY ELECTRICAL HARNESS

CURT



6517982 6517983

4-way flat connector harnesses designed to supply power for tail lights, turn signals and brake lights, as well as a ground connection. durable rubber-molded construction and standard color-coded bonded wires.

- Compatible with all 2-wire vehicle systems

PART NO.	MFG#	DESCRIPTION
6517982	57220	20' Harness and 4-way Plug
6517983	58381	12" Harness, 4-way Plug & Socket

ELECTRICAL ADAPTER HARNESS

CURT



Designed to adapt a 7-way round blade vehicle socket to fit a 5-way flat trailer plug. It is constructed from quality plastic and requires no splicing. Durable molded plastic housing resists corrosion.

- UV-resistant coiled cable extends up to 5' without scraping the ground.
- Simple plug-and-play design eliminates the need for cutting or splicing.
- 5-way flat connects tail lights, brake lights, turn signals and reverse lights.

PART NO.	MFG#	DESCRIPTION
6517980	57281	7-way Round Blade to 5-way Flat

ELECTRICAL ADAPTER WITH BACKUP ALARM

CURT



Designed to adapt a 7-way round blade to a 5-way flat vehicle socket. It comes with its own backup alarm to send out an audible signal when your vehicle is in reverse and a dust cover to protect from dirt, water and road grime

- Integrated backup alarm sounds when vehicle is in reverse.
- Simple plug-and-play design eliminates the need for cutting or splicing.
- 5-way flat connects tail lights, brake lights, turn signalsand reverse lights.
- Dust cover keeps connector clean when not in use.

PART NO.	MFG#	DESCRIPTION
6517981	57725	7-way Round Blade to 5-way Flat

7-5 PIN TRAILER PLUG ADAPTER

SEADOGLINE



- Convert 7-way trailer sockets on vehicles to work with 5-way flat
- Impact-resistant housing for lasting durability

PART NO.	MFG#	DESCRIPTION
9975-099	753864-1	7-5 pin

TRAILER WIRING CABLE 4 CONDUCTOR

ANCOR MARINE GRADE™ PRODUCTS



- 16/4
- White, green, black and yellow conductors

PART NO.	MFG#	DESCRIPTION
9934-177	154030	4-way flat sold per foot

For the most up to date pricing, please visit maritimemarinesupply.ca/price

WHEEL CHOCKS



6894001





6894003



These Wheel Chocks will keep your vehicle and trailer from moving while parked.

The Super Wheel Chock is made of polypropylene with UV inhibitors, it is more aggressive and has a superior ridge design.
Sold as each.

Dimensions:
6894001: 9.3" x 5.4" x 15.2"
6894003: 5.5" x 8.5" x 10.0"

PART NO.	MFG#	DESCRIPTION
6894001	44472	Wheel Chock w/Rope
6894003	44492	Super Wheel Chock

TRAILER WHEEL DOCK





Prevent your trailer tongue wheel from rolling away on a hard surface or from sinking into the soft ground by using this heavy duty, durable trailer tongue wheel dock. It is simple and easy to use, store and transport.

PART NO.	MFG#	DESCRIPTION
6894000	44632	Trailer Wheel Dock

LICENSE PLATE MOUNTING BRACKET



This license plate bracket is made of heavy duty aluminum treadbrite material. Multiple hole placements provide universal mounting options.

PART NO.	MFG#	DESCRIPTION
6892010	86565	License Plate Mounting Bracket

FLEXSTEP PRO







This innovative multi-angle/extendable step system attaches to your trailer frame, allowing easy access to virtually anywhere on your boat.

A quick, spring loaded pull handle and locking pin system adjusts the FlexStep Pro to 16 positions for maximum reach.

PART NO.	MFG#	DESCRIPTION
6891999	80011	Flexstep Pro, Trailer Step

GALVANIZED SIDE MOUNT TIRE CARRIER



Adjustable bolt circle fits both 4 and 5 lug wheels. Fits all trailer tongues up to 3" wide and 4" high. Extra heavy duty welded steel construction.

PART NO.	MFG#	DESCRIPTION
6892003	86098	Galv. Side Mount Tire Carrier

GALVANIZED SPARE TIRE CARRIER



This high mount spare tire carrier will accommodate 4, 5 and 6 lug wheels. It is made of hot dip galvanized heavy duty steel tubing for lasting protection and it will fit all trailer frames up to 3" wide by 4" high.

PART NO.	MFG#	DESCRIPTION
6892004	86101	Spare Tire Carrier

SPARE TIRE CARRIER



This Angled/Pivoting Spare Tire Carrier allows your spare tire to fit at an angle under the bow of the boat. It is adjustable to fit 4, 5 and 6 lug wheels. The unique pivoting feature allows the tire to swing down for easy loading or removal of your spare. The carrier comes with three sets of U-Bolts to fit trailers with 3", 4" and 5" frame tubes.

PART NO.	MFG#	DESCRIPTION
6892005	86062	Carrier, Zinc Plated.

ALUMINUM FENDER



Dimensions:
- Large, 8"W x 31.5"L x 13.125"H
- X-Large, 9"W x 33.75"L x 14.875"H

These heavy duty round fenders cover one tire on your single-axle trailer. They are constructed of 12 gauge Tread Brite Aluminum material and can be drilled to fit a variety of mounting options.
Mounting brackets not included.

PART NO.	MFG#	DESCRIPTION
6889010	44837	Large, 13" Wheel
6889011	44836	X-Large, 14-15" Wheel

PLASTIC FENDER



6889001 **6889002** **6889003**

Upgrade your trailer with these high impact polyethylene fenders. These plastic fenders are UV protected. Designed for normal and low profile tires. The small fenders have 'no load' capacity and fit 8" to 12" wheels.

The large fenders have 200 lbs. capacity and fit 13" to 15" wheels on single or multiple axle setups.

Dimensions:
- Small, 7-3/4"W x 21"L x 5"H
- Large 11-3/8"W x 45"L x 13.5"H

PART NO.	MFG#	DESCRIPTION
6889001	17026	Small 8"-12" Wheel, White
6889002	44332	Large 13"-15" Wheel, White
6889003	44331	Large 13"-15" Wheel, Black

GALVANIZED FENDER



These Heavy Duty stamped fenders are made from 16 gauge galvanized steel. They can be drilled to fit a variety of mounting options. Mounting brackets not included.

Dimensions:
- Small, 7"W x 20"L x 6"H
- Medium, 7"W x 23.5"L x 6.5"H
- Large, 8"W x 27.5"L x 11"H
- X-Large, 9"W x 31.5"L x 13"H

PART NO.	MFG#	DESCRIPTION
6889005	86264	Small 8" Wheel
6889006	86265	Medium 12" Wheel
6889007	86266	Large 13" Wheel
6889008	86267	X-Large 14-15" Wheel

FENDER BRACKETS



Metal fender brackets for 8" and 12" fenders are available in flush mount and offset, two brackets used per fender. The plastic fender brackets mount flush, two required for each fender. All brackets are galvanized. Offset and Flush Brackets, sold as pair. Step Brackets, sold Individually.

PART NO.	DESCRIPTION
6889090	Offset Bracket, For 8"/12" Metal Fenders
6889091	Flush Bracket For 8"/12" Metal Fenders
6889092	Flush Brackets For Small Plastic Fenders
6889094	Step Brackets For 14"-15" Metal Fenders
6889095	Step Brackets For Large Plastic Fenders

ADJUSTABLE TANDEM FENDER



6889018 **6889020**

These adjustable tandem fenders are made with .080" aluminum treadbrite for stability. These metal fenders can adjust between 60"-72" in length to accommodate almost all dual-axle trailer sizes and configurations.
Dimensions: 9"W x 16"H

PART NO.	MFG#	DESCRIPTION
6889018	86268	Adjustable Fender, Regular
6889020	86269	Fender Tandem Tear Drop

PLASTIC FENDER, SUV STYLE



The SUV style fenders are corrosion proof and impact resistant. Tie Down's injection moulding process assures consistent quality of shape and finish.

The dual axle configuration utilizes individually moulded front and rear fenders that are designed to bolt together without modifications. The result is a clean custom fender design. The modular design accommodates 14"-15" tires and wheels. **Mounting hardware included.**

PART NO.	MFG#	DESCRIPTION
6889030	86553	Fender, Plastic Black SUV
6889031	86554	Fender, Plastic SUV Tandem

BRACKET-LESS PLASTIC FENDERS



6889024 **6889026**

The "bracket-less" fender is constructed of high impact plastic and is designed to mount directly to your frame without using fender brackets. Fender position is easily changed, and is designed for wheels up to 12".

Colours: Black and Silver

PART NO.	MFG#	DESCRIPTION
6889024	86555	Fender, Plastic Black
6889026	86556	Fender, Plastic Silver

HAND-CRANK BRAKE WINCHES

Crafted from high-quality, cold-forged steel and solid gears plus salt-spray-tested zinc plating and oil-impregnated metal bushings, these Hand-Crank Brake Winches set a new standard in durability and longevity. Their broached pinion shaft securely engages the pinion gear, providing a steadfast grip for confident operation. Equipped with a locking lever for increased safety and a handle featuring a comfort grip for ergonomic cranking.

- Universal, slotted screw holes for flexible mounting.
- 600-hour salt-spray-tested zinc plating for lasting corrosion resistance.
- Oil-impregnated metal bushings for smooth operation.
- Locking lever for increased safety.
- Five-year limited warranty.







PART NO.	6880925	6880926	6880927
Capacity	1000 Lbs.	1500 Lbs.	2500 Lbs.
Gear Ratio	4.2 : 1	5.0 :1	15.8 :1
Hub Diameter	2-1/4”	2-1/2”	3-1/4
Hub Width	2”	2-1/4”	3-3/4”
Handle Length	7”	10-1/2”	10-1/2”
Strap Included	N	N	N
Snap Hook	**N**	**N**	**N**
MFG#	**29610**	**29615**	**29625**

HAND-CRANK 2-SPEED WINCH

Crafted from high-quality, cold-forged steel and solid gears plus salt-spray-tested zinc plating and oil-impregnated metal bushings set a new standard in durability and longevity. These Hand-Crank 2-Speed Winches with their broached pinion shaft securely engages the pinion gear, making an effortless task of heavier loads. Equipped with a locking lever for increased safety and a handle featuring a comfort grip for ergonomic cranking.

- Universal, slotted screw holes for flexible mounting.
- Ideal for winching +20-foot-long boats onto boat trailer.
- 600-hour salt-spray-tested zinc plating for lasting corrosion resistance.
- Oil-impregnated metal bushings for smooth operation.
- Locking lever for increased safety.
- Five-year limited warranty.









PART NO.	6880935	6880936	6880937	6880938
Capacity	2000 Lbs.	2600 Lbs.	3200 Lbs.	3800 Lbs.
Gear Ratio, Low	10.3 : 1	12.7 : 1	17.5 : 1	15.8 : 1
Gear Ratio, High	4.1 : 1	5.1 : 1	5.4 : 1	5.1 : 1
Hub Diameter	1”	1”	1-1/8”	1-3/4”
Hub Width	2-1/2”	2-1/2”	2-1/2”	3-3/4”
Handle Length	10-1/2”	10-1/2”	9-1/2”	9-1/2”
Strap Included	**N**	**N**	**N**	**N**
Snap Hook	**N**	**N**	**N**	**N**
MFG#	**29520**	**29526**	**29532**	**29538**

HAND CRANK WINCHES

CURT hand winches are constructed from cold-forged steel to provide structurally superior pinions and eliminate gear-to-shaft bonding failures. They are designed to be mounted on a variety of trailers and are especially useful for boat trailers.

- Equipped with a locking lever for increased safety
- Solid gears provide superior strength vs. laminated gears
- Compatible CURT winch straps 6880930 and 6880931.
- Limited lifetime warranty (one-year finish and parts)







PART NO.	6880920	6880921	6880922
CAPACITY	900 Lbs.	1,200Lbs.	1,400 Lbs.
GEAR RATIO	3.25:1	4.2:1	4.2:1
HUB DIAMETER	3/4”	3/4"	3/4"
HANDLE LENGTH	6-1/2”	7-1/2”	7-1/2”
20’ STRAP INCLUDED	N	N	Y
Snap Hook	N	N	Y
MFG#	**29423**	**29424**	**29435**

TRAILER WINCHES



- Compact yet powerful corrosion resistance winch has a heavy duty steel body, powder coating and zinc plating
- Comfort Grip Handle creates a secure grip for effortless cranking
- Heavy duty gears resist wear and help provide simpler use
- Includes 2" W x 20' polyester strap with hook

PART NO.	MFG#	DESCRIPTION
9975-028	50000	2000lbs
9975-029	50001	1200lbs
9975-032	50002	Repl. Strap

TRAILER WINCHES



- Zinc plated finish
- Includes 2" W x 15ft nylon strap with hook

PART NO.	MFG#	DESCRIPTION
6880958	63500-NB	500lbs. Winch 1 Way w/nylon belt
6880959	63501-NB	800lbs. Winch 1 Way w/nylon belt
6880960	63502-NB	1000lbs. Winch 1 Way w/nylon belt
6880961	63510-NB	1200lbs. Winch 2 Way w/nylon belt
6880962	63511-NB	1400lbs. Winch 2 Way w/nylon belt
6880963	63513-NB	2000lbs. Winch 2 Way w/nylon belt

For the most up to date pricing, please visit maritimemarinesupply.ca/price

NEW

WINCH STRAP W/LOOP END

BoatBuckle



Features a polyester webbing and a forged steel snap hook. Choose from either 2" or 3", loop or tail end style.

2" Straps
- Load Capacity : 1,333 Lbs.
- Break Strength: 4,000 Lbs.

3" Straps
- Load Capacity : 1,667 Lbs.
- Break Strength : 5,000 Lbs

PART NO.	MFG#	DESCRIPTION
6880343	F14210	Winch Strap w/Loop End, 2"x10', ea.
6880344	F05848	Winch Strap w/Loop End, 2"x13', ea.
6880345	F14212	Winch Strap w/Loop End, 3"x20' ea.
6880346	F14213	Winch Strap w/Loop End, 3"x25' ea.

NEW

WINCH STRAP W/ TAIL END

BoatBuckle



- BoatBuckle winch strap with hook and safety latch.
- Built-in keeper prevents hook from disconnecting.
- Tail end feeds into holes on side of winch to secure.

- **Load Capacity :** 1,333 Lbs. **Break Strength :** 4,000 Lbs.

PART NO.	MFG#	DESCRIPTION
6880347	F14214	P.W.C. Winch Strap, 2"x15', ea.
6880348	F07674	P.W.C. Winch Strap, 2"x20', ea.

NEW

W.C. WINCH STRAP

BoatBuckle



6880355 Tail End

6880356 Loop End

A built-in nylon soft-loop hook enables these tie-downs to attach to your P.W.C. without fear of scratching the gel coat.

- **Strap Size:** 2" W x 15' L **Load Capacity:** 1,167 Lbs.
- **Break Strength:** 3,500 Lbs.

PART NO.	MFG#	DESCRIPTION
6880355	F14215	P.W.C. Winch Strap, (Tail), ea.
6880356	F14216	P.W.C. Winch Strap, (Loop), ea.

NEW

WINCH STRAP W/LATCH-LOK TECHNOLOGY

BoatBuckle



Strength meets convenience in this boat winch strap. The industry's most innovative hook makes attachment easier than ever. Latch-Lok Technology allows you to simply push-on and squeeze-off.

- Heavy-duty strap works with hand winch.
- Loop end of strap attaches to winch drum
- Opening is 5/8"W -3/4"Deep.

Load Capacity: 1,333 Lbs. **Break Strength:** 4,000 Lbs.

PART NO.	MFG#	DESCRIPTION
6880341	F17741	Winch Strap w/Latch-Lok, 2" x 20', ea.

NEW

HEAVY DUTY WINCH STRAP WITH LOOP END

BoatBuckle



Designed for the heaviest of applications, this heavy duty winch strap features a forged steel snap hook.

- Heavy-duty strap works with a hand winch.
- Zinc-plated steel snap hook.
- Built-in keeper.
- Loop end of strap attaches to winch drum.

Load Capacity: 2,667 Lbs. **Break Strength:** 8,000 Lbs.

PART NO.	MFG#	DESCRIPTION
6880342	F14211	Winch Strap w/Loop End, 2" x 25' ea.

WINCH STRAPS

TIE DOWN



2" wide and have an overall tensile strength of 5000 lbs. Each strap comes with a heavy duty forged latch hook. The PWC strap is a 1" strap sewn on the end of the winch strap to run through the eye of your Personal Water Craft.

PART NO.	MFG#	DESCRIPTION
6880033	50460	Winch Strap 15' w/PWC Strap
6880034	50465	Winch Strap 15'
6880035	50470	Winch Strap 20'
6880036	50472	Winch Strap 20' w/Tail
6880037	50475	Winch Strap 25'

WINCH STRAP WITH SNAP HOOK

CURT



CURT winch strap is made from no-stretch nylon web to be strong and effective on your winch. Comes with a zinc-plated snap hook.

PART NO.	MFG#	DESCRIPTION
6880930	29450	2"W x 15', 1,100 Lbs.
6880931	29007	2"W x 20', 1,333 Lbs.
6880932	29452	2-3/8"W x 23', 1,600 Lbs.

WINCH STRAPS

Star brite



- 2" polyester webbing with loop end with 4,000 lbs. breaking strength
- Forged steel hook end has special personal watercraft bow loop attachment
- Rated Capacity: 4000 lb./1800 kg and Safe Working Load: 1320 lb./600 kg

PART NO.	MFG#	DESCRIPTION
6880030	060096	2" W X 20' L
9975-106	060285	2" W X 25' L with loop

WINCH CABLE AND HOOK

CAMCO



- Replace your winch strap with a hd cable
- 3/16" galv. cable, 25' L
- For winches rated up to 2000 lbs.

PART NO.	MFG#	DESCRIPTION
6880027	59395	7/32" x 25', 5600 lb. Nominal
6880028	59400	7/32" x 50', 5600 lb. Nominal

MARINE TRAILER JACKS



- Zinc-plated undercoat with a tough black textured overcoat provides max protection from corrosion - passing 400+ hours of salt-water spray testing.
- A durable crank handle, an extended-sleeved pull pin and heavy duty swivel wheels make managing your trailer load easy and comfortable.
- Designed and built to stringent OEM specifications and backed by Sierra's limited one year warranty, the Deluxe Trailer Jack is the last trailer jack you will ever need.
- Fits tongues up to 3 inches x 5 inches.
- 1,500 lbs. load capacity.
- Mounting hardware included.

PART NO.	MFG#	DESCRIPTION
6890715	054650-10	10" Travel, 6" Wheel
6890716	054655-10	12" Travel, 8" Wheel

MARINE TRAILER JACKS



- Bolt-on trailer tongue jack designed for use with boat and utility trailers
- Constructed of durable rust-resistant zinc-plated steel
- Swiveling wheel for ease of use
- Includes all mounting hardware to accommodate up to a 5" trailer frame

PART NO.	MFG#	DESCRIPTION
9975-066	50010	1000lbs.
9975-067	50011	1500lbs.

MARINE TRAILER JACKS



Curt Marine Trailer Jacks are designed to withstand the wear and tear of frequent water exposure. The large wheels allow for greater mobility and easier coupling of your trailer.

They have a heavy-duty locking pull-pin that allows them to pivot on their mounting bracket to be out of the way for travel. A Zinc finish protects them from corrosion and moisture Damage.

- 10" of vertical travel accommodate multiple ball heights
- Bolt-on hardware is included for secure mounting
- 6" Replacement Caster Kit includes mounting hardware

6890704

PART NO.	MFG#	DESCRIPTION
6890705	25003 (OLD# 28101)	1,000 Lbs., 6" Wheel
6890706	28113	1,200 Lbs., 6" Wheel
6890707	28116	1,500 Lbs., 8" Wheel
6890708	28156	1,500 Lbs., 6" Dual Wheels
6890704	28912	Replacement Caster Kit, 6"

1000 POUND TRAILER JACK



Elevate your trailer game with the 1000 lb Offset Swing-Up Heavy-Duty Trailer Jack. The design allows for easy maneuvering, even in tight spaces. The durable construction ensures long-lasting performance, with corrosion-resistant materials that can withstand the rigors of outdoor use.

Features :

- Fits 3" 4" and 5" trailer tongues
- Zinc plated / corrosion resistant
- 6" x 2" Wheel



PART NO.	MFG#	DESCRIPTION
6890720	BE-TR-59220-DP	Swing-Up Offset
6890721	BE-TR-59190-DP	Swing-Up Offset, No-Kick

ADJUSTABLE CUSHION HITCH



The Rebellion XD shock-absorbing hitch features ShockDrop technology with no airbags or bearings.

It will resist vibrations and rattling at the trailer coupling point, resulting in a maintenance free, softer and quieter towing.

- Dampens jerking & jarring from bumps and potholes for smoother towing.
- Cushioned isolator reduces rattling & vibration for a more comfortable ride.
- 6-position dual ball adjustable head for precise leveling with different trailers.
- Puts less stress on your trailer hitch and on
- your tow vehicle's suspension and brakes.

PART NO.	MFG#	SHANK	DROP	Ball	Capacity
6890330	45951	2"	6" max.	2" 2-5/16"	10,000 Lbs. 15,000 Lbs.

NEW

DUAL BALL MOUNTING HITCH



- Lightweight, corrosion-resistant billet aluminum construction for easy handling
- Adjustable dual ball allows for quick and precise trailer leveling on the go
- 3-1/2" and is easily adjustable in increments of 1"
- Universal design works with 2" hitches for multiple vehicle-trailer combinations

PART NO.	MFG#	DESCRIPTION
6890335	45364	Aluminum, 3-1/2" Drop

MULTI BALL MOUNT



Multi-purpose ball mount features a dual-length option and has a solid shank for increased strength. Balls are permanently welded to the shank.

- The trailer balls are welded on a solid shank.
- The trailer balls have a polished chrome-plated finish.
- The shank is protected by a durable powder coat finish for superior rust, chip and UV resistance.
- Hitch pin sold separately

PART NO.	MFG#	SHANK	BALL SIZE	Capacity	Tongue
6890320	45655	2"	1-7/8"	5,000 Lbs.	500 Lbs.
		2"	2"	7,500 Lbs.	750 Lbs.
		2"	2-5/16"	10,000 Lbs.	1,000 Lbs.

HEAVY DUTY BALL MOUNTS



These heavy duty class 4 ball mounts feature a hollow shank, allowing for an anti-rattle hitch pin or lock to secure and reduced noise and vibration. They are CNC-formed for a perfect fit

- They come with a 1-1/4" Ball hole.
- The shank is protected by a durable powder coat finish for superior rust, chip and UV resistance
- Trailer ball and hitch pin sold separately

PART NO.	MFG#	SHANK	DROP OR RISE	Capacity	Tongue
6890325	45310	2"	2" or 1"	10,000 Lbs.	1,000 Lbs.
6890326	45311	2"	4" or 2-3/4"	10,000 Lbs.	1,000 Lbs.
6890327	45336	2"	6" or 4-3/4"	10,000 Lbs.	1,000 Lbs.

CHROME TRAILER BALLS



Curt Trailer Balls are constructed from high-strength, hot-forged steel and they are protected by a durable nickel-chrome-plated finish with a Zinc-plated hex nut and helical lock washer for secure mounting

Notes: The mounting platform must be at least 3/8" thick, and the hole size must not be more than 1/16" larger in diameter than the threaded shank

PART NO.	MFG#	Ball	Shank	Capacity
6890310	40061	1-7/8"	3/4" x 1-5/8"	2,000 Lbs.
6890311	40062	1-7/8"	1" x 2-1/8"	3,500 Lbs.
6890312	40064	2"	3/4" x 1-3/4"	3,500 Lbs.
6890313	40070	2"	1" x 2-1/8"	7,500 Lbs.
6890314	40067	2-5/16"	1" x 2-1/8"	7,500 Lbs.

TRAILER COUPLER



CURT straight-tongue couplers have a Posi-Lock latch with a lockable latch mechanism. They are made from hardy steel construction and have a durable zinc finish to protect from corrosion, wear and tear. Passes SAE-684 performance testing as a class 1 coupler

PART NO.	MFG#	Ball	Channel	Capacity	Tongue
6890300	25128	1-7/8"	2"	2,000 Lbs.	200 Lbs.
6890301	25131	1-7/8"	3"	2,000 Lbs.	200 Lbs.
6890302	25138	2"	3"	3,500 Lbs.	500 Lbs.

DROP N GO AUTO LATCH COUPLER



Quick and easy auto latching coupler, class 4, 7000 lb. capacity, uses a 2" hitch ball.

New coupler features technology that allows the coupler, when set in the closed (tow) position, to auto-latch onto the hitch ball when set on top of the ball with minimal weight. **For 3" square tubing.**

PART NO.	MFG#	DESCRIPTION
6889399	K74-600-20	Drop N Go Auto Latch Coupler

HITCH PIN AND CLIP

6890050





6890051

- Perfect fit for class 3, 4 and 5 trailer hitches

PART NO.	MFG#	DESCRIPTION
6890050	21401	1/2", Retainer Hole, 1-1/4" Shank
6890051	21505	5/8", Retainer Groove, 2" Shank

COUPLER SAFETY PIN-GALVANIZED



- Prevent accidental uncoupling while in transit
- Snap lock bale is spring tensioned for stronger holding power

PART NO.	MFG#	DESCRIPTION
9975-096	751010	1/4" pin x 3"
9975-097	751011	5/16" pin x 3"

COUPLER SAFETY PIN AND CHAIN



- Square retainer wire clip provides a quick latch and added clearance
- 12" chain for convenient attachment
- Constructed of high-strength carbon steel
- Protected by a durable zinc-plated finish

PART NO.	MFG#	DESCRIPTION
6890054	25013	1/4" dia. and 2-3/4" Pin Length

HITCH CABLES

Replace your noisy chains with self-coiling hitch cables. Made of durable 1/4" x 36" galvanized aircraft cable with thimbles at each end and S-Hooks at one end. They exceed SAE J684 standards for trailer coupling and automotive type hitches and they are NMMA certified.
Sold in Pairs.



6890103 / 6890108
Black Vinyl Jacket
With Spring "S" Hook

6890106 / 6890107
Galvanized Cable
With "S" Hook

6890104
Black Vinyl Jacket
Safety Snap Hook

PART NO.	MFG#	DESCRIPTION
6890103	59537	Class 2, 3500 lbs. Max. Load
6890104	59548	Class 4, 7000 lbs. Max. Load
6890106	59535	Class 2, 3500 lbs. Max. Load
6890107	59539	Class 3, 5000 lbs. Max. Load
6890108	59541	Class 3, 5000 lbs. Max. Load

SAFETY CHAIN



This basic single length safety chain is made from high-quality steel and is grade-30 certified. It is equipped with a sturdy 3/8" S-hooks at each end providing reliable coupling to your vehicle. zinc-plated finish

- Helps resist complete vehicle-trailer separation during a disconnect.
- Features a minimum break force of 2,000 lbs.
- Assembled with two 3/8" S-hooks for secure attachment

PART NO.	MFG#	DESCRIPTION
6890055	80011	3/16"Dia. x 48"L

BOW SAFETY CHAIN



Tie Down Bow Safety Chain connects the boat to the bow stand of the trailer.

Description: 3/16" x 12 links.
1 per pack.

PART NO.	MFG#	DESCRIPTION
6890102	81201	15-1/2" Long

J-PIN ANTI-RATTLE LOCKSET
FOR 2" RECEIVERS

FULTON



Allows secure hookup by compressing the hitch mounted accessory against the inner side wall of the hitch receiver tube. Once attached, the hitch and towing components will seem virtually welded together preventing ball mounts and accessories from rattling. Tubular keys won't bend or break & a dust cap covers the keyway to keep dirt & moisture from the lock mechanism.

Requires a 2" hitch with an additional 17/32" hole in the receiver tube. An attachment wrench is included.

PART NO.	MFG#	DESCRIPTION
6890615	63201	5/8" J-Pin Barrel Lockset

DEADBOLT HITCH LOCK

CURT



This CURT hitch lock features a deadbolt design and comes with a 5/8" pin diameter to fit a 2", 2-1/2" or 3" receiver tube size. CURT deadbolt hitch locks have a solid, square-shaped lock mechanism and a bent handle for easier gripping.

- Watertight dust cap prevents internal corrosion.
- Includes two keys for added convenience.

PART NO.	MFG#	DESCRIPTION
6890052	23021	2", 2-1/2", 3" Receiver Tubes

COUPLER LOCK

CURT



This coupler lock features a compact design to keep the pin well protected from tampering. It comes with a durable brass-plated finish that won't rust and offers a pin diameter of 1/4" and a span of 3/4".

- 1/4-turn lock activation.
- Includes two keys for added convenience

PART NO.	MFG#	DESCRIPTION
6890053	23546	Brass Coupler Pad Lock

NEW

COUPLER LOCK

CURT



Compatible with trailers with 1-7/8", 2" or 2-5/16" couplers. The ratchet-style mechanism allows you to secure any trailer quickly and easily by placing the lock base into the coupler and then sliding the U-bar over the nose of the coupler into the lock.

PART NO.	MFG#	DESCRIPTION
6890056	23090	Coupler Lock, Universal
6890057	23091	Coupler Lock, Heavy Duty, Universal

COUPLER LOCK SET

CURT



This two-piece lock set includes a hitch lock and a universal tri-ball coupler lock that will keep your trailer secure during towing or storing.

The universal tri-ball trailer coupler lock is engineered to be highly theft and tamper-resistant. Constructed from high-strength, glass-filled polymer it is exceptionally durable, and the orange color increases visibility to further deter tampering.

- Unique tri-ball lock inserts into coupler and secures latch with lasso lock
- Simple lasso design keeps all components together, avoiding lost pieces
- Universal Tri-Ball coupler lock fits 1-7/8", 2" and 2-5/16"
- 5/8" hitch lock pin fits 2" or 2-1/2" receiver tubes
- 1/4" coupler lock pin adjusts to fit 1" to 3" coupler span
- Watertight dust caps prevent internal corrosion
- Includes two keys for added convenience
- Locks keyed alike for convenient one-key operation

PART NO.	MFG#	DESCRIPTION
6890060	23083	Tri-Ball Lock Set

MARINE PADLOCKS

MarineTown



- Brass body and stainless steel latch

PART NO.	MFG#	DESCRIPTION
9951-120	2230000	1-3/16"
9951-122	2250000	2"

BANSHEE ALARM PADLOCK

TH MARINE



Protect your boat, trailer and property with this weatherproof alarm-equipped padlock. When tampered with the 110 decibel alarm "screams like a Banshee" warding off potential thieves.
Can be deactivated for trailering.

PART NO.	MFG#	DESCRIPTION
7207628	LB-TLRLCK-DP	Padlock, Alarm

"S" HOOK CHAIN KEEPERS

TIE DOWN



These patented safety chain keepers attach easily to the "S" hooks to keep your chains secured to the vehicle.

Sold in Pairs.

PART NO.	MFG#	DESCRIPTION
6890101	81255	2 per Package

ELIMINATOR VENTED 10" ROTOR DISC BRAKE COMPLETE KIT

Kit comes with everything needed to replace trailer disc brakes for faster stopping power. New model 660/800 disc brake actuator features a cast ball clamp, Drop N Go auto coupler latch, oversized master cylinder, with back flow style solenoid installed.



Includes a pair of GalvX coated vented rotor disc brakes, Aluminum calipers, disc brake actuator and brake line kit. Also includes brake hoses, brass fittings and attachment hardware.

The kit includes:

- 6,600-lb. disc brake actuator
- Back-up solenoid
- 2 Galv-X coated, vented-rotor disc brakes with ceramic pads
- Single axle brake line kit (hoses, fittings, hardware).

Fits: 13", 14" and 15" wheels.
DOT 3 brake fluid not included.

PART NO.	MFG#	DESCRIPTION
6889198	K71-G00-31	10" Vented Rotor Brake Kit

10" VENTED ROTOR DISC BRAKES COMPLETE KIT

These Eliminator Cap Style Vented Rotor Disc Brake Kits with Vortex Lubricating Hubs provide you with the best of both worlds. A "Cap" Style rotor that fits over the Vortex hub and an actuator that features a cast ball clamp, a Drop N Go auto coupler latch and an oversized master cylinder with solenoid installed.



The kit includes:

- 660 Actuator
- Pair of GalvX coated Cap Style Disc Brakes.
- Vortex Hubs.
- Disc Brake Actuator.
- Brake Line Kit (hoses, fittings, hardware).

Fits: 13", 14" and 15" wheels.
DOT 3 brake fluid not included.

PART NO.	MFG#	DESCRIPTION
6889192	K71-G00-55	10" Kit

10" STAINLESS STEEL DISC BRAKE COMPLETE KIT

Kit comes with everything needed to replace trailer disc brakes for faster stopping power. New model 660 disc brake actuator features a cast ball clamp, Drop N Go auto coupler latch, oversized master cylinder, with back flow style solenoid installed.



Includes a pair of Stainless Steel disc brakes with GalvX hub, aluminum calipers, disc brake actuator and brake line kit. Also includes brake hoses, brass fittings and attachment hardware.

The kit includes:

- 6,600-lb. disc brake actuator
- Back-up solenoid
- 2 Stainless Steel disc brakes with vented holes with ceramic pads
- Single axle brake line kit (hoses, fittings, hardware).

Fits: 13", 14" and 15" wheels.
DOT 3 brake fluid not included.

PART NO.	MFG#	DESCRIPTION
6889197	K71-G02-56	10" G5 Disc Brake Kit

ELIMINATOR VENTED DISC BRAKES



"Integral" one piece style vented rotor and aluminum caliper with automotive quality brake pads. Lifetime ceramic pads with stainless steel backing plates. Distinctive 380 aluminum caliper with E-coat finish with vented rotor with GalvX finish. Galvanized heavy duty mounting bracket included with stainless steel bleeder valves and guide pins. Bimetal piston with stainless steel piston cup Aluminum caliper with raised ribs dissipates heat up to 5 times faster than cast iron calipers. Precision bearings, seal, and grease factory installed. **2 kits required per axle.**

PART NO.	MFG#	DESCRIPTION
6889190	K71-G00-98	10", 5-Stud Disc Brake Kit
6889191	K71-G00-97	12", 6-Stud Disc Brake Kit

LUG BOLTS / NUTS



Lug nuts and lug bolts are packed 5 to a package.

PART NO.	MFG#	DESCRIPTION
6889240	K71-G03-11	Lug Bolts, 1/2"
6889241	K71-G01-51	Lug Nuts, 1/2"

DISC BRAKE CALIPER



This aluminum caliper sheds heat five times faster than traditional cast iron calipers. Black E-Coat finish protects the caliper from salt crystallization. Stainless Steel bleeder valves and Brass Brake Line connector. Oil impregnated bronze slider pin bushings. Bi-metal piston.

Brake Pads have back plates coated with GalvX to further reduce areas susceptible to corrosion. Fits 10" and 12" Disc Brakes
Replaces all calipers stamped 46304 and 46300

PART NO.	MFG#	DESCRIPTION
6889194	089-501-02	Caliper with Pads
6889260	007-692-00	Caliper Slider Pin

BRAKE PADS CERAMIC



Replacement pads for 10" and 12" disc brakes. Ceramic pads come with stainless steel backing plates and a lifetime warranty.

PART NO.	MFG#	DESCRIPTION
6889188	K71-G04-00	Vented Disc Pads, 4-pk
6889189	K71-G02-65	"G5" Disc Pads, 4-pk

REVERSE LOCKOUT SOLENOID



If your actuator does not have a reverse lock out lever or switch, a reverse lock out solenoid should be installed in the brake line before the installation of disc brakes or brake pads.

Can be used with most hydraulic brake actuators. - Mounts in brake line.
- Easy to install

PART NO.	MFG#	DESCRIPTION
6889199	K68-539-00	Reverse Lockout Solenoid

BRAKE ACTUATORS



Drop N Go Auto Latch Coupler in the closed (tow) latch position will auto-latch onto the hitch ball when set on top of the hitch ball, with minimal weight.

Solenoid plumbing built into the master cylinder which eliminates removal of entire solenoid for servicing, detachment of brake hose, actuator cover and actuator unit from trailer tongue.

PART NO.	MFG#	DESCRIPTION
6889300	K99-066-20	Model 660, 6600 lbs., Disc Brake
6889301	K99-066-00	Model 660, 6600 lbs., Drum Brake
6889302	K99-Z85-20	Model 800, 8000 lbs., Disc Brake
6889303	K99-Z85-00	Model 800, 8000 lbs., Drum Brake

DRUM BRAKES, ELECTRIC



Electric brakes offer braking in forward and reverse and feature water resistant connections, rubber moulded plugs, and quick switch electrical connections for fast and easy installation.

PART NO.	MFG#	DESCRIPTION
6889170	K71-G01-04	10" Electric Drum Brakes

HYDRAULIC DRUM BRAKES



The Most Corrosion Resistant Drum Brake Period! The GalvX system is composed of inorganic polymers which bond metallic zinc flakes to the metal surface.

Constructed of: Aluminum wheel cylinder, stainless steel springs, brake pads that are bonded and riveted with bronze rivets to backing plate.Superior saltwater performance over standard drum brakes.

PART NO.	MFG#	DESCRIPTION
6889181	K71-G01-02	12" Drum Brake Kit

WHEEL CYLINDER KIT



Includes: LH & RH Wheel Cylinder & mounting screws.

PART NO.	MFG#	DESCRIPTION
6889185	K71-G02-55	For 10" & 12" Drums

FLEXIBLE BRAKE LINE KIT



Rated at 3000 PSI and ideal for disc brake installation requirements. Connects from brake caliper to female end of brake line or can be connected to existing steel lines with adapters included in the kit.

PART NO.	MFG#	DESCRIPTION
6889103	K71-G00-40	24" Long

AXLE BRAKE LINE KIT



Add disc or drum brakes to your trailer. All hardware included, you supply the actuator and brakes. The "Add On" Axle Kit must be used with the Single Axle Kit. The Tandem Axle Kit combines both Single Axle and "Add On" Kits into one package.

PART NO.	MFG#	DESCRIPTION
6889100	K71-G02-58	Single Axle
6889101	K71-G02-57	"Add On"
6889102	K71-G02-59	Tandem Axle

For the most up to date pricing, please visit maritimemarinesupply.ca/price

DRUM HUB



Hubs are designed to work with hydraulic or electric drum brakes. Painted brake drum hubs for greater corrosion resistance. These drum hubs include bearings, cups, seal, grease and studs. **Sold as each.**

PART NO.	MFG#	DESCRIPTION
6889200	K08-517-91	Drum Hub 10" (5-bolt)
6889201	K08-531-91	Drum Hub 12" (6-bolt)

REPLACEMENT WHEEL HUB KIT



All kits include: bearings, seals, dust cap, cotter key, lugs and lug nuts. Bearings and hub cavity 100% pre-greased. Grease seal and bearings are pre-assembled. **Sold as each**

Description	Capacity	Bearing Size
81060- 4 stud	1250 lbs.	1" Inner & Outer
81080- 5 stud	1250 lbs.	1" Inner & Outer
81085- 5 stud	1350 lbs.	1-1/16" Inner & Outer
81090- 5 stud UHI	1750 lbs.	1-3/8" inner, 1-1/16" outer

PART NO.	MFG#	DESCRIPTION
6889210	K08-523-C2	4 Stud, 1250 lbs.
6889220	K08-448-C2	5 Stud, 1250 lbs.
6889224	K08-448-C6	5 Stud, 1350 lbs.
6889225	K08-436-C6	5 Stud, 1750 lbs.

VORTEX HUB KIT



High Performance 100,000 Mile Lubrication System with Lucas Oil Premium Marine Grease. **Sold as each**

- "No Touch" lubrication system.
- No Maintenance for lower operating costs.
- No need for periodic re-greasing or inspection.

Bearing Sizes:
- 6889233 - 1" Inner and outer, Green.
- 6889234 - 1-1/16" inner and outer, Yellow.
- 6889235 - 1-3/8" inner, 1-1/16" outer, Red/Yellow for tapered spindles.

NOTE: Fits all wheels with a center hole of 2.75" or larger, may not fit all 8" to 13" wheels.

PART NO.	MFG#	DESCRIPTION
6889234	81017	5 Stud, 1350 lbs.
6889235	K08-447-C2	5 Stud UHI, 1750 lbs.

HUB KIT, SUPER LUBE



Rust proof coated with a GalvX system which is composed of a dry chromium inorganic polymer which bonds metallic zinc flakes to the metal surface providing a long service life. Zerk fitting which allows you to lubricate the back and front bearings by pushing out the old grease while supplying new grease.

Kits include: bearings, seals, dust cap, cotter key, and lug nuts. Super Lube Kits are factory pre-greased with Lucas Red N' Tacky grease which is fortified with a high degree of extreme pressure additives, giving it a TRUE Timken load; much higher than other greases of this type.
Bearing Sizes: 1-3/8" inner, 1-1/16" outer, Red/Yellow for tapered spindles.

PART NO.	MFG#	DESCRIPTION
6889250	K08-436-C4	5 Stud UHI, 1750 lbs.

VORTEX DUST CAPS



Caps are threaded and have an "O" ring to form an airtight seal to keep out dirt and grime while keeping grease in. They are reusable and easy to remove and reinstall should the need ever occur. They fit 1250 lbs.–1750 lbs. hubs with a 1.98" opening. **Sold 2 per Package.**

PART NO.	MFG#	DESCRIPTION
6890512	K71-G01-73	Vortex Replacement Caps

DUST CAPS



Super Lube Dust Caps with removable rubber expansion grommets are designed for axle spindles with grease Zerk fittings on the end. They keep dirt and grime out and grease in. They are zinc plated for corrosion resistance.

They fit Spindles with an OD = 1" or 1-1/16" and Outer hub ID = 1.98".
Sold 2 per Package.

PART NO.	MFG#	DESCRIPTION
6890510	K71-G01-71	Dust Cap, Super Lube

BEARING PROTECTORS & COVERS



- Protects wheel bearings from dirt, water and road grime
- Long-lasting and easy to install
- Maintains pressure and keeps bearing greased
- Features a small reservoir to keep bearings well-lubricated
- Includes two protectors and two dust covers.

PART NO.	MFG#	DESCRIPTION
6890040	22198	2" Hub Diameter, 2 Pk.

WHEEL BEARING KIT



- Automatically maintains the correct internal pressure to avoid seal damage
- Includes two bearing cones, two bearing cups,a grease seal and a cotter pin.
- Limited lifetime warranty (one-year finish, one-year parts)

PART NO.	MFG#	DESCRIPTION
6890041	23210	1" Inside Diameter
6890042	23211	1-1/16" Inside Diameter

BEARING AND GREASE KITS



These Vortex Replacement Bearing and Grease Kits include:

- Bearings - Cup - Seal
- Super Lube S/S Dust Cap
- 3 oz. tube of Lucas Marine Grease

PART NO.	MFG#	DESCRIPTION
6880095	K71-G02-61	1", "Green"
6880097	K71-G02-63	1-3/8" x 1-1/16", "Red & Yellow" (2.3612" OD Cup)

MULTI-PURPOSE MARINE GREASE



- Provides rust and corrosion protection in both fresh and salt water environments.
- Contains special adhesive properties that allow the grease to stay in place.
- For universal marine applications including trailer wheel bearings, trailer chassis and outboards.

PART NO.	MFG#	DESCRIPTION
6889004	088-11008	Grease, Lucas Blue, 14oz (397g)

WHEEL BEARING GREASE



- Superior rust and corrosion protection from salt water, salt air and atmospheric chemicals
- Recommended for corrosive marine applications - trailer wheel bearings, water pumps, hinges, pins, winches and anchor chain reels
- Special water-insoluble formula is highly resistant to wash-out
- N.L.G.I. #2

PART NO.	MFG#	DESCRIPTION
9960-892	026014C	Grease Cart., 14 oz.

RED "N" TACKY GREASE



A smooth, tacky, red lithium grease fortified with rust and oxidation inhibitors. It has good water resistance and washout properties. Red N' Tacky Grease is fortified with a high degree of extreme pressure additives that give it a TRUE Timken load much higher than other greases of this type.

PART NO.	MFG#	DESCRIPTION
6889000	088-11008R	14 oz. (397g)

WHEEL BEARING KIT



Precision Tapered Roller Bearing Kits include: 2 cones, 2 cups, seal, cotter pin and dust cap."Spot On" bearing reference colour coded system for quick reference.

PART NO.	DESCRIPTION
6880090	1" Roller "Green"
6880092	1-1/16" Roller "Yellow"
6880094	1-3/8" x 1-1/16" Tapered "Red & Yellow"

WHEEL BEARING SEAL



(Green & Yellow)
Size: 1-1/4"
Fits: 1" & 1-1/16"
(Blue) **Size:** 1-1/2"
Fits: 1-1/4"
(Red) **Size:** 1-3/4"
Fits: 1-3/8" **Sold 2 per package.**

PART NO.	MFG#	DESCRIPTION
6880080	K71-G01-77	Green/ Yellow
6880081	K71-G01-79	Blue
6880082	K71-G01-80	Red

NUT / WASHER / COTTER PIN



This Axle Spindle hardware kit contains:

- 1 x Nut (1"–14)
- 1 x Washer (1" ID)
- 1 x Cotter Pin (1/8" x 2")

PART NO.	MFG#	DESCRIPTION
6890499	K71-G01-50	Hardware Kit



POLYMER BOW ROLLER



For 1/2" Shaft.

PART NO.	DESCRIPTION
6881210	3" OD x 3"L
6881211	4" OD x 4"L

SELF CENTERING BOW ROLLER



For 1/2" Shaft.

PART NO.	DESCRIPTION
6881212	3-1/2" Dia. x 4"L

POLYMER KEEL/SPOOL ROLLERS



For 5/8" Shaft.

PART NO.	DESCRIPTION
6881220	Keel / Spool 4"L
6881221	Keel / Spool 5"L

POLYMER KEEL ROLLERS



For 5/8" Shaft.

PART NO.	DESCRIPTION
6881222	Keel 8"L

PVC WOBBLE ROLLERS



6884100

Includes: 5" x 3" Rollers.
Bushings for 7/8' and 1.15" Shafts
Hog Rings and Washers



6881239

PART NO.	DESCRIPTION
6884100	Roller Kit
6881239	Hog Rings & Washer Set

RUBBER BOW STOP



6881201 is 80° Wide
6881203 is 120° Wide
6881204 is 130° Wide

PART NO.	DESCRIPTION
6881201	2" x 2", 3/8" Shaft
6881203	3" x 3", 1/2" Shaft
6881204	4" x 4", 1/2" Shaft

BOW ROLLER



For 1/2" Shaft.

PART NO.	DESCRIPTION
6881213	3" OD x 3"L
6881214	3-1/2" OD x 4"L

LIGHT DUTY KEEL ROLLER



For 5/8" Shaft.

PART NO.	DESCRIPTION
6881226	3" OD x 4"L
6881227	3" OD x 5"L

HEAVY DUTY KEEL ROLLER



For 5/8" Shaft.

PART NO.	DESCRIPTION
6881223	8" Keel Roller
6881224	10" Keel Roller
6881225	12" Keel Roller

PVC WOBBLE ROLLER RIBBED



Size: 3"W x 5" Dia.
Shaft: 7/8" or 1.15"

Does not include bushing(s).

PART NO.	DESCRIPTION
6881233	Wobble Roller 5"

RUBBER ADJUSTING ROLLER



For 7/8" Shaft.

PART NO.	DESCRIPTION
6881231	4-3/8" Dia. x 4-1/4"L

REPLACEMENT PARTS

Bushings fit 6881233 and 6884100.



6881099



6881234
6881235

PART NO.	DESCRIPTION
6881099	Hog Ring Retainer
6881234	Bushing 7/8" ID x 1.47"L
6881235	Bushing 1.15" ID x 1.47"L

PVC BOW STOP



110° Wide
For 1/2" Shaft.

PART NO.	DESCRIPTION
6881010	3", "V" Bow Stop

PVC BOW ROLLER



For 1/2" Shaft.

PART NO.	DESCRIPTION
6881003	3"
6881002	4"

SELF CENTERING BOW ROLLER



For 1/2" Shaft.

PART NO.	DESCRIPTION
6881000	3"
6881001	4"

PVC KEEL ROLLERS



6881030



6881035



6881036



6881228



6881037

For 5/8" Shaft.

PART NO.	DESCRIPTION
6881030	5", Spool Type
6881035	5" Center Guided
6881036	8"
6881228	10"
6881037	12"

PVC BELL ENDS



For 1/2" Shaft.

PART NO.	DESCRIPTION
6881004	3"
6881005	4"

ADJUSTABLE PWC WINCH STAND



This adjustable winch stand fits 2-3" wide tongues and is designed for personal watercraft and Jon boat trailers. Each kit includes U-bolts, mounting hardware, amber poly bow roller, and end bells. Heavy duty steel is hot dipped for long lasting protection.

PART NO.	MFG#	DESCRIPTION
6883798	86557	Winch Stand, PWC Adjustable

ADJUSTABLE BOW WINCH STAND



The heavy duty adjustable bow/ winch stand is designed to fit 3" wide tongues and is galvanized for long lasting protection.
The combination bow stand and winch mount includes galvanized U-bolts, washers, and nuts to allow for easy adjustability up or down to accommodate many boat sizes. The kit also includes a Tie Down 4" amber poly bow roller, a black vinyl top cap, and is made of heavy duty 11 gauge 2" x 4" steel extending 30" high.

PART NO.	MFG#	DESCRIPTION
6883799	86558	Bow/Winch Stand Adjustable

WOBBLE ROLLER ASSEMBLY





6884106 Roller Assembly

6884105 Kit with 2 Roller Assemblies (Expandable to 4 Roller Assemblies

Heavy duty galvanized steel pivot bar provides full hull support. Wobble rollers are designed to pivot and adjust to a variety of hull shapes and sizes. The 36" bar includes 2 wobble roller arms. However it can accommodate up to 4 wobble roller assemblies. **Mounting hardware included.**

Kit includes: 1 bunk pivot bar (36") and 2 wobble roller assemblies.

PART NO.	MFG#	DESCRIPTION
6884105	86550	36" Wobble Roller Bunk Kit
6884106	86551	Wobble Roller Assembly

WOBBLE ROLLER, FRONT ASSEMBLY



This Front Assembly Wobble Roller is designed to mount on either a 3" x 3" or a 3" x 4" cross-member. It features 2" of height adjustability.

Includes wobble rollers and hardware.

PART NO.	MFG#	DESCRIPTION
6884107	86574	Front Assembly

AMBER KEEL ROLLER ASSEMBLIES PVC



Brackets are all one piece, heavy duty hot dip galvanized 11 gauge steel, specifically designed to support keel rollers. Assemblies include keel roller, shaft and pal.

PART NO.	ROLLER	SLOTS	BRACKET
6884005	5"	3"	5-3/8"
6884008	8"	6"	8-3/8"
6884010	10"	8"	10-3/8"
6884012	12"	10"	12-3/8"

ROLLER PANEL BRACKET WITH ROLLER



Complete spool/keel bracket and roller assembly. Mounts to trailer cross-roller assemblies. Formed, zinc-plated steel panel bracket with 1/2" wide slot for adjustment.

PART NO.	MFG#	DESCRIPTION
6881257	11220-3	Roller Panel Bracket 4"
6881258	11221-3	Roller Panel Bracket 5"

ROLLER PANEL BRACKET



Long mounting slot (2-1/2" & 3") allows for adjustment. Brackets are pre-drilled with 5/8" diameter holes for roller mount. Zinc-plated.

PART NO.	MFG#	DESCRIPTION
6881240	11252-1	Bracket, 4-1/4 Wide
6881241	11254-1	Bracket, 8-1/4" Wide

KEEL MOUNT BRACKET



One piece roller bracket with 5" slot for vertical adjustment. Designed to be used with a 5/8" roller shaft.
Mounts with 1/2" bolt, not included.

PART NO.	MFG#	DESCRIPTION
6881254	11370-1	Keel Mount Bracket 5"
6881255	11371-1	Keel Mount Bracket 10"
6881256	11372-1	Keel Mount Bracket 12"

ROLLER PANEL BRACKET



These one piece heavy duty brackets are made of hot dip galvanized 11 gauge steel. They are specifically designed to support keel rollers. The slots accept 7/16" or 1/2" diameter bolts and provide vertical roller adjustment. Roller shaft diameter can be 1/2" or 5/8".

PART NO.	MFG#	DESCRIPTION
6881280	86155	For 10" Roller, Slot Spacing 8"
6881281	86153	For 12" Roller, Slot Spacing 10"

OFFSET ROLLER BRACKET



Offset panel brackets with 8" slot for adjustment with 5/8" diameter holes for roller mount. Zinc plated Steel.

PART NO.	MFG#	DESCRIPTION
6881245	81235	Offset Bracket

SWIVEL BOLSTER BRACKETS



Heavy 11 gauge galvanized steel that is slotted for vertical adjustment. Non-slip dimples for secure hold. 3.5" wide angle bracket pivots for angled to flat mounting of 2" x 6" bunk or bolster boards. Comes with nut and bolt for angle bracket.
Mounts with 1/2" bolt, not included.

PART NO.	MFG#	DESCRIPTION
6881242	11360-1	Swivel Bolster Bracket 8"
6881243	11361-1	Swivel Bolster Bracket 10"
6881244	11362-1	Swivel Bolster Bracket 12"

BOLSTER BRACKETS



These bolster brackets are designed to support bolster or bunk boards. Slotted for vertical adjustment and feature non-slip dimples to avoid unwanted movement and increase load capacity.

Packaged in pairs with swivel brackets and bolts with nyloc nuts.

PART NO.	MFG#	DESCRIPTION
6881267	81210	8"L x Slot 1-1/16"
6881268	81215	10"L x Slot 1-1/16"

BUNK BRACKETS



These bunk brackets are designed for mounting bunks and are slotted for vertical adjustments. This mount is constructed of 11 gauge galvanized steel and mounts with a 1/2" bolt.

PART NO.	MFG#	DESCRIPTION
6881246	11363-1	Bunk Bracket 2"W x 8"L, each
6881247	11364-1	Bunk Bracket 2"W x 10"L, each
6881278	81225	Bunk Bracket 2"W x 9-1/2"L, 2-pk
6881279	81230	Bunk Bracket 2"W x 12-5/8"L, 2-pk

PONTOON BUNK BRACKET



These pontoon bunk brackets are precisely designed to give ultimate support for your boat. Manufactured from 11 gauge steel and hot dip galvanized for long lasting protection.

PART NO.	MFG#	DESCRIPTION
6881285	86559	Bracket, 8.38" x 15.68" x 4.70"
6881286	86560	Bracket, 8.38" x 15.68" x 6.99"
6881287	86561	Bracket, 13.13" x 15.40" x 6.07"

ZINC PLATED ROLLER SHAFT SET



Solid steel roller shafts and matching pal nuts for securing shaft in place. Shaft and nuts are zinc-plated for long lasting service.

PART NO.	DIAMETER	LENGTH	ROLLER SIZE
6881272	1/2"	4-1/4"	3"
6881249	1/2"	6-1/4"	5"
6881275	5/8"	5-1/4"	4"
6881250	5/8"	6-3/8"	5-1/4"
6881251	5/8"	9-1/4"	8"
6881252	5/8"	11-1/4"	10"
6881253	5/8"	13-1/2"	12"

PAL NUTS



5/8" zinc plated pal nuts to be used with 5/8" roller shafts. Standard package of 8.

PART NO.	MFG#	DESCRIPTION
6881259	11368-3	Pal Nuts 5/8" 8pk.

GALVANIZED ROLLER SHAFT SET



Solid steel roller Shaft and pal nut kits for 1/2" and 5/8" rollers. The shafts are galvanized and the pal nuts are zinc plated for long lasting service.

PART NO.	MFG#	DESCRIPTION
6881100	86025	1/2" x 5-1/4"
6881101	86184	1/2" x 6-1/4"
6881105	86185	5/8" x 5-1/4"
6881106	86186	5/8" x 6-1/4"
6881107	86187	5/8" x 9-1/4"
6881108	86188	5/8" x 11-1/4"
6881109	86189	5/8" x 13-1/4"

SWIVEL BRACKET



Use with adjustable bolster brackets for proper angle of bunk or bolster boards. Packed in pairs with 1/2" x 1" bolts and 1/2" nylon nuts. **Sold in pairs**

PART NO.	MFG#	DESCRIPTION
6881270	86160	Swivel Bracket

ZINC MATE SPRAY GALVANIZE COATING



Zinc-rich galvanized coating protects metal surfaces against salt water corrosion and harsh elements. Protects base metal through sacrificial action. Fights rust creepage. Protects like "Hot Dip" galvanizing.
Colour: Matte Grey

PART NO.	MFG#	DESCRIPTION
5210030	73054	Instant Galvanizer

U-BOLTS

TIE DOWN MANUFACTURING INGENUITY



How to measure for U-bolts
A- Rod Diameter - Threads Per Inch
B- Between Leg Length (inside thread)
C- Leg Length
D- Thread Length

Used for mounting brackets to trailer frame. Includes flat washers and nuts.



PART NO.	TYPE	A	B	C	D
		Galvanized (sold individually)			
6889405	Square	3/8"-16	1-5/8"	3-9/16"	1-3/4"
6889410	Square	7/16"-14	1-9/16"	3-9/16"	2"
6889415	Square	1/2"-13	1-9/16"	4-1/16"	2"
6889416	Square	1/2"-13	2-1/16"	4-13/16"	2"
6889418	Square	1/2"-13	3-1/16"	3-13/16"	1-1/2"
6889400	Round	3/8-16	1-3/4"	4-13/16"	1-3/4"
6889417	Round	1/2"-13	2-3/8"	5-3/8"	2"
6889419	Round	1/2"-13	3-1/16"	6-11/16"	2"
		Zinc Plated (sold in pairs)			
6889434	Square	1/2"-13	3-1/8"	3"	1-1/2"
6889435	Square	1/2"-13	3-1/8"	4"	2"
6889436	Square	1/2"-13	4-1/8"	3"	2"
6889437	Square	3/8"-16	2-1/8"	4"	1-3/4"

AXLE TIE PLATES

DEXTER



Each kit contains:
- 4 x U-bolts
- 8 x Lock nuts
- 2 x Five hole tie plates

Universal Axle Tie Plate fits:
- 1.90"
- 2"
- 2-3/8"

PART NO.	MFG#	DESCRIPTION
	Galvanized	
6889450	K71-G01-52	1.90" Round Axles
6889451	K71-G01-53	2-3/8" Round Axles
6889454	K71-G01-54	2" Square Axles
	Zinc Plated	
6889452	86523	2-3/8" Round Axles
6889453	86525	1-3/4" Square Axles
6889455	86524	2" Square Axles
6889458	K71-G01-55	Tie Plates for all the above, Pair

TRAILER SPRINGS

DEXTER

These replacement Trailer Springs are made with heavy duty spring steel. They include 9/16" ID nylon bushings.
Sold by the pair (2 springs per box).





6889500

A 24-5/8"
B 23-1/2"
C 4"
4 Leaves



6889510

A 30"
B 28"
C 4-7/8"
4 Leaves



6889515

A 25-1/4"
B -
C 3"
4 Leaves

PART NO.	MFG#	DESCRIPTION
6889500	K71-G01-58	Radius End, 1000 lbs.
6889510	K71-G01-60	Flat End, 1850 lbs.
6889515	K71-G01-61	Double Eye, 2500 lbs.

SPRING HANGER & SHACKLE

DEXTER

6889580
6889581



Steel axle spring seats can be welded on the top or bottom of round tube axles to provide a flat mounting plate surface with centering hole for leaf springs. **1 per pack**



6889591

Solid steel hangers can be used on rear slipper springs 1-3/4" to 2" wide, 5,200 lbs.–8,000 lbs. capacity for medium duty axles, 1/4" stock. **1 per pack**



6889595

Steel shackle links are used to mount double eye springs. Suitable for medium duty axles, 1,000 lbs.–3,500 lbs. capacity. Pre-drilled for 9/16" bolt. **1 per pack**

PART NO.	MFG#	DESCRIPTION
6889580	K71-G00-17	2-3/8" Round Axle
6889581	K71-G00-18	3" Round Axle
6889591	86275	Rear Spring Hanger
6889595	K71-G01-64	Shackle Link

For the most up to date pricing, please visit maritimemarinesupply.ca/price

KEEL PAD



Made of tough flexible PVC, this Keel Pad is a real Hull Sav'r. Made for 3" beams.

PART NO.	MFG#	DESCRIPTION
6881219	86291	15" x 3.5", Amber

BUNK CARPET



12' long roll of durable, weather-resistant polypropylene marine carpet material. Easy to cut and custom fit. Protects hull; eases loading and launching. Acrylic backing grips surface of trailer bunk boards or cradle. No excessive fuzz, static free. Made for minimal water retention. **Colour:** Charcoal

PART NO.	MFG#	DESCRIPTION
6881298	11246-1	Bunk Carpet 8" x 12'
6881299	11247-1	Bunk Carpet 12" x 12'

BUNK BOARD CARPET



All weather carpet is designed to replace worn and frayed bunks on your trailer. The marine grade carpet will not rot or mildew. Each roll measures 11" x 12'.

PART NO.	MFG#	DESCRIPTION
6881297	86137	11" x 12', Black

BUNK BOARDS



Heavy duty replacement bunk boards come in three sizes, 3', 4', and 5' lengths. 2x4 boards wrapped in black, marine grade carpet provide a smooth surface for your boat to easily slide on or off. **Sold in pairs**

PART NO.	MFG#	DESCRIPTION
6884923	86127	3', Bunk Boards
6884924	86128	4', Bunk Boards
6884925	86129	5', Bunk Boards

TRAILER GLYDE SLICKS



These Taco Poly Trailer Glyde Slicks allow you to launch and load your boat with ease by eliminating friction between the bottom of your boat and the trailer runners and bunks.

They are very easy to install and they help distribute the weight evenly. For aluminum, fiberglass and wood boats.

Stainless steel hardware and instructions are included.

	6881290	6881291
Colour	White	White
Dimensions	24"L x 1-5/8"W x 7/16"T	24"L x 1-1/2"W x 7/16"T
Ideal for Boats	Under 600 lbs.	Under 2000 lbs.

PART NO.	MFG#	DESCRIPTION
6881290	P05-06W	Standard, 6 Pack
6881291	P06-06W	Premium, 6 Pack

BUNK SLICKS



Bolts directly onto carpeted bunk boards. Fits 2" x 4" or 2" x 6" standard bunk boards. Slide on or off with less effort. Easy to install.

Colour: Black

PART NO.	MFG#	DESCRIPTION
6884930	86170	1-3/4" x 17", 8 pcs.
6881292	86164	3" x 16", 10 pcs.

SELF CENTERING BUNK GUIDE ON'S



Self centering Bunk Guide Ons made with Tie Down's enhanced PVC. Launch and load made easy! Ideal for painted, fibreglass, or aluminum boats.

Fits 2" x 4" standard 8' bunk boards. Slide on or off with less effort. Easy to install, Sold as a pair.

PART NO.	MFG#	DESCRIPTION
6884935	86162	Self Centering Bunk Guide On's

HEAVY DUTY GUIDE ONS



Bright orange end caps on these PVC guides give you a target when loading your boat. The non-marking PVC pipe is braced inside with metal tubing going 15" up into the tube, adding strength and impact resistance. U-bolts and nuts are zinc plated. Mounting hardware is galvanized for corrosion protection. Sold in pairs with hardware

Fits 3" x 3", 3" x 4" and 3" x 5" frames.

48" Sold in pairs.

PART NO.	MFG#	DESCRIPTION
6884912	86103	Heavy Duty Guide Ons

BUNK GLIDE ON'S KIT



Allow your boat to slide on or off with less effort with these self centering Bunk Glide Ons. They are interlocking modular sections designed to fit various bunk board lengths. Ideal for painted, fiberglass, or aluminum boats, each kit fits two 2" x 6" x 8' standard bunk boards.

Kit includes:

- 4 x 3' sections
- 4 x 1' end sections
- Mounting hardware

PART NO.	MFG#	DESCRIPTION
6884937	86295	Interlocking Modular Kit

PONTOON TRAILER GUIDE



When your trailer is submerged, the PVC guide floats upward adding an additional 12" in sight giving you an overall guide sight up to 36". The bright orange end caps give you a brighter target when loading your pontoon boat. The guide posts are designed to be mounted between the pontoons.

PART NO.	MFG#	DESCRIPTION
6884913	86468	Pontoon Guides

ADJUSTABLE GUIDE ONS



Boat guides make trailering your boat a breeze. These 48" Boat Guides fit both channel and tube type trailer frames. The bright orange end cap on the PVC guides can be clearly seen from a distance providing an easy target for loading your boat.

The steel components are hot dipped galvanized for long lasting use and have a 16" side adjustment.
All hardware is included.

PART NO.	MFG#	DESCRIPTION
6884915	86105	PVC Trailer Guides

HEAVY DUTY GUIDE ONS WITH LED LIGHTS



The same high quality Heavy Duty Guide On's with newly equipped LED lights. These Guide On's will be more visible in the late evenings and early mornings. Sold as a pair.
48" high.

PART NO.	MFG#	DESCRIPTION
6884914	86441	Heavy Duty Guides w/LED

GUIDE POST, I-BEAM MOUNTING



This I-Beam Mounting Kit allows you to securely mount a 1-1/2" square guide tube to any steel or aluminum trailer frame I-Beam.

The kit includes 4 galvanized brackets with 3/8" zinc plated hardware.

PART NO.	MFG#	DESCRIPTION
6884920	86569	I-Beam Mounting Kit

BUNK BOARD GUIDE ONS





The bunk boards are carpeted. Bunk placement if mounted above frame is 19". Outside of the frame there is 5"-11" of side movement. U-bolts and nuts are zinc plated. Mounting hardware is galvanized for corrosion protection and fits frames 2" & 3" wide up to 4" high.
Sold in pairs with hardware included.

PART NO.	MFG#	DESCRIPTION
6884900	86123	2', Bunk Board Guide On's
6884905	86124	5', Bunk Board Guide On's

LOW RIDE TRAILER GUIDES



These Low Rider Guide On's are ideal for jon boats, bass boats and personal watercraft. The guide posts are made of 1-1/2" square, 16-gauge steel tubing and galvanized for long life. Guide covers are made from high impact non-marking moulded PVC. They mount to trailer cross members 2" wide by 2"or 3" high.
All mounting hardware included.
Sold as pair.

PART NO.	MFG#	DESCRIPTION
6884916	86466	Low Ride Guides

FIXED ANGLE ROLLER GUIDE ONS





6881020

Mount these 13" rubber rollers on top or beneath the frame for added adjustment. The galvanized guide mounts adjust for widths up to 13" on each side and fits frames up to 4".
Sold in pairs with hardware included.

PART NO.	MFG#	DESCRIPTION
6884910	86102	Fixed Angle
6881020	86475	9" x 2" Replacement Roller

ADJUSTABLE ANGLE ROLLER GUIDE ON'S





6881020

These Roller Guide On's are adjustable to the hull angles. The hot dip galvanized steel base with one piece U-bolt fits all channel and tube frames up to 5" and is adjustable up to 8" per side for a total of 16" overall.
Sold in pairs with hardware included.

PART NO.	MFG#	DESCRIPTION
6884911	86106	Adjustable Guide
6881020	86475	9" x 2" Replacement Roller

For the most up to date pricing, please visit maritimemarinesupply.ca/price

NEW

Spend more time in the water and less on the ramp. BoatBuckle offers professional fishermen and weekend boaters convenient, high quality tie-down systems. With no tangled straps to fuss with or lose, and quick easy installation, it's easy to see why BoatBuckle is the most popular marine tie-down in the industry!

BoatBuckle has a solution for all your tie-down needs.

1. Winch Strap
2. Bow Tie-Down
3. Gunwale Tie-Down
4. Gas Tank Tie-Down
5. Battery Box Tie-Down
6. Kwik-Lok® Tie-Down
7. BoatBuckle® G2 Transom Tie-Down



BoatBuckle

KWIK-LOK TRANSOM TIE-DOWNS

BoatBuckle

2" Straps **1" Straps**



These quality, Kwik-Lok buckle tie-downs feature protective web pad to keep buckle hardware from coming in contact with boat surfaces.

- **Load Capacity :** 400 Lbs.
- **Break Strength :** 1,200 Lbs.

PART NO.	MFG#	DESCRIPTION
6880301	F13109	Transom Tie-Down, 1"x4 ft., 2 pk.
6880302	F13110	Transom Tie-Down, 2"x2 ft., 2 pk.
6880303	F13111	Transom Tie-Down, 2"x4 ft., 2 pk.
6880304	F13112	Transom Tie-Down, 2"x6 ft., 2 pk.

STAINLESS STEEL KWIK-LOK TRANSOM TIE-DOWNS

BoatBuckle

2" Straps **1" Straps**



The Stainless Steel tie-downs offer BoatBuckle quality stainless steel components, right down to the rivets and springs.

- **Load Capacity :** 333 Lbs.
- **Break Strength :** 1,000 Lbs.

PART NO.	MFG#	DESCRIPTION
6880305	F12613	Transom Tie-Down, 1"x3-1/2" ft., 2 pk.
6880306	F12065	Transom Tie-Down, 2"x2 ft., 2 pk.
6880307	F12066	Transom Tie-Down, 2"x4 ft., 2 pk.
6880308	F12067	Transom Tie-Down, 2"x6 ft., 2 pk.

PRO SERIES KWIK-LOK TRANSOM TIE-DOWNS

BoatBuckle



Pro Series Kwik-Lok Transom Tie-Down provides zinc-coated steel trailer hooks and vinyl-coated steel top hooks which resist cracking and peeling

All Pro-Series tie-downs feature a SUR-Grip Kwik-Lok buckle for maximum comfort. For added safety and security, the transom and gunwale tie-downs also come standard with Hi-Vis protective PVC pads and our Night Eyes reflective closure patch for increased visibility in low light conditions.

- **Load Capacity :** 400 Lbs.
- **Break Strength :** 1,200 Lbs.

PART NO.	MFG#	DESCRIPTION
6880321	F17631	Transom Tie-Down, 2"x2', 2 pk.
6880322	F17632	Transom Tie-Down, 2"x4', 2 pk.
6880323	F17633	Transom Tie-Down, 2"x6', 2 pk.

NEW

PRO-SERIES RATCHET TRANSOM TIE-DOWNS

BoatBuckle



Pro Series Ratchet Tie-down offers protective web pad along with a molded SUR-Grip handle for greater ease in ratcheting.

- **Load Capacity :** 400 Lbs. **Break Strength :** 1,200 Lbs.

PART NO.	MFG#	DESCRIPTION
6880324	F18740	Transom Tie-Down, 1"x3', 2 pk.

RATCHET TRANSOM/ UTILITY TIE-DOWN

BoatBuckle



This Ratchet Transon / Utility Tie-Down is perfect for securing boats, PWC's, coolers, tackle boxes and more.

- Protective Web Pads.
- Vinyl Coated S-Hooks.
- Easy to Adjust.
- **Strap Size :** 1" W x 3-1/2' L
- **Load Capacity :** 833 Lbs.
- **Break Strength :** 2,500 Lbs.

PART NO.	MFG#	DESCRIPTION
6880362	F14209	Ratchet Transom Tie-Down, 2 pk.

CAM BUCKLE TRANSOM/ UTILITY TIE-DOWNS

BoatBuckle



Cam Buckle Tie-Downs are ideal for securing fragile or lightweight cargo, because they prevent overtightening and potential damage. They are a quick and easy alternative to ratchet straps for lighter duty applications.

- Tighten the strap by pulling the loose end.
- Release the strap by pressing a thumb lever
- **Load Capacity :** 400 Lbs. **Break Strength :** 1,200 Lbs.

PART NO.	MFG#	DESCRIPTION
6880363	F05851	Cam Buckle Tie-Down,1"x5-1/2', 2 pk.

HEAVY DUTY RATCHET TRANSOM TIE-DOWNS

BoatBuckle



These heavy duty tie-downs help you secure your boat's transom (stern) to your trailer. The Ratchet mechanism makes it easy to tighten the straps precisely and maintain tension. Web pad under buckles and rubberized vinyl coating on top S-hooks help prevent scratches and scuffs.

- Loosen straps instantly with quick-release levers
- Zinc-coated steel ratchet and S-hooks.
- Strong polyester webbing is flexible, and weather resistant
- Polypropylene Webbing
- Vinyl Coated Steel Hook On Both Ends

- **Load Capacity :** 833 Lbs. **Break Strength :** 2,500 Lbs.

PART NO.	MFG#	DESCRIPTION
6880359	F14206	Transom Tie-Down, 2"x2', 2 pk.
6880360	F14207	Transom Tie-Down, 2"x4', 2 pk.
6880361	F14208	Transom Tie-Down, 2"x6', 2 pk.

STAINLESS STEEL KWIK-LOK GUNWALE TIE-DOWN

BoatBuckle



This Stainless Steel Kwik-Lok over-center buckle tie-down is easy to use and holds your strap tight and provides added protection against the elements - even in salt spray.

- Strong polyester webbing is flexible and weather resistant.
- Opens and closes with just one hand.
- Great for saltwater applications.
- Stainless steel buckle and S-hooks
- **Load Capacity :** 333 Lbs.
- **Break Strength :** 1,000 Lbs.

PART NO.	MFG#	DESCRIPTION
6880313	F12069	Gunwale Tie-Down, 2" x 10', ea.
6880314	F12070	Gunwale Tie-Down, 2" x 13', ea.
6880315	F12071	Gunwale Tie-Down, 2" x 16', ea.
6880316	F12072	Gunwale Tie-Down, 2" x 20', ea.

PRO SERIES KWIK-LOK GUNWALE TIE-DOWN

BoatBuckle



Pro Series Kwik-Lok Gunwale Tie-Down features vinyl coated S-hooks with keepers as well as a built-in closure that stores excess web while trailering.

- **Load Capacity :** 400 Lbs.
- **Break Strength :** 1,200 Lbs.

PART NO.	MFG#	DESCRIPTION
6880325	F17634	Gunwale Tie-Down, 2" x 10', ea.
6880326	F17635	Gunwale Tie-Down, 2" x 13', ea.
6880327	F17636	Gunwale Tie-Down, 2" x 16', ea.
6880328	F17637	Gunwale Tie-Down, 2" x 20', ea.

KWIK-LOK GUNWALE TIE-DOWN

BoatBuckle



This Heavy Duty Kwik-Lok Gunwale Tie-Down strap is a simple and effective way to firmly secure one of your boat's gunwales to your trailer while protecting the boat's finish

- Seat-belt-quality polyester strap.
- Vinyl coated steel S-hook at each end.
- Kwik Lok Cam buckle.
- **Load Capacity :** 400 Lbs.
- **Break Strength :** 1,200 Lbs.

PART NO.	MFG#	DESCRIPTION
6880309	F13113	Gunwale Tie-Down, 2" x 10', ea.
6880310	F13114	Gunwale Tie-Down, 2" x 13', ea.
6880311	F13115	Gunwale Tie-Down, 2" x 16', ea.
6880312	F13116	Gunwale Tie-Down, 2" x 20', ea.

STAINLESS STEEL RATCHET TIE-DOWN

BoatBuckle



Stainless steel ratchet components give this gunwale Tie-Down added protection against the elements - even in salt spray. The ratchet mechanism lets you tighten the strap precisely and maintains tension.

- Durable 1" Nylon Webbing.
- Stainless Steel Trailer Hooks.
- Stainless Steel solid-core Kwik-Loc Ratchet
- **Load Capacity :** 333 Lbs.
- **Break Strength :** 1,000 Lbs.

PART NO.	MFG#	DESCRIPTION
6880317	F12597	Ratchet Gunwale Tie-Down, 1" x 12'. Ea.
6880318	F12598	Ratchet Gunwale Tie-Down, 1" x 18'. Ea.

NEW

PRO SERIES KWIK-LOK BOW TIE-DOWN

BoatBuckle



This Heavy Duty Tie-Down strap firmly secures your boat's bow to your trailer. The Vinyl coated steel hook attaches to boat's bow eye and the soft loop ends wraps around the trailer's tongue frame.

For maximum trailering safety, IMMI recommends that a bow tie-down always be used in conjunction with a winch strap and transom or gunwale tie-down.

- **Load Capacity :** 400 Lbs. **Break Strength :** 1,200 Lbs.

PART NO.	MFG#	DESCRIPTION
6880329	F18741	Bow Tie-Down, 1" x 3' ea.

P.W.C. CAM BUCKLE TRI-DOWN W/SOFT HOOK

BoatBuckle

A built-in nylon soft-loop hook enables these tie-downs to attach to your P.W.C. This Heavy Duty Tri-Down strap secures your PWC's Stern to your trailer with triple Vinyl coated steel S-Hooks and has a soft Loop end that fastens to your PWC's Bow. It is easier and faster to hook up than 2 separate tie-downs



- Easy to use cam buckle to tighten strap.
- Protects your PWC's gel coat finish.
- Rapidly load and unload PWC
- **Strap Size:** 1" W x 6' L
- **Load Capacity:** 400 Lbs.
- **Break Strength:** 1,200 Lbs.

PART NO.	MFG#	DESCRIPTION
6880357	F10972BK	PWC Cam Buckle Tri-Down, ea.

P.W.C. RATCHET TRI-DOWN W/SOFT HOOK

BoatBuckle

Secure the stern of your personal watercraft (PWC) quickly and easily with this Tri-Down strap. Its three-strap design and soft-loop hook help you to rapidly load and unload your PWC while protecting its finish.



- Easy to use cam buckle to tighten strap.
- Protects your PWC's gel coat finish.
- Rapidly load and unload PWC.

- **Load Capacity:** 400 Lbs.
- **Break Strength:** 1,200 Lbs.

PART NO.	MFG#	DESCRIPTION
6880358	F14218	Ratchet Tri-Down, 1"x8', ea.

UNIVERSAL MOUNTING BRACKET KIT

BoatBuckle



- Universal Mounting Bracket Kit converts almost any trailer's existing mounting tabs to accommodate BoatBuckle tie-down system mounting.
- Its unique 3-sided bracket design enables the BoatBuckle to be mounted several different ways, making it truly universal. Rugged construction ensures years of durability.

PART NO.	MFG#	DESCRIPTION
6880376	F14254	Mounting Bracket Kit

KWIK-LOK GAS TANK/ BATTERY BOX TIE-DOWN

BoatBuckle



The Kwik-Lok Gas Tank / Battery Box Tie Down with Kwik-Lok Buckle is easy to adjust and easy to lock.

- Durable Nylon webbing strap.
- Zinc coated S-hook.
- Mounting hardware is included.

PART NO.	MFG#	DESCRIPTION
6880364	F05343	Gas Tank Tie-Down, 1"x4', ea.

BATTERY BOX TIE-DOWN KIT

BoatBuckle



Packaged with two polypropylene footmen loops and four stainless steel screws for permanent floor mounting.

- Mounting hardware is included.
- Strap Size: 1-1/2" X 3-1/2'

PART NO.	MFG#	DESCRIPTION
6880365	F05351	Battery Box Tie-Down Kit

RETRACTABLE TRANSOM TIE-DOWNS

BoatBuckle



6880370
Standard

Available in **Standard** and **Stainless Steel** these Retracktable Transom Tie-Downs are the ultimate in convenience, style and innovation in trailer boat rigging! The Stainless Steel Version is recommended for use in Brackish or Saltwater environments.
Just Hook, Ratchet, and Go!

- Permanent one-bolt installation.
- Self-retracting.
- Anti-corrosive construction.
- Adapts to most mounting angles.
- Seat belt quality, polyester web strap.
- Vinyl coated S-Hooks.



6880371
Stainless Steel

Standard
- 2" x up to 43"
- Load Capacity : 833 Lbs.
- Break Strength: 2,500 Lbs.

Stainless Steel
- 2" x up to 43"
- Load Capacity : 500 Lbs.
- Break Strength: 1,500 Lbs.

PART NO.	MFG#	DESCRIPTION
6880370	F08893	Transom Tie-Down, 2 pk.
6880371	F14256	S/S Transom Tie-Down, 2 pk.

BoatBuckle

NEW

RETRACTABLE BOW TIE-DOWN

BoatBuckle



6880372
Standard



6880373
Stainless Steel

Available in **Standard** and **Stainless Steel** these Retracktable Bow Tie-Down has a swivel design that makes it easy to attach.
The Stainless Steel Version is recommended for use in Brackish or Saltwater environments. Just Hook, Ratchet, and Go!

- Permanent one-bolt installation.
- Self-retracting.
- Anti-corrosive construction.
- Two-inch seat belt quality, polyester web.
- Vinyl coated S-Hooks.

Standard
- 2" x up to 43"
- Load Capacity : 833 Lbs.
- Break Strength: 2,500 Lbs

Stainless Steel
- 2" x up to 43"
- Load Capacity : 500 Lbs.
- Break Strength : 1,500 Lbs.

PART NO.	MFG#	DESCRIPTION
6880372	F14220	Bow Tie-Down, ea.
6880373	F14393	S/S Bow Tie-Down, ea.
6880376	F14254	Optional Mounting Bracket Kit

RETRACTABLE GUNWALE TIE-DOWNS

BoatBuckle



This Retractable Gunwale Tie-Down boasts a beefy vinyl-coated double S-hook, designed to fit gunwale rails that measure 2" wide or less. Perfect for aluminum or other narrow gunwale boats.

- **Strap Size :** 2" x up to 38"
- **Load Capacity :** 833 Lbs.
- **Break Strength :** 2,500 Lbs.

- Permanent one-bolt installation.
- Self-retracting.
- Anti-corrosive construction.
- Adapts to most mounting angles.
- Two-inch seat belt quality, polyester web.

PART NO.	MFG#	DESCRIPTION
6880374	F14221	Retractable Gunwale Tie-Down, 2 pk.

RETRACTABLE GUNWALE TIE-DOWNS

BoatBuckle



The Mini Transom tie-down can be permanently mounted with one bolt to most boat trailers. Just hook, ratchet and go!
Never look for lost tie-downs again.

- Permanent one-bolt installation.
- Self-retracting.
- Anti-corrosive construction.
- One-inch high quality, polyester web.
- Dual safety lock security.

- **Strap Size :** 1" x up to 72"
- **Load Capacity :** 466 Lbs.
- **Break Strength :** 1,400 Lbs.

PART NO.	MFG#	DESCRIPTION
6880375	F106877	Mini Transom Tie-Down, 2 pk.
6880376	F14254	Optional Mounting Bracket Kit

MULTI-PURPOSE RUBBER STRAP



This multi-purpose rubber strap is made from a high quality elastic isoprene natural rubber. The 9/16" x 21-3/8" strap is very strong, flexible and UV protected to prevent fading and weathering.

PART NO.	MFG#	DESCRIPTION
6880150	42540	9/16" x 21-3/8"

RATCHET TIE DOWN STRAP



Vinyl coated hook.

PART NO.	MFG#	DESCRIPTION
6880016	57521	15'L x 1"W

HEAVY DUTY RATCHET TIE DOWN



Strength: 1,000 kg

PART NO.	MFG#	DESCRIPTION
6880020	57525	15'L x 1-1/2"W

TRANSOM TIE DOWN

Star brite



- 2" wide polypropylene webbing
- Quick release buckle
- 1" Velcro closure strap and two coated "S" hooks
- Rated Capacity: 1200 lb/544 kg
- Safe Working Load: 400 lb/181 kg

PART NO.	MFG#	DESCRIPTION
9975-090	060073	2' x 2'
9975-091	060065	2" x 4
9975-092	060069	2" x 6'

GUNWALE TIE DOWN

Star brite



- 2" polyester webbing
- Quick release buckle
- Heavy gauge single "J" hook ends
- Rated Capacity: 900 lb/400 kg
- Safe Working Load: 300 lb/133 kg

PART NO.	MFG#	DESCRIPTION
9975-093	60023	2" x 13'
9975-094	60030	2" x 16'
9975-095	060034	2" x 20'

QUICK-RELEASE TRANSOM TIE-DOWN STRAPS

attwood



When properly secured to transom eyes and trailer, these Quick-Release Transom Tie-Down Straps reduce vertical and lateral movement. The Quick-release (Over-Center) buckle is a cinch to tighten and secure by depressing the buckle handle and is a cinch to release by lifting the buckle handle. A Hook-N-Loop closure secures the buckle handle in the locked position. Vinyl-coated S-hooks prevent scratching boat or trailer finish, a protective pad behind the buckle prevents marring and scratches. **Sold as a pair.**

PART NO.	MFG#	DESCRIPTION
6880002	15232-7	2" x 4' (2pk)

NEW

FORCE® KRAKEN BLACK TROLLING MOTOR
with GT56UHD-TR Transducer

GARMIN™



There's a new legend to behold — harness the power and performance of the Force Kraken trolling motor with Remote Control and Built-in GT56UHD-TR Transducer. Designed for deep-V hulls where bow space is limited. Once you've found the spot, stay put with our most precise anchor lock technology. LiveScope™ live sonar (sold separately) is easy to add, thanks to the ability to run the cable through the trolling motor shaft.

AVAILABLE IN 63" AND 75"

The sturdy pivot-style mount frees up space on the deck, and the various shaft lengths accommodate most boats with high freeboards. Draw a route with wireless chartplotter integration, and let the trolling motor automatically navigate the route while you fish. The included remote makes speed and heading adjustments easy from anywhere on the boat. Plus, it's saltwater-rated for advanced corrosion protection.



Includes:
- Force Kraken Trolling Motor
- GT56UHD-TR transducer
- Remote
- High efficiency propeller
- Assembly & mount hardware
- Documentation



LEGENDARY POWER AND PERFORMANCE, 100 LBS OF THRUST[1]

WIRELESS INTEGRATION WITH GARMIN CHARTPLOTTERS

STAY ON THE FISH WITH ANCHOR LOCK AND MULTI-BAND GPS

PIVOT-STYLE MOUNT FOR EASY INSTALLATION

AVAILABLE IN MULTIPLE SHAFT LENGTHS

SEAMLESS CABLE INTEGRATION WITH LIVESCOPE™ SONAR

TOTAL CONTROL

STAY PUT
The anchor lock provides our most precise boat positioning technology to help keep the boat in one place.

FLOATING REMOTE
Use the included remote to help you navigate from anywhere in the boat with our simple point-and-go technology.

SMARTWATCH INTEGRATION
Connect your compatible Garmin smartwatch to control steering, anchor lock and more from your wrist.

WIRELESS INTEGRATION
Connect to your compatible chartplotter to create and follow routes for the trolling motor to follow while you fish.

Specifications:
- Anchor lock provides our most precise boat positioning, thanks to multi-band GPS and integrated AHRS for heading hold
- Wireless integration with your Garmin chartplotters allows you to create routes, patterns and tracks for the trolling motor to follow while you fish
- Get brilliant UHD sonar with the included GT56 transducer.
- Sturdy composite shaft is built to endure harsh marine environments
- Brushless motor is optimized to operate in rough open-water conditions at either 24 or 36 volts, thanks to the powerful and efficient design
- Clear sonar returns with extremely low levels of unwanted noise
- Efficient brushless motor design has longer run times than brushed motors and allows you to focus on fishing and not running out of battery
- Don't spook the fish; motor is extremely quiet above & below the water
- Included remote allows you to use point and go (using AHRS) and gesture steering to help you steer the boat without setting the rod down
- Built with advanced corrosion protection



7275402

Designed for maximum efficiency, this replacement propeller runs longer and quieter.



7275403

Protect your motor and blade from impact by placing a standard skeg on your Force trolling motor.



7275404

Enjoy the convenience of a wireless foot pedal providing instant control and responsiveness, It operates wirelessly using AA batteries or can be hardwire installed.



7275405

This quick release bracket allows you to easily install or uninstall your Force® Kraken trolling motor.



7275406

Use to stabilize your Force Kraken Trolling motor when in the stowed position.

GARMIN™

PART NO.	MFG#	DESCRIPTION
7275400	010-02573-00	Kraken Trolling Motor 63"
7275401	010-02573-10	Kraken Trolling Motor 75"
7275402	010-12832-00	Replacement Propeller
7275403	010-12832-18	Protective Skeg
7275404	010-12834-00	Wireless Foot Pedal
7275405	010-12832-60	Quick Release Mounting Plate
7275406	010-12832-55	Deck Mount Stabilizer Kit





SPARTAN TUBULAR GLASS SURF RODS

Emery

bass



- Tubular glass composite blanks
- Graphite reel seat with stainless steel hoods
- Double foot ceramic insert guides
- EVA handle w/ rubber butt cap
- Great for stream/lake/sea fishing
- All rods are 2 pc., med. action
- 8'0" guides 4+Tip, 1/2-3 oz. Lures
- 9'0" & 10'0" guide 5+Tip, 1/2-4 oz. lures
- 10-25 lb test

PART NO.	MFG#	DESCRIPTION
8750200	46-800	Spartan, Tubular, 8’0”
8750202	46-900	Spartan, Tubular, 9’0”
8750204	46-100	Spartan, Tubular, 10’0”

SPARTAN SOLID BOAT ROD

Mackerel/Cod

Emery

mackerel

cod



- Stainless steel double foot guides, ceramic inserts
- White blanks with navy-blue and red guides wrappings
- Graphite reel seats with stainless steel hoods
- Cushioned rubber butt caps & EVA grips
- Guides 3+Tip
- 5'6"L x 1 pc., med-heavy action
- 12-30 lb test, 1-4 oz. lures

PART NO.	MFG#	DESCRIPTION
8750150	7855	Spartan, Solid, 5'6"

GOLDEN FALCON SURF FISHING ROD

Emery

- Double foot ceramic insert guides
- Tubular glass composite blanks
- Graphite reel seat with stainless steel hoods
- EVA handle with rubber butt cap
- Medium Action
- Lure Size 1/2 - 3 oz.
- 10 - 25 lb test

striper



PART NO.	MFG#	DESCRIPTION
8750210	66-700	Surf Fishing Rod, 7’, 2 pc.
8750211	66-800	Surf Fishing Rod, 8’, 2 pc.
8750212	66-900	Surf Fishing Rod, 9’, 2 pc.

INTREPID SURF ROD

STREAMSIDE

striper



- Super strong e-glass tubular blank
- Graphite reel seat with stainless steel cushioned hoods
- Dynaflow guides
- Extra long EVA handle for more leverage to fish
- Built for power sea fishing as well as big lake fishing
- Strong rubber butt cap
- Guides 7+Tip
- 9'0"L x 2 pc., med-heavy action
- 14-30 lb test

PART NO.	MFG#	DESCRIPTION
8750206	SI-900	Intrepid

HUSKY HEAVY DUTY BOAT ROD



- Stainless steel hoods, EVA grips
- Metallic silver blank with matching metallic silver guides
- Solid glass blank with stainless steel guides
- Guides 3+Tip
- 5'6"L x 1 pc., med-heavy action
- 12-30 lb test, 1-4 oz. lures

PART NO.	MFG#	DESCRIPTION
8750152	7956	Husky

ABYSS DEEP WATER JIGGING ROD



- Fiberglass blank
- EVA blank through handle with rubber butt cap
- Graphite reel seat
- Cushioned stainless steel hoods
- Double foot K guides

PART NO.	MFG#	DESCRIPTION
8750157	ADW-501	Abyss, Jigging, 5'

DEMON STIX SPINNING ROD



- Cherry red wood coloured graphite blank with black wraps
- Top grade cork handle
- Titanium frame T-ring guides
- Hook keeper
- Guides 4+Tip
- 6'6"L x 2 pc., medium action
- 6-12 lb test, 1/4 – 5/8 oz. lures

PART NO.	MFG#	DESCRIPTION
8750100	4345DX	Demon Stix

NORTH SEA COD KING SOLID BOAT ROD



- Solid fiberglass construction, EVA handle w/ rubber butt cap
- Graphite reel seat with cushioned stainless steel hoods
- Luminous, rich grey blank, gold wraps on guides
- Heavy duty, double foot ALOX guides
- Guides 3+Tip, 5'6"L x 1 pc., med-heavy action, 12-30 lb test

PART NO.	MFG#	DESCRIPTION
8750154	NSC-561	North Sea, Cod King

NORTH SEA SHARK KING SOLID BOAT ROD



- Solid fiberglass construction
- Graphite reel seat with cushioned stainless steel hoods
- Luminous, rich black blank, copper wraps on the guides
- EVA handle w/ removable rubber butt cap for placement into a rod holder
- H/D aluminum roller guides & tip
- Guides 5+Tip, 5'6"L x 1 pc., heavy action , 50-130 lb test

PART NO.	MFG#	DESCRIPTION
8750156	NSS-561	North Sea, Shark King

NEW

WARRIOR SPINNING ROD



- Durable glass fiber rod
- construction blank through handle for increased sensitivity
- SStainless steel guides
- Durable & corrosion-resistant for decent line flow & longevity

PART NO.	MFG#	DESCRIPTION
8750164	WSB662M	Warrior, Spinning Rod, 6'6"

HAWK SPINNING COMBO



- 1 ball bearing, front drag
- Hawk reel
- 6'6" Length, 2 pieces , Medium action

PART NO.	MFG#	DESCRIPTION
8750305	HK1-GN	Spinning Combo, Hawk 6'6", 2 pc

STINGER ROD / REEL COMBO



A great starter spinning combo expertly matched and is great for those weekend trips up at the cottage. 1 ball bearing, rear drag, single foot ceramic guides, counter weight reel handle and pre-spooled reel.

- Counter weight reel handle
- 6'6" black rod with gold trip
- Single foot ceramic guides
- Pre-spooled reel
- 1 BB, Rear drag

PART NO.	MFG#	DESCRIPTION
8750208	LJ4000-426	Stinger Combo

CASPIAN BOAT COMBO



- 1 ball bearing, front drag, Caspian reel
- 5'6" length, 1 piece
- Ceramic guides, EVA grips

PART NO.	MFG#	DESCRIPTION
8750301	CP550R	Boat Combo, Caspian 5'6"L, 1 pc

WILD WATER BOAT COMBO



- 1 ball bearing, front drag Wild Water reel
- Standard ceramic guides
- EVA handle w/ rubber butt cap
- 5'6"L x 1 pc., med-heavy action

PART NO.	MFG#	DESCRIPTION
8750300	WW550	Boat Combo, 5'6"L x 1 pc.

WILD WATER SURF COMBO



- 1 Ball Bearing, Front Drag Wild Water Reel
- Double Foot Ceramic Guides
- EVA handle w/ rubber butt cap

PART NO.	MFG#	DESCRIPTION
9970-374	WW700	Surf Combo, 7'0"L x 2 pc.
9970-375	WW800	Surf Combo, 8'0"L x 2 pc.
8750310	WW900	Surf Combo, 9'0"L x 2 pc.

CASPIAN SURF COMBOS



- 1 bearing front drag reel
- 2 pcs, Med.Action rod
- Dbl foot guides, EVA grips
- CP60(B) or (R) reel, 56-series rod

PART NO.	MFG#	DESCRIPTION
9970-377	CP900B	Caspian Combo, 9', Blue
8750311	CP900R	Caspian Combo, 9', Red

ALPHA FISHING ROD



striper

- Durable fibreglass blank
- Stainless steel guides
- EVA handle with rubber butt cap

PART NO.	MFG#	DESCRIPTION
8750160	ASR-700	Alpha, Surf Rod, 7’0”
8750161	ASR-800	Alpha, Surf Rod, 8’0”
8750162	ASR-900	Alpha, Surf Rod, 9’0”
8750165	AL800	Alpha, Surf Rod & Reel, 8’0”
8750166	AL900	Alpha, Surf Rod & Reel, 9’0”

SPARTAN GLOW COMBO

striper

cod



- 8 ball bearings, zinc gears, Spartan reel
- 2 piece, tubular composite glow in the dark 9’ rod
- Double foot guides with ceramic inserts
- EVA handle with rubber butt cap

PART NO.	MFG#	DESCRIPTION
8750213	GC900	9’ Spartan Glow Combo

STINGER SPINNING COMBO

striper

cod



- 1 ball bearing, front drag spinning reel
- 6’6” length, 2 piece
- Left/right hand retrieve, On/off anti-reverse
- Black rod with gold trip
- Single foot ceramic guides

PART NO.	MFG#	DESCRIPTION
8750209	F4000-426	Spinning Combo, Stinger 6’6”, 2 pc

CASPIAN BOAT ROD



- Great for Cod fishing, as well as other big game fish.
- 2 pieces, so it can be broken down for easy transporting.
- Comes with a Roller Top, for handling extra heavy lines.
- 6 foot solid rods with double foot stainless steel guides
- Non-slip EVA handles

PART NO.	MFG#	DESCRIPTION
8750163	592	Caspian, Boat Rod, 6’0”

LONG CAST SPINNING REEL

cod

bass



- 1 Ball Bearing
- Over size line roller
- Silent anti-reverse
- Front Drag
- Right/left hand retrieve
- **Capacity:** 14/340, 16/270, 18/220 (lb/yds)
- **Ratio:** 4.1:1

PART NO.	MFG#	DESCRIPTION
8750002	FD360	Long Cast Spinning

SEA MASTER SPINNING REEL

cod

bass



- 1 ball bearing
- Over size line roller
- Silent anti-reverse
- Right/left hand retrieve
- Front drag
- **Capacity:** 14/340, 16/270, 18/220 (lb/yds)
- **Ratio:** 4.1:1

PART NO.	MFG#	DESCRIPTION
8750004	SM360	Sea Master Spinning

WILD WATER SURF REEL

cod

striper



- 1 ball bearing, 4.1:1
- Oversize line roller
- Silent anti-reverse
- Right/left hand retrieve
- Fold down handle
- Capacity: 16/220, 20/170, 24/140 (lb/yds)

PART NO.	MFG#	DESCRIPTION
9970-370	WW60	Wild Water Surf

FALCON BAIT RUNNER SPINNING REEL



- 8 Ball Bearings
- One touch bait runner lever and tension dial
- Aluminum spool
- Infinite anti-reverse
- Brass gear
- Gear Ratio 5.5:1
- Capacity: 10/370, 12/325, 14/270 (lb/yds)

PART NO.	MFG#	DESCRIPTION
8750007	FBR50	Falcon Bait Runner

SPARTAN GLOW SPINNING REEL



- Infinite anti-reverse 1-way clutch
- One touch Free Runner lever with tension dial
- Aluminum spool & bail, bonus graphite spool
- Glow in the dark paint scheme
- **Capacity:** 10/450; 12/330; 15/220 (lb/yds)
- **Ratio:** 4.9:1

PART NO.	MFG#	DESCRIPTION
8750011	GR6000	Spartan Reel

SEA KING SPINNING REEL



- 5 ball bearing + 1 way clutch
- Vented aluminum spool
- Front drag w/ Zinc gears
- Aluminum bail / copper line roller
- On/off anti-reverse switch
- Fold down rubber handle with rubberized grip
- Saltwater safe
- Capacity: 30/260, 40/180, 50/150 (lb/yds)
- Ratio: 5.1:1

PART NO.	MFG#	DESCRIPTION
8750009	SKR80	Sea King Spinning

NEW

PREDATOR ELITE SPINNING REEL



- Front drag
- 9 ball bearings
- Forged aluminum alloy spool
- Instant anti reverse
- Anti-twist line roller

PART NO.	MFG#	DESCRIPTION
8750014	EP2000	Predator Elite Spinning Reel

LEGEND LEVELWIND REEL

Saltwater safe!



Best combined with 8750154 rod

- 2 stainless steel ball bearings
- Durable and salt water safe
- Graphite body and spool
- Star drag , Counter
- Capacity: 14/325, 16/260, 18/210 (lb/yds)
- Ratio: 6.3:1

PART NO.	MFG#	DESCRIPTION
8750000	DRC500	Legend Levelwind

ROD TIPS



- For Boat and Surf rods

PART NO.	MFG#	DESCRIPTION
9970-397	TT-550	For 5'6" rods
9970-398	TT-900	For 6' - 9' rods
9970-399	TT-100	For 10' rods

FISH BAROMETER



- Track pressure trends for greater fishing success
- Shows Great, Good or Poor fishing conditions
- Abs housing w/lanyard

PART NO.	MFG#	DESCRIPTION
9974-045	69200	Shows fishing conditions

FLASH SPINNING REEL



- Front drag, on/off anti-reverse switch
- Left-right hand retrieve
- Graphite spool, body and handle
- Stainless steel bail and line roller
- Brass and zinc metal gears
- Rubberized plastic grip
- Capacity: 8/220, 10/165, 12/130
- Ratio: 5.5:1

PART NO.	MFG#	DESCRIPTION
8750012	F4000	Flash Reel

For the most up to date pricing, please visit maritimemarinesupply.ca/price

SLIM / FAT MAC JIGS



- Ideal for herring, halibut, mackerel, etc.
- Available in 1/2 oz 3/4 oz and 1-1/2 oz
- #4 treble hook

Slim Macs



Fat Macs



PART NO.	MFG#	DESCRIPTION
8751400	MJ15-B	Slim Mac, 1/2 oz., Blue
8751405	MJ15-G	Slim Mac, 1/2 oz., Green
8751410	MJ15-Y	Slim Mac, 1/2 oz., Yellow
8751415	MJ20-B	Slim Mac, 3/4 oz., Blue
8751420	MJ20-G	Slim Mac, 3/4 oz., Green
8751425	MJ20-Y	Slim Mac, 3/4 oz., Yellow
8751430	MJ40-B	Fat Mac, 1-1/2 oz., Blue
8751435	MJ40-G	Fat Mac, 1-1/2 oz., Green
8751440	MJ40-Y	Fat Mac, 1-1/2 oz., Yellow

RIDGE MAC LURE





- Rigged with split ring
- Nickle treble hook

PART NO.	MFG#	WEIGHT	COLOR
87501450	RM30-N	1 oz	Nickle
87501451	RM30-BL	1 oz	Blue
87501452	RM30-CH	1 oz	Chartreuse
87501453	RM30-GN	1 oz	Green
87501454	RM30-RD	1 oz	Red
87501455	RM40-N	1.5 oz	Nickle
87501456	RM40-BL	1.5 oz	Blue
87501457	RM40-CH	1.5 oz	Chartreuse
87501458	RM40-GN	1.5 oz	Green
87501459	RM40-RD	1.5 oz	Red

NEEDLE JIGS





- Lead jigs coated with clear, hardened lacquers for a lustrous shine
- Nickle treble hook





PART NO.	MFG#	DESCRIPTION
8751215	NJ140-PG	Prism Green, 5 oz.
8751220	NJ140-PO	Prism Orange, 5 oz.
8751225	NJ140-PS	Prism Silver, 5 oz.
8751230	NJ450-S	Silver, 16 oz.
8751250	NJ500-S	Silver, 18 oz.
8751252	NJ600-S	Silver, 21 oz.

GLOW JIGGERS





- Lead jigs coated with clear, hardened lacquers for a lustrous shine
- Rigged with nickel treble hook



PART NO.	MFG#	DESCRIPTION
8751100	GJ15-GN	Green, 1/2 oz. (Mackerel)
8751105	GJ40-GN	Green, 1-1/2 oz. (Mackerel)
8751110	GJ40-OR	Orange, 1-1/2 oz. (Mackerel)
8751115	GJ40-PG	Prism Green, 1-1/2 oz. (Mackerel)
8751200	GJ140-GN	Green, 5 oz. (Cod)
8751205	GJ140-OR	Orange, 5 oz. (Cod)
8751210	GJ140-PS	Prism Silver, 5 oz. (Cod)

WORM BAIT





- Rigged with a #10/0 hook
- Red colour

PART NO.	MFG#	DESCRIPTION
8751240	4820	Cod Worm Bait, Red

DEEP DIVER JIG



- 4-1/2 oz
- #4/0 treble hook

PART NO.	MFG#	DESCRIPTION
8751235	DD120-Y	Yellow-Orange, 4-1/2 oz.

SQUID JIG





- 9cm long (3-1/2")
- Sharp stainless steel spider hooks
- Hard, bright bodies
- Excellent for all kinds of squid

PART NO.	MFG#	DESCRIPTION
8751305	SJ1-GL	Glow
8751315	SJ1-RD	Red

WHITE GHOST





Good for shallows, close quarters, shore work and open water surface feeding conditions or used for trolling, casting and jigging. They are soft to the touch and feel flesh-like in the mouth of a fish.

- White rubber body, Weighted orange head
- 5/0 hook
- 1 lure per pack

PART NO.	MFG#	DESCRIPTION
8751260	WG5	White 5" Ghost 3/4 oz.
8751261	WG6	White 6" Ghost 1-1/2 oz.

MACKEREL FEATHER BAIT



8751800
8751800



8751805

- Feather Bait with 40 lb test monocline.
- Dropper flies with cadmium plated #3/0 hooks

PART NO.	MFG#	DESCRIPTION
8751800	4700	Yellow/Red, 3 Pcs.
8751805	4702	Green/Orange, 3 Pcs.
8751931	4710	Yellow/Red, 6 Pcs.

MACKERAL GLITTER RIG



- 48" Glitter Rig
- 40 lb test monocline
- 4 gold size 1/0 hooks with silver/gold glitter attractors
- Rigged with extra strong nickel plated crane swivel and cross-lock snap
- 2" drop off line

PART NO.	MFG#	DESCRIPTION
8751810	MGR	Glitter Rig

MACKEREL WEIGHTED RIG



- 3x #4 O'Shaughnessy hook
- Rigged with crane swivel, snap swivel & 2 oz sinker
- 3" drop lines

PART NO.	MFG#	DESCRIPTION
9970-410	WMR-2	45" L

MACKEREL WORM RIG



- 46" Worm Rig
- 20 lb test monocline
- Rigged with crane swivel and snap swivel
- 1/0 Limerick Hook

PART NO.	MFG#	DESCRIPTION
8751815	MWR	Worm Rig

NEW

COD NYLON LEADER



- 100 lb test
- Nylon construction will not cut into fish
- Kink and coil resistant
- Heavy-duty stainless-steel crimps

PART NO.	MFG#	DESCRIPTION
8752045	CFL18	18” Cod Leader

SABIKI RIGS

Winged Sabiki Rig

- 52" monofilament line
- Rigged with #4 hook
- 25 lb (main), 15 lb (branch)
- 3" drop

8751900



Crystal Sabiki Rig

- 52" monofilament line
- Rigged with #2 hook
- 30 lb (main), 30 lb (branch)
- 3" drop

8751905



Feathered Sabiki Rig

- 52" monofilament line
- Rigged with #2 hook
- 25 lb (main), 15 lb (branch)
- 3" drop

8751910



Winged Sabiki Rig w/Swivel

- 52" monofilament line
- Rigged with #4 hook
- #7 swivel with safety snap
- 25 lb (main), 15 lb (branch)
- 3" drop

8751915



Shrimp Sabiki Rig

- 52" monofilament line
- Rigged with #6 hook
- #7 swivel w/ safety snap
- 15 lb (main), 8 lb (branch)
- 2" drop

8751920



Quick Pull Sabiki Rig

This quick pull system lets you attach the Sabiki Rig without taking it out of the package.

- 69" monofilament line
- Rigged with #14 hooks
- 30 lb (main), 8 lb (branch)
- 3" drop



8751925

PART NO.	MFG#	DESCRIPTION	PCS.
8751900	470-RG	Winged, Red-Glow	5
8751905	475-RA	Crystal, Red-Assorted	5
8751910	480-RY	Feathered, Red-Yellow	3
8751915	485-RB	Winged, Red-Blue, w/Swivel	5
8751920	490-SA	Shrimp, Assorted	4
8751925	QP6	Quick Pull Sabiki Rig	6

For the most up to date pricing, please visit maritimemarinesupply.ca/price

SPARKLE GHOSTS

striper COMPAC



Our Sparkle Ghost baits are versatile: good for shallows, close quarters, shore work and open water surface feeding conditions or used for trolling, casting and jigging.

- Lead head with rubber body in a variety of colours , Size 2/0 hook

PART NO.	MFG#	DESCRIPTION
8751272	SPG4-GL	Glowing, 4" Body, 3/4 oz., 3pcs.
8751271	SPG4-PK	Pink 4" Body, 3/4 oz., 3 pcs.
8751270	SPG4-WH	White 4" Body, 3/4 oz., 3 pcs.
8751282	SPG6-GL	Glowing 6" Body, 1-1/2 oz., 2 pcs.
8751281	SPG6-PK	Pink 6" Body, 1-1/2 oz., 2 pcs.
8751280	SPG6-WH	White 6" Body, 1-1/2 oz., 2 pcs.

EEL HOOK'R SWIM BAIT

COMPAC striper trout



The Eel Hook'r lures are deadly on striped bass, large mouth bass, musky, pike and a variety of other gamefish. Versatile, dependable and reliable they can be fished very slow or at higher speeds with stops and jerks.

- Green & white rubber body , 2-1/4 oz. lead tongue, Sold 2 per package

PART NO.	MFG#	DESCRIPTION
8751014	EHK6-GN	Eel Hook'r, 6"
8751015	EHK-GN	Eel Hook'r, 13-1/2"

STRIPER RIGS

striper COMPAC





- #6 coastlock swivel
- 100 lb test
- #2 barrel swivel
- 24" nylon coated wire
- 4" drop line

PART NO.	MFG#	DESCRIPTION
8752010	4920-CH	Chartreuse
8752015	4920-GL	Glow
8752020	4920-OR	Orange
8752025	4920-RD	Red

STRIPED BASS SLIDER RIG

Emery striper



- 50 inch, 60 lb test, main line
- # 2/0 barrel swivel
- # 5 coastlock sinker slider

PART NO.	MFG#	DESCRIPTION
8752040	4950-7/0	Slider Rig

STRIPER RIG - DBL DROPPER

Emery striper



- 100 lb mono test, 24" main line, 2x 4" drops
- #2 barrel swivel, #6 coast lock snap

PART NO.	MFG#	DESCRIPTION
8752030	4940-CH	Chartreuse
8752031	4940-GL	Glow
8752032	4940-RD	Red

FLOATING STRIPER RIG - DBL DROPPER

Emery striper



- 24" main line, 2x 4" drops, 100 lb test
- #2 barrel swivel, #6 coast lock snap
- ½" foam floats

PART NO.	MFG#	DESCRIPTION
8752037	4940F-RD	Red

STRIPER RIGS, WEIGHTED

COMPAC striper



- 2 oz or 3 oz weight
- 54" line
- #6/0 O'Shaughnessy hook

PART NO.	MFG#	DESCRIPTION
8752000	WSR-2	2 oz. Weight
8752005	WSR-3	3 oz. Weight

STRIPER RIGS

Emery striper



- 3x #6/0 O'Shaughnessy hook
- 54" line

PART NO.	MFG#	DESCRIPTION
9970-418	3SR-O	Orange
9970-419	3SR-R	Red
9970-420	3SR-W	White
9970-421	3SR-Y	Yellow

BLACK OCTOPUS CARBON HOOKS



- Turned up eye reversed
- Chemically sharpened, high carbon steel
- Excellent tensile strength
- Packed in poly cello bag

PART NO.	MFG#	DESCRIPTION
8750800	12146-6/0	Turned Up Eye, Blk, Size 6/0, 5-pk
8750805	12146-7/0	Turned Up Eye, Blk, Size 7/0, 4-pk
8750810	12146-8/0	Turned Up Eye, Blk, Size 8/0, 3-pk

CIRCLE HOOKS, CARBON STEEL



With barb | No barb | Large eye

These carbon steel Circle Hooks are chemically sharpened and have an offset hook with excellent tensile strength.

PART NO.	MFG#	DESCRIPTION
8750814	12156-6/0	Straight Eye, Red, 6/0 w/ barb, 5-pk
8750815	12156-7/0	Straight Eye, Red, 7/0 w/ barb, 4-pk
8750820	12156-8/0	Straight Eye, Red, 8/0 w/ barb, 4-pk
8750825	12156-9/0	Straight Eye, Red, 9/0 w/ barb, 2-pk
8750830	12156-10/0	Straight Eye, Red, 10/0 w/ barb, 2-pk
8750842	12156B-7/0	Straight Eye, Red, 7/0, No Barb, 4-pk
8750843	12156B-8/0	Straight Eye, Red, 8/0, No Barb, 4-pk
8750835	12158-16/0	Large Eye, Std, 16/0 w/ barb, 2-pk

SWIVELS





Brass Interlock



Crane Interlock



Crane Coastlock



Nickel Crane

- Prevent line twist and enable quick lure changes.

PART NO.	MFG#	DESCRIPTION
8750700	1032-1	Brass Interlock, Size 1, 10-pk
8750705	1032-1/0	Brass Interlock, Size 1/0, 10-pk
8750710	750L-1/0	Crane Interlock, Size 1/0, 10-pk
8750715	755-1/0	Crane Coastlock, Size 1/0, 4-pk
8750720	755-5/0	Crane Coastlock, Size 5/0, 2-pk
8750725	740-5/0	Nickel Crane, Size 5/0, Ea.
8750730	740-6/0	Nickel Crane, Size 6/0, Ea.

SWIVELS W/SNAPS



- Brass construction to cover fresh or salt water
- Minimizes tangled lines
- Interlocking snap

PART NO.	MFG#	DESCRIPTION
9970-347	1032PB-1	Sz 1, 3 pcs
9970-353	1032PB-5/0	Sz 5/0, 1pc

SINKER SLIDERS



- Sinker slider with duo lock snap
- 5 pcs per pack

PART NO.	MFG#	DESCRIPTION
8750960	780SS-4	5pcs Sinker Sliders

SPLIT RINGS 5 PACK



- Stainless steel construction
- Heavy duty strength
- 300 lb test
- **Size:** 11mm

PART NO.	MFG#	DESCRIPTION
8750900	905HD	Split Rings, Size 11mm, 5-pk

WIRE LEADERS



- Stainless steel wire leaders
- 30 lb test
- Metal crimped ends
- Rigged with both interlock snap and barrel swivel

PART NO.	MFG#	DESCRIPTION
9970-400	1301	6", 3pcs
9970-401	1302	9", 3pcs
9970-402	1303	12", 3pcs

NO ROLL SINKERS



- Lead body
- Low profile holds bait in place
- Great for fishing rivers and lakes with strong currents

PART NO.	MFG#	DESCRIPTION
9970-392	1358-1	No Roll Sinker. 1 oz
9970-393	1358-2	No Roll Sinker, 2 oz
9970-394	1358-3	No Roll Sinker, 3 oz
8750950	1358-4	No Roll Sinker, 4 oz
8750951	1358-5	No Roll Sinker, 5 oz

NEW

BANK SINKERS



- Lead body
- Low profile holds bait in place
- 2, 3, or 4oz weight

PART NO.	MFG#	DESCRIPTION
8750955	1460-2	Sinker, Bank, 2oz, 3 Pack
8750956	1460-3	Sinker, Bank, 3oz, 2 Pack
8750957	1460-4	Sinker, Bank, 4oz, Each

For the most up to date pricing, please visit maritimemarinesupply.ca/price

BRAIDED LINE



- High knot strength with zero stretch
- Waterproof and UV resistant
- Special coating for smoother line feeds and increased stealth casting
- 60% thinner than monofilament
- 450' or 150 yds per spool

PART NO.	MFG#	DESCRIPTION
8750500	BR150-40	40 lb Test, Mono Eq, 10 lb Green
8750505	BR150-50	50 lb Test, Mono Eq, 12 lb. Green
8750510	BR150-60	60 lb Test, Mono Eq, 14 lb Green
8750515	BR150-80	80 lb Test, Mono Eq, 18 lb Green
8750520	BR150-100	100 lb Test, Mono Eq, 20 lb Green
8750501	BRY150-40	40 lb Test, Mono Eq, 10 lb Yellow
8750506	BRY150-50	50 lb Test, Mono Eq, 12 lb Yellow
8750511	BRY150-60	60 lb Test, Mono Eq, 14 lb Yellow

MONOFILAMENT MACKEREL LINE





- High visibility blue-green monofilament
- High knot strength
- Superior abrasion resistance
- Nearly invisible under water
- 150 yards/137m

PART NO.	MFG#	DESCRIPTION
8750469	M150-8	8 lb Test, Mackerel Line
8750470	M150-10	10 lb Test, Mackerel Line
8750471	M150-12	12 lb Test, Mackerel Line
8750472	M150-15	15 lb Test, Mackerel Line
8750473	M150-20	20 lb Test, Mackerel Line
8750474	M150-25	25 lb Test, Mackerel Line

MONOFILAMENT HIGH VISIBILITY LINE





- High visibility yellow monofilament line
- High knot strength
- Superior abrasion resistance
- Round profile helps prevent line from digging in
- 150 yards/137m

PART NO.	MFG#	DESCRIPTION
8750419	HV150-8	8 lb Test, High Visibility Line
8750418	HV150-10	10 lb Test, High Visibility Line
8750420	HV150-15	15 lb Test, High Visibility Line
8750421	HV150-20	20 lb Test, High Visibility Line

MONOFILAMENT HAND LINE



- Cod Fishing the traditional way
- Green monofilament
- 100 yards (91 meters)

PART NO.	MFG#	DESCRIPTION
8750600	L300	Hand line, 300 lb Test
8750605	HLR-300	Hand Line, Wooden Reel 300 lb Test

NEW

MONOFILAMENT PREMIUM LINE



- Great knot strength and casting performance
- Superior abrasion resistance
- Maximum tensile strength
- Controlled stretch and correct degree of limpness
- Low Vis Crystal Clear
- 110 yards / 101 m

PART NO.	MFG#	DESCRIPTION
8750461	L20-20	Premium Line

MONOFILAMENT, COD & STRIPER LINE





- Superior abrasion resistance
- Green monofilament line
- Cod & Striper line
- 300' or 100 yds per spool

PART NO.	MFG#	DESCRIPTION
8750400	C300-30	Cod Line, 30 lb Test
8750405	C300-40	Cod Line, 40 lb Test
8750410	C300-50	Cod Line, 50 lb Test
8750430	S300-25	Striped Bass Line, 25 lb Test
8750435	S300-30	Striped Bass Line, 30 lb Test
8750440	S300-40	Striped Bass Line, 40 lb Test



FISHTRAX HANDHELD FISH FINDER

HawkEye



We're confident in saying the FishTrax™ is the most adaptable fish finder in the world. This powerful handheld device employs SONAR technology to identify fish depth, measure water temperature, and outline the bottom contour. It's versatile enough to be used on a motorboat, kayak, canoe, float tube, or even on the ice during winter. it's a tool built for reliability and performance that should be part of every fishing adventure.

Grey Scale

- Glare-Free VirtuView™ dot matrix display
- Auto-switching dual-frequency 200/83 kHz FishTrax™ intelli sonar (14/26° Beam Angle)
- Auto & man. depth range & sensitivity
- FishTarget indicators
- Audible fish & depth alarms
- VariableZone™ water temp sensor shows water temp
- Level sensitivity adjustment, multi-level depth ranges, and auto zoom bottom tracking
- VariableZone™ water temperature sensor shows water temperature throughout the water column
- Sonar sensor side-scan adapter allows sonar direction finding under weeds, docks, ice, etc...



HD color

- VirtuView™ HD color display with LED backlight
- FishTrax intelligent sonar delivers precise readings up to 240 '
- User selectable dual-frequency 200/83 kHz FishTrax™ Intelligent Sonar (14/26° Beam Angle)
- Auto & man depth range & sensitivity
- FishArc™ and FishID™ fish indicators
- HD bottom landscape painting
- Shallow & deep water alarms
- Audible fish alarm
- VariableZone™water temperatures ensor shows water temperature throughout the water column
- Glare-Free icon LCD with LED backlight offers excellent readability
- Sonar sensor side-scan adapter allows sonar direction finding under weeds, docks, ice, etc..

Dimensions: 6"H x 3"W x 2" Thick
Transducer/Sensor Cable Length: 15' (4.5m)
Power Source: 4 x AAA batteries for up to 30 hours of use (not included)

PART NO.	MFG#	DESCRIPTION
7277421	FT1PX	Fish Trax, Dot Matrix Display
7277422	FT1PXC	Fish Trax, HD Colour Display

FISHPOD 5X BLUETOOTH FISH FINDER

HawkEye

Turn your Smartphone into a Fish Finder! This iOS and Android app-based SONAR device is a valuable addition to any tackle box.

Anytime, Anywhere - Cast from the shore, attach it to your paddlesports equipment, fling it from your boat, or slip it into your pocket and take it on the ice. From the pond to the ocean, the FishPod is ready wherever you are.



- 4-Preset Operating Modes - Auto-adjusting screen settings to target fish by size, depth, or schooling.
- FishEcho - Tunes sonar in the water column to pinpoint the size and depth of fish while tuning out clutter, debris, and false echoes.
- BottomScan - Adjusts bottom contour and composition readings to decipher between vegetation and soft / hard seabed.
- Vertical Flasher - Amplifies the most recently received sonar echoes making them easier to track. Great for ice fishing!



PART NO.	MFG#	DESCRIPTION
7277423	FP5X	Fishpod Bluetooth Fishfinder

POLY ROD HOLDER



These poly rod holders provide front access with an ID of 1-3/4". The integrated stand-offs allow for easy mounting.

PART NO.	MFG#	DESCRIPTION
7260391	P04-091W	White

ROD HOLDERS



Flush Mount



Side Mount

- Brackets included

PART NO.	MFG#	DESCRIPTION
9972-048	325140	Side Mount, ABS, Blk
9972-049	325141	Side Mount, ABS, Wht
9972-055	325161	Flush Mount, Wht

S/S ROD HOLDER



With neoprene gasket & insert.

Overall length: 9-1/2"
ID: 1-7/8"
30° Angle

PART NO.	MFG#	DESCRIPTION
7260400	54071	Rod Holder
7260399	RHBD-1-DP	Drain Cap

FLUSH MOUNT FISHING ROD HOLDERS



- Cast stainless rod holder designed for smaller rod/reel combination; include PE plastic liner, UV resistant PVC cap and mounting gasket to reduce leakage

PART NO.	MFG#	DESCRIPTION
9972-043	325235	60° angled, 1-½" W x 8-⅝" H
9972-044	325239-1	Replacement cap and gasket for angled
9972-045	325233	90° angled, 1-⅝" W x 9-⅝" H
9972-046	325238-1	Replacement cap and gasket

SIDE MOUNT ROD HOLDER



- High-impact injection molded co-polymer plastic in black finish
- Multiple settings for optimal positioning
- Sliding lock ring allows quick rod insertion and removal
- Accommodates both spinning and casting reels

PART NO.	MFG#	DESCRIPTION
9950-024	6023	3 year warranty

SIDE MOUNT ROD HOLDERS





PART NO.	MFG#	DESCRIPTION
9950-025	325028-1	2 pole, white
9950-027	325029-1	2 pole, black

TRIPLE THREAT™ THREE POLE ROD HOLDER





These UV stabilized polypropylene Triple Threat™ Three Pole Rod Holders combine functionality with the ability to accommodate tools, lures, rods/reels' bait and Scent Bottle. The Accessory Track Mounting System™ has four leash and two bungee cord attachment points.
Installs with 4 x #8 fasteners (included)
Dimensions : 13-1/2"W x 10-3/4"H

PART NO.	MFG#	DESCRIPTION
7260370	325032-1	Rod Holder, White
7260371	325033-1	Rod Holder, Black

THREE ROD TOURNAMENT STORAGE RACK



Unique design holds knife, pliers, fishing tackle and three rods, made of tough, corrosion proof polypropylene.

Approx. Dimensions:
18"W x 12"H x 2-3/4"D

PART NO.	MFG#	DESCRIPTION
7260395	P03-063W	White Storage Rack

PLASTIC ROD HOLDER

NEW



This Plastic Rod Holder features a locker pin for secure attachment. Designed in black, it comes in two mounting styles: rail mount and side/deck mount, offering flexibility for installation. The locker pin allows for easy locking of the rod holder to rails, ensuring secure fishing rod storage.

PART NO.	MFG#	DESCRIPTION
7260396	54079-RBKP	Plastic Rod Holder, Rail Mount
7260397	54079-2BKP	Plastic Rod Holder, Side/Deck Mount

ROD HOLDERS





Clamp On Style

- Holds a wide range of different size rods
- Adjustable to all angles

Stake Style

- HD metal construction
- 360 degree yoke adjustment
- 15" high stake

PART NO.	MFG#	DESCRIPTION
7260401	3113	Rod Holder, Clamp-On
8752799	3116	Stake Rod Holder

HORIZONTAL FIT ROD HOLDER



Black plastic one piece construction with foam insert for secure fit of rods. 2 required for horizontal installation. Approximately 13-1/2" long.

PART NO.	MFG#	DESCRIPTION
7260394	54065-H	Rod Holder

ROD HANGER RACK



The TACO Stainless Steel Marine 2-Rod Hanger Rack provides years of rod safety, security and convenience.

- High-polished 316 marine-grade stainless steel.
- Spring-lock rod tip holder.
- Weather-resistant, UV-stabilized flush mount poly racks.
- Mount vertically, horizontally and overhead.

PART NO.	MFG#	DESCRIPTION
7260405	F16-2751-1	Hanger Rack, 1 set for 2 Rods

ROD STORAGE RACK



This Rod Storage Rack is constructed of extremely durable, high-strength UV resistant polypropylene. Made for horizontal and overhead installation. Rods are secured with bungee cord attachment.

- Holds up to 6 Rods
- Installs with twelve #8 FH fasteners (included).

PART NO.	MFG#	DESCRIPTION
7260388	325626-1	Storage Rack, 6 Rods

KNIFE AND PLIER HOLDER



- Great for storing your knives, pliers and fishing lures
- Includes stainless steel fasteners

PART NO.	MFG#	DESCRIPTION
9971-191	325925-1	White

TACKLE TRAY BOX



Hinged polar white water tight hatch conceals recessed tackle box.

Includes three vacuum formed divided trays.

Keyed lock provides security for those favourite lures.

PART NO.	MFG#	DESCRIPTION
7260410	TBOX-1115-3T-2P	11"H x 15"W x 9"D

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

MULTIPURPOSE FIXED AND ADJUSTABLE HANDLES



Fixed and telescoping handles are made of anodized aluminum and can withstand all types of weather. They have an ergonomic tear drop profile with TPE (thermoplastic elastomer) hand grips for comfort. For use with all snap pin accessories for a variety of applications.

PART NO.	MFG#	DESCRIPTION
5491428	41902	4' Fixed
5491429	41910	2'–4' Adjustable
5491430	41912	3'–6' Adjustable
5491432	41914	5'–9' Adjustable
5491434	41916	6'–11' Adjustable

ADJUSTABLE HANDLE HEAD "BOAT HOOK"



Hook depth of 3.5"

PART NO.	MFG#	DESCRIPTION
5491442	41940	Boat Hook

ADJUSTABLE HANDLE HEAD "FISHING GAFF"



Hook depth of 3.5"

PART NO.	MFG#	DESCRIPTION
5491443	41942	Fishing Gaff

ADJUSTABLE HANDLE HEAD "LANDING NET"



17" x 20" x 30" deep

PART NO.	MFG#	DESCRIPTION
5491447	41944	Landing Net

ADJUSTABLE HANDLE HEAD "PADDLE"



22" long x 8" wide

PART NO.	MFG#	DESCRIPTION
5491446	41946	Paddle Blade

POP-UP COOLER



- Lightweight, convenient cooler pops open for use and collapses flat for storage
- Water resistant interior prevents leaks, spills and condensation
- Insulated access hatch allows you to retrieve food and beverages while minimizing cold loss
- Features a zippered lid, carry handles, and buckle strap to keep flat when not in use and bottle opener also included
- 3" in diameter by 10-1⁄2" tall and 3" high when collapse

PART NO.	MFG#	DESCRIPTION
9951-324	51995	Collapsed

COOLER MOUNTING KIT



Complete with four corner mounts and two straps. Fastens with #8 screws, is corrosion proof, and has a quick disconnect strap design allowing easy access to cooler. **Cooler not included.**

PART NO.	MFG#	DESCRIPTION
7260841	14137-7	Cooler Mounting Kit

PATROL 35 INSULATED ICE CHEST



This high-performance Dometic Patrol 35 Insulated Ice Chest is made using a single piece roto-molded construction and has thick polyurethane walls with environmentally friendly C5 insulation and a full-length hinge pin.

Features:

- Leak proof drain
- Deep-freeze lid seal
- One-hand rubber latch opening
- Weight: 25.8 lbs
- Dimensions: 27.2"L x 16.3"W x 15.31"H

PART NO.	MFG#	DESCRIPTION
7016406	9600028788	Ice Chest, Slate, 35 Qt.

STREAMSIDE POLARIZED SUNGLASSES

Protect your eyes from the glare of the sun off the water while you're out on the boat fishing or off the snow when you're hunting


Sierra


Colorado


Wrap Around


Avalanche


Tundra


Canyon

- 100% protection UVA, UVB, UVC 400nm
- Anti-scratch coating, durable frames
- The lenses offer clarity from every angle

PART NO.	MFG#	DESCRIPTION
8752500	4510-B	Canyon, Amber
8752502	4510-S	Canyon, Smoke
8752505	4520-B	Colorado, Amber
8752507	4520-S	Colorado, Smoke
8752510	4530-B	Avalanche, Amber
8752512	4530-S	Avalanche, Smoke
8752514	4540-B	Sierra, Amber
8752516	4540-S	Sierra, Smoke
8752517	4550-B	Tundra, Amber
8752518	4550-S	Tundra, Smoke
8752520	WA1-B	Wrap Around, Amber
8752521	WA1-S	Wrap Around, Smoke

EYEWEAR SECURITY FOR EVERY ADVENTURE

Cablz® eyewear retainers are designed to provide ultimate comfort and durability while keeping your glasses secure without irritating your neck or interfering with your routine. They go beyond functionality to perform in any environment and during any activity. Their lightweight, low-profile design make them easy to wear all day long. Cablz® eyewear retainers will keep your eyewear exactly where it needs to be.

EYEWEAR RETAINER DISPLAYS

Tip: Use an alcohol-based hand sanitizer to apply Cablz to your eyewear for easy application and a secure fit.



2 Peg Signature
Non Spinning Display (13" x 6" x 5")
Holds up to 24 Units
Comes with: 17 x ZIPZ, 2 x FLYZ, 28 x SILICONE



8 Peg Signature Spinning Display
(12" x 12" x 12")
Holds up to 96 Units
Comes with: 27 x ZIPZ, 12 x FLYZ, 61 x SILICONE

PART NO.	MFG#	DESCRIPTION
8752600	2PEGPPK	Display Pack, 2-PEG
8752601	8PEGPPK	Display Pack, 8-PEG

STEEL EYEWEAR RETAINERS



- Adjustable, Coated Stainless Steel Cable.
- Tangle free during high-intensity use.
- Stays off your neck reducing irritation.
- Durable, Lightweight, Low Profile, Waterproof.
- Compatible with helmets and hoodies.
- Ideal for multitasking in changing environments.
- Universal rubber ends ensure a snug fit on a wide range of eyewear frames.

PART NO.	MFG#	DESCRIPTION
8752602	ZIPZB10/CAD	ZIPZ SS, Black, 10"
8752604	ZIPZB12/CAD	ZIPZ SS, Black, 12"
8752606	ZIPZB14/CAD	ZIPZ SS, Black, 14"

MONOZ EYEWEAR RETAINERS



- Adjustable, Non-Conductive Monofilament.
- Durable, Lightweight, Low Profile, Waterproof.
- Low-snag design.
- Universal rubber ends ensure a snug fit on a wide range of eyewear frames.

PART NO.	MFG#	DESCRIPTION
8752603	ZIPZMONOZBLU10/CAD	Monofilament, Blue, 10"
8752605	ZIPZMONOZBLU12/CAD	Monofilament, Blue, 12"
8752607	ZIPZMONOZBLK14/CAD	Monofilament, Black, 14"

CĀBLZ® FLYZ TRIMMABLE



- Trim-to-fit feature lets you customize the length.
- nspired by the elegant precision of a fly line.
- Compact, tangle-free construction.
- Featherlight and endlessly flexible.
- Stays dry and comfortable.
- Universal rubber ends ensure a tight grip on most frame sizes.

So Light, You'll Never Feel It — Until You Need It

PART NO.	MFG#	DESCRIPTION
8752618	FLYZB/CAD	FLYZ, Black, 22"
8752619	FLYZO/CAD	FLYZ Orange, 22"

CĀBLZ® SILICONE EYEWEAR RETAINERS



- Adjustable, 100% high-quality SILICONE.
- Sweatproof, Stink-Proof, and built to last.
- Won't absorb odors, sunscreen, or grime.
- Non-conductive and safe to be near power sources.
- Universal Silicone ends stretch to fit most glasses and frame sizes,

PART NO.	MFG#	DESCRIPTION
8752608	SILICONEBLK/CAD	CABLZ Silicone, Black, 16"
8752609	SILICONEBLU/CAD	CABLZ Silicone, Blue, 16"
8752610	SILICONEW/CAD	CABLZ Silicone, White, 16"
8752611	SILICONERED/CAD	CABLZ Silicone, Red, 16"
8752612	SILICONEODGREEN/CAD	CABLZ Silicone, Green, 16"
8752613	SILICONEPNK/CAD	CABLZ Silicone, Pink, 16"
8752614	SILICONEPRPL/CAD	CABLZ Silicone, Purple, 16"
8752615	SILICONEORG/CAD	CABLZ Silicone, Orange, 16"
8752616	SILICONECLEAR/CAD	CABLZ Silicone, Clear, 16"
8752617	SILICONECAMOARMY/CAD	CABLZ Silicone, Camo, 16"

POCKET KNIFE – BX213



- 2.5" Drop Point Folding Blade - Closed Length: 3.3"
- Stainless-Steel Straight Edge Blade, Lock Back Mechanism

PART NO.	MFG#	DESCRIPTION
9970-145	30311	Folding Utility Knife, BX213

POCKET KNIFE – LX305



- Blade length 3.25"
- Stays open with Liner Lock feature
- One Position Knife Clip
- Fiberglass-filled Nylon handle with finger grooves
- Overall length 7"

PART NO.	MFG#	DESCRIPTION
9970-146	30039	Curved Knife, LX305

POCKET KNIFE - DX440



- Blade length 3.625"
- Stays open with Liner Lock feature
- One Position Knife Clip
- Fiberglass-filled Nylon handle
- Overall length 7"

PART NO.	MFG#	DESCRIPTION
9970-147	30040	Double Lock Knife, DX440

POCKET KNIFE - FDX305



- Stainless Steel Blade length 3"
- Stays Open using a Frame Lock System
- Three Position Knife Clip
- Stainless Steel handle
- Overall length 7"

PART NO.	MFG#	DESCRIPTION
9970-148	30066	Double Lock Knife, FDX305

FLOATING SAFETY KNIFE



- Floating knife with plastic handle and rounded blade for extra safety
- 2 3/4" rigid serrated stainless steel blade; ideal for rope or net cutting

PART NO.	MFG#	DESCRIPTION
9990-426	11053	4-1/2" x 1-3/8" folded

2 1/2" ROE KNIFE – BALL POINT TIP



- 2 1/2" stainless steel blade, black plastic handle
- Complete with sheath

PART NO.	MFG#	DESCRIPTION
9970-106	M-121-5190	Stainless steel

SAFE BLUE KNIFE



- 2-3/4" smooth blade
- 4" folded, 7" unfolded

PART NO.	MFG#	DESCRIPTION
9970-010	67427	Folding Safety Knife

4" COMPANION RESCUE SERRATED



- 4" long cold-rolled stainless steel blade and a blunt safety tip.
- Serrated blade for cutting rope, nylon and fiber
- Orange plastic sheath with belt clip

PART NO.	MFG#	DESCRIPTION
9970-142	M-11828	Serrated

4" BASIC 546



- Sharp, durable utility knife
- Sandvik stainless steel 12C27
- Complete with plastic sheath

PART NO.	MFG#	DESCRIPTION
9970-170	70-170	Smooth, ea
9970-169	M-12241 15/PK	Smooth, 15 knife display pk

4" COMPANION SERRATED



- The knife is extremely sharp and it stays sharp for a long time
- With a patterned high-friction grip and serrated blade that has been developed for cutting rope, nylon and fiber
- Sandvik stainless steel 12C27
- Complete with sheath

PART NO.	MFG#	DESCRIPTION
9970-141	70-141	Serrated, ea
9970-143	M-11829	Display package of 15

FILLET KNIFE



- **Blade length:** 6"
- Can't sink with high visibility floating handle
- Easy to clean and re-sharpen
- Contoured, slip-resistant handle designed for right or left hand use
- Includes sheath

PART NO.	MFG#	DESCRIPTION
8752800	3668	Floating Fillet Knife

FILLET KNIVES



- Stainless knife steel has high edge retention

PART NO.	MFG#	DESCRIPTION
9970-123	M-121-5090	6" Fillet
9970-105	M-121-5030	8" Fillet

4" COMPANION



- 2.5 mm thick cold-rolled stainless steel blade
- Ergonomic handle with patterned high-friction rubber grip
- Complete with plastic sheath

PART NO.	MFG#	DESCRIPTION
9970-166	70-166	4" Smooth, ea
9970-165	M-11824	Smooth, 15 knife display pk

3 1/2" CRAFT ROPE



- Ergonomic handle of TPE provides comfortable and optimum grip
- Developed for cutting rope, nylon and fiber
- Sandvik stainless steel 12C27
- Complete with plastic sheath

PART NO.	MFG#	DESCRIPTION
9970-136	70-136	Serrated, ea
9970-138	M-12245	Serrated, 15 knife display pk

14 IN 1 MULTI-TOOL – LED130



- Length: 3", blade: 2"
- Contains: spring-loaded pliers head with wire cutter, knife blade, saw blade, Phillips (1) and flathead (3) screwdriver tips, bottle opener, wire stripper, awl, file with nail pick, can-opener, plus keyring (foldable)
- 2 x CR927 batteries included for LED function

PART NO.	MFG#	DESCRIPTION
9970-044	30171	3CR13 steel

SAFETY KNIFE



- SS blade, sharp cutting inside, round outside for safe stowing
- Highly visible plastic non-slip handle, ergonomic for perfect grip in an emergency
- L: 5-5/16", Weight: 56 g
- Durable casing can be attached to belt/PFD

PART NO.	MFG#	DESCRIPTION
9990-167	65475	Safety Knife

FILLET TABLES ROD HOLDER



Bait Board, w/Knives & Plier Holder has an angle adjustable anodized aluminum mounting tube that fits most rod holders.

- UV Stablized Polypropylene tray.
- Drain hole for 1" hose
- Size: 18" x 14-1/2"

PART NO.	MFG#	DESCRIPTION
7260360	72000	Bait Board

FILLET TABLES

Made from UV-stabilized, high density polyethylene. Pliers and knife holders are incorporated into the table. A rugged nylon tilt mount can be set and locked at any practical angle.



This table fits into any rod holder and can fold flat for convenient storage. Stainless Steel hardware is included.

PART NO.	MFG#	DESCRIPTION
7260350	P01-2120W	20" x 12"
7260352	P01-2132W	32" x 12"

For the most up to date pricing, please visit maritimemarinesupply.ca/price

Why choose a Plastimo tender ?

Bow

The new square-shaped bow, in particular on Raid and Trail series, makes the most of space on board, with additional comfort for the crew and optimum storage areas, without sacrificing performance and manoeuvrability.



Fabric

Plastimo tenders are manufactured in Plastel® fabric from Mehler Texnologies, specially engineered for inflatable tenders. It features multiple layers, is highly watertight and offers outstanding resistance to abrasion, UV and marine environment. Plastel® fabric is recyclable and manufactured according to the DIN EN ISO 9001 standard.



Valves

Recessed inflation valves, for increased protection and easy access.



Inflatable floor

Our Fun models feature inflatable Heytex® floor, which ensures perfect rigidity with no distortion combined with lightweight and excellent stability.



Transom filler

Large diameter and screw-free transom filler : to prevent corrosion and offer quicker water draining.



Cone ends

On square-shaped tenders, the innovative design of reinforced cones contributes to optimised planing.





4 YEAR WARRANTY

PE 902-566-1220 NS 902-928-1900

V-HULL RAID II - INFLATABLE TENDERS



4 YEAR WARRANTY

The innovative design makes the most of space on board with additional storage areas and optimum comfort for the crew. The reinforced cones contribute to optimize planing.

PART NO.	MFG#	DESCRIPTION
9990-530	61163	2.2m
9990-502	61165	2.4m
9990-503	66078	2.7m

V-HULL TRAIL - INFLATABLE TENDERS



4 YEAR WARRANTY

Innovative design and reinforced cones. The trail models are equipped with an inflatable V-type hull and aluminum floor providing a stable and comfortable ride under power.

PART NO.	MFG#	DESCRIPTION
9990-507	66085	3.1m
9990-951	66086	3.4m
9990-952	66087	3.8m

NEW

YACHT - INFLATABLE TENDER



- Single-skin (slightly sloped floor)
- Stylish combination of light grey and slate grey.
- Paddles stowed inside the boat.

PART NO.	MFG#	DESCRIPTION
9990-953	66095	2.7 m
9990-954	66097	3.1 m

V-HULL FUN II - INFLATABLE TENDER



4 YEAR WARRANTY

- V-type inflatable hull tender, for increased lightweight and stability when taking fast rides under power, loaded or not.

PART NO.	MFG#	DESCRIPTION
9990-531	66081	2.7m

8' FISHING INFLATABLE TENDERS



4 YEAR WARRANTY

- The ideal tender for lake or river fishing, outstanding stability
- Equipment includes, valise, repair kit, bellows pump, 2 paddles, under seat hold-all bag, and rod holder bag

PART NO.	MFG#	DESCRIPTION
9990-529	61226	2.7m

SPECIFICATIONS FOR ALL MODELS

PART NO.	MFG#		LENGTH	WIDTH	PERSONS	MAX LOAD	WEIGHT	MAX HP	FLOOR	V-HULL
9990-530	61163	Raid II	7' 7"	4' 6"	2 + 1	550 lbs.	37 lbs.	3.3 HP	slatted	no
9990-502	61165	Raid II	7' 10-½"	4' 8-1/4"	3	770 lbs.	46 lbs.	5 HP	slatted	no
9990-503	66078	Raid II	8' 10"	4' 11"	3 + 1	990 lbs.	59 lbs.	10 HP	slatted	no
9990-531	66081	Fun II	8' 10"	5' 2"	3 + 1	1100 lbs.	72 lbs.	10 HP	air (Heytex)	yes
9990-507	66085	Trail	10' 2"	5' 2"	4	1320 lbs.	114 lbs.	15 HP	aluminum	yes
9990-951	66086	Trail	11'	5' 8"	5	1650 lbs.	130 lbs.	20 HP	aluminum	yes
9990-952	66087	Trail	12' 5"	5' 8"	6	1875 lbs.	150 lbs.	25 HP	aluminum	yes
9990-953	66095	Yacht	8'9"	5'	3	940 lbs.	87 lbs.	10 HP	aluminum	yes
9990-954	66097	Yacht	10' 1"	5' 2-1/2"	3+1	1090lbs.	122 lbs.	20 HP	aluminum	yes

All models include: Valise, repair kit, bellows pump, 2 paddles. Fun II and Trail models include straps for fuel tank.

REPLACEMENT PARTS FOR TENDERS











PVC Repair Kit



Hypalon Repair Kit

PART NO.	MFG#	DESCRIPTION
9990-489	60943	Foot pump for tenders
9990-488	53457	Adaptor- Halkey Roberts Valve
9990-506	24816	PVC Tender Repair kit for tender
9941-014	52371	Hypalon Tender Repair Kit
9990-641	67878	Oar, tenders 2.4m and under, pair
9990-644	67879	Oar, tenders over 2.4m, pair
9990-646	24832 (FORM 60923)	Rod for oarlock, pair
9990-648	70199	Cap for oarlock
9990-645	50881	Halkey Roberts valve, pair
9990-649	58613	Seat, tenders 2.2m
9990-650	24828	Seat, tenders over 2.2m

INFLATABLE BOAT REPAIR CLAMSEAL



- Instant tear repair, above or below the waterline; no tools or glue required. Can be used repeatedly.
- Enlarge tear up to 2" wide, insert back plate through tear, then use the nut to clam the two plates tight around tear and secure the seal

PART NO.	MFG#	DESCRIPTION
9990-428	51645	No tools or glue required

PLASTICLIP RAIL MOUNT HOLDING STRAPS



- Easy and quick installation; no drilling required
- Fits 3⁄4" – 1" (18.5 to 25.5 mm) tube diameter and can be mounted horizontally or vertically
- Includes two Plasticlip, two 2m webbing straps with fix-lock, screws and nuts
- Ideal for windsurf, surf board, or wakeboard on the boat's stanchions
- For a larger board two kits may be necessary

PART NO.	MFG#	DESCRIPTION
9990-436	37033	Holding straps

COVERS FOR TENDERS



- Ripstop polyamide, UV-resistant
- 2 self-gripping straps for quick folding and neat storage
- Special zip and Velcro opening for motor

PART NO.	MFG#	DESCRIPTION
9990-532	55791	2.2m
9990-504	55792	2.4m
9990-505	55793	2.7m
9990-509	55794	3.1m

DRAIN PLUG ASSY (AFTER 2008)



- Grey drain socket (X1) + plug for tenders > 2008

PART NO.	MFG#	DESCRIPTION
9990-487	54787	Drain Plug – 2008 and newer

TENDER HOLDALL



- Comfortable seating combined with neat storage
- Grey PVC construction, features thick seat foam for extra comfort
- Suitable for 8"W benches
- 24-1⁄2"L x 9"W x 15"H

PART NO.	MFG#	DESCRIPTION
9990-687	66291	Grey

TENDER SADDLEBAG



- 2 large, 2 small pockets and 2 bottle holders on both sides
- Grey PVC construction, mounts to bench with velcro
- Fits 8"W benches
- 26"L x 9"W x 15"T

PART NO.	MFG#	DESCRIPTION
9990-688	66290	Grey

AQUASCOPE-COLLAPSIBLE



- Ideal to watch the underwater world from your boat

PART NO.	MFG#	DESCRIPTION
9990-350	31409	Aquascope

BATHYSCOPE



PART NO.	MFG#	DESCRIPTION
9990-351	43350	Small Bathyscope

PIVOTING DAVITS



- Easy flush mount installation
- Swivelling arms fold for space-saving storage when not in use
- **Sold in pairs**

Complete with blocks, hooks and rope

- Tube diameter 1-1⁄2" (4 cm)
- Includes two blocks, two hooks and two 3m ropes
- Single sheave

PART NO.	MFG#	DESCRIPTION
9990-394	36182	220 lbs. (100 kg) max.

- Tube diameter 2.4" (6 cm)
- Includes four blocks, four hooks and four 3m ropes
- Double sheave

PART NO.	MFG#	DESCRIPTION
9990-395	36183	353 lbs. (160 kg) max.

TRANSOM RETRACTABLE WHEELS



- To mount on rigid transom
- Supports boat and motor up to 250lbs
- Heavy duty spring loaded locking system

PART NO.	MFG#	DESCRIPTION
9990-570	64768	Heavy Duty

WHEEL–A–WEIGH

Get your small craft into and out of the water quickly, safely, and easily with these portable and removable Wheel-a-Weigh transom wheels. A detent pin on each pivot bracket lets you position the wheels up or down, or remove them completely for storage.

Made of a 316 stainless steel frame and pivot bracket with precision moulded, non-corrosive wheel hubs. Stainless steel installation hardware is included.



Standard



Heavy Duty

Standard
Inflatable 10" Wheels,
Capacity up to 220 lbs.(100kg)

Heavy Duty
Inflatable 14" Wheels with roller bearings inside the hub
Capacity up to 330 lbs.(150kg)

Ideal for small aluminum and inflatable craft with solid transoms
Note: This product is not designed to be towed behind a vehicle.

PART NO.	MFG#	DESCRIPTION
6894115	1482	Standard
6894116	1483	Heavy Duty

NEW

CROFT INFLATABLE KAYAK



This Inflatable Kayak is your passport to no-fuss kayaking fun, compact at 11ft 2-inch, this gem is perfect for beginners. Simple, versatile, and suitable for solo or tandem journeys, it's your go-to companion for easy-going water escapades.

Max rider weight: 400lb **Dimensions: 134 x 35" / 340 x 90 cm**

- 2 Comfortable seats with velcro fixing system
- 2 paddles: 4 pieces aluminum paddle with Nylon blade
- 3 Boston valves and an EZ-lock click fin. Back and front nylon splash panels
- PVC tube is covered by a 600D polyester cover
- Includes repair kit, double action hand pump, and nylon carry bag

PART NO.	MFG#	DESCRIPTION
7240530	600024001	Teal, 2P
7240531	600025001	Purple, 2P

GAMA INFLATABLE KAYAK



A unique marvel of exploration, sized at 11ft 11-inch, this inflatable kayak has a story waiting to unfold. The Gama stands apart with neoprene anti-scratch panels, ensuring durability and grace.

Max rider weight:
400lb
Dimensions:
134" x 35" (340 x 90 cm)

- 2 Comfortable seats with velcro fixing system
- 2 paddles: 4 pieces Fiberglass paddle with Nylon blade
- 2 Pressure release valves, 3 Bravo-high pressure valves
- Back and front PVC splash panels
- Neoprene anti scratch panels
- Tarpaulin bottom
- Includes repair kit, double action hand pump, and nylon carry bag

PART NO.	MFG#	DESCRIPTION
7240532	600025002	Atlantic Green, 2P

TASMAN INFLATABLE KAYAK



A vessel designed for those who crave the thrill of exploration, share the experience with a companion. Crafted for comfort, it features adjustable seats for unhurried journeys. Ready your map, inflate with the hand pump, and let the Tasman redefine your exploration narrative

Max rider weight: 400lb **Dimensions:** 173" x 32" (440 x 81.5 cm)

- 2 Comfortable seats with velcro fixing system
- 2 paddles: 4 pieces Fiberglass paddle with Nylon blade
- 3 Bravo high pressure valves
- Back and front PVC splash panels
- Tarpaulin bottom
- Includes repair kit, double action hand pump, and nylon carry bag

PART NO.	MFG#	DESCRIPTION
7240533	600024003	Teal, 2P

SEASCOOTER



This powerful SeaScooter delivers high performance with a sleek nautical design, multiple speed settings and a strong motor to effortlessly glide through the water whether you're diving offshore or snorkeling along the coast. Its self-floating and lightweight design makes it easy to use and transport. Capture your best moments with the built-in GoPro mount

- 3 speed levels up to: 3 knots / 3 Mp/h / 5 Km/h.
- Dive up to 98 ft / 30 m.
- Max thrust 9 KG Force.
- Run time up to 2 x 38 minutes.
- Two Li-ion (25 V / 5 Ah).
- Charging time 4 hours per battery.
- Temperature limits: min: -10°C / 14°F - max: 45°C / 113°F Total.
- GoPro mount on top to capture your underwater experiences.

Includes: Snorkel set and a padded Carry bag.

Dimensions: 23" x 9" x 8" / 58 cm x 24 cm x 13 cm.
Weight: 8 lbs / 3-1/2 kg

PART NO.	MFG#	DESCRIPTION
7240592	281024015	SeaScooter, 1P

NEW

AERO RASA SUP BOARD



This board features a 3mm thick non-slip EVA foam deck pad and a lightweight vertical drop stitching construction. The Halkey Roberts Valve ensures effortless inflation, while the double 5" EZ-lock fin and 9" nose rocker offer smooth navigation and control.

Board weight: 21 lbs (10 kg)
Max rider weight: 220 lbs (100 kg)
Dimensions: 10-1/2 ft x 32" x 6" (320 x 82 x 15cm)

Package contains:
Aero Rasa SUP Board, adjustable 5-piece fiberglass paddle, Nylon backpack, compact double action pump, 10ft coiled leash, quick release waist belt.

PART NO.	MFG#	DESCRIPTION
7240552	486426002	Inflatable Paddle Board, 10-1/2 ft, 1P

AERO TANA SUP HYBRID BOARD



This board features a 5mm thick non-slip EVA foam deck pad and a lightweight vertical drop stitching construction. The Halkey Roberts Valve ensures effortless inflation, while the double 8" EZ-lock fin and 9" nose rocker offer smooth navigation and control.

Board weight: 23 lbs (10 kg)
Max rider weight: 352 lbs (160 kg)
Dimensions: 11-1/4 ft x 34" x 6" (340 x 87 x 15cm)

Package contains:
Aero Tana SUP Hybrid Board, adjustable SUP & Kayak 5-piece paddle, Nylon backpack, double action pump, 10ft coiled leash, quick release waist belt.

PART NO.	MFG#	DESCRIPTION
7240554	486426001	Inflatable Paddle Board, 11-1/4 ft, 1P

AERO VARNA SUP LITE BOARD



This board features a 3mm thick non-slip EVA foam deck pad and a lightweight vertical drop stitching construction. The Halkey Roberts Valve ensures effortless inflation, while the 8" fin and 9" nose rocker offer smooth navigation and control.

Board weight: 9.3 kg (20.5 lbs)
Max rider weight: 100 kg (220 lbs
Dimensions: 11 ft x 30" x 6" (335 x 76 x 15 cm)

Package contains:
Aero Varna SUP Board, adjustable 3-piece aluminum paddle, Nylon backpack, single action pump, 10ft coiled leash.

PART NO.	MFG#	DESCRIPTION
7240553	486425007	Inflatable Paddle Board, 11 ft, 1P

AERO NERA SUP LITE BOARD



This board features a 3mm thick non-slip EVA foam deck pad and a lightweight vertical drop stitching construction. The Halkey Roberts Valve ensures effortless inflation, while the 8" fin and 9" nose rocker offer smooth navigation and control.

Board weight: 8.5 kg (18.7 lbs)
Max rider weight: 100 kg (220 lbs)
Dimensions: 10-1/2 ft x 32" x 6" (320 x 82 x 15 cm)

Package contains:
Aero Nera SUP Board, adjustable 3-piece aluminum paddle, Nylon backpack, single action pump, 10ft coiled leash.

PART NO.	MFG#	DESCRIPTION
7240551	486425011	Inflatable Paddle Board, 10 ½ ft, 1P

For the most up to date pricing, please visit maritimemarinesupply.ca/price

NEW

ALLEGRE COMBO SKIS

JOBE



These water skis are perfect for the entire family and all skill levels. The tunnel bottom design and perfect blend between strength and control make these skis suitable for both combo and slalom water skiing. Choose out of three colours.

Adjustable binding fits shoe size:
5-1/2 to 14
Weight range:
>50 kg
Length:
67”

- Bright fins for extra visibility
- Comfortable front toe and adjustable heel
- V bottom design for easy edge to edge and better tracking
- Extra overlay for durability

PART NO.	MFG#	DESCRIPTION
7240560	203326001	Blue
7240562	203326003	Atlantic Green
7240561	203326002	Red

NEW

REVA COATS

JOBE



Jobe Reva Coats are a warm, waterproof and windproof changing robe designed for use on and around the water, for activities such as stand-up paddleboarding, kayaking, or simply staying warm after a swim.

Made from a 240T Ripstop polyester shell with PA coating these coats have side splits, side pockets, and Velcro sleeve straps to enhance freedom of movement, comfort and practicality.

- Polyester teddy lining for extra warmth.
- Two front pockets with zipper closure.
- Hood with adjustable toggles.
- Fully taped seams.
- Two-way zipper.

PART NO.	MFG#	DESCRIPTION
7240600	560024001-XS/S	Reva Coat, XS/S
7240601	560024001-M/L	Reva Coat, M/L
7240602	560024001-XL/2XL	Reva Coat, XL/XXL

WATER SKI SLALOM BUOYS

Polyform U.S.



- High quality PVC with strong rope hold
- 9" diameter

PART NO.	MFG#	DESCRIPTION
9969-018	WS-1 GREEN	Green
9969-019	WS-1 RED	Red
9969-020	WS-1 YELLOW	Yellow

JOBE

MAKE THIS SUMMER COUNT













NEW

SLASH KNEEBOARD

JOBE



This kneeboard is fully padded through it's EVA foam knee pad to it's strap to keep those landings nice and smooth. The winged outline and base channel design makes carving and slashing through the water easy! Perfect for someone who needs a durable entry level kneeboard.

- Deep center channel for stability
- Easy start tow hook

Max rider weight: 100kg (220.5 lbs)
Dimensions: 48" x 20.3" (124 x 51.5 cm)

PART NO.	MFG#	DESCRIPTION
7240540	252526002	Teal, 1P

NEW

WAKEBOARD PACKAGE

JOBE



Featuring a high-press core with double concave bottom for smooth landings, it keeps you in control with any trick you want to throw down. A 3-Stage rocker shoots you up high and brings you down softly thanks to a center spine for a smoother landing. Comes with the Jobe Maze bindings, Tow Rope, and Carry Bag

Max rider weight: 95 kg (210 lbs)
Dimensions: 54.3" x 16.5" (138 x 42 cm)

PART NO.	MFG#	DESCRIPTION
7240550	278824007	Logo Wakeboard 138, 1P

NEW

PACE WAKESURFER

JOBE



A surfstyle wakesurfer, perfect for beginners and intermediate riders or those who just want to cruise on endless waves. Built with a double concave to channel the water out from the tail and create a board with better planning surface.

- 3 nylon fins
- Extra channels in the tail for traction
- High press fiberglass molded
- Machined Grooved EVA deck with extra tall tail kick

Max rider weight: 95kg (210 lbs
Dimensions: 56" x 20.5" (142.2 x 52 cm)

PART NO.	MFG#	DESCRIPTION
7240545	582524004	Wakesurfer, 1P

BONZAI SURF-STYLE WAKESURF BOARD

AIRHEAD



Perfect for beginners, intermediates, smaller wakes and bigger people. This compression moulded fiberglass board with dual hook grooves really grabs the wake. The EVA pad with moulded kicktail provides plenty of grip, control and balance. The pin shaped 2.5" rocker makes the board fast.

PART NO.	MFG#	DESCRIPTION
7240025	AHWS-F01	Wakesurfer

PFISH SKIM WAKESURF BOARD

AIRHEAD



Take your surfing to the next level with this skim-style board that spins on a dime. Designed to be forgiving, stable and shred the wake with ease. The large EVA pad is thick grooved to provide excellent foothold, and the fins are placed to give the rider exceptional control. Ideal for those who are looking to step up their skills, For riders up to 200 lbs.

Dimensions 49" L x 21"W x 7/8"

PART NO.	MFG#	DESCRIPTION
7240042	AHWS-F02	Pfish WakeSurf Board

For the most up to date pricing, please visit maritimemarinesupply.ca/price

NEW

CHASER TOWABLE

JOBE



The Chaser 2 person towable is perfect for a double rider. Its tough 840 nylon double-stitched cover protects the 28-gauge PVC-base and the tube from damaging. Hold on to its strong nylon-wrapped handles with neoprene knuckle protection.

- One way Boston valve
- Quick connector for easy towing

Max Rider Weight: 400 lbs (180 kg)
Dimensions inflated: 92" x 47" x 24.8" **Dimensions deflated:** 88" x 49"

PART NO.	MFG#	DESCRIPTION
7240515	230224003	Towable Tube, 2P

NEW

JOBE BINAR

JOBE



The Jobe Binar Towable is ready to be used as a wild ride when users are sitting, kneeling or do other crazy stuff. Just tow the rope to one of its 2-way quick connector tow points and find out. A multitude of comfy foam-filled handles facilitate all your creative multiple rider positions. Equipped with patterned rough 840D nylon cover.

- Made of double-stitched nylon and featuring a one-way Boston valve
- Quick 2-way connectors for easy towing.
- Soft top on the top of the backrest.
- 28 gauge PVC.

2 Person 7240509
Dimensions inflated : 97" x 72" x 28" **Dimensions deflated :** 77" x 76"

3 Person 7240510
Dimensions inflated : 85" x 72" x 28" **Dimensions deflated :** 98" x 73"

4 Person 7240511
Dimensions inflated: 116" x 72" x 28" **Dimensions deflated :** 118" x 76"

PART NO.	MFG#	DESCRIPTION
7240509	230223001	Binar, 2P
7240510	230323001	Binar, 3P
7240511	230423001	Binar, 4P

NEW

AIRSTREAM TOWABLES

JOBE



Jobe Airstream Towable has been manufactured with a 840 denier nylon cover, which makes the Airstream stronger than most competitors. Its well-thought out form gives users a lively, energetic feeling and makes them literally fly over the water. A one way valve and quick connector make this tube super user friendly.

- Made of double-stitched nylon and featuring a one-way Boston valve
- Quick connector for easy towing.
- 420 Denier nylon Cover.
- 24 Gauge PVC inner lining

2 Person 7240512
Dimensions inflated : 65" x 57" x 20" **Dimensions deflated :** 65" x 57"

3 Person 7240513
Dimensions inflated : 82" x 69.7" x 19.7" **Dimensions deflated :** 82" x 69.7"

PART NO.	MFG#	DESCRIPTION
7240512	230225003	Airstream, 2P
7240513	230325003	Airstream, 3P

NEW

SHARK TRAINER TOWABLE

JOBE



Jobe Shark Trainer Towable for children captures the basics of ridinga towable or waterski. The round-shaped nose provides a safe andeasy boarding for the young novice rider. A quick rope connector makes it easy to connect and disconnect.

- Made of double-stitched nylon and featuring a one-way Boston valve
- Double stitched 420 Denier nylon Cover.
- 24 Gauge PVC inner liner.
- Max rider weight 60 lbs. / 27 kg.

A full package consists of an electric pump, safety wrist seal, quick release, safety flag and a tow rope

Dimensions when inflated: 52" x 35" x 18"
Dimensions when deflated: 55" x 41"

PART NO.	MFG#	DESCRIPTION
7240514	230125003	Shark Trainer, 1P

RIDGE TOWABLES



The Jobe Heavy Duty Ridge Towable is light and strong for a lively feeling on the waves. The outside has been made of double-stitched 420D to ensure durability and quality. Connect and disconnect the rope in a flash with its quick rope connector. Jobe's Ridge towable has a drain to guarantee good water release after a stormy ride.

- Made of double-stitched nylon and featuring a one-way Boston valve
- Easy boarding platform.
- Air chambers.
- Quick connector for towing.
- 840 Denier nylon cover
- 26 gauge inner PVC lining

1 Person 7240503

Dimensions inflated: 51.5" x 51.5" 17.3" **Dimensions deflated:** 53.5"

2 Person 7240504

Dimensions inflated: 69" x 62" 17" **Dimensions deflated:** 71" x 63"

3 Person 7240505

Dimensions inflated: 84" x 71" 17" **Dimensions deflated:** 82 x 70"

PART NO.	MFG#	DESCRIPTION
7240503	230122002	Ridge, 1P
7240504	230222003	Ridge, 2P
7240505	230322003	Ridge, 3P

DROPLET TOWABLES



The Jobe Droplet towable has soft and grippy handles to make sure you can hold on tight while bumping over the waves. This towable has an inner line made of heavy duty 24G PVC and is fully covered in strong 420 denier nylon.

- Made of double-stitched nylon and featuring a one-way Boston valve
- Quick connector for easy towing

1 Person 7240506

Dimensions inflated: 52.7" x 14.5" **Dimensions deflated:** 55"

2 Person 7240507

Dimensions inflated: 67" x 13" **Dimensions deflated:** 70"

3 Person 7240508

Dimensions inflated: 72.4" x 12.5" **Dimensions deflated:** 77"

PART NO.	MFG#	DESCRIPTION
7240506	230125002	Droplet, 1P
7240507	230225001	Droplet, 2P
7240508	230325004	Droplet, 3P

RUMBLE TOWABLES



The Jobe Super-Fast Rumble fun tube is both strong and featherlight providing a thrill seeking rider with a wild water experience. Sitting, kneeling or lying down, get ready to Rumble.

- Multi position towable.
- Quick connector for easy towing.
- One way Boston valve.
- 1 water drain.
- Safety chamber.
- 420 Denier nylon Cover.
- 24 Gauge inner PVC liner.
- Rope length: 60 ft / 18 m

A full package consists of an electric pump, safety wrist seal, quick release, safety flag and a tow rope

Dimensions when inflated: 46" x 17.3"
Dimensions when deflated: 54"

PART NO.	MFG#	DESCRIPTION
7240500	238826001	Teal, Package, 1P
7240501	230126001	Teal, Tube Only, 1P
7240502	230126002	Purple, Tube Only, 1P

TRANSOM MOUNT SKI TOW



The transom mount ski tow is designed to mount on the back of the transom with two 2"x 3/8" threaded legs.



This 304 S/S mount consists of a 2-1/2" ring diameter with a center arm allowing boaters to quickly attach or detach the ski-rope from the boat allowing you to focus on the fun instead of the rope.

PART NO.	MFG#	DESCRIPTION
7913000	53590-02	2-1/2" Dia. with 2" long threads
9978-045	53590-01	2-1/2" Dia. with 1-1/2" long threads
9978-046	53590-03	3" Dia. with 2" long threads

AIRHEAD HOT DOGS



You'll have the time of your life on these 'water weenies' designed for 2 & 3 riders. Hot Dog has deluxe nylon-wrapped handles with neoprene knuckle guards. There are neoprene seat pads for comfort and to help you stay on top. Rope hook-ups are super easy with the heavy-duty Kwik-Connect. Three 30-gauge vinyl air chambers are fully encased by a double-stitched 840-denier nylon cover. Equipped with an Airhead Valve for the ultimate in inflating and deflating convenience.

Dimensions: HD-2 76" long x 44" wide. HD-3 102" long x 44" wide.

PART NO.	MFG#	DESCRIPTION
7240054	HD-22	Hot Dog, 2 Riders
7240055	HD-32	Hot Dog, 3 Riders

SALAMANDER 3 PERSON TOWABLE TUBE



Sneak and slide along the water on the Salamander Towable Tube. This bright and vibrant 3-person inflatable has room for 3 young riders or 1 adult and 2 children. The comfortable EVA foam padding makes the ride smooth and the patented speed safety valve will inflate and deflate your tube fast. Includes a Kwik-Connect tow point. Plenty of fun for everyone.

- Weight Capacity: 510 lbs.
- Deflated Dimensions: 11 ft. x 4 ft.
- Compatible with Airhead Booster Ball (Sold Separately)

PART NO.	MFG#	DESCRIPTION
7241082	AHHD-3058	Salamander Tube

4K BOOSTER BALL



Booster Ball is designed to make your towable tubing experience even easier. Modeled after an inflatable buoy, this ball has a tow rope connected to both ends. This design helps keep the rope elevated, which boosts visibility.

- Designed for 1 to 4 rider towables
- 4,100 lb break strength
- Covered with our double stitched nylon to ensure both comfort and years of use
- Speed Valve: Patented simple valve for quick and easy inflating and deflating

PART NO.	MFG#	DESCRIPTION
7241031	AHBB-2030	4K Booster Ball

BIG-MABLE



Dimensions: 69" x 66"

Redesigned Backrest, and added Air Cushioned Side Walls to keep you on board around every whip and turn. Dual Tow Points. Sit, lay, stand, or kneel while being towed forwards like a deck tube or backwards like a chariot. It has a speed safety valve, an aluminum quick connect tow point, a heavy gauge PVC bladder and a double stitched full nylon cover.

PART NO.	MFG#	DESCRIPTION
7241055	AHT2213BM	Big Mable 1-2 Rider

POPARAZZI



Unique, high winged shape with rocker bottom allows you to carve into the wake and glide across the water's surface with minimal drag. The unique high rise tower equipped with multiple double webbing foam handles with knuckle guards allow standing or kneeling on the back deck. Stand, sit, kneel, steer, lay, balance and freestyle with the Poparazzi!

PART NO.	MFG#	DESCRIPTION
7240085	AHPZ-1750	Poparazzi 1–3 Rider



TUBE KEEPER



Tired of lying on top of your tubes to keep them from flying out of your boat? No place to sit? Tube Keeper to the rescue! Attach the straps around the tube's handles then attach with either the giant 3-1/4" suction cups or loop the stretch cords around a cleat or rail. The 2" wide adjustable straps are easy to tighten for a secure hold.

PART NO.	MFG#	DESCRIPTION
7241195	TB-101	Tube Keeper

AIRHEAD SLICE TOWABLES



Available in 3 sizes, the Slice towables are optimized for peak performance. Unlike ordinary deck tubes, Slice is made with a tapered gusset design that slopes downward from the back to the front. This style provides a host of perks for riders and drivers, including an improved towing experience, more comfortable riding, and easy boarding from the water. Kwik Connect for easy hook-ups and a Boston Valve for fast inflating and deflating.

Slice Dim: 58" **Super Slice Dim:** 70" **Mega Slice Dim:** 100"

PART NO.	MFG#	DESCRIPTION
7241050	AHT22SL	Slice 2 Rider
7241057	AHT32SSL	Super Slice 3 Rider
7241058	AHT42MSL	Mega Slice 4 Rider

AIRHEAD BLAST



The Airhead Blast has a heavy-duty virgin PVC bladder with welded seams, a Boston valve for quick inflating and deflating, and four comfortable grip handles.

Reinforced internal tow harness, double stitched nylon cover and a self-draining floor vent.
Dimensions: 54" Diameter (deflated)

PART NO.	MFG#	DESCRIPTION
7241049	AHBL-12	Blast, 1 Rider
7241048	AHBL-22	Blast, 2 Rider

GRIFFIN 2



The aerodynamic winged construction of the Griffen is a joy to ride and tow. Boarding straps in the back make it easy to climb on board from the water. Made to last, the bladder is made of a durable 30-gauge RF welded PVC and is completely wrapped in double-stitched 840-denier nylon. The heavy-duty Kwik-Connect provides easy hook-ups and the Speed Safety Valve makes it easy and fast to deflate and inflate.

Dimensions: 70" x 69" (deflated)

PART NO.	MFG#	DESCRIPTION
7241054	AHGR-02	Griffin 2, 1 - 2 Riders

AIRHEAD MACH TOWABLES



Mach 1 7240090
Dimensions: 68" x 50" Deflated



Mach 2 7240088
Dimensions: 69" x 69"



Mach 3 7240091
Dimensions: 107" x 75"



Wild but stable fun for 1, 2, or 3 riders of all ages. Comfort is guaranteed by the inflated floor and deluxe handles with neoprene knuckle guards. The heavy gauge PVC bladder and durable double-stitched nylon cover ensure years of service. Equipped with a Boston Valve and Kwik-Connect for quick and easy inflating, deflating. A Kwik-Connect tow point provides fast hook-ups

PART NO.	MFG#	DESCRIPTION
7240090	AHT2M1	Airhead Mach 1
7240088	AHT2M2	Airhead Mach 2
7240091	AHT2M3	Airhead Mach 3

MABLE TAILGATE

The Mable Tailgate combines the two best tube styles in our line, Chariot and Deck. The backrest simply unfolds to create a huge deck tube. Don't be fooled the Mable Tailgate still offers dual town points.



- Dual Tow Points : Forwards and Backwards
- 3 riding options : Seat, Deck and Chariot.
- Speed Safety Valve for quick and easy inflating/deflating.
- Weight Capacity : 340 Lbs. (154 kg.)
- **Dimensions:** 77" x 74" (195 x 188 cm)

PART NO.	MFG#	DESCRIPTION
7241056	AHT50133MT2	3 Positions, 1-2 Riders

BIG EZ SKI TRAINER

BIG EZ SKI Inflatable water ski hybrid Trainer puts the fun back in to teaching young skiers using integrated wooden water ski trainers and ski bindings. Trainer teaches basic proper stance, handle position, balance and weight transfer during turning.



- Engineered for stability while towing (10 mph maximum).
- Inflated seat for start-ups until ready to stand up.
- Weight capacity 120 lbs. (54kg.)
- **Dimensions:** 54"L x 34"W x 13"H (inflated) (137 x 86 x 33 cm)

PART NO.	MFG#	DESCRIPTION
7240001	AHEZ-2001	Big EZ Ski Trainer, 1 Rider

SCUTTLE 2

The cockpit design with backrests and an inflated floor ensures a secure and comfortable experience. Easy to hold on to the neoprene handles protected by knuckle guards. The heavy gauge PVC bladder, double-stitched nylon partial cover is long-lasting.



- Sit-in cockpit style with supportive back rest.
- Heavy duty foam filled handles with knuckle guards.
- Speed Safety Valve for quick and easy inflating/deflating.
- Easy tow rope attachment with Kwik-Connect.
- **Dimensions:** 69" x 69" (175 x 175 cm) deflated

PART NO.	MFG#	DESCRIPTION
7241053	AHT50190BBK	Scuttle 2, 1-2 Riders

DASH 1



Partially covered with heavy duty double stitched nylon Is long lasting. Heavy-duty nylon wrapped foam filled handles.

- Speed Safety Valve for quick and easy inflating/deflating.
- Easy tow rope attachment with Kwik-Connect.
- Weight Capacity: 170 lbs. (77 kg.)
- **Dimensions:** 54" Dia (140 cm)

PART NO.	MFG#	DESCRIPTION
7241073	AHT50192ORW	Dash 1, 1 Rider

INFLATABLES FLOATS

AIRHEAD

These stunning Inflatable Floats are a perfect way to combine relaxation and recreation in your favorite swimming areas. Made of Heavy-Duty K80 PVC for durability with moulded in drink holders and moulded sure grip handles. They are equipped with Speed Safety Valves for fast Inflating and Deflating.



Punk Pirate Duck: 70" x 57"

PART NO.	MFG#	DESCRIPTION
7241105	AHPF-3019	Punk Pirate Duck

ROLLING RIVER

AIRHEAD



What a great way to beat the heat, floating down a cool river with friends! This heavy gauge 2 chamber PVC tube is designed for rivers, lakes and pools. It's equipped with 2 RF-welded moulded handles for riding in rough waters.

Dimensions: 42"

PART NO.	MFG#	DESCRIPTION
7240048	AHRR-1	Rolling River 1 Rider

TREK N TUBE LOUNGE

SPORTSSTUFF



Includes its very own travel backpack making it portable. The bladder is made of heavy-duty PVC with a Speed Safety Valve for Fast Inflation and Deflation. Nylon cover has cool and relaxing mesh seating. Features include 2 built-in 6 pack zippered coolers, 2 gear pockets and 2 cup holders. **Maximum Capacity:** 200 lbs. (90 kg)

PART NO.	MFG#	DESCRIPTION
7240052	52-1501	Trek-N-Tube, 1 Person

AIRHEAD AQUA OASIS

AIRHEAD



This insulated leak-proof nylon cooler lifts up from the inflatable vinyl base and has an adjustable shoulder strap. It keeps 24 cans ice cold for hours. The 6 drink holders in the floating base are marked with numbers to help you and your friends keep track of your drinks.

The sundry holder is a convenient place to store suntan lotion. A moulded plastic rope connector is welded to the side for tethering to an Airhead lounge, swim platform, boat or dock.

PART NO.	MFG#	DESCRIPTION
7240065	AHAO-1	Aqua Oasis

NEW INFINITY WATER HAMMOCK

JOBE



Relax in style with this spacious hammock. It features a strong tarpaulin tube with a mesh center. It comes equipped with six stainless steel D-rings for easy connection and six sturdy webbing handles for convenient carrying.

Max Persons: 5 adults and 1 child **Dimensions:** 9ft x 9ft

PART NO.	MFG#	DESCRIPTION
7240590	281024006	Water Hammock

CADILLAC 6 PERSON LAKE FLOAT

AIRHEAD



Enjoy a relaxing day on this fantastic pink cadillac lake float with up to 6 of your friends. Great for pools, lakes, and rivers.

- Designed for 1 to 6 people
- Windshield acts as backrest
- Includes molded cup holders
- Heavy Duty PVC

PART NO.	MFG#	DESCRIPTION
7241103	AHPF-1001	Cadillac Lake Float

SIESTA LOUNGE

SPORTSSTUFF



Dimensions: 67" x 40"

Take a snooze, and find your place in the sun on the Siesta Lounge. Hang your feet in the water to cool off, or put them up on the fold out seat cushion/leg rest for complete relaxation! It has cup holders and plenty of storage for your sun tan lotion and other necessities. Made with a heavy-gauge PVC bladder and durable nylon full cover.

PART NO.	MFG#	DESCRIPTION
7240051	54-1602	Siesta Lounge 1 Person

For the most up to date pricing, please visit maritimemarinesupply.ca/price

SKI/WAKEBOARD PREMIUM ROPE



15" double-density Phat Grip handle provides a high strength aluminum core, 4" finger protectors and foam floats. The 6"covered aluminum handle provides extra leverage and pull for spins and inverted tricks. Low-stretch.

PART NO.	MFG#	DESCRIPTION
7240102	AHWR-2	Premium Ski Rope

WAKEBOARD ROPE



This wakeboard rope has a head turning 15 in. "Squid" patterned EVA-wrapped grip with a floating aluminum core. The 5/16", 16 strand, UV treated low stretch rope has 3 sections for wakeboarding at 45, 55 or 65'.

PART NO.	MFG#	DESCRIPTION
7240103	AHWR-3	Wakeboard Rope

2K TOW ROPE



Features:
- 2,375 lbs. Break Strength
- Minimum Stretch Design
- 3/8" 12-strand rope
- 1-2 Riders

PART NO.	MFG#	DESCRIPTION
7241212	57-1522	2 Rider Tow Rope

4K TOW ROPE



Features:
- 4,100 lbs. Break Strength
- Minimum Stretch Design
- 5/8", 16 strand rope
- 1-4 Riders

PART NO.	MFG#	DESCRIPTION
7241214	57-1532	4 Rider Tow Rope

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

TUBE ROPE



2 sections, giving you the option to be either 50' or 60' behind the boat. Pre-stretched UV-resistant 7/16" diameter 16-strand rope exceeds the 2,375 lbs. break strength required by the WSIA for 2-rider tubes. Rope Keeper is included.

PART NO.	MFG#	DESCRIPTION
7241213	AHTR-22	Tube Rope 2 Rider

WAKESURF ROPE



3 section mainline, a 12" grasp knot and an extra large spiral rope braid. Find the sweet spot of the boat's wake with this rope design. Blue/Black to match the AIRHEAD BONZAI Wakesurfer.
Break Strength: 1200 lbs.

PART NO.	MFG#	DESCRIPTION
7240100	AHWS-R01	Wakesurf Rope

WATERSPORTS ROPE



Used for a wide range of activities including skiing, wakeboarding and kneeboarding. The 12" aluminum core handle is wrapped with textured high-density EVA foam for a great grip. Rope and handle float & are brightly coloured.

PART NO.	MFG#	DESCRIPTION
7241211	AHSR-9	Watersports Rope

SKI ROPE RADIUS HANDLE



Full-length finger guards create a comfortable split-finger grip, an encased crossover yoke protects the rope from wear areas. Features a 13" radiused aluminum core handle wrapped with textured EVA foam for a great grip.

PART NO.	MFG#	DESCRIPTION
7241210	AHSR-3	Ski Rope

TOW ROPE AND HANDLE FOR WAKEBOARDS / WATERSKIS



The Jobe Multi Watersport Handle Package combines a towable rope with a strong and comfortable watersport handle suitable for everything from tubing to wakeboarding and from waterskiing to kneeboarding.

- Floating mainline.
- Length: 50ft / 15m.
- Break strength: 2375 lbs / 1077 kg.
- Multi watersport rubber coated handle.
- 12" X 1.1 inch round grip.

PART NO.	MFG#	DESCRIPTION
7240573	211323001	Multi Sport Tow Rope / Handle, 1P

TOW HOOK HANDLE



Jobe Tow Hook Handle is designed to make it easier for beginners to get started on kneeboards or on MPS boards. The rider can hook the handle on to the board, which simplifies the initial launch and frees up the rider to get into their correct position.

- Perfect to help teach the kids.
- Super-durable rubber tow hook handle for easy starts.
- 65ft/20m with 2x 5 ft / 1-1/2m extensions.
- Handle is 15” / 38 cm wide.
- Roung grip is 1.1” / 28 mm thick.
- EVA profiled handle grip.

PART NO.	MFG#	DESCRIPTION
7240541	211222003	Tow Hook Combo, 1P

WAKESURF ROPE



Jobe wakesurf rope is shorter and have a smaller handle than a wakeboard rope. It is designed to help find the boat's wake and eventually release to to ride freely. This rope has a soft, comfortable handle and adjustable length to help riders transition from being towed to "surfing" the boat's wake.

- Main line is 24 ft / 7 m with 3 extensions.
- Pencil floats to support floatation.
- Handle is 10" / 25 cm wide with 2 floats.
- EVA profiled handle grip.

PART NO.	MFG#	DESCRIPTION
7240546	211520001	Wakesurf Combo, 1P

SLALOM TOW ROPE



Jobe slalom tow rope is a specialized waterski rope engineered to meet competition standards. It has detachable shortings to adjust the line length for different skill levels. A comfortable, durable, and soft rubber handle provides a secure grip.

- Main line length is 75 ft / 23 m with 2 detachable shortings
  Handle is 12” / 31 cm wide.
- Rubber hand grip is 1.1” / 28 mm thick.

PART NO.	MFG#	DESCRIPTION
7240565	211117025	Slalom Rope Combo, 1P

WAKESURF ROPE



Jobe wakesurf rope is shorter and have a smaller handle than a wakeboard rope. It is designed to help find the boat's wake and eventually release to to ride freely. This rope has a soft, comfortable handle and adjustable length to help riders transition from being towed to "surfing" the boat's wake.



- Main line is 24 ft / 7 m with 3 extensions.
- Pencil floats to support floatation. Handle is 10" / 25 cm wide with 2 floats.
- EVA profiled handle grip.

PART NO.	MFG#	DESCRIPTION
7240563	211222002	Traditional Ski Rope, Red, 1P
7240564	211222001	Traditional Ski Rope, Blue, 1P

TWO ROPES FOR TOWABLES



Jobe super strong Tow Ropes are engineered with a unique and notable pattern to pull big tubes provide tangle-free storage.



Standard Tow Rope, 2P

- Floating mainline.
- Length: 50ft / 15 m.
- Break strength: 2375 lbs / 1077 kg.

Heavy Duty Tow Rope, 4P

- Floating mainline.
- Length: 55ft / 19 m.
- Break strength: 4150 lbs / 1882 kg.

PART NO.	MFG#	DESCRIPTION
7240570	211922001	Towable Rope, 2P
7240571	211922002	Towable Rope, 4P

BUNGEE TOW ROPE FOR TOWABLES



Jobe Bungee Tow Rope uses a built-in bungee cord to absorb shock providing thrilling surges of speed, and reduced wear on towables and boats. It's elastic element provides a more exciting and smoother ride
by reducing "whip lash" caused by sudden jerks.

- Reduces stress on the tow point.
- Length: 49ft / 15 m.
- Break strength: 3235 lbs / 1467 kg.

PART NO.	MFG#	DESCRIPTION
7240572	211920006	Bungee Tow Rope, 4P

For the most up to date pricing, please visit maritimemarinesupply.ca/price

HEAVY DUTY TOW HARNESS



Oversized extra heavy duty hooks make this perfect for hooking up to pontoon tow points. Tow skiers, wake boarders and up to 4 rider towables, simply clip it onto your stern eyes and attach your ski or tube rope. The 6" float ensures that the Kwik-Connect floats, away from your propeller.

7241218 7241219

PART NO.	MFG#	DESCRIPTION
7241218	AHTH-8HD	16'
7241219	AHTH-2	12'

KWIK-CONNECT TOW ROPE CONNECTOR



Features:

- High impact plastic Kwik-Connector with 1" diameter hole
- Recommended for 1–4 rider towable without Kwik Connectors
- Accepts up to 6,000 lbs. break strength tube ropes

PART NO.	MFG#	DESCRIPTION
7241207	AHKC-1	Quick Connect

SELF-CENTERING TOW HARNESS



This 3,000-pound tensile strength tow harness is perfect for pulling skiers, wake boarders and up to 2 rider towables. Two H/D 5,000-pound tensile strength hooks attach your tow harness and a s/s pulley to provide an optimum pull at all times. A 6" float ensures that the tow harness is kept away from your propeller.

PART NO.	MFG#	DESCRIPTION
7241217	AHTH-3	Tow Harness Self Centering

NEW

TOW ROPE BRIDLES



The Jobe Multi Watersport Handle Package combines a towable rope with a strong and comfortable watersport handle suitable for everything from tubing to wakeboarding and from waterskiing to kneeboarding.

- Floating mainline.
- Length: 50ft / 15m.
- 2P Break strength: 2375 lbs / 1077 kg.
- 4P Break strength: 4150 lbs / 1882 kg.
- Multi watersport rubber coated handle.
- 12" / 30 cm wide.
- 1.1 inch / 28 mm round grip.

PART NO.	MFG#	DESCRIPTION
7240574	210017031	Tow Bridle, 2P
7240575	410102005	Magnum Tow Bridle, 4P

AIRHEAD MULTI-VALVE



Inflate with Speed & Flexibility! Airhead Multi-valve consists of 2 Boston valves with different thread patterns on the bottom and a Shrader valve with cap. One of the Boston valves is sure to fit the thread pattern of your inflatable, no matter what brand.

PART NO.	DESCRIPTION
7241198	Valve

NEW

BOSTON VALVE



A universal valve for all Jobe towables, along with almost any towable on the market.

PART NO.	MFG#	DESCRIPTION
7240578	410800024	Valve

VINYL REPAIR KIT



This Vinyl Repair Kit includes a 1-ounce tube of the best commercial grade vinyl cement available and four 2" round vinyl patches.

PART NO.	MFG#	DESCRIPTION
7241189	AHRK-1	Vinyl Repair Kit

NEW

TOWABLE REPAIR KIT



This towable quick repair kit helps fix a towable in a minute. Comes with peel and sticky self-adhesive patches.

PART NO.	MFG#	DESCRIPTION
7240579	410010001	Repair Kit

TEAR-AID REPAIR PACKS

These clear UV-resistant Airhead Tear-Aid Vinyl & Fabric Patch Kits have a unique elastic composition that stretches and springs back to keep the patch in place when repairing towables, boat covers, fishing waders and more. Easy peel-and-stick application and can be cut with scissors for proper sizing and shaping.



Patch Kits Contain:

- 1 x 3" x 12" Tear-Aid Patch
- 1 x 7/8" x 7/8" Patch
- 1 x 1-3/8" x 1-3/8" Patch
- 1 x 12" Reinforcement Filament
- 2 x Alcohol Prep Pads
- 1 x Instructions

PART NO.	MFG#	DESCRIPTION
7241191	AHTR-1A-R	Repair Roll Kit, Fabric, 3" x 5'
7241192	AHTR-1B	Repair Patch Kit, Vinyl
7241193	AHTR-1A	Repair Patch Kit, Fabric

HAND & 12 VDC PUMPS

DOUBLE ACTION HAND PUMP



This double action pump inflates and deflates towables, kayaks, boats, airbeds, and other inflatables. It delivers a continuous stream of air on both the up and down strokes.

Simply turn the release valve counter-clockwise and you're pumping air only on the down-stroke. Very effective for "topping off" large towables in the boat, since peak pressure is an impressive 14 PSI

PART NO.	MFG#	DESCRIPTION
7241196	AHP-1	Air Pump

NEW

FOOT PUMP



A handy 2000 cc capacity pump with a set of nozzles to fit inflatable boats, SUP, towables, airbeds, and most other inflatable products.

PART NO.	MFG#	DESCRIPTION
7240576	410017101	Foot Pump

NEW

DOUBLE ACTION HAND PUMP



This plastic 19" pump can reach up to 1 bar. With accordion style hose, 5 different nozzles, and a capacity of 2 x 2000cm3

PART NO.	MFG#	DESCRIPTION
7240577	410017102	Hand Pump

STANDUP PADDLEBOARD PUMP



This SUP pump provides a reliable and fast way to inflate your Paddleboard or Air Dock. Hands-free pump, just set the pressure and press the on button pump stops automatically when reaches desired pressure

Features:

- Powerful pump for stand up paddleboards and drop stitch products.
- Uses any car or boat 12 volt outlet.
- Includes reinforced hose.
- Carry handle for convenience.

PART NO.	MFG#	DESCRIPTION
7241208	AHSUP-C022	SUP Pump, 15 PSI, 12V

AIRHEAD HIGH PRESSURE PUMP



Three times the pressure of other 12V air pumps. It comes with adapters for all popular valve styles. The removable pressure release valve limits the output to 1.4 PSI, the perfect inflation pressure for towables. The pump connects to car, truck, or boat battery with a 10' power cord and alligator clips. **Volume:** 410L/minute.

PART NO.	MFG#	DESCRIPTION
7241202	AHP-12HP	12VDC, w/ Battery Clips

AIRHEAD 120V SUPERPUMP



This 120V canister style air pump inflates and deflates towables, pools, air mattresses and beach toys. The accordion-style hose locks on to the pump and valve fittings. 4 universal valve fittings fit all popular valves. Carry handle and a 10' long power cord. 3 PSI peak pressure. Includes 1.4 PSI pressure relief valve. **Volume:** 480L/minute.

PART NO.	MFG#	DESCRIPTION
7241201	AHP-120S	120V 7.1A

AIRHEAD COMPRESSOR ADAPTER



The Compressor Adapter allows you to inflate or top off your tube using a standard bicycle tire pump or air compressor. Only fits on the screw-on type valves like the 'boston' valve (aka 'speed valve') or multi-valve.

Not for use on push-in style valves like the Speed Safety valve, over-sized safety valve, or safety valve.

PART NO.	MFG#	DESCRIPTION
7241197	10-1010	Compressor Adapter

AIR PRESSURE GAUGE



Ensure that your inflatables are inflated to the proper pressure for peak performance with AIRHEAD's Air Pressure Gauge.

Maybe even more importantly, protect your investment by not overinflating them, causing irreparable damage. AIRHEAD's Air Pressure Gauge monitors air pressure from 0 - 5 PSI with precision. Works with Speed Safety Valve, Boston Valve, Halkey Pressure Valves, and Stem Valves.

PART NO.	MFG#	DESCRIPTION
7241194	AHPG-1	Air Pressure Gauge

PATROL 35 INSULATED ICE CHEST

DOMETIC



This high-performance Dometic Patrol 35 Insulated Ice Chest is made using a single piece roto-molded construction and has thick polyurethane walls with environmentally friendly C5 insulation and a full-length hinge pin.

Features:

- Leak proof drain
- Deep-freeze lid seal
- One-hand rubber latch opening
- Weight: 25.8 lbs
- Dimensions: 27.2"L x 16.3"W x 15.31"H

PART NO.	MFG#	DESCRIPTION
7016406	9600028788	Ice Chest, Slate, 35 Qt.

POP-UP COOLER

KUUMA PRODUCTS



- Lightweight, convenient cooler pops open for use and collapses flat for storage
- Water resistant interior prevents leaks, spills and condensation
- Insulated access hatch allows you to retrieve food and beverages while minimizing cold loss
- Features a zippered lid, carry handles, and buckle strap to keep flat when not in use and bottle opener also included
- Measures 13" x 10 1/2" tall when expanded and 3" high when collapsed for storage

PART NO.	MFG#	DESCRIPTION
9951-324	51995	Cooler

COOLER MOUNTING KIT

attwood



Complete with four corner mounts and two straps. Fastens with #8 screws, is corrosion proof, and has a quick disconnect strap design allowing easy access to cooler. **Cooler not included.**

PART NO.	MFG#	DESCRIPTION
7260841	14137-7	Cooler Mounting Kit

NEW

OSEA WAIST PACK

PLASTIMO



Durable, water-repellent hip pack made of 210D nylon ripstop fabric, suitable for various outdoor activities like sailing, hiking, and travel. Includes an internal mesh pocket for organization. The waist band has a comfortable webbing strap.

PART NO.	MFG#	DESCRIPTION
9993-080	P203104	Waist Pack, Black

NEW

WATERPROOF DRY BAG

PLASTIMO



Made from a durable & waterproof 250D reach compliant tarpaulin material, the roll top range is ideal for any watersport. 100% waterproof with welded seams inside.

Available in 5L, 10L and 15L options

PART NO.	MFG#	DESCRIPTION
9993-084	P022356	Waterproof Bag, Yellow, 5L
9993-085	P022357	Waterproof Bag, Yellow, 10L
9993-086	P022358	Waterproof Bag, Yellow, 15L

WATERPROOF BARREL BAG

PLASTIMO



- All-rounder dry tube, protects and carries your personal essentials when practising watersports or outdoor activities by the seaside
- Waterproof, IP66 rating: thermo-welded seams, roll-down closure with buckle and strap
- Tough abrasion resistant materials: Tarpaulin 500D and Polyester 600
- Capacity: 20 L
- Dimensions: 10-1/4" x 18-7/8" H

PART NO.	MFG#	DESCRIPTION
9990-746	66058	20L Orange/black

NEW

3 PIECE DRY BAG SET

PLASTIMO



Ultralight waterproof dry sacks. The waterproof E-Vent bottom allows air to escape out of the sack as it is roll compressed but prevents any water from entering. An arched rolling stay helps keep the top open while loading and shapes an easy grab handle when sealed.

PART NO.	MFG#	DESCRIPTION
9993-081	P203105	3 Piece Dry Set, Orange/Green/Blue

NEW

WATERPROOF DRY BAG

PLASTIMO



Waterproof backpacks made of heavy-duty red 500 D PVC.

- Fold-over closure and straps with buckles.
- Semi-rigid flap for easy collar roll-up.
- Padded shoulder straps.

Ideal for water activities: sailing, canoeing, rafting, fishing, etc.

PART NO.	MFG#	DESCRIPTION
9993-082	71865	Drybag, Red, 47L
9993-083	71864	Drybag, Red, 75L

NEW

OSEA DRY BACKPACK 2.0

PLASTIMO



Made from a very resistant and waterproof 500D polyester canvas. Adjustable roll-up closure with compression straps and ergonomic padded backpack system. Shoulder strap and waist band are both adjustable.

Available in 20L and 40L options

- 100% waterproof with welded seams inside
- Front exterior pocket with waterproof zipper for quick access to gear
- Buckle with whistle on chest strap for added safety
- Front elastic cord for attaching additional gear

PART NO.	MFG#	DESCRIPTION
9993-074	P202498	Backpack, 20L, Black/Solar
9993-075	P202499	Backpack, 20L, Slate/Lime
9993-076	P202500	Backpack, 40L, Black/Solar
9990-892	P202502	Backpack, 40L, Slate/Lime

NEW

OSEA DRY DUFFEL BAG 2.0

PLASTIMO



Made from a very resistant and waterproof 500D polyester canvas. Adjustable roll-up closure with compression straps and ergonomic padded backpack system. Shoulder strap & waist band both adjustable.

Available in 40L and 60L options

- 100% waterproof with welded seams inside
- Front exterior pocket with waterproof zipper for quick access to gear
- Buckle with whistle on chest strap for added safety
- Front elastic cord for attaching additional gear

PART NO.	MFG#	DESCRIPTION
9993-070	P202494	Duffel Bag, 40L, Black/Solar
9993-071	P202495	Duffel Bag, 40L, Slate/Lime
9993-072	P202496	Duffel Bag, 60L, Black/Solar
9990-893	P202497	Duffel 60L 2.0 - Slate/ Lime

NEW

DRYBAGS

JOBE



Waterproof bags keeps your gear clean and dry during watersports and travel wherever you go. Built to withstand the elements and they come with 4 carabiner clips to easily attach to a Jobe SUP board.

- 1 shoulder strap. 1 handle.
- Dimensions 10 L : 20” x 12”
- Dimensions 20 L : 26” x 14”

PART NO.	MFG#	DESCRIPTION
7240610	220025002	DryBag, 10 Ltrs.
7240611	220025003	DryBag, 20 Ltrs.

NEW

WET GEAR BAG

JOBE



The Jobe practical waterproof Wet Gear Bag is designed to transport wet items like swimwear and towels without leaking onto other belongings. It is ideal for water sports or trips to the beach, pool, or spa.

- 2 carabiner clips to hang bag upside to dry.
- Mesh fabric to let water out of the bag.
- PVC bottom. Zipper closure at top. 1 Neoprene comfort handle.

PART NO.	MFG#	DESCRIPTION
7240614	220025001	Wet Gear Bag

NEW

DRYBAGS

JOBE



30 L 50 L

Waterproof bags will keep your gear clean and dry during watersports and travel wherever you go. Built to withstand the elements and they come with 4 carabiner clips to easily attach to a Jobe SUP board.

- 2 closure options 1 at top & 1 at sides.
- Adjustable chest strap.
- Double side coated 420D TPU.
- Easy to carry as backpack.
- Dimensions 30L: 28" x 16"
- Dimensions 50L : 34" x 18"

PART NO.	MFG#	DESCRIPTION
7240612	220025004	DryBag, 30 Ltrs.
7240613	220025005	DryBag, 50 Ltrs.

NEW

DAYPACK

JOBE



Jobe stylish waterproof Daypack is ready for any weather. It is spacious and versatile, ideal for keeping your belongings dry and organized during every day use or outdoor trips

- 1 handle Adjustable chest strap. Adjustable shoulder straps with 3D mesh.
- 2 Water-repellent pockets on the outside.
- 4 Carabiner clips to attach the bag to a SUP board.
- Laptop pocket inside. Single side coated 420D TPU

PART NO.	MFG#	DESCRIPTION
7240615	220025006	DayPack, Grey

NEW

COOLERBAG

JOBE



The Jobe waterproof Coolerbag uses foam insulation with TPU lining to keep food and drinks cool for hours. Great for water activities like boating, paddleboarding, beach days and outdoor activities. Easy to carry as backpack

- 1 Neoprene comfort handle.
- Adjustable chest strap.
- Adjustable shoulder straps with 3D mesh.
- 4 Carabiner clips to attach to a SUP board.
- Double side coated 420D TPU
- Water repellent pocket on the outside
- Dimensions: 20" x 14"

PART NO.	MFG#	DESCRIPTION
7240616	220025007	CoolerBag, Midnight Blue

ULTIMATE GEAR BAG

TEMPRESS



Marine Grade fabric with detachable shoulder strap plus large padded handles for carrying. Holds clothing, towels, shoes, life jackets and everything else you want to take aboard. Great for the car, camper or SUV too!

Dimensions: 20"H x 20"W x 10"D

PART NO.	MFG#	DESCRIPTION
7224540	3122-4	Ultimate Gear Bag

World-renowned for engineering innovative audio solutions that are enjoyed around the globe by the most prestigious boat designers and manufacturers. A Fusion entertainment system has become the measure of quality; chosen by those who appreciate acoustic excellence and demand superior environmental protection.



FUSION AM/FM/BT STEREO



- Most economical marine stereo from Fusion yet
- Bonded LCD screen for durability & protection from condensation & fogging
- IPX7 rated water-resistant
- Multi-Zone Technology gives you control of two separate audio zones
- Control your music from your compatible smart device or Garmin watch
- 2-11/16"H x 6-3/16"W x 4-1/16"D overall, 5-1/8"W x 3"H cutout

PART NO.	MFG#	DESCRIPTION
7275303	010-02405-00	AM/FM/BT Stereo, MS-RA60

FUSION APOLLO ZONE STEREO WITH BUILT-IN WI-FI



The Apollo SRX400 combines the latest design, engineering and powerful feature set of the Apollo Series in a compact, versatile form factor. The Apollo SRX400 is the perfect combination of intelligent design and superior sound in a compact zone stereo. The future of marine audio entertainment has arrived with the Apollo Series.

- IPX7 water resistant front panel
- 2.7" LCD colour display
- Control with your phone using Fusion's free app
- Apple AirPlay, built-in Wi-Fi streaming, Bluetooth

PART NO.	MFG#	DESCRIPTION
7275305	010-01983-00	Fusion MS-SRX400 Stereo

FUSION AM/FM BLUETOOTH

WITH APPLE-ANDROID INTERFACE



- 4x50W Class A Amplifier
- Single Din rear and face will fit into a traditional car stereo hole cut-out
- AM/FM/iPhone/iPod/Android interface
- Built in high level Bluetooth
- Will work with FusionLink Bluetooth Remote Control App.
- Rear USB connection
- Full Apple or Android Interface via UNIDOCK or Panel Mount USB Cable
- Optically Bonded Glass Display - Front IPx6 when mounted
- 2-zone with one discrete Pre-Out and Sub-out 1-AUX in.

PART NO.	MFG#	DESCRIPTION
9935-637	010-01516-01	RA70i

FUSION AM/FM SIRIUS XM READY

IPHONE/IPOD - BLUETOOTH MS-RA210



- A brilliant 2-3/4" optically bonded, full-color LCD
- Digital Signal Processing (DSP) produces superior sound quality
- IPX6 and IPX7 rated water resistant front panel
- Built-in amp for efficiency, listen at higher volume without draining battery
- Multi-Zone™ Technology gives you control of two separate audio zones
- Control from a compatible multifunction display,smart device or Garmin watch
- Rated Output Power 200W Peak power, 4x 26W RMS channels
- Bluetooth, AM/FM radio, iPhone/iPod, MTP, USB AUX
- irius XM Ready, requires Sirius XM Tuner.
- 6 ft (2 meter) NMEA 2000® drop cable.

PART NO.	MFG#	DESCRIPTION
7275302	010-02250-00	Fusion Stereo MS-RA210

BLACK BOX ENTERTAINMENT SYSTEM – BLUETOOTH



- Hideaway marine digital media receiver w/Bluetooth for music streaming
- Download the FUSION-Link™ app to turn your smartphone into a remote
- Works with iPod/iPhone and Android/Windows Media phones

- Works with iPod/iPhone and Android/Windows Media phones
- Built-in AM/FM tuner, AUX and USB inputs, includes remote
- Remote waterproof rating of IPx7, black box IPx3
- Black box 6-1⁄8"W x 2-3⁄8"H x 3-3⁄4"D, remote 2-1⁄4"Dia x 2"D

PART NO.	MFG#	DESCRIPTION
7275306	010-01517-01	BB100

FUSION ARX WIRELESS REMOTES



Enjoy the freedom to control your audio entertainment from anywhere around your boat with the ARX wireless remote.

Whether you're fishing at the transom or about to jump from the swim platform into the water – audio control is within reach anytime, anywhere

Specifications:

- ANT wireless range up to 33 ft (10m)
- IPX6 and IPX7 rating
- User-replaceable battery CR2032 (3 V)
- Battery life at least 3 years

Compatible: MS-RA210

PART NO.	MFG#	DESCRIPTION
7275308	010-02167-20	Black ARX Wireless Remote
7275309	010-02167-21	White ARX Wireless Remote

NEW

FUSION SINGLE STEREO VOLUME CONTROL



Take control of your audio out on the water with the Fusion® NRX50 volume controller. This easy-to-use device connects to your boat's NMEA 2000® network and is IPX7-rated for harsh marine environments. Its large single-knob control adjusts all audio zones of a single stereo and can play or pause audio with the push of a button. Plus, it can be easily front mounted on your dash.

Specifications:

- Wired volume controller with connectivity to boat's NMEA 2000® network
- IPX7-rated for high levels of protection in harsh marine environments
- Large rotary design for easy adjustments, especially while in motion
- One knob simultaneously adjusts all audio zones of a single stereo
- Simple push-button audio play/pause control
- Front-mounted design requires 1.5" hole for installation

Compatible: MS-RA800 MS-RA770 MS-RA670 MS-WB675 MS-RA210

PART NO.	MFG#	DESCRIPTION
7275323	010-04138-00	Single Stereo Volume Controller

SIGNATURE 4 CHANNEL MARINE AMPLIFIER



- Provide increased efficiency and power output to your speakers
- 1400 Watts peak power - Easily power 4 speakers, or 2 speakers and a subwoofer with a peak power of 1400 Watts
- Fins increases the surface area of the heat sink & improve heat dissipation
- 11-3/4"L x 8-1/4"D x 2"H
- **High Quality RCA Cables sold separately**

PART NO.	MFG#	DESCRIPTION
7275350	010-01969-00	1400W
7275340	010-12889-00	RCA Cables, 2 way, 12'
7275342	010-12893-00	RCA Cables, 4 way, 12'

FUSION RA210 STEREO RETROFIT KIT



Easily integrate your compatible Fusion marine stereo into an existing DIN-sized cutout with this retrofit kit.
Compatible: MS-RA210

PART NO.	MFG#	DESCRIPTION
7275307	010-12829-03	Stereo Retrofit Kit

GARMIN NETWORK TO FUSION STEREO CABLE



This network adapter cable is used to link your GPSMAP Series chartplotter to a compatible Fusion stereo. This cable will connect a Garmin Marine Network port to an RJ45 port.
Cable Type: Large Male to RJ45
Cable Length: 6 Feet
Compatible: MS-SRX400

PART NO.	MFG#	DESCRIPTION
7275312	010-12531-20	Marine Network Cable

FUSION HANDHELD MICROPHONE



The handheld microphone is designed for compatible Fusion stereos with telemute feature, enabling you to make announcements over your onboard audio entertainment system.

Specifications:

- Power input 10.5-32VDC
- Currant consumption 5 Ma @ 14.4V input
- Fuse 3A (not included)
- Cable length 23.62" IPX7 rating



Dimensions: 2.36" x 3.46" x 1.34" (60 x 88 x 34 mm)
Weight: 8.75 oz (250 g)
Compatible: MS-RA210

PART NO.	MFG#	DESCRIPTION
7275311	010-13014-00	Fusion Handheld Microphone



NEW

MARINE MEDIA RECEIVER WITH BLUETOOTH

SONY



- **Integrated Bluetooth® technology**
  Easily take calls and listen to your favorite tunes.
- **One-touch listening with NFC**
  Enjoy Bluetooth®connectivity w/Near Field Communications.
- **Front USB for iOs & MSC/MTP USB devices**
  Connect, control & charge your Walkman®, iPod®, iPhone®, Android™, Blackberry® or other compatible USB device.
- **USB playback supports MP3/WMA/FLAC**
  Multi-format playback lets you play your MP3, WMA or FLAC files.
- **SiriusXM Satellite radio ready**
  An on-board SiriusXM connector provides direct connection to a Sirius XM Radio satellite tuner (not supplied).
- **Works with Pandora® (iOs and Android™)**
  Provides complete access to your Pandora account using your iPhone®, Android™ or Blackberry® phones.
- **Siri Control for hands-free control of your iOs device**
  With Siri Eyes Free, iPhone users can manage everything from calls, texts and music to social media notifications
- **Advanced sound with EQ5, MEGA BASS, and LPF crossover**
- **2-Volt rear and sub RCA preamp outputs**
  For external rear and subwoofer amplifiers, pump it up.
- **Includes RM-X231 wireless remote**

PART NO.	MFG#	DESCRIPTION
7275360	DSXM55BT	Media Receiver

NEW

HIGH POWER MARINE RECEIVER WITH BLUETOOTH

SONY



- **Driven by power**
  A built-in class D amp delivers huge power.
- **Bring Siri out to sea**
  Control music, navigation, messaging and more through your iOS device with Siri Eyes Free.
- **Bluetooth Twice as Connected**
  Pair one Bluetooth® phone to access navigation, music, playback and communication features and a second phone for making and receiving hands-free calls.
- **Voice Control for Android™**
  Use voice control to get directions, send messages and play tracks on your Android™ smartphone.
- **Bring out the bass**
  Hit the EXTRA BASS™button for a deep punchy sound at any volume. Switch between two settings for different intensities of bass boost, pump it up.
- **Expand your sound system**
  With three high voltage pre-outs for power amplifiers to drive speakers and subwoofers.
- **SiriusXM Satellite radio ready**
  An on-board SiriusXM connector provides direct connection to a Sirius XM Radio satellite tuner (not supplied)
- **Waves of Light That Sync to the Beat**
  Take a nightclub atmosphere out to sea. The screen and unit light up in different colours when in sync to the rhythm of the music.

PART NO.	MFG#	DESCRIPTION
7275361	DSXM80	High Power

JENSEN AM/FM/WB/USB WATERPROOF STEREO

JENSEN



Bluetooth

Jensen's Waterproof Stereo is a self-contained round stereo which allows users to bring their own music on the water. It features USB and AUX inputs, and a Bluetooth connection, a daylight readable LCD display and LED backlit buttons.

- **Power Output:** 4 x 40W
- **Waterproof Compliant:** IPX6

PART NO.	MFG#	DESCRIPTION
7275922	JMS3RTL	3" Round Stereo

AM|FM|USB COMPACT BLUETOOTH STEREO W/APP CONTROL

MARINE AUDIO



The MA112 is App Ready providing control of your tunes directly from smart devices using the Marine Audio app for iOS or Android devices. A rear USB port with 1-amp charging will help keep the music going all day long. The MA112 is designed to withstand the elements of the marine environment.



Operating Voltage Range: 10 – 16 Vdc
Dimensions: 4.5"H x 4.5"L x 4.4"D

- 2.8" full color TFT display with White LED backlighting.
- Dimmable backlighting control with Day/Night illumination.
- Bluetooth audio (Supports A2DP and AVRCP).
- AM/ FM Tuner with 36 presets (18AM, 18 FM)
- Rear (RCA) auxiliary audio input and output

PART NO.	MFG#	DESCRIPTION
7275925	MA112	Bluetooth Stereo w/App Control

JENSEN SIRIUSXM SATELLITE RECEIVER

JENSEN

SiriusXM



- For use with SiriusXM Ready Stereos
- Compact size hides discreetly behind the dash for a fully integrated look
- Single interface cable connection to SiriusXM ready stereo simplifies installation
- Requires an SRA-50 Antenna (35-300N)
- Subscription required

PART NO.	MFG#	DESCRIPTION
7275970	SXV300V1M	SiriusXM Receiver
7272147	SRA-50	Sirius, Antenna

AM/FM/USB BLUETOOTH/ WB STEREO



Features USB and AUX inputs, a Bluetooth connection, a Weatherband and a daylight readable LCD display and LED backlit buttons. Both Stereo and Speakers are Salt Spray and Corrosion resistant to perform in an aquatic environment.

JMS3 Stereo

- Output Power: 4 x 40w Capable
- 3-1/2" Dia. x 4-1/2" L
- Cut Out: 3"

AMS602W Speakers

- Max. Power: 60 Watts
- Diameter: 6-1/2" Dual Cone
- Cut Out: 5" Grill Dia.: 7 1/8"

PART NO.	MFG#	DESCRIPTION
7275924	JMS3SPKG	USB and AUX imputs

JENSEN 2 CHANNEL BLUETOOTH AMP PACKAGE



A complete bluetooth amp package that only requires a 5/8" hole in your dash!

Aside from the included speakers, the power/pairing switch is the only visible element of this sleek unit. The amplifier can be mounted on any flat, sturdy surface that won't be submerged or subject to excessive heat.

Operating Voltage: 10 – 16VDC

The compact 40W per channel amplifier is built to handle the most rigorous of conditions. The 5.25" speakers are waterproof (IPX6) and compliant to ASTM B117 Salt Spray Exposure Standard.

PART NO.	MFG#	DESCRIPTION
7275918	CPM50	Bluetooth Amp Pkg.

BLUETOOTH MARINE SPEAKERS



No need for a stereo at all with these bluetooth enabled speakers, simply connect via a compatible bluetooth device.

- Speakers connect directly to your smart device, range of 20'
- 80W RMS with built in amp, 12v
- 7" OD, 5-3/16" cutout, 3-1/2"D
- IP66 waterproof
- Sold as pair

PART NO.	MFG#	DESCRIPTION
9935-406	70610	White, Pair
9935-407	70611	Black, Pair

4-CHANNEL DIGITAL POWER AMP



4-Channel 400W Amplifier with Built-in protection from short circuits, thermal overload, as well as high, low and reverse voltage conditions. Built to withstand the aquatic environment with stainless steel hardware throughout and nickel-plated wire terminals to prevent corrosion.

Continuous Power: 400W at 4Ω
Supply Voltage: 10 to 16VDC **Dimensions:** 10.95"L x 6.75"W x 1.8"H

PART NO.	MFG#	DESCRIPTION
7275962	PAD40004	Ampl., Polk, 4-ch

8" AMPLIFIED SUBWOOFER 200W



Dimensions: 13.6" x 10.4" x 2.9"

Add impressive bass to your boat without sacrificing too much cargo room. Installation is a breeze.

Specifically designed, built, and rigorously tested to endure conditions such as vibrations, humidity, salt air, salt fog, water splash, and UV exposure.

PART NO.	MFG#	DESCRIPTION
7275941	JMPSW800	8" Sub, 200W 12V, each

NEW

REMOTE LED SPEAKER LIGHTING CONTROL MODULE



WIRELESS REMOTE CONTROL
This portable remote is able to function up to 30' (10 meters) from the lighting control receiver. The RGB remote can control up to four pairs
of speakers or four subwoofers.

CONTROL LED ILLUMINATION
Match your music by selecting the desired color from the intuitive color select wheel. You can adjust the brightness, mode and speed with the touch of a button.

Includes:
- Wireless remote control.
- Remote control receiver.
- Remote control cradle.
- 7.5A in-line fuse.
- Documentation.

PART NO.	MFG#	DESCRIPTION
7275322	010-12850-00	Remote, RGB, LED, Speakers

FUSION® XS SPORT RGB MARINE SPEAKERS



The Fusion® XS Classic Marine speakers incorporate high-quality materials and a marine-specific design elements. This communicates not only their enhanced aesthetics but also their ability to reproduce high-performance audio while out on the water.

- Bright LED illumination provides a wide range of colours
- High resistance to salt fog, temperature, vibration and UV.
- Fully sealed crossover components
- Rated IP 65.

Speaker Power: 6-1/2", 200W Peak, 50W RMS
7-3/4", 240W Peak, 60W RMS
LED Power: 10.8 – 16 Vdc, 150 mA@14.4 Vdc
Speaker cut out: 6-1/2", 5-5/16" Dia.
7-3/4", 6-3/8" Dia.

PART NO.	MFG#	DESCRIPTION
7275313	010-02196-20	6-1/2", Sport, RGB, pr.
7275393	010-02197-20	7-3/4", Sport, RGB, pr.
7275322	010-12850-00	Remote, RGB, LED, Speakers

FUSION CLASSIC MARINE SPEAKERS



The Fusion® XS Classic Marine speakers incorporate high-quality materials and a marine-specific design elements. This communicates not only their enhanced aesthetics but also their ability to reproduce high-performance audio while out on the water

- High resistance to salt fog, temperature, vibration and UV.
- Fully sealed crossover components
- Rated IP 65

Speaker Power: 7-3/4", 240W Peak, 60W RMS
6-1/2", 200W Peak, 50W RMS
Speaker cut out: 7-3/4", 6-3/8" Dia.
6-1/2", 5-5/16" Dia

Includes a pair of white and a pair of black speaker grills.

PART NO.	MFG#	DESCRIPTION
7275391	010-02196-00	6-1/2", Classic, pr.
7275314	010-02197-00	7-3/4", Classic, pr.

FUSION 4" 2-WAY FULL RANGE BOX SPEAKERS



- Perfect for allow boats where flush mounting isn't always practical
- Woofer Type: 4" Polypropylene/NBR Surround
- Tweeter Type: PEI Cone
- Box Type: Sealed
- Peak Power: 100 Watts
- RMS Power: 25 Watts
- Frequency Response: 80Hz - 20kHz
- Impedance: 4 Ohm
- Adjustable Wall mounting bracket included

PART NO.	MFG#	DESCRIPTION
9935-559	MS-OS420	Box Speakers Pair

FUSION® XS MARINE RGB WAKE TOWER SPEAKER SYSTEM



6-1/2" wake tower speakers deliver high-performance acoustics and multicolor RGB LED lighting to your wake boat, enhancing your on-water experiences with quality audio. Sold as Pair

Speaker Power: 200W Peak, 50W RMS
LED Power: 10.8 – 16 Vdc, 150 mA@14.4 Vdc

- Bright LED illumination provides a wide range of colours.
- High resistance to salt fog, temperature, vibration and UV.
- Fully sealed crossover components. Rated IP 67.
- Wake tower Mounts sold Separatley

FUSION® XS WAKE TOWER MOUNTING BRACKETS

These mounting options allow you to mount the Fusion XS Series Wake Tower Speakers with versatility and ease.





- User-adjustable to fit different wake tower bar diameters.
- UV stable and salt fog resistant. Aluminum Alloy specifically optimized for wake boat applications.

PART NO.	MFG#	DESCRIPTION
7275315	010-02583-00	6-1/2", RGB, White (pair)
7275316	010-13101-10	2" Pipe Mount, pr.
7275317	010-13101-00	2.5" Pipe Mount, pr.
7275318	010-13101-20	Flat Mount, pr.
7275322	010-12850-00	Remote, RGB, LED, Speakers

NEW

6-1/2" MARINE SPEAKERS

SONY



These front or rear mounting 2-way Marine Speakers are UV ray and salt resistant with removable grills that can be painted to match.

- **Water Resistance** IPx5 certified for marine use.
- **RMS Power Handling** 70 Watts per pair
- **Max Power Handling** 160 Watts per pair

PART NO.	MFG#	DESCRIPTION
7275362	XSMP1621	Marine Speakers, 6-1/2", pair

NEW

6-1/2" MARINE SPEAKERS

ALPINE



Designed for marine use, these 2-way Marine Speakers have Santoprene surround for its durability, flexibility, and ability to withstand stress, outlasting traditional foam surrounds, while allowing for consistent bass performance. Made with a UV protected, high-strength, non-resonant high-temperature ABS frame.

When the waves are just right, the sea spray and wind are in your face, and the boat is motoring along, you want to make sure your tunes play loud and sound good. The SPS-M601 marine speakers are designed specifically for boat use, so you don't have to worry about their performance in the harsh marine environment.

- **Water Resistance** IPx5 certified for marine use.
- **RMS Power Handling** 60 - 22 000 Hz
- **Max Power Handling** 220 Watts per pair

PART NO.	MFG#	DESCRIPTION
7275363	SPS-M601	Alpine Speaker, 6-1/2", Silver, pair
7275364	SPS-M601W	Alpine Speaker, 6-1/2", White, pair

6-1/2" HIGH PERFORMANCE SPEAKERS

JENSEN



These flush mount speakers are magnetically shielded to prevent disruption of marine instrumentation, and have a silk dome tweeter for improved sound quality.

Max. Power Handling: 150W per pair
Speaker Colour: Both white and silver grilles included.

PART NO.	MFG#	DESCRIPTION
7275934	MSX65R	6-1/2" HP Speakers, Pair

6-1/2" COAX MARINE SPEAKERS

JENSEN



These coaxial weatherproof marine speakers are made with polypropylene woofers and silver Mylar standard tweeters for a long and durable life on all your boating excursions.
Max. Power Handling: 120W per pair
Speaker Colour: White
Mounting Hole: 5" dia.

PART NO.	MFG#	DESCRIPTION
7275931	MS6007WR	6-1/2" Marine Speakers, Pair

NEW

LOUDSPEAKERS, UNDER GUNWALE

poly-planar
OUTDOOR AUDIO INNOVATION



This Banshee Marine Loudspeaker System is designed to be mounted under the gunwale without needing to cut holes in the vessel.

It is a speaker array that includes two 4-inch drivers and a horn-loaded tweeter in a single enclosure.

Ingress protection: IPx6
Output Power: 140 watts Peak, 70 watts Continuous
Dimensions: 17-3/4"L x 5-1/2"W x 5-3/4" Deep

- No need to cut mounting holes.
- Can also be mounted on Wall or Bulkhead.
- Sleek design, ABS housing

PART NO.	MFG#	DESCRIPTION
7275370	BAR-LSUG-1	Banshee, Loudspeaker, pr.

SUPERFLEX MARINE SPEAKER WIRE

ANCOR
MARINE GRADE™ PRODUCTS



This Super Flex Audio Cable is very easy to run. It has a clear jacket to blend with the environment. It is made with drawn copper for the best sound quality and tinned for maximum protection against corrosion and electrolysis from the harsh salt water elements.



- Super Flexible
- Easy to Run
- Tinned Copper
- Corrosion Resistant

PART NO.	MFG#	DESCRIPTION
3255000	142650	16/2 Gauge, Sold per foot
9934-989	142810	18/2 Gauge, Sold per 100' roll

MHS338BT HANDHELD VHF RADIO WITH GPS & BLUETOOTH



This rugged handheld Marine radio is submersible and designed to float. With a water-activated emergency strobe light, a flashlight, a drop-in charging cradle, and a rechargeable Lithium-Ion battery, this VHF handheld is the new standard in handheld VHF radios.

- Integrated GPS Receiver
- Smartphone App (Android™ and iOS®)
- Built-in compass screen
- Floating Radio
- NOAA Weather Channels
- Automatic Backlight Switching (ABS)
- Waypoint Navigation

PART NO.	MFG#	DESCRIPTION
9935-593	MHS338BT	VHF Radio

ATLANTIS 275 HANDHELD TWO-WAY VHF



6 watts of big-ocean power in a compact day-at-the-lake size. Features all NOAA emergency weather channels, as well as all USA, International and Canadian marine channels. It also meets IPX8 submersible waterproof standards.

- Floating & IPX8 submersible rating
- 1/2.5/6W (VHF) + Power Boost PTT Key
- All global Marine VHF channels
- strobe light and built in flashlight
- AC and DC adapter with charging cradle
- LiON battery pack
- Speaker Vibrating Power clears water after submersion

PART NO.	MFG#	DESCRIPTION
9935-643	ATLANTIS 275	VHF Radio

ATLANTIS 155 FLOATING RADIO



A tough and reliable handheld radio featuring all NOAA weather channels, as well as all USA, International and Canadian marine channels. Brilliant backlit LCD display makes it easy to use, day or night for the power to go anywhere.

- IPX8 submersible rating
- White or amber backlight color
- 10hr battery life
- 1/3 Watt T/X
- 950NiMH battery

PART NO.	MFG#	DESCRIPTION
9935-642	ATLANTIS 155	Floating Radio

MICROPHONE FOR HANDHELDS



SM81 is compatible with the following models: Altantis 200, Atlantis 250, MH120, MHS125, MHS135DSC, MHS350, MHS450, MHS550, Mystic, & Voyager

PART NO.	MFG#	DESCRIPTION
9935-245	BZAG0147001	SM81

MHS75 HANDHELD VHF RADIO



This compact, well built, rugged handheld Marine radio is rated JIS8/IPX8 submersible and is packed with outstanding features. Included accessories are a rapid clip-on DC charger, and LiON rechargeable battery.

- 2-1/2" W x 4-3/8" H x 1-11/16" D
- JIS8 submersible
- Selectable 1Watt/2.5/5 transmit power
- Clip-on DC charger, lanyard Up to 12 hour battery life
- USA/International and Canadian channels
- SMA flexible rubber antenna

PART NO.	MFG#	DESCRIPTION
7276981	MHS75	VHF Radio

UM725 VHF – CLASS D DSC



- All USA, Canadian, and International Marine Channels
- Full Class D DSC Compliant
- 1Watt/25Watt Transmit Power
- Largest LCD size in class
- Private Text Messaging
- NOAA Weather Channels
- Speaker Microphone Equipped
- Remote Microphone Capable
- NMEA0183 Input and Output
- IPX8 Rated Waterproof

- UM725GBT (9935-664 - 9935-665) models have Bluetooth to connect your smart phone and Built In GPS Receiver, the VHF radio will instantly know your location for sending signals in moments of distress.

PART NO.	MFG#	DESCRIPTION
9935-661	UM725	White
9935-662	UM725-BK	Black
9935-664	UM725GBT	White, includes GPS and Bluetooth
9935-665	UM725GBT-BK	Black, includes GPS and Bluetooth

UM435 VHF – CLASS D DSC



- CMB Canadian Marine Broadcast "B" Channels
- IPX8 / JIS8 Submersible
- Large LCD 1"x 2" Display
- NEMA 0183 In/Out
- 1 Watt/25 Watt Transmit Power
- DSC (Digital Selective Calling)
- 1 receiver dedicated to Ch70 DSC calls
- S.A.M.E. Emergency/Weather Alert
- Channel Names
- Memory Scan & weather scan/alert

PART NO.	MFG#	DESCRIPTION
9935-554	UM435-WHT	White
9935-555	UM435-BLK	Black

UM385 VHF – CLASS D DSC



- CMB Canadian Marine Broadcast "B" Channels
- Large LCD 7/8" x 1-7/8"
- NEMA 0183 In/Out
- 25 Watt Fixed Mount Marine Radio
- IPX4/JIS4 Waterproof Level
- Memory Channel Scan
- Triple Watch Feature
- Hi/Lo Power Switch
- S.A.M.E. Weather Alert - Specific
- Backlit Keypad and Display
- Channel Names
- DSC (Digital Selective Calling)

PART NO.	MFG#	DESCRIPTION
9935-552	UM385-WHT	White
9935-553	UM385-BLK	Black

ICOM AIS/DSC VHF HANDHELD M94D



- AIS Receiver & Class-H DSC in one package
- With the AIS target call function, users can set up DSC individual calls
- Access vessel traffic information and plot up to 50 waypoints
- The LCD screen flashes to help show the radio's position to easily retrieve if it falls in water
- AquaQuake™ prevents audio degradation from a water-logged speaker
- 2400 mAh high-capacity Li-ion battery, provides 10 hours of operating time
- Hi-power speaker delivers 1500 mW audio
- output for noisy maritime environments
- Integrated GPS receiver

PART NO.	MFG#	DESCRIPTION
9935-654	M94D	VHF/AIS/DSC Handheld

NEW

VHF HANDHELD EVO RADIO



The IC-M25 EVO is designed with an improved grip texture for easier handling, and larger buttons for easier operation. Moreover, a new power-saving Eco Mode is 30% more efficient. Furthermore this compact radio has a built-in Float'n Flash™ submersible design.

- Weather channel with weather alert.
- Instant access to a programmable call channel.
- Auto scan function
- AquaQuake™ removes water from the speaker grill.
- Eco Mode offers up to 14 hours of extended operation.
- USB Type-C™ Charging Port.
- Floats, flashes, and emits an alarm.
- 4-step battery life indicator, 2-step power save function.
- Weighing just 228 g (8.0 oz).
- **Rated:** IPX7 (1 m depth of water for 30 minutes)

PART NO.	MFG#	DESCRIPTION
9935-658	M25 EVO-61	EVO VHF Radio

NEW

ICOM VHF HANDHELD RADIO M73



The M73's ergonomic design fits easily in the user's hand and is a rugged, durable radio. The large screen and high-intensity LCD offer bright and easy-to-read characters. Yacht customers benefit from the optional VOX headset and adapter option that allows someone handling dock lines to use both hands while docking the boat, simultaneously communicating with the captain.

- The large screen and high-intensity LCD offer bright and easy-to-read characters.
- Last call voice recording function saves the last incoming call for 1 minute.
- Built-in bidirectional active noise cancelling reduces background noise to up to 90%.
- AquaQuake prevents audio degradation from a water-logged speaker.
- Lithium-Ion battery for up to 17 hours of operation

Dimensions: (W×H×D): 52.5×125×30 mm
Water Rating: IPX8 (submersed 1.5m deep up to 30 min)
Output Power: 6 W/3 W/1 W selectable

PART NO.	MFG#	DESCRIPTION
9935-659	IC-M73	Black

ICOM VHF M424G WITH GPS



- Easy-to-Read white LCD display
- IPX7 submersible protection with Aquaquake function
- Active noise cancelling reduces 90% of background interference
- 10W loud hail, foghorn (speaker not included)
- Dimensions 7-1/8"L x 3-1/4"H x 4-3/4"D
- NMEA 0183

PART NO.	MFG#	DESCRIPTION
9935-646	M424G 41	Black
9935-647	M424G 42	White

ICOM M330G WITH GPS



The M330 series.

- AquaQuake™ draining function
- Built-in Class D DSC with a CH70 dedicated receiver
- Common NMEA interface for external GPS/NAV connection
- Tag scan and favourite channel functions
- Dual/tri-watch function for monitoring CH16 and/or call channel
- Priority scan function
- Display and keypad backlighting
- Weather channel with weather alert
- 3-digit or 4-digit channel display selectable
- 6-3/16"W x 2-5/8"H x 4-5/16"D

PART NO.	MFG#	DESCRIPTION
9935-624	M330-51	Black
9935-625	M330 61	White
9935-626	M330G 71	Black w/GPS
9935-627	M330G 81	White w/GPS

ICOM VHF MARINE TRANSCEIVER



A multifunctional and stylish VHF marine transceiver with a colour TFT LCD that has a viewing angle close to180-degree. A Navigation function can be assigned up to 100 waypoints. Wireless control is available through WLAN for iOS/Android with the RS-M500 App.

- Night mode screen.
- Built-in class D DSC.
- NMEA 2000™ and WLAN Function.
- Supports 4-digit channels
- Innovative smartphone operation technology.
- Built-in 15W waterproof speaker.
- AquaQuake™ Drainage function
- IP68 advanced waterproofing.

PART NO.	MFG#	DESCRIPTION
9935-666	M510-41	VHF, Fixed Mount, w/EVO

For the most up to date pricing, please visit maritimemarinesupply.ca/price

WATERPROOF WALKIE TALKIES



The Cobra ACXT645 is engineered for demanding outdoor conditions as well as for emergency preparedness with a range of up to 35-miles.

Includes: Micro-USB Cable, 2-Port Charging Dock, Rechargeable NiMH Batteries and Belt Clips.
Dimensions: 6.74”H x 2.54”W x 1.74”D

PART NO.	MFG#	DESCRIPTION
7276871	ACXT645	Walkie-Talkie, up to 35 miles, 2 pk

WEATHER-RESISTANT WALKIE TALKIE



The Cobra ACXT345 is a rugged, weather-resistant two-way radio/walkie-talkie that has a clear communication range of up to 25-miles.

- Water Resistant (IPX2) Rating.
- NOAA Weather Alerts.
- Voice-Activated Transmission (VOX).
- Channel Scan

- Micro-USB Cable, 2-Port Charging Dock, Rechargeable NiMH Batteries and Belt Clips.
- 5.16”H x 1.96”W x 1.46”D.

PART NO.	MFG#	DESCRIPTION
7276870	ACXT345	Walkie-Talkie, up to 25 miles, 2 pk

WALKIE-TALKIE PRO



The Cobra PX650 Pro Business 2-Watt FRS Walkie Talkie Radios are ideal for larger business use and have a range up to 300,000 sq. ft./25 floors. With the Push-To-Talk button, dedicated volume/channel knobs, and Water Resistant (IP54) Rating, you'll always have clear and reliable communication.

- Waterproof and Dustproof IP54 Rating.
- Dedicated volume/channel knobs.
- 22 Channels and 38 privacy codes.
- Voice-Activated Transmission (VOX).

Includes :
Charging Dock, Wall Adapter, Belt Clips
Dimensions: 6.94”H x 2.2”W x 1.91”D

PART NO.	MFG#	DESCRIPTION
7276875	PX650	Walkie-Talkie Pro, up to 42 miles, 2 pk

COBRA VHF MARINE RADIO MRF45-D



Enables 2-way, vessel-to-vessel and vessel-to-shore communication. It receives 10 NOAA/weather channels with a Weather Alert feature to alert you with an audible tone and a visual alarm if threatening weather is nearby. Included microphone features controls that gives instant access to emergency channels 16 and 9 and radio settings.

Features and Benefits:
Illuminated LCD display and function keys, Selectable 1W or 25W output for short- or long-range communication. Submersible for 30 minutes in 1m deep water to meet JIS7 standards. GPS capability (when connected to a GPS receiver) enables you to send your position to other boats in an emergency. Dual watch mode monitors 2 selected channels at once. Class-D Digital Selective Calling includes a dedicated channel 70 receiver, easy MMSI entry, position send and request, position input reminder, USCG DSC check capability and more. Noise-canceling microphone with controls blocks background noise. Signal strength meter displays the strength of incoming and/or outgoing signals

PART NO.	MFG#	DESCRIPTION
7276854	MR F45-D	White



The BlueBound 1350 series is waterproof and features GPS waypoint route navigation coupled with Class-D DSC technology for emergencies. The antenna SWR analyzer and max 25-watt power ensures you have the broadcast range necessary to communicate no matter how far offshore you are. **IPX7 waterproof**.

- Backlit Keypad & Day/Night Display.
- Selectable power 1 / 25 Watt.
- Multifunctional noise-cancelling microphone.
- Rewind-Say-Again technology.
- Bluetooth headset/phone connectivity.

PART NO.	MFG#	DESCRIPTION
7276825	0190012-1	BlueBound 1350 Black
7276826	0190012-3	BlueBound 1350 White

LAPEL SPEAKER/MIC
FOR MARINE HANDHELDS AND GMRS



This compact Lapel Speaker/Microphone has a built in earphone jack for private listening (earphone not included).
Compatible with the following Marine Radios: HH325, HH330, HH350, HH425, HH450, HH475, HH500 and HH600.
The included adapter cable also allows use with: HH100, HH125 and Microtalk Walkie-Talkies.

PART NO.	MFG#	DESCRIPTION
7276840	CM 330-001	Mic/Lapel Speaker

NEW

BLUEBOUND 150 HANDHELD VHF RADIO

Cobra



The BlueBound 150 is a handheld, floating, and waterproof VHF marine radio designed for communication and safety on the water. It features selectable power, instant access to emergency channels 9 and 16 along as well as 12 weather channels with alerts. It has a large, clear LCD screen with an easy-to-use interface offering quick at-a-glance use for easy viewing in all conditions.

Features Include :

- Selectable output power, 0.5W / 1W / 3W.
- Compatible with wired microphones.
- Manual channel selection and Weather alerts.
- Up to 11-Hour battery life with USB-C charging capability.
- High output speaker stays audible in adverse conditions.
- Signature Orange Floating Core for buoyancy and visibility.
- IPX7 waterproof

Includes:

- 1x BlueBound 150 radio
- 1x Belt clip
- 5x Rechargeable AAA batteries
- 1x Wrist strap
- 1x 12v to USB-C charging cable

PART NO.	MFG#	DESCRIPTION
7276820	0190009-1	BlueBound 150

NEW

BLUEBOUND 650 HANDHELD VHF RADIO

Cobra

The BlueBound 650 handheld VHF radio is designed to be the most powerful handheld in the Blue-Bound line. It includes everything you would need in a handheld marine radio from its enhanced feature set to its peripheral capability. The large, clear LCD screen with easy-to-use interface offers quick at-a-glance use for easy viewing in all conditions



Features Include :

- Selectable output power, 1W / 3W / 6W.
- Bluetooth headset/phone connectivity for hands-free convenience.
- GPS & Class-D DSC functionality for emergencies.
- Active noise-cancelling technology for loud, clear audio.
- Rewind-Say-Again Technology.
- Tri-Watch Instant Channel 9 & 16.
- USB-C dock charger with extra battery charging slot.
- Up to 12-Hour battery life with larger rechargeable lithium-ion battery
- Signature Orange Floating Core for buoyancy and visibility.
- IPX7 waterproof

Includes:

- 1x BlueBound 650 Radio
- 1x Belt Clip
- 1x Lithium-ion Rechargeable Battery
- 1x USB-C Dock Charger
- 1x Wrist Strap
- 1x 12V Charging Adapter
- 1x AC Charging Adapter

PART NO.	MFG#	DESCRIPTION
7276823	0190011-1	BlueBound 650, Black
7276824	0190011-3	BlueBound 650, White

NEW

BLUEBOUND 350 HANDHELD VHF RADIO

Cobra



The BlueBound 350 is a floating marine VHF handheld radio designed for communication and safety on the water, offering 2-way voice communication and weather alerts when far from shore. It is built to be durable and buoyant and has a large, clear LCD screen with an easy-to-use interface offering quick at-a-glance use for easy viewing in all conditions

Features Include :

- Selectable output power, 1W / 3W / 6W.
- Compatible with wired microphones.
- Channel Scan to auto Scroll through favorite channels.
- Tri-Watch Instant Channel 9 & 16.
- USB-C dock charger with extra battery charging slot.
- Up to 12-Hour battery life with larger rechargeable lithium-ion battery.
- Signature Orange Floating Core for buoyancy and visibility.
- PX7 waterproof

Includes:

- 1x BlueBound 650 Radio
- 1x Belt Clip
- 1x Lithium-ion Rechargeable Battery
- 1x USB-C Dock Charger
- 1x Wrist Strap
- 1x 12V Charging Adapter
- 1x AC Charging Adapter

PART NO.	MFG#	DESCRIPTION
7276821	0190010-1	BlueBound 350, Black
7276822	0190010-3	BlueBound 350, White

HANDHELD RADIO HOLDER

Beckson



- Beckson 'Soft-Mate' soft PVC

PART NO.	MFG#	DESCRIPTION
9935-126	HH-8	White

COMMUNICATION CADDY

TEMPRESS



- Compact 4-1/2" L x 3-1/2" H x 2-1/2" D
- Fits near the helm of even small boats
- Back or bottom mounting with Super Suction™ cups or screws

PART NO.	MFG#	DESCRIPTION
9953-234	2135-1	Caddy

GPS/CELL PHONE CADDY

TEMPRESS



- 6" L x 4-1/2" H x 3-1/2" D
- Mount with Super Suction™ cups or screws

PART NO.	MFG#	DESCRIPTION
7260382	2134-1	Phone Caddy

GARMIN 100 & 200 SERIES VHF RADIOS

Communication is critical on the water. With Garmin VHF radios, you can stay in contact with the shore and other boats in your area. So, no matter where you are or where you're headed, you'll maintain communication. Just plug and play to compatible Garmin chartplotters and MFDs via the NMEA 2000 network. These radios provide standard Class D DSC functionality (distress calling and direct calling with user-programmed MMSI). The radios include frequency bands for all U.S., Canadian and international marine channels and 10 NOAA weather channels. They're also NMEA 0183 compatible. The VHF 115 and VHF 215 marine radios are designed to complement the appearance of the GPSMAP 7x2/9x2, GPMAP 10x2/12x2, GPSMAP 7400/7600 and GPSMAP 8400/8600 chartplotters and MFDs.

VHF 115 MARINE RADIO



- **Dimensions:** 3.4"H x 6.7"W x 5.8"D (8.5 x 17.0 x 14.6cm)
- **Water rating:** IPX7
- **Compass-Safe Distance:** 27.6" (70cm)
- **Operating Power:** 12VDC, 600mA receive and 6A transmit at 25W

PART NO.	MFG#	DESCRIPTION
7276702	010-02096-00	VHF 115

VHF 215 & 215 AIS MARINE RADIO



The removable fist microphone can be relocated away from the radio. It's compatible with the GHS 11 second-station handset. Includes a two-way hailer system for onboard communication.

- **Dimensions:** 3.9"H x 7.8"W x 5.8"D (9.8 x 19.7 x 14.9cm)
- **Water rating:** IPX7
- **Compass-Safe Distance:** 29.5" (70cm)
- **Operating Power:** 12VDC, 600mA receive and 6A transmit at 25W

PART NO.	MFG#	DESCRIPTION
7276717	010-02097-00	VHF 215
7276718	010-02098-00	VHF 215AIS
7276744	010-01759-00	GHS 11 Handset

GARMIN 300 SERIES MARINE RADIO

The 25W VHF 315 marine radio with Class D DSC is a modular communication solution. It provides the security of reliable communication and full NOAA weather alerts on the water by meeting the latest industry standards. It's easy to use and integrates seamlessly into the Garmin onboard system. It has a built-in GPS receiver with connector for required external antenna. VHF 315 includes a GHS 11 handset and new active speaker to use as an intercom between up to 3 stations. It's also equipped with a two-way 30-watt hailer system for communication with other boats or deckhands. NMEA 2000 connectivity enables easy integration with compatible chartplotters and multifunction displays.

GARMIN VHF 315 WITH GHS 11 INCLUDED



- **Dimensions:** 8.1"H x 7.1"W x 2.4"D (20.5 x 18.1 x 6.0cm)
- **Water rating:** IPX7
- **Compass-Safe Distance:** 2" (5cm)
- **Operating Power:** 12VDC, 600 mA receive and 6A transmit (high power), 2A max transmit (low power)

VHF 315 Includes: VHF 315 radio, GHS 11 wired handset, active speaker, power cable, deck cable (10m), mic hanger, mounting hardware and documentation.

PART NO.	MFG#	DESCRIPTION
7276731	010-02047-00	VHF 315

GHS 11 WIRED VHF HANDSET



The GHS 11 allows full function of your VHF 210/215/315 radio from a remote location. Simple design includes soft keys, a 2" diagonal dot matrix display and a coiled cable that stretches from about 1' to nearly 5'. A rotary/push knob for volume, squelch and channel selection makes it easy to use with a dedicated button for access to channels 16/9. In addition, GHS 11 features a microphone that has intercom capabilities when connected to a speaker.

PART NO.	MFG#	DESCRIPTION
7276744	010-01759-00	GHS 11 Handset

4" EXTERNAL SPEAKER



4" weatherproof external speaker can be used with all VHF and CB radios

PART NO.	MFG#	DESCRIPTION
9935-109	CBS-240	Black

NEW

REMOTE LOUD SPEAKER FOR RADIOS

ICOM



The ICOM SP35 is a remote loud speaker designed to work with ICOM two way radios that have a 3.5 mm Audio Jack. Can be mounted almost anywhere internal or external.

The ICOM SP35 is a remote loud speaker designed to work with ICOM two way radios that have a 3.5 mm Audio Jack. Can be mounted almost anywhere internal or external.

Compatible with M424G

Input: 5 W Rated, 7W Maximum (4 ohm impedance)
Cable Length : 2 m, 6.6 ft
Dimensions : 122 W × 73 H × 46 D mm
5 W × 3 H × 2 D in

PART NO.	MFG#	DESCRIPTION
9935-667	SP35	Remote Speaker

NEW

VHF EXTENSION SPEAKER

poly-planar
OUTDOOR AUDIO INNOVATION

These VHF Extension Speakers provide the loudest and clearest amplification of your VHF radio. A built-in 10W DSP amplifier actively removes sound that falls outside of the human vocal range to help you hear those vital communications.





- Manual volume control knob.
- Loud and Clear amplification.
- Rotating mounting bracket.
- Adaptable to three mounting configurationsFlush, Helm or Overhead.
- Built for a marine environment.
- Sleek design, ABS / re-inforced Polycarbonate housing.
-

Ingress protection: IPx6
Output Power: 12 watts Peak, 10 watts Continuous
Face Dimensions: 5-3/4"W x 4"H (145 x 102 mm)

PART NO.	MFG#	DESCRIPTION
7275371	BAR-VA-1W	Banshee, White, ea.
7275372	BAR-VA-1B	Banshee, Black, ea.

HS-40 EXTERNAL SPEAKER

Shakespeare



Gets your point across with up to 40W power handling capacity and also supports loudhailer listen back function. It is made of high impact white plastic and includes a tilt mount bracket.

- Measures 7" W x 13" D
- 8Ω, 40W at 400 Hz

PART NO.	MFG#	DESCRIPTION
7274203	HS-40	External Speaker

DELUXE EXTRENAL HORN SPEAKER

Shakespeare



HS-5 Deluxe 4Ω external horn speaker.

- 5" deluxe external horn style speaker
- Input power up to 15W (RMS)
- Suitable for use as a hailer or fog horn

PART NO.	MFG#	DESCRIPTION
7274204	HS-5A	Horn Style Hailer

HAILER SPEAKERS

WINTRON ELECTRONICS



Available in 4 differenct versions for you to choose from.

PART NO.	MFG#	DESCRIPTION
9935-221	PA-8W	8 watts
9935-222	PA-30/20	30 watts
9935-223	PA-40/30	40 watts
9935-224	PA-60/40	Hailer speaker/microphone, 60 watts

LOUD HAILER WITH BUILT-IN MICROPHONE

PLASTIMO



- Features a Class-D amplifier, max power 25W
- 4 functions: conversation, whistle, foghornand siren
- Average range: 450 m
- Takes 10 x AA batteries

PART NO.	MFG#	DESCRIPTION
9990-542	61682	AA Batteries

VANTAGE VUE WIRELESS WEATHER STATION



The fully-integrated, corrosion-proof sensor suite is built to take all the weather your location can give — freezing winters, springtime thunderstorms, blistering summer sun, and brisk autumn winds.



Includes

- Anemometer, Rain collector, Temp & Humidity Sensors
- Standard Radiation Shield
- WeatherLink Console

Inside/Outside Temperature

Inside/Outside Humidity

Dew Point

Wind Speed & Direction

Wind Chill & Heat Index

Barometric Pressure

Rainfall & Rain Rate

Historical Graphing

Forecast

Moon Phase

Wireless - Frequency-hopping, spread-spectrum radio ensures data transmission up to 1,000 ft. (300 m) line-of-sight.
Solar-Powered - Energizes the station during the day. Onboard supercapacitor provides power at night. Lithium battery provides backup when needed.

Corrosion & UV Protected - Corrosion-resistant cover provides durability in extreme conditions. Engineered to withstand scorching sun.
Extreme Testing - Minimum of 10 tests before shipping include rigorous calibrations and material endurance.



WeatherLink Console - Use the vibrant HD touchscreen to easily navigate, view, and analyze your weather data on one intuitive device. Customize the dashboard to show up to 21 parameters – from temperature to wind to rain – and see the information that matters to you.



Get Alerts When Conditions Change - Choose from hundreds of parameters and a dozen sounds to get notified about the environmental changes you care about most.

Access Real-time Data Anywhere At Anytime - Connect to the WeatherLink Cloud with any internet-connected device. Share Your Weather Data With A Growing List Of Third-Party Services



View And Analyze Historical Insights - Use the full database of historical records stored right on the console to create custom graphs and analyze your data.

Weather Underground

Citizen Weather Observer Program

PART NO.	MFG#	DESCRIPTION
7277513	6242	Vantage Vue Weather Station

VANTAGE PRO2 WIRELESS WEATHER STATION



An **industrial-grade** weather station engineered to handle the harshest environments and deliver data with scientific precision, year after year. The Vantage Pro2 offers the professional weather observer or serious weather enthusiast robust performance with a wide range of options and sensors.

Includes

- Anemometer, Rain collector, Temp & Humidity Sensors and Standard Radiation Shield
- WeatherLink Console
- Up to 7 additional sensor transmitters
- Research grade unit reports real-time wind speeds up to 200 mph
- Separable anemometer for improved siting





Inside/Outside Temperature

Inside/Outside Humidity

Dew Point

Wind Speed & Direction

Wind Chill & Heat Index

Barometric Pressure

Rainfall & Rain Rate

Historical Graphing

Forecast

Moon Phase

Wireless - Frequency-hopping, spread-spectrum radio ensures data transmission up to 1,000 ft. (300 m) line-of-sight.
Solar-Powered - Energizes the station during the day. Onboard supercapacitor provides power at night. Lithium battery provides backup when needed.

Anemometer - Mount anemometer up to 40'/12 m from the rest of sensor suite for flexible siting.

Corrosion & UV Protected - Corrosion-resistant cover provides durability in extreme conditions. Engineered to withstand scorching sun.
Extreme Testing - Minimum of 10 tests before shipping include rigorous calibrations and material endurance.



WeatherLink Console - Use the vibrant HD touchscreen to easily navigate, view, and analyze your weather data on one intuitive device. Customize the dashboard to show up to 21 parameters – from temperature to wind to rain – and see the information that matters to you.



Get Alerts When Conditions Change - Choose from hundreds of parameters and a dozen sounds to get notified about the environmental changes you care about most.

Access Real-time Data Anywhere At Anytime - Connect to the WeatherLink Cloud with any internet-connected device. Share Your Weather Data With A Growing List Of Third-Party Services



View And Analyze Historical Insights - Use the full database of historical records stored right on the console to create custom graphs and analyze your data.

Weather Underground

Citizen Weather Observer Program

PART NO.	MFG#	DESCRIPTION
7277514	6252	Vantage Pro2 Weather Station

AIS ANTENNAS

4' CLASSIC AIS ANTENNA

- Designed to meet the broader bandwidth requirements of all popular AIS transceivers, commercial-grade construction of this 4' broadband antenna is complete with a mast mounting sleeve
- Durable, fiberglass radome enhance quality transmissions
- Brass and copper elements
- SO-239 connector at the base
- 3dB Gain

PART NO.	MFG#	DESCRIPTION
9935-595	396-1-AIS	AIS

3' CLASSIC AIS SQUATTY BODY ANTENNA



- Communication performance over VHF marine frequencies is optimized with the master craftsmanship of this Classic 5215 Squatty Body, built with extra bandwidth for all popular AIS transceivers
- Sealed, tin-plated copper wire coil
- Stainless steel body and 36" whip
- SO-239 connector
- Mount: Stainless steel "L" bracket supplied
- 3dB Gain

PART NO.	MFG#	DESCRIPTION
7272195	5215-AIS	AIS

AIS CLASSIC SKINNY MINI™ ANTENNA



- AIS Marine Band
- 3 db Antenna Gain
- 50 watts Max.Input Power
- 15’ RG-58 cable and PL-259 connector included
- Sealed, tin-plated copper wire coil
- Requires mount with center hole for passage of the supplied cable

PART NO.	MFG#	DESCRIPTION
7272196	5250-AIS	Stainless steel whip (36”)

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

AM/FM ANTENNAS

8' AM/FM ANTENNA



Shakespeare's Centennial 5120 AM/FM antenna puts high end features with a brass element and a smooth, high gloss, polyurethane finish that won't turn yellow in the sun.

- Chrome plated brass ferrule with standard 1"-14 thread
- Includes 15' RG-62 cable and Motorola type plug
- One section, 8' (**actual length:** approx 93")

PART NO.	MFG#	DESCRIPTION
7272158	5120	8' AM/FM Centennial Antenna
7272515	4187HD	HD S/S Antenna Ratchet Mount

3' COMBINATION AM/FM ANTENNA



This 3' combination antenna features Shakespeare's exclusive distributive load for super signal pulling power. The coil is permanently sealed in Shakespeare's white fiberglass. Includes 10' RG-62 coax with Motorola plug installed. One section, 39" overall length. The Style 4351 has a 1"–14 thread nylon ferrule for use with standard marine mounts. **DC Ground:** No. This antenna will read "open circuit" when tested with an Ohm meter or continuity tester.

PART NO.	MFG#	DESCRIPTION
7272154	4351	3' AM/FM Centennial Antenna
7272510	4186-BP	Nylon Antenna Ratchet Mount

AM/FM ON-GLASS ANTENNA



On Glass Antenna is a clear tape with embedded antenna elements. Its permanent adhesive strip lets you attach it quickly and easily onto your boat's windshield or any smooth, non-metallic surface. Excellent for any vessel where a traditional whip antenna would get in the way. Includes 6' coax w/ Motorola type plug.

PART NO.	MFG#	DESCRIPTION
7272150	4353	AM/FM On-Glass Antenna

AM/FM/VHF MARINE BAND SEPARATOR



Eliminate the need for separate AM/FM antennas and operate AM/FM and VHF radios at the same time without interfering with VHF radio performance.

Includes:

- 10' RG-62 AM/FM Cable
- 3' RG-58 VHF Cable and connectors installed

PART NO.	MFG#	DESCRIPTION
7274211	4357-S	VHF/AM-FM Splitter

AM/FM CABLE EXTENSION



This handy kit includes a 93Ω RG-62 cable with a male and a female Motorola connectors installed. Used to extend the lead for AM/FM radios.

PART NO.	MFG#	DESCRIPTION
7274212	4352	10' Cable Extension

SATELLITE ANTENNAS BY

SIRIUSXM SATELLITE RADIO ANTENNA

Using the latest satellite radio technology, this SiriusXM approved accessory meets or exceeds the most recent specifications set forth by SiriusXM. This antenna is compatible with all radios and docks that work on the Sirius and XM networks with push on style, single input SMB connector. The antenna can be mounted on almost every possible surface with 4 different mounting options.



Benefits:

- Looks good on a boat, vehicle or home
- Flexibility to choose from 4 ways to mount your SRA-50A beautiful white that's resistant to discolouring
- Latest requirements for radios and docks on the Sirius and XM networks
- 2 year limited warranty

Features:

- Sleek ultra low-profile design
- 4-way mounting system
- White UV-stabilized housing
- Flush mounting
- SiriusXM approved accessory
- 25' high quality coax cable

7272148



PART NO.	MFG#	DESCRIPTION
7272147	SRA-50	SiriusXM Antenna
7272148	SRC-50	50' Cable Kit

TV ANTENNAS

15" HDTV SEAWATCH ANTENNA



SeaWatch®

- 360° Signal reception—no aiming
- Fits standard 1"–14 threaded mount

The SeaWatch 15" marine TV antenna is an omni-directional over-the-air digital HDTV solution that brings sleek lines and high-performance coverage to your watercraft, pop-up camper or RV. Everything needed to connect the antenna to your converter or television is in the box. A full line of mounts and extension masts are available to fine-tune the installation. Watch your favourite TV programming for FREE and in up to 1080 HD! Works best for areas within 45 miles of broadcast towers. Antenna includes 30dB low-noise amplifier.

Includes: TV Antenna with 20' RG-59 coaxial cable, F-connectors, and USB/AC/DC power cords.

Range: 75 Miles
Dimensions: 19" x 3"

PART NO.	MFG#	DESCRIPTION
7272219	3015	15" TV Antenna

19" HDTV SEAWATCH ANTENNA



- 19" dia., 1"-14 thread base
- For long range reception
- Power with 12-24 VDC or 110 VAC

PART NO.	MFG#	DESCRIPTION
9935-281	3019	HDTV

4" X 8" HDTV SEAWATCH ANTENNA



- 8" H x 4" dia., 1"-14 thread base
- For short range reception
- Power with 12-24 VDC or 110 VAC

Range: 15 Miles
Dimensions: 8" x 4"

PART NO.	MFG#	DESCRIPTION
9935-278	3004	4" HDTV

VHF ANTENNAS

DORSAL™ VHF ANTENNA



The Shakespeare DORSAL™ antenna was designed specifically for greater effectiveness in short-range applications. The fin shaped design removes the chance of the antenna getting snagged while the high impact and sealed ABS body ensures a longer life within harsh environments.

- Suitable for up to 10 miles range
- Supplied with 26ft RG58 cable and PL-259 plug standard
- Fully water sealed with rubber gasket included
- Compact design, 4" x 2.3" x 2.5"

PART NO.	MFG#	DESCRIPTION
7272140	5912-DS-VHF-W	Low Profile Short Range Antenna

EMERGENCY VHF ANTENNA



- Compact 10" flex VHF antenna
- Comes packed in a weather resistant clear plastic tube
- Complete with 12' RG-8/X cable, connector and rubber suction cup

PART NO.	MFG#	DESCRIPTION
9935-284	5911	VHF

EMERGENCY VHF ANTENNA



- An inflatable 5' antenna that can be rapidly deployed via a CO2 cartridge
- Stowed in a high-vis orange bag
- Features, top and bottom, grommets for fastening
- Connection for both fixed and handheld VHFs

PART NO.	MFG#	DESCRIPTION
9935-644	INFL8-5	5 Feet

15" WHIP VHF ANTENNA



- Super lightweight with gold plated connector, centre loaded designed for sailboat racers
- Delivers Unity Gain
- Includes black L-bracket for mounting atop mast

PART NO.	MFG#	DESCRIPTION
9935-312	5216	Black

3' VHF ANTENNA, 3DB



SquattyBody 1/2-wave elements. A favourite with Sailboat owners, this light weight, low profile, stainless steel antenna was specially designed for masthead mounting. •Hermetically sealed, tin-plated copper wire coil •Stainless steel body and whip SO-239 bulkhead connector •**Mount:** Stainless Steel "L" bracket (supplied) •One section, 3' •**DC Ground:** No

PART NO.	MFG#	DESCRIPTION
7272102	5215	3' S/S Sailboat VHF Antenna

7" VHF FLEXIBLE RUBBER ANTENNA



- For small boat applications needing only short range communications
- Compact, lightweight, and easily stored; attaches and detaches easily once the included flush mounting kit is installed
- Gold plated connectors for low-loss performance

PART NO.	MFG#	DESCRIPTION
9935-308	5912	VHF

3' WHIP VHF ANTENNA



- Stainless steel whip (36")
- Requires mount with center hole for passage of the supplied cable
- 15' RG-58 cable and PL-259 connector included

PART NO.	MFG#	DESCRIPTION
9935-362	5250	VHF

3' VHF WHIP ANTENNA, 3DB



1/2-wave element, The perfect choice for bass boats, center console fishing boats, or any vessel where compact size is most important. Heavy-duty stainless steel whip for extra stability at high speeds.

•Chrome-plated brass canister minimizes de-tuning.
•Sealed, tin-plated copper wire coil
•Requires mount with center hole for passage of the supplied 15' RG-58 cable. A PL-259 Connector is also included (not installed).
•One section, 3'
•**DC Ground:** No - The antenna will read open on continuity test.

PART NO.	MFG#	DESCRIPTION
7272099	5241-R	3' VHF Antenna
7272515	4187HD	S/S Mount

3' LIFT-N-LAY VHF WITH L-BRACKET



- Low-profile end-fed 1/2" wave with standard duty stainless steel whip and convenient press-and-twist bayonet fitting that makes attaching or removing whip quick and easy

PART NO.	MFG#	DESCRIPTION
9935-309	5242-A	VHF

4' VHF ANTENNA, 3DB



End-Fed with Matching Stub. Four-foot, 3 dB antenna with a great selection of high-end features. An excellent performance in a great looking antenna that has a smooth, high-gloss, polyurethane finish makes it a superb value. Chrome-plated brass ferrule with standard 1"-14 thread. Includes 15' RG-58 cable, which can be cut to size, and a PL-259 connector, not attached. **DC Ground:** Yes.

PART NO.	MFG#	DESCRIPTION
7272106	5104	4' VHF Marine Band White
7272136	5104-BLK	4' VHF Marine Band, Black
7272515	4187HD	4187-HD S/S Antenna Ratchet Mount

QUICK CONNECT VHF ANTENNAS



To make it easy and convenient to install/replace your antenna, Shakespeare has designed the Quick Connect antenna system with the coax cable attached to the antenna mount instead of the antenna itself. Simply screw on/off the antenna and enjoy the hassle free and cost effective alternative to the traditional antenna installation. Antennas are standard 1"–14 Thread.

PART NO.	MFG#	DESCRIPTION
7272113	QC-3	3', 3 dB
7272114	QC-4	4', 3 dB
7272118	QC-8	8', 6 dB
7272521	QCM-S	S/S Ratchet mt. w/ coax
7272522	QCM-N	Nylon Ratchet mt. w/ coax, up to 4'
7272523	QCM-SR	S/S Rail mt. w/ coax

4' VHF ANTENNA, 3DB



Center-fed 1/2-wave coaxial sleeve. Boaters who are in the market for a VHF marine antenna that provides an excellent value should check out the Galaxy 5400-XT Little Giant 3 dB antenna from Shakespeare. This little gem measures just 4' tall but provides "big antenna" communication capabilities. • Stainless Steel ferrule with standard 1"-14 thread • Includes 20' of RG-8/X cable • Includes a PL-259 connector kit

• One 4' section
DC Ground: No. The antenna will read open on continuity test.

PART NO.	MFG#	DESCRIPTION
7272169	5400-XT	4' VHF Ant. "Galaxy"
7272515	4187HD	S/S Antenna Ratchet Mount
7272516	5187	S/S Ant. Heavy Duty Mount

VHF ANTENNA AND BASE KIT



Includes the following features:

- Fiberglass VHF antenna for Fixed Mount radio,
- 17 Foot RG 58 Coax with molded PL 259 & 3dB Gain.
- Dual Swivel, corrosion resistant nylon base.
- Coax cable and connectors compatible with Cobra Marine and all other VHF radios.
- Extended frequency range up to 162 MHz for VHF and NOAA Weather.

PART NO.	MFG#	DESCRIPTION
7272107	CM 300-004	5' VFH Antenna Kit
7272130	CM 300-008	8' VFH Antenna Kit

8' ECONO VHF ANTENNA



Here is an economical and lightweight, self-supporting 6 dB VHF antenna for good communications where range is not the predominant factor. It has a nylon ferrule and includes 15' RG-58 cable, which can be cut to size, and a PL-259 connector kit (not installed). **Actual Length:** aprox. 93".
DC Ground: No. The antenna will read open on continuity test.

PART NO.	MFG#	DESCRIPTION
7272111	5206-N	8' VHF Antenna

8' VHF ANTENNA, 6DB DC GROUNDED



Shakespeare's Style 5101 ***Centennial*** antenna is an 8' 6 dB End-fed design with matching stub. 8' antenna with a brass element and a smooth, high gloss, polyurethane finish that won't turn yellow in the sun. •Chrome-plated brass ferrule with standard 1"-14 thread. •Includes 15' RG-58 cable and a PL-259 Connector Kit. The PL-259 connector isn't attached to VHF antenna for ease of install. •Optional mount; Shakespeare 4187 style ratchet mount
•One section, 8' (**actual length:** ±93")
•DC ground: Yes-however, the antenna will read "Open Circuit" when tested with Ohm meter.

PART NO.	MFG#	DESCRIPTION
7272109	5101	8' VHF Antenna Centennial White
7272135	5101-BLK	8' VHF Antenna Centennial Black
7272515	4187HD	4187-HD S/S Antenna Ratchet Mount

8' VHF ANTENNA, 6DB DC GROUNDED



GALAXY 5/8-wave elements Shakespeare's best 8', 6 dB Gain antenna. Its Galaxy design maximizes range and quality in a great looking antenna. The 5225-XT is Shakespeare's classic Style 5225 in a stronger, sturdier, stiffer radome for extra duty. It's extra tough for use on hard tops, T-tops, radar arches, or wherever its extra resistance to high winds and high speeds is welcome.•Stainless steel ferrule with standard 1"-14 thread •20' RG-8/X low-loss cable plus a PL-259 connector kit •One section, 8' (**actual length:** ±93") **•DC Grounding:** Yes

PART NO.	MFG#	DESCRIPTION
7272170	5225-XT	8' VHF Antenna "GALAXY" Series
7272515	4187HD	4187-HD S/S Antenna Ratchet Mount

For the most up to date pricing, please visit maritimemarinesupply.ca/price

9 1/2" VHF ANTENNA - MAST MOUNT ONLY





- Professional quality 2 piece antenna best suited where the top performance of a large antenna is required but the size cannot be accommodated
- 6 dB gain , Connection at bottom of antennas base

PART NO.	MFG#	DESCRIPTION
9935-313	399-1M	VHF

14' VHF ANTENNA, 8DB DC GROUNDED



This GALAXY Style 5230, 5/8-wave over 1/2-wave dipole antenna is Shakespeare's most effective 8dB antenna system available anywhere, thanks to its increased signal capture area. It comes in two sections, a 94" Base and a 74" Tip for a total of 14'. It includes 20' of RG-8/X cable and a PL-259 connector kit and has a stainless steel ferrule with a standard 1"–14 thread. **DC Grounded:** Yes

7272540 

7272520 

PART NO.	MFG#	DESCRIPTION
7272112	5230	14' VHF Antenna, 2 sections
7272540	408-R	Stand-Off Bracket
7272520	81-S	S/S Side Mount Swivel

19' VHF ANTENNA, 9DB



1/2-wave elements The top choice for charter boat captains and experienced sport fishing enthusiasts. This long-distance VHF antenna is rigid enough to stay erect in rough seas, yet exceptionally lightweight. •Chrome-plated brass ferrule with 1"-14 thread •Includes 20' RG-58 cable and a PL-259 connector kit. The PL-259 connector is not attached to VHF antenna for ease of installation •**Two sections:** base 162", tip 66", 19' total •**DC Ground:** No

7272540 

7272520 

PART NO.	MFG#	DESCRIPTION
7272119	4018	19' VHF Antenna, 2 Sections
7272540	408-R	Stand-Off Bracket
7272520	81-S	S/S Side Mount Swivel

19' VHF MAST MOUNT MARINE ANTENNA, 9DB



This Phased 1/2-wave Long Distance VHF Antenna is rigid enough to stay erect in rough seas, yet exceptionally lightweight. The 4018-M has an aluminum sleeve for attaching to a mast. It is used primarily for land-based stations and on commercial vessels.

- Brass and copper elements •Chrome-plated brass ferrules •Mast mount – U-bolts supplied
- SO-239 connector at base of antenna •**Two sections:** Base 162", Tip 66" •**DC Ground:** No. The antenna will read open on continuity test.

Best Applications Include: Land-based stations and Commercial vessels; for medium to large fishing and commercial vessels and similar types of vessels.

PART NO.	MFG#	DESCRIPTION
7272120	4018-M	19', Mast Mount Antenna, 2-pc.

18-1/2" VHF ANTENNA, 10DB DC GROUNDED



1/2-wave elementsThe 476 style antenna is designed to get the message through when all others fail. Its unique design puts the signal on the horizon, providing gain in all directions. It's the first choice for heavy duty seagoing applications, such as work boats, tugs, etc, and an excellent antenna for land-based stations.•SO-239 bulkhead connector at the base•**Optional Mounts:** The 476 has a 2-3/4" diameter x 26" long 6061-T-6 aluminum sleeve which can be strapped directly to a mast or used with a Shakespeare 483 style Clamp Set. •One Section, 18-1/2" •**DC Ground:** Yes

7272525 

PART NO.	MFG#	DESCRIPTION
7272121	476	18-1/2" VHF Commercial Antenna
7272525	483	Clamp Style Mast Bracket

23' VHF ANTENNA, 9DB "GALAXY"



7272540 

7272520 

Phased 1/2 wave elements in collinear array with a band spread matching sleeve and a choking stub to suppress cable radiation. This design invokes all the antenna engineers' tricks to produce the clearest possible transmission and reception over the longest range. • Brass and copper elements • Stainless steel ferrule with standard 1"-14 thread

•Includes 20' RG-8/X cable and a PL-259 connector
•**Two sections:** Base 172", Tip 105"
•**Twin to:** Galaxy Style 5310-R HF/SSB.
DC Ground: No. The antenna will read open on continuity test.

PART NO.	MFG#	DESCRIPTION
7272124	5309-R	23' VHF Antenna "Galaxy"
7272540	408-R	Stand off Bracket
7272520	81-S	S/S Side Mount Swivel

SHAKESPEARE ART-3 ANTENNA/VHF RADIO TESTER



No need to call for a radio check when you have this compact, easy to use, unit on-board. Unlike other meters in its class, the ART-3 tests receiver function as well as output power and VSWR (antenna efficiency). It is powered by an internal battery or can be connected to ships' 12VDC with the supplied power cable. Battery level can be checked at the flip of a switch. No serious boater should be without an ART-3. Tests antenna and radio Tx and Rx.

- Frequency Range: 155-158 MHz
- RF Power Scale: 0 to 30 watts
- Impedance: 50 ohms
- Connectors: SO-239
- Signal Generator: 3 KHz Deviation
- RF Level: -115 dBM (approx.)

Construction: Die-cast aluminum **Signal Generator:** 3 KHz Deviation
Tone: 1000 KHz **RF Level:** -115 dBm (approx.)

PART NO.	MFG#	DESCRIPTION
7274220	ART-3	Antenna Radio Tester Tx & Rx

CO-AX CABLE END FITTING



- PL-259 complete with adapter for RG-8/X

PART NO.	MFG#	DESCRIPTION
9935-226	PL-259 W/7031 ADAPTER	W/adapter

HANDHELD VHF ANTENNA CONNECTOR



Connect your Handheld VHF radio to the fixed mount ship's antenna

- SMA male on one end and SO-239 female on the other to adapt the flexible antenna fitting found on many newer handheld VHF radios to the PL-259 connector found on most fixed antenna cables

PART NO.	MFG#	DESCRIPTION
9935-228	40-7828	Connector

MARINE ANTENNA COAX CABLE



Marine Antenna Coax Cable is made with the highest quality tin coated copper for maximum protection against corrosion and electrolysis from salt water and harsh elements.

The RG-8X, 50Ω low-loss cable for antenna installations has size and flexibility close to TG-58 coax, but features low-loss characteristics closer to that of larger, more costly RG-8A/U cable. **Sold per foot**. White outer jacket, UL Recognized.

PART NO.	DESCRIPTION
7272600	RG8-X COAX

SHAKESPEARE CENTERPIN SOLDERLESS CONNECTORS

Solderless, fret-less, botchless connector that goes on without a hitch, without heat, and without soldering skills. Shakespeare's Centerpin PL-259 connector means no measuring and no critical stripping of coax insulation, no fussing with the coax's shield, no soldering or "tinning", therefore, no making a mess of it. Shakespeare's easy-on Centerpin PL-259 connector makes just as good or better connections as solder on ones, both to the coax's shield and to its center conductor.

Shakespeare's connectors and adapters let you complete a marine antenna installation with reliable electrical connections for top performance.

PL-259-CP-G Style Centerpin solderless connector for RG-8X or RG-58/AU coax



PART NO.	DESCRIPTION
7272615	Center Pin PL-259 Connector



PL-258-CP-G Style Centerpin Barrel Connector. The revolutionary Centerpin PL-258-CP-G gold plated barrel connector is like two Centerpin PL-259s end to end–with some clever engineering to merge the two. For either RG-58/AU or RG-8X coax.

PART NO.	DESCRIPTION
7272620	Center Pin PL-258 Splice Connector



PL-259-8X-G Style Connector with UG-176 adapter and DooDad (4347 style cable strain relief) for RG-8X coax

PART NO.	DESCRIPTION
7272605	Coax Connector Gold PL-259



PL-258-G Style Barrel Connector

- Joins two PL-259 ended cables together
- Gold-plated

PART NO.	DESCRIPTION
7272610	Coupler Gold for PL-259



1' OR 2' STAINLESS STEEL ANTENNA EXTENSION



- Heavy Duty Stainless Steel 4700 Style Extension
- Standard 1”-14 thread, male upper, female lower

PART NO.	MFG#	DESCRIPTION
7272401	4700-1	1’ Heavy Duty S/S Antenna Extension
7272402	4700-2	2’ Heavy Duty S/S Antenna Extension

1' OR 2' STAINLESS STEEL ANTENNA EXTENSION



304 Polished stainless steel with standard 1"-14 male and female threads. Can be used with all 1"-14 mounts shown

PART NO.	MFG#	DESCRIPTION
9935-353	54052-02	1’ S/S Antenna Extension
9935-356	54052-03	2’ S/S Antenna Extension

NYLON ANTENNA RATCHET MOUNT



This 4186-BP style economical antenna mount is recommended for antennas that are 8' or less in length. Warranty will be void if used with longer antennas.

- White solid nylon construction
- Standard 1"-14 thread

PART NO.	MFG#	DESCRIPTION
7272510	4186-BP	Ratchet Mount

HD S/S ANTENNA RATCHET MOUNT



This extra heavy duty 4187-HD style stainless steel ratchet mount is an excellent choice for high speed boating or anywhere its extra strength is needed.

- 9/32" hole for cable feed-through
- Standard 1"–14 thread

PART NO.	MFG#	DESCRIPTION
7272515	4187HD	Ratchet Mount

S/S ANTENNA RATCHET MOUNT



This 6187 style ratchet mount has a full 4D range of motion adjustable without tools. It has maximum mounting flexibility and ease of use.

- Side exit cable slot.
- 316 Stainless Steel.
- Base is 3-3/4” x 2-1/4”.
- Standard 1” - 14 thread

PART NO.	MFG#	DESCRIPTION
7272517	6187	Rotatable

ANTENNA FLANGE MOUNTS



Shakespeare flange mounts can be used to attach marine antennas to deck or bulkhead. The mounts do not adjust for slanted surfaces, and do not allow lowering the antenna for fishing, passage under overhangs, or for boat storage and towing. They are usually used for small antennas, GPS and radar devices, and marine TV antennas atop radar arches etc.

PART NO.	MFG#	DESCRIPTION
7272502	4365	4"h x 1"14 S/S Antenna Straight Mount

STAINLESS STEEL ANTENNA RATCHET MOUNT



Sleek simple lines come from a nutless, boltless, design. Standard 1"–14 threads and a special cable slot that eliminates removal of most factory installed connectors. The designer look of this four-way ratchet mount won't fail to catch your eye.

Bolt holes: 5/16" dia & 3" - 1-1/2" on center

PART NO.	MFG#	DESCRIPTION
7272516	5187	Antenna Mount

S/S ANTENNA RATCHET MOUNT



Four way ratchet mount for installing antenna on a deck or bulkhead. A center feed-through hole for Loran, GPS or VHF coaxial cable offers a cleaner, waterproof installation.
Standard 1"–14 thread.
Base 2-5/8" x 3-3/4"
Requires 4 x 1/4" FH screws

PART NO.	MFG#	DESCRIPTION
7274321	4187HD	Ratchet Mount

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

LOW PROFILE ANTENNA BASE



This all Nylon construction, low profile, fixed flange deck mount antenna base is ideal for short, light GPS, marine radio and marine TV antennas.

Male Thread: Standard 1"–14
Base Diameter: 2-3/4"

PART NO.	MFG#	DESCRIPTION
7274309	54042	Nylon Antenna Base

ANTENNA SWIVEL MOUNTS

Antenna swivel mounts can be used to attach a large or small antenna to deck or bulkhead. The swivel permits adjustment of the antenna's position to compensate for slanted surfaces, and it allows lowering the antenna for passage under overhangs, or for boat storage or towing.



7272520

Shakespeare's 81-S style swivel mount is a dual-joint, free-pivoting base mount for use with an appropriate Shakespeare upper bracket (7272540)

- Stainless steel construction
- Standard 1"–14 threads



7272540

Shakespeare's 408 style upper bracket is an insulated stand-off bracket for use with Shakespeare 81-S style swivel mount in deck or side mounting large antennas. The bracket accommodates antennas or extension masts of 1" or 1-1/2" diameter.

- Easy-open design for quick laydown
- White moulded plastic construction

PART NO.	DESCRIPTION
7272520	S/S Side Mount Antenna Swivel
7272540	Stand Off Bracket 1"-1-1/2" Antenna Dia.

RAIL BASE ANTENNA MOUNT



- Stainless steel U-bolt design for mounting on a 7/8" or 1" OD horizontal rail
- 1"-14 thread
- Complete with mounting hardware

PART NO.	MFG#	DESCRIPTION
9935-180	4720	Mount

SOCKET BASE ANTENNA MOUNT



Heavy walled 316 stainless steel construction designed to install on 1" OD tubing

- 1"-14 thread
- Complete with 2 set screws

PART NO.	MFG#	DESCRIPTION
9951-073	80243	S/S 1"–14 Thread

MARINE ANTENNA MOUNT SHIM KIT



Heavy-Duty Rubber Shim Kit For All Shakespeare Ratchet Mounts.

Kit of four shims, two each with front/back and side/side slope. Each shim adds a half-notch (5°) tilt. Stack them for extra height or for compound angles.

PART NO.	MFG#	DESCRIPTION
7272545	414	Shim Kit

STAND-OFF BRACKET–PLASTIC



- Insulated white molded, corrosion resistant plastic stand-off bracket
- Easy opening for quick lay down
- Includes bolts, nuts and lock washers
- Fits 1", 1-1/8" or 1-1/2" diameter antennas when used with inserts

PART NO.	MFG#	DESCRIPTION
9935-187	329780	Plastic Stand-off Bracket

MAST MOUNT CLAMP



- Attaches an antenna of 1" to 2" diameter to a mast of 1" to 2" diameter
- Galvanized steel construction
- Includes pliable rubber pad to cushion the antenna
- Sturdy construction

PART NO.	MFG#	DESCRIPTION
7272525	483	2" dia. Galvanized



GARMIN OFF-ROAD NAVIGATORS

Roam the unknown with **Zūmo and Tread 2.** Enjoy turn-by-turn trail navigation for traversing unpaved roads and trails plus custom street routing for the size and weight of your rig. Pair your device to your compatible smartphone to track up to 20 friends. Direct-to-device BirdsEye Satellite Imagery can be downloaded to Tread without a computer and no annual fees. These Navigators are built to withstand all kinds of weather and rough terrain.



7278253

ZŪMO® XT2 6.0"

MOTORCYCLE NAVIGATOR

The zūmo XT2 rugged motorcycle navigator is built for adventure with a larger and brighter 6" sunlight-readable display that is built to withstand weather and handlebar vibrations. The new visual route planner lets you customize your journey with options such as choosing between a thrilling ride with extra twists and turns or experiencing a more efficient route. Start a group ride to track your friends on the zūmo display (requires the use of the Tread® smartphone app). See popular moto paths, recommendations for great rides using the Tread smartphone app and view satellite imagery to find new places to explore. For motorcyclists looking for the ultimate navigator, get ready to enjoy the ride.



7278254

TREAD2

6" POWERSPORT NAVIGATOR

Roam the Unknow in Dirt and Snow with the rugged Tread2 powersport navigator showing you the way with navigation for all the places you love to ride. A 6" high-resolution, ultrabright, glove-friendly touchscreen navigator is purpose-built to withstand extreme temperatures and weather (IP67 dust/water rating) for rugged off-road adventures. The upgraded processor delivers faster performance, including map drawing and route calculations. View snowmobile trail content for select areas within the U.S. and Canadian provinces; includes snowmobile-accessible locations such as fuel stops, warming shelters, restaurants and more. View coverage areas in your state or province.



7278254

TREAD2 - SXS EDITION

8" RUGGED POWERSPORT NAVIGATOR

Roam the unknown with the rugged Tread2 – SxS Edition powersport navigator. The 8" high-resolution, ultrabright and glove-friendly touchscreen will show you the way in extreme terrain, temperatures and weather (IP67 dust/water rating). You'll get turn-by-turn navigation for unpaved roads and trails plus you can use the great rides feature for off-road to help you find even more places to explore (searches require use of the Tread® smartphone app). • 8" high-resolution, ultrabright and glove-friendly touchscreen navigator is purpose-built to withstand extreme temperatures and weather (IP67 dust/water rating) for rugged off-road adventures.

PART NO.	7278253	7278254	7278255
MFG#	010-02781-00	010-02972-00	010-03021-01
MODEL	zūmo XT2 Motorcycle	Tread 2	Tread 2 - SxS Edition
DIMENSIONS	6" x 3.5" x 1"	6.15" x 3.5" x 1"	8.1"W x 5.4"H x 1.1"D
SCREEN SIZE	6" (15.3 cm)	6" (15.3 cm)	6.8"W x 4.2"H
DISPLAY TYPE	Multi-Touch, Glass, High Brightness HD Colour TFT with White Backlight		
GLOVE-FRIENDLY TOUCH	Yes	Yes	Yes
DUAL-ORIENTATION	Yes	Yes	Yes
WATERPROOF RATING	IPX7	IPX7	IPX7
DUST RATING	- - -	IP6X	IP6X
MAGNETIC MOUNT	- - -	- - -	Locking magnet-assisted mount
TUBE MOUNT	- - -	1-1/2" TO 2-3/8" INCLUDED	1-1/2" TO 2-3/8" INCLUDED
HANDLE BAR MOUNT	Up to 1" Included	Up to 1"	
BALL ADAPTER W/ AMPS	- - -	1"	1-1/2"
PRELOADED MAPS	North American Street and Topographic Maps with 3D Viewing.		
INTERNAL MEMORY STORAGE	32GB	64 GB	64 GB
EXTERNAL MEMORY STORAGE		yes (256 GB max microSD™ card)	yes (256 GB max microSD™ card)
ABC SENSORS	- - -	Altimeter, Barometer, Compass and Pitch/Roll	Altimeter, Barometer, Compass and Pitch/Roll
BLUETOOTH® PAIRING	Yes	Yes	Yes
BATTERY TYPE	Rechargeable Lithium-Ion		
ESTIMATED BATTERY LIFE	Up to 7 Hrs. 3.5 Hrs. 100% Backlight	Up To 7 Hrs 5 Hrs. 100% Backlight	Up to 6 hours at 50% backlight Up to 1 hour at 100% backlight
WEIGHT	12 oz. (340 gr.)	12 oz (340 g)	22.1 oz

NAVIGATOR POWERCABLES

GARMIN



7278261

Use this power/ground cable in conjunction with a mount bracket (sold separately) to attach your compatible zūmo® navigator to your motorcycle.



7278268

Use this bare wire High-Current power cable.nThe cable has a 2-pin connector. The cable is 11.5 ft (3.5 m) long.



7278269

Add wireless control for your vehicles electrical accessories with this Garmin PowerSwitch. It is a compact digital switch box that offers convenient centralized control of your vehicle's 12-volt accessories from a compatible Garmin navigator or smartphone.

PART NO.	MFG#	DESCRIPTION
7278261	010-13285-03	zūmo® XT2
7278268	010-13087-01	Overland, XL-Overland & zūmo® XT2
7278269	010-02466-00	Base, Overland, XL-Overland & zūmo® XT2





NAVIGATOR MOUNTS

GARMIN



7278260

Mount your Zūmo® XT2 or Base Edition navigator to your motorcycle with this bracket that attaches to the bike's handlebars.



7278262

Use this adjustable tube mount and mounting arm to easily secure your compatible Garmin Navigator. This mount has a ball joint size of 1" (25.4 mm).



7278264

Mount your zūmo® XT2 or Base Edition motorcycle Navigator just about anywhere. This mount has a ball joint size of 1" (25.4 mm).



7278267

Easily attach your Overland Edition or XL-Overland Navigator for easier navigation in your vehicle.
This mount has a ball joint size of 1.5" (38.1 mm).

PART NO.	MFG#	DESCRIPTION
7278260	010-13285-01	zūmo® XT2
7278262	010-12998-04	Base Edition & zūmo® XT2
7278264	010-10962-10	Base Edition & zūmo® XT2
7278267	010-13087-09	Overland Edition & XL-Overland Edition

HANDLEBAR CONTROLLER

GARMIN



Get critical button control and keep your hands on the handlebars while riding when you pair with your compatible Garmin device. Intuitive buttons make it easy to zoom in and out of your map view. No need to remove gloves or gear. It's rugged and IP67 water-resistance rated for adventurous rides. Wired power ensures optimal performance in extreme temperatures.

MOUNT ON YOUR MACHINE:
Use with handlebars that are 7/8", 1", and 1-1/4" in diameter.

COMPATIBLE:
7278252 tread XL-Overland Edition
7278253 zūmo XT2
7278254 Tread 2
7278255 Tread 2 SXS Edition

PART NO.	MFG#	DESCRIPTION
7278273	010-02974-00	Controller, Handlebar Mount

NEW

GARMIN GPSMAP H1 PLUS HANDHELD GPS



When adventure calls, respond with the rugged GPSMAP H1i Plus handheld navigator.

The hybrid design boasts a bright 3.5'' color touchscreen display, physical buttons for increased versatility and a long battery life of up to 145 hours in GPS mode. Easily navigate trails with preloaded TopoActive maps, downloadable satellite imagery and the option to purchase an Outdoor Maps+ subscription for ongoing access to premium map content.

Offering built-in inReach Plus Technology for two-way communication when off the grid (active subscription required. With the GPSMAP H1i Plus, you can trigger an SOS message, exchange text messages, or use the built-in camera/mic to snap and share photos and voice messages outside of cell service.



- Rugged GPS handheld navigator boasts a slick hybrid design offering a bright 3.5" touchscreen that is sunlight readable, glove-friendly and chemically strengthened glass to resist scratches; plus, physical buttons provide more versatility in any conditions
- Long battery life up to 145 hours in all Satellite Systems + Multi-Band mode, assuming typical use with SatIQ™ technology; up to 840 hours in Expedition mode
- Multi-band GPS and multi-GNSS support for optimal positional accuracy and precise knowledge of where you are
- Built to meet MIL-STD 810 for thermal, shock, water (IP67) and vibration to withstand weather and extreme temperatures
- Compatible with the Garmin Explore™ smartphone app
- Integrated front and back cameras
- Use the built-in flashlight as a beacon to signal for help, or use as a torch to light your way when the path goes dark
- Built-in siren can be activated to emit a loud alarm to help draw attention if you are in need
- When you venture off-grid, use LiveTrack™ location sharing to let friends or family follow your location while you are on the move; no need to point your device directly toward to sky to find satellites. They can see your progress, including distance, time and elevation.
- ABC sensors provide an altimeter for elevation data, barometer to monitor weather and 3-axis electronic compass to provide direction
- Get weather reports and request forecasts for your destinations with an active inReach® satellite subscription
- Includes integrated Spine Mount 2 and a removable loop carabiner

PART NO.	MFG#	DESCRIPTION
7278854	010-02921-00	H1 Plus Handheld GPS

GPSMAP 86I
WITH INREACH CAPABILITIES



Built-in InReach satellite technology to keep in touch globally. Send and receive two-way text messages and, trigger an interactive SOS to get emergency help from a 24/7 global monitoring center via the 100% global Iridium satellite network. Preloaded with a worldwide basemap and allows you to add BlueChart g3 coastal charts, giving you industry-leading coverage, clarity and detail (microSD card not included).

Can be paired and synced to compatible chartplotters, instruments, smartphones and networks for easy wireless updates and connections allowing you to see real-time boat data plus, can serve as a remote control for operation of your Garmin autopilot and select Fusion marine products

The 86i floats and has a sunlight-readable 3" colour display (240 x 400 pixels). Its internal, rechargeable lithium battery provides up to 35 hours of operation in 10-minute tracking mode and up to 200 hours in expedition mode.
To access the Iridium network and communicate with your InReach GPSMAP, an active satellite subscription is required.
Dimensions: 2.75"W x 7"H x 1.7"D (7 x 17.8 x 4.4cm)
Weight: 9.59 oz. (272g) **Rated:** IPX7

PART NO.	MFG#	DESCRIPTION
7278858	010-02236-00	GPSMAP 86i, InReach

GARMIN GPSMAP 79 SERIES HANDHELD MARINE GPS



Cast off confidently with the GPSMAP® 79s and GPSMAP 79sc marine GPS handhelds. These rugged, floating handhelds feature sunlight-readable, high-resolution color displays that are fogproof and scratch-resistant. You get access to a range of satellite constellations, so you get more reliable, accurate tracking around the world. Navigate wherever your adventures take you with options for worldwide basemap or built-in BlueChart® g3 coastal charts. With more memory than previous models, you can save and track 10,000 waypoints and 250 routes. Keep your bearings with the built-in compass.

- Rugged, floating, water-resistant (IPX7) handheld GPS with a high-resolution color display and scratch-resistant, fogproof glass
- Increased memory to save and track 10,000 waypoints, 250 routes and 300 fit activities
- Supports multiple satellite constellations (GPS, GLONASS, Beidou, Galileo, QZSS and SBAS) for reliable tracking around the world
- Options for worldwide basemap or preloaded BlueChart® g3 coastal charts
- Built-in 3-axis tilt-compensated electronic compass shows heading while standing still
- Barometric altimeter tracks changes in pressure to pinpoint your precise altitude
- Battery life: up to 19 hours in GPS mode

PART NO.	MFG#	DESCRIPTION
7278853	010-02635-00	GPS Map -79

MONTANA 700i HANDHELD GPS



AMPS Rugged Mount with Audio Power Cable (Sold Separatley)

This rugged GPS handheld combines TopoActive and City Navigator mapping for routable on- or off-road navigation with global two-way messaging and interactive SOS via inReach® satellite technology1. The 5" color touchscreen features a full QWERTY keyboard for messaging and a display that's 50% larger than earlier models.

Multi-GNSS support and sensors for the 3-axis compass and barometric altimeter put a world of outdoor navigation capability within your grasp. Plus, wireless pro-connectivity gives you direct-to-device access to BirdsEye Satellite Imagery downloads, location sharing, Connect IQ™ app support and more. Pair with a compatible smartphone to access Active Weather forecasts. Extend battery life for more than a week with the new ultralow-powered Expedition mode.

- Features rugged military-grade construction and a 5" touchscreen display that's 50% larger than the previous model; offers easy viewability and includes versatile mounting solutions
- Trigger an interactive SOS to the GEOS 24/7 monitoring center — or use the full QWERTY touchscreen keyboard for two-way messaging via the 100% global Iridium® satellite network1
- Multi-GNSS (GPS and Galileo) support — plus preloaded TopoActive maps and City Navigator street map navigation; navigation sensors include 3-axis compass and barometric altimeter
- Pro-connected with ANT+® technology, Wi-Fi® connectivity and BLUETOOTH® wireless networking, giving you direct-to-device access to BirdsEye Satellite Imagery downloads, location sharing, Connect IQ™ app support and more

PART NO.	MFG#	DESCRIPTION
7278848	010-02347-10	700i GPS w/inReach Features
7279803	010-12881-08	Optional AMPS Rugged Mount

GARMIN HANDHELD ADJUSTABLE MOUNT



Must have items for your GPS! Protect your new GPS with a carrying case or screen protector, or mount your unit with one of the following mounts.

PART NO.	MFG#	DESCRIPTION
7279810	010-11031-00	Adjustable Handheld Mount



DEPTHTRAX HANDHELD DEPTH FINDER W/ TEMP



This Portable Handheld Depth Finder gives you instant depth readings from 2.5' (0.7m) to 300' (91.5m) in 1/10th ft./m increments and at the press of a button the display will show real time temperature (water or air) and fish readings.



- Depth readings from 1-1/2" to 300 '
- Water or air temperature readings
- 300 Watts of sonar transmit power
- 200 kHz sonar (14° beam angle)
- Waterproof to 200 Ft for diving
- Backlit display shows F° or C°

Dimensions: 8" Long x 2" Dia.
Power Source: Requires 1 x 9V battery (not included)

PART NO.	MFG#	DESCRIPTION
7277419	DT1H	Hand Held

NEW

ECHOTEST II HAND HELD DEPTH SOUNDER



Small handheld depth sounder, simple operation, particularly intended for pneumatic or dinghy sailors.

Totally waterproof, it sounds up to 80 metres and can be used at a maximum depth of 50 metres.

Features:
- Frequency: 200 kHz.
- Depth range: from 1 m to 80 m (3 to 240 ft).
- Display: LCD, 7 segments, LED backlighting.
- Power supply: 9 V alkaline battery, 6 F 22 or 6LR61 (not included).
- Rated for 500 readings from one battery
- Consumption: 70 mA.
- Waterproof up to 50 m depth.

Only operates when immersed.

PART NO.	MFG#	DESCRIPTION
9990-939	38074	Depth Finder

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

DIGITAL DEPTH FINDER WITH TRANSDUCER



Has a range of 600 feet and on plane readings up to 60 mph with automatic range and sensitivity adjustments. Keel Offset can be set to properly adjust shallow depth readings and has dual depth alarms with1 touch muting. Glare free Polarized LCD display with LED backlighting

Includes:
- Two interchangeable faces (Black, White)
- Three bezels (Black, White, Chrome)
- Transducer that can be transom mounted or internally glue mounted to hull
- 7X per second Resolution and 33 Ft. Cable

PART NO.	MFG#	DESCRIPTION
9840182	26000P	2" Digital Depth Finder

HAWKEYE DIGITAL DEPTH SOUNDER



Designed to provide depth readings from 2.5' (0.7m) to 600' (180m). Hawkeye's proprietary algorithmic programming significantly reduces false readings. Depth readings are updated four times per second on the no glare, polarized LCD icon display.

Transom Mount Transducer Included.
Interchangeable black and white bezels

Display can be set in feet or meters. Dual upper and lower depth alarms can be set throughout the full depth range. Keel offset adjustments automatically adjust depth readings for a vessel's draft requirements. Transducer can be Thru-Hull mounted in most hulls. Operates at 200 kHz at a beam angle of 14°. Cable length is 30' (9m). Sounder with Air and Water Temp version available.
Power Requirement: 11-14VDC, 200 mA max.
Dimensions: 2" Diameter, 1.75" Depth (51 x 45mm)

PART NO.	MFG#	DESCRIPTION
7277410	DT2B-TM	In-Dash Depth Sounder
7277415	DT2BX-TM	Sounder with Air/Water Temp
9935-330	D10DX.01T	In-Dash Depth Sounder

SURFACE MOUNT BRACKET



Surface mount bracket for all HawkEye boat mount depth sounders. Weather and impact resistant with 360° swivel that can be mounted anywhere, at any angle.

Also fits most 2.5" gauges from other manufacturers.

Gauge not included.

PART NO.	MFG#	DESCRIPTION
7277413	ACC-DF-1000	Surface Mount Bracket

FISHTRAX HANDHELD FISH FINDER



We're confident in saying the FishTrax™ is the most adaptable fish finder in the world. This powerful handheld device employs SONAR technology to identify fish depth, measure water temperature, and outline the bottom contour. It's versatile enough to be used on a motorboat, kayak, canoe, float tube, or even on the ice during winter. it's a tool built for reliability and performance that should be part of every fishing adventure.

GREYSCALE SERIES

- Glare-Free VirtuView™ dot matrix display
- Auto-switching dual-frequency 200/83 kHz FishTrax™ intelli sonar (14/26° Beam Angle)
- Auto & man. depth range & sensitivity
- FishTarget indicators
- Audible fish & depth alarms
- VariableZone™ water temp sensor shows water temp
- Level sensitivity adjustment, multi-level depth ranges, and auto zoom bottom tracking
- VariableZone™ water temperature sensor shows water temperature throughout the water column
- Sonar sensor side-scan adapter allows sonar direction finding under weeds, docks, ice, etc...



HD COLOR SERIES

- VirtuView™ HD color display with LED backlight
- FishTrax intelligent sonar delivers precise readings up to 240 '
- User selectable dual-frequency 200/83 kHz FishTrax™ Intelligent Sonar (14/26° Beam Angle)
- Auto & man depth range & sensitivity
- FishArc™ and FishID™ fish indicators
- HD bottom landscape painting
- Shallow & deep water alarms
- Audible fish alarm
- VariableZone™water temperatures ensor shows water temperature throughout the water column
- Glare-Free icon LCD with LED backlight offers excellent readability
- Sonar sensor side-scan adapter allows sonar direction finding under weeds, docks, ice, etc..

Dimensions: 6"H x 3"W x 2" Thick
Transducer/Sensor Cable Length: 15' (4.5m)
Power Source: 4 x AAA batteries for up to 30 hours of use (not included)

PART NO.	MFG#	DESCRIPTION
7277421	FT1PX	Fish Trax, Dot Matrix Display
7277422	FT1PXC	Fish Trax, HD Colour Display

FISHPOD 5X BLUETOOTH FISH FINDER

Turn your Smartphone into a Fish Finder! This iOS and Android app-based SONAR device is a valuable addition to any tackle box.

Anytime, Anywhere - Cast from the shore, attach it to your paddlesports equipment, fling it from your boat, or slip it into your pocket and take it on the ice. From the pond to the ocean, the FishPod is ready wherever you are.



Phone Not Included

- **4-Preset Operating Modes** - Auto-adjusting screen settings to target fish by size, depth, or schooling.
- **FishEcho** - Tunes sonar in the water column to pinpoint the size and depth of fish while tuning out clutter, debris, and false echoes.
- **BottomScan** - Adjusts bottom contour and composition readings to decipher between vegetation and soft / hard seabed.
- **Vertical Flasher** - Amplifies the most recently received sonar echoes making them easier to track. Great for ice fishing!



PART NO.	MFG#	DESCRIPTION
7277423	FP5X	Fishpod Bluetooth Fishfinder

GARMIN FISHFINDERS

STRIKER VIVID 4CV WITH TRANSDUCER



See fish and structure in maximum detail when you pick your display color, your location and your sonar for your day on the water with the STRIKER Vivid 5cv fishfinder with transducer.

- 7 new vivid sonar colors to choose from
- Included transom transducer to gives CHIRP and ClearVü sonar views
- Use waypoint marking to find your way back to hotspots
- Plan and create routes and view your boat's speed using high-sensitivity GPS
- Store up to 2 million acres of maps with 1' contours
- Includes a tilt/swivel mount plus transom and trolling motor mounting hardware

PART NO.	MFG#	DESCRIPTION
7278017	010-02550-01	4" display

GARMIN STRIKER VIVID 5CV WITH GT20

5"



See fish and structure in maximum detail when you pick your display color, your location and your sonar for your day on the water with the STRIKER Vivid 5cv fishfinder with transducer.

- 7 new vivid color options to see fish and structure in maximum contrast and clarity
- Includes GT20 transducer for Garmin CHIRP traditional sonar and CHIRP ClearVü scanning sonar
- Waypoint marking so you can easily find your way back to hotspots
- Create routes and view your boat's speed on your fishfinder using high-sensitivity GPS
- Store up to 2 million acres of maps with 1' contours
- Includes a tilt/swivel mount plus transom and trolling motor mounting hardware and cable
- 7-1/2"W x 4-1/2"T x 2"D, IPX Waterproof rating

PART NO.	MFG#	DESCRIPTION
7278018	010-02551-00	5 CV with Transducer

GARMIN ECHOMAP UHD2 CV SONAR/CHARTPLOTTER COMBO

WHY TALK TO A LOCAL WHEN YOU CAN FISH LIKE ONE?

They say locals know best. But anyone who says that hasn't fished with the ECHOMAP UHD2 5" and 7" chartplotters with clear, crisp sonar and mappin

- The bright 5" or 7" keyed display is made for convenience.
- Double the views with Garmin CHIRP traditional and ClearVü scanning sonars.
- What's under the water looks even better w/high-contrast vivid color palettes.
- Wi-Fi® connectivity2 between compatible units makes it easy to share info.



WIDESCREEN

Preloaded Garmin Navionics+ Canada & Alaska Mapping



ACTIVECAPTAIN® APP

Built-in Wi-Fi connectivity pairs with the free all-in-one mobile app for access to the OneChart™ feature, software updates, Garmin Quickdraw™ Community data and more



	EchoMAP UHD2 55 CV	EchoMAP UHD2 75 CV
Part No.	**7278170**	**7278171**
Mfg#	010-02592-50	010-02596-50
Dimensions,	7.4"w x 4.8"h x 2.4"d	9.1"w x 5.6"h x 2.6"d
Resolution	800 x 480	
Display type:	WVGA, IPS	
Waterproof:	Yes (IPX7)	
Input:	Funtion Keys	
Antenna:	GPS	
NMEA 0183:	No	
NMEA 2000:	No	
Preloaded maps:	Navionics+ Canada & Alaska	
data cards:	1 x microSD card slot 32gb max	
ClearVü	Built-in 260/455/800/1000/1200 kHz	
SideVü:	No	
CHIRP	No	
Panoptix	No	
Transducer Type:	GT20 – TM, 4 Pin	
Voltage	9 to 18Vdc	
Weight:	1.1 Lbs. (0.5 Kg.)	1.5 Lbs. (0.7 Kg.)
Waypoints:	5000	
AIS - DSC:	No - No	No - No

GARMIN ECHOMAP UHD2 SV SONAR/CHARTPLOTTER COMBO

KNOW THE WATER BETTER THAN A LOCAL!

When it comes to catching more fish, they say, "Talk to a local." With the ECHOMAP UHD2 chartplotters, with best-in-class sonar and mapping and premium touchscreen display with keyed-assist, you'll know the water even better than they do.

- The bright 6" or 7" or 9" Touchscreen display is user friendly.
- Double the views with Garmin CHIRP traditional and ClearVü scanning sonars.
- What's under the water looks even better w/high-contrast vivid color palettes.
- Wi-Fi® connectivity2 between compatible units makes it easy to share info.



WIDESCREEN

Preloaded Garmin Navionics+ Canada & Alaska Mapping

TOUCHSCREEN

ACTIVECAPTAIN® APP

Built-in Wi-Fi connectivity pairs with the free all-in-one mobile app for access to the OneChart™ feature, software updates, Garmin Quickdraw™ Community data and more



	EchoMAP UHD2 65 SV	EchoMAP UHD2 75 SV	EchoMAP UHD2 95 SV
Part No.	**7278172**	**7278173**	**7278174**
Mfg#	010-02682-00	010-02686-00	010-02690-00
Dimensions,	8.1"w x 5.2"h x 2.6"d	8.6"w x 5.6"h x 3.2"d	10.4"w x 6.5"h x 3.2"d
Resolution	800 x 480	800 x 480	1024 x 600
Display type:	WVGA, TN	WVGA, TN	WSVGA, TN
Waterproof:	Yes (IPX7)		
Input:	Touch screen w/ Keyed assist		
Antenna:	GPS		
NMEA 0183:	No		
NMEA 2000:	Yes		
Preloaded maps:	Navionics+ Canada & Alaska		
data cards:	1 x microSD card slot 32gb max		
ClearVü	Built-in 260/455/800/1000/1200 kHz		
SideVü:	Built-in 260/455/800/1000/1200 kHz		
CHIRP	Yes		
Panoptix	Yes		
Transducer Type:	GT54UHD-TM, 12 Pin	GT54UHD-TM, 12 Pin	GT56UHD-TM, 12 Pin
Voltage	9 to 18Vdc		
Weight:	1.8 Lbs. (0.8Kg.)	2.2 LBS. (1.0 Kg.)	2.9 Lbs. (1.3 Kg.)
Waypoints:	5000		
AIS - DSC:	No - Yes	No - Yes	Yes - Yes

GARMIN ECHOMAP ULTRA 2 SV SONAR/CHARTPLOTTER COMBO

ALL THE TOOLS YOU NEED FOR SUCCESSFUL FISHING!

If you're the angler who wants premium fishfinding features in a fast, supersharp chartplotter with a big IPS Touchscreen display than this in the one for you.

- Super 10" or 12" touchscreen IPS display.
- Capture Screen Recording to share your fish catches.
- Multi Band GPS for improved location accuracy and Built in UHD Sonar
- Wi-Fi® connectivity2 between compatible units makes it easy to share info.



WIDESCREEN

Preloaded Garmin Navionics+ U.S. Inland & Coastal Canada *excludes NFLD.

PREMIUM IPS TOUCHSCREEN

ACTIVECAPTAIN® APP

Built-in Wi-Fi connectivity pairs with the free all-in-one mobile app for access to the OneChart™ feature, software updates, Garmin Quickdraw™ Community data and more



	EchoMAP ULTRA 2 106 SV	EchoMAP ULTRA 2 126 SV
Part No.	**7278177**	**7278178**
Mfg#	010-02880-01	010-02882-01
Dimensions,	11.6"w x 7.7"h x 3.9"d	13.4"w x 9.0"h x 3.9"d
Resolution	1280 x 800 Pixels	
Display type:	WXGA, IPS	
Waterproof:	Yes (IPX7)	
Input:	Touch screen w/ Keyed assist	
Antenna:	GPS	
NMEA 2000:	Yes	
Preloaded maps:	Garmin Navionics+ Inland & Coastal	
data cards:	2 x microSD card slot	
ClearVü	Built-in 260/455/800/1000/1200 kHz	
SideVü:	Built-in 260/455/800/1000/1200 kHz	
CHIRP / Panoptix	Yes	
Wireless Networking	Yes	
Transducer Type:	GT56UHD – TM, 12 Pin	
Voltage	9 to 18 Vdc	
Weight:	4 Lbs. (1.8 Kg.)	5.5 Lbs. (2.5 Kg.)
Waypoints:	5000	
AIS - DSC:	Yes / Yes	

For the most up to date pricing, please visit maritimemarinesupply.ca/price

GARMIN ENTRY-LEVEL CHARTPLOTTER/SONAR COMBOS

Experience an advanced navigation solution with these network-compatible chartplotters and combos. These units include wireless connectivity features for Garmin mobile apps, NMEA 2000 support and Garmin Marine Network capabilities for radar and Panoptix FrontVü collision avoidance sonar. They also have built-in Garmin CHIRP and CHIRP ClearVü sonar (transducer sold separately). A worldwide basemap is included.

The GPSMAP 722xs/742xs & 922xs/942xs Plus series have a J1939 Engine Network Port used to connect to an existing engine network for monitoring engines and generators. These series also feature Garmin's OneHelm integrated solution for the convenience of controlling and monitoring onboard boat systems like digital switching, lighting, stabilization and more, eliminating the need for multiple control displays and devices.

Garmin Marine Network and NMEA 2000 Support. Full-network compatibility allows you to add more capabilities to your boat. Garmin Marine Network support allows sharing of sonar, including Panoptix sonar, maps, user data, Garmin radar, and IP cameras among multiple units. Plus, there's NMEA 2000 and NMEA 0183 support for connectivity including autopilots, digital switching, weather, FUSION-Link, VHF, AIS and other sensors.

Heading and Position Refreshed 10 Times per Second. Fast, responsive built-in 10 Hz GPS and GLONASS receiver refreshes your position and heading 10 times each second to make your movement on the screen more fluid. It makes dropping up to 5,000 accurate waypoints—and finding your way back to them—quick and easy.

GPSMAP 743XSV



7" WIDESCREEN Wi Fi





GPSMAP 743xsv Includes: 7" Display, microSD card preinstalled, power cable, NMEA 2000 T-connector, NMEA 2000 drop cable (2 meters), 8-pin transducer to 12-pin sounder adapter cable, Bail mount kit with knobs, Flush mount kit with gasket, Protective cover, Trim piece snap covers, Documentation

GPSMAP 743xsc Features:

- 7" display
- 1024 x 600 pixels
- Multi-touch touchscreen WSVGA display
- Accepts Data Cards - 2 microSD (back of unit)
- Features a J1939 port to connect to engines
- 743xsv includes Bluechart G3 and Lakevü G3

Get built-in Ultra High-Definition SideVü and ClearVü scanning sonars with vivid, high-contrast color palettes to help distinguish fish from structure. GPSMAP 743xsv also supports 1 kW CHIRP traditional sonar capabilities. It even supports Panoptix all-seeing sonar. **(12-pin transducer sold separately)**

PART NO.	MFG#	DESCRIPTION
7278144	010-02365-61	GPSMAP 743xsv

GPSMAP 943XSV

9" Wi Fi WIDESCREEN







GPSMAP 943xsv Includes: 9" Display, microSD card preinstalled, power cable, NMEA 2000 T-connector, NMEA 2000 drop cable (2 meters), 8-pin transducer to 12-pin sounder adapter cable, Bail mount kit with knobs, Flush mount kit with gasket, Protective cover, Trim piece snap covers, Documentation

GPSMAP 943xsv Features:

- 9" display
- 1280 x 720 pixels
- Multi-touch touchscreen WXGA display
- Accepts Data Cards - 2 microSD (back of unit)
- Features a J1939 port to connect to engines
- 943xsv includes Bluechart G3 and Lakevü G3

Get built-in Ultra High-Definition SideVü and ClearVü scanning sonars with vivid, high-contrast color palettes to help distinguish fish from structure. GPSMAP 943xsv also supports 1 kW CHIRP traditional sonar capabilities. It even supports Panoptix all-seeing sonar. **(12-pin transducer sold separately)**

PART NO.	MFG#	DESCRIPTION
7278146	010-02366-61	GPSMAP 943xsv

GPSMAP 1022XSV



10" | Wi Fi | WIDESCREEN





GPSMAP 1022xsv Features:

- 10" display
- 1024 x 600 pixels
- Quick and easy-to-use keypad interface with user-programmable keys and a multifunction control knob; WSVGA display
- Includes worldwide basemap

GPSMAP 1022xsv Includes: 10" GPSMAP, power/data cable, NMEA 2000 drop cable and T-connector, 8-pin transducer to 12-pin sounder adapter cable, bail mount kit with knobs, flush mount kit with gasket, protective cover, trim piece snap covers & documentation.

1022xsv has built-in Garmin 1 kW CHIRP and CHIRP ClearVü/CHIRP SideVü scanning sonar **(12-pin transducer sold separately).** It even supports Panoptix all-seeing sonar, premium Garmin sonar modules and a wide range of transducers (not included).

PART NO.	MFG#	DESCRIPTION
7278135	010-01740-02	GPSMAP 1022xsv

GPSMAP 1243XSV



12" | Wi Fi | WIDESCREEN





GPSMAP 1243xsv Features:

- 12” display
- 1280 x 800 pixels
- Multi-touch touchscreen WXGA display
- Accepts Data Cards - 2 microSD (back of unit)
- Features a J1939 port to connect to engines
- 1243xsv includes Bluechart G3 and Lakevü G3

GPSMAP 1243xsv Includes: 12” Display, microSD card preinstalled, power cable, NMEA 2000 T-connector, NMEA 2000 drop cable (2 meters), 8-pin transducer to 12-pin sounder adapter cable, Bail mount kit with knobs, Flush mount kit with gasket, Protective cover, Trim piece snap covers, Documentation

Get built-in Ultra High-Definition SideVü and ClearVü scanning sonars with vivid, high-contrast color palettes to help distinguish fish from structure. GPSMAP 1243xsv also supports 1 kW CHIRP traditional sonar capabilities. It even supports Panoptix all-seeing sonar. **(12-pin transducer sold separately)**

PART NO.	MFG#	DESCRIPTION
7278158	010-02367-61	GPSMAP 1243xsv

STEADYCAST HEADING SENSOR



The 9-axis heading sensor is Garmin's premium solution that is easy to install and provides fast calibration and exceptional heading accuracy.

Its heading output rate at 10 Hz and accuracy of ±3° ensures your chart orientation and boat heading line match up with reality, even at trolling speeds or when dead in the water. You can also be confident your heading information will remain accurate, even in rough water.

Installs via NMEA 2000 network with integrated 6' drop cable.
Water Rating: IPx7

PART NO.	MFG#	DESCRIPTION
7278520	010-11417-10	Heading Sensor

GRID 20 REMOTE CONTROL



This easy-to-use GRID 20™ remote input device provides intuitive remote access and control of your entire Garmin marine system. Compatible with GPSMAPS and GMR Radar Domes.

Features:

- 360-degree, all-in-one joystick with a rotary knob and push-to-select button
- Enables easy chartplotter menu/setting navigation and
- fine control, even in the worst conditions
- 4 favorite keys can be designated to restore your system to a previously saved configuration
- Allows wired or wireless installation options

PART NO.	MFG#	DESCRIPTION
7278198	010-02011-00	Remote Control

NEW

GPSMAP 1543XSV

WIDESCREEN Wi Fi GARMIN





15"

Offering a sleek aesthetic in a 15" edge-to-edge glass format, the GPSMAP® 15x3xsv chartplotter clearly expands your viewing horizons. Plot your course with optional preloaded Garmin Navionics+™ charts. And view vivid sonar color palettes with built-in Ultra High-Definition SideVü™ and ClearVü™ scanning sonars plus support for optional 1 kW CHIRP traditional sonar (transducer required; sold separately).

GPSMAP 1543xsv Features:

- ULTRAWIDE 15" display
- 1920 x 720 pixels
- Multi-touch Ultrawide display, IPS
- Accepts Data Cards - 2 microSD (back of unit)
- Features a J1939 port to connect to engines
- Garmin Navionics+ Inland & Coastal Map built in

GPSMAP 1543xsv Includes: 15" Ultrawide Display, microSD™ card preinstalled Power cable Thin flush mount kit with gasket Protective cover 8-pin transducer to 12-pin sounder adapter cable 2 m backbone/drop cable and T-connector for NMEA 2000® Network Documentation

PART NO.	MFG#	DESCRIPTION
7278240	010-03855-01	GPSMAP 1543xsv

NEW

GPSMAP 9210XSV

PREMIUM CHARTPLOTTER WITH GARMIN NAVIONICS+™ AND SONAR

GARMIN



10"

Wi Fi





GPSMAP® 9210xsv is the integrated touchscreen chartplotter designed for captains who demand the best and for anglers who need our best-in-class sonar ever. Enjoy edge-to-edge HD resolution on a glass helm with premium design and materials. Plot your paradise faster than ever with processing power that's up to 7 times faster than previous generations, and get 5GHz Wi-Fi® connectivity for ActiveCaptain® app updates plus the Garmin BlueNet™ network.

GPSMAP 9210xsv Features:

- 10" display
- 1920 x 1200 pixels
- Multi-touch WUXGA, IPS; Edge Lit backlight
- Accepts Data Cards - 2 microSD (back of unit)
- Features a J1939 port to connect to engines
- Garmin Navionics+ Inland & Coastal Map built in

GPSMAP 9210xsv Includes: 10" premium chartplotter display Power cable Backbone/drop cable (2 meters) and T-connector for the NMEA 2000® Network Bail mount with knobs Flush mount kit Protective cover Trim piece snap covers Documentation

PART NO.	MFG#	DESCRIPTION
7278241	010-03175-03	GPSMAP 9210xsv

NEW

GPSMAP 9213XSV

PREMIUM CHARTPLOTTER WITH GARMIN NAVIONICS+™ AND SONAR

GARMIN



13"

Wi Fi





GPSMAP® 9213xsv is the integrated touchscreen chartplotter designed for captains who demand the best and for anglers who need our best-in-class sonar ever. Enjoy edge-to-edge clarity with 4K IPS resolution on a glass helm with premium design and materials. Plot your paradise faster than ever with processing power that's up to 7 times faster than previous generations, and get 5GHz Wi-Fi® connectivity for ActiveCaptain® app updates plus the Garmin BlueNet™ network.

GPSMAP 9213xsv Features:

- 13" 4k display
- 3840 x 2160 pixels
- Multi-touch 4K, IPS; Mini LED (Local Dimming) backlight
- Accepts Data Cards - 2 microSD (back of unit)
- Features a J1939 port to connect to engines
- Garmin Navionics+ Inland & Coastal Map built in

GPSMAP 9213xsv Includes: 13" premium 4k chartplotter display Power cable Backbone/drop cable (2 meters) and T-connector for the NMEA 2000® Network Bail mount with knobs Flush mount kit Protective cover Trim piece snap covers Documentation

PART NO.	MFG#	DESCRIPTION
7278242	010-03176-03	GPSMAP 9213xsv

NEW

WIRELESS MAN OVERBOARD DETECTION WITH ENGINE CUT OFF

TAG WHAT MATTERS

GARMIN





Garmin OnBoard System includes the GOS10 Hub and 1 white MOB Tag with wristband





- Tags are worn on wrist, carabiner or key ring float.
- Tags are designated either Captain or Passenger
- Captain Tag enables Engine CutOff
- Temporarily disarm tags with ease
- The GOS10 Hub includes loud alarm
- Tag battery life exceeds a season of typical use.



Garmin OnBoard Built so you can move freely and boat confidently, the Garmin OnBoard system uses wireless tags instead of traditional tethered cords — integrating with your compatible Garmin chartplotter. The wearable MOB tags are part of a wireless MOB system letting you move untethered while still being monitored. Captain MOB detection will trigger engine cutoff, a MOB waypoint on the chartplotter and an audible alarm on the MFDs and hub. The GOS 10 hub includes a loud external alarm — alerting you to a MOB event.

PART NO.	MFG#	DESCRIPTION
7275420	010-02908-00	Garmin OnBoard System
7275421	010-02908-30	White Mob Tag with Band
7275422	010-02908-31	Black Mob Tag with Band
7275423	010-13401-21	Black Carabiner Clip for Mob Tag
7275424	010-13401-20	Black Carabiner Clip for Mob Tag



GARMIN NAVIONICS+ CHARTS (AND ONE-YEAR SUBSCRIPTION)



PART NO.	MFG	DESCRIPTION
7278906	010-C1484-20	Canada East & Great Lakes
7278907	010-C1485-20	Canada West & Alaska

Featuring vibrant colors, a streamlined interface and combined coastal/inland content with a popular Navionics® style color palette, Garmin Navionics+ cartography makes it easy to plot your course with the world's No. 1 name in marine mapping1.

Navigate with our best offshore and inland lake coverage for your Garmin chartplotter. See it your way. Customize your view with various chart layers and overlay combinations. With your included one-year subscription, access daily updates via the ActiveCaptain® smart-device app. Auto Guidance+™ technology2 lets you navigate with suggested dock-to-dock routings. Save money by renewing your subscription — and continue accessing daily updates plus new content downloads.

- All-In-One Map Solution for Gamin Chartplotters.
- Daily Chart Updates.
- Auto Guidance+ Tehnology2 suggesting Dock-to-Dock Pathways for planning purposes.
- High Resolution Depth Range Shading up to 10 colours.
- Up to 1 ft. Contours for enhanced bottom details.
- Shallow Water Shading.
- ActiveCaptain Community to access Points Of Interests from other boaters.

GARMIN BLUECHART G3 CHARTS



CANADA

Experience unparalleled coverage and brilliant detail when you're on the water. BlueChart g3 coastal charts provide industry-leading coverage, clarity and detail with **updated coastal charts that feature integrated Garmin and Navionics content.** The **Auto Guidance feature** easily calculates routes and shows a suggested path to follow. Includes Depth Range Shading for up to 10 depth ranges, enabling you to view your target depths at a glance.

PART NO.	MFG	DESCRIPTION
7278900	010-C1019-20	Canada Bluechart micro SD/SD

BLUECHART® G3 AND LAKEVÜ G3 CARTOGRAPHY

If your current Garmin chartplotter or marine handheld is not compatible with the newer Garmin Navionics+™ mapping format, you can still enjoy our previous-generation BlueChart g3 coastal charts and LakeVü g3 inland maps for reliable navigation and fun times on the water.



CANADA NORTH- LAKES-RIVERS AND COASTAL NAVIONICS+



IT'S A WHOLE NEW LOOK ON YOUR CHARTPLOTTER
Featuring vibrant colors, a streamlined interface and combined coastal/inland content with a popular Navionics® style color palette, Garmin Navionics+ cartography makes it easy to plot your course with the world's No. 1 name in marine mapping.

NSUS011R, Canada North - Lakes, Rivers and Coastal Marine Charts.
Access detail-rich mapping of coastal features, lakes, rivers and more. Integrated Garmin and Navionics® content offers coverage for boaters worldwide. Combining the best of Garmin and Navionics automatic routing features, built-in Auto Guidance+ technology2 gives you a suggested dock-to-dock path to follow through channels, inlets, marina entrances and more.

PART NO.	MFG#	DESCRIPTION
7278914	010-C1454-20	Canada North Map

U.S. & COASTAL CANADA NAVIONICS+



IT'S A WHOLE NEW LOOK ON YOUR CHARTPLOTTER
Featuring vibrant colors, a streamlined interface and combined coastal/inland content with a popular Navionics® style color palette, Garmin Navionics+ cartography makes it easy to plot your course with the world's No. 1 name in marine mapping.

NSUS001L, U.S. & Coastal Canada - Lakes, Rivers and Coastal Marine Charts
Access detail-rich mapping of coastal features, lakes, rivers and more. Integrated Garmin and Navionics® content offers coverage for boaters worldwide. Combining the best of Garmin and Navionics automatic routing features, built-in Auto Guidance+ technology2 gives you a suggested dock-to-dock path to follow through channels, inlets, marina entrances and more.

PART NO.	MFG#	DESCRIPTION
7278915	010-C1287-20	U.S. And Coastal Canada

CANADA, EAST & GREAT LAKES NAVIONICS+



IT'S A WHOLE NEW LOOK ON YOUR CHARTPLOTTER
Featuring vibrant colors, a streamlined interface and combined coastal/inland content with a popular Navionics® style color palette, Garmin Navionics+ cartography makes it easy to plot your course with the world's No. 1 name in marine mapping.

NAUS012R, Canada, East & Great Lakes - Lakes, Rivers & Coastal Marine Charts
Access detail-rich mapping of coastal features, lakes, rivers and more. Integrated Garmin and Navionics® content offers coverage for boaters worldwide. Combining the best of Garmin and Navionics automatic routing features, built-in Auto Guidance+ technology2 gives you a suggested dock-to-dock path to follow through channels, inlets, marina entrances and more.

PART NO.	MFG#	DESCRIPTION
7278916	010-C1466-30	Canada East-Great Lakes

CANADA LAKEVÜ G3 CHARTS



Experience unparalleled coverage and brilliant detail when you're on the water. LakeVü g3 inland maps provide industry-leading coverage, clarity and detail with **updated inland maps that feature integrated Garmin and Navionics content**.

With maps of more than 13,500 lakes – and more than 4,800 with up to 1' contours – this high definition-mapping product brings new levels of detail to your chartplotter. **LakeVü g3 Charts feature Auto Guidance technology**, so you can easily calculate routes and see a suggested path to follow. They also include depth range shading for up to 10 depth ranges, enabling you to view your target depths at a glance.

PART NO.	MFG#	DESCRIPTION
7278911	010-C1113-00	Canada LakeVü g3

TOPO CANADA MAPS



With detail & precision, TOPO Canada covers terrain contours, topo elevations, summits, routable roads & trails, rivers, lakes and geographical points. TOPO maps are ideal for hiking, hunting, camping, cycling and communing with nature.

- **Canada East Includes:** Topographical detail of Quebec, Newfoundland, Labrador, Nova Scotia, PEI & New Brunswick.
- **Canada Version Includes**: Digital topographic maps for all of Canada. DVD version includes free BaseCamp software for viewing TOPO maps on your PC or Mac.

PART NO.	MFG#	DESCRIPTION
7278990	010-C1009-00	Canada East, MicroSD/SD

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

GARMIN.

Add Panoptix LiveScope™ Scanning Sonar to Your Compatible Chartplotter

*** Chartplotter not included**

The best of the best just got better with the LiveScope Plus System. It's the latest in LiveScope technology, offering improved resolution, reduced noise, clearer images and better target separation. Now it's easier than ever to see structure, bait and fish swimming around your boat in real time. Adjust the transducer to fit where you fish; Forward mode shows what's out in front of your boat and slightly below, Down mode gives you a view of what's directly below, and Perspective mode is great for a top-down view. The view automatically changes on your compatible Garmin chartplotter1 screen. Attitude heading reference system stabilization keeps your sonar view steady, even in rough conditions. LiveScope Plus includes a trolling motor shaft and barrel mounts plus Perspective Mode Mount.



- Real-Time Images for accurate live images.
- Clear Vision with reduced noise and fewer sonar artifacts.
- Image Stabilization keeps the image steady.
- Colour Palettes with seven vivid colour options.

Transducer cable:	20 feet
Transducer Pins:	21
Transducer beamwidth:	20° x 135°
Max. depth:	Down and Forward: 200' (61m)
Power input :	1-32Vdc



LVS34



GLS10

System Includes

- GLS10 sonar module
- LiveScope Plus LVS34 Transducer.
- Perspective mount.
- Power cable
- 2 meter Garmin marine network cable, small connector
- Network adapter cable
- Mounting hardware
- Documentation

- Forward Mode to scout ahead of your boat and see what's happening in real time.
- Down Mode to explore live views of the activity directly beneath your boat.
- Perspective Mode to see under the water with a view from above the water





FORWARD MODE

Scout ahead of your boat to see what's happening in real time..



DOWN MODE

Explore live views of the activity directly beneath your boat.



PERSPECTIVE MODE

See under the water with a view from your perspective above the water.

GARMIN.

PART NO.	MFG#	DESCRIPTION
7279648	010-02706-00	LiveScope Plus System

Visit www.garmin.com/en-CA/p/682121#devices for a list of compatible Chartplotters.

4-PIN EXTENSION CABLE



Use this 10' (3m) extension cable to connect your 4-pin transducer to your sonar unit.

PART NO.	MFG#	DESCRIPTION
7279699	010-11617-10	4-Pin

8-PIN EXTENSION CABLE



Use this 10' (3m) extension cable to connect your 8-pin transducer to your sonar unit.

PART NO.	MFG#	DESCRIPTION
7279592	010-11617-10	8-Pin

12-PIN EXTENSION CABLE



Use this 10' (3m) extension cable to connect your 12-pin scanning transducer to your sonar unit.

PART NO.	MFG#	DESCRIPTION
7279698	010-11617-32	12-Pin

ADAPTER CABLE, 8 TO 12-PIN



Connects an 8-pin transducer with XID to a 12-pin sonar port on a compatible marine device.

PART NO.	MFG#	DESCRIPTION
7279572	010-12122-10	8 and 12-Pin

Y-CABLE, 8-PIN + 12-PIN TO 12-PIN



Connect a Garmin GT30 transom mount scanning transducer and a Garmin GT8HW-IH, GT15M-IH, Airmar P72 or Airmar P79 in-hull mount traditional transducer to a compatible EchoMAP Plus, EchoMAP CHIRP chartplotter/sonar combo or a GPSMAP 10X2xsv/12X2xsv chartplotter.

This adapter cable allows the EchoMAP Plus, EchoMAP CHIRP or GPSMAP 10X2xsv/12X2xsv to continue to display water depth from the in-hull transducer in instances when the transom mount transducer loses depth reading due to cavitation.

PART NO.	MFG#	DESCRIPTION
7279574	010-12445-33	8 and 12-Pin

NETWORK AND POWER ACCESSORIES

MARINE NETWORK CABLES



Garmin's marine network cables offer an additional 6' or 20' of cable length.
Use with Ecomap and GPSmap

PART NO.	MFG#	DESCRIPTION
7279182	010-10550-00	6'
7279183	010-10551-00	20'

POWER CABLE 8 PIN



Power and connect your compatible GPSMAP device with this 6-foot, 8-pin power/data cable. Use with NMEA 0183 devices and a lamp or horn for visible or audible alerts.

PART NO.	MFG#	DESCRIPTION
7278185	010-12550-00	Power Cable 8 Pin

THREADED POWER/DATA CABLE 4 PIN



Power your compatible echoMAP™ chartplotter/sounder combo with this 6 foot (2 meters) power/data cable. Includes NMEA 0183 inputs/outputs.

PART NO.	MFG#	DESCRIPTION
7278186	010-12445-00	Threaded Power/Data Cable 4 Pin

POWER/DATA CABLE 4 PIN



Use this 6 foot power/data cable to power your compatible echoMAP™ or STRIKER. Includes NMEA 0183 inputs/outputs.

PART NO.	MFG#	DESCRIPTION
7278187	010-12199-04	Power/Data Cable 4 Pin

For the most up to date pricing, please visit maritimemarinesupply.ca/price

GARMIN TRANSDUCERS

12-PIN, CLEARVÜ/SIDEVÜ TRANSDUCERS

For use with: GPSMap units that support ClearVü/SideVü.



GT56UHD - Transom Mount , Frequency - Traditional High-wide CHIRP (150-240 kHz); ClearVü/SideVü 455 kHz (425-485 kHz), 800 kHz (790-850 kHz), 1000 kHz (940-1100) MAX DEPTH Traditional: 800 ft freshwater; ClearVü: 400 ft; SideVü: 500 ft 12-Pin.

PART NO.	MFG#	DESCRIPTION
7279660	010-13073-00	12-Pin

8-PIN, CLEARVÜ CHIRP TRANSDUCERS

For use with: GPSMap units that support ClearVü CHIRP.



GT23M-TM - Plastic transom mount for a transom angle of 0-70°. 600W CHIRP traditional, 500W ClearVü; 1800' depth (traditional), 1000' (ClearVü). CHIRP mid-band (80-160 kHz), ClearVü CHIRP (260/455 kHz). Depth/temperature. 8-pin.

PART NO.	MFG#	DESCRIPTION
7279626	010-12404-00	8-Pin

8-PIN, CLEARVÜ CHIRP TRANSDUCERS

For use with: GPSMap units that support ClearVü CHIRP.



GT23M-TH - Stainless steel through-hull for deadrise angles of 0-25°. 600W CHIRP traditional, 500W ClearVü; 1800' depth (traditional), 1000' (ClearVü). CHIRP mid-band (80-160 kHz), ClearVü CHIRP (260/455 kHz). Depth/temperature. 8-Pin.

PART NO.	MFG#	DESCRIPTION
7279652	010-12404-10	8-Pin

8-PIN, CHIRP TRANSDUCERS

For use with: GPSMap units that support CHIRP.



GT8HW-TM - Plastic transom mount for a transom angle of 0-70°. 250W, 800' depth (freshwater). CHIRP high wide (145-230 kHz). Beam 16° at 230 kHz; 24° at 145 kHz. Depth/temperature. 8-pin.

PART NO.	MFG#	DESCRIPTION
7279624	010-12401-00	8-Pin

8-PIN, CHIRP TRANSDUCERS

For use with: GPSMap units that support CHIRP.



GT15M-TM - Plastic transom mount for a transom angle of 0-70°. 600W, 1900' depth. CHIRP Mid-band (85-165 kHz). Beam 14° at 165 kHz; 24° at 85 kHz. Depth/temperature. 8-Pin.

PART NO.	MFG#	DESCRIPTION
7279638	010-12402-10	8-Pin

8-PIN, 77/200 KHZ TRANSDUCER

For use with: STRIKER/EchoMAP Series. **May *require* an adapter cable**



P19 (12° tilt) - Plastic through-hull transducer with deadrise angles 8-15°. 500W, 900' depth. Dual frequency. Beam 15° at 200 kHz; 45° at 77 kHz. Depth/temperature. 8-Pin.

PART NO.	MFG#	DESCRIPTION
7279655	010-10982-21	8-Pin

8-PIN, 50/200 KHZ TRANSDUCER 12 DEGREE

For use with: GSD 24/26 and most current GPSMAP models ending in 'xs'.
May *require* an adapter cable



B60 (12° tilt) - Bronze through-hull transducer with deadrise angles 8-15°. 600W, 800-1200' depth. Dual frequency. Beam 12° at 200 kHz; 45° at 50 kHz. Depth/temperature. 8-Pin.

PART NO.	MFG#	DESCRIPTION
7279656	010-10982-21	8-Pin

8-PIN 80/165 KHZ TRANSDUCER 0 DEGREE

For use with: Echomap and GPSMAP units that support CHIRP Traditional



GT12M-THF (0° Tilt)- Bronze thru-hull transducer with dead-rise 0°, supports hull deadrise angles from 0° to 7°, 350W, 800ft saltwater
1200ft freshwater depth. Medium band CHIRP (85-165 kHz). Beamwidth 24° to 16°. Depth / Temperature. 8-pin

PART NO.	MFG#	DESCRIPTION
7279662	010-02867-00	8-Pin

8-PIN 80/165 KHZ TRANSDUCER 12 DEGREE

For use with: Echomap and GPSMAP units that support CHIRP Traditional



GT12M-THF (12° Tilt) - Bronze thru-hull transducer with dead-rise 12°, supports hull deadrise angles from 8° to 15°, 350W, 800ft saltwater
1200ft freshwater depth. Medium band CHIRP (85-165 kHz). Beam-width 24° to 16°. Depth / Temper-ature. 8-pin

PART NO.	MFG#	DESCRIPTION
7279663	010-02867-01	8-Pin

8-PIN 80/165 KHZ TRANSDUCER 12 DEGREE

For use with: Echomap and GPSMAP units that support CHIRP Traditional



GT15M-THF- Stainless steel thru-hull transducer with deadrise 12°, supports hull deadrise angles from 8° to 15°, 600W, 1200ft saltwater
1900ft freshwater depth. Medium band CHIRP (85-165 kHz). Beam-width 24° to 16°. Depth / Temper-ature. 8-pin.

PART NO.	MFG#	DESCRIPTION
7279664	010-02868-01	8-Pin

8-PIN, CLEARVÜ/ SIDEVÜ TRANSDUCERS

GARMIN



GT15M-IH - Plastic in-hull trans-ducer for deadrise angles of 0-25°. 600W, 1900' depth (freshwater). CHIRP mid-band (85-165 kHz). Beam 13° at 165 kHz; 24° at 85 kHz. Depth only. 8-Pin.

PART NO.	MFG#	DESCRIPTION
7279651	010-12402-00	8-Pin

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

NEW

8-PIN 85/165 KHZ TRANSDUCER 0 DEGREE



GT15M-THF transducer designed for reduced drag and optimum sonar performance on midsize fishing and cruising boats. Features high-definition **600-watt** midband CHIRP (85–165 kHz) sonar that clearly defines fish targets down to depths of 1,200' in saltwater and 1,900' in freshwater. Ideal for installation on all hull materials, The thru-hull transducer offers beamwidths of 16–24 degrees and comes in a durable flush-mount stainless steel housing.

- 0° supports hull deadrise angles 0° to 7°
- 50ft cable length

For use with: Echomap and GPSMAP units that support CHIRP Traditional

PART NO.	MFG#	DESCRIPTION
7279665	010-02868-00	8-Pin

NEW

8-PIN 80/165 KHZ TRANSDUCER 12 DEGREE



GT17M-THF transducer designed for reduced drag and optimum sonar per-formance on midsize fishing and cruising boats. Features high-definition **1 kilowatt** midband CHIRP (80–165 kHz) sonar that clearly defines fish targets down to depths of 1,800' in saltwater and 2,400' in freshwater. Ideal for installation on all hull materials, The thru-hull transducer offers beamwidths of 16–24 degrees and comes in a durable flush-mount stainless steel housing.

- 12° supports hull deadrise angles 8° to 15°
- Search with beamwidths of 9–18 degrees.
- 50ft cable length

For use with: Echomap and GPSMAP units that support CHIRP Traditional

PART NO.	MFG#	DESCRIPTION
7279666	010-02930-01	8-Pin

GFS 10 FUEL SENSOR

GARMIN



The GFS 10 fuel sensor tracks fuel flow use and lets you see the data right on your chartplotter so you can optimize your boat's fuel economy.

The GFS 10 will include fuel level sensing capability when connected to an existing analog fuel gauge or resistive fuel tank sensor. Operating range is 2 gal/hr (7.57L/hr) to 50 gal/hr (189.27L/hr). **GPSMAP 4xx and 5xx series CANet compatible units require a CANet kit to complete the connection.** Other chartplotters connect via NMEA 2000. **For gasoline engines only.**

PART NO.	MFG#	DESCRIPTION
7278604	010-00671-00	GFS10 Fuel Sensor



Garmin AIS 800 has an internal VHF antenna splitter, which allows the VHF and AIS to share a single antenna. It includes a built-in GPS (with connector for optional external antenna) and integrates seamlessly into the Garmin onboard system.

The transceiver features NMEA 2000/0183 connectivity for easy integration with compatible chartplotters and multifunction displays. And it's all packed into an easy-to-install black box unit with a small footprint.

Increase your situational awareness and confidence on the water with the Garmin AIS 800 transceiver. It has 5W of transmit power and provides faster position reporting than ever before. It transmits your vessel information to other AIS receivers in your area while it receives their AIS target data.

PART NO.	MFG#	DESCRIPTION
7278711	010-02087-00	AIS 800 Transceiver

GMR™ HD3 HIGH-DEFINITION RADAR



The **GMR HD3** series 18" dome Radar combines high-definition imaging with the latest magnetron platform technology, this robust Radar offers reliable target detection to maximize awareness in low-visibility conditions. Drive motor offers low-noise operation and low-power consumption to keep things running smoothly at sea. Easily connects to a compatible Garmin chartplotter or MFD via the Garmin Marine Network, delivering crisp, high-resolution image quality.

GMR 18 HD3 Includes: Radome, mounting hardware kit, power cable (15m/49.21'), network cable (15m/49.21'), installation instructions.

- Dual radar support allows compatible chartplotters to pull from one or two different radar sources providing redundancy.
- Dynamic Auto Gain automatically adjusts to your surroundings for optimal performance in all conditions.
- Dynamis Sea Filter automatically adjusts sea clutter based on sea conditions.
- Radar overlay displays radar images over maps on compatible chartplotters (7278520 requires Heading Sensor, special order)
- High-Resolution 8-bit true colour for target separation with less screen clutter.
- Timed Transmit Mode for adjustable transmit times down to the seconds to help reduce power consumption.
- MARPA technology tracks selected targets, helping users keep track of other vessels and avoid colisions. (7278520 requires heading sensor, special order)
- Intuitive operation with no complex user settings.



	GMR 18 HD3
Unit dimensions, DxH:	20" dia., 9.8"H 50.8cm dia., 24.8cm
Weight:	15.5 lbs. (7.0 kg)
Water Rating:	Yes (IPX7)
Antenna sweep:	24 RPM
Transmit power:	4 kW
Power input:	11-32Vdc
Beam width:	5.2° horizontal, 25° vertical
Maximum range:	36 NM
Minimum range:	65' (20m)
Overlay:	Yes
High definition: Outstanding target separation with less screen clutter	Yes
MARPA target tracking: Collision avoidance	Yes (with heading sensor; Special Order)

PART NO.	MFG#	DESCRIPTION
7278205	010-02843-00	HD3 18 Radar Dome

GARMIN GMR FANTOM DOME RADAR

You get excellent close- and long-range target detection ranging from as close as 20' to 48 nautical miles, even in fog or rain. Garmin's Fantom series Dome Radars have a narrow horizontal beam width that provides a high resolution image and high antenna gain so they can pick out targets at a distance. The result is a radar that paints a clear, concise image of the shoreline, other vessels and impending weather — right on your Garmin chartplotter. 8-bit true colour imagery also helps you discriminate large targets from small ones and enhances target separation. Radar data is overlaid onto charts (autopilot or heading sensor recommended).



The 18" , 40W solid-state Garmin GMR Fantom series dome radars feature MotionScope technology, which uses the Doppler effect to detect and highlight moving targets to help you avoid potential collisions. Fully integrates with select Garmin chartplotters.

GMR Fantom Includes: Dome Radar, mounting hardware kit, power cable (15m/49.21'), network cable (15m/49.21'), installation instructions & mounting template.

PART NO.	MFG#	DESCRIPTION
7278204	010-02584-00	18" GMR FantomX

GARMIN GPS/GLONASS ANTENNA

Built to take advantage of the GLONASS system/constellation of satellites as well as standard GPS, this robust external antenna is packaged in a low-profile waterproof housing and provides 3 easy mounting solutions: pole, surface or under-deck (for the underside of fiberglass decks).

The GA38 is for chartplotters that have an internal antenna (when necessary).

Dimensions: 3-19/32" Dia. x 1-15/16"H (91.6 x 49.5mm)
Weight: 7.1 oz. (201g)
Waterproof: IEC60529, IPX7



In The Box: GA38 Antenna, surface mounting bracket, pole mounting bracket, under-deck mounting bracket, mounting hardware, antenna cable (32'/10m) and installation instructions.

PART NO.	MFG#	DESCRIPTION
7278300	010-12017-00	GA38

GARMIN GPS 24XD ANTENNA



Navigate in more locations with expanded GNSS support
Get high-sensitivity tracking, upto 1M, with fast GPS update rate
Compatible with NMEA 2000 devices
Includes under-deck, pole and surface-mount options

PART NO.	MFG#	DESCRIPTION
7278302	010-02316-10	GPS 24XD Antenna

GARMIN AUTOPILOTS

REACTOR™ 40 HYDRAULIC AUTOPILOT WITH GHC™ 50 AUTOPILOT INSTRUMENT



EVERY CAPTAIN NEEDS A CO-PILOT

Designed for powerboats, this Reactor 40 hydraulic autopilot gives you the extra hand you need, so you can explore paradise worry-free.

Control your boat with confidence using the GHC™ 50 autopilot instrument and Reactor™ 40 hydraulic autopilot bundle. GHC 50 comes with a 5" high-resolution touchscreen interface, which makes controlling Reactor 40 easier than ever. This bundle keeps you on course, reduces power consumption, minimizes heading errors and more, so you can cruise with comfort — no matter where the waters take you. After sharing settings with your installed Garmin MFDs, the display instrument, autopilot and your other Garmin units on your boat become a single system for seamless operation.

Choose between wired or wireless remote-controlled options, plus Ethernet interphase allows for network sharing and Wi-Fi® connectivity.

PLOT YOUR PARADISE



- Premium industrial design with edge-to-edge glass aligns with high-end GPSMAP® chartplotters
- Operate your GHC™ 50 autopilot instrument via wired or wireless remote control options for onboard freedom and convenience
- Share settings with your installed Garmin MFDs for a seamless operation between the GHC™ 50 autopilot instrument, Reactor™ 40 hydraulic autopilot and your other installed Garmin devices, and enjoy Ethernet capabilities for network sharing and Wi-Fi® connectivity1
- Shadow Drive™ technology automatically disengages the autopilot when you turn the wheel
- Control the Reactor 40™ autopilot instrument from the GHC™ 50 hydraulic autopilot touchscreen display or your compatible chartplotter
- Compatible with all GHP™ reactor autopilots , Compatible with quatix® multisport marine smartwatches, the Garmin autopilot remote and GRID™ 20 remote
- Includes two trim snap piece cover options to match the GHC™ 50 autopilot instrument with the GPSMAP® x3 chartplotter series and GPSMAP 8600 series

PART NO.	MFG#	DESCRIPTION
7278505	010-02794-00	Reactor 40 Hydraulic Autopilot / GHC™ 50 Autopilot Instrument

REACTOR™ 40 MECHANICAL/RETROFIT/SOLENOID COREPACK WITH GHC™ 50 AUTOPILOT INSTRUMENT



CONFIDENCE ON COURSE

Designed for powerboats and sailboats, the Reactor 40 autopilot gives you the extra hand you need, so you can explore paradise worry-free.

The Reactor 40 mechanical/retrofit/solenoid corepack works with a wide variety of steering systems. Even when you're pitching or rolling, this autopilot reacts to sea conditions to keep you on course.

This bundle keeps you on course, reduces power consumption, minimizes heading errors and more, so you can cruise with comfort — no matter where the waters take you. After sharing settings with your installed Garmin MFDs, the display instrument, autopilot and your other Garmin units on your boat become a single system for seamless operation. Choose between wired or wireless remote-controlled options, plus Ethernet interphase allows for network sharing and Wi-Fi® connectivity.

CONNECT TO EVERYTHING ON YOUR BOAT



- Premium industrial design with edge-to-edge glass aligns with high-end GPSMAP® chartplotters
- Operate your GHC™ 50 autopilot instrument via wired or wireless remote control options for onboard freedom and convenience
- Shadow Drive™ technology automatically disengages the autopilot when you turn the wheel
- Control the Reactor 40™ autopilot instrument from the GHC™ 50 hydraulic autopilot touchscreen display or your compatible chartplotter
- CCU dimensions: 4.3" x 4.4" x 1.9" (10.9 x 11.2 x 4.8 cm) ECU dimensions: 6.6" x 4.6" x 2.1" (16.8 x 11.7 x 5.3 cm)
- Supply voltage: 10 V to 30 V Operating temperature: -15° C to 60 C° (5° F to 140° F)
- Maximum sustained motor current: 15A Maximum instantaneous motor current: 40A
- Maximum clutch current: 2.5A (for drives requiring higher current than 2.5A, a relay needs to be added to the clutch circuit)



7278511

SOLENOID POWER CABLE



This power cable integrates protection diodes and self-healing fuses to protect your ECU from hazardous voltages generated by hydraulic solenoid coils when used in a solenoid configuration.

7278512

PART NO.	MFG#	DESCRIPTION
7278506	010-02794-02	Reactor™ 40 Mechanical/Retrofit/ W/ GHC 50 Autopilot Instrument
7278511	010-11533-00	Actuator Power Cable
7278512	010-11533-10	Solenoid Power Cable

GHP REACTOR 40 HYDRAULIC AUTOPILOT SYSTEM V2



Garmin brings an advanced marine technology once only available to commercial boats to the boating public in a complete package designed for powerboats and sailboats. The GHP Reactor 40 autopilot series is simply the most responsive autopilot system we have ever offered. Experience the ultimate hydraulic autopilot performance when paired with the one-size-fits-most, high reliability, brushless SmartPump.

With its advanced solid-state 9-axis Attitude Heading Reference System (AHRS), you are able to mount the GHP Reactor 40 nearly anywhere, in any orientation. In addition, this new system greatly minimizes heading error, course deviation, rudder movement, and power consumption, while providing a more comfortable ride for all onboard.

You have full control of GHP Reactor 40 from the chartplotter display. Combined with a compatible Garmin networked chartplotter and BlueChart g3 Vision HD charts, you can enjoy optional features like Auto Guidance, which automatically steers GPS paths.

Compatible with steering cylinder sizes from 4-24 cu in; 7 second lock to lock up to 17 cu in.

Power input: 11.5-30VDC
Flow rate: Configurable from 0 - 2.4L/min.

PART NO.	MFG#	DESCRIPTION
7278501	010-00705-79	GHP Reactor 40 Autopilot

GARMIN AUTOPILOT ACCESSORIES

CCU EXTENSION CABLES



Threaded Collar Extension Cables allow the autopilot's CCU (compass ball) to be mounted more than 16' (5m) from the ECU or SmartPump. Threaded collar ensures a solid connection. Extends cable #10 in diagram.
Compatible with: GHP 12, GHP 20 and GHP Reactor.

PART NO.	MFG#	DESCRIPTION
7279180	010-11156-30	Extension Cable, 5m

GRF 10 RUDDER FEEDBACK SENSOR



Pair this sensor with the GHP 20, GHP 12 or GHP Reactor to provide rudder position feedback and to detect and avoid rudder stops while sailing or boating.

The GRF 10 uses a magnetic sensor to relay position information, eliminating friction that causes other types of sensors to wear out.

PART NO.	MFG#	DESCRIPTION
7278510	010-11829-00	Rudder Feedback Sensor

GARMIN NMEA 2000 CABLES & CONNECTORS

GARMIN NMEA 2000 STARTER KIT



Use this starter kit to help build a basic NMEA 2000 network on your boat.

The kit includes: NMEA 2000 drop cable (2m), backbone cable (10m), power cable (2m), 2 x T-connectors, male terminator, female terminator.

PART NO.	DESCRIPTION
7279150	Starter Kit

GARMIN NMEA 2000 LIGHT CABLES



These Garmin cables come fitted with one male and one female standard NMEA 2000 Light connector. The shorter cables are typically used as drop cables, the longer cables are typically used as network trunk and backbone lines.

PART NO.	DESCRIPTION
7279120	Drop Cable, 2m
7279122	Drop Cable, 6m
7279124	Backbone Cable, 10m

GARMIN CONNECTORS FOR LIGHT CABLES



This Garmin T-Connector is suited for standard Garmin NMEA 2000 Light cable networks. These Garmin termination resistors are required to properly close off open backbone ends. They are suited for standard NMEA 2000 Light cable networks.

PART NO.	DESCRIPTION
7279100	T-Connector
7279130	Terminator, Male
7279132	Terminator, Female

NMEA 2000 MULTI-PORT T-CONNECTOR

Make NMEA 2000 installations easier with Garmin's 4-port T-connector. This solution creates a more robust NMEA 2000 backbone by reducing issues with breaking points as well as stress induced by long back bones. The rigid construction is less prone to failure and decreases installation time.



PART NO.	MFG#	DESCRIPTION
7279101	010-11078-01	NMEA 2000 Multiport-T

For the most up to date pricing, please visit maritimemarinesupply.ca/price

GC™ 14 MARINE CAMERA



This small and discreet analog camera delivers excellent quality images that can be viewed via onboard TVs, video monitors or compatible chartplotters that support video input. Use it in multiple areas above or below decks, and view on one chartplotter or across multiple networked compatible chartplotters.

- Analog camera delivers excellent quality images, even in low light up to 15M
- Reverse image setting helps when backing out of tight locations.
- Rotate images on chartplotter 90/180/270 degrees
- Dimensions (DxH): 50.5 mm x 44.3 mm
- Cable length: 45”
- Water rating: IPX7
- 5” dia,

PART NO.	MFG#	DESCRIPTION
7278699	010-02667-00	Marine Camera

GC 100 WIRELESS CAMERA



For added security and practical awareness above and below deck and around your boat, the GC 100 marine camera provides an easy solution. This compact camera wirelessly streams high-quality 720p video via Wi-Fi to display directly on your compatible chartplotter and any other chartplotter on the same network.

The GC 100 is effective in total darkness, making it perfect for the engine room. Displays standard or reverse image. **Rated IPX7 waterproof.** **Wi-Fi Range:** About 70m (230') line of sight **Power:** 10-30VDC

PART NO.	MFG#	DESCRIPTION
7278696	010-01865-30	Wireless Camera

NEW

SURFACE MOUNT CAMERA
WHITE MARINE CAMERA



Enhance proximity awareness and confidence at the dock with the GC 245 surface-mount camera. Use the distance markers (professional calibration required) or guidance lines to help avoid obstacles in the marina. See video feeds in high definition from multiple views, including FishEye and standard views with low-light capabilities.



Take a closer look at the video with digital zoom, or get a different perspective with digital pan. **Rated IPX7 waterproof.**

Specifications:

- Surface-mount marine camera with 1080p resolution capability; available with a black or white finish
- Use the distance markers (professional calibration required) or guidance lines to help avoid obstacles in the marina
- Simple installation with dome up or down mounting options
- Easy setup and full integration on the Garmin Marine Network or Garmin BlueNet™ network
- See up to four camera feeds simultaneously on your compatible chartplotter, or watch the video on multiple networked chartplotters
- Get the right perspective with FishEye and standard views with impressive low-light performance; also available with BirdsEye camera view (professional calibration required)
- Use digital zoom and pan to take a closer look at the video feed
- Built for life on the water with an IPX7 water rating

PART NO.	MFG#	DESCRIPTION
7278691	010-02892-10	Surface Mount Camera

NEW

FLUSH MOUNT CAMERA
STAINLESS STEEL MARINE CAMERA



Enhance proximity awareness and confidence at the dock with the low-profile GC255 flush-mount camera. Use the distance markers (professional calibration required) or guidance lines to help avoid obstacles in the marina. See video feeds in high-definition from multiple camera views, including FishEye and standard views with low-light capabilities.





Take the stress out of docking your boat with a high-resolution marine camera. Enhance proximity awareness and confidence at the dock and in close quarters with the low-profile GC 255 camera. **Rated IPX7 waterproof.**

Specifications:

- Flush-mount marine camera with 1080p resolution capability; available in a sleek low-profile stainless steel finish
- Use the distance markers (professional calibration required) or guidance lines to help avoid obstacles in the marina
- Thru-hull mounting ensures stable installation
- Full integration is easy on the Garmin Marine Network or Garmin BlueNet™ network
- See up to four camera feeds simultaneously on your compatible chartplotter, or watch the video on multiple networked chartplotters
- Get the right perspective with FishEye and standard views with impressive low-light performance; also available with BirdsEye camera view (professional calibration required)
- Use digital zoom and pan to take a closer look at the video
- Built for life on the water with an IPX7 water rating

PART NO.	MFG#	DESCRIPTION
7278690	010-02892-00	Flush Mount Camera

NEW

NIGHTWAVE MARINE NAVIGATIONAL CAMERA

SIONYX

Built for serious mariners who demand reliable performance in challenging lighting conditions, these advanced night vision cameras transform nighttime navigation from guesswork into confident decision making. With there ruggedized marine-grade construction and intuitive setup process, these Nightwave Cameras deliver professional grade night vision images without complexity



7278621
Analogue NightWave Camera



7278622
Digital NightWave Camera

- Sensor Type: Black Silicon CMOS
- Resolution: 1280 X 1024
- Frame Rate: up to 30 HZ
- Horizontal Field of View : 44°
- Visible Spectrum: 400-1200NM
- Focus Range: 10M TO INFINITY
- Lens: 16MM F/1.4



FEATURE	ANALOGUE	DIGITAL
CONNECTIVITY	Analog video output via SMA/BNC/RCA connectors.	Power over Ethernet (PoE) digital connection
DISPLAY RESOLUTION	Standard Definition (SD) video.	High-resolution IP video.
MULTI-DISPLAY	Video is typically sent to a single Multifunction Display (MFD). An accessory is required to share the video with other displays.	Seamlessly integrates into a networked MFD system, allowing video to be viewed on multiple displays
MARINE COMPATIBILITY	Compatible with a wide range of chartplotters through analog video input.	Engineered for modern, networked marine electronics systems.
LOW-LIGHT PERFORMANCE	Less than 1 millilux moonless starlight sensitivity.	Enhanced performance with the advanced Black Silicon CMOS sensor and digital IP connectivity, leading to greater clarity.
OBJECT DETECTION RANGE	Can detected a man-sized object at 150 m	Can detected a man-sized object at 300 m
IDEAL USE	Suited for navigating at lower speeds and for basic situational awareness at night.	Optimized for higher-speed navigation and vessels with a sophisticated networked electronics setup

PART NO.	MFG#	DESCRIPTION
7278621	C012800	Analogue NightWave Camera
7278622	C018800	Digital NightWave Camera

AURORA PRO NIGHT VISION CAMERA BUNDLE

SIONYX



The SIONYX Aurora Pro Explorer Edition is our top of the line kit. This kit includes our most advanced camera, The SIONYX Aurora Pro, and all of our favorite accessories packed neatly in a watertight hardshell case. If you're looking for an all-in-one kit, then the Pro Explorer Edition is for you.

- Man-sized target (at 1/4 moon): 150m
- Night vision capabilities: <1 mlx, moonless starlight
- Digital magnification: 1x - 3x , Diopter adjustment: -4 to +4
- Focus range: .3m to infinity , Micro oled: 1024 x 768
- Eye relief: 7.5 mm - 20mm
- Weight: 274g
- visible spectrum: 400-1100nm



Bundle includes:

- Aurora Pro color night vision camera
- Hardshell waterproof case
- 940nm IR Illuminator
- Illuminator rail mount
- 2 camera batteries and external battery charger for Aurora
- 32 GB microSD card
- Rechargeable batteries and external battery charger for illuminator
- USB charge/data cable

PART NO.	MFG#	DESCRIPTION
7278620	K011400	Aurora Night Vision Bundle

iCOM RADAR SYSTEM







ICOM RADAR MR1010RII

- 10.4" color TFT LCD gives approximately a 176° viewing angle offers bright vivid echos with 16 steps gradient intensity
- 36 NM range observation with 4 kW output 2ft radome scanner
- Connect to an external AIS device to use the AIS overlay function
- The large eight-direction cursor key provides smooth operation even when wearing gloves
- 10.2-42V wide DC input to prevent over voltage damage

PART NO.	MFG#	DESCRIPTION
9934-550	MR1010R2	36NM Radar

GMI 20 INSTRUMENT DISPLAY









The GMI 20 digital marine instrument display is perfectly designed for both power and sail vessels. Designed to clearly show depth, speed, wind and 100+ marine and vessel parameters, its large, bright 4" colour display with extra large digits is easy to read at a distance and 170° viewing angle. A glass-bonded finish lens on the GMI 20 prevents fogging and increases contrast. Screens can be set to auto-scroll, cycling between pages automatically without having to do a thing.

Unit dimensions: 4.33"H x 4.53"W x 1.18"D (11 x 11.5 x 3cm)
Display resolution: 320 (W) x 240 (H) pixels
Display type: 4" Colour QVGA display
NMEA ports: NMEA 0183, NMEA 2000
Waterproof: Yes (IPX7)
Audible alarms: Yes
Flush mountable: Yes
Auto-on: Yes

Includes 2 trim snap piece cover options which allow you to match the GMI 20 with new or legacy Garmin chartplotters.

PART NO.	MFG#	DESCRIPTION
7278598	010-01140-00	GMI 20 Display

GWIND TRANSDUCER



The gWind transducer features twin-fin technology with 3-bladed propeller for more accurate TWS in lighter air while the twin-fin design gives a more stable TWA. The 3-bladed propeller, unlike a cups design, is always efficient. Combined with optic reading, this transducer provides superior accuracy at low wind speeds and also provides for excellent linearity.

The included GND 10 black box bridge enables the Nexus Network and compatible Garmin chartplotters to share critical NMEA 2000 data. The GND 10 enables Garmin chartplotter owners to use Nexus sail equipment and vice versa.

Includes: Wind Transducer, GND 10, NMEA 2000 drop cable (2m) & T-connector, Mast cable (25m), Nexus network cable (5m), Nexus field installable connector, mast bracket, mounting hardware & documentation.

PART NO.	MFG#	DESCRIPTION
7278603	010-01227-00	GWind Transducer

YAMAHA ENGINE BUS TO J1939 ADAPTER CABLE



Connect your J1939 equipped GPSMAP 7400/7600/8400/8600 series chartplotter directly to your Yamaha engine bus multi-hub to bring Yamaha's custom touchscreen engine interface to your Garmin installation.

PART NO.	MFG#	DESCRIPTION
7279585	010-12770-00	Yamaha Adapter Cable

SAILING INSTRUMENTS

S400 SAILING INSTRUMENTS

- Unmatched visibility – LCD screens with wide-angle viewing and large digits
- Watertight display with anti-fogging coating for optimal safety, even in extreme conditions
- Compatible transducers included; can also operate as stand alone with intelligent transducers or an NMEA0183 source

advanSea S400sailing

WIND

- Wind speed (0 to 199 knots), direction through 360° at 1° resolution and wind trend indication
- Apparent and true wind angle and speed
- VMG speed
- Wind speed alarm
- With masthead transducer unit and 25m cable







PART NO.	MFG#	DESCRIPTION
9990-296	57751	S400 Digital Wind
9990-297	57753	S400 Analog Wind
9990-304	57763	Masthead extension cable, 25 m
9990-587	57762	Replacement masthead unit

MULTI

- Choice of data displayed on 2 lines
- Depth and speed trend indication
- Proprietary Bus interface and NMEA0183 input/output
- Simulation mode



TRANSDUCERS



Depth



Speed

PART NO.	MFG#	DESCRIPTION
9990-328	57750	Display only
9990-333	61669	Advansea Depth Transducer, 200kHz
9990-334	40640	Advansea Speed Sensor, 30knots

REPLACEMENT COVER



Direct fit replacemt cover keeps your electronics safe from the harmful effects of salt or UV

PART NO.	MFG#	DESCRIPTION
9990-305	57764	Replacement cover, S400 series

DEPTH

- Depth: 1.6 - 652' (0.5m - 199m) with keel offset
- Depth trend indication
- Deep and shallow alarms
- Low battery alarm



PART NO.	MFG#	DESCRIPTION
9990-273	57748	Display only
9990-333	61669	Thru Hull Depth Transducer

SPEED

- Water speed 0 - 60 knots, 0 - 69 mph, 0 - 111 km/h
- GPS speed and water temp if NMEA connected
- Total and trip log, elapsed time and countdown race timer, speed trend indication
- Water temperature (input required)
- Surface speed high and low alarms



PART NO.	MFG#	DESCRIPTION
9990-274	57749	Display Only
9990-334	40640	Thru Hull Speed Sensor

advanSea sailing



For the most up to date pricing, please visit maritimemarinesupply.ca/price

SEAVIEW
ELEVATE YOUR ELECTRONICS

STEP 1
REQUIRED

CHOOSE A MODULAR MOUNT

Modular mount that fits radars, satdomes and cameraas

FORWARD LEANING



- 18” - 25” closed dome radars
- 16” diameter or smaller satdome

PART NO.	MFG#	DESCRIPTION
7278316	PMF57M1	5” Modular Mount, Forward Leaning

AFT LEANING



- 18” - 25” closed dome radars
- 16” diameter or smaller satdome

PART NO.	MFG#	DESCRIPTION
7278315	PMA57M1	5” Modular Mount, Aft Leaning
7278317	PMA107M1	10” Modular Mount, Aft Leaning

STEP 2
REQUIRED

SELECT A TOP PLATE

Seaview Modular Top Plates are designed to be mounted onto Seaview Modular Mounts. These Top Plates eliminate the “swiss cheese” look of most other radar and satdome mounts. With Seaview Top Plates the result is only four visible mounting screws to secure electronics.

ADAR1 (7278310)



FURUNO	SC30, SC703, SC1303
	DRS4DL, DRS4D, DRS2DNXT, DRS4DNXT
	DRS6A-NXT
GARMIN	FANTOM18, GMR18(HD), GMR18x(HD)
	FANTOM24, GMR24(HD), GMR24x(HD)
	Fantom, 4’-6’ open array radar
HUMMINBIRD	HB2124 Chirp Radar
	RH44, RH45 4’ - 6’ open array radar
JRC	15” radar domes
KODEN	18” - 25” radar domes
	4’ - 6’ open array radar
LOWRANCE	3G, 4G radar domes
LORENZ	12” - 24” radar domes
	4’ - 6’ open array radar
RAYMARINE	RD418D, RD418HD, RD424D, RD424HD, Quantum, Quantum 2
	RA1048(S)HD, RA3048(S)HD, Magnum 4’, Cyclone
	RA1072(S)HD, RA3072(S)HD, Magnum 6’
SIMRAD	3G, 4G, HALO20(+), HALO24
	4’ - 6’ RB series open array radar
SITEX	18” (T760/T921) radar domes
	24” (MDS12) radar
	25” radar domes, 4’-6’ open array radar

Additional top plates available by special order, please call us directly if your equipment is not listed above.

PART NO.	MFG#	DESCRIPTION
7278310	ADAR1	Top Plate



STARLINK TOP PLATE

ADASTLK (7278311)

- 316L stainless steel Starlink adapter with a 1”-14 threaded fixed base on ¼” aluminum plate
- Top of the adapter is machined to fit the Starlink antenna post
- The adapter with the fixed base and modular plate is 4 1/4” tall
- The ¼” aluminum plate is powder coated white and can accommodate a Seaview light bar

****Not intended for use underway**

PART NO.	MFG#	DESCRIPTION
7278311	ADASTLK	Standard & High Performance (RV)

STEP 3
OPTIONAL

LIGHT BAR

SEAVIEW
ELEVATE YOUR ELECTRONICS

These light bars are 1.25” in diameter and made of aluminum and powder coated a brilliant white.

Compatible with Seaview Modular Mounts.



Comes with S.S. saddle assembly and hardware for installation.

PART NO.	MFG#	DESCRIPTION
6592330	LTBR	Light Bar

BASE WEDGES

SEAVIEW
ELEVATE YOUR ELECTRONICS



- The most common planing attitude requires 3° - 4° of adjustment.
- Pre-drilled mounting holes allow for quick and easy installation
- Made from marine-grade polymer

PART NO.	MFG#	DESCRIPTION
7278322	PMW47	For 7" x 7" base

LED LIGHT BAR TOP COMBO UNIT

SEAVIEW
ELEVATE YOUR ELECTRONICS



- LED Combination Masthead / White All-Round Light. 3-Mile (USCG 3nm) Certified. IP67
- watertight and designed to easily fit inside the top of any Seaview light bar.
- Certified For Use on Sail or Power Driven Vessels Under 20 Meters(65.6 ft.) in Length.
- Comes with 7 ft of wire (12v).

PART NO.	MFG#	DESCRIPTION
6592330	LTBLED12C5	LED Combo Mast/All round Light

PE 902-566-1220 NS 902-928-1900

DIRECT MOUNT WEDGE





Improve your radar performance with a Seaview direct mount Angled Wedge. This wedge angles your radar 4 degrees below the horizontal. Goes directly underneath your radar.

B&G	3G, 4G, HALO20(+), HALO24
GARMIN	Fantom18, Fantom24, GMR18(HD),
	GMR18x(HD), GMR24(HD), GMR24x(HD)
HUMMINBIRD	HB2124 Chirp Radar
KODEN	25" (MDC 900 series) radar domes
LOWRANCE	3G, 4G, HALO20(+), HALO24
RAYMARINE	RD418D, RD418HD, RD424D, RD424HD,
	Quantum, Quantum 2 radar domes
SIMRAD	3G, 4G, HALO20(+), HALO24
SITEX	25" radar domes

PART NO.	MFG#	DESCRIPTION
7278323	**RW42**	Mount Wedge

MAST PLATFORMS

Solid underbody construction not only greatly improves strength but also hides radar cables. Six stainless steel rivets with nylon washers to protect powder coat finish per foot are used to hold the heavy duty mounting feet to the mast.





The SM18R is designed with fore and aft adjustable rails so that you can have the radar as close as possible to the mast.

B&G	3G, 4G, HALO20(+) HALO 24	**SM18R**
FURUNO	DRS4DL, DRS4W	**SM18U**
	SC30, SC703, SC1303, DRS4D, DRS4DNXT	**SM24U**
GARMIN	GMR18(HD), GMR18x(HD), Fantom18	**SM18R**
	GMR24(HD), GMR24x(HD), Fantom24	**SM24U**
HUMMINBIRD	HB2124 Chirp Radar	**SM18R**
JRC	JMA 1032 (18")	**SM18U**
	JMA-5104, NKE-2042 (24")	**SM24U**
KODEN	18" (MDC 900 series) radomes	**SM18U**
	25" (MDC 900 series) radomes	**SM24U**
KVH	FB150 (10.8"), FB250 (14"), Fleet33, Fleet One	**SM24U**
LORENZ	12" - 24" radomes	**SM18U**
LOWRANCE	3G, 4G, HALO20(+)	**SM18R**
RAYMARINE	RD418D, RD418HD Quantum, Quantum 2 radar	**SM18R**
	RD424D, RD424HD	**SM24U**
SIMRAD	3G, 4G, HALO20(+) HALO24	**SM18R**
	DX64S	**SM24U**
SITEX	18" (T760 / T921) radomes	**SM18U**
	24" (T761, MDS12) radomes	**SM24U**
STARLINK	High Performance Flat Antenna, (Marine)	**SM24U**
VDO	Ocean Line 132 (18")	**SM18U**

PART NO.	MFG#	DESCRIPTION
7278324	**SM18R**	Mast Mount SM18R 18" Radars
7278325	**SM18U**	Mast Mount SM18U 18" Radars
7278326	**SM24U**	Mast Mount SM24R 24" Radars

ANTENNA MOUNT, RAIL CLAMP



The Seaview 316 S.S. Rail Mount is designed to fit 1", 1 ⅛" and 1 ¼" rails and is for mounting GPS, weather or VHF antennas. The unique two-piece design clamps to a rail and keeps wiring completely hidden inside the mount and railing. The 1"-14 threads accept most common GPS or VHF antennas. Cast of solid 316 stainless steel with rubber bushings.

PART NO.	MFG#	DESCRIPTION
7272530	**SVRCL1**	Antenna Mount, Rail clamp

HORIZONTAL (90 DEG) CABLE SEALS





The Seaview horizontal cable seal (90 degree cable seal) is a streamlined, waterproof seal that has a horizontal orientation. Fits cable diameters up to 0.53" (13.5mm) and has a plastic housing that is strong and impact-resistant with a captive nut in the base to make it easy to assemble. The tapered rubber bung forms a watertight seal and is supplied with drill tubes allowing you to drill your own custom diameter seal. Supplied with a thick rubber base gasket. IPX6 / IPX8 tested and approved.

PART NO.	MFG#	DESCRIPTION
9802050	**CG2090**	Horizontal Cable Seal

CABLE SEALS







Up to 13.5mm **Up to 27.5mm** **Multi Cable, up to 10.5mm**

The Seaview Cable Seals (also known as CableClams, Cable Glands or Deck Seals) provide waterproof cable routing. These are made of very strong plastic and come in black or white colors. Seaview cable seals fit a wide range of cables and connectors making it ideal for almost every installation.

PART NO.	MFG#	DESCRIPTION
9802051	**CG20PB**	Round Black, Up to 13.5 mm cable
9802052	**CG20PW**	Round White, Up to 13.5 mm cable
9802053	**CG30PB**	Round Black, Up to 27.5 mm cable
9802054	**CG30PW**	Round White, Up to 27.5 mm cable
9802055	**CGM17PB**	Rectangle Black, Multiple cables up to 10.6mm





The Element S series of navigation displays gives you the freedom to enjoy the open waters—Select your destination and let Element's fast and accurate 10Hz GPS/GNSS lead the way. Engineered for simplicity and affordable performance, Element S will quickly become your trusted cruising companion.

A quad-core processor offers responsive performance and Element's all-weather, sunlight viewable displays deliver chart and navigation data in beautiful color. Element's simple and straightforward LightHouse Sport operating system lets you navigate with confidence.

Once underway, Element S will keep you on course with a smart list of user-friendly features, such as AIS target overlays, autopilot integration, and sailing instruments displays. Compatible with Raymarine's CPT-S CHIRP transducers, sold separately.



PART NO.	MFG#	DESCRIPTION
9934-565	E70531-00-102	7" Display
9934-567	E70533-00-102	9" Display
9934-593	E70535-00-102	12" Display
9934-595	E70342	Transducer, transom mount
9934-596	E70339	Transducer, thru-hull
9934-597	A80446	Brnz transducer, thru-hull
9934-529	T70327	Ext GPS antenna



ELEMENT HV SONAR/GPS

FISH SMARTER – ABOVE AND BELOW THE WATERLINE

SONAR / GPS



Knowledge is power—and the Element™ CHIRP Sonar / GPS series from Raymarine gives you the upper hand when hunting for fish and their habitat.

Delivering the sharpest view of the underwater world, Element's HyperVision™ 1.2 megahertz sonar technology, turns up the resolution of DownVision, SideVision, and RealVision 3D to a new level of precision imaging and fish identification, letting you see structures, vegetation, and fish with amazing life-like clarity.

Includes the HV-100 all-in-one transom mount transducer combining HyperVision, DownVision, SideVision, RealVision 3D, and conventional CHIRP sonar channels into one simple installation.

PART NO.	MFG#	DESCRIPTION
9934-566	E70532-05-102	7" SONAR/GPS
9934-592	E70534-05-102	9" SONAR/GPS
9934-594	E70536-05-102	12" SONAR/GPS

TRANSDUCER



9934-598



9934-599

PART NO.	MFG#	DESCRIPTION
9934-598	A80604	Brnz transducer, thru-hull
9934-599	T70448	Brnz transducers PORT/STRB, thru-hull




MULTIFUNCTION
NAVIGATION DISPLAYS
FLUID-TOUCH & HYBRID-TOUCH DISPLAYS
Axiom Pro - Multifunction Displays and Chartplotters

Raymarine®


Raymarine
SUPERIOR PERFORMANCE
Enjoy legendary Raymarine display and navigation technology at an affordable price.
• 7, 9, and 12 inch super bright display for all weather conditions
• Category-leading quad-core processor delivers fast chart redraw and responsive performance
• Fast and accurate 10hz GPS/GNSS sensor
• Rugged design and backed by Raymarine's three-year warranty (product registration required)
Princé 21

AXIOM+7RV AND AXIOM+9RV

All-in-One Chartplotter, Plus More

Raymarine

Axiom+ is a new generation of chartplotters upgraded with all-weather higher resolution displays that are 25 percent brighter than the previous generation. Axiom+ displays are equipped with a powerful quad-core processor for industry-leading speed and responsiveness.



- Fast and fluid chart redraw of LightHouse, Navionics and C-MAP electronics charts.
- Powerful quad-core processor, plus increased onboard storage for personal data and apps.
- Smart and intuitive LightHouse OS makes navigating easy.
- Ready to Expand - Network with multiple displays, radars, engines, marine cameras, and more.

HYDROTOUGH

Axiom+ features HydroTough nano-coated, impact-resistant screens that dispels water, oil, and smudges. All-weather technology delivers improved color and contrast and accurate touch controls - even when wet.

MAXIMUM VISIBILITY

Upgraded IPS display technology delivers charts, sonar, radar, and video in stunning color. Improved viewing with **new LightHouse color themes**, including Day, Dusk and Night mode and up to 25% brighter than previous models.

Includes preloaded Navionics US and Coastal Canada chart card



REALVISION 3D SONAR

High Frequency CHIRP sonar for targeting fish and determining bottom density
CHIRP DownVision sonar for high definition views of structure, fish habitat and man-made objects
CHIRP SideVision for scanning beyond casting distance to see fish, structure & submerged objects out to the sides of the boat
RealVision 3D Sonar which provides a gyro-stabilized, GPS-locked bathymetric model of the bottom and water column**Built-In 600W Digital Sonar** at 50 kHz and 200 kHz. Add an optional adapter cable and AIRMAR transducer to your Axiom+ RV system and fish to even deeper depths with increased power and lower frequencies.



AXIOM+ 7 RV

Axiom+ 7 RV 7" Fish Finder/Chartplotter with Navionics+ North America Charts without Transducer. The performance-tuned Axiom+ is a new generation of award-winning Raymarine multifunction displays. Optimized for speed, Axiom Plus is equipped with a powerful quad-core processor for industry-leading responsiveness and speed, giving you the power to seamlessly redraw charts.

Features

- Fluid and fast chart redraw of LightHouse, Navionics, and C-MAP electronic charts
- Powerful quad-core processor, plus increased onboard storage for personal data and apps
- Smart and intuitive LightHouse 3 OS makes navigating easy
- ClearCruise Augmented Reality-capable for smarter navigation decisions
- Nano-coated, impact-resistant glass screen repels water, oil, and smudges for better viewing and accurate touch controls

Specs

- Display Size: 7.0 inch High Density IPS 024 x 600 (WSVGA)
- Display Type: Multitouch with HydroTough rugged hydrophobic coating
- Brightness: 1,500 nits
- Dimensions 7.92w x 5.24h x 3.0d (Excluding trunnion and cables)
- Weight: 3 lbs
- Operating Temperature Range: -25°C to +55°C (-13°F to +131°F)
- Storage Temperature Range: -30°C to +70°C (-22°F to +158°F)
- Voltage: 12VDC (8V to 16VDC)
- Power Consumption (Full brightness): 9.84 Watts

PART NO.	MFG#	DESCRIPTION
9934-541	E70635-00-102	Axiom+ 7" Chartplotter

RV-200 SERIES TRANSDUCER

Raymarine



- thru hull Mount Real Vision 3D for Axiom+ with 8m (26ft) cable
- Bronze
- 0 Deg. Offset

PART NO.	MFG#	DESCRIPTION
9934-543	A80465	Transducer RV-200 Thruhull w/8m Cable



AXIOM+ 9 RV

Axiom+ 9 RV 9" Fish Finder/Chartplotter with Navionics+ North America Charts without Transducer. The performance-tuned Axiom+ is a new generation of award-winning Raymarine multifunction displays. Optimized for speed, Axiom Plus is equipped with a powerful quad-core processor for industry-leading responsiveness and speed, giving you the power to seamlessly redraw charts.

Features

- Fluid and fast chart redraw of LightHouse, Navionics, and C-MAP electronic charts
- Powerful quad-core processor, plus increased onboard storage for personal data and apps
- Smart and intuitive LightHouse 3 OS makes navigating easy
- ClearCruise Augmented Reality-capable for smarter navigation decisions
- Nano-coated, impact-resistant glass screen repels water, oil, and smudges for better viewing and accurate touch controls

Specs

- Display Size: 9.0 inch High Density IPS 1280 x 720 (WxGA)
- Display Type: Multitouch with HydroTough rugged hydrophobic coating
- Brightness: 1,500 nits
- Dimensions 9.65w x 6.22h x 3.0d (Excluding trunnion and cables)
- Weight: 5 lbs
- Operating Temperature Range: -25°C to +55°C (-13°F to +131°F)
- Storage Temperature Range: -30°C to +70°C (-22°F to +158°F)
- Voltage: 12VDC (8V to 16VDC)
- Power Consumption (Full brightness): 11.98 Watts

PART NO.	MFG#	DESCRIPTION
9934-542	E70637-00-102	Axiom+ 9" Chartplotter

3D TRANSDUCER EXTENSION CABLES

Raymarine



Each extension cable features a waterproof, twist-lock connector at the MFD end, and a compatible socket at the transducer end.
For best performance, Raymarine recommends using no more than two (2) extension cables in any given cable run.

9934-536 Fits : RV-100, RV-200 and RV-212
9934-547 Fits : CPT-100DVS and CPT-110

PART NO.	MFG#	DESCRIPTION
9934-536	A80475	Extension Cable, 3m
9934-547	A80273	Extension Cable, 4m (13ft)

For the most up to date pricing, please visit maritimemarinesupply.ca/price

EVOLUTION AUTOPILOTS

- No fuss, easy to install and robust - the Evolution autopilot combines Raymarine's autopilot expertise, FLIR Systems' R&D, and advanced aerospace guidance technology to create Evolution Ai control algorithms that deliver a new level of accurate autopilot control.
- Automagic - No lengthy calibration procedures to perform. No compass calibration required. Plug and play connections
- Precision monitoring of heading, pitch, roll, and yaw allowing the autopilot to evolve instantly as sea conditions and vessel dynamics change
- Each Evolution Autopilot Syytem includes a SeaTalk cabling and connection kit compattiable with NMEA 20000

EV100 POWER AUTOPILOT SYSTEM



Hydraulic pilot with p70Rs, ACU-100 & 0.5L hydraulic pump, for boats w/single outboard and hyd. steering upto 11cc(6-3/4in³)

PART NO.	MFG#	DESCRIPTION
9934-551	T70154	EV-100 Power

EV150 HYDRAULIC RETROFIT AUTOPILOT SYSTEM



For smaller boats w/single outboard and hyd. steering upto 230cc(14in³) and an existing Type 1 hyd. pump

PART NO.	MFG#	DESCRIPTION
9934-520	T70407	EV-150 Hydraulic Retrofit

EV200 HYDRAULIC AUTOPILOT SYSTEM



Hydraulic pilot with p70Rs, ACU-200 & Type 1 Hydraulic pump, for boats w/ single outboard and hyd. steering upto 230cc(14in³)

PART NO.	MFG#	DESCRIPTION
9934-552	T70157	EV-200 Hydraulic

EV200 HYDRAULIC RETROFIT AUTOPILOT SYSTEM



For mid-size boats w/hyd. steering upto 230cc(14in³) and an existing Type 1 hyd. pump

PART NO.	MFG#	DESCRIPTION
9934-521	T70156	EV-200 Hydraulic retrofit

EV300 SOLENOID AUTOPILOT SYSTEM



For vessels with solenoid controlled hydraulic steering, solenoid autopilot with p70R & ACU-300

PART NO.	MFG#	DESCRIPTION
9934-553	T70160	EV-300 Solenoid

EV400 POWER PACK AUTOPILOT SYSTEM



For large boats w/hyd. steering and existing Type 2 drive 350cc(21in³) or Type 3 500cc(30in³)

PART NO.	MFG#	DESCRIPTION
9934-522	T70162	EV-400 Power Pack

TYPE 1 AP PUMP



- Type 1 12V hydraulic reversing pump
- 4.9-14 in³
- For boats with existing hydraulic steering systems

PART NO.	MFG#	DESCRIPTION
9934-523	M81120	Type 1 AP Pump

TYPE 2 AP PUMP



- Type 2 12V hydraulic reversing pump
- 9.8-21 in³
- For boats with existing hydraulic steering systems

PART NO.	MFG#	DESCRIPTION
9934-524	M81121	Type 2 AP Pump

Raymarine®

AUTOMAGIC™
Evolution™ Autopilot Systems

NEW

QUANTUM RADAR

Raymarine

Quantum radar technology brings you exceptional short-range detection and remarkable target detail with a minimal 18' (6m) range. The use of CHIRP Pulse compression technology means that more energy is delivered to targets, ensuring that you get superior imaging even at long distances.





Power Cable



Data Cable

- Supplied with a 10 m Power cable and allows radar data connection via Wi-Fi with compatible Raymarine Multifunction Displays.
- Allows a wireless connection to Wi-Fi-enabled LightHouse II

PART NO.	MFG#	DESCRIPTION
9934-780	E70210	Radar w/ 10 m Power Cable
9934-781	T70243	Radar w/ 10 m Power & Data Cables

EXTERNAL GPS ANTENNA

Raymarine



The GA200 is an external GPS antenna, suitable for improving the reception of the internal GPS/GNSS receivers of compatible Raymarine chartplotters, AIS devices, and VHF radios.

Featured:

- Low power consumption
- Surface or pole mountable
- Waterproof rating IPx6, IPx7

Includes :

GNSS antenna, with captive cable 10m (33 ft).
Antenna pole mount adaptor
Antenna gasket
Antenna fixings (3 x M3x40 stud and thumb nut)

PART NO.	MFG#	DESCRIPTION
9934-726	A80589	GA200 External GPS Antenna

RAYMARINE RS150 GPS ANTENNA

Raymarine





The RS150 GPS is a high performance, 72-channel, remotely mounted GPS sensor for Raymarine navigation systems. The RS150 offers fast 10Hz position updates and enhanced accuracy. The RS150 is also a GNSS receiver and supports the GLONASS global navigation satellite system.

Featured:

- 72 channel GPS receiver
- Fast 10Hz position updates
- Satellite differential GPS-compatible. Space-Based Augmentation System (SBAS) enabled with WASS, EGNOS, MSAS and GAGAN support
- A GNSS receiver with GLONASS compatibility
- Low power consumption: 30mA (1LEN)
- SeaTalking and NMEA2000 compatible (using device net adapter cable)
- Designed for low profile surface mounting or optional pole mounting

PART NO.	MFG#	DESCRIPTION
9934-529	T70327	RS150 GPS Antenna with Mount

NEW

SEATALK NG STARTER KIT

Raymarine



9934-727



9934-728

The SeaTalk NG Starter Kit includes components required to build a small SeaTalk NG electronics network system developed to allow instruments, navigation equipment, and autopilots to share data.

The kit includes :

- **Five-Way Connector:** Has three white ports for connecting up to three devices to a single location and provides two blue ports to extend the backbone.
- **Power Cable:** Supplies 12V to the backbone, which is essential for the network to function.
- **Spur Cable:** Connects your individual SeaTalk NG devices to the five-way connector (or any other point on the backbone).
- **Terminator Resistors:** Placed at both ends of the network backbone to terminate the circuit and prevent signal reflections.

The Female to Female SeaTalk NG Adapter Cable connects NMEA 2000-compatible devices to Raymarine's SeaTalk NG backbone.

PART NO.	MFG#	DESCRIPTION
9934-727	T70134	SeaTalk NG Starter Kit
9934-728	A06075	Cable, Fem to Fem, 3' (1m)

REALVISION 3D TRANSDUCERS

Raymarine

Pair, port and starboard





PART NO.	MFG#	DESCRIPTION
9934-559	A80464	Transom mount, RV-100
9934-563	T70318	Bronze Thru-Hull mount, RV-212

CHIRP DOWNVISION TRANSDUCERS

Raymarine





PART NO.	MFG#	DESCRIPTION
9934-557	A80351	Transom mount transducer, CPT-100 DVS
9934-558	A80277	Thru-Hull mount transducer, CPT-110

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.



PE 902-566-1220 NS 902-928-1900

NEW

NSX CHARTPLOTTER AND FISHFINDER WITH C-MAP DISCOVER X CHART

SIMRAD





7" 9" 12"

The **Simrad NSX Chartplotters / Fishfinders** has the latest in simplicity and user friendly operating system. Introducing a redesigned charting experience, fastest-ever auto-routing, and seamless integration for total control of your boat. NSX comes fully-equipped with integrations for Sonar, Radar, and Autopilot Systems. Crafted specifically for fluidity and ease of use.

- Sonar sharing
- Full Mercury Integration, inc. SmartCraft® Connect and VesselView®
- SolarMAX™ IPS HD touchscreen with extreme viewing angles
- Compatible with Active Imaging™, featuring CHIRP, SideScan, and DownScan Imaging™
- Compatible with C-MAP® DISCOVER™ X AND REVEAL™ X charts
- See near and far with full HALO® radar support
- Easy autopilot integration
- Excellent third-party integration, inc. CZone®, OmniSense, Dometic, Lumishore and more...
- Simrad® App integration*
- Wireless connectivity, plus full Ethernet, USB, and NMEA 2000® networking capability
- IP Camera video support
- Now compatible with SiriusXM® WM-4 Weather and Fish Mapping with 1.9 software update

Includes Discover X chart card of North America.



Take your boating adventures home with you, using the **Simrad Companion App.** By pairing your smartphone with your NSX, you can pre-plan trips, review tracks, plot Waypoints, and sync directly to your device.

PART NO.	MFG#	DESCRIPTION
7279206	000-15365-001	NSX, 7”
7279207	000-15366-001	NSX, 9”
7279208	000-15367-001	NSX, 12”

NSS 4 CHARTPLOTTER AND FISHFINDER WITH C-MAP DISCOVER X CHART

SIMRAD





10" 12" 16"

The **Simrad NSS® 4 is sleeker, faster and smarter.** The touchscreen, rotary dial, and keypad all work in harmony for superior control. Inside, our most powerful Qualcomm® 8-core processor delivers smoother transitions and faster updates. And advanced fishfinding capabilities such as dual channel 1kW CHIRP sonar, Active Imaging™ HD support, and enhanced customization complete the package for our premium, all-in-one sports chartplotter and fishfinder.

- Trio of hybrid controls: touch, rotary, and keypad
- Premium glass-to-edge design
- Lightning fast Qualcomm® 8-core processor
- Built-in dual channel 1kW CHIRP echosounder
- Support for Active Imaging™ & Active Imaging™ HD
- Support for C-MAP® X-gen charts and others
- Simrad® RECON™, Rhodan® and Motorguide® Trolling Motor Compatible
- Compatible with Simrad suite: S3100 & S5100 sonar modules, radar, and more...
- Support for Mercury®, CZone®, SiriusXM®, and more...

Includes Discover X chart card of North America.



HYBRID CONTROLS FOR ALL CONDITIONS

NSS 4 brings a trio of control options, designed to provide maximum control in all settings and conditions. The touchscreen is ideal for exploring charts, which is smoother than ever on NSS 4. Drag to discover new areas, pinch to zoom in and out, and tap for more detail on areas of interest. The rotary dial lets you scroll through menus and adjust data displays in an instant. And the keypad brings a selection of one-touch functions for easy navigation.

HYBRID CONTROLS FOR ALL CONDITIONS

Seamless integration with the full suite of Simrad® electronics puts you in total control. Connect effortlessly with our most powerful HALO® radars, the RECON™ trolling motor, the incredible Simrad® app, and more...



PART NO.	MFG#	DESCRIPTION
7279200	000-16012-001	NSS 4, 10”
7279201	000-16015-001	NSS 4, 12”
7279202	000-16018-001	NSS 4, 16”

NEW

NSS EVO3S CHARTPLOTTER AND FISHFINDER WITH C-MAP US ENHANCED CHART

SIMRAD

9" 12" 16"



The Simrad NSS evo3S features a high-definition display that delivers big-picture views of charts, radar, sonar, and more under all conditions.
Featuring a iMX 8 high-performance processor, with superfast response times, you have control of an unprecedented level of built-in functionality, ultra-wide viewing angles, and reliable touch or keypad operation.

BUILT-IN HIGH PERFORMANCE ECHOSOUNDER SUPPORTS FISHING AND SAFER BOATING

Just add your choice of transducer. 1kW CHIRP-enabled sonar provides exceptional bottom-tracking and fish-finding performance, including support for dual-channel CHIRP transducers that deliver multiple depth range coverage from a single unit. Dual transducer ports offer the convenience of connecting multiple transducers to a single display. Advanced processing power easily powers ActiveTarget™, the highest resolution live sonar on the market, Active Imaging™, providing picture-like views of fish-holding structure, and StructureScan™ 3D for high-resolution three-dimensional views beneath your vessel.

SOLARMAX IPS DISPLAYS ENSURE CLEAR VIEWS IN ANY CONDITIONS

Get a clear view under any lighting conditions with SolarMax IPS technology, which keeps everything in sight with ultra-wide viewing angles, even if you're wearing polarised sunglasses. These all-weather screens have been engineered to withstand the heat of the summer sun and are optically bonded to prevent condensation or fogging within the display. It's easier than ever to instantly access and control all of your on-board electronics via simple menus and customisable split-screen layouts.

- SolarMAX ™ IPS display with ultra-wide viewing angles; viewable through Polarized sunglasses
- Switch seamlessly between touchscreen and keypad control
- Built in high-performance echosounder with 1kW CHIRP
- Built-in GPS receiver and wireless connectivity
- Control Simrad sonar, radar, autopilot, and other accessories
- Industry-standard connectivity to engines, sound system, and more
- TripIntel™ trip planning and support for automatic routing
- Download the Simrad App and connect with smartphones, tablets, and internet hotspots
- Supports SteadySteer™, an autopilot performance enhancement for NAC-2 and NAC-3 autopilot computers fitted with RPU drive pumps
- Compatible with a CZone® digital switching device, enabling control from the MFD via the NMEA 2000 network
- Mercury® Smart Tow® enabled for wake shaping
- ITC Lighting systems can be controlled with an ITC Lighting control bar
- Supports Honda ECO mode engine information
- Plan Position Indicator (PPI) and AIS enhanced interface capabilities
- upports the SiriusXM® WM-4 satellite Weather module and Fish Mapping™ service (requires a subscription, North America only)

Includes preloaded C-MAP US enhanced charts.



WIRELESS CONNECTIVITY TO YOUR SMARTPHONE OR TABLET

Mirror your display to compatible iOS and Android devices and enjoy access to charts, radar, sonar, engine data and more from anywhere on board. Wireless connectivity also enables easy on-line software upgrades through any internet hotspot, giving you access to the latest features and accessory support. Or download the Simrad App for an even richer experience – from device registration, manual downloads to saving waypoints and your favourite fishing spots – accessible both on- and off- the water.

PART NO.	MFG#	DESCRIPTION
7279203	000-15402-001	NSS evo3S, 9"
7279204	000-15403-002	NSS evo3S, 12"
7279205	000-15404-001	NSS evo3S, 16"

NSS SUN COVERS

SIMRAD



- Protects the display from sun glare, UV rays, water, and salt.
- Simple to install and removes easily as needed.
- Maintains a secure fit even at high speeds.

PART NO.	MFG#	DESCRIPTION
7279233	000-13740-001	NSS 7, evo3/3S
7279234	000-13741-001	NSS 9, evo3/3S
7279236	000-13742-001	NSS 12, evo3/3S

POWER / SIGNAL CABLE

SIMRAD



This Simrad Power Cable connects power and signal to Simrad MFDs

- Power Cable 6-1/2 ft. (2 m)

PART NO.	MFG#	DESCRIPTION
7279231	000-00128-001	Power Cable, 4 Pin to Bare Wire

NSS MOUNTING BARACKETS / KNOBS



7279230 — Bracket Knobs for NSS evo2/Zeus2/ HDS gen2T



7279232 **7279235** — Gimbal Bracket, NSS7 evo3, GO9, Cruise 9, Vulcan 9, Zeus 7

Gimbal Bracket, NSS9 evo3/3S, Cruise 9 & Zeus/3S 9



7279237 — Mounting Bracket, NSS12 evo3/3S & Zeus/3S 12

PART NO.	MFG#	DESCRIPTION
7279230	000-10467-001	Bracket Knobs, All NSS
7279232	000-13702-001	Bracket, NSS7
7279235	000-13758-001	Bracket, NSS9
7279237	000-13759-001	Bracket Kit, NSS12

DISCOVER X AND REVEAL X C-MAPS

C-MAP **DISCOVER X** and **REVEAL X** are next-generation electronic navigation charts with enhanced features like a new Map Inspector Tool, smooth app integration, and best-in-class day and night modes. The key difference is that **REVEAL X includes satellite imagery and shaded relief** to show underwater topography, while **DISCOVER X** does not have these features. Both offer vector charts, high-res bathymetry, autorouting, and tide and current information.

DISCOVER X FEATURES :

- Smooth App Integration
- NEW Map Inspector Tool
- Full-Featured Vector Charts
- High-Resolution Bathymetry
- Custom Depth Shading
- Best-in-Class Day & Night Modes
- Tides & Currents
- Detailed Marina Port Plans
- Harbor & Approach Details
- Subscription-Free Autorouting
- 12 Months Free, Easy Updates
- Connected Experience – Future-Proof

REVEAL X FEATURES :

- Shaded Relief REVEAL Layer
- Satellite Imagery
- Smooth App Integration
- New Map Inspector Tool
- Full-Featured Vector Charts
- High-Resolution Bathymetry
- Custom Depth Shading
- Best-in-Class Day & Night Modes
- Tides & Currents
- Detailed Marina & Port Plans
- Harbor & Approach Details
- Subscription-Free Autorouting
- 12 Months Free, Easy Chart Updates
- Connected Experience – Future-Proof



DISCOVER X - NORTH AMERICA



REVEAL X - COASTAL CANADA NORTH AND EAST



REVEAL X - INLAND CANADA LAKES EAST



REVEAL X - NOVA SCOTIA TO CHESAPEAKE BAY

PART NO.	MFG#	DESCRIPTION
7279303	M-NA-T-200-D-MS	Discover X North America, NSX
7279304	M-NA-T-209-R-MS	Reveal X Coastal Canada North and East, NSX
7279305	M-NA-T-217-R-MS	Reveal X Inland Canada Lakes East, NSX
7279306	M-NA-T-202-R-MS	Reveal NS / Chesapeake Bay, NSX

DISCOVER AND REVEAL C-MAPS

C-MAP's **Discover** and **Reveal** charts are marine navigation charts that offer different levels of detail. Discover charts provide standard navigation features, while **Reveal** charts include all of Discover's features plus enhanced layers like **high-resolution satellite imagery** and **shaded relief**, which gives a 3D-like view of the seafloor to better identify underwater features for fishing or navigation.

DISCOVER FEATURES:

- Ultra-Wide Coverage.
- Full Featured Vector Charts.
- Custom Depth Shading.
- High-Res Bathymetry.
- Easy Routing.
- Tides & Currents.
- Detailed Marina Port Plans.
- arbor & Approach Details.
- Online Updates.

REVEAL FEATURES:

- Shaded Relief.
- Aerial Photography.
- Satellite Overlay.
- Ultra-Wide Coverage.
- Full-Featured Vector Charts.
- Custom Depth Shading.
- High-Resolution Bathymetry.
- Easy Routing.
- Tides & Currents.
- Detailed Marina Port Plans.
- Harbor & Approach Details.
- Online Updates.



REVEAL - CANADA LAKES



REVEAL - GREAT LAKES TO NOVA SCOTIA COASTAL



DISCOVER - NORTH AMERICAL

PART NO.	MFG#	DESCRIPTION
7279300	M-NA-Y216-MS	Reveal Canada Lakes
7279301	M-NA-Y201-MS	Reveal Coastal Great Lakes to NS
7279302	M-NA-Y200-MS	Discover North America

For the most up to date pricing, please visit maritimemarinesupply.ca/price

NEW

AUTOPILOT CORE PACKS

SIMRAD

The Simrad NAC-3 Packs include all of the core components you need to upgrade your boat with a Continuum autopilot system. They are designed for vessels above 35 feet (10 metres) in length. Just add a drive unit to suit your steering system, and choose a dedicated autopilot controller or Simrad multifunction display.



- Core autopilot system components – just add a drive unit and controller
- Compatible with high-current drive pumps, mechanical drives, hydraulic linear drives, and solenoid valves
- Take control with the Simrad AP44
- Easy setup with automatic tuning and compass calibration

NAC-3 VRF Core Pack

DESIGNED FOR OUTBOARD AND STERNDRIVE VESSELS

Includes :

- Precision-9 Compass
- NAC-3 Autopilot Computer
- Micro-C Backbone Kit



NAC-3 Core Pack

DESIGNED FOR RUDDER-STEERED VESSELS.

Includes :

- Precision-9 Compass
- NAC-3 Autopilot Computer
- Micro-C Backbone Kit
- RF25N Rudder Reference Sensor with Micro-C connector

PART NO.	MFG#	DESCRIPTION
7279285	000-13338-001	Outboard – I/O up to 35 ft.
7279286	000-13336-001	Rudder-Steered Boats, up to 35 ft.
7279287	000-13289-001	AP44 Controller

AP44 AUTOPILOT CONTROLLER

SIMRAD



The Simrad AP44 Controller is a marine autopilot control unit that works with a compatible Simrad autopilot computer, drive unit, and heading sensor to provide automated steering for comfort, fuel efficiency, and precise course-holding. Connect your chartplotter to enable waypoint navigation, and enjoy full autopilot control from compatible Simrad displays.

- Optically bonded 4.1-inch colour display.
- Simple autopilot control with rotary dial and keypad.
- Automated turn patterns for fuel-efficient, hands-free manoeuvres
- No Drift steering holds your course against wind and tide
- Depth contour tracking makes it easy to fish ledges and drop-offs.
- Easy setup with auto tuning and calibration.

Includes :

- N2K-T-RD Network T-Connector
- N2KEXT-2RD 2ft Network Extension Cable
- INSTALL KIT AP44
- SUNCOVER, AP44 DISPLAY

PART NO.	MFG#	DESCRIPTION
7279287	000-13289-001	AP44 AutoPilot Controller

S3100 HIGH PRFORMANCE SONAR MODULE

SIMRAD



The Simrad S3100 High-Performance compact Sonar Module that enhances fishing displays with powerful Active Imaging HD and FishReveal SideScan views to NSS and NSO evo3S displays.

- Brings Active Imaging HD support to Simrad GO, NSS and
- NSO evo3 and evo3S displays.
- Opens up SideScan and DownScan Imaging to an impressive 1.2Mhz for superior resolution and clarity.
- Adds FishReveal to SideScan
- Compatible with wide-angle transducers for improved coverage
- Track multiple depth ranges simultaneously by combining any two CHIRP frequency ranges.
- 1GB Ethernet capability.

Includes:



- Ethernet Cable, 15ft



- Power Cable, 4-Pin

PART NO.	MFG#	DESCRIPTION
7279270	000-15918-001	Sonar Module

NEW

RADAR DOMES
SIMRAD HALO20



A cost-effective way to increase situational awareness and collision avoidance, **HALO20** is a compact dome radar with pulse compression technology that detects collision hazards and other targets in close and up to 24 nautical miles away. With its small footprint and low profile, HALO20 is the perfect radar solution for budget-conscious boaters with small sportfishing vessels and dayboats.

Physical
- Dimensions (20" dia x 8.8" H)
- Weight 5.9 kg (13 lbs) without cable

Electrical
- Power Consumption max 20W
- Power Consumption typical 18W
- Recommended Fuse Rating 5A
- Supply Voltage 10.5 - 31.2 VDC (12/24V systems)
- Environment

Humidity
- 95% RH at 35°C (95°F)
- Operating Temperature Range -25° to + 55°C (-13° to +130°F)
- Waterproofrating IPX6

Radar
- Beam width 4.9° H x 25° V
- Max Range, scale 24 NM
- Max Wind Speed 100 knots (51 m/s)
- Min Range, scale 50 m / 200 ft / 50 yd
- Radar Modes Harbour, Offshore, Weather, North Up, Course Up, Relative motion, True Motion
- Radar Technology Pulse Compression
- Rotation speed 24 RPM

PART NO.	MFG#	DESCRIPTION
7279275	000-14537-001	HALO20 Radar Dome, 24 nm

SIMRAD HALO20+



HALO20+ delivers an almost real-time view, with industry-leading 60 RPM operation at close range for the ultimate in collision avoidance. Identify hazards in an instant with VelocityTrack™ Doppler technology, and enjoy simultaneous short and long-range coverage—up to 36 nautical miles—from a compact 20-inch dome antenna.

Physical
- Dimensions (20" dia x 8.8" H)
- Weight 5.9 kg (13 lbs) without cable

Electrical
- Power Consumption max 29W
- Power Consumption typical 20W
- Recommended Fuse Rating 5A
- Supply Voltage 10.5 - 31.2 VDC (12/24V systems)
- Environment

Humidity
- 95% RH at 35°C (95°F)
- Operating Temperature Range -25° to + 55°C (-13° to +130°F)
- Waterproofrating IPX6

Radar
- Beam width 4.9° H nominal (-3dB) 2.5° with target separation on high x 25° V
- Max Range, scale 36 NM
- Max Wind Speed 100 knots (51 m/s)
- Min Range, scale 50 m / 200 ft / 50 yd
- Radar Modes Harbour, Offshore, Weather, North Up, Course Up, Relative motion, True Motion
- Radar Technology Pulse Compression
- Rotation speed 60 RPM

PART NO.	MFG#	DESCRIPTION
7279275	000-14537-001	HALO20 Radar Dome, 24 nm
7279276	000-14536-001	HALO20+ Radar Dome, 36 nm

IS42 DIGITAL DISPLAY



4.1"

This multi-purpose instrument display features a colour screen that's designed for optimal visibility in all conditions. See wind data, boat speed, depth, engine information, autopilot status, AIS data and more at a glance.







CLEAR VIEWS AND INTUITIVE CONTROL

Designed for use in all conditions, the IS42's full-colour display panel is optically bonded to its protective glass covering; this eliminates the possibility of condensation or fogging within the display. Transflective LCD technology makes use of reflected sunlight to brighten rather than obscure the displayed image, delivering superior daytime visibility and lower power consumption compared to traditional backlit displays. Simple, waterproof controls make the IS42 easy to use in rough conditions, and reliably responsive to wet or gloved hands.

A TRULY MULTI-PURPOSE DIGITAL INSTRUMENT

The IS42 instrument can be configured to display multiple 'pages' containing information such as wind conditions, vessel speed, depth, and more. Quickly switch between pages to access the information you need, when you need it. Engine monitoring pages display important data such as RPM, engine temperature, trim tab status, fuel flow and economy for up to two NMEA 2000® connected engines. When networked with a compatible AIS receiver, the IS42 also offers a clear graphical display of nearby AIS-equipped vessels. Watch for potential collision hazards with customisable alarms, and receive AIS safety messages right on the IS42 for the ultimate situational awareness.

- Optically bonded 4.1-inch colour display.
- Advanced AIS functionality including DSC calling to AIS-equipped vessels.
- Intuitive operation with waterproof silicon keys.
- Easy installation with front-mount option and just one cable.
- Low-profile glass helm design.



OPTIONAL SPEED/DEPTH PACK KIT

7279221

Kit Includes:
IS42 Display
DST810
N2k Backbone Starter Kit

PART NO.	MFG#	DESCRIPTION
7279220	000-13285-001	IS42 Display Only
7279221	000-13293-002	Speed Depth Pack with IS42 Display

SIMRAD®

For the most up to date pricing, please visit maritimemarinesupply.ca/price

NEP-2 NETWORK EXPANSION MODULE

NEW



This Simrad NEP-2 provides five high-speed Ethernet ports to expand your system to share charts, waypoints, routes, and built-in sonar features. Connect Ethernet-enabled accessories—such as sonar modules and radar systems—for easy access to those accessories from any display on board.

- Five Ethernet ports.
- Connects displays, sonar modules, and radar systems.
- Simple plug-and-play connection, no configuration required.
- Water-resistant design for marine use.
- Runs on 12 or 24-volts, no separate power adapter required.

PART NO.	MFG#	DESCRIPTION
7279251	000-10029-001	Expansion Module

N2K MICRO-C BACKBONE STARTER KIT



This Simrad Backbone Starter Kit contains hardware needed to establish a basic network for compatible Simrad marine electronics.

Includes :

- 1x N2K-PWR-RD Network Power Node
- 2x TR-120-KIT Network Terminator Kit
- 1x N2KEXT-15RD 15ft (4-1/2 m) Network Extension Cable
- 3x N2K-T-RD Network T-Connector

PART NO.	MFG#	DESCRIPTION
7279238	000-10760-001	N2K Basic Starter Kit

NMEA 2000 STARTER KIT



The Backbone kit is used to connect a single electronic device on a boat, such as a Simrad chartplotter, GPS antenna, and radar, to a single data network. It provides the essential cables and connectors, including two terminators, two T-connectors, and a power cable, to form the main network "backbone" that all devices can connect to.

Includes :

- 1x N2K-PWR-RD Network Power Node
- 1x TR-120-KIT Network Terminator Kit
- 1x N2KEXT-2RD 2ft Network Extension Cable
- 1x N2K-T-RD Network T-Connector

PART NO.	MFG#	DESCRIPTION
7279239	000-0124-69	Kit

NMEA 2000 DROP/EXTENTION CABLES



These Simrad backbone extension cables are used as drop cables to connect additional NMEA 2000 network devices or to simply exstend the network backbone.

PART NO.	MFG#	DESCRIPTION
7279244	000-0119-88	N2K Extension Cable, 2 ft. (1/2 m)
7279245	000-0127-53	N2K Extension Cable, 6 ft. (2 m)
7279246	000-0119-86	N2K Extension Cable, 15 ft. (4-1/2 m)
7279247	000-0119-83	N2K Extension Cable, 25 ft. (7-1/2 m)

NMEA2000 MEDIUM DUTY CABLES



The Simrad NME2000 Medium Duty Cables are designed for a marine network's backbone and features an 18-gauge low-loss wire. The colour orange is to identify it as part of Simrad's NMEA 2000 system, which allows different marine electronic devices to communicate with each other.

PART NO.	MFG#	DESCRIPTION
7279248	000-14376-001	Medium Duty cable, 6-1/2 ft. (2m)
7279249	000-14377-001	Medium Duty cable, 20 ft. (6m)
7279250	000-14378-001	Medium Duty cable, 33 ft. (10m)

ETHERNET EXTENSION CABLES



The Simrad 5-Pin Yellow Ethernet extension cable is used to connect network compatible Chartplotters and Fishfinders. They feature a high-speed, durable, and weather-resistant design for use in a marine environment and are compatible with 2007 and newer Ethernet-enabled Simrad units.

PART NO.	MFG#	DESCRIPTION
7279252	000-16144-001	Ethernet Cable, 2ft (1/2 m)
7279253	000-0127-51	Ethernet Cable, 6ft (2 m)
7279254	000-0127-29	Ethernet Cable, 15ft (4-1/2 m)
7279255	000-0127-30	Ethernet Cable, 25ft (7-1/2 m)

N2K BACKBONE COMPONENTS



7279240
The N2K PWR-RD is a NMEA 2000 Power Cable that comes with a NMEA 2000 network T connector.



7279241
TR-120-KIT - Set of 1 male and 1 female NMEA 2000® terminators



7279242
N2K-T-RD - Micro-C T-connector for connection of an additional network device



7279243
You can connect up to four Micro-C network devices to a NMEA 2000 network with the low loss, NMEA 2000 4-way Connector

PART NO.	MFG#	DESCRIPTION
7279240	000-0119-75	Power Cable w/T-Connector
7279241	000-0127-52	Terminators, M / F
7279242	000-0119-79	Micro-C T-Connector
7279243	000-12612-001	Micro-C Connector Block, 4 Pos.

Ancor NMEA 2000 Cables & Connectors

Premium Quality. Universal Fit. Ancor NMEA 2000 approved cables and connectors simplify creating or expanding a NMEA 2000 network. Ends are colour coded to make identifying the power cable or connector easy. The colour coded couplers connect to the corresponding Ancor cables and connectors creating an easy to identify network. Ancor's NMEA micro-size cables and connectors are **NMEA 2000 approved, 100% universal and compatible with other manufacturers' products.**

NMEA 2000 SINGLE DEVICE STARTER KIT



Ancor's NMEA 2000 Starter Kits include all components needed to create a single device NMEA 2000 network.

- 1 meter power cable with tee, item# 270000
- Male and female terminators (1 each) item# 270105 and 270106
- One single tee connector, item# 270101
- One 2 meter drop cable, item# 270302

PART NO.	MFG#	DESCRIPTION
3250080	270201	NMEA Starter Kit Single

NMEA 2000 DUAL DEVICE STARTER KIT



Ancor's NMEA 2000 Starter Kits include all components needed to create a dual device NMEA 2000 network.

- 1 meter power cable with tee, item# 270000
- Male and female terminators (1 each), item# 270105 and 270106
- One dual tee connector, item# 270103
- Two 2 meter drop cables, item# 270302

PART NO.	MFG#	DESCRIPTION
3250081	270202	NMEA Starter Kit Dual

POWER CABLE WITH TEE



Ancor's NMEA 2000 Power Cable with Tee allows for power connection to a NMEA 2000 network quickly and easily.

PART NO.	MFG#	DESCRIPTION
3250001	270000	Power Cable With Tee, 1m

DROP CABLES



Ancor's Drop Cables offer connection between a NMEA 2000 device and a tee connector. The drop cables are smaller in diameter and more flexible than backbone cables for easy connection to NMEA 2000 devices.

PART NO.	MFG#	DESCRIPTION
3250030	270300	0.5m
3250031	270301	1m
3250032	270302	2m
3250035	270305	5m

TEE CONNECTORS



3250050



3250052



3250078

Ancor's Tee Connectors offer connection between drop cables and backbone cables. The connectors are offered in two configurations for maximum installation flexibility. The two-way tee connector allows for multiple drop cables to be connected without additional backbone cable.

PART NO.	MFG#	DESCRIPTION
3250050	270101	Tee Connector
3250052	270103	Tee Connector, 2-Way
3250078	270104	Tee Connector, 4-Way

BACKBONE CABLE



Ancor's Backbone Cables offer connection to a NMEA 2000 tee connector.

18 AWG power conductors

PART NO.	MFG#	DESCRIPTION
3250010	270001	0.5m
3250012	270002	2m
3250015	270005	5m
3250019	270010	10m

90° ELBOW CONNECTOR



Ancor's 90° Elbow makes cable routing easier. The connector is installed between two cables to reduce stress on the cables and create a compact installation.

PART NO.	MFG#	DESCRIPTION
3250065	270108	Elbow Connector, 90°

TERMINATORS



3250060
Female



3250062
Male



3250079
Inline

Ancor's Terminators allow for proper termination of a NMEA 2000 network. One male and one female terminator is required for each NMEA 2000 network.

PART NO.	MFG#	DESCRIPTION
3250060	270105	Terminator, Female
3250062	270106	Terminator, Male
3250079	270114	Terminator, Inline

FIRMAN PERFORMANCE GENERATORS

Firman Power Equipment's Performance Series Generators feature an open frame design, reliable recoil start system and a legendary **3 year warranty**. The 9108630 models also include electric and remote start for ease of use. All models feature a Phoenix Fat Head Engine Block with low oil shutoff protection. These generators are great for running electrical equipment or for power backup. All outlets have receptacle covers to helps protect against moisture, debris and dust. Tool kits include oil, spark plug wrench, shipping bracket wrenches, funnel, and manual.



1,200W
9108605





3,550W
9108615





Remote
(included with 9108630)

8,000W
9108630





12,000W
9108635



Mfg #	Power	Peak Watts	Ac Volts	Fuel Tank	Runtime	Start	Remote Start	Wheels	Weight
P01202	1,200W	1,500W	120	7 gal.	10 hrs.	Recoil	No	No	61 lbs.
P03501	3,550W	4,450W	120	5 gal.	14 hrs.	Recoil	No	Yes	135 lbs.
P08008	8,000W	10,000W	120/240	8 gal.	12 hrs.	Recoil, Electric	Yes	Yes	218 lbs.
P12002	**12,000W**	15,000W	120/240	13 gal	11 hrs	Electric	No	Yes	387 lbs.





Included Tool Kit

PART NO.	MFG#	DESCRIPTION
9108605	P01202	Generator, 1500 Watt
9108615	P03501	Generator, 4450 Watt
9108630	P08008	Generator, 10,000 Watt
9108635	P12002	Generator, 12,000 Watt

FIRMAN TRI-FUEL 8000W GENERATOR
LPG/GAS/NG





Included Tool Kit



Dimensions: 30-1/4"L x 27-1/2"w x26-1/4"h

The Firman T08072 Portable Generator provides 10,000 Watts of Peak Starting Power and 8,000W (GAS), 7,250W (LPG), 5,500W (NG) of Running Power. Coupled with a transfer switch, this generator can act as a great alternative to get you through tough times after a big weather event. Supported by Firman's 3 Year Warranty.

- 3-in-1 Data Minder Measures Volts, Hertz and Hours.
- Low oil indicator with automatic shut off.
- Wheel Kit with 10" Heavy Duty Never flat Tires and a U-shaped padded handle.
- cETL Approved.
- 5-1/2' LPG Regulator and Hose is included

Multi-featured control panel with covered outlets :

- 1 x 5-20R 120V 20A DUPLEX GFCI
- 1 x L5-30R 120V 30A TWIST LOCK
- 1 x L14-30R 120V/240V 30A TWIST LOCK
- 1 x 14-50R 120V/240V 50A

Mfg #	Power	Peak Watta	Fuel Tank	Runtime	Start	Remote Start	Weight
T08072	8,000W	10,000W	8 Gal.	12 Hrs. @ 25% Load	Electric, Recoil	No	213 Lbs.

PART NO.	MFG#	DESCRIPTION
9108626	T08072	Generator, Tri-Fuel, 8000W(gas), 120/240V

FIRMAN INVERTER GENERATORS



9108513



9108502







9108514 9108515

Firman Power Equipment's Whisper Series Inverter/Generators have digital automatic voltage regulators and low distortion (under 3%) to provide clean power for electronics and sensitive equipment. Units can be run in parallel to combine power of 2 units (cables not included).

The Whisper Series muffler and USDA Forest Service approved spark arrester make these inverter/generators safe to operate almost anywhere. All models come with reliable recoil starter. Electric start convenience available with 9108514 and 9108515 models.

The 9108515 model includes remote start capability. Tool kits include oil, spark plug wrench, shipping bracket wrenches, funnel, and manual. **3 year warranty.**





Included Tool Kit

Mfg #	Power	Peak Watts	Fuel Tank	Runtime	Start	Remote	Wheels	Weight
W01784*	1,700W	2,100W	0.9 gal.	9 hrs.	Recoil	No	No	52 lbs.
W03381	3,300W	3,650W	1.8 gal.	9 hrs.	Recoil	No	Yes	87 lbs.
W03382	3,300W	3,650W	1.8 gal.	9 hrs.	Recoil, Electric	No	Yes	93 lbs.
W03383	3,300W	3,650W	1.8 gal.	9 hrs.	Recoil, Electric	Yes	Yes	93 lbs.

*Companion Inverter/Generator. Comes with parallel cables to connect to W01781.

PART NO.	MFG#	DESCRIPTION
9108502	W01784	Inv./Gen. Companion, 1700W w/Remote
9108513	W03381	Inverter/Generator, 3300W w/Remote
9108514	W03382	Inverter/Generator, 3300W w/Remote
9108515	W03383	Inverter/Generator, 3300W w/Remote

FIRMAN DUAL FUEL INVERTER GENERATOR

GAS OR PROPANE





Included Tool Kit

These Firman Duel Fuel Inverter Portable Generators provide the best of both worlds. As a Whisper Hybrid Dual Fuel Series with a 171cc Max Pro run cool engine, they run at a quiet 58dB—well below National Park standards—and can use either gasoline or liquid propane to provide clean power for your electronics and sensitive equipment.

These generators feature easy access points on the multi-feature control panel, covered outlets and an automatic low oil shut off. **Backed by Firman's legendary 3 year warranty.** Power output may drop as much as 10% when using Liquid Propane.
Certified: CETL Canada **Outlets:** 2 x 5-20R 20A-120V, 1 x DC Outlet 12V8.3A, 1 x TT-30R 30A-120V, 1 x USB 5VDC



Mfg #	Power	Peak Watts	Fuel Tank	Runtime	Start	Remote	Wheels	Weight
WH03041	3000W	3300W	1.8 gal.	Up to 10 hrs.	Recoil	No	5.5"	104 lbs.
WH03042	3000W	3300W	1.8 gal.	Up to 10 hrs.	Recoil, Electric	No	5.5"	108 lbs.

PART NO.	MFG#	DESCRIPTION
9108516	WH03041	3300W Recoil Start
9108517	WH03042	3300W Recoil/Electric Start

For the most up to date pricing, please visit maritimemarinesupply.ca/price

POWER CORD 30A(L5-30)



- 25 ft Long, 10AWG, 3750W/30A output
- Fully insulated, rated for outdoor use w/storage strap
- 3-Prong twist-and-lock L5-30Amp Male to Female

PART NO.	MFG#	DESCRIPTION
9108704	1110	25ft Power cord Male to Female

POWER CORD 30A(L14-30)



- 25'L,10AWG, 5000W/30A output
- Fully insulated, rated for outdoor use w/ storage strap
- 4x split outlet allows easy connection to multiple devices, individually circuit protected
- 4-Prong twist-and-lock L14-30Amp Male to 4x 20Amp Female

PART NO.	MFG#	DESCRIPTION
9108706	1120	25Ft Power cord w/ 4 Outlets

POWER CORD 30A(RV) TO 3 20A



- 25'L,10AWG, 3750W/30A output
- Fully insulated, rated for outdoor use
- 3x split outlet allows easy connection to multiple devices, individually circuit protected
- 3-Prong straight blade TT-30A(RV) Male to 3x 20Amp Female

PART NO.	MFG#	DESCRIPTION
9108700	1101	25Ft Power cord w/3 20A Outlets

POWER CORD 30A(L5-30) TO 3X 20A



- 25'L,10AWG, 3750W/30A output
- Fully insulated, rated for outdoor use w/ storage strap
- 3x split outlet allows easy connection to multiple devices, individually circuit protected
- 3-Prong twist-and-lock L5-30Amp Male to 3x 20Amp Female

PART NO.	MFG#	DESCRIPTION
9108702	1105	25Ft Power cord w/3 20A Outlets

POWER CORD 30A(L14-30)



- 25'L,10AWG, 7500W/30A output
- Fully insulated, rated for outdoor use w/ storage strap
- 4-Prong twist-and-lock L14-30Amp Male to Female

PART NO.	MFG#	DESCRIPTION
9108708	1130	25ft Power cord Male to Female

PARALLEL KITS



TT-30R (RV) L5-30R **9108690**



14-50R L5-30R **9108691**

Double or even triple your power by connecting two Firman inverter generators together. Integrated outlet covers come standard on our parallel kit to protect the outlets from dust and debris. LED light under each outlet for improved visibility anytime. A built-in compartment provides easy storage for the wiring cables when not in use.

PART NO.	MFG#	DESCRIPTION
9108690	1005	Parallel Kit, 120VAC/30A
9108691	1201	Parallel Kit, 120VAC/50A

POWER EQUIPMENT COVERS



9108680



9108681
9108685

Protect your Firman Power Equipment from the roughest of elements. Durable, water resistant, and made of heavy duty vinyl to protect your power equipment from rain, snow, UV rays, dust storms, damaging scratches, and other elements of outdoor life. Double insulatedDurable exterior finish built to last for years. Easy to install with powerful, durable pull cord to keep your cover secure in windy conditions

9108680 fits inverter generators 1500–2200W, or up to 18.9" x 11.8" x 15.4".
9108681 fits inverter generators 2700–3500W, or up to 22.8" x 17.3" x 17.9".
9108685 fits large generators 5000W and up, or up to 29.5" x 21.7" x 24".

PART NO.	MFG#	DESCRIPTION
9108680	1008	Fits 1500 - 2200W
9108681	1007	Fits 2700 - 3500W
9108685	1009	Fits 5000W & Up

FIRMAN®

POWER THROUGH THE UNEXPECTED













GALVANIC ISOLATOR

ProMariner™



9105051
Shore Cord Inlet Compatibility:
1 x 30A
Power: 120/240VAC, 41A 50/60 Hz
Dimensions: 6.75" x 7" x 2.5"



9105052
Shore Cord Inlet Compatibility:
1 x 50A or 2 X 30A
Power: 120/240VAC, 82A 50/60 Hz
Dimensions: 7.25" x 6.5" x 3.75"

- Interrupts galvanic current flow with other boats at a marina when installed on a boat which is connected to AC shore power
- Installs easily and does not require a dedicated monitor to verify the operational status of the galvanic isolator
- Ignition Protected, can be mounted within an engine compartment
- Use 30amp for 1 shore power cone
- FS30 used for 1x 30amp shore power connection
- FS60 used for 1x 50amp or 2x 30amp shore power connection

PART NO.	MFG#	DESCRIPTION
9105051	22034	Galvanic Isolator, 30A
9105052	22074	Galvanic Isolator, 60A

MARINE BATTERY ISOLATORS

ProMariner™



9105070 1/4" posts



9105130 5/16" posts

- Rated for use with negative ground alternators
- Will operate on 12, 24, 32VDC negative ground systems
- No fear of fully charged batteries discharging into undercharged batteries

PART NO.	MFG#	DESCRIPTION
9105070	01-70-2	2 Batteries, 70 Amp
9105130	1-130-2	2 Batteries, 130 Amp
9933-322	01-70-3	3 Batteries, 70 Amp
9933-323	1-130-3	3 Batteries, 130 Amp

MARINE BATTERY ISOLATORS



Solid state device allows you to connect your engine alternator directly to both batteries without fear of overcharging, or of one higher-charged battery discharging into the other lower-charged battery. For 6, 12, 24, 32V negative ground systems with one alternator and two batteries. 5/16" posts.

PART NO.	MFG#	DESCRIPTION
9105200	48160-COL	200A

victron energy
BLUE POWER

The AGM range has very low internal resistance making them particularly suitable for high current discharge applications such as inverters, thrusters and winches as well as engine starting.
The use of high purity materials and lead calcium grids ensure that for the batteries have particularly low self discharge so that they will not go flat during long periods without charge. They are supplied with M8 drilled, flat copper terminals ensuring best possible connection contact and eliminating the need for battery terminals. The batteries are compliant with both CE and UL specifications in ABS fireproof containers and come with Victron's 2 year world-wide warranty.



- Volts: 6V
- Amp Hours: 240
- C.C. Amps: 700
- Size: 12-5/8" L x 7" W x 9-3/4" H

PART NO.	MFG#	DESCRIPTION
9936-095	BAT406225084	240AH, 6V

- Volts: 12V
- Amp Hours: 90
- C.C. Amps: 400
- Size: 13-3/4" L x 6-9/16" W x 7-3/16" H

PART NO.	MFG#	DESCRIPTION
9936-093	BAT412800084	90AH, G27

- Volts: 12V
- Amp Hours: 110
- C.C. Amps: 500
- Size: 13" L x 6-3/4" W x 8-11/16" H

PART NO.	MFG#	DESCRIPTION
9936-092	BAT412101084	110AH, G31

- Volts: 12V
- Amp Hours: 165
- C.C. Amps: 600
- Size: 19-1/16" L x 6-3/4" W x 9-7/16" H

PART NO.	MFG#	DESCRIPTION
9936-091	BAT412151084	165AH, 4D

- Volts: 12V
- Amp Hours: 220
- C.C. Amps: 650
- Size: 20-9/16" L x 9-3/8" W x 9-7/16" H

PART NO.	MFG#	DESCRIPTION
9936-090	BAT412201084	220AH, 8D

victron energy
BLUE POWER

Why lithium-iron-phosphate?

Lithium-iron-phosphate (LiFePO4 or LFP) is the safest of the mainstream li-ion battery types. The nominal voltage of a LFP cell is 3,2V (lead-acid: 2V/cell). A 12,8V LFP battery therefore consists of 4 cells connected in series; and a 25,6V battery consists of 8 cells connected in series.

Size and weight

Saves up to 70% in space
Saves up to 70% in weight

Expensive?

LFP batteries are expensive when compared to lead-acid. But in demanding applications, the high initial cost will be more than compensated by longer service life, superior reliability and excellent efficiency.

Bluetooth

With Bluetooth cell voltages, temperature and alarm status can be monitored. Very useful to localize a (potential) problem, such as cell imbalance.

Efficient

In several applications (especially off-grid solar and/or wind), energy efficiency can be of crucial importance.
The round-trip energy efficiency (discharge from 100% to 0% and back to 100% charged) of the average leadacid battery is 80%.
The round-trip energy efficiency of a LFP battery is 92%.
The charge process of lead-acid batteries becomes particularly inefficient when the 80% state of charge has been reached, resulting in efficiencies of 50% or even less in solar systems where several days of reserve energy is required (battery operating in 70% to 100% charged state). In contrast, a LFP battery will still achieve 90% efficiency under shallow discharge conditions.



- Bluetooth feature allows monitoring cell voltages, temperature and alarm status. Up to 5 batteries can be paralleled or four 12V batteries series connected, so that a 48V battery bank of up to 1200Ah can be assembled

Suggested Battery Management Systems

- 9936-163 VE.BUS – for Victron Multi and Quattro systems
- 9936-166 CL12-100 – for systems having DC loads and alternators

PART NO.	MFG#	DESCRIPTION
9936-080	BAT512110610	12.8VDC/100Ah
9936-410	BAT512118610	12.8VDC/180Ah
9936-082	BAT512120610	12.8VDC/200Ah

MASTERVOLT
THE POWER TO BE INDEPENDENT

In **AGM batteries**, the electrolyte is largely absorbed in glass fibers. This type of battery is entirely maintenance-free and there is no gas formation with normal use. These batteries can be installed anywhere. Very fast discharge at very high currents so AGM batteries are ideal for systems that require high currents (for instance when starting an engine). The battery posts can be unscrewed. Glass-fiber technology ensures low internal resistance and use of thicker plates allows deep charging. Both these features combine to provide the same initial power surge in an AGM 12V/90Ah as in a 12V/180Ah wet lead-acid battery. **Two Year Warranty.**

AGM BATTERIES

12



Series 24: 12v **Hours:** 55
Size: 10" x 5" x 8"
(257 x 132 x 207mm)
C.C. Amps: 480
Mfg #: 62000550

PART NO.	MFG#	DESCRIPTION
3217700	62000550	12v 55Ah

12



Series 27: 12A **Hours:** 70
Size: 13-3/4" x 6-1/2" x 7"
(348 x 167 x 181mm)
C.C. Amps: 615
Mfg #: 62000700

PART NO.	MFG#	DESCRIPTION
3217705	62000700	12v 70Ah

12



Series 31: 12A **Hours:** 90
Size: 13" x 6-3/4" x 9-1/4"
(330 x 173 x 237mm)
C.C. Amps: 850 **Mfg #:** 62000900

PART NO.	MFG#	DESCRIPTION
3217710	62000900	12v 90Ah

12



Type: 4D
Volts: 12A **Hours:** 160
Size: 19" x 6-3/4" x 9-1/2"
(485 x 170 x 245mm)
C.C. Amps: 1000
Mfg #: 62001600

PART NO.	MFG#	DESCRIPTION
3217715	62001600	12v 160Ah

12



Type: 8D
Volts: 12A **Hours:** 225
Size: 20-1/2" x 9-1/2" x 9-1/2"
(522 x 240 x 241mm)
C.C. Amps: 1300 **Mfg #:** 62002250

PART NO.	MFG#	DESCRIPTION
3217720	62002250	12v 225Ah

12



Type: Super 8D
Volts: 12A **Hours:** 270
Size: 20-1/2" x 10-1/2" x 9-1/2"
(522 x 268 x 243mm)
C.C. Amps: 1600 **Mfg #:** 62002700

PART NO.	MFG#	DESCRIPTION
3217725	62002700	12v 270Ah

DEEP CYCLE MARINE AND RV AGM BATTERIES

LIFELINE®

The Lifeline Absorbed Glass Mat (AGM) technology incorporated in these maintenance free deep cycle batteries was originally developed in 1985 for military aircraft where power, weight, safety and reliability are paramount considerations.



- Carefully hand assembled using interlocking cases sealed with epoxy resin
- Do not leak while inverted, and internally process charging gasses – no water replenishment required
- Thick positive plates, dense active material, superb grid design, premium insulation, separator liners, sealed construction
- Nearly twice the expected life cycle of Gel-Cell batteries, and not affected by fast charging
- Low internal resistance means fast recharging
- No free electrolyte eliminates terminal corrosion

PART NO.	DESCRIPTION
9936-060	80 HR, GPL-24MT, 10-1/4"L x 6-1/2"W x 9-1/4"H
9936-061	100 HR, GPL-27MT, 12"L x 6-1/2"W x 9-1/4"H
9936-062	105 HR, GPL-31MT, 13"L x 9-3/4"W x 9-1/4"H
9936-063	210 HR, GPL-4DAP, 20-3/4"L x 8.7"W x 8.7"H
9936-064	210 HR, GPL-4DL, 20-3/4"L x 8-3/4"W x 8-3/4"H
9936-065	255 HR, GPL-8DAP, 20-3/4"L x 11"W x 8-3/4"H
9936-066	255 HR, GPL-8DL, 20-3/4"L x 11"W x 8-3/4"H

MOELLER MARINE BATTERY BOXES



Roto-Molded battery boxes manufactured from non-corrosive high strength polyethylene to protect your battery from rust and chemicals. Complete with hold down strap and mounting hardware

24 Series Batteries

- 14-3/16"L x 9-11/16" W x 10-1/2" H Fits batteries to 10-1/2" L x 7" W x 8-3/8" H

27-31 Series Batteries

- 16-5/8" L x 9-5/8" W x 10-1/2" H Fits batteries to 12-3/4" L x 7" W x 9" H

PART NO.	MFG#	DESCRIPTION
9934-342	042213	24 Series Battery Boxes
9934-349	042214	27 Series Battery Boxes

STRAP DOWN BATTERY BOXES



Polypropylene construction for total acid resistance. Hold-down straps resist 350 lbs. of force. Drop tested in temperatures from -20°F to +120°F. Collects electrolytes, allows ventilation, and secures/locks lid to prevent accidental contact with battery terminals. Mounting hardware included.

24 Series Batteries

- **ID:** 11-1/8"L x 7-3/4"W x 10-1/8"H
- **OD:** 14"L x 9-5/8"W x 10-5/8"H

27 Series Batteries

- **ID:** 13-7/8"L x 7-1/4"W x 10-1/2"H
- **OD:** 16-7/8"L x 9-5/8"W x 10-7/8"H

PART NO.	MFG#	DESCRIPTION
3217833	9065-1	24 Series
3217835	9067-1	27 Series

BATTERY BOX



This vented Battery Box is made of Polypropylene for total acid resistance. The hold-down straps resist 350 lbs. of force, nearly four times the USCG requirement. Drop tested in temperatures ranging from -20°F to +120°F.

Dimensions:

- **Inside:** 15-7/16"L x 7-1/8"W x 9-3/4"H
- **Outside:** 18-3/4"L x 9-1/4"W x 10-1/4"H

Maximum Battery Height: 9-3/4" Mounting hardware included.
Meets ABYC standard E-10 and US Coast Guard Specification Number 183.420 as an OEM-installed battery hold-down system.

PART NO.	MFG#	DESCRIPTION
3217834	9084-1	29/31 Series, Black

NEW

BATTERY GUARD



Megaware BatteryGuard ™ is a shock-absorbing mat that extends battery life by reducing damage from vibration and shock, absorbing up to 80% of G-shock from mechanical vibrations over rough waters.

- Place in a Battery Box or Tray.
- Fits up to Group 31 Batteries.

Dimensions: 12-3/4" × 6-7/8" × 3/8"

PART NO.	MFG#	DESCRIPTION
7924400	40131	Battery Mat

POWERGUARD PRO BATTERY BOX





Come with 2 battery spaces

The PowerGuard Pro battery box used with the included Spacer Blocks will accommodate Group 24, 27 and 31 batteries. They are made with a Polypropylene Composite material that is UV resistant and impervious to acid leaks. It has upward facing vents to let gases out and resist water in-take. Snap locking lids provide easy access to the battery terminals without the need to remove the mounting straps.
Dimensions :
21"L x 11-1/4"W x 11-1/2"H

Mounting hardware is included

- Pro Mounting Strap.
- Reinforced Mounting Brackets.
- S/S Mounting Screws.

PART NO.	MFG#	DESCRIPTION
3217844	9070-7	Dual, Portable, Battery Box
3217845	9015-3	Mounting Hardware

8D BATTERY BOXES



Moulded of premium grade polyethylene, Todd's rugged battery boxes maintain their tough impact properties down to -40°F. The seamless, heavy wall construction, combined with superior chemical resistance, eliminates concerns of electrolyte spills or contact with grease, oil etc. The full flow ventilation features help ensure adequate cooling and will enhance the longevity of battery life. Black only.

Single Dimensions
OD: 24-1/2"D x 15"W x 14-1/2"H
ID: 21-1/2"D x 11-1/2"W x 11"H

Double Dimensions
OD: 28"D x 24-1/2"W x 14-1/2"H
ID: 24-1/2"D x 21"W x 12-1/2"H

PART NO.	MFG#	DESCRIPTION
3217840	90-2170	Single 8D
3217842	91-2339	Double 8D

COMMERCIAL BATTERY BOXES

9934-339





9934-340



9934-341

9934-339

- 23-3/4" L x 12-1/2" W x 13-3/8" H Fits Batteries 20-1/2" L x 9-1/4" W x 9-1/2

9934-340

- 24-1/2" L x 14-1/2" W x 14-1/2" H Fits batteries to 21" L x 11-1/4" W x 9-3/4" H

9934-341

- 27-1/4" L x 24-1/2" W x 14" H its batteries to 24-1/4" L x 21-1/4" W x 9-1/2" H

PART NO.	MFG#	DESCRIPTION
9934-339	042204	4D
9934-340	042209	8D
9934-341	042211	DBL 8D

MOELLER MARINE BATTERY STRAP TRAYS

Heavy duty battery tray includes tray, quick release buckle and strap.



24 Series Batteries
- 11-1/4" L x 7-1/4" W x 1-1/4" H
- Holds Batteries up to 10-1/4" L x 6-3/4" W x 8-1/8" H

27-31 Series Batteries
- 13" L x 7-1/4" W x 1-1/4" H
- Holds Batteries up to 10-1/4" L x 6-3/4" W x 8-1/8" H

PART NO.	MFG#	DESCRIPTION
9934-321	042233	24 Series
9934-322	042234	27 Series

MOELLER MARINE BATTERY HOLD TRAYS

Battery tray comes with self-locking security knobs and stainless steel hold-down rods.



24 Series Batteries
- 12-7/8" L x 7-3/8" W x 9" H
- Fits Batteries to 10-1/4" L x 6-3/4" W x 8-1/8" H

27 Series Batteries
- 14-3/8" L x 7-1/8" W x 11-1/4" H
- Fits batteries to 11-3/4" L x 6-3/4" W x 7-3/4" H

29-31 Series Batteries
- 15-1/2" L x 8" W x 12" H
- Fits batteries to 13" L x 7-7/16" W x 10" H

PART NO.	MFG#	DESCRIPTION
9934-330	042215	24 Series
9934-331	042232	27 Series
9934-332	042216	29-31 Series

HD BATTERY HOLDER TRAYS



Made of heavy-duty, non-corrosive black plastic. Includes adjustable height crossbar and stainless steel retaining bolts.

Dimensions:
- **24 Series:** 10-7/16"L x 6-7/8"W
- **27 Series:** 12"L x 6-7/8"W

PART NO.	MFG#	DESCRIPTION
3217836	9096-5	24 Series Battery Box
3217837	9095-5	27 Series Battery Box

HEAVY-DUTY ADJUSTABLE BATTERY TRAYS



Made of heavy-duty, black plastic. They extend from 7" up to 9.5", making it ideal for taller batteries. Adjustable-height crossbar. Contains no metal parts to corrode and no webbing straps to fade. Ergonomic nuts and bolts easily secure batteries.

Inside Dimensions:
- 3217831 - 10-5/8" x 6-3/4"
- 3217832 - 12-1/8" x 6-3/4"

Meets ABYC Standard E-10 and US Coast Guard requirements.

PART NO.	MFG#	DESCRIPTION
3217831	9097-5	24 Series
3217832	9098-5	27 Series

ALL PURPOSE HOLDING STRAP



Tough 62" polypropylene strap secures any loose article. Two footman loops and stainless hardware included. Comes with quick release buckle.

PART NO.	MFG#	DESCRIPTION
6880040	APS-1-DP	All Purpose Holding Strap

BATTERY BOX HOLD DOWN STRAPS



These Battery Straps are made of woven polypropylene with "firm-grip" buckles and are completely resistant to battery acid.

Includes:
- 4 x #8, 3/4" screws
- 2 x Footman Clamps

PART NO.	MFG#	DESCRIPTION
3217848	9013-3	40" Medium Kit
3217849	9013A3	54" Long Kit

BATTERY STRAP



Replacement Battery Strap with buckle fits most marine battery hold downs with poly straps. 38" long.

PART NO.	MFG#	DESCRIPTION
3217830	BS-1-DP	38" Strap

BATTERY STRAP TIE-DOWN



- Forged 304 stainless steel
- Takes 2x #10 fasteners
- Accepts 1-3/8" webbing
- 2-1/4" hole centers

PART NO.	MFG#	DESCRIPTION
7201570	081265	Battery Strap TieDown S/S

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

CHARGEMASTER PLUS



Next generation battery chargers that integrates multiple functions into one single device. Replacing auxiliary chargers, battery isolators and VSR, ChargeMaster Plus reduces system complexity and cost. Designed for versatility, it charges a maximum of three batteries in a fast and safe way and works anywhere in the world. Displays the charge phase of all three outputs in an understandable way. An integrated VSR eliminates the need for additional components and ensures that the alternators energy is funnelled through to the batteries.

- Multicharger with two outputs, one in/output, DC-DC converter, current limiter and VSR.
- Combine Lithium Ion, Gel or AGM, and large or small battery banks on a single battery charger.
- Charges multiple batteries while being underway.
- **Safe Charge:** quickly recognize the State of Charge for extended battery life.
- Compact, easy to connect and quick to install.
- **Approvals:** CE, ABYC, UL1236, SAE J1171, ISO 8846, CEC, RCM/C-Tick
- **Dimensions:** 15.1 x 9.8 x 5.0" **Weight:** 13.0 lb

PART NO.	MFG#	AMPS	BANKS	VOLTS	BATT. TYPE
9104500	44010250	25	3	12	50-250Ah
9104505	44310355	35	3	12	50-250Ah
9104510	44310505	50	3	12	100-500Ah
9104515	44320205	20	3	24	80-200Ah
9104525	44320305	30	3	24	120-240Ah

CHARGE MATE PRO RELAY



The Charge Mate Pro charging relay makes it possible to distribute the charger or alternator current effectively between two battery banks such as a starter and a service battery. The Charge Mate Pro connects both batteries during charging and keeps them isolated when discharging.

Input Volt range: 9 - 32 Vdc
Battery Type: AGM/GEL/Lithium
Battery Volt: Auto 12/24 V detection
Ingress Prot: IP65
Dimensions: 6.2"w x 5.5"D x 3.1" H 157 x140 x 80 mm
CE Compliance

PART NO.	MFG#	AMPS	BANKS	VOLTS	BATT. TYPE
9103389	83304004	40	2	9-32	AGM/GEL/Lithium
9103390	83309004	90	2	9-32	AGM/GEL/Lithium



MASS COMBI INVERTER CHARGER



Provides True Sine for your sensitive electronic devices and it monitors your power load and will step in to temporarily bridge the gap when shore power is not quite enough. Mastervolt's three-step Plus charging method guarantees more battery power and a longer life span.

Batteries are always fully charged, even when a generator is used.
Approvals: CE, AYBC A31 MasterBus compatible in combo with a Combi Interface. **Prot. Rating:** IP23

Inverter Nominal Input Voltage: 12V (10-15), 24V (20-31V)
Inverter Output Voltage: 120V–60Hz, ±0.05%
Inverter Output Waveform: True Sine
Charger Nominal Input Voltage: 120V – 45-65 Hz
Protections: Over Temp, Overload, Short Circuit, High/Low Battery
Dimensions: 19.5"H x 12.5"W x 6.1"D

PART NO.	MFG#	DESCRIPTION
9103350	37012505	2500W, 12V Charge 100A at 14.25VDC
9103351	37022505	2500W, 24V Charge 60A at 28.5VDC

COMBIMASTER INVERTER/CHARGER



The CombiMaster Inverter/Charger is all about user-friendliness and reliability. This powerful CombiMaster provides true sine wave and drives even the heaviest and most sensitive loads with ease! Reliable, hum-free and longer operation from your batteries. Intelligent 3-step+ battery charger for faster & safer charging.

- Automatic switching between mains and inverter mode
- Power Assist prevents blown mains fuses, generator compatible
- Integrated CZone*, MasterBus and NMEA 2000 communication
- E-mark certified, **Approvals:** ABYC A31, UL1236 and UL1741, SAEJ1171

Dimensions: 17.6 x 11.2 x 6.1" (448 x 284 x 155mm)
Protection: IP23 (vertical mounted)

PART NO.		INPUT	OUTPUT	WATTS
9103352	Inverter	10.2–16VDC	120VAC True Sine	3000
	Charger	90–140VAC	14.25VDC*	
9103353	Inverter	20.4–32VDC	120VAC True Sine	3000
	Charger	90–140VAC	28.5VDC*	

*DC Output Voltages are selectable.

PART NO.	MFG#	DESCRIPTION
9103352	35513000	12V Inverter Charger
9103353	35523000	24V Inverter Charger

POWERCOMBI INVERTER/CHARGER





The PowerCombi is a pure sine wave inverter/charger offering grid quality AC power and battery charging in one low profile design. Designed with a built-in transfer switch, 2x surge for 3 seconds and on-site dipswitch programming—the PowerCombi offers simple installation with multiple operating modes, and can charge various battery chemistries—including a custom profile for use with Li-ion.

This remote panel is used for setting up and viewing current status and fault messages. Includes a 50' (15m) remote cable for easy installations.

Dimensions: 5.9 x 3.9 x 1.2" (149 x 98 x 31mm)

Battery Types: Flooded, Gel, AGM
Recommended Battery Capacity: 200-600 Ah
Protection: IP21
Approvals: UL458 and UL 1741 Supplement SA/CSA C22.2
Dimensions: 17.8 x 9.9 x 4.6" (453 x 251 x 116mm)

*DC Output Voltages are selectable.

PART NO.		INPUT	OUTPUT	WATTS
9103380	Inverter	10.5–15.5VDC	120VAC True Sine	2000
	Charger	90–132VAC	13.25–14.40VDC*	

PART NO.	MFG#	DESCRIPTION
9103380	36212000	Inverter/Charger
9103381	77010700	Remote Control LCD Panel, 12VDC

DC TO DC CONVERTERS



DC Master series DC to DC converters are designed for use in 'normal' applications, in a conditioned environment and they are suitable for non critical loads like radios, halogen lights, etc. Made for recreational and semi-professional use, ideal for active marine telephone use. Mounting Brackets, Screws and Fasteners are included.
Protection Rating: IP53

PART NO.	MFG#	DESCRIPTION
9838025	81400200	24 to 12VDC, 6A
9838026	81400300	24 to 12VDC, 12A
The Units below feature Galvanic Isolation to help prevent galvanic corrosion from stray electrical currents.		
9838040	81500200	24 to 12VDC, 6A
9838045	81500300	24 to 12VDC, 12A

MASS COMBI REMOTE DISPLAY



Guesswork is not good enough when it comes to the status of your power system. This is designed to read out the actual AC status of the Mass Combi Inverter / Charger and to limit the input current to prevent the external AC fuse from an overload situation. A remote connection cable (6m) is included with the delivery.

PART NO.	MFG#	DESCRIPTION
9103375	70405050	Remote Display

For the most up to date pricing, please visit maritimemarinesupply.ca/price

CENTAUR CHARGERS



victron energy
BLUE POWER

- Aluminum epoxy powder coated cases with drip shield and stainless steel fixings
- Circuit boards are protected with an acrylic coating for maximum corrosion resistance
- Temperature sensors ensure that power components will always operate within specified limits
- Universal 90-265V AC input voltage range & also suitable for DC supply (AC-DC and DC-DC operation)
- Three outputs that each can supply the full output
- Three-stage charging, with temperature compensation
- An internal temperature sensor is used to compensate the charge voltage with – 2 mV/ºC (– 1 mV/ºF) per cell
- A DIP switch is available to select the optimum charge/float voltages for Flooded Lead-acid, Gel or AGM batteries

5YEAR WARRANTY

Item No.	Model	Voltage VDC	Output Cont. Amp	Recommended Batteries Ah	Stud	Dimensions H x W x D in.
9936-140	12/20	12	20	80-200	M6	14 x 8.5 x 4.3
9936-141	12/30	12	30	120-300	M6	14 x 8.5 x 4.3
9936-142	12/40	12	40	160-400	M8	16.8 x 9.4 x 5.3
9936-151	12/60	12	60	240-600	M8	16.8 x 9.4 x 5.9
9936-143	12/80	12	80	320-800	M8	19.9 x 10 x 5.2
9936-190	12/100	12	100	400-1000	M8	19.9 x 10 x 5.2
9936-144	24/30	24	30	120-300	M8	16.8 x 9.4 x 5.3
9936-145	24/40	24	40	160-400	M8	19.9 x 10 x 5.2
9936-154	24/60	24	60	240-600	M8	19.9 x 10 x 5.2

PHOENIX BATTERY CHARGERS



Adaptive 4-stage charge characteristic: bulk – absorption – float – storage

- The Phoenix Charger features a microprocessor controlled 'adaptive' battery management system that can be preset to suit different types of batteries. The 'adaptive' feature will automatically optimise the process relative to the way the battery is being used.

Preventing damage due to excessive gassing: the BatterySafe mode

- If, in order to quickly charge a battery, a high charge current in combination with a high absorption voltage has been chosen, the Phoenix Charger will prevent damage due to excessive gassing by automatically limiting the rate of voltage increase once the gassing voltage has been rechead

To increase battery life: temperature compensation

- Every Phoenix Charger comes with a battery temperature sensor. When connected, charge voltage will automatically decrease with increasing battery temperature. This feature is especially recommended for sealed batteries and/or when important fluctuations of battery temperature are expected.

Battery voltage sense

- In order to compensate for voltage loss due to cable resistance, Phoenix Chargers are provided with a voltage sense facility so that the battery always receives the correct charge voltage.

Universal 90-265 V AC input voltage range and also suitable for DC supply (AC-DC and DC-DC operation)

- The chargers will accept a 90-400 V DC supply.

5YEAR WARRANTY

Computer interface

- Every Phoenix Charger is ready to communicate with a computer through its RS-485 data port. Together with our VE.Configure software, which can be downloaded free of charge from our website www.victronenergy.com and the data link MK2-USB, all parameters of the chargers can be customised.

Item No.	Model	Voltage DC	Charge Current (house batt.) A	Charge Current Starter batt.	Battery Capacity Ah	Studs	Dimensions H x W x D
9936-227	12/30	12	2 x 30	4	100-400	M6	13-3/4" x 7-7/8" x 4-1/4"
9936-228	12/50	12	2 x 50	4	200-800	M6	13-3/4" x 7-7/8" x 4-1/4"
9936-229	24/16	24	2 x 16	4	100-200	M6	13-3/4" x 7-7/8" x 4-1/4"
9936-230	24/25	24	2 x 25	4	100-400	M6	13-3/4" x 7-7/8" x 4-1/4"

PHOENIX CHARGER CONTROL



- Provides remote control and monitoring of the charge process with LED indication of the charger status
- Offers output current adjustment that can be used to limit the output current and thus the power drawn from the AC supply
- Can also be used to change the battery charging parameters
- **Connection requires standard UTP cable, sold separately**



5YEAR WARRANTY

PART NO.	MFG#	DESCRIPTION
9936-241	REC010001110	Phoenix Control
9936-235	ASS030064920	UTP Cable, Length, 3'
9936-236	ASS030065000	UTP Cable, Length, 16'
9936-167	ASS030065021	UTP Cable, Length, 50'

PHOENIX VE. DIRECT INVERTERS

SinusMax – Superior True Sine Wave Engineering



Developed for professional duty, the Phoenix range of inverters is suitable for the widest range of applications. The design criteria have been to produce a true sine wave inverter with optimized efficiency but without compromise in performance. Employing hybrid HF technology, the result is a top quality product with compact dimensions, light in weight and capable of supplying power, problem-free, to any load.

The VE.Direct port can be connected to:

- A computer (VE.Direct to USB interface cable needed)
- Apple and Android smartphones, tablets, and other devices (VE.Direct Bluetooth Smart dongle needed)

Fully configurable:

- Low battery voltage alarm trip and reset levels
- Low battery voltage cut-off and restart levels
- Dynamic cut-off: load dependent cut-off level
- ECO mode on/off and ECO mode sense level

Monitoring: In- and output voltage, % load and alarms

5YEAR WARRANTY

PART NO.	MFG#	DESCRIPTION
9936-250	PIN123750500	12V / 375W
9936-252	PIN121800500	12V / 800W
9936-262	PIN122122500	12V / 1200W
9936-254	PIN245010500	24V / 500W
9936-255	PIN241800500	24V / 800W
9936-256	PIN242122510	24V / 1200W

PHOENIX INVERTER CONTROL



- On/Off switch for Phoenix VE. Direct inverters
- Hardwired

5YEAR WARRANTY

PART NO.	MFG#	DESCRIPTION
9936-029	REC040010210R	Control

VE. BUS TO USB INTERFACE



- Use to connect the following products to a computer for configuration: Multi, MultiGrid, MultiPlus, Quattro, Inverter (only models with a VE.Bus communication port)

5YEAR WARRANTY

PART NO.	MFG#	DESCRIPTION
9936-248	ASS030140000	MK3-USB

PHOENIX INVERTERS – MODELS 3000



Virtually unlimited power thanks to parallel 3-phase and split phase operation capability

- **True Sinewave Output.**

5YEAR WARRANTY

Up to 6 units inverters can operate in parallel to achieve higher power output. Six 24/3000 units, for example, will provide 15 kW / 18 kVA output power. Operation in 3-phase or split phase configuration is also possible.

VE.Bus Capability

For parallel connection, connection to VE.Bus panels such as Blue Power panel, Colour Control GX, and other computerized monitoring.

Input	Output	Output VA		Dimensions
		Cont.	Peak	H x W x D in.
10.5–15.5 VDC, 120 VAC		3000	6000	14-5/16" x 10-/16" x 8-5/8"
21.0–31.0 VDC, 120 VAC		3000	6000	14-5/16" x 10-3/16" x 8-5/8"

PART NO.	MFG#	DESCRIPTION
9936-097	PIN123020100	Model 12/3000
9936-155	PIN243020100	Model 24/3000

PHOENIX INVERTER CONTROL

- For 3000W models only, with VE Bus interface
- On/Off control with LED indicators for overload, low battery and temperature



5YEAR WARRANTY



PART NO.	MFG#	DESCRIPTION
9936-105	REC030001210	Phoenix Inverter Control
9936-235	ASS030064920	UTP Cable, Length, 3'
9936-236	ASS030065000	UTP Cable, Length, 16'
9936-167	ASS030065021	UTP Cable, Length, 50'

For the most up to date pricing, please visit maritimemarinesupply.ca/price

victron energy
BLUE POWER



A powerful, waterproof and intelligent battery charger with a 7-stage adaptive charge algorithm, suitable for a wide range of battery types and chemistries featuring a dedicated Lithium-ion charge algorithm. The wide range universal input voltage adds flexibility to the installation, the charger will maintain its full output power no matter where it is located in the world. The IP65 rating makes this charger especially suitable for marine, mobile, and industrial applications and it can withstand the rigors of an adverse environment: heat, humidity and salt air.



A high charge current accompanied by high absorption voltage is used to charge a battery quickly. Skylla IP65 will prevent excessive gassing by automatically limiting the voltage increase once the gassing voltage has been reached.

5YEAR WARRANTY

Li-Ion (LiFePO4) ready

- Simple charger on-off control can be implemented by connecting a relay or open collector opto coupler output from a Li-Ion BMS to the remote control port of the charger. Alternatively complete control of voltage and current can be achieved by connecting to the CAN-bus port

Battery voltage sense

- In order to compensate for voltage loss due to cable resistance, the Skylla-IP65 is provided with a voltage sense facility so that the battery always receives the correct charge voltage.

To increase battery life: temperature compensation

- Every Skylla-IP65 comes with a battery temperature sensor. When connected, charge voltage will automatically decrease with increasing battery temperature. This feature is especially recommended for sealed lead-acid batteries and/or when important fluctuations of battery temperature are expected.

Use as a power supply

- As a result of the excellent control circuit, the Skylla-IP65 can be used as a power supply with perfectly stabilized output voltage if batteries or large buffer capacitors are not available.

LCD Display

- For status monitoring and to easily adapt the charge algorithm to a particular battery and its conditions of use.

Preventing damage due to excessive gassing: the BatterySafe mode

- If, in order to quickly charge a battery, a high charge current in combination with a high absorption voltage has been chosen, the Skylla-IP65 will prevent damage due to excessive gassing by automatically limiting the rate of voltage increase once the gassing voltage has been reached.

Item No.	Model	Input VAC	Output VOLT	Battery Charge Current	Dimensions H x W x D in.
9936-297	SKYLLA IP65 12/70 (3)	120/230 V	12	3 x 70 A	16 x 10,5 x 6 inch
9936-298	SKYLLA IP65 24/35 (3)	120/230 V	24	3 x 35 A	16 x 10,5 x 6 inch

MULTIPLUS-II 2X 120V INVERTER / CHARGER

victron energy
BLUE POWER



The MultiPlus-II 2 x120V is the perfect one-box mobile solution for standard North American 50A 120/240VAC split-phase applications. Whether it is supplied from shore power or a generator, the MultiPlus-II 2x120V can accept and passthrough both lines of a 120/240V supply, with the capability to utilize the full 50A for charging and AC loads. When connecting to a single phase 120V supply, the L1 input of the MultiPlus-II 2x120V will accept incoming power for charging and passthrough, while combining the L1 and L2 outputs for single-phase 120V on each line.

120/240V input and output, or 120V input and output (always 120V output when in inverter mode

The MultiPlus switches to inverter operation when no AC source is available. The inverter output is also 120V single phase. In inverter mode, the MultiPlus-II 2x120V internally connects both lines L1 and L2 together to provide 120VAC to loads on either output. Therefore, in all connection circumstances, both sides of a distribution panel will be supplied with 120V. However, 240VAC is only available when the MultiPlus is supplied by a split phase 120/240VAC source. This prevents heavy loads such as water heaters or 240V air conditioners from discharging the battery.

Two AC outputs

The main output has no break functionality. The MultiPlus takes over the supply to the connected 120V loads in the event of a grid failure or when shore/generator power is disconnected. The transfer time of the L1 output is less than 18 milliseconds so that computers and other electronic equipment will continue to operate without disruption. The transfer time of the L2 output is longer: approximately 40 milliseconds.

5YEAR WARRANTY

Item No.	Model	Input VDC	Output Watt		Battery Charge Current	Dimensions H x W x D in.
			Cont.	Peak		
9936-403	MultiPlus II 12/3000/120	9.5–17	2,400	5,500	120 A	23” x 11” x 6”
9936-404	Multiplus II 24/3000/70	19-33	2,400	5,500	70 A	23” x 11” x 6”
9936-405	Multiplus II 24/5000/12070	19-33	4,000	9000	120 A	27” x 13” x 7”

INVERTER/CHARGER – MULTIPLUS & QUATTRO

victron energy
BLUE POWER



5YEAR WARRANTY

Multifunctional, with intelligent power management

A powerful true sine wave inverter, a sophisticated battery charger that features adaptive charge technology, and a high-speed AC transfer switch in a single compact enclosure.

Virtually unlimited power thanks to parallel operation

Up to six Multis can operate in parallel to achieve higher power output. Six 24/3000/70 units, for example, provide 15kW/18kVA output power with 420 Amps of charging capacity.

Four stage adaptive charger and dual bank battery charging – (Multiplus only)

The main output provides a powerful charge to the battery system by means of advanced 'adaptive charge' software. The software fine-tunes the three stage automatic process to suit the condition of the battery, and adds a fourth stage for long periods of float charging. In addition to this, the MultiPlus will charge a second battery using an independent trickle charge output intended for a main engine or generator starter battery.

System configuring has never been easier

After installation, the MultiPlus is ready to go. If settings have to be changed, this can be done in a matter of minutes with a DIP switch setting procedure. Even parallel and 3-phase operation can be programmed with DIP switches: no computer needed! Alternatively, VE.Net can be used instead of the DIP switches. And sophisticated software (VE.Bus Quick Configure and VE.Bus System Configurator) is available to configure several new, advanced features.

Item No.	Model	Input VDC	Output Watt Cont.	Output Watt Peak	Battery Charge Current	Dimensions H x W x D in.
9936-173	Multiplus 12/2000/80	9.5–17	1,600	4,500	80 A	20" x 9-1/4" x 5-3/4"
9936-174	Multiplus 12/2000/80 Compact	9.5–17	1,600	4,100	80 A	20-1/2" x 10" x 4-7/8"
9936-138	Multiplus 12/3000/120	9.5–17	2,000	4,500	120 A	19" x 10-3/16" x 8-5/8"
9936-099	Quattro 12/5000/200	9.5–17	5,000	10,000	200 A	18" x 13-3/4" x 11"
9936-136	Multiplus 24/2000/50	19-33	1,600	3,500	50 A	20" x 9-1/4" x 5-3/4"
9936-175	Multiplus 24/2000/50 Compact	19-33	1,600	4,100	50 A	20-1/2" x 10" x 4-7/8"
9936-137	Multiplus 24/3000/70	19-33	2,500	6,000	70 A	19" x 10-3/16" x 8-5/8"
9936-139	Quattro 24/5000/120	19-33	4,250	7,500	120 A	17-1/2" x 13" x 9-1/2"

ORION DC-DC CONVERTERS

victron energy
BLUE POWER



5YEAR WARRANTY

- Remote on-off: The remote on-off eliminates the need for a high current switch in the input wiring. The remote on-off can be operated with a low power switch or by for example the engine run/stop switch (see manual).
- Adjustable output voltage: can also be used as a battery charger For example to charge a 12 Volt starter or accessory battery in an otherwise 24V system. (25 and 70A models only)
- Up to 5 units can connect in parallel increased output (25 & 70A models only)
- Input voltage: 18-35V
- Output voltage: 10-15V adjustable (models 25 & 70), 12V (model 40)

PART NO.	MFG#	DESCRIPTION
9936-168	ORI241225020	24/12 25 Amp
9936-169	ORI241240021	24/12 40 Amp
9936-176	ORI241270020	24/12 70 Amp

ISOLATION TRANSFORMERS

victron energy
BLUE POWER



5YEAR WARRANTY

- Eliminates any electrical continuity between AC shore power and the boat. It is essential for safety and eliminates the need for galvanic isolators and polarity alarms.
- Soft Start: A standard feature of a Victron Energy isolation transformer. It will prevent the shore power fuse from blowing due to the inrush current of the transformer, which would otherwise occur.
- 115/230VAC

PART NO.	MFG#	DESCRIPTION
9936-237	ITR040202041	2000W, 17A @ 115 VAC/8.5A @ 230 VAC
9936-238	ITR040362041	3600W, 32A @ 115 VAC/16A @ 230 VAC

For the most up to date pricing, please visit maritimemarinesupply.ca/price

DIGITAL MULTI CONTROL

victron energy
BLUE POWER





5YEAR WARRANTY

- Remote control and monitoring for Multi and Quattro models, ON/OFF inverter control and power control
- Set maximum generator or shore power current draw from 0–30 Amps; the Multi uses remaining AC loads for battery charging, preventing the generator or shore power from being overloaded
- **Connection requires standard UTP cable, sold separately**

PART NO.	MFG#	DESCRIPTION
9936-164	REC020005010	Multi Control
9936-235	ASS030064920	UTP Cable, Length, 3'
9936-236	ASS030065000	UTP Cable, Length, 16'
9936-167	ASS030065021	UTP Cable, Length, 50'

VE.NET BATTERY CONTROLLER

victron energy
BLUE POWER

5YEAR WARRANTY





- **Connection requires standard UTP cable, sold separately**

- Required when battery monitoring function is required for Blue Power Panel
- Constantly measures the battery voltage, battery current, and battery temperature, and uses this information to calculate the state of charge of your battery.

PART NO.	MFG#	DESCRIPTION
9936-239	VBC000300000R	Battery Control
9936-235	ASS030064920	UTP Cable, Length, 3'
9936-236	ASS030065000	UTP Cable, Length, 16'
9936-167	ASS030065021	UTP Cable, Length, 50'

COLOUR CONTROL GX

victron energy
BLUE POWER



5YEAR WARRANTY



The Colour Control GX (CCGX) provides intuitive control and monitoring for all products connected to it. The list of Victron products that can be connected is endless: Inverters, Multis, Quattros, MPPT 150/70, BMV-700 series, Skylla-i, Lynx Ion and even more.

VRM Online Portal

Besides monitoring and controlling products on the CCGX, the information is also forwarded to their free remote monitoring website: the VRM Online Portal. To get an impression of the VRM Online Portal, visit https://vrm.victronenergy.com, and use the 'Take a look inside' button. The portal is free of charge. See also the kWh dashboard screenshot further down in their datasheet."

PART NO.	MFG#	DESCRIPTION
9936-106	BPP010300100R	Colour Control GX

NEW

ORION DC-DC CONVERTER NON-ISOLATED, HIGH POWER

victron energy
BLUE POWER



This Orion High Power Converter has a remote on-off that can be operated with a low power switch or by the engine run/stop switch eliminating the need for a high current switch in the input wiring.

- Can also be used as a battery charger.
- Up to five units can be connected in parallel to increase output current.

Input: 9 – 18 Vdc
Output : 20 – 30 Vdc Adjustable
Continuous Output Current : 20 Amps

Dimensions : 7-1/2"H x 3-1/2"W x 2-1/2"Deep
195 x 88 x 65 mm

PART NO.	MFG#	DESCRIPTION
9936-421	ORI122420020	12/24 Vdc, 20 Amp

ORION-TR DC-DC CONVERTER – NOT ISOLATED

victron energy
BLUE POWER

5YEAR WARRANTY



- High efficiency using synchronous rectification, full load efficiency exceeds 95%
- Input voltage range: 18-35V
- Output voltage: 12.5V (12.7V for 5A model)

PART NO.	MFG#	DESCRIPTION
9936-215	ORI241205200R	5A, 60W
9936-216	ORI241210200R	10A, 120W
9936-217	ORI241220200R	20A, 250W
NEW! **9936-422**	ORI241240110	30A, 360W

ORION-TR DC-DC CONVERTER – ISOLATED

victron energy
BLUE POWER



5YEAR WARRANTY

- Remote on-off: The remote on-off eliminates the need for a high current switch in the input wiring. The remote on-off can be operated with a low power switch or by for example the engine run/stop switch (see manual).
- Adjustable output voltage: can also be used as a battery charger For example to charge a 12 Volt starter or accessory battery in an otherwise 24V system.
- All models are short circuit proof
- An unlimited number of units can be connected in parallel for increased output
- Input voltage: 16-35V
- Output voltage: 12.2V (nominal), 10-15V (adjustable)

PART NO.	MFG#	DESCRIPTION
9936-218	ORI241210110R	24/12V, 9A, 110W
9936-294	ORI121210110	12/12V, 9A, 110W

CERBO GX COMMUNICATION CENTER



Comm. Center





Touch Screen GX

This communication-centre allows you to always have perfect control over your system from wherever you are and to maximise its performance. Simply access your system via the Victron Remote Management portal, or access it directly, using the optional GX Touch screens, a Multi-Functional Display or VictronConnect app thanks to its Bluetooth capability.

- Instantly monitor the battery state of charge, power consumption, power harvest from PV, generator, and mains, or check tank levels and temperature measurements
- Easily control the shore power input current limit, (auto)start/stop generator or change any setting to optimise the system
- Follow up on alerts, perform diagnostic checks and resolve complications remotelyFour tank- and four temperature ports as well as 3 VE.Direct ports, 3 USB ports, 4 digital inputs and 2 relays allow you to expand control to a new level
- 5” or 7" Touch screen display gives an instant overview of your system and allows you to adjust settings

PART NO.	MFG#	DESCRIPTION
9936-287	BPP900451100	Comm. Center
9936-288	BPP900455050	5" GX Touch 50
9936-295	BPP900455070	7" GX Touch 70

NEW

ORION XS DC-DC CHARGER



The Orion XS 12/12-50A is built specifically for Dual Battery Systems powered by an intelligent alternator. Comprehensive electronic protection includes overload, short circuit and excessive temperatures. An unlimited number of units can be connected in parallel to increase output current.

- Engine shutdown detection
- Complete electronic protection
- Smart alternator compatibility
- Ingress protection rating IP65.

PART NO.	MFG#	DESCRIPTION
9936-420	ORI121217050	Charger, XS, 12Vdc to 12Vdc, 50 A
9936-423	ORI121217040	Charger, XS, 12Vdc to 12Vdc, 70 A

ORION TR SMART CHARGER



- Adaptive 3-stage charger with built-in Bluetooth
- The unit can be monitored and programmed via Bluetooth
- Unlimited multiple units can be connected to increase output power

PART NO.	MFG#	DESCRIPTION
9936-289	ORI121236120	12VDC/12VDC, 30A

BLUE SMART IP22 CHARGER



- With up to 94% efficiency, these chargers generate up to four times less heat when compared to the industry standard
- Bluetooth controlled adaptive 6-stage charge management: test - bulk – absorption - recondition – float – storage
- The adaptive feature will automatically optimize the charging process relative to the way the battery is being used
- 1 or 3 Outlet option.

PART NO.	MFG#	DESCRIPTION
9936-290	BPC123047102	1 Outlet, 12V/30A
9936-292	BPC241647102	1 Outlet, 24V/16A
9936-291	BPC123048102	3 Outlet, 12V/30A
9936-293	BPC241648102	3 Outlet, 24V/16A

BATTERY BALANCER



The Battery Balancer equalizes the state of charge of two series connected 12V batteries, or of several parallel strings of series connected batteries. When the charge voltage of a 24V battery system increases to more than 27V, the Battery Balancer will turn on and compare the voltage over the two series connected batteries.

5 YEAR WARRANTY

The Battery Balancer will draw a current of up to 1A from the battery (or parallel connected batteries) with the highest voltage. The resulting charge current differential will ensure that all batteries will converge to the same state of charge.

PART NO.	MFG#	DESCRIPTION
9936-110	BBA000100100	Battery Balancer 24V

For the most up to date pricing, please visit maritimemarinesupply.ca/price

BATTERY MONITOR



- Displays battery voltage, current, power, ampere-hours consumed, state of charge, remaining time at current state of discharge
- Programmable visual & audible alarm
- Programmable relay, to turn off non critical loads or to run a generator when needed

- 500 Amp quick connect shunt and connection kit
- VE. Direct communication port for connectivity to computer via VE. Direct to USB interface or to smart phones and tablets via Bluetooth Smart Dongle
- Stores a wide range of historical events, which can be used to evaluate usage patterns and battery health
- Wide input voltage range: 9,5 – 95V
- Standard 2" gauge cut-out and supplied with separate square bezel mounting option

PART NO.	MFG#	DESCRIPTION
9936-165	BAM010700000	Single Bank
9936-186	BAM010702000	Dual Bank
9936-107	BAM010702200R	Dual Bank, Black

BATTERY MONITOR
w/ Integrated Bluetooth



- Real time data and alarms can be displayed on Apple and Android smartphones, tablets, macbooks and other devices. Also use your smartphone to adjust settings.

(Phone not included)

PART NO.	MFG#	DESCRIPTION
9933-490	BAM030712000	Dual Bank

BATTERY MONITOR TEMP SENSOR



- Connects the battery to the BMV when temperature readings are desired

PART NO.	MFG#	DESCRIPTION
9936-108	ASS000100000	Sensor

LYNX POWER IN DC BUSBAR



- A modular DC busbar used to connect batteries to the Lynx DC distribution system

PART NO.	MFG#	DESCRIPTION
9936-400	LYN020102010	Lynx Power In

LYNX SHUNT VE.CAN



- The Lynx Shunt VE.Can is an intelligent 1000A shunt with location for a fuse (not included), the built-in battery monitor accurately monitors the state of charge of your battery. Use a GX device (e.g. Cerbo GX) for reading out the information. Part of the modular Lynx distribution system.

PART NO.	MFG#	DESCRIPTION
9936-401	LYN040102100	Lynx Shut VE. Can

LYNX DISTRIBUTOR



- A modular DC busbar with spaces for four DC fuses. It monitors the status of each fuse and displays its condition with an LED on the front. The Lynx Distributor is part of the modular Lynx distribution system

PART NO.	MFG#	DESCRIPTION
9936-402	LYN060102010	Lynx Distributor

SYSTEM WITH LYNX SHUNT, POWER IN, AND DISTRIBUTOR



VE.DIRECT BLUETOOTH SMART DONGLE



(Phone not included)

- With the VE.Direct to Bluetooth Smart dongle real time data and alarms can be displayed on Apple and Android smartphones, tablets, MacBooks and other devices. Also use your smartphone to adjust settings!

5YEAR WARRANTY

PART NO.	MFG#	DESCRIPTION
9936-109	ASS030536011	Bluetooth

BATTERY ALARM GX



- Small and low cost alarm panel which monitors your battery bank
- Features both audible and visual alarms, as well as a potential free contact with normally open and normally closed contacts
- Alarm thresholds and hysteresis are programmable by DIP switches

5YEAR WARRANTY

PART NO.	MFG#	DESCRIPTION
9936-240	BPA000100010R	Programmable

VE.DIRECT TO USB INTERFACE



- The VE.Direct to USB interface connects products with a VE.Direct connection to devices with a USB port, for example a computer.

5YEAR WARRANTY

PART NO.	MFG#	DESCRIPTION
9936-247	ASS030530010	USB

NEW

VE.DIRECT CABLE



VE.Direct cables connect two Victron Energy devices with VE.Direct ports, enabling direct data communication and system monitoring for components like battery monitors, solar charge controllers, and GX communication centers.

PART NO.	MFG#	DESCRIPTION
9936-415	ASS030530209	Cable, VE.Direct, 3 ft.
9936-416	ASS030530230	Cable, VE.Direct, 10 ft.

ARGO BATTERY COMBINER



- Used to guarantee continuous DC power to mission critical equipment, such as an electronic engine control system. With a Diode Battery Combiner two or more DC power sources can be used in parallel to supply the mission critical load. Failure of one source will not interrupt power to the critical load.

5YEAR WARRANTY

PART NO.	MFG#	DESCRIPTION
9936-261	BCD000802000	80A

ARGO BATTERY ISOLATORS



- Allows charging of two batteries from the alternator without connecting the batteries; discharging one battery will not discharge both.
- Low voltage drop thanks to the use of Schottky diodes
- Fitted with a compensation diode that can be used to slightly increase the output voltage of the alternator. This compensates for the voltage drop over the diodes in the isolator.
- Available in M6 or M8 Studded

5YEAR WARRANTY

- Features a special current limited energize input that will power the B+ when the engine run/stop switch is closed

PART NO.	MFG#	DESCRIPTION
9936-159	ARG080201000	M6 Studded, 80amp, model 80-2AC
9936-160	ARG120201020R	M8 Studded, 120amp, model 120-2AC
9936-296	ARG160201020	M8 Studded, 160amp, model 160-2AC

ARGO FET BATTERY ISOLATORS



- Allow charging of two or more batteries from one alternator without connecting the batteries together

5YEAR WARRANTY

- FET isolators have virtually no voltage loss (less than 0.02V) removing the need to increase alternator output voltage.
- Special current limited energize input that will power the B+ when the engine run/stop switch is closed
- M8 studded connections

PART NO.	MFG#	DESCRIPTION
9936-187	ARG100201020	2-banks/100 amp
9936-188	ARG200201020	2-banks/200 amp
9936-189	ARG200301020	3-banks/200 amp

CYRIX BATTERY COMBINERS



5YEAR WARRANTY

Excellent replacement for diode isolators with virtually no voltage loss.

- Intelligent battery monitoring to prevent unwanted switching: the Cyrix looks at the voltage trend (increasing or decreasing)
- Automatically adjusts to 12 or 24V systems
- Starter battery prioritization: senses that the starter batter has reached the connect voltage and engage the parallel charging of the other batteries.
- Can be activated with a remote switch for emergency starting

PART NO.	MFG#	DESCRIPTION
9936-177	CYR010120011	12/24V, 120 Amp
9936-178	CYR010230010	12/24V, 225 Amp
9936-170	CYR020400000	24/48V, 400 Amp

For the most up to date pricing, please visit maritimemarinesupply.ca/price

VENUS GX MONITOR





Venus allows you to talk to all components in your system and ensure they are working in harmony. Monitoring of live data, and changing settings is performed by using your smartphone (or other device) via our free-to-use Victron Remote Management Portal.

- Provides an instant overview of your system: Battery state of charge; present power consumption; power harvest from PV; power provision from mains/generator
- Allows remote user and installer login - from anywhere, at anytime. This powerful application also provides for hassle-free diagnostic checks and analysis of archived information
- Can be programmed to auto-start your generator - triggered by low-voltage; high-demand; or battery state of charge
- Supports Multis and Quattros, BlueSolar MPPT, SmartSolar MPPT, BMV-700, BMV-600
- For Multi and Quattra

PART NO.	MFG#	DESCRIPTION
9936-285	BPP900400100	System Monitor
9936-286	ASS000001000	Temp Sender

VE.BUS BATTERY MANAGE SYSTEM



The VE.Bus BMS protects each individual cell of a Victron lithium-iron-phosphate (LiFePO4 or LFP) battery. Each individual cell of a LiFePO4 battery must be protected against over voltage, under voltage and over temperature.

5YEAR WARRANTY

Victron LiFePO4 batteries have integrated Balancing, Temperature and Voltage control (acronym: BTV) and connect to the VE.Bus BMS with two M8 circular connector cord sets. The BTVs of several batteries can be daisy chained. .

The BMS will:

- Shut down or disconnect loads in case of imminent cell under voltage.
- Reduce charge current in case of imminent cell overvoltage or over temperature (VE.Bus products only, see below).
- Shut down or disconnect battery chargers in case of imminent cell overvoltage or over temperature. For Multi and Quattra

PART NO.	MFG#	DESCRIPTION
9936-163	BMS300200000	VE.Bus BMS

SMART BATTERY MANAGE CL12-100



The Smart BMS CL 12/100 is a Battery Management system for Victron lithium-iron-phosphate (LiFePO4) Smart Batteries. It has been specifically designed for 12V systems with a 12V alternator.

Monitors and protects each individual battery cell within the battery (or battery bank) and will disconnect the alternator, charge sources or DC loads in case of low battery voltage, high battery voltage or over temperature. Dedicated alternator input provides current limiting and one-way traffic from the alternator into the battery, this so any size alternator (and start battery) can be safely connected to the Smart Lithium battery or batteries. Also equipped with a remote on/off connector, to turn off via a remote switch, and a pre-alarm contact, to give a warning signal before the BMS will disconnect the batteries from the system.

PART NO.	MFG#	DESCRIPTION
9936-166	BMS110022000	Smart BMS CL 12/100
9936-249	ASS070200100	Cable to MultiPlus/Quatrro

SMARTSHUNT



9936-413 - 9936-278



9936-414

- All in one battery monitor, only without a display. Your phone acts as the display
- Connects via Bluetooth to the VictronConnect App on your phone (or tablet)
- Can be connected to a GX devise via VE.Direct cable
- For systems where battery monitoring is needed but less wiring and clutter is wanted

PART NO.	MFG#	DESCRIPTION
9936-413	SHU050130050	300A/50mV
9936-278	SHU050150050	500A/50mV
9936-414	SHU050210050	1000A/50mV

SMART BATTERY SENSE





Battery not included

- Battery voltage and temperature sensor for Victron MPPT Solar Chargers
- Battery temperature data is used to adjust the charge-voltages
- Attaches directly onto the battery-body using its self-adhesive strip

PART NO.	MFG#	DESCRIPTION
9936-280	SBS050150200	Smart Battery Sense

SMART BATTERY PROTECT







- Disconnects the battery from non-essential loads before insufficient power is left to crank the engine
- Use Bluetooth to program any required engage/disengage levels
- Can only deal with current in one direction, either current to a load, or current from a charger, but not both
- 12/24VDC

5YEAR WARRANTY

PART NO.	MFG#	DESCRIPTION
9936-281	BPR065022000	65Amp
9936-282	BPR110022000	100Amp
9936-283	BPR122022000	220Amp

BLUESOLAR PWM SOLAR CHARGE CONTROL



- Internal temperature sensor
- Three stage battery charging (bulk, absorption, float)
- Protected against over current
- Protected against short circuit

5YEAR WARRANTY

- Protected against reverse polarity connection of the solar panels and/ or battery
- With low voltage load disconnect output

PART NO.	MFG#	DESCRIPTION
9936-100	SCC010010000	10A 12/24V
9936-101	SCC010020110	20A 12/24V

MPPT CONTROL



- View live status information, including solar watts, battery voltage, charge current, load current and more
- View historical information:
- A. All-time values
- B. 30-day historical values
- MPPT setup
- Standard 2" gauge cut-out
- **Ve. Direct Cable Required**

5YEAR WARRANTY

PART NO.	MFG#	DESCRIPTION
9936-231	SCC900500000	MPPT Control
9936-232	ASS030530203	Ve Direct Cable, 1 ft
9936-233	ASS030530250	Ve Direct Cable, 16 ft
9936-234	ASS030530310	Ve Direct Cable, 32 ft

VE.CAN TO NMEA2000



- Used to integrate a Victron system with VE.Can onto a marine chart plotter through NMEA 2000 micro-C male cable
- Compatible brands include Garmin, Raymarine, B&G, Simrad, Lowrance as well as Furuno
- Connection can be made through the Cebro GX, Color GX and Venus GX

PART NO.	MFG#	DESCRIPTION
9936-251	ASS030520200	VE.Can to NMEA200 cable

VE.BUS SMART DONGLE



- VE.Bus Smart dongle is two products in one
- Bluetooth accessory for Victron's range of Multis, Quattros, Phoenix Inverters with a VE.Bus port

- When installed, use the VictronConnect app to monitor operation and also operate the system: change the input current limit as well as switch between Off, On and Charger-only modes
- Also works as Voltage & Temperature-sense device for the inverter/charger

PART NO.	MFG#	DESCRIPTION
9936-277	ASS030537010	VE.BUS Smart Dongle

BLUE SOLAR MPPT SOLAR CHARGE CONTROLLER



- Ultra-fast Maximum Power Point Tracking (MPPT)
- Advanced Maximum Power Point Detection in case of partial shading conditions
- Load output on the small models
- Battery Life: intelligent battery management by load shedding
- Automatic battery voltage recognition

5YEAR WARRANTY

- Flexible charge algorithm
- Over-temperature protection and power de-rating when temperature is high
- VE. Direct communication port for connectivity to computer via VE. Direct to USB interface or to smart phones and tablets via Bluetooth Smart Dongle

PART NO.	MFG#	DESCRIPTION
9936-102	SCC010015050R	75 PV – 15 Amp
9936-103	SCC020030200	100 PV – 30 Amp
9936-104	SCC020050200	100 PV – 50 Amp
9936-108	ASS000100000	BluetoothTM smart dongle
9936-247	ASS030530010	VE. Direct to USB interface

SMART SOLAR CHARGER CONTROLLER WITH BUILT-IN BLUETOOTH



- Bluetooth Smart built-in: enables set-up and monitoring with a smart phone or other Bluetooth enabled device
- Ultra-fast Maximum Power Point Tracking (MPPT)
- Advanced Maximum Power Point Detection in case of partial shading conditions

5YEAR WARRANTY

- Load output on the small models
- Battery Life: intelligent battery management by load shedding
- Automatic battery voltage recognition
- Flexible charge algorithm
- Over-temperature protection and powerde-rating when temperature is high

PART NO.	MFG#	DESCRIPTION
9936-263	SCC075015060R	75 PV – 15 Amp, 12/24V
9936-264	SCC110030210	100 PV – 30 Amp, 12/24V
9936-284	SCC110020160R	100PV – 20Amp, 12/24V
9936-123	SCC110050210	100 PV – 50 Amp, 12/24V
9936-124	SCC115045212	150 PV – 45 Amp, 12/24V
9936-265	SCC115110411	150 PV – 100 Amp, 12/48V
9936-247	ASS030530010	VE. Direct to USB interface

BLUE SMART BATTERY CHARGERS WITH BUILT-IN BLUETOOTH



(Phone not included)

- Water, dust and chemical resistant
- Seven step smart charge algorithm
- Recovery of fully discharged 'dead' batteries
- Automatic power supply function
- Severe cold performance: down to -30°C
- Several other battery life enhancing features
- Low power mode to charge smaller batteries
- Li-ion battery mode
- Setup and configure, readout of voltage and current by Bluetooth Smart

5YEAR WARRANTY

PART NO.	MFG#	DESCRIPTION
9936-257	BPC120731104R	12V / 7A
9936-258	BPC121031104R	12V / 10A
9936-259	BPC121531104R	12V / 15A
9936-260	BPC240831104R	24V / 8A

For the most up to date pricing, please visit maritimemarinesupply.ca/price

COBRA INVERTERS

- Built with Pentagon Protection to give you 5 levels of protection against failures—thermal shutdown, reverse polarity, over-voltage, low voltage shutdowns, and a low voltage alarm.
- All power outlets are CFGI protected.
- Equipped with a 3.0 Amp USB-A / USB-C Fast Charge ports you can conveniently charge your smartphone, tablet and other portable devices
- When used with the Remote On/Off Controller, will support the Remote's Fast Charge and Audible Alarm features as well as turn the inverter ON when in OFF mode.
- The 400PSW provides a Pure Sine Wave output with a clean electrical current to ensure your critical medical and sensitive electronic devices operate properly.
- The 500W is ideal for entertainment devices and small appliances
- The 1500W PRO is ideal for entertainment devices and small kitchen appliances
- The 2500W PRO and 3000W PRO are ideal for most electronic device, power tools and appliances



Model	Pure Sine 400W	Power 500W	PRO 1500W	PRO 2500W	PRO 3000
Part Number	9103542	9103541	9103588	9103593	9103594
MFG#	CPI400PSW	CPI500W	CPI1500W	CPI2500W	CPI3000W
Output Waveform	Pure Sine	Modified Sine	Modified Sine	Modified Sine	Modified Sine
Continuous / Peak Power	400W / 800W	500W / 1000W	1500W / 3000W	2500W / 5000W	3000W / 6000W
Efficiency Rating	90%	90%	90%	90%	90%
Input Voltage	10.5 – 15.0 VDC	10.5 – 15.0 VDC	10.5 – 15.0 VDC	10.5 – 15.0 VDC	10.5 – 15.0 VDC
Output Voltage	115 VAC 60 Hz	115 VAC 60 Hz	115 VAC 60 Hz	115 VAC 60 Hz	115 VAC 60 Hz
Output Current	3.4 A, 400W	4.3 A, 500W	13.0 A, 1500W	21.7 A, 2500W	26.1 A, 3000W
Low Voltage Alarm	10.5 VDC	10.5 VDC	11.5 VDC, 10.5 Selectable	11.5 VDC, 10.5 Selectable	11.5 VDC, 10.5 Selectable
Low Voltage Cut-Off	9.5 VDC	9.5 VDC	10.5 VDC, 9.5 VDC Selectable	10.5 VDC, 9.5 VDC Selectable	10.5 VDC, 9.5 VDC Selectable
Volt / Watt Meter	2-Colour LED	2-Colour LED	7-Segment LED Display	7-Segment LED Display	7-Segment LED Display
Pentagon Protection	Yes	Yes	Yes	Yes	Yes
AC Outlets, GFCI	2	2	4	4	4
USB A & C / Fast Charge	5V-3.0A / 9V-1.67A	5V-3.0A / 9V-1.67A	5V-3.0A / 9V-1.67A	5V-3.0A / 9V-1.67A	5V-3.0A / 9V-1.67A
12V Acessory Cable	Yes	Yes	-	-	-
Direct to Battery Cables	16", #12 AWG	16", #10 AWG	48", #4 AWG (1xRed, 1xBlk)	48", #4 AWG (2xRed, 2xBlk)	48", #2 AWG (2xRed, 2xBlk)
cETL Certified	-	-	Yes	Yes	Yes
Remote	Ready	Ready	Ready	Ready	Included
Weight	1.98 Lbs	1.41 Lbs	3.85 Lbs	5.73 Lbs	7.83 Lbs
SIZE H x W x D	8.86" x 5.39" x 2.83"	7.01 x 5.39" x 2.83"	3.46" x 8.35" x 9.84"	3.74" x 8.94" x 11.5"	4.72" x 10.47" x 13.1"

INVERTER REMOTE CONTROL



- View and control On/Off status on all Cobra inverters and Operating status on the 1500W and higher models
- Remote module has USB-A and USB-C fast charge ports on the front face
- Dimensions: 3.35" Diameter, 1.46" Deep

Included:

- 15 Ft. RJ-45 Cable
- Clip Mount
- (2) M3.5 Screws for Flush or Keyhole Mounting
- Quick Start Guide

PART NO.	MFG#	DESCRIPTION
9103596	CPIALCDG1	Remote Control

SAM SERIES MODIFIED SINE WAVE INVERTER



- Compact design, load controlled cooling fan for cool surface
- Low battery input alarm
- 100 to 800W include USB charging port
- 1000 to 3000W models have remote option
- Remote sold separated

PART NO.	MFG#	DESCRIPTION
9936-111	SAM-100-12	12VDC- 100Watt
9936-112	SAM-250-12	12VDC-250Watt
9936-113	SAM-450-12	12VDC- 450Watt
9936-114	SAM-800-12	12VDC-800Watt
9936-115	SAM-1000-12	12VDC- 1000Watt
9936-116	SAM-1500-12	12VDC-1500Watt
9936-117	SAM-2000-12	12VDC-2000Watt
9936-118	SAM-3000-12	12VDC-3000Watt
9936-119	SAM-RC	Remote with 10ft Cable

NTX PURE SINE INVERTER



- Samlex Hypersurge allows the inverter to support a longer duration of surge when starting demanding loads with motors
- High efficiency and very low idle current
- 1000W, 1500W & 2000W models feature 2x GFCI protected outlets
- 3000W uses 1x 30 Amp locking AC outlet with built-in GFCI protection
- Low noise load and temperature controlled variable speed fan for quiet operation
- LCD Remote Control NTX-RC included with all models

PART NO.	MFG#	OUTLET	DESCRIPTION
9936-180	NTX-1000-12	GFCI	12VDC, 1000W
9936-181	NTX-1500-12	GFCI	12VDC, 1500W
9936-182	NTX-2000-12	GFCI	12VDC, 2000W
9936-183	NTX-3000-12	30A LOCK	12VDC, 3000W
9936-184	NTX-RC		Remote

SEC SERIES BATTERY CHARGERS



- High efficiency, commercial grade, lightweight, quiet operation
- User selectable 2 or 3 stage charging
- 120 or 230 VAC, 50/60 Hz
- Voltage meter display – Ammeter and LED power status
- Use as a power supply or DC UPS
- Universal Protection Circuit – short circuit, overload, reverse battery polarity

PART NO.	MFG#	DESCRIPTION
9936-206	SEC-1215UL	12VDC, 15amp
9936-207	SEC-1230UL	12VDC, 30Amp
9936-208	SEC-1250UL	12VDC, 50Amp
9936-209	SEC-1280UL	12VDC, 80Amp
9936-211	SEC-2415UL	24VDC, 15Amp
9936-212	SEC-2425UL	24VDC, 25Amp
9936-213	SEC-2440UL	24VDC, 40Amp
9936-214	900-RC	Remote with 33ft Cable

EVO INVERTER/CHARGER PURE SINEWAVE



- 3 or 4 stage batt charging with equalization, assess condition of the batt
- Operates at 165 million instructions per second producing lightning fast load and response times
- Will detect fault conditions and initiate a healthy shutdown before any product damage can be done
- Uses five temperature sensors placed throughout the unit to determine operation of 2 speed controlled cooling fans

PART NO.	MFG#	DESCRIPTION
9936-266	EVO-1212F	12v 60 Amp charger
9936-242	EVO-2212	12v 2200W, 100 Amp charger
9936-243	EVO-3012	12v 3000W, 130 Amp charger
9936-244	EVO-2224	24v 2200W, 70 Amp Charger
9936-245	EVO-4024	24v 4000W, 110 Amp Charger

EVO PLUS REMOTE



- Intelligent remote control designed specifically for use with Samlex Evo's
- View real-time activity on the alpha numeric LCD display
- 4 rows of 20 characters alpha numeric LCD display for messaging
- SD slot to monitor historical data

PART NO.	MFG#	DESCRIPTION
9936-267	EVO-RC-PLUS	Evo Plus Remote with 33ft Cable

EVO CONTROLLER



- Can be used to capture detailed EVO performance data
- Records all detected faults and the conditions leading up to them
- Data is stored on a removable 16GB SD Card to analyze trends for more efficient use of system

PART NO.	MFG#	DESCRIPTION
9936-246	EVO-RC	Evo Controller with 33ft Cable

SSW SERIES PURE SINE WAVE INVERTER



- High performance, high surge power (2X)
- True sine wave output for sensitive loads
- Samlex "Soft Start" & "Low Interference" technology
- 2 three prong outlets
- 350 and 600W have USB charging port

PART NO.	MFG#	DESCRIPTION
9936-193	SSW-350-12A	12VDC, 350 Watt
9936-194	SSW-600-12A	12VDC, 600 Watt

PORTABLE 12VDC SOLAR TRICKLE CHARGERS



- Plug into any connected 12V lighter socket to begin trickle charging your battery
- Extends the life of your batteries, save on replacement costs
- Slim,compact & weatherproof, won't rust!
- Comes with 10 ft of weather resistant cable and a standard cigar lighter plug

PART NO.	MFG#	DESCRIPTION
9936-198	SC-05	12v 0.3Amps
9936-199	SC-10	12v 0.6Amps

For the most up to date pricing, please visit maritimemarinesupply.ca/price

CHARGEPRO™

Guest On-Board Battery Chargers

For 12, 24, 36 and 48 volt systems (model specific)

Guest On-Board battery chargers have been redesigned from the inside out with the customer in mind. Our newest generation On-Board Marine battery chargers include leading advancements in digital charging technology and waterproof design/construction. Designed to maximize individual battery performance, extend battery life and show battery status better than ever before.

Every Guest charger has a dedicated output that delivers the full amount of amps per bank. The easy to read graphics indicates the status of each battery bank through the charging process.

ChargePro's low profile flangeless extruded aluminum housing is sealed by gaskets with heavy duty end caps for 100% waterproof performance to IP67. This new construction design delivers an increase in charging and thermal management performance. The new ChargePro Series is up to 40% lighter while increasing durability and ease of installation over prior generations of older technology epoxy filled plastic body chargers.

- All high frequency, digital charging technology
- Microprocessor and software control for precision, fully automatic 5-stage performance charging
- Fully automatic 5-stage performance charging
- Dedicated battery charging, sensing and control per bank
- Individual battery sensing and control
- Expanded LED charge status monitor
- Wiring and battery fault detection
- Auto-maintain energy saver mode
- Up to 40% lighter
- 100% Waterproof (IP67) and shock resistant for all fresh and saltwater applications
- All models are pre-wired for easy installation
- For 12 volt flooded and AGM lead acid batteries
- Built-in safety: reverse polarity, over-current, over-voltage, over-temperature and ignition protection. In-line fuses for maximum DC wire protection.
- 2 year warranty



2713A



2711A



2708A

Please Note: Not for use with high capacity 4D and 8D battteries.



Expanded LED Display



Battery fault detection LEDs


Heavy-Duty strain reliefs


In-line safety fuses


NEMA 5-15P Plug



DC Voltage	12	12/24V	12	12/24	12/24/36	12/24	12/24/36	12/24/36/48
AC Volts	90 - 135VAC at 50 / 60 Hz							
Bank	1	2	1	2	3	2	3	4
Amps/Bank	5	4	10	5/5	5/5/5	10/10	10/10/10	10/10/10/10
Size (in)	7.5 x 2.4 x 7.2	7.5 x 2.4 x 9.0	7.5 x 2.4 x 9.0	7.5 x 2.4 x 9.0	7.5 x 2.4 x 12.9	7.5 x 2.4 x 12.9	9.0 x 4.1 x 8.7	9.0 x 4.1 x 8.7
Weight (lb)	3.2	4.5	4.2	4.7	6.7	6.6	8.0	8.5
MFG#	2708A	2707A	2710A	2711A	2713A	2720A	2731A	2740A
Part No.	**9104130**	**9933-425**	**9104132**	**9104133**	**9104135**	**9104136**	**9104139**	**9104140**

PACIFIC SERIES BATTERY CHARGER



9104022
25A



9104042
40A



9104099
Remote Display

The Pacific series will charge a mix of Flooded, Gel and AGM batteries in the same system by adjusting the absorption and float voltages to compensate for the varying charge profiles of the different battery types. The Pacific series will perform advanced multi-stage charging & battery health checks on a weekly basis when batteries are stored or not used for extended periods of time. The rugged cast aluminum case is finned for maximum heat dissipation and efficiency. The Pacific series has an easy to read multi-language display to simplify set up, monitoring and diagnostic functions. An optional Remote Display is available for monitoring all charger functions from any convenient location.

- **Number of Outputs:** 3
- **Maximum Output Voltage:** 15.9VDC
- **Output Voltage Accuracy:** 0.05VDC
- **Input Voltage Range:** 90VAC to 265VAC
- **Operating Temperature Range:** -40°C to 85°C
- **Storage Temperature Range:** -55°C to 125°C
- **Dimensions:** 13"H x 8.5"W x 4"D
- **Remote Display:** 4.15"W x 3.01"H (105.41 x 76.45mm)

PART NO.	MFG#	DESCRIPTION
9104022	7531-BSS	12VDC, 25A
9104042	7532-BSS	12VDC, 40A
9104099	7520-BSS	Remote Display

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

BATTERYLINK 2-BANK AC CHARGER



Charge two batteries at once with this 20A BatteryLink multistage charger. It uses a 3-stage automatic charging profile. It will automatically start charging in full current mode, then switch to a trickle charge mode, then to a maintenance mode.

When the Battery Temperature Sensor is installed, the BatteryLink multistage charger will adjust its charging output to compensate for cold and hot temperatures. The BatteryLink multistage charger also has an integrated 65A Automatic Charging Relay (ACR) to combine 2 batteries for charging, but leave them isolated during discharge. Will provide an Emergency Jump Start with a Maximum of 850 CCA.
Ignition protected. Rated IP67.

- **Universal AC Input Voltage:** 90-265VAC
- **Battery Types:** AGM/Flooded/TPPL
- **Recommended Battery Bank Sizes:** 60Ah Minimum

Dimensions: 6.7"W x 4.4"H x 2.2" Deep (170 x 111 x 54mm)
Remote Status Display and Battery Temperature Sensor are included.

PART NO.	MFG#	DESCRIPTION
9104023	7608-BSS	Charger, 20A, 12V, 2 Bank

BATTERYLINK CHARGER



The Blue Sea BatteryLink charger will let you charge two batteries at or away from the dock with a 10A multistage battery charging system and an integrated 65A Automatic Charging Relay (ACR). It has Start Isolation circuitry to protect sensitive electronics from voltage Sags and Spikes. It has battery temperature compensation circuitry to prolong battery life and it includes an LED remote indicator to display charge status at the helm.

AC charging at the dock: Use AC shore power to charge two isolated battery banks with the 3 Stage 10A battery charger.
DC charging away from the dock: Share the DC power from the alternator with both the Start and the Auxiliary battery through the integrated 65A ACR.

Specifications:

- **Universal AC Input Voltage:** 90-265VAC
- **Number of Outputs:** 1 negative, 2 positive
- **Nominal Voltage:** 12VDC
- **Operating Current:** 10mA ACR Open, 60mA ACR Closed
- For Alternators up to 65A
- **Maximum Battery CCA:** 850CCA
- Recommended Battery Bank Sizes 60Ah Min
- Battery Types AGM, Flooded, TPPL.
- **Do Not Mix Battery Types.**

The BatteryLink Charger Kit includes an m-Series Dual Circuit Plus Battery Switch for switching two battery banks simultaneously while maintaining battery bank isolation and for combining two battery banks in the event of a low start battery.

PART NO.	MFG#	DESCRIPTION
9104017	7605-BSS	Charger, 10A, 12V, 2 Bank
9104020	7655-BSS	Charger & Switch Kit

PROSPORT HD SERIES BATTERY CHARGERS

ProSport HD Generation 4 boasts a tri-surface heatsink design. This heavy-duty, lightweight design delivers significantly faster charging through optimal cooling, while delivering true rated amp output during charge mode.

ProSport HD's enhanced microprocessor and software provides digital features including: fuel gauge style charge completion monitor, charge mode, individual fault indicators and three digitally selectable performance charge profiles for flooded (lead acid), AGM and Gel batteries. HP AGM profile on ProSport HD 20 Dual only. **Factory set for flooded/lead-acid batteries.**

Fully automatic 5-stage digital charging enhances battery performance while extending battery life. System check OK and battery status indicators provide real time installation and battery fault status.



44008

Features Include:

- ProMar Digital Technology Microprocessor and software controlled charging technology
- Distributed-On-Demand technology 100% of all available charging amps are utilized by distributing unused charging amps to any one or combination of all batteries as needed
- Heavy duty tri-surface extruded heat sink
- Expanded LED display with completion status gauge LED fuel gauge style completion status
- Lightweight design up to 40% lighter compared to an epoxy filled charger
- Auto-maintain energy saver mode monitor
- Certified to Marine UL 1236. CEC and DOE listed. FCC Class B
- **Battery Type:** Group 24–31 Flooded, AGM, HP AGM and Gel batteries
- 3 Year Warranty



44020

ProMariner™

Energy Saving

IP67 Waterproof

D2™ Distributed-on-Demand Technology



Molded Strain Reliefs



Tri-surface Heat Sink Design



Charge Mode & Completion Guide
Red indicator for low battery and transitions to green during charging process.



System Check OK and Dual Mode Battery Status
Red fault indication during analyze mode for user wiring or battery attention. Green indication as each battery becomes fully charged and is monitored off line.



Pre-wired with Waterproof Inline DC Fuses
Industrial grade jacketed DC cables, SJTOW outdoor rated AC power cable for maximum wiring protection. Dual inline safety fuses.

	PROSPORT HD 6	PROSPORT HD 8	PROSPORT HD 12	PROSPORT HD 20	PROSPORT HD 20+
MFG#	44006	44008	44012	44020	44021
					
PART NO.	9104150	9104151	9104152	9104153	9104154
VOLTAGE	12VDC	12/24VDC	12/24VDC	12/24VDC	12/24/36VDC
AMPS	6	8	12	20	20
BANKS	1	2	2	2	3
SIZE	7.9" x 7.7" x 2.9"	7.9" x 8.9" x 2.9"	7.9" x 10.5" x 2.9"	7.9" x 12.8" x 2.9"	7.9" x 12.8" x 2.9"
WEIGHT	3.8 lbs.	5.2 lbs.	6.0 lbs.	7.2 lbs.	7.8 lbs.

PROSPORT BATTERY MAINTAINER

ProMariner™

A fully automatic battery maintainer and charger is designed for Charging 12VDC lead acid (sealed & vented) batteries up to 40A hours and Maintaining batteries up to 150A hours.



Weatherproof, water resistant to IP 65 and can be used in all fresh and salt water outdoor and indoor applications as needed. ProSport's Energy Saver mode will monitor and auto maintain a battery when needed to maintain a full state of charge and significantly reduce AC Power consumption. Ideal for personal watercraft, recreational ski and wake boats, ATV's, tractors and more during short or long term storage periods.

Specifications:
AC Input: 120VAC +/- 10%, 60 Hz
AC Cable: 6' with 3 wire/ NEMA 5-15P Plug
Output: 12VDC / 1.5A, Monitored Float Range: 12.9VDC to 13.4VDC
Dimensions: 5"H x 5.75"W x 1.97" Deep

PART NO.	MFG#	DESCRIPTION
9104005	44001	12VDC, 1.5A, Maintainer / Charger

BATTERY MAINTAINER

MARINCO



- Charge batteries 1.2 Ah to 40 Ah, maintain batteries 1.2Ah to 125 Ah
- Energy savings mode automatically shuts off the charger when the battery is charged, then periodically monitors the battery and turns back on when the battery falls below 12.9V
- Maintainer can safely stay connected to the battery for long periods of time
- LEDs let you know when the Power is ON, battery is being charged and when charging is complete

PART NO.	MFG#	DESCRIPTION
9933-491	2701A	1.5 AMP

PRONAUTIC "P" SERIES DIGITAL ELECTRONIC CHARGERS

ProMariner™



12 digitally controlled performance charge profiles is Power Factor Corrected allowing all models to operate off a standard household power connection. Dual digital displays for real-time display of actual charging voltage and amperage.

60A Model Shown

AC power-on diagnostics with pass or fail status in addition to discreet fault indication for miswiring or adverse battery bank conditions. Energy Conservation mode will automatically lower the float (maintain) voltage when no change in load is detected yielding less power consumption and stress on fully charged batteries. Automatically recondition batteries every 21 days to maximize battery life. Use with our ProIsoCharge Series and a boat owner can enjoy the full benefit of shore power and on the water charging.

PART NO.	MFG#	DESCRIPTION
9104024	63110	10A 12V
9104027	63120	20A 12V
9104035	63130	30A 12V
9104036	63180	30A 24V
9104046	63140	40A 12V
9104051	63150	50A 12V
9104060	63160	60A 12V

MARINCO ON-BOARD BATTERY CHARGERS

MARINCO



Marinco's ChargePro multi-stage battery chargers are microprocessor controlled to sense the power needs of each battery to help extend battery life. They can charge both flooded and AGM batteries. Isolated outputs can be wired in series or parallel.

Chargers are completely sealed in a non-corroding housing and epoxy-filled to attain an IP68 waterproof rating. Meet UL, CE, CSA, and ABYC regulations. Moisture, salt, shock and vibration tested to withstand the harsh marine environment.

Specifications:	9104007	9104009
Input Voltage:	100 - 240VAC 50/60 Hz	
Max. Input Amps:	2.0A	2.5A
Banks:	1	2
Output Voltage:	12VDC	12/24VDC
Charging Current:	6A	10A
	(6)	(5/5)

6/10A chargers include 6' (1.8m) AC cable and 4' (1.2m) DC cable.
20/30A chargers include 6' (1.8m) AC cable and 6' (1.8m) DC cable.

PART NO.	MFG#	DESCRIPTION
9104007	28106	Battery Charger, 6A
9104009	28210	Battery Charger, 10A

REMOTE BATTERY BANK MONITOR

ProMariner™



ProMariner's Easy to read Universal Remote Battery Bank Status Monitor can be conveniently located to monitor the charge status of up to three 12V batteries without having to access the charger. The Monitor may be surface or flush mounted and connects directly to the batteries with a pre-wired 10' cable harness.

Will work in conjunction with any ProMariner charger. **Dimensions:** 2.4x 3.6x 0.75 (0.2 Flush Mount)

PART NO.	MFG#	DESCRIPTION
9104097	51060	Battery Bank Monitor

ProMariner™

MARINE



RV

INDUSTRIAL

SPECIALTY VEHICLE

For the most up to date pricing, please visit maritimemarinesupply.ca/price

ProMariner™

TRUE POWER PLUS MARINE POWER INVERTERS

ProMariner™



Designed to convert 12 VDC battery power to 115 VAC and automatically pass through AC Inlet power when present.

P.S.
Pure Sine Wave

Rich with features including; Innovative dual color digital LCD message center, dual color gauges for AC power output and battery DC input, USB power port, GFCI convenience outlets, DC cable covers, and separate on/off remote. Integrated AC cable strain reliefs and front screw connection terminal blocks allow for quick and easy installation without the need for ring terminals for AC power connections. Designed with soft start noise filtered technology and x2 surge capability for powering demanding loads. Shock resistant construction with internal conformal coated electronics for protection in harsh environments.



The **TruePower Plus Display**



The **TruePower Plus Remote** (included)

Pure Sine AC power for high fidelity audio visual systems, in addition to appliances with hysteresis and variable motor speed controls like washing machines and refrigeration etc.

PART NO.	MFG#	DESCRIPTION
9103201	07100	1000W, Pure Sine Wave

TRUE POWER PLUS MARINE POWER INVERTERS

ProMariner™



Designed to convert 12 VDC battery power to 115 VAC and automatically pass through AC Inlet power when present.

M.S.
Modified Sine Wave

Innovative dual color digital LCD message center, dual color gauges for AC power output and battery DC input, USB power port, GFCI convenience outlets, DC cable covers, and separate on/off remote. Integrated AC cable strain reliefs and front screw connection terminal blocks allow for quick and easy installation . Shock resistant construction with internal conformal coated electronics for protection in harsh environments.



The **TruePower Plus Display**



The **TruePower Plus Remote** (included)

Modified Sine Wave AC power for primarily resistive loads like coffee makers, toasters, grills, and more

PART NO.	MFG#	DESCRIPTION
9103110	06120	1200W, Modified Sine Wave
9103111	06150	1500W, Modified Sine Wave

PRO SPORT CUP HOLDER DESIGN INVERTER

ProMariner™



Converts 12V battery power to 110VAC up to 150W. Extruded aluminum case. Power/status LED indicators. High surge capacity. Standard 110VAC receptacle. Output short and Input Polarity protection. Low battery shut down. Over-temperature and overload protection.

PART NO.	MFG#	DESCRIPTION
9103025	79018	Pro Sport

ProMariner™









MAGNASINE PURE SINE INVERTER CHARGER HYBRID

MAGNUM ENERGY



The MSH-M Series Inverter/Charger from Magnum Energy is a Pure Sine Wave inverter designed with true hybrid technology allowing it to run larger loads from smaller generators.

Hybrid technology: Most inverters only use one source of energy to power loads, either from incoming AC shore Power, or an AC generator and from the batteries. The MSH-M Series combines the energy from either AC source and the batteries to power loads. This allows the inverter to recharge the batteries when there is surplus power or deliver more power to the loads if they require more than the AC input can supply by itself.

Dimensions: 13.75" x 12.65" x 8" 3 Year Warranty

Mfg #	Power	Peak Watts	Input	Output	Output Current/ Peak Amps	Output Frequency
MSH3012M	3,000W	3,900W	12VDC	120VAC	25/70	60 Hz

PART NO.	MFG#	DESCRIPTION
9102150	MSH3012M	Inverter/Charger, 12V, 3000W

MAGNUM INVERTER CHARGER REMOTE



The ME-RC Remote is designed to be simple to use while offering multiple functions in one place. The large LCD screen and LEDs display the inverter/charger status in a straight forward way.

Soft keys give simple access to menus and a rotary encoder knob makes it easy to quickly scroll through menus and select settings. The ME-ARC Remote features the same options as the ME-RC, along with advanced features Such as a Favs button for storing up to five of your favorite setup menus, a Control button for fast easy control of the inverter, charger, and generator, a meter button with AC and DC meters with advanced setup and tech menus. Includes a 50' cable.

Overall Dimensions: 5-1/2" x 3-1/2"

PART NO.	MFG#	DESCRIPTION
9102310	ME-ARC50	Remote Control, Advanced

PROISO CHARGE SERIES

ProMariner™



1-2 BANK



1-3 BANK

- Interrupts galvanic current flow with other boats at a marina when installed on a boat which is connected to AC shore power
- Installs easily and does not require a dedicated monitor to verify the operational status of the galvanic isolator
- Ignition Protected, can be mounted within an engine compartment
- Use 30amp for 1 shore power cone
- FS30 used for 1x 30amp shore power connection
- FS60 used for 1x 50amp or 2x 30amp shore power connection

PART NO.	MFG#	DESCRIPTION
9105120	23121	120, 1-2 Bank, 12V
9105122	23122	180, 1-2 Bank, 12V
9933-533	23123	250, 1-2 Bank, 12V
9105125	23126	250, 1-3 Bank, 12V

BATTERY CHARGER / MAINTAINER

Cobra





The Cobra Battery Charger 2A has multiple charging modes designed to handle a wide range of battery types and voltages. It's the smart power solution to keep your batteries safely charged and maintained so that they are ready when you are.

- Switches between charging and maintenance modes.
- Supports 6V and 12Vdc batteries.
- Charges multiple battery types, including Lead Acid, Wet Cell, Gel Cell, AGM, and Lithium-ion.
- Built-in safety measures for overcharge and reverse polarity.
- LED lights give clear and easy feedback as to the current charging status.

PART NO.	MFG#	DESCRIPTION
9104030	CPBM2A	2A Charger / Maintainer

UNIVERSAL AC PLUG HOLDER



- No need to cut, strip or splice wires
- Mount any AC plug in easy-to-use receptacle
- Provides a Safe Watertight connection for AC power cord

PART NO.	MFG#	DESCRIPTION
9933-545	51300	Black
9933-546	51310	White

ON-BOARD CHARGER INLET

MARINCO



The Marinco On-Board Charger Inlet makes charging through an on board battery charger safe and more convenient. The 15A 125V straight blade inlet flush mounts on your boat's exterior and is hard wired directly to the charger.

PART NO.	MFG#	DESCRIPTION
7280010	150BBI	Charger Inlet

AC PLUG HOLDER

ProMariner™



When not in use, protect the AC plug on your ProMariner products from the environment with this waterproof easy to mount receptacle. No cutting, stripping or splicing required.

PART NO.	MFG#	DESCRIPTION
7280009	150PHB	AC Plug Holder

HEAVY DUTY BATTERY SWITCH



9835011



9835008



9933-139



9933-562



9933-152

- Tin-plated copper studs for maximum conductivity and corrosion resistance
- Accepts up to 4/0 AWG battery cables, Studs accept 1/2" ring terminals
- 7/8" stud length accepts multiple cable terminals
- 1 -piece terminal stud design never loosens over time
- 1-piece stainless flange nuts, safe & secure connections
- Fits most Perko and Guest low amperage battery switch hole patterns
- Case design allows surface or rear mounting options
- Models with AFD (Alternator Field Disconnect) Alternator field disconnect used to protect the alternator if switch is turned to the "OFF" position.
- Dimensions, 3-7/8" x 3-7/8""

PART NO.	MFG#	DESCRIPTION
9835011	3000-BSS	ON/OFF 600/1750 AMP
9933-139	3001-BSS	ON/OFF 600/1750 AMP WITH AFD
9933-152	3002-BSS	1/2/OFF/COMBINE 500/1600 AMP
9835008	3003-BSS	1/2/OFF/COMBINE 500/1600 AMP WITH AFD
9933-562	11003-BSS	1/2/OFF 500/1600 AMP WITH AFD

BLUE SEA HIGH PERFORMANCE BATTERY SWITCHES



9834999



9835000



9835002



9835003



9835001



9933-151

- 350 Amp continuous, 600 Amp intermitittent and 1200 Amp cranking
- Tin-plated copper studs for maximum conductivity and corrosion resistance
- Accepts up to 4/0 AWG battery cables
- Studs accept 3/8" (M10) ring terminals
- 7/8" (22 mm) stud length accepts multiple cable terminals
- Blue Sea Systems one-piece terminal stud design never loosens over time
- One-piece stainless flange nuts ensure safe and secure connections
- Fits most standard Perko and Guest battery switch hole patterns
- 3-7/8" x 3-7/8"

Max voltage: 32V **Stud Size:** 3/8" **Approximately:** 3-7/8" x 3-7/8"

PART NO.	MFG#	DESCRIPTION
9834999	5511e-BSS	2 Pos., On/Off, Dual Batt.
9933-151	5510E-BSS-BSS	On/Off/Combine, dual Circuit
9835000	9001e-BSS	4 Position
9835001	9002e-BSS	4 Pos. w/Alt. Field Disconnect
9835002	9003e-BSS	2 Position
9835003	9004e-BSS	2 Pos. w/Alt. Field Disconnect

MINI BATTERY SWITCHES


9835004



9835006


9835007


9933-563


9835009


9835012



9933-339

- 300 Amps continuous rating
- Tin-plated copper studs for maximum conductivity and corrosion resistance
- Studs accept 3⁄8" (M10) ring terminals
- 7⁄8" stud length
- Isolating cover with three snap-in side pieces protects rear contacts and allows wire access in any direction
- Case design allows surface, rear, or front panel mounting options
- Waterproof – rated IP66
- 2-7⁄8" x 2-7⁄8"

Switch	Max. Voltage	Continuous Rating	Intermittent Rating	Cranking Rating
9835004	48	300A	500A, 5 min.	900A, 30 sec.
9933-563	32	300A	500A, 5 min.	675A, 30 sec.
9933-339	48	300A	500A, 5 min.	900A, 30 sec.
9835006	48	300A	500A, 5 min.	900A, 30 sec.
9835007	32	300A	500A, 5 min.	900A, 30 sec.
9835012	32	300A	500A, 5 min.	900A, 30 sec.
9835009	32	300A	450A, 5 min.	675A, 30 sec./circuit

PART NO.	MFG#	DESCRIPTION
9835004	6006-BSS	On/Off Switch
9933-563	6010-BSS	On/Off Dual Circuit
9933-339	6004-BSS	On/Of with Locking Key
9835006	6005-BSS	On/Off Switch, Removable Key
9835007	6007-BSS	On 1/Off/On 2/On Both
9835012	6008-BSS	On 1/Off/On 2
9835009	6011-BSS	On/Off, Dual Battery Banks

NEW

M-SERIES ROTARY BATTERY SWITCH

EGIS MOBILE ELECTRIC



- Compact Design
- Sealed against Dust and Water Intrusion
- Ignition protected
- Serrated flange locks improve resistance to cable terminal loosening in high vibration environments
- Flexible mounting options
- Stainless steel hardware and high temp materials
- **300A continuous rating.**

PART NO.	MFG#	DESCRIPTION
9832100	2305	Single Circuit, On/Off, Key Actuator
9832101	2306	Single Circuit, On/Off, Knob Actuator
9832102	2310	Dual Circuit, On/Off
9832103	2311	Dual Circuit Plus, On/Off/Combine

NEW

E-SERIES ROTARY BATTERY SWITCH

EGIS MOBILE ELECTRIC



- Sealed against Dust and Water Intrusion
- Ignition protected
- Serrated flange locks improve resistance to cable terminal loosening in high vibration environments
- Flexible mounting options
- Harsh environment design with stainless steel hardware and high temperature materials
- **350A continuous rating.**

PART NO.	MFG#	DESCRIPTION
9832104	2403	Single Circuit, On/Off
9832105	2410	Dual Circuit, On/Off
9832106	2411	Dual Circuit Plus, On/Off/Combine

NEW

HD SERIES ROTARY BATTERY SWITCH

EGIS MOBILE ELECTRIC



- Sealed against Dust and Water Intrusion
- Ignition protected
- Serrated flange locks improve cable terminal loosening in high vibration.
- Flexible mounting options
- Stainless steel hardware and high temp materials
- **600A continuous rating.**

PART NO.	MFG#	DESCRIPTION
9832107	2500	Single Circuit, On/Off

NEW

BATTERY SWITCH WITH ABS KNOB



A durable and reliable solution for your power management needs. Constructed with high-quality ABS and non-corrosive marine-grade metals, this switch ensures longevity and optimal performance in various environments. Equipped with a bakelite base and ABS knob, It provides a continuous duty rating of 250A at 12V and an intermittent rating of 360A.

PART NO.	MFG#	DESCRIPTION
983514	10003	On/Off, 250/360 Amp
983515	10004	On/Off, Key Lock, 250/360 Amp

MINI ADD-A-BATTERY KITS

BLUE SEA SYSTEMS



Don't get stranded with a dead battery. Compact, simple way to control the switching with the m-Series Dual Circuit Plus Battery Switch and automatically share a single source of charging between two batteries with the Mini Automatic Charging Relay which manages current from alternators up to 65A found on most outboard and many Inboard engines.

PART NO.	MFG#	DESCRIPTION
9835018	7649-BSS	Mini Add-A-Battery Kit, 65amp

ADD-A-BATTERY KITS

BLUE SEA SYSTEMS



The Dual Circuit Plus Battery Switch isolates the engine and house circuits, and combines the battery banks for emergency starting. Meets American Boat and Yacht Council (ABYC) requirements for battery switches. The 120A SI ACR automatic charging relay combines batteries for charging and at the same time protects sensitive electronics by temporary isolation of house loads from engine circuit during engine cranking.

12/24 auto ranging voltage input and supports high-output alternators up to 120A. Waterproof rated IP67–temporary immersion for 30 minutes. Ignition protected and are safe for to use with gasoline type engines.

PART NO.	MFG#	DESCRIPTION
9835019	7650-BSS	Add-A-Battery Kit, 120amp

REMOTE BATTERY SWITCH

BLUE SEA SYSTEMS



- Allows remote operation of the battery switch without running heavy and expensive battery cable; place the main switch as close to the battery bank as you like and the supplied Contura switch operates its internal switching
- Manual override and "locked off" feature for added safety
- Silver alloy contacts
- Ignition protected and weatherproof
- 300 Amp continuous using one 4/0 cable and 500 Amp using two 4/0 cables

Specifications: 12VDC, 500A Continuous **Intermittent Rating:** 700A (5 min.)
Cranking Rating: 2500A (10 sec.), 1100A (1 min.)
Live Current Switching: 300A at 12VDC **Cable Size:** 4/0 AWG x 2
Meets the following Regulatory Specifications: CE, IP66, ISO 8846 Marine.

PART NO.	MFG#	DESCRIPTION
9835016	7700-BSS	On/Off, 12 Vdc
9933-031	7702-BSS	On/Off, 24 Vdc
9835015	9160-BSS	Link Bar, 600amp

For the most up to date pricing, please visit maritimemarinesupply.ca/price

HEAVY-DUTY ON/OFF BATTERY SWITCHES WITH AFD



- Built with heavy-duty copper sweep contacts to ensure positive circuit control
- Alternator Field Disconnect (AFD) allowing any position, including "off", without damage to alternator or electrical system
- Cable lug size: 1/2"
- 450A continuous, 800A momentary

PART NO.	MFG#	DESCRIPTION
9933-477	2303A	Switch

HEAVY-DUTY 2 BANK SELECTOR SWITCH WITH AFD



- Built with heavy-duty copper sweep contacts to ensure positive circuit control
- Alternator Field Disconnect (AFD) allowing any position, including "off", without damage to alternator or electrical system
- Cable lug size: 1/2"
- 360A continuous, 600A momentary

PART NO.	MFG#	DESCRIPTION
983510	2300A	Switch

EXRA HEAVY DUTY ON/OFF SWITCHES WITH AFD



- Built with heavy-duty copper sweep contacts to ensure positive circuit control
- Alternator Field Disconnect (AFD) allowing any position, including "off", without damage to alternator or electrical system
- Cable lug size: 1/2"
- 600A continuous, 1000A momentary

PART NO.	MFG#	DESCRIPTION
9933-102	2304A-B	Switch, Black Knob

BATTERY ON/OFF SWITCH



- 230A continuous, 345A monmentary
- Longer stud lengths for assembly and easier cable routing
- Heavy-duty copper sweep contacts to ensure positive circuit control
- Cable Lug Size: 3/8"
- Dimensions: 5" x 2-3/4"

PART NO.	MFG#	DESCRIPTION
9933-476	2112A	With AFD

BATTERY SELECTOR SWITCH



- 230A continuous, 345A monmentary
- Longer stud lengths for assembly and easier cable routing
- Heavy-duty copper sweep contacts to ensure positive circuit control
- Cable Lug Size: 3/8" Dimensions: 5" x 2-3/4"

PART NO.	MFG#	DESCRIPTION
9933-105	2111A-B	Switch, Black Knob

BATTERY SELECTOR SWITCH WITH AFD



- 230A continuous, 345A monmentary
- Longer stud lengths for assembly and easier cable routing
- Heavy-duty copper sweep contacts to ensure positive circuit control
- Alternator Field Disconnect (AFD) allowing any position, including "off", without damage to alternator or electrical system
- Cable Lug Size: 3/8"
- Dimensions: 5" x 2-3/4"

PART NO.	MFG#	DESCRIPTION
983506	2110A	1-2, or Both, With AFD

BATTERY SELECTOR SWITCH WITH AFD



- 230 Amp continuous, 350 Amp momentary
- Standard duty complete with alternator field disconnect to protect your alternator if you accidentally switch off while engine is running

PART NO.	MFG#	DESCRIPTION
9933-101	2100-B	1-2,Both With AFD

NEW

XD 500A HEAVY DUTY BATTERY SWITCH



- On-Off switch rated up to 500 Amps for 8-36 VDC
- Max cranking current 1500 Amps momentary
- M10 terminal studs
- IP67 ingress protection
- Removable terminal cover
- 3x 1/4" mounting holes
- 3/8" terminal studs

Dimensions: 2.6"W x 3.15"H x 1.97"D

PART NO.	MFG#	DESCRIPTION
9832108	8710-1900	Battery Switch, Mechanical

HEAVY DUTY ON/OFF BATTERY SWITCH



BEP Marine 720 heavy duty on/off battery switch is for use on high amperage applications. Rated at 600A continuous, 2500A intermittent. Can be locked in position with 6mm Padlock with 75mm reach.
Dimensions: 4" x 4" x 3-1/2" High
Cable Lug size: 1/2" (12mm)

PART NO.	MFG#	DESCRIPTION
9835020	720	On/Off Switch

BATTERY SWITCH WITH DVSR



A fully automatic battery management system. Eliminates flat start batteries and protects electronics from harmful engine start spikes. For use in charging systems with a single engine and two battery banks up to 150A. The Digital Voltage Sensing Relay (DVSR) lets you charge a second independent battery bank from any single charging source.

When the voltage on the charged bank reaches 13.4V, the DVSR engages allowing the second battery bank to charge. When charging stops and voltage returns to normal, the DVSR automatically isolates the battery banks, ensuring that engine start batteries are kept fully charged and eliminating the possibility of discharging the wrong battery. **Ignition protected.** Can be surface or panel mounted. Measures 5.4" x 5.4".

PART NO.	MFG#	DESCRIPTION
9835025	716-SQ-140A-DVSR	Switch w/ DVSR

BEP MARINE BATTERY SWITCH



BEP Marine 721 Battery Switch allows for easy switching from Battery 1 to Battery 2, use both or turn off completely. Rated at 250A continuous, 1000A intermittent.
Dimensions: 4" x 4" x 3-1/2" High
Cable Lug Size: 3/8" (10mm)

PART NO.	MFG#	DESCRIPTION
9835010	721	1-2,Both, Off

EASY FIT BATTERY SWITCH ON/OFF



This On/Off switch has a threaded ring that allows for easy installation where switches need to be recessed to varying thickness of panels up to 3/4".

Cont. Rating: 275A **Intermittent Rating:** 455A
Cranking Rating: 1250A **Voltage Rating:** 48V

PART NO.	MFG#	DESCRIPTION
9835005	700	Battery Switch On/Off

MINI BATTERY SWITCH WITH REMOVABLE KNOB



- Features a removable knob for extra security
- Small footprint makes it ideal for close quarters
- 300A continuous and 1000A cranking amps
- Installs in a 2-1/16" hole, 5/16" studs

PART NO.	MFG#	DESCRIPTION
9835014	422730-1	On/Off 300Amp

PERKO HEAVY DUTY ON/OFF SWITCH



'Ignition Protected'. Alternator field disconnect to prevent damage to alternator if accidentally switched to 'off' position while engine is running.

- 450A continuous 1200A intermittent
- **Dimensions:** 5-1/4"L x 5-1/4"W x 3-3/8"D
- **Cable Lug Size:** 1/2"

PART NO.	MFG#	DESCRIPTION
983505	9703DP	On/Off With AFD

BATTERY ON/OFF SWITCH



- 250 Amp continuous, 360 Amp momentary, no alternator field disconnect
- Capacity up to 32 VDC
- Ideal for standard battery duty or other high amperage control

PART NO.	MFG#	DESCRIPTION
9933-112	9601DP	On/Off Switch

COMPACT BATTERY SWITCH



Smooth positive position selector with a popular 90° Easy to identify position indicator and four removable side skirt panels for easy cable access and mounting. Ignition Protected

Operating Voltage: 12 to 32VDC
Continuous Current: 315A
Intermittent Current: 450A
Dimensions: 4-3/4"L x 4-3/4"W x 1-7/8"D

Requires a third less space to mount.

PART NO.	MFG#	DESCRIPTION
983511	8511DP	4 Pos. OFF, 1, ALL, 2

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

MARINCO EZ-MOUNT BATTERY SWITCHES



9835030

9835035

9835040

Features & Specifications:

- Tested to UL1107 ignition protection, CE Tinned copper 10mm (3/8") studs. Stainless steel washers/nuts
- Fiber reinforced plastics 400A Continuous / 600A 5 mins Intermittent / 1500A 10 secs Cranking
- Waterproof to IP66. Removable knob allows isolation during servicing
- 3 removable sideplates for protection Std. 3.85" x 3.85" footprint

As easy as 1, 2, 3! These revolutionary surface mount battery switches allow you to wire from the front. Never has installation been so easy and cabling so accessible. Optimized cable access makes installation a breeze.

The Dual Bank Control Switch (p/n 9835040) is ideal for a vessel with 1 engine and 2 battery banks. Isolated On position for running House loads while keeping the engine isolated. Emergency parallel function provides backup in case of flat starting batteries.

PART NO.	MFG#	DESCRIPTION
9835030	770-EZ	On/Off
9835035	771-S-EZ	1, 2, Both, Off
9835040	772-DBC-EZ	1, 1/2, Parallel, Off

MEDIUM DUTY BATTERY SWITCH PERKO 8500 SERIES



983507



983508



983509

For use with 12, 24, and 32V marine electrical systems. Rated at 250A continuous, 360A intermittent. 5-1/4" Dia. x 2-5/8" Deep.

PART NO.	MFG#	DESCRIPTION
983507	8501DP	1-2, Both, Off
983508	8502DP	1-2, Both, Off w/ Key Lock
983509	0462000RED	Spacer

BATTERY MASTER SWITCH



Enables switching from battery number 1 to 2 or both and charges either battery or both as desired. 300A intermittent, 175A continuous, at 6, 12, 24, 32V. **Cable lug size:** 3/8"

PART NO.	MFG#	DESCRIPTION
983503	10005	Battery Master Switch

BATTERY SWITCH



Features:
Flush or surface mount, Tin plated contacts, Seawater resistant, Removable key.

UL listed 12V Rating 100A continuous, 500 Intermittent

PART NO.	MFG#	DESCRIPTION
983504	10097-PB	Battery Switch
9933-155	P10097-14S	Spare Key

BATTERY MASTER SWITCH



Positive or negative cable can be switched as required. Key can be removed in OFF position, current interrupted. Saltwater resistant.

Degree of protection: IPX4
Max. Load: 12/24VDC Cont., 50A Cranking, 1000A 12V (10 sec) Cranking 500A 24V (10 sec) Compliant with VDA 72750

PART NO.	MFG#	DESCRIPTION
983512	002843011	Switch , 50A
983513	358114361	Spare Key

BATTERY MAIN ON/OFF SWITCHES



- Provided with two M10 connections; connect to either positive or negative electric cable
- Key may be removed with switch in OFF position

PART NO.	MFG#	DESCRIPTION
9991-348	BATSW100	100 Amp (500A /5 sec.)

AUTOMATIC CHARGING RELAY



Automatically manages the charging of two battery banks and can be configured for temporary isolation of House loads from Engine circuit during engine cranking to protect sensitive electronics.

Rated at 120A continuous and supports high-output alternators. Built in LED light indicates when batteries are combined and blinks when the undervoltage or the starting isolation feature is engaged.

Clip-on cover protects terminal connections. 12/24V auto ranging voltage input. Hermetically sealed contacts/vapour-proof. Ignition protected, Safe for installation aboard gasoline powered boats. Meets UL 1500, SAE J1171 external ignition protection requirements and is IP67 certified for temporary immersion for 30 minutes.

Maximum Cable Size: 1/0 AWG **Terminal Stud Size:** 3/8"-16 (accepts M10 ring terminal)

PART NO.	MFG#	DESCRIPTION
9831600	7610-BSS	w/Start Isolation
9831605	7611-BSS	w/Aux. Battery Priority

L-SERIES SOLENOID



450A CLASS, 12/24V SAE J1171 UL 508 Recognized CE Marked Power Consumption Inrush Max. 130ms: 8.5-36V/3.60A Holding: 12V/0.13A 24V/0.07A
MAIN POWER CONTACTS
Current Rating: 250A continuous w/ 1 x 1/0 Cable
300A continuous with 1 x 2/0 Cable
400A continuous with 1 x 4/0 Cable
450A continuous with 2 x 2/0 Cable
Stud Terminal Size: 5/16" (M8) Wire leads are 20 AWG. Mounts with 2 x #10 screws (not included).

- Activated by ON/OFF switch mounted in any location (switch not included)
- Minimal heat and amperage draw - Ignition protected

PART NO.	MFG#	DESCRIPTION
9831590	9012	12/24V Solenoid

REMOTE AUTOMATIC CHARGING RELAY WITH MANUAL CONTROL



Manages 2 battery banks being charged from a single source & keeps the batteries isolated when not charging. Allows paralleling of battery banks for emergency starting, has a manual lock off capability for servicing & it can be configured for temporary isolation of house loads from engine circuit during engine cranking to protect sensitive electronics. Included is a 3-position Contura remote control switch to combine 2 batteries, isolate 2 batteries & to set the charging relay to automatic. Available in 12v or 24 v models.

Specifications: 500A Continuous **Intermittent Rating:** 700A (5 min.) **Cranking Rating:** 1450A (10 sec.)**Live Current Switching:** 300A at 12VDC **Cable Size:** 4/0 AWG x 2
Meets Regulatory Specifications: CE, IP67, ISO 8846 Marine, UL 1500.

PART NO.	MFG#	DESCRIPTION
9831611	7622-BSS	12v 2-Battery Charging Relay
9831613	7623-BSS	24v 2-Battery Charging Relay
9831614	2146-BSS	Replacement Switch

ML-ACR AUTOMATIC CHARGING RELAY



- 500 Amp magnetic latching (bi-stable) relay automatically combines batteries during charging and isolates batteries when discharging and when starting engine.
- Includes ML-Series Remote Control Contura Switch
- Automatically manages the charging of two large battery banks and Allows paralleling of battery banks for emergency starting
- Magnetic Latch (ML) draws very low current (<40mA to monitor terminal voltage) in the "ON" or "OFF" states & draws moderate current for very short time when changing state
- Senses charge on both battery banks
- Start Isolation (SI)—can be configured for temporary isolation of House loads from Engine circuit during engine cranking to protect sensitive electronics
- Engine Isolation (EI)—can be configured for isolation of two engines while both are running to protect engine electronics and maximize alternator output

PART NO.	MFG#	DESCRIPTION
9933-423	7620-BSS	12V
9933-424	7621-BSS	24V
9831614	2146-BSS	Replacement Switch

MINI AUTOMATIC CHARGING RELAY



This Automatic Mini Relay manages charging current from alternators up to 65A. It senses charging on two battery banks, automatically combines batteries when charging and isolates batteries while being discharged.

Temporarily isolate house loads from engine circuits during engine cranking to avoid sags and spikes in voltage. 3 mounting options: surface, rear or panel & comes with an LED indicator light and a Pull Off/Snap On insulating cover. **Volt** 12/24VDC **Operating Amps:** 90mA (Combine), 15mA (Open)

Cable Size: 6 - 1/0 AWG **Terminal Stud Size:** 1/4"-20 x 7/16" (11mm) long. **Dimensions:** 2.85"L x 2.85"W x 2.57"D (with cover)

IP67 Waterproof – temp immersion for 30 min. **Ignition protected. CE certified.**

PART NO.	MFG#	DESCRIPTION
9831602	7601-BSS	M-ACR Auto. Charging Relay

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

NEW

REMOTE AUTO CHARGING RELAYS

BLUE SEA SYSTEMS



These 500 Amp magnetic latching (bi-stable) Charging Relays automatically combine batterie during charging and isolate batteries when discharging and when starting engine.

9831616 - 9831617

9831618 - 9831619

- Engineered specifically for lithium iron phosphate batteries (LiFePO4 only)
- Manual control switch provides an added level of safety allowing control with or without power, and offering LOCK OFF capability for servicing
- Includes ML-Series Remote Control Contura Switch 2146
- Automatically manages the charging of two large battery banks
- Allows paralleling of battery banks for emergency starting
- 500 Ampere continuous rating to support high-output alternators
- LED output to remotely indicate when batteries are combined, isolated, in voltage lockout, or in Start or Engine isolation
- 3/8"-16 tin-plated copper studs for maximum conductivity and corrosion resistance
- 7/8" (22mm) stud length accepts multiple cable terminals
- Silver alloy contacts provide high reliability for switching live loads

PART NO.	MFG#	DESCRIPTION
9831616	7620300-BSS	Auto Relay, 12 Vdc
9831617	7621300-BSS	Auto Relay, 24 Vdc
9831618	7622300-BSS	Auto Relay w/Manual Control, 12 Vdc
9831619	7623300-BSS	Auto Relay w/Manual Control, 24 Vdc
9831614	2146-BSS	Replacement Contura Switch

ATD AUTOMATIC TIMER DISCONNECT

BLUE SEA SYSTEMS



This Blue Sea Power Disconnect module will automatically disconnect electrical devices to preserve battery power. It can be triggered by low voltage, by a preset timer or removal of a 12VDC signal. Time and low voltage options can be turned off to allow for a 12VDC signal based disconnect. **Timer Range:** 15 minutes - 4 hours

Nominal Voltage: 12VDC **Operating Current:** 175mA (Combine), 15mA (Open)
Continuous Rating: 120A **Terminal Stud Size:** 3/8"-16 (M10)

PART NO.	MFG#	DESCRIPTION
9831609	7615-BSS	Automatic Disconnect Module

LOW VOLTAGE DISCONNECT

BLUE SEA SYSTEMS



- Status light in both provides visual warning of low volt state prior to disconnect
- Alarm output available for audible warning of low volt state prior to disconnect

Remote Control Switch Functions:

- **Disconnect Voltage Adjustment** - Sets desireddisconnect voltage.
- **Override** - Temp delays circuit disconnect for 10 mins.
- **OFF** - Temp disconnects circuits until voltage rises.
- **Override or OFF** - Silences alarm (optional alarm required)

Meets Regulatory Specifications: IP67, ISO 8846 Marine, SAE J1171 Marine.

PART NO.	MFG#	DESCRIPTION
9831630	7635-BSS	12VDC, 65A Continuous

BLUE SEA SYSTEMS

You Can Do it PROJECT

Add-A-Battery

Don't get stranded with a dead battery





NEW

REMOTE RELAY

EGIS MOBILE ELECTRIC



REMOTE RELAY SINGLE
9832232 - 9832233 - 9832235



REMOTE RELAY DUAL -
9832236



REMOTE RELAY TRIPLE
9832234 - 9832237

Supports Multiple Engines or Independent Charge Systems by incorporating two independent start or engine isolation inputs to allow isolation of charge sources when both are active to maximize charging performance.

Expandable with Link and Cross-Link Busbars to Additional Dual, Triple, or Single XD Relays: Supports 2 or 3 battery systems with standard busbar interconnect accessories

Simple Programmability via simple dip switches allows each individual relay function significant flexibility for OEMs and installers.

90-95% Less Off-State Current: Compared to competitive products and system solutions that require multiple devices for similar functionality

PART NO.	MFG#	DESCRIPTION
9832232	8710-1300	Single, ACR
9832235	8710-1500	Single, Battery
9832233	8710-1900	Single, Mechanical Battery
9832236	8720-1350	Dual, Battery-ACR
9832234	8730-1939	Triple, Mech Batt Switch-ACR- Mech Batt Switch
9832237	8730-1535	Triple, Battery Switch-ACR-Battery Switch

NEW

SINGLE AND DUAL OUTPUT RELAYS

EGIS MOBILE ELECTRIC



Reduces Voltage Drop and Cost of Battery Cables by replacing mechanical battery switches with an electrical relay inline between a battery and the electrical loads.

Extends TH Series Automatic Charging Relay Capability to provide either incremental current carrying capacity or to connect and additional independent and isolated battery bank not connected to a charge source.

Integral Diode Suppression reduces voltage spikes on control lines during switching

Single or Dual Split Output Options provide flexibility for different electrical system requirements.

PART NO.	MFG#	DESCRIPTION
9832253	7421	Basic 160 Amp / 12V
9832254	7422	Dual Relay, 2 x 80 Amp / 24V

NEW

SEALED CONTACTOR

EGIS MOBILE ELECTRIC



High Contact Voltage Rating easily supports 12 or 24 Vdc control voltage applications while also supporting higher switching voltage applications up to 48 V.

High Contact Voltage Rating easily supports 12 or 24 Vdc control voltage applications while also supporting higher switching voltage applications up to 48 V.

Get Positive Confirmation of Relay On/Off State with optional auxiliary contacts that support remote status indication.

High Electrical Switching Endurance delivers 6,000 cycles at 100A / 350V, 100,000 cycles at 100A / 14V

High Interrupt Current Capability safely able to open in a locked starter situation (up to 1,250 A @ 14 Vdc)

PART NO.	MFG#	DESCRIPTION
9832251	7024	100A, 12V, Aux Contacts, Side Mount
9832252	7026	100A, 24V, Aux Contacts, Side Mount

NEW

SEALED CONTACTOR

EGIS MOBILE ELECTRIC



High Contact Voltage Rating easily supports 12 or 24 Vdc control voltage applications while also supporting higher switching voltage applications up to 48 V.

Get Positive Confirmation of Relay On/Off State with optional auxiliary contacts that support remote status indication.

High Electrical Switching Endurance Delivers 6,000 cycles at 250A / 450V, 100,000 cycles at 250A / 14V

High Interrupt Current Capability safely able to open in a locked starter situation (up to 1,500 A @ 14 Vdc)

PART NO.	MFG#	DESCRIPTION
9832250	7022	500A, 12/24 V w/ Aux Contacts

NEW

PT SERIES LOW AMP TIME DELAY RELAY

EGIS MOBILE ELECTRIC



This PT2 Series Low Amp Time Delay Relay is a solid-state relay that allows power to reach add-on equipment after engine shut off. Durable and protective against downtime due to dead batteries. 30A rating. Provides diagnostic feedback via on-board multi-color LEDs. Adjustable Off Time Delay from 15 minutes to 8 hours. Adjustable Off Time Delay from 15 minutes to 8 hours

PART NO.	MFG#	DESCRIPTION
9832230	5601	12V,30A
9832231	5601-24	24V, 30A

For the most up to date pricing, please visit maritimemarinesupply.ca/price

USB CHARGER/ADAPTER

PICO



Protects your devices being used or charged with an internal 'Short Circuit' & 'Self Recovery' safety function. They are also designed with an internal over current/over temperature protection circuit. 12/24V, 2.1A.

PART NO.	MFG#	DESCRIPTION
6575045	3928-11	Single Adapter

USB 2.0 EXTENSION

BLUE SEA SYSTEMS



Mounts in 1-1/8" (29mm) dia. hole.

PART NO.	MFG#	DESCRIPTION
6575048	1044-BSS	5ft Cord Length

USB CHARGER PLUG & SOCKET

BLUE SEA SYSTEMS



This Dual USB Plug Charger is easy to use and it fits in common 12VDC sockets found in boats. Easy to install in existing 12VDC socket holes also found in boats. Protective cap and internal overheating protection.

- **Input Voltage:** 12/24VDC **Output Voltage:** 5VDC ±5%
- **Maximum Output Current:** 2.1A **Current Draw:** 15mA

PART NO.	MFG#	DESCRIPTION
6575044	1016-BSS	12/24V, Dual Socket

DUAL USB CHARGER - SOCKET MOUNT

BLUE SEA SYSTEMS



Features device recognition allowing rapid charge for devices at the speed required by the specific device. Reverse polarity protection & over temperature protection & thermal overload protection. A protective dust cap keeps debris & moisture out when closed.

- **Input Voltage Range:** 9-32VDC **Output Voltage:** 5VDC ±5%
- **Max Output Current:** 4.8A DC (total) Mounts in a 1-1/8" hole

PART NO.	MFG#	DESCRIPTION
6575060	1045-BSS	9-32 v USB Charger

USB 3.0 & USB-C POWER SOCKET SURFACE MOUNT

SEADOGLINE



This Oval Surface Mount USB Power Socket charges two devices simultaneously at 3 Amps per side.

USB 3.0 features Quick Charging (QC) for supported devices, giving enough power to charge phones, pads, and tablets quickly and efficiently. USB-C features Power Delivery (PD) for faster and more flexible charging.

- Constructed of injection molded nylon.
- Surface Mount requires a 3/16" hole for wiring.
- Blue LED illumination.
- IP65 rating.

Input: 8 – 32 Vdc
Output: 5Vdc / 6 Amps
Dimensions: 2-3/8"W x 2"H x 3/4" Deep
Requires 2 x #6 screws (not included)

PART NO.	MFG#	DESCRIPTION
9831268	426535-1	Dual USB Power Socket

DUAL USB CHARGER & 12V RECEPTACLE

MARINCO



These SeaLink Dual USB Charger Receptacles provide dual 5V outputs at 2.1A total in a water resistant housing with dust proof caps and insulated terminals. The USB ports have LED power indicator lights.

Input for 6575061: 12 / 24VDC
Input for 6575066 & 6575049: 12VDC
Output for 6575066 & 6575049: 12VDC rated to 20A

PART NO.	MFG#	DESCRIPTION
6575061	12VDUSBW-B	Dual USB, White
6575066	12VCOMBOW-B	Dual USB & 12V Receptacle, White
6575049	12VCOMBO	Dual USB & 12V Receptacle, Black

DUAL USB CHARGER

BLUE SEA SYSTEMS



This Contura Mount Dual USB Charger is compatible with popular mobile devices. It is easily installed in existing Contura switch apertures providing convenient access for charging your mobile devices.
A protective dust cap with tether keeps dust and spray from shortening the life of the charger. The charger is internally protected from Reverse Polarity, Short Circuits and Thermal Overloads.

Meets the following Regulatory Specifications: CE, E13, FCC, RoHs.

PART NO.	MFG#	DESCRIPTION
9837529	1039-BSS	12/24VDC, 4.8A Max.

POWER SOCKET, USB & USB-C

SEADOGLINE



This Power Socket provides faster and more flexible charging with enough power to charge phones, pads and tablets quickly and efficiently. A protective dust cap extends the life of the charger.



- Charges two devices simultaneously
- Blue LED illumination
- Rating IP65

Dimensions: A 1-7/16", B 1-1/2", C 1-1/16"
Cut Out: 1-1/8" Dia

PART NO.	MFG#	DESCRIPTION
9831245	426516-1	USB / USB-C
9831265	426105-1	Mounting Bracket, Black, Nylon

DOUBLE USB ROCKER SWITCH STYLE POWER SOCKET



- Charges two devices simultaneously and fits into any 13/16" x 1-7/16" rocker switch hole
- The total output 4.8A load is split 2.4A per side as needed
- Enough power to charge phones, pads and tablets quickly and efficiently
- Blue LED illumination, output DC 5V/4.8A, input 12-24VDC, IP65 rating

PART NO.	MFG#	DESCRIPTION
6575047	426520-1	USB Power Socket
9837544	8268-BSS	Mounting Plate

DUAL USB ROCKER SWITCH STYLE POWER SOCKET W/ VOLTMETER



- Charges two devices simultaneously while also displaying batteries output
- Fits into any 13/16" x 1-7/16" rocker switch hole
- The total output 4.8A load is split 2.4A per side as needed
- Blue LED illumination, output DC 5V/4.8A, input 12-24VDC, IP65 rating

PART NO.	MFG#	DESCRIPTION
9933-555	426527-1	12-24VDC

DUAL USB POWER SOCKET



- Charges two devices simultaneously, total output 4.8A load is split 2.4A per side as needed
- Enough power to charge phones, pads and tablets quickly and efficiently
- Installation is as easy as drilling a 1-1/8" hole
- Blue LED illumination, output DC 5V/4.8A, input 12-24VDC, IP65 rating

PART NO.	MFG#	DESCRIPTION
9933-552	426515-1	USB

NEW

USB / USB-C ROCKER SWITCH STYLE POWER SOCKET



This USB & USB-C Rocker Switch Style Power Socket charges two devices simultaneously. The total output 4.8A load is split 2.4A per side as needed. Enough power to charge phones, pads, and tablets quickly and efficiently. USB-C features Power Delivery (PD) for faster and more flexible charging.

- Fits into any 13/16" x 1-7/16" rocker switch hole.
- Protective dust cap for extends life.
- Input power : 8-32 Vdc.
- Rated IP65.
- CE and RoHS compliant.

PART NO.	MFG#	DESCRIPTION
6575052	426521-1	USB and USB-C

DUAL USB SOCKET/VOLTMETER

WITH HIDDEN DISPLAY



Charge 2 simultaneously while also displaying the battery's output. Supplies enough power to charge iPhones, iPads, and almost all other personal digital devices. The compact size of a standard 1-1/8" socket allows this USB Socket/ Voltmeter to be installed in a wide variety of locations. Red LED display.

Meter Range: 12–24VDC
USB Output: 5VDC, 2.1A
Rating: Waterproof IP65

PART NO.	MFG#	DESCRIPTION
9831261	426517-1	Voltmeter, Dual USB Ports
9831265	426105-1	Bracket, Black, Moulded Nylon

DUAL USB POWER PLUG

WITH VOLTAGE/AMP METER



- Charges two devices simultaneously while LCD screen displays charging status in both amps and voltage
- Features a low voltage audible alarm, total output 4.8A load is split 2.4A per side as needed
- Enough power to charge phones, pads and tablets quickly and efficiently
- Blue LED display, output DC 5V/4.8A, input 12-24VDC, IP65 rating

Display: Blue LED
Input: 12-24VDC **Output:** 5VDC, 4.8A split. 2.4A per side as needed.
Constructed of stamped stainless steel and injection moulded nylon.

PART NO.	MFG#	DESCRIPTION
6575058	426513-1	Dual USB Power Socket

DUAL VOLTMETER ROCKER SWITCH STYLE



- Monitors and displays the voltage for main and auxiliary batteries simultaneously
- Fits any standard 13/16" x 1-7/16" rocker switch panel slot
- Red LED display, input 10-48VDC, IP65 rating

PART NO.	MFG#	DESCRIPTION
9933-556	421636-1	10-48VDC

DUAL VOLT/AMP METER ROCKER STYLE SWITCH



- Monitors and displays voltage and amps simultaneously
- Will fit into any standard 13/16" x 1-7/16" rocker switch panel slot
- Red LED display, input 6-30VDC, IP65 rating

PART NO.	MFG#	DESCRIPTION
9933-551	421645-1	6-300VDC

For the most up to date pricing, please visit maritimemarinesupply.ca/price

DELUXE 12V RECEPTACLE & PLUG



Corrosion resistant marine grade construction. 12V plug features an LED indicator light, moisture proof sealing ring & internal 10A fuse. The Sealink receptacle features a watertight sealing cap and multiple mounting options.

PART NO.	MFG#	DESCRIPTION
6575035	12VPK	12V Receptacle & Plug

WATERPROOF DASH SOCKET



Designed to withstand the rigours of wet environments with a watertight cap and constant vibration with its securely twist locking plug, internal strain relief and cord seal. This plug has large Nickel plated Copper alloy contact surfaces for a good electrical connection. It can be front panel, rear panel or surface mounted.

Maximum Voltage: 15VDC
Max Socket Amperage: 15A DC

PART NO.	MFG#	DESCRIPTION
6575038	1011-BSS	Dash Socket 12V

MOUNTING BRACKET FOR 12V SOCKET



Power where you need it! This bracket gives you greater flexibility when selecting a mounting location for a 12V power socket. Can also be used with extension power sockets.
Socket sold separately.

PART NO.	MFG#	DESCRIPTION
6575033	1014-BSS	Mounting Bracket only

12V PLUG



This convenient plug allows 12V devices to be easily converted for use with a 'cigarette lighter'-style power source.

The Twist-Lock operation and large nickel-plated copper contact surfaces ensure a good electrical connection. A built-in LED indicates when the device has power and an internal 10A fuse protects your electronics.

PART NO.	MFG#	DESCRIPTION
6575032	1010-BSS	Plug, 12VDC

SINGLE EXTENSION SOCKET



This Extension is designed to withstand the rigors of wet environments and constant vibration. The Plug features an "ON" indicating LED, a moisture proof sealing ring around the shaft, a strain relief, and a built-in 10A fuse. The Socket features a watertight cap, easy installation and interlocks with the plug. A Twist Lock System allows the plug to lock securely into socket.

PART NO.	MFG#	DESCRIPTION
6575031	1012-BSS	12VDC Max., 6' Reach

S/S CIGARETTE LIGHTER/CHART LIGHT



Cigarette Lighter/Chart Light with Mounting Plate & Wires.

PART NO.	MFG#	DESCRIPTION
6575030	01330	S/S Lighter/Chart Light

TWIN SOCKET



Black plastic ABS.
12V utility receptacle.

PART NO.	MFG#	DESCRIPTION
6575034	01332	Twin Socket

DELUXE 12V PLUG



The Sealink 12V plug is manufactured from corrosion resistant marine grade materials. Moisture proof seal when used with Sealink receptacle above. LED power indicator light & interchangeable fuse.

PART NO.	MFG#	DESCRIPTION
6575037	12VPG	Deluxe 12V Plug

USB CHARGER PANEL



A panel that provides all of your electronic power needs. It has one 12VDC socket (6575038) that can supply up to 15A and one dual USB socket (6575044) that can supply up to 2.1A. Integrates into Blue Sea 360 panel system.

Dimensions:
4.88"W x 4.75"H x 1.50"D
(123.83 x 120.65 x 12.7cm)

PART NO.	MFG#	DESCRIPTION
6575041	1478-BSS	12V, Dual Panel

SOCKET AND USB PANEL



- 2 USB ports and a DC power socket
- Size: 4" x 1-11/16"x 2"
- IP65



PART NO.	MFG#	DESCRIPTION
9933-351	AD4-1011/2013	Panel mount
9933-352	AD6-1011/2013	Top mount

DELUXE 12V RECEPTACLE



- Corrosion resistant material; optimized metal connection points for maximum conductivity
- Perfect for handheld searchlights, cellular phones, etc.

PART NO.	MFG#	DESCRIPTION
6575036	12VRC	12V Receptacle

WATER RESISTANT ACCESSORY PANELS



9933-519



9933-488



9933-520



9933-521



9933-522

- IP66 rated with breaker boot and gasket
- 12Vdc, illuminated 15A breaker
- Pre-wired harness included

PART NO.	MFG#	DESCRIPTION
9933-519	4364-BSS	2 socket blank
9933-488	4363-BSS	1 dual USB, 1 socket
9933-520	4365-BSS	2 USB, 1 socket
9933-521	4366-BSS	USB, socket, V meter
9933-522	4368-BSS	2 USB, socket, V meter

DYNAPLATE MARINE GROUND PLATE



THE PROVEN MARINE GROUND PLATE
A low drag, non-fouling, hull bonding & grounding plate. Improves performance of electronics and reduces RF interference. Helps provide a direct, low resistance path for improved lightning protection. Deters severe electrolysis and galvanic corrosion problems. Includes one gold plated mounting bolt, one bronze mounting bolt.

Foil	Equivalent	Application
(1)	12 sq. ft.	Basic Bonding and Grounding
(2)	20 sq. ft.	Sensitive Electronic Systems
(3)	40 sq. ft.	Long Range Navigation Systems
(4)	100 sq. ft.	Long Range Communications systems

PART NO.	DESCRIPTION
6918006	6" x 2" x 1/2" Standard
6918008	8" x 2-1/2" x 1/2" Large
6918012	12" x 3" x 1/2" Giant
6918018	18" x 6" x 1/2" Super

NEW

GROUNDING PLATE



- Large surface area ensures effective fault current dissipation
- Reliable ground/earth reference for GFCI/RCD/ELCI activation
- Superior cast design
- Kit includes multiple fastener lengths and necessary hardware for most hull types & installation requirements
- Protects coatings by maintaining proper AC earthing
- Can be used in isolation for lightning protection, RF grounding

PART NO.	MFG#	DESCRIPTION
6918014	CMPSGPLATEKITB	Bronze, 12" x 5"
6918015	CMPSGPLATEKITA	Aluminum, 12" x 5"

DYNAPLATES GROUNDING PLATE



9935-140



9935-141



9935-142

- Provide necessary grounding for proper performance of GPS, radio and other electronics and reduce RF interference

- Deter electrolysis and galvanic corrosion and provide lightning ground
- Compact low profile but provide large area-to-water ground factors
- Easy to install using the included bolts, nuts and washers

Large
- Mounting holes 4" centre to centre
- 8" x 2 1/2" x 1/2"

Giant
- Mounting holes 6" centre to centre
- 12" x 3" x 1/2"

Super
- Mounting holes 9 7/8" centre to centre
- 3" top to bottom, 18" x 6" x 1/2"

PART NO.	MFG#	DESCRIPTION
9935-140	4008	Large
9935-141	4012	Giant
9935-142	4018	Super
	Spares / Replacement Parts	
6918101	P-12D34	1/4"–20 x 3" Bronze Screw for D-6 & D-8
6918102	P-12D35	1/4"–20 x 3" Gold Pl. Screw for D-6 & D-8
6918103	P-13A27	1/4" Bronze Nut for D-6 & D-8
6918104	P-13A28	1/4" Gold Plated Nut for D-6 & D-8
6918105	P-11D03	1/4" Bronze Washer for D-6 & D-8
6918111	P-12D36	3/8" x 3" Bronze Screw for D-12
6918112	P-12D37	3/8" x 3" Gold Plated Screw for D-12
6918113	P-13A29	3/8" Bronze Nut for D-12 Dynaplate
6918114	P-13A2A	3/8" Gold Plated Nut for D-12 Dynaplate
6918115	P-11D04	3/8" Bronze Washer for D-12 Dynaplate

DIESEL ENGINE PANEL & WIRING HARNESS



Includes tachometer, oil pressure, temperature, voltmeter, engine hours, ignition switch, glow plug, stop and panel light indicator, panel light switch.
Dimensions: 12-1/8" x 6-1/4" **Wiring Harness not included.**

PART NO.	DESCRIPTION
984200	12V Diesel Panel
984299	10' Extension Harness
984300	20' Harness for Gas & Diesel
984325	25' Harness for Gas & Diesel
980013	Oil Pressure Sender
980012	Temperature Sender
SMP39070	Key Switch, 4-Position

GAS ENGINE PANEL



Includes tachometer, oil pressure, temperature, voltmeter, ignition switch, panel light switch.
Dimensions: 10" x 6-1/4" **Wiring Harness not included.**

PART NO.	DESCRIPTION
984100	12V
984299	10' Extension Harness
984300	20' Harness for Gas & Diesel
984325	25' Harness for Gas & Diesel
980013	Oil Pressure Sender
980012	Temperature Sender
SMP39070	Key Switch, 4-Position

VDO MECHANICAL OIL PRESSURE GAUGE 100 PSI



Mechanical oil pressure gauge for most engines. Range of **0-100 PSI** 12V through-dial lighting.**Diameter:** 2-1/16" (52mm)
Connections: Pressure: 1/8 – 27 NPT
Electrical: 0.25" Spade **Note:** Tubing kit not included.

PART NO.	MFG#	DESCRIPTION
9843110	150-107	Mech Oil Press Gauge

VDO MECHANICAL OIL PRESSURE GAUGE 400 PSI



This Cockpit International style VDO oil pressure gauge is designed to be the standard in the industry at an economical . Made with a zinc-plated metal housing and black painted, brass bezels for rugged, reliable service. The standard flood-lit illumination is incorporated.

PART NO.	MFG#	DESCRIPTION
982125	150-037-016C	400 PSI, Mechanical

VDO ELECTRICAL OIL PRESSURE GAUGE



Features VDO's latest generation patented air core and stepper motor movements for reliability and durability.

Diameter: 2 1⁄16" (52mm)
Maximum Pressure: 400 PSI / 25 bar
Water Protection: IP 64
Connection: M4 Stud

PART NO.	MFG#	DESCRIPTION
9843114	350-913	400 PSI, Electrical

VDO OIL PRESSURE SENDER



- 400 PSI/25 Bar
- Floating Ground
- 1/8-27NPT 38/8
- Knurled Nut
- 6 – 24 Vdc

PART NO.	MFG#	DESCRIPTION
982131	360-406	Pressure Sender

FUEL LEVEL GAUGE KIT



Standard hole pattern, adjustable stainless steel float arm and moveable rheostat allow this fuel sender to fit tanks 4”-24” deep. Complete with gasket & mounting screws and fuel gauge. 12V.

PART NO.	DESCRIPTION
980030	12V Fuel Level Kit
980031	12V Sender Only

For the most up to date pricing, please visit maritimemarinesupply.ca/price

FARIA "EURO STYLE" MARINE GAUGES

Euro style gauges are constructed with a flat glass lens allowing for a non-glare background, and a black aluminum bezel. The bold white graphics and a perimeter lighted black dial provide clarity and complement the Euro style bezels. Manufactured with sharp black dials, and sculpted white pointers.

4" GAUGES (3-3/8" cutout)

1. 
2. 
3. 
4. 

2" GAUGES (2-1/16" cutout)

8. 
9. 
10. 
11. 
12. 
13. 
14. 
15. 
16. 
17. 

Faria Beede INSTRUMENTS

#	PART NO.	MFG#	COLOR	DESCRIPTION
1	**9840101**	F32804	Black	Tach 6000 Gas Inboard & I/O
	9840201	F32904	White	Tach 6000 Gas Inboard & I/O
2	**9840102**	F32805	Black	Tach 7000 O/B
	9840202	F32905	White	Tach 7000 O/B
3	**9840103**	F32842	Black	Tach 4000 Diesel Mech TO, Var. Ratio Alt
	9840203	F32942	White	Tach 4000 Diesel Mech TO, Var. Ratio Alt
4	**9840110**	F32810	Black	Speedometer 55 MPH
	9840210	F32909	White	Speedometer 55 MPH
8	**9840125**	F12801	Black	Fuel Level Gauge
	9840225	F12901	White	Fuel Level Gauge
9	**9840130**	F12803	Black	Oil Pressure Gauge 80 PSI
	9840230	F12902	White	Oil Pressure Gauge 80 PSI
10	**9840140**	F12812	Black	Water Temp. 100-250°F
	9840240	F12904	White	Water Temp. 100-250°F
11	**9840145**	F12828	Black	Trim Gauge MercMar, Yam,Volvo DP
	9840245	F12916	White	Trim Gauge MercMar, Yam,Volvo DP
12	**9840250**	F12913	White	Hourmeter 10,000 Hrs 12-32VDC
13	**9840155**	F12833	Black	Rudder Angle Indicator 10-16VDC
14	**9840160**	F12821	Black	Voltmeter 10-16VDC
	9840260	F12911	White	Voltmeter 10-16VDC
15	**9840162**	F12860	Black	Voltmeter 20-32VDC
16	**9945-640**	F12835	Black	Hourmeter Digital 12-32v dc
17	**9945-650**	F12822	Black	Ammeter 60-0-60

"CHESAPEAKE STYLE" MARINE GAUGES

These Chesapeake style gauges are constructed with a dome glass lens, and a stylish stainless steel bezel. The sharp graphics and a perimeter lighted black dial provide clarity and complement the Chesapeake S/S style bezels. Manufactured with sharp black dials with blue/white graphics and contoured white pointers.

4" GAUGES (3-3/8" cutout)

1. 



2" GAUGES (2-1/16" cutout)

2. 
3. 
4. 
5. 
6. 

Faria Beede INSTRUMENTS

#	PART NO.	MFG#	COLOR	DESCRIPTION
1	**9840401**	F33710	Black	Tach 6000 Gas Inboard & I/O
	9840301	F33807	White	Tach 6000 Gas Inboard & I/O
2	**9840425**	F13701	Black	Fuel Level Gauge
	9840325	F13801	White	Fuel Level Gauge
3	**9840430**	F13702	Black	Oil Pressure Gauge 80 PSI
4	**9840440**	F13704	Black	Water Temp. 100-250°F
	9840340	F13804	White	Water Temp. 100-250°F
5	**9840345**	F13807	White	Trim Gauge MercMar,Yam,Volvo DP
6	**9840460**	F13705	Black	Voltmeter 10-16VDC
	9840360	F13805	White	Voltmeter 10-16VDC

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

BOXED SETS OF GAUGES CHESAPEAKE S/S WHITE



Complete set of gauges ready to install

Inboard Set includes:
Speedometer and Pitot, Tach, Fuel gauge, Voltmeter, Water Temp & Oil Pressure gauge.

PART NO.	MFG#	DESCRIPTION
9840399	KTF001	White Inboard Chesapeake S/S

SENDERS AND SENSORS



9840001
9840002



9840006
Std. Ground



9840007
Std. Ground



9840005
Std. Ground



9945-525
Std. Ground

9840126



PART NO.	MFG#	DESCRIPTION
9840126	F91001	Fuel Sender, w/ 8"-16" Float Arm
9840001	F90512	Oil Pressure Single Station
9840002	F90511	Oil Pressure Dual Station
9840005	F90403	Temperature Senders 3/8" Single Station
9840006	F90404	Temperature Senders 1/2" Single Station
9840007	F90406	Temperature Senders 1/8" Dual Station
9945-525	F90401	Temperature Senders 1/8" Single Station

PITOT TUBE KIT



- Solid black attachment that has a rugged & metal construction for durability
- 20ft of tubing included
- Universal installation into any boat
- Interchangeable w/Evinrude/Johnson 3852550,911797,OMC 911797 & 3852550

PART NO.	MFG#	DESCRIPTION
9945-668	F91106	Pitot tube kit 20ft

PANEL GAUGE



- Individual panel gauges for single tank monitoring, easily installed and fully insulated to protect against electrolytic corrosion inside your tanks
- 2" diameter

PART NO.	MFG#	DESCRIPTION
9945-530	JMV00008	Fuel gauge

FUEL AND WATER SENDING UNITS



- Can be used with water-gasoline-diesel-hydraulic oil
- Mounting requires 1-1/4" BSP thread or FL-2 flange adapter. Standard lengths as shown; other lengths available



PART NO.	MFG#	DESCRIPTION
9945-537	S3U12-153100	12"
9945-544	S3U14-153102	14"
9945-538	S3U18-153106	18"
9945-550	S3U-20-153108	20"
9945-542	JSP00172	FL-2 mounting flange



For the most up to date pricing, please visit maritimemarinesupply.ca/price

SIERRA ENGINE INSTRUMENTS

These accurate, reliable and tough Sierra Teleflex Marine instruments look good on all types of boats and are available for most outboards, stern drives and gasoline-powered inboards. A comprehensive family of instruments with crisp dial graphics and effective 12VDC lighting provide exceptional day and night readability. U.S. and metric scales, with ISO symbols, where appropriate.

AMEGA DOMED SERIES

- Through-dial and perimeter lighting for exceptional readability
- Black near-flush bezels and scratch resistant curved glass lenses to eliminate water trapping



9840501 9840602 9840503 9840510 9840525 9840550 9840560 9840565 9840530 9840540 9840545

PART NO.	MFG#	3" Gauges - 3 3/4"OD x 3 7/16" Cutout	SENDER
9840501	68443P	Tachometer/Hourmeter, 6000 RPM, O/B	Alt. or Coil
9840602	58255P	Tachometer, 7000 RPM, O/B	Alt. or Coil
9840503	68358P	Tachometer, 4000 RPM Diesel	Alt.
9840510	57900P	Speedometer, 10-65 MPH, w/Pitot	G1 & G2 Incl.

PART NO.	MFG#	2" Gauges - 2 7/16"OD x 2 1/8" Cutout	SENDER
9840525	57902P	Fuel Level Gauge, E – 1/2 – F	F
9840550	84760P	Hour Meter, 10 000 Hrs.	None
9840560	57901P	Voltmeter, 8 – 18VDC	None
9840565	68361P	Battery Condition Indicator, 12VDC	None
9840530	57903P	Oil Pressure, 0 – 80 PSI	C
9840540	57904P	Water Temperature, 120 - 240°F	D
9840545	57905P	Trim Gauge, Up/Down, Merc, Mar, Yam, Volvo DP	

DRIFTWOOD SERIES

- Light grey dials, clean black graduations/numerals and black pointer hubs with white pointer staffs
- Combination blue through-dial lighting and white perimeter lighting for excellent readability at night
- Scratch resistant curved glass lenses and black near-flush bezels



9840502 9840610



9840625 9840650 9840660 9840630 9840640 9840645

PART NO.	MFG#	3" Gauges - 3 3/4"OD x 3 7/16" Cutout	SENDER
9840502	61546P	Tachometer/Hourmeter, 7000 RPM, O/B	Alt. or Coil
9840610	61547P	Speedometer, 10-50 MPH, w/Pitot	Alt. or Coil

PART NO.	MFG#	2" Gauges - 2 7/16"OD x 2 1/8" Cutout	SENDER
9840625	61549P	Fuel Level Gauge, E – 1/2 – F	F
9840650	62952P	Hour Meter, 10 000 Hrs.	None
9840660	61548P	Voltmeter, 8 – 18VDC	None
9840630	61550P	Oil Pressure, 0 – 80 PSI	C
9840640	61552P	Water Temperature, 100 - 220°F	D
9840645	61551P	Trim Gauge, Up/Down, Merc, Mar, Yam, Volvo DP	-

GPS SPEEDOMETER

- Provide accurate speed over ground readings, and heading information
- Clean-looking Analog dials with a Digital LCD window
- Connect to an existing NMEA 0183 GPS device - connectors are included
- Ideal for slow speed applications like pontoon boats and for high speed performance boats where pitot tubes do not perform well
- Dial Range:

0-60 MPH
Speed accuracy of +/-1 MPH (once moving)
Heading accuracy of +/-1 degree (once moving)

Current Draw: 0.15 - 0.20 A at 12VDC
Bezel O.D.: 3 7/8"
Hole Size: 3 7/8"



9840612
White Premier Pro



9840512
Amega

PART NO.	MFG#	DESCRIPTION
9840512	781-579-060P	Black Bezel, Black Dial, 60 MPH
9840612	781-625-060P	S/S Bezel, White Dial, 60 MPH

PE 902-566-1220 NS 902-928-1900

WHITE PREMIER PRO SERIES

- Scratch resistant curved glass lenses with polished stainless steel near- ush bezels and clean white faces with modern black graphics (metrics in blue) and a red pointer staff
- Full automotive type lighting, no “halo” around dial edges
- When illuminated, the black dial graduations become red and the pointer staff lights
- Fog-Resistant Design complies with SAE J-1810



9840702 9840603 9840703 9840810 9840825 9840850 9840860 9840830 9840840 9840745

PART NO.	MFG#	3” Gauges - 3-3⁄4”OD x 3-7⁄16” Cutout	SENDER
9840702	62561P	Tachometer, 7000 RPM, O/B	Alt. or Coil
9840603	62547P	Tachometer, 4000 RPM Diesel, Mech. TO, Alt.	-
9840703	62548P	Tachometer, 4000 RPM Diesel, Mag. P/Up	-
9840810	62546P	Speedometer, 10-65 MPH, w/Pitot	G1 & G2 Incl.

PART NO.	MFG#	2” Gauges - 2-7⁄16”OD x 2-1⁄8” Cutout	SENDER
9840825	62551P	Fuel Level Gauge, E – 1/2 – F	F
9840850	62538P	Hour Meter, 10 000 Hrs.	NONE
9840860	62555P	Voltmeter, 8 – 18VDC	NONE
9840830	62542P	Oil Pressure, 0 – 80 PSI	C
9840840	62540P	Water Temperature, 120 - 240°F	D
9840745	62549P	Trim Gauge, Up/Down, Merc, Mar, Yam, Volvo DP	-

HEAVY DUTY SERIES

- Classic line of instruments with white graphics and pointer staffs on deep black faces surrounded by low-profile polished stainless steel bezels
- Perimeter lighting and scratch resistant glass lenses
- Ideal replacement for Stewart-Warner “Deluxe” instruments



9840601 9840725 9840750 9840760 9840562 9840730 9840740

PART NO.	MFG#	3” Gauges - 3-3⁄4”OD x 3-7⁄16” Cutout	SENDER
9840601	82288P	Tachometer, 6000 RPM, O/B	Alt. or Coil

PART NO.	MFG#	2” Gauges - 2-7⁄16”OD x 2-1⁄8” Cutout	SENDER
9840725	80150P	Fuel Level Gauge, E – 1/2 – F	F
9840750	82760P	Hour Meter, 10 000 Hrs.	None
9840760	80134P	Voltmeter, 10 – 16VDC	None
9840562	80131P	Voltmeter, 20 – 32VDC	None
9840730	80180P	Oil Pressure, 0 – 80 PSI	C
9840740	80590P	Water Temperature, I/O, I/B, 120 - 240°F	D

SENDING UNITS



980031 980046 S161510185 980013 9840004 980012 9840010 9840011 S185896



980048

PART NO.	MFG#	DESCRIPTION	SENDER
980031	90424P	Fuel Sender, 4”-24” Tank Depth	F
980046	56973P	Pitot only, for Speedometer 30 – 80 MPH	G1
980048	59677P	12 Pack, Pitots only, for Speedometer 30 – 80 MPH	
S161510185	116-151-0185	Pitot Tubing only, 1⁄8”, 25 Ft.	G2
980013	18-5899	Oil Pressure, Single Station	C
9840004	OP24891	Oil Pressure, Dual Station	C
980012	TS26621	Temperature Senders 3⁄8” Single Station	D
9840010	TS26631	Temperature Senders 1⁄2” Single Station	D
S185896	18-5896	Temperature Senders 1⁄8” Single Station	D
9840011	TS26641	Temperature Senders 1⁄8” Dual Station	D

For the most up to date pricing, please visit maritimemarinesupply.ca/price

ANALOG / DIGITAL GAUGE SETS SMARTCRAFT OR NMEA 2000



- Look and function like analog gauges but use digital drives for accuracy
- Operate on either Mercury Smartcraft or NMEA 2000 systems
- LCD on the Tachometer and Speedometer display all available data and alarms
- Dry Nitrogen filled lenses to minimize fogging
- Dimmable LED automotive style backlighting (red)
- The Tachometer is the master and connects directly to the data bus. All other gauges are slaves and receive data from the Tachometer
- Operational Range: 10 - 18VDC Rated IP67 Gauge size 3", Bezel O.D. 3-7/8", Hole Size 3-1/2"

PART NO.	MFG#	DESCRIPTION
9840492	70002D	Speedometer, 0 – 90 MPH
9840493	70000D	Tachometer, Matrix, Smartcraft, 7000 RPM
9840494	70001D	Tachometer, Matrix, NMEA2000, 7000 RPM
9840495	69995K	Harness-Tachometer to Smartcraft, 30"
9840496	69996K	Harness-Tachometer to NMEA 2000, 30"
9840497	69997K	Harness - Tachometer To Speedometer, 48"

R3 DIGITAL TOUCH SCREEN GAUGE



- Fits in standard 3-3/8" hole cutout
- 850 NIT display (IP67) for readability in full sunlight
- Wide variety of styles and functionality
- NMEA 2000 compatible
- Included connections: CANBus x2 , RS485 x1 Analog x6 Freq Input x1, Output x5
- USB port for software updates
- For use with digital or analog engines

PART NO.	MFG#	DESCRIPTION
9840865	72236P	Digital Multifunction display

LIDO PRO



- Polished Stainless Steel Bezel, White Face, Black Graduations, Black Numerals, Black Pointer Staff w/ Fire Org Tip
- White Perimeter & Red Through Dial Lighting
- Fog-Resistant Design! Complies with SAE J-1810

PART NO.	MFG#	DESCRIPTION
9840798	67653P	Lido Pro, Inboard / Sterndrive Set
9840799	67669P	Lido Pro, Outboard Set
9840945	59657P	Trim Gauge Only

GAUGE SETS FOR OUTBOARD AND INBOARD

Outboard sets include:

- Speedometer, Tachometer, Fuel, Voltmeter gauges and Pitot w/Hose Kit

Inboard sets include:

- Speedometer, Tachometer, Fuel, Voltmeter, Water Temperature, Oil Pressure gauges and Pitot w/Hose Kit

AMEGA

- Black Bezel, Black Face, Red Graduations
- White Numerals, White Pointer Staff
- Perimeter & Through Dial Lighting

SAHARA

- Black Matte Bezel, Tan Face, Black Graduations
- Black Numerals, Black Pointer Staff w/ Fire Org Tip
- White Perimeter & Red Through Dial Lighting





PART NO.	MFG#	DESCRIPTION
9840599	68363P	Amega, Inboard / Sterndrive Set
9840598	68362P	Amega, Outboard Set
9840699	65485P	Sahara, Inboard / Sterndrive Set
9840698	65481P	Sahara, Outboard Set

INSTRUMENT GAUGES



Double glazing minimizes condensation



All models come with black and chrome bezels



Hourmeter

- 2-1/2" (63 mm) Dia.; 2" (52 mm) Dia. cutout

PART NO.	MFG#	DESCRIPTION
9991-363	HOURCB	12/24V



Voltmeters

- 2-1/2" (63 mm) Dia.; 2" (52 mm) Dia. cutout
- Scale calibration 8-16 V

PART NO.	MFG#	DESCRIPTION
9991-364	VLT12B	12V
9991-365	VLT24B	24V



Ammeter 80amp

2-1/2" (63 mm) Dia.; 2" (52 mm) Dia. cutout

- **Scale calibration +/-60A, 12/24 V**

PART NO.	MFG#	DESCRIPTION
9991-366	AMP080B	12/24 V



Oil Pressure Gauges

- 2-1/2" (63 mm) Dia.; 2" (52 mm) Dia. cutout
- Scale calibration 0–110 psi

PART NO.	MFG#	DESCRIPTION
9991-368	OILB	12/24V



Water Temperature Gauges

- 2-1/2" (63 mm) Dia.; 2" (52 mm) Dia. cutout
- Scale calibration 40–120° C - 105-250° F

PART NO.	MFG#	DESCRIPTION
9991-370	TEMPB	12/24V



Ammeter 150amp

2-1/2" (63 mm) Dia.; 2" (52 mm) Dia. cutout

- **Scale calibration +/-100A, 12/24 V**

PART NO.	MFG#	DESCRIPTION
9991-367	AMP150B	12/24 V



Fresh Water Level Indicators

- 2-1/2" (63 mm) Dia.; 2" (52 mm) Dia. cutout

PART NO.	MFG#	DESCRIPTION
9991-372	WATERB	12/24V



Waste Water Level Indicators

- 2-1/2" (63 mm) Dia.; 2" (52 mm) Dia. cutout

PART NO.	MFG#	DESCRIPTION
9991-376	WASTB	12V



Fuel Level Indicators

- 2-1/2" (63 mm) Dia.; 2" (52 mm) Dia. cutout

PART NO.	MFG#	DESCRIPTION
9991-375	FUELB	12/24V

UNIVERSAL TANK FLOATS



- For drinking water, gasoline and diesel fuel
- Every inch indicates difference in fluid level

PART NO.	MFG#	DESCRIPTION
9991-382	SENSOR280	11" (280 mm)
9991-383	SENSOR320	12-5⁄16" (320 mm)
9991-384	SENSOR380	15" (380 mm)
9991-385	SENSOR480	18-7⁄8" (480 mm)
9991-386	SENSOR580	23" (580 mm)
9991-387	SENSOR680	26-3⁄4" (680 mm)
9991-388	SENSOR780	30-11⁄16" (780 mm)

FLOAT SENSOR FOR FUEL TANKS



- For all rigid gas and diesel fuel tanks between 5-1/2" and 26" high
- Both vertical strip and horizontal float arm are completely adjustable
- 12/24V

PART NO.	MFG#	DESCRIPTION
9991-389	FSENSOR	Adjustable from 5" to 26"

EXHAUST TEMPERATURE ALARM



- Visual and audible alarm for exhaust hose or muffler in water injected exhaust systems
- Comes with black and chrome finish bezels
- **Temperature sensors sold separately**

PART NO.	MFG#	DESCRIPTION
9991-378	XHI12B	12V
9991-379	XHI24B	24V

Temperature Sensors



9991-380



9991-381

PART NO.	MFG#	DESCRIPTION
9991-380	XHSH	Sensor to fit exhaust hose
9991-381	XHSM	Sensor to fit VETUS silencers

For the most up to date pricing, please visit maritimemarinesupply.ca/price

TANK SENDERS FOR VSM 422



9840905
Diesel/Water/
Waste



9840910
Gasoline Only

These Ultrasonic Tank Senders can be calibrated for each tank to ensure accuracy. Digital filtering protects against false tank readings caused by sloshing within the tank. Diesel/Water/Waste sender (p/n 9840905) can be used with tanks up to 32" deep. Gasoline sender (p/n 9840910) is for use with tanks up to 24" deep.
Specifications: **Accuracy:** +/- 1/8" (3.81mm) **Supply Voltage:** 10 – 32VDC 3-wire electrical interface.**For use with VSM 422 only.**

PART NO.	MFG#	DESCRIPTION
9840905	1810-BSS	Sender, Diesel/Water/Waste
9840910	1811-BSS	Sender, Gasoline ONLY

WASTE WATER CONTROL PANEL



- LED display; monitors holding tank fluid level
- Waste water control connected to level sensor in the tank indicates four fluid levels
- Automatic tank discharge setting can be used at sea outside regulated discharge zones

PART NO.	MFG#	DESCRIPTION
9991-422	WWCP	12/24V

GOBIUS PRO



- The Gobius® Pro sensor is mounted on the outside of metal or plastic fluid tanks. No more mounting on the inside of the tank, no more drilling of holes.
- Can work alone on a tank or together with on another
- Bluetooth communication for Android and iOS phones
- Measures water (potable/grey/ black), fuel (gas or diesel), oil
- Quick and easy to install and use on your phone
- Sensor size: 2-3⁄4" dia x 1" H, 12-24V
- Tank material, max wall thickness - Stainless steel, 1⁄8" Steel, 1⁄8" Polyethylene,1⁄2" Fiber Glass, 5⁄16"





PART NO.	MFG#	DESCRIPTION
980045	970480-3	Gobius Pro Fluid Sensor

GOBIUS HUB



- Used to display fluid level on an analogue gauge
- Connect upto 5 sensors
- Can send 10-180 or 240-33 Ohms
- Used in NMEA 2000 or BUS systems

PART NO.	MFG#	DESCRIPTION
980044	970435	Sensor hub

GOBIUS C TANK LEVEL MONITOR

The new Gobius Fluid Sensor is equally suitable for all types of liquids, such as water, petrol, diesel, oil, grey and black water, no matter what size or shape of tank. For polyethylene and fibreglass tanks, the sensor is mounted with pre-installed 3M tape. If you have a metal tank, a hole (min. 40 mm) is required to be able to measure correctly.

Mounting and Measurements are done from the top and on the outside of the tank with no risk of leakage, all settings are done by phone. For installation, simply download the App "Gobius C" for iOS and Android phones and follow the step-by-step instructions.



Analog



NMEA2000

Dimensions: 3-3/4"W x 2-1/2"H (95 x 65 mm)
System Includes: Sensor, 1m cable, 3M cleaning wipe and an extra 3M sensor tape.

- Built-in Bluetooth, version 5.0
- Built-in temperature sensor
- Built-in accelerometer
- Built-in micro radar sensor
- Built-in Tank Calculator
- Built-in sea wave motion reduction

- **Resolution:** 1 mm
- **Accuracy:** +/- 2-3 mm
- **Input:** 9 - 12 Vdc
- **Draw:** 10 mA @ 12 Vdc
- **Waterproof Rating:** IP56
- Tank depth: Max 2 meters (78 inches)
- Tank depth: Min 0,2 meters (7,8 inches)
- Bluetooth, version 5.0

PART NO.	MFG#	DESCRIPTION
980051	970526-1	Fluid Sensor, Analog, Gobius C
980052	970534	Fluid Sensor, NMEA, Gobius C

GOBIUS C ADAPTER FOR METAL TANKS



Special adapter for mounting the sensor on a metal tank. The adapter is screwed into the existing "KUS & Wema flanges", 1 1/4". The sensor is then mounted on the adapter with the supplied 3M tape.

Included: Adapter, 3M tape, and two O-rings for sealing

PART NO.	MFG#	DESCRIPTION
980053	79060	Metal Tank Adapter, Gobius C

ALARM MONITORING SYSTEM

- Monitors oil pressure, high engine temperature, fire detector, high bilge water levels, cooling water flow all through a central panel with a 100 db warning bell. Water flow detector with 1" FPT, for 1" and 1-1/4" hose.



PART NO.	MFG#	DESCRIPTION
9945-580	20001	12V
9945-581	20002	24V

COMPONENTS ARE ALSO AVAILABLE SEPARATELY FOR CUSTOM INSTALLATIONS


9860601


9860415


9860535/9860590


9860708


9860851



9860852



9860212

PART NO.	MFG#	DESCRIPTION
9860212	20100	12V Bell Alarm (100 dB)
9860224	20101	24V Bell Alarm (100 dB)
9860232	20102	32V Bell Alarm (100 dB)
9860708	20118	1/2" NPT Engine/Over Heat (200°F)
9860415	20111	1/8" NPT Low Oil Pressure (closes <10 PSI)
9860535	20512	*135°F Fire Detector
9860590	20514	*190°F Fire Detector
9860601	20120	Bilge Water Level Detector
9860851	20020	12V PC Control Board
9860854	20021	24/32V PC Control Board
9860852	20030	Single Engine Indicator Panel
9860100	20011	Sentinel Watch
9945-575	20260	Visual indicator panel

*One time operation. Once these detectors have been triggered, they must be replaced. **Fixed and Rate of Rise detectors. UL and ULC Listed. Complies with Transport Canada, 10.3 Fire Detection and Alarm Regulations.**

ALARM BELL



- Rotating bezel adjusts alarm volume
- IThreaded attachment ring
- 1" cut out

Operating Current:5mA at 5VDC 25mA at 30VDC
Operating Frequency: 3 ±25% Beeps/sec (2900 ±250 Hz)

PART NO.	MFG#	DESCRIPTION
9860500	1070-BSS	5 – 30 DC

AUDIBLE WARNING SYSTEM



Warning buzzer alerts operator of dangerously high engine temperatures or low engine oil pressure. System complete with temperature and pressure switch. 12V.

PART NO.	MFG#	DESCRIPTION
9863100	MP41400	12V Warning System
980014	TS25101	Alarm Temp. 3/8"
980015	OP22891	Alarm Oil 1/8"

DUAL ALARM



Combines audible and visual alarm. Works with any grounded switches. See 980014 for high temp. and 980015 for low oil switches.**Mounting stem:** 11/16" **Diameter:** 17/32" Long

PART NO.	DESCRIPTION
980016	12V
980017	24V

DUAL ALARM



- Combination warning light and buzzer operate simultaneously
- 12v

PART NO.	MFG#	DESCRIPTION
9945-564	1002301	Switches sold separately

FIRE DETECTION SYSTEM



This panel will monitor up to 14 smoke and/or heat detectors and/or rate of rise heat detectors connected to each zone (detectors sold separately.)
The 3-5" square membrane style display panel features colored LED's indicating Power and Status.

Features:

- Visual and audible indication of a fire or fault
- Water Resistant Display
- Includes 85 dB horn
- Supply Voltage: 12/24V DC
- Voltage and EMI protected.
- Reverse polarity protected.


9860575


9860576

PART NO.	MFG#	DESCRIPTION
9935-498	FBD-2-R	Dual Zone Monitor
9860575	OMHD-04-DB-R	Heat Detector 163f w/base
9860576	OMSD-01-DB-R	Smoke Detector w/base

LPG CONTROL AND DETECTION



- Kit includes 12VDC propane detection panel, propane on/off control panel, 10' cable and 3⁄8" brass solenoid

PART NO.	MFG#	DESCRIPTION
9935-196	1300-7761-KIT	12V Kit

- 12VDC propane gas on/off control panel, with 3⁄8" brass solenoid
- 1300-7705.3

PART NO.	MFG#	DESCRIPTION
9935-185	1300-7705.3-KIT	12V Control Panel

- Comes with gas detector and 10' cable

PART NO.	MFG#	DESCRIPTION
9935-195	1300-7760	12V Control Panel

- Panels can accept up to 3 detectors which require Trident's quick connect cables

PART NO.	MFG#	DESCRIPTION
9935-197	1300-7720	Detector
9935-183	1300-7721-120	10' Cable
9935-184	1300-7721-240	20' Cable

GASOLINE FUME DETECTOR

FIREBOY



- 9-30 VDC, draws 55mA @ 12VDC
- 2-3⁄16" round black display with LEDs & Silence/Test button
- 68 dBA Alarm will sound and red LED will light at 20% of the LEL
- 20' of cable to connect remote sensor

PART NO.	MFG#	DESCRIPTION
9935-495	G-1B-R	Black

PROPANE FUME DETECTION SYSTEM
WITH SOLENOID VALVE CONTROL

FIREBOY - XINTEX

retail Packaging



7003113

Nominal Current: 55mA at 12VDC
Maximum Current: 725mA at 9VDC
Mounting Hole: 2-1/16"



7003114

Nominal Current: 95mA at 12VDC
Maximum Current: 780mA at 9VDC
Mounting Hole: 2-1/8"



7003115

20' cable is included with detector kits and replacement sensor.



7003116

These Fireboy Propane Fume Detectors are an effective means to monitor propane fumes from leaking fuel systems. In addition, these units have the ability to control the flow of CNG/LPG to your appliances. The system uses a sensor, located in a place of interest, and a central display unit that notifies you of the state of the system. When a lower explosive limit is detected, a red LED is illuminated, the alarm horn will sound and the solenoid valve will actuate—shutting off the gas flow.

- **Operating Voltage:** 9–30VDC
- **Operating Temperature:** -40°–185°F (-40°–85°C)
- **Alarm Horn:** ≈68 dB

PART NO.	MFG#	DESCRIPTION
7003113	P-1BS-R	Detector/Solenoid/Valve & 1-Sensor Kit
7003114	P-2BS-R	Detector/Solenoid/Valve & 2-Sensor Kit
9935-493	P-1B-R	Detector Only, Propane Fumes
7003115	FS-T01-R	Replacement Sensor & 20' Ext'n Cable
7003116	SV-1	Cut-Off Solenoid & 3/8" x 1/4" Adapter

FUME, FIRE & BILGE LEVEL DETECTOR



Protect your boat and crew with this early warning system for 3 potential hazards. The surface mount control pad sounds an alarm and activates a warning light before a dangerous mishap occurs. Three types of sensors monitor the boat and alert you before a hazardous situation occurs. The Smart Fume detector detects the build up of gases such as propane, gasoline, hydrogen from batteries,alcohol, acetone, methane and others. The thermal sensor monitors for temperature levels above 180° and fire conditions. The bilge sensor monitors the bilge for high water levels.
Draw: .2A **Size:** 3-1/4"W x 2-3/4"H x 3/4"D

PART NO.	MFG#	DESCRIPTION
9860550	MGD-10XL	12V Fume, Fire, Bilge Detector
9860554	MGD-SB	Second Area Fume Sensor with "Y" and 20' Cable
9860552	MGD-102	Replacement Fire Sensor
9860551	SA-100XL	Replacement Bilge Sensor

PROPANE/GASOLINE FUME DETECTOR



Surface mount control pad features sight & sound alarms that signal you before dangerous conditions occur. On/off/alarm test switch provides easy analysis of detector's performance. The smart Sensor detects the build up of multiple explosive gases including gasoline, propane, hydrogen from batteries, alcohol, acetone and other explosive vapours. Modular snap together assembly.
Draw: .2A **Size:** 3-1/4"W x 2-3/4"H x 3/4"D

PART NO.	MFG#	DESCRIPTION
9860560	MGD-1XL	12V Propane/Gasoline Detector

SAFE T ALERT GAS VAPOR ALARM



- Remote sensor monitors bilge/engine compartment during and after fueling
- Install same sensor in galley or LP tank locker to protect against propane leaks
- 12VDC, fits 2-1/8" hole
- Detects fumes from Gasoline, hydrogen from batteries, propane, alcohol, acetone, CNG and other explosive vapors

PART NO.	MFG#	DESCRIPTION
9860565	MGD-1	Gas Vapor Detector

LOW OIL PRESSURE MONITOR

aqualarm



- Normally closed detector that opens when boat engine Oil Pressure reaches 10 psi and activates a loud panel mounted buzzer and red light if pressure drops below 10 psi
- 1/8" Male Pipe Thread

PART NO.	MFG#	DESCRIPTION
9945-628	20220	Panel size 3" x 1-3⁄4", 12V

ENGINE TEMP AND OIL PRESSURE MONITOR

aqualarm



- Activates a red light and sounds a loud audible buzzer on the warning panel if the oil pressure is low or engine temperature is high
- Includes a 20111 Low Oil Pressure Detector and a 20118 Engine Overheat Detector (1/2" MPT that installs in 1/2" FPT plugged hole in the engine)

PART NO.	MFG#	DESCRIPTION
9945-653	20320	Panel Size 3-1⁄8" x 2-5⁄8", 12V

ENGINE TEMPERATURE MONITOR



- Normally open detector that closes when boat engine temperature reaches 200°F and activates a loud panel mounted buzzer and red light
- Detector is 1/2" Male Pipe Thread and mounts in 1/2" engine block hole.

PART NO.	MFG#	DESCRIPTION
9945-627	20214	Panel size 3" x 1-3/4", 12V

FIRE WARNING ALARMS



- 3" x 1 3/4" panel with red light
- Remote detector activates the red light on the warning panel and sounds a loud buzzer in the panel, when the temperature reaches 135°F or 190°F
- Multiple detectors can be wired in parallel

PART NO.	MFG#	DESCRIPTION
9922-348	20230	12V, 135° Detector
9922-349	20234	12V, 190° Detector
9922-345	20228	24V, 135° Detector
9922-346	20237	24V, 190° Detector

ENGINE SAVER KIT





The Engine Saver Kit monitors Raw Water Flow and sounds audible alarm and lights a red light warning panel if cooling water flow is lost. Prevents engine overheating due to flow obstruction such as debris, plastic baggies or sea weed. **Detectors have Female NPT ends.**

Kit Includes: Flow Detector, Red Light Warning Panel and Piezo Buzzer.

Operating Voltage: 12VDC

Detector can be ordered with 1" or 2" NPT female ends. Unit can be easily adapted to other sizes.

PART NO.	MFG#	DESCRIPTION
9860300	20064	1" NPT End Engine Saver Kit
9860301	20063	2" NPT End Engine Saver Kit

COOLING WATER FLOW DETECTOR



The Aqualarm Cooling Water Flow Detector Monitors Marine Engine Raw Water Flow to prevent engine damage due to overheating. It will activate a visual or audible device (not included) immediately whenever raw water flow slows to below 6-8 GPM.
Available in three sizes to accommodate all Inboard engines and most auxiliary generators.

Detectors have Female NPT ends. Works well with 9860212, 9860224 and 9860232 Bell Alarm Systems.

PART NO.	MFG#	DESCRIPTION
9860310	10233	1"
9860315	10271	1-1/2"
9860316	30033	Switch for 1-1/2"
9860320	10231	2"

WET EXHAUST OVERHEAT ALARM KIT



- Wet Exhaust Overheat Alarm Kit
- Exhaust temperature and lights the red light on Warning Panel and activates a loud panel mounted Buzzer when the temperature reaches 200°F
- Green ON light gives peace of mind that the alarm has power and is in a monitoring condition
- Aluminum band that adjusts from 2"diameter to 8" diameter
- 5 ft of Marine Grade Tinned wire included
- Panel Size: 3" x 1-3/4"

PART NO.	MFG#	DESCRIPTION
9945-629	20245	12V
9945-652	20243	24V

WET EXHAUST OVERHEAT DETECTOR



- Two terminal,non polarity, normally open detector that closes when wet exhaust temperature reaches 200°F and activates a visual and/or audible device.
- Adjustable band that will accomodate exhaust sizes from 2in to 8in.
- 5ft of Marine Grade Tinned wire for connections.

PART NO.	MFG#	DESCRIPTION
9945-626	20250	12v, 24v, and 32v

LAST WATCH II
Keeps Helmsmen Awake!



Programmable: Up to 99 minutes
Dimensions: 5.5"W x 3.2"H x 2"D
Surface Mount, no cut out required.
Optional remote alarm requirement: 12VDC, 1A.

- LED display of countdown time
- Loud Alarm sounds and red light blinks when not reset
- Key Lock for security
- Case measures 5.5" Long (including brackets) x 3.2" wide x 2" high
- Set the clock up to 99 minutes ahead of time, and if the reset button is not pushed before time is up, a loud buzzer will sound. If the buzzer is not stopped, by pushing the reset, a second alert is sent to an optional remote audible alarm (bell, siren, strobe etc)
- Discounts offered by many insurance carriers.
- Available in 24v, 32v
- Add on bell, siren or strobe see upper right

PART NO.	MFG#	DESCRIPTION
9860100	20011	12V
9860500	1070-BSS	Optional Alarm Bell

M2 OLED DIGITAL MONITORS

The M2 LED Digital Monitors measure essential electrical system parameters. They have adjustable 92 dB alarms and an auto-dimming display in a compact enclosure. A gasket creates a waterproof seal on the unit face. The M2 Monitors include a MOSFET External Circuit Relay (ECR) which can be used to control external circuits based on any value measured by the M2. The M2 External Circuit Relay is separate from and independent of the Internal Alarm function. **Meets the following Regulatory Specifications:** IP67 **Input Voltage:** 7 – 70VDC **Display Size:** 55mm x 28mm

M2 OLED VESSEL SYSTEMS MONITOR (VSM)

The M2 OLED Digital Systems Monitor has a bright, waterproof, daylight readable OLED display to indicate
the status of four critical vessel systems. **Rated IP67.** NMEA 2000 & CZone compatible.



- Auto-dimming display
- 80dB alarm

AC. Monitors a single AC voltage, current, and frequency. Alarms include high and low voltage, high current, and high and low frequency.

DC. One input monitors the DC voltage, state-of-charge, current for one battery bank and another input monitors the voltage of an additional battery bank. Alarms include high and low voltage, high current, and low battery.

Bilge. When configured as a bilge input, monitoring functions include pump active, cycle count in the last 24-hours, average cycles in a typical 24-hour period, and total cycles. High alarms can be set for both the minutes of run time in the last hour as well as the number or cycle counts in the last 24-hours.

Tank. When configured as a tank input, tank status can be represented in both capacity (gallons or liters) or as a percentage of capacity. Custom tank shapes can be auto-calibrated or programmed. Both high- and low-level alarms can be set for all tanks.

PART NO.	MFG#	DESCRIPTION
9831251	1850-BSS	Vessel System Monitor

M2 DC AMMETER

Monitors DC Amperage with large, bright display. Accurately measure and monitor the amperage of your DC system. (measures 2 circuits) Supports programmable shunt ratios.



- 500A/50mV shunt included
- Range: up to 5000A DC
- Alarms/relay: high current

PART NO.	MFG#	DESCRIPTION
9933-442	1832-BSS	Ammeter

M2 LED AC MONITOR

AC Monitor accurately measures and displays AC Amperage, Voltage & Frequency. It supports programmable current transformer ratios (measures 2 voltages and 2 circuits)



Alarms: High/Low Current–
High/Low Freq.–High/Low Volt.

PART NO.	MFG#	DESCRIPTION
9831254	1838-BSS	50–250V, 300A

M2 DC VOLTMETER

Monitors DC Voltage on large, bright display. Accurately measures and monitors the voltage of up to three batteries.



- Range: 8-70V DC
- Alarms/relay: high/low voltage

PART NO.	MFG#	DESCRIPTION
9933-443	1833-BSS	Voltmeter

M2 OLED DIGITAL BILGE METER

The M2 OLED Digital Bilge Monitor has a bright, waterproof, daylight readable OLED display to indicates if a bilge pump is on, how long it has run in the last hour, and shows a cycle count. The M2 monitor provides an average cycle count over a typical 24 hour period for quick indication of a potential problem. Monitors up to four bilge pumps.



- Auto-dimming display
- 80dB alarm
- Switches not included
- Not compatible with automatic pumps

PART NO.	MFG#	DESCRIPTION
9831253	1842-BSS	Bilge Pump Monitor

M2 DC SOC MONITOR

Accurately measure and monitor the state-of-charge of your batteries. Supports programmable shunt ratios.



- Accurately measures and monitors State-of-Charge of 1 bank
- Measures 3 voltages and 1 current
- Supports programmable shunt ratios
- External relay activation
- 500A/50mV shunt included
- Alarm/relay: low battery, high/low voltage, high current

PART NO.	MFG#	DESCRIPTION
9831250	1830-BSS	500A/50mV

M2 OLED TANK MONITOR



- Easy to read, auto-dimming, LED display
- Intuitive tank level monitoring w/80dB alarm
- Monitor up to 4 tanks
- Auto calibration for unique tank shapes
- Suitable for NA senders 240-30 ohms

PART NO.	MFG#	DESCRIPTION
9933-448	1839-BSS	Led Display

MINI OLED DIGITAL MONITORS

Compact size enables mounting in any convenient location
Reverse polarity protected Input Voltage Range: 8-36VDC
Mounts in a common 1-1⁄8" in hole IP66 waterproof

DC AMPMETER

- DC amp from -100A to 100A
- Includes shunt



PART NO.	MFG#	DESCRIPTION
9831256	1732-BSS	Yellow
9933-538	1732200-BSS	Blue

MINI OLED DC VOLTMETER

- Monitors DC voltage on a bright, waterproof, daylight readable OLED screen



PART NO.	MFG#	DESCRIPTION
9831255	1733-BSS	Yellow
9933-537	1733200-BSS	Blue

TEMPERATURE MONITOR

- Temperatures range from -40°C to 125°C (-40°F to 250°F)
- Includes sender



PART NO.	MFG#	DESCRIPTION
9831257	1741-BSS	Yellow
9933-539	1741200-BSS	Blue

MINI OLED TANK MONITOR

- Confidently monitor tank levels with a simple to read digital OLED display
- Compatible with most resistive tank sending units



PART NO.	MFG#	DESCRIPTION
9933-535	1739-BSS	Yellow
9933-536	1739200-BSS	Blue

OLED VOLTMETER



Designed to withstand constant vibration and the rigours of a marine environment. The voltage is displayed on a bright, waterproof, daylight-readable OLED screen. High contrast and resolution make this screen visible from a wide viewing angle, even with polarized sunglasses. Constructed of injection moulded nylon with terminal spade contacts.

Voltage Display Range: 8–60VDC. Reverse polarity protected.
Install is as easy as drilling a 1-1/8" hole, inserting the socket body, tightening the locking nut,& connecting the wires. Also fits Sea-Dog Power Socket Shell (426100) and Mounting Bracket (426105). Input 8–60VDC. IP66 rating.
Dimensions: A: 1-7/16", **B:** 3/4", **C:** 1-1/8"

PART NO.	MFG#	DESCRIPTION
9831249	421600-1	Voltmeter, OLED
9831265	426105-1	Mounting Bracket, Black
9831240	426101-1	2" Hole Adapter

DUAL ROUND VOLTMETER



This digital dual voltmeter displays voltage for main and auxiliary batteries simultaneously. The compact size of a standard 1-1/8" socket allows this voltmeter to be installed in a wide variety of locations. Red LED display.
Range: 10 – 48VDC **Rating:** Waterproof IP65

PART NO.	MFG#	DESCRIPTION
9831260	421616-1	Voltmeter, Dual
9831265	426105-1	Mounting Bracket, Black
9831240	426101-1	2" Hole Adapter

TEMPERATURE METER



- Prewired temp sensor with a 6' cable
- LED display Reverse polarity protected
- Injection molded nylon
- 1 1/8" cut-out hole
- Temperature Range -67°F to 248°F
- Operating Voltage: 12-24 VDC
- Waterproof rating: IP67

PART NO.	MFG#	DESCRIPTION
9831258	421618-1	12-24VDC

POWER SOCKET/METER MOUNTING BRACKET



This moulded nylon Mounting Bracket is designed for the external mounting of round power sockets and gauges. Fits all Sea-Dog power sockets / meters and most devices that are 1-1/8" in diameter. **Black**.

PART NO.	MFG#	DESCRIPTION
9831265	426105-1	Mounting Bracket

INSTRUMENT HOLE ADAPTER

FOR SOCKETS & METERS



This Instrument Hole Adapter is designed to install standard 1-1/8" gauges and meters into a 2" instrument dash panel hole.

The socket adapter installs by placing the face plate in front of the dashboard then inserting the socket/meter in the hole with the washer behind. The assembly is held in place by the socket/meter nut for a clean, finished look. Constructed of UV resistant injection moulded nylon.

PART NO.	MFG#	DESCRIPTION
9831240	426101-1	2" Hole Adapter for 1-1/8" Instrument

For the most up to date pricing, please visit maritimemarinesupply.ca/price

DC ANALOG VOLTMETER



These meters provide backlighting for low light conditions. Included is a terminal cover to prevent accidental short circuit. The expanded scale reads from 8-16V and consumes an amperage draw of 1 mA. Simple 2 wire, 3 connections for backlight installation. Face dimensions are 2" x 2", and mounting is 1.86" x 1.055".

PART NO.	MFG#	DESCRIPTION
9831331	8028-BSS	8-16V, DC Volt Meter

DC AMMETER 50-0-50A



This DC Zero Center micro Analog Ammeter reads both Discharge and Charge Currents. It has a 2" face and a simple 4-wire connection from the shunt. This meter senses and gets its power from the shunt connection.

The appropriate shunt is included.

PART NO.	MFG#	DESCRIPTION
9831330	8254-BSS	DC Analog Ammeter

DC CURRENT SHUNT



500 Amp

PART NO.	MFG#	DESCRIPTION
9933-097	8255-BSS	Replacement shunt

AC DIGITAL MULTIMETER WITH ALARM



Provides high and low voltage, and high amperage alarms, both audio and visual.

This AC digital multimeter displays:

- Voltage from 80–270VAC
- Amperage from 0 to 150A
- Power from 10–45 Kilowatts
- Frequency from 40–90Hz

Input Voltage: 80-270VAC
Power Consumption: 0.010W Min. 0.027W Max.
Weight: 0.78 lb (0.35 kg)

- Includes a Current Transformer

PART NO.	MFG#	DESCRIPTION
983125	8247-BSS	AC Multimeter w/ Alarm

DC DIGITAL VOLTMETER



- Displays voltage to 0.01V from 7 to 60V 3 display brightness levels
- Sleep mode blanks display for power conservation Splashproof front. 9/16" Display Size

Accuracy: Greater than 0.5%
Input Range: 7 to 60VDC
Power Consumption: Min. 0.115W Max. 0.825W

PART NO.	MFG#	DESCRIPTION
983124	8235-BSS	DC Digital Voltmeter

DC DIGITAL AMMETER



- Displays amperage to 0.1A up to 99.9A and 1A increments from 100-500A pos. and neg.
- 3 display brightness levels Sleep mode blanks display for power conservation
- Splashproof front Includes 500A shunt 9/16" Display Size

Accuracy: Greater than 0.5%
Input Range: 7–60VDC
Power Consumption: Min. 0.115W Max. 0.825W

PART NO.	MFG#	DESCRIPTION
983123	8236-BSS	DC Digital Ammeter

DC DIGITAL MULTIMETER WITH ALARM



- Provides high and low voltage alarms, both audio and visual. Standard meter operates in negative side of circuit only and a shunt shifter is required for a positive side installation such as alternators. This DC digital multimeter displays voltage from 0–60VDC
- Amperage from -500A to +500A

Input Voltage: 7-60VDC
Power Consumption: 0.69W Min. 1.00W Max.
Weight: 1.12 lb (0.51 kg) Includes a 500A shunt

PART NO.	MFG#	DESCRIPTION
983130	8248-BSS	DC Multimeter w/ Alarm

DC DIGITAL VOLTMETER WITH ALARM



- Same features and performance as digital voltmeter, plus user programmable high and low voltage audio and visual alarm
- Displays Volts from 0 - 60vdc

PART NO.	MFG#	DESCRIPTION
9933-131	8251-BSS	Digital

ECONOMY 3 CIRCUIT PANEL



5-1/4" x 3-3/4"

- Material: Aluminum plate, Black
- Voltage: 12 VDC
- UL approved circuit breakers 1 x 5A, 1 x 10A, 1 x 15A
- 30 preprinted labels included
- IP65, Blister pack

PART NO.	MFG#	DESCRIPTION
9830103	10081-LT	3 Circuit Panel, 12v

ECONOMY 3 CIRCUIT PANEL



This plastic panel with USB charger has 5 switches, LED indicators and 6 cabled circuit breakers.
Breakers: 2x 5Amp, 2x 10 Amp and 2x 15 Amp

- Operating Voltage: 12 VDC
- 3 Amp USB charger
- IP65

PART NO.	MFG#	DESCRIPTION
9890093	10226-BKU	Switch Panel and USB Charger

WORK BOAT PANELS

983424



983420



983426



983422



- HD engraved composite backing panels
- High load toggles with water proof switch-boot
- Highly visible red indicator lights,

PART NO.	MFG#	DESCRIPTION
983424	WDSM	Wash Down, 12/24V
983420	983420	Electric Clutch, 12/24V
983426	NAVSM	6 Position Nav Lights, 12/24V
983422	983422	Electric Clutch Wash Down, 12/24V
983423	2GK51-73	Replacement Switch, fit all work boat panels

SINGLE CIRCUIT PANEL



- 1 Breaker
- 1 Indicator Light
- 20A, 12V
- 2-5/8" x 3-3/4"

PART NO.	DESCRIPTION
983400	Circuit Panel, 12v

CIRCUIT BREAKER PANEL BACK COVER

BLUE SEA SYSTEMS



983105 983106 983107

ABS cover provides electrical insulation for exposed panel backs, by protecting against water spray and being bumped by objects behind the panel.

PART NO.	MFG#	DESCRIPTION
983105	4026-BSS	For 5-1/4" x 3-3/4" Panels
983106	4027-BSS	For 5-1/4" x 7-1/2" Panels
983107	4028-BSS	For 10-1/2" x 7-1/2" Panels

LABEL BACKLIGHT SYSTEM

BLUE SEA SYSTEMS



Backlight board is mounted between the two bus blocks on the back of the panel; boards connect to 12VDC supply via #6, 18 AWG leads

Voltage: 12/24VDC
Amperage Draw: 5mW per label

PART NO.	MFG#	DESCRIPTION
9831500	8065-BSS	Fits panels with 3, 5 or 8 Label Positions
9933-216	8069-BSS	Fits panels with 10 label positions

60 SMALL FORMAT BLACK LABELS

BLUE SEA SYSTEMS



Reinforced, weatherproof material.

Used on all Contura Waterproof Circuit Breaker Panels, Contura Waterproof Fuse Panels and on ST Blade Fuse Blocks.

PART NO.	MFG#	DESCRIPTION
983117	8214-BSS	60 Label Kit

INDIVIDUAL PANEL LABELS (FOR BLUE SEA PANEL)

BLUE SEA SYSTEMS



Tough, weatherproof Lexan material. Backlightable with label backlight system. Back light system optional.

PART NO.	DESCRIPTION
9831201	Wipers
9831202	Seawater Wash Down
9831203	Navigation Lights
9831204	Hydraulic System
9831205	Heater
9831206	Deck Lights
9831207	Charger/Inverter
9831208	Stern Light
9831209	Anchor Light
9831210	Fresh Water
9831211	Water Pump
9831212	Bait Pump
9831213	Electronics
9831214	Searchlight
9831215	Cabin Light
9831216	Engine Room Light
9831218	Head
9831219	Blower
983120	8030 30 Selected Labels, DC Panel
9933-218	8031 30 Selected Labels, AC panel

SQUARE FORMAT PANEL LABELS (FOR BLUE SEA PANEL)

BLUE SEA SYSTEMS



This square format Waterproof DC Label Kit is made with reinforced weatherproof material. Used on Blue Sea 360 WeatherDeck waterproof panels and Battery Management Panels. Individual labels can be purchased separately.

PART NO.	MFG#	DESCRIPTION
9831359	4217-BSS	Labels, 120 Selected
9831360	4215-BSS	Labels, 30 Selected
9831361	6520-0452-BSS	Wipers
9831362	6520-0378-BSS	Seawater Washdown
9831363	6520-0327-BSS	Nav Lights
9831364	6520-0273-BSS	Hydraulic Systems
9831365	6520-0257-BSS	Heater
9831366	6520-0124-BSS	Deck Lights
9831367	6520-0094-BSS	Charger/Inverter
9831368	6520-0404-BSS	Stern Light
9831369	6520-0035-BSS	Anchor Light
9831370	6520-0199-BSS	Fresh Water
9831371	6520-0442-BSS	Water Pump
9831372	6520-0044-BSS	Bait Pump
9831373	6520-0148-BSS	Electronics
9831374	6520-0374-BSS	Searchlight
9831375	6520-0086-BSS	Cabin Light
9831376	6520-0155-BSS	Engine Room Lights
9831377	6520-0240-BSS	Head
9831378	6520-0065-BSS	Blower

For the most up to date pricing, please visit maritimemarinesupply.ca/price

BLUE SEA SYSTEMS **CUSTOM 360 PANEL SYSTEM**

360 PANEL SYSTEM

BLUE SEA SYSTEMS

A Custom 360 Panel can be created in a fraction of the time required by other custom panel shops. The 360 Panel System uses an open frame to mount a broad selection of modules, allowing multiple functions to be combined in a single panel. This innovative design offers a wide choice of AC and DC panel features, can accommodate future changes, and permits rapid assembly. With options ranging from battery management to source selection, the 360 Panel System provides a wide range of design flexibility.







An Innovative Approach to Power Distribution

Blue Sea Systems has developed a line of panels based on a unique open architecture design. The 360 Panel System provides complete flexibility throughout the life of the panel-from its initial design, to future modifications as customer needs change.

Follow the simple instructions on the "Custom 360 Panel Worksheet" to configure and order your personalized 360 panel in a few easy steps . . . . . .
You can select the panel function from the list of modules. When you have completed the "360 panel Worksheet", submit it to Maritime Marine for pricing.

Go to:
www.bluesea.com
Select "**Create a 360 Panel**"

step **1** You can select from a 1x1 and up to a 4x5 panel frame from the "Panel Frame Dimensions Table".

Choose from 1x1 up to 4x5 Panels.



step **2** You can select the panel function from the list of modules.



step **3** When you have completed the "360 Panel Worksheet", submit it to Maritime Marine for pricing.

12 VOLT DC BREAKER PANELS 360 PANEL SYSTEM

BLUE SEA SYSTEMS

These panels use the Blue Sea 360 Modular Panel design to meet both the visual and functional demands of the most discerning boaters. The included breakers are all 15A Flat Rocker style which are flush when "ON" eliminating the risk of accidental switching. LED indicator lights on each circuit show the "ON" position. 30pc Square Format Label Set is included.



9831405
Width: 9.25" (234.95mm) **Height:** 7.75" (196.85mm) **Depth:** 4.00" (1



9933-228
DC 16 Position Square
9 -1/4 x 4-3/4



9933-174
DC 19 Position + Main Horizontal, Digital Meter
13-5/8 x 7-3/4



9831400
DC 8 Position Vertical
4-7/8 x 7-3/4



9933-229
DC 12 Position Vertical
4-7/8 x 10-3/4



9933-172
DC 4 Position
4-7/8 x 4-3/4



9831401
DC 8 Position Horizontal
49-1/4 x 4-3/4

360 PANEL SYSTEM



9831400 - Vertical Mount
Width: 4.88" (123.83mm)
Height: 7.75" (196.85mm)



9831401 - Horizontal Mount
Width: 4.88" (123.83mm) **Height:** 7.75" (196.85mm)

PART NO.	MFG#	DESCRIPTION
9933-172	1216-BSS	12vDC Square, 4 Pos..
9831400	1200-BSS	12vDC Vertical, 8 Pos.
9831401	1225-BSS	12vDC Horizontal, 8 Pos.
9933-229	1223-BSS	12vDC Vertical 12 Pos..
9831405	1217-BSS	12vDC w/ Meter, 12 Pos.
9933-228	1222-BSS	12vDC Square, 16 Pos.
9933-174	1221-BSS	12vDC Horizontal 19 Pos., Digital Meter

360 PANEL SYSTEM

AC BREAKER PANELS WITH 15A FLAT ROCKERS

- Modular architecture allows multiple functions to be combined in a single panel, including circuit breakers and meters, battery switches, source selection, and even full Vessel Systems Monitor VSM 422



9831461
AC 8 Position Vertical



9933-176
AC 6 Position + Main, Vertical



9831460
AC 4 Position Square



9933-213
AC 2 Position + Main, Square

- For circuits requiring both protection and switching
- Installed with 15 Amp flat rocker breakers
- ON indicating LEDs – amber for DC circuits and green for AC circuits; reverse polarity LEDs
- Backlit label sets included
- Hidden mounting screws

120VAC PANELS

Item No.	Panel	Breakers	Dimensions W x H in.	Model
9933-213	AC 2 Position + Main, Square	two 15A; 30A double pole main	4-7/8 x 4-3/4	1214
9831460	AC 4 Position Square	four 15A	4-7/8 x 4-3/4	1210
9933-176	AC 6 Position + Main, Vertical	six 15A; 30A double pole main	4-7/8 x 7-3/4	1202
9831461	AC 8 Position Vertical	eight 15A	4-7/8 x 7-3/4	1228

AC SELECTABLE BREAKER PANEL



This source selector panel has two 50A Flat Rocker style Main breakers with a lockout slide to prevent from connecting multiple AC Sources simultaneously.

- A Green LED light indicates which source is "ON"
- Red LED light indicates "Reverse Polarity".
- Label positions are backlit.

Width: 4.88" (123.83mm) **Height:** 4.75" (120.65mm)

PART NO.	MFG#	DESCRIPTION
9831450	1231-BSS	120VAC, 50 amp

360 AC SOURCE SWITCH



- Provides safe management of multiple AC sources
- Fully backlit, has green LED power availability indicators, red LED reverse polarity indicators and an OFF position
- Measures 4-7/8"W x 4-3/4"H
- (1482 = 2-7/16"D, 1488 = 5-1/2"D)

PART NO.	MFG#	DESCRIPTION
9831458	1482-BSS	120VAC, 30 amp
9831459	1488-BSS	120/240VAC, 65 amp

AC INSULATING PANEL BACK COVERS



- Meets ABYC safety requirements for providing electrical insulation to exposed panel backs, isolating AC components and circuits from DC system elements

PART NO.	MFG#	DESCRIPTION
9933-182	1331-BSS	Single Module

ELCI MAIN AC 30A DOUBLE POLE PANEL



- One 30A AC ELCI Main Residual Current Circuit Breaker, leakage trip amperate - 30 mA
- ELCI provides overcurrent and leakage protection per ABYC E-11 for whole boat shore power protection
- Red " Reverse Polarity" LED
- All circuit label positions are backlit
- "ON" indicating LEDs

PART NO.	MFG#	DESCRIPTION
9831397	1502-BSS	ELIC Main AC 30A Double Pole Panel

ADDITIONAL PANEL OPTIONS



AC DUAL OUTLET PANEL

- 120VAC
- Integrates into Blue Sea 360 panel system.
- **Dimensions:** 4.88"W x 4.75"H x 1.50"D (123.83 x 120.65 x 12.7cm)



BLANK PANEL

- Platform for mounting equipment, switching and monitoring functions.
- Suitable for accessories and for user pad printing
- **Dimensions:** 4.88"W x 4.75"H x 0.50"D (123.83 x 120.65 x 12.7cm)



DUAL 12V SOCKET PANEL

- 2 X 12VDC at 15A maximum
- For your electronic accessories
- **Dimensions:** 4.88"W x 4.75"H x 1.50"D (123.83 x 120.65 x 12.7cm)

PART NO.	MFG#	DESCRIPTION
6575042	1479-BSS	AC Dual Panel
9933-242	1518-BSS	Blank Panel
6575039	1472-BSS	DC Dual Socket Panel

For the most up to date pricing, please visit maritimemarinesupply.ca/price

120VAC PANELS

- Reverse polarity indicating red LED
- All hot, neutral and grounding buses installed and fully pre-wired
- Analog meter panel has 0-150VAC voltmeter and 0-50 Amp AC ammeter with remote sensing coil
- Digital meter panels: Multimeter displays amperes to 150A, voltage to 300V, frequency to 90Hz and power to 45 kW



983143
7-1/2" x 10-1/2"



983147
3-3/4" x 2-5/8"



983140
7-1/2 x 5-1/4"



983149
5-1/4" x 7-1/2"



983145
5-1/4" x 11-1/4"



9933-043
5-1/4" x 7-1/2"



983148
5-1/4" x 7-1/2"



9933-044
5-1/4" x 11-1/4"



9831398
5-1/4" x 3-3/4"



9933-046
5-1/4" x 11-1/4"



9933-445
10-1/2"x 3-3/4"

PART NO.	MFG#	DESCRIPTION
9831398	8100-BSS	1 x 30A AC ELCI Main Residual Current Circuit Breaker, leakage trip amperate - 30 mA
983147	8077-BSS	1x 30A double main
983140	8043-BSS	1x 30A double main; 3x 15A
9933-043	8405-BSS	1x 30A double main; 3x 15A
9933-445	8099-BSS	1x 30 Amp double main, 4x 15 Amp
983149	8027-BSS	1x 30 Amp double main; 3x 15 Amp; 3x blanks
983148	8059-BSS	5x 15A; 3x blank
9933-044	8406-BSS	1x 30 Amp double main; 5x 15 Amp; 3x blank ;100A main bus
983143	8076-BSS	1x 30 Amp double main; 8x 15 Amp; 3x blank
983145	8032-BSS	Selects one of two AC sources for 1 circuit
9933-046	8366-BSS	Selects one of three AC sources for 1 circuit

120VAC SURFACE MOUNT SYSTEM ENCLOSURE



These AC main enclosures are available with either one or two ELCI 30A double pole residual current circuit breakers to provide over current and leakage protection. Meets ABYC standards for AC systems when installed within 10' of shore power inlet and they provide shore power protection for the whole boat.

Made of glass filled polycarbonate with stainless steel latch and removable hinge pin. A clear cover overlaps the mounting box for increased strength and protection and an oversized polyurethane gasket is formed in place for permanent, secure protection against water intrusion.

9831390 Only: Blank breaker positions to load custom breakers. Accepts Carling Technologies A & C Series flat rocker and ELCI main circuit breakers.

Included with 9831390:

- 1 x ELCI Main, 120VAC, 30A
- 2 x Small Wire Glands
- 3 x Medium Wire Glands
- 4 x Green 'On' LEDs
- 1 x Red 'Reverse Polarity' LED
- 1 x LED Plug
- 12 x Circuit Breaker mounting screws
- 6 x Backlit circuit breaker positions
- 1 ea x 'AC Main', 'Reverse Polarity', 'ELCI' & '120VAC' Labels
- 30 x Basic AC Labels

Included with 9831395:

- 2 x ELCI Main, 120VAC, 30A
- 2 x Small Wire Glands
- 4 x Medium Wire Glands
- 2 x Green 'On' LEDs
- 2 x Red 'Reverse Polarity' LEDs
- 2 x LED Plugs
- 12 x Circuit Breaker mounting screws
- 6 x Backlit circuit breaker positions
- 10 x Source Selection Labels
- 2 ea x 'Reverse Polarity', 'ELCI' Labels
- 1 x Voltage ID Label ('120VAC')

Enclosure Size: 6"L x 6"W x 4"D
Overall Dimensions: 7.6"L x 7.4"W x 4.7"D

UL listed and NEMA 4X rated.
Waterproof rated IP66 – protected against powerful water jets.

PART NO.	MFG#	DESCRIPTION
9831390	3116-BSS	1 x ELCI Main + 3 Blank Pos.
9831395	3117-BSS	2 x ELCI Main, 120VAC, 30A

AC / DC CIRCUIT BREAKER PANELS



983250
14-3/4" x 10
6 Circuit + Main AC/15 Circuit + Main DC Panel, Analog Meters

- 0-150VAC Voltmeter; 8-16VDC Voltmeter; 0-50A DC Ammeter with remote shunt



9933-045
15-3/4" x 10
6 Circuit + Main AC/18 Circuit + Main DC Panel, Digital Meters

- AC Digital Multimeter 8247 displays amperes 0-150A, voltage 80-270V, power 0-35 kW, frequency 40-90 Hz
- DC Digital Multimeter 8248 displays amperes -500–500A, voltage 0-60V
- Both sides include high and low amperage alarms



983108



9831500

PART NO.	MFG#	DESCRIPTION
983250	8084-BSS	120VAC / 12 VDC Panel
9831500	8065-BSS	Backlight System for 983250
983108	4029-BSS	Back Cover for A/C System for 983250
9933-045	8408-BSS	120VAC / 12 or 24v Panel

DC PANELS

- All positive, negative and grounding buses installed and fully pre-wired
- Analog meter panels have 8-16 volt DC voltmeter with 3 position switch to monitor multiple battery banks, plus 0-50 Amp DC ammeter with remote shunt
- Digital meter panels Multimeter displays amperes to 500A, voltage to 60V; panel includes high and low voltage alarms with 3 position switch for multiple battery banks



983133
10-1/2" x 7-1/2"



9933-376
5-1/4" x 4/4"



9933-040
5-1/4" x 7-1/2"



983128
5-1/4" x 7-1/2"



9933-377
5-1/4" x 11-1/4"



9933-042
10-1/2" x 7-1/2"



9933-206
5-1/4" x 11-1/4"



9933-041
5-1/4" x 11-1/4"

PART NO.	MFG#	DESCRIPTION
9933-376	8025-BSS	3x 15 Amp, 12 or 24v
9933-040	8401-BSS	5x 15 Amp; 100A main bus, 12 or 24v
983128	8023-BSS	5x 15 Amp; 3x blank, 12 or 24v
9933-377	8376-BSS	10x 15 Amp, 3x blank, 12 or 24v
9933-206	8082-BSS	7x 15 Amp; 3x blank, 12v
9933-041	8402-BSS	7x 15 Amp; 3x blank, 12 or 24v
983133	8068-BSS	10x 15 Amp; 3x blank, 12v
9933-042	8403-BSS	10x 15 Amp; 3x blank, 12 or 24v

24 POSITION DC CIRCUIT BREAKER PANEL



983129
15-3/4" x 7-1/2"

24 total circuit breaker positions, 15 15A breakers installed. Positive and negative bus bars installed, fully pre-wired. Set of labels included. All circuit label positions are backlit – no kit required.

Voltage: 12/24VDC
Amperage: Panel Main Bus 100A

PART NO.	MFG#	DESCRIPTION
983129	8264-BSS	15 x 15amp

For the most up to date pricing, please visit maritimemarinesupply.ca/price

THERMAL BREAKER (PUSH BUTTON) DC



Screw Terminal



Quick Connect

- Branch circuit breakers (can be used for 24 hour circuit protection)
- Compact design enables high density circuit protection configurations
- Push to reset operation ignition protected – safe for installation aboard gas powered boats
- Trip Free design cannot be held "ON" during fault current condition
- Meets UL 1500 and ISO 8846 external ignition protection requirements

Interrupt rating: 3000A at 14.7VDC 2500A at 28VDC
Maximum Voltage Rating: 32VDC
Current breaker type: Thermal trip, man. push reset
Operating temp: -10°C to +60°C **Mounting:** 3/8"-27 UNS

PART NO.	MFG#	DESCRIPTION
983204	2129-BSS	3A Screw Terminal
983206	2130-BSS	5A Screw Terminal
983208	2131-BSS	7A Screw Terminal
983211	2132-BSS	10A Screw Terminal
983216	2133-BSS	15A Screw Terminal
983221	2134-BSS	20A Screw Terminal
983226	2135-BSS	25A Screw Terminal
983231	2136-BSS	30A Screw Terminal
983203	7050-BSS	3A Quick Connect
983205	7052-BSS	5A Quick Connect
983207	7053-BSS	7A Quick Connect
983210	7054-BSS	10A Quick Connect
983215	7056-BSS	15A Quick Connect
983220	7057-BSS	20A Quick Connect
983225	7058-BSS	25A Quick Connect
983230	7059-BSS	30A Quick Connect
9933-379	7061-BSS	40A Quick Connect

C-SERIES DC MAGNETIC CIRCUIT BREAKER



- Provides overcurrent protection for inverters, bow thrusters, and windlasses
- Combines switching and circuit protection into a single device
- Magnetic / Hydraulic "Trip Free"—cannot be held closed after trip
- 2-1/16" mounting hole distance

Circuit connections are 1/4" studs. Mounting holes are 2.062" apart. Includes 2 x pan and 2 x flat head mounting screws.

Cont. Amps: 100A Max. **Trip Amps:** 135A **Max. Volts:** 80vdc / 275vac

PART NO.	MFG#	DESCRIPTION
983399	7250-BSS	100A, White

A-SERIES SINGLE REPLACEMENT BREAKER



- Meets American Boat and Yacht Council (ABYC) standards
- The industry standard circuit breaker for Blue Sea Systems electrical panels
- Combines switching and circuit protection into a single device
- Magnetic / Hydraulic "Trip Free" design cannot be held "ON" during fault current condition
- Max Voltage: 65 VDC, 277 VAC

Mounting screws are included. Max. voltage:
32VDC/240VAC or better

PART NO.	MFG#	DESCRIPTION
983305	7200-BSS	5A, Black
983306	7202-BSS	5A, White
983310	7204-BSS	10A, Black
983311	7206-BSS	10A, White
983315	7208-BSS	15A, Black
983316	7210-BSS	15A, White
983320	7212-BSS	20A, Black
983321	7214-BSS	20A, White
983325	7216-BSS	25A, Black
983326	7218-BSS	25A, White
983330	7220-BSS	30A, Black
983331	7222-BSS	30A, White
983340	7224-BSS	40A, Black
983341	7226-BSS	40A, White
983350	7228-BSS	50A, Black
983351	7230-BSS	50A, White

A-SERIES DOUBLE DC MAGNETIC BREAKER, DOUBLE





This double pole Double Breaker combines switching and circuit protection in a single device with a "Trip Free" design that cannot be held "ON" during a fault condition. Used as an AC Main circuit protection.

Rated at: 30A, up to 65VDC
30A, up to 250VAC

UL 1077 recognized, CE marked for Europe and CSA certified for Canada.

PART NO.	MFG#	DESCRIPTION
9933-529	7237-BSS	Double, 2 x 30A, Black
9833430	7238-BSS	Double, 2 x 30A, White
9933-017	7241-BSS	Double, 2 x 50A, Black
9933-528	7242-BSS	Double, 2 x 50A, White

NEW

A-SERIES CIRCUIT BREAKERS

EGIS MOBILE ELECTRIC



- Easily mounts in standard panels
- Includes mounting screws
- Toggle style actuator for easy on/off switching control combined with circuit protection
- Max. operating voltage 277Vac / 80Vdc
- High electrical/manual switching endurance delivers 6000 cycles at full current
- UL listed and CE certified

PART NO.	MFG#	DESCRIPTION
9832170	3201-03	Single, White, 2.5A
9832171	3201-05	Single, White, 5A
9832172	3201-10	Single, White, 10A
9832176	3201-15	Single, White, 15A
9832177	3201-20	Single, White, 20A
9832178	3201-25	Single, White, 25A
9832179	3201-30	Single, White, 30A
9832180	3201-40	Single, White, 40A
9832181	3201-50	Single, White, 50A
9832182	3202-20	Double, White, 20A
9832183	3202-30	Double, White, 30A
9832184	3202-50	Double, White, 50A
9832173	3211-05	Single, Black, 5A
9832174	3211-08	Single, Black, 8A
9832175	3211-10	Single, Black, 10A
9832185	3211-15	Single, Black, 15A
9832186	3211-20	Single, Black, 20A
9832187	3211-25	Single, Black, 25A
9832190	3212-30	Single, Black, 30A
9832188	3211-40	Single, Black, 40A
9832189	3211-50	Single, Black, 50A

CIRCUIT BREAKER, FLAT ROCKER

BLUE SEA SYSTEMS

Single Pole

These Flat Rocker Circuit Breakers combine switching and circuit protection into a single device. The "Trip Free" component cannot be held closed after tripping. The Flat Rocker Actuator is flush in the "ON" position eliminating the risk of accidental switching. Rated for 10,000 Switch Cycles at the rated amperage and voltage.



Maximum Voltage: 240VAC/32VDC
Interrupt Capacity: 5000A at 32VDC
Mounting Scews: #6-32 Stainless Steel
Terminal Screws: #10-32 Stainless Steel
Dimensions: 3/4" x 2-5/16" x 2-7/16" Deep (19.05 x 58.67 x 60.96mm)

A-Series

Provides over current protection for all Marine Electrical and Electronic devices. For installation in areas **not requiring Ignition Protection**.

PART NO.	MFG#	DESCRIPTION
9833240	7400-BSS	A - Series 5A
9833241	7402-BSS	A - Series 10A
9833242	7403-BSS	A - Series 15A
9833243	7404-BSS	A - Series 20A
9833244	7405-BSS	A - Series 25A
9833245	7406-BSS	A - Series 30A
9833246	7408-BSS	A - Series 50A

CIRCUIT BREAKER, FLAT ROCKER

BLUE SEA SYSTEMS

Single Pole

These Flat Rocker Circuit Breakers combine switching and circuit protection into a single device. The "Trip Free" component cannot be held closed after tripping. The Flat Rocker Actuator is flush in the "ON" position eliminating the risk of accidental switching. They are rated for 10,000 Switch Cycles at the rated amperage and voltage.



C-Series

Maximum Voltage: 240VAC/32VDC
Interrupt Capacity: 5000A at 32VDC
Mounting Scews: #6-32 Stainless Steel
Terminal Screws: #10-32 Stainless Steel
Dimensions: 3/4" x 2-5/16" x 2-7/16" Deep (19.05 x 58.67 x 60.96mm)

Provides over current protection for Inverters, Bow Thrusters, Windlasses, etc. **Ignition protected**—safe for install aboard gas powered boats.

PART NO.	MFG#	DESCRIPTION
9833210	7541-BSS	C - Series 10A
9833230	7545-BSS	C-Series 30A
9933-199	7549-BSS	C-Series 100A

UL-489 CIRCUIT BREAKER, FLAT ROCKER

Ignition protected. Safe for installation aboard gasoline powered boats.

Single Pole



3/4" x 2-5/16" x 2-7/16" Deep
19.05 x 58.67 x 60.96mm

Double Pole



1-1/2"x 2-1/2" x 3-1/16" Deep
38.48 x 63.50 x 78.00mm

Maximum Voltage: 240VAC 32VDC **Interrupt Capacity:** 5000A at 32VDC
Mounting Scews: #6–32 Stainless Steel **Terminal Screws:** #10–32 Stainless Steel
Safety Standards: UL 489 and CSA C22.2 No. 5 - 13

Meets CRF 46 Coast Guard requirements. They combine switching and circuit protection into a single device. The magnetic hydraulic "Trip Free" component cannot be held closed after tripping. The flat rocker actuator is flush in the "ON" position eliminating the risk of accidental switching. They are rated for 10,000 switch cycles at the rated amperage and voltage.

PART NO.	MFG#	DESCRIPTION
		DC, Single Pole
9833410	7440-BSS	5A, DC, Single Pole
9833411	7441-BSS	10A, DC, Single Pole
9833412	7442-BSS	15A, DC, Single Pole
9833415	7443-BSS	20A, DC, Single Pole
9833416	7444-BSS	30A, DC, Single Pole
9833417	7445-BSS	50A, DC, Single Pole
9833418	7446-BSS	100A, DC, Single Pole
		AC, Single Pole
9833420	7454-BSS	5A, AC, Single Pole
9833421	7455-BSS	10A, AC, Single Pole
9833422	7456-BSS	15A, AC, Single Pole
9833423	7457-BSS	20A, AC, Single Pole
9833424	7458-BSS	30A, AC, Single Pole
9833425	7459-BSS	50A, AC, Single Pole
		AC, Double Pole
9833400	7461-BSS	10A, AC, Double Pole
9833401	7462-BSS	15A, AC, Double Pole
9833402	7463-BSS	20A, AC, Double Pole
9833405	7464-BSS	25A, AC, Double Pole
9833406	7465-BSS	30A, AC, Double Pole

SURFACE MOUNT CIRCUIT BREAKERS



Ideal where both switching & circuit protection are desired this Surface Mount Circuit Breaker uses a large, single lever for clear indication of trip status. It cannot be held 'ON' during a fault condition and has a manual reset. Mounts with #10 (M5) screws (not included).
Don't use for direct control of high inrush loads like motor starting.

- **Maximum Voltage:** 48VDC, **Type:** Thermally resp. bi-metal blade
- **Interrupt Capacity:** 5000A at 12V, 3000A at 24V, 1500A at 42V
- **Terminal Stud Size:** 5/16"-18 **Dimensions:** 3.439"H x 2.323"W x 1.797"D

IP66 waterproof – protected against powerful water jets.
Ignition protected and CE certified. J1171 SAE.

PART NO.	MFG#	DESCRIPTION
9833325	7135-BSS	25A Circuit Breaker
9833340	7138-BSS	40A Circuit Breaker
9833350	7139-BSS	50A Circuit Breaker
9833360	7140-BSS	60A Circuit Breaker
9833312	7146-BSS	120A Circuit Breaker
9833380	7142-BSS	80A Circuit Breaker
9833310	7144-BSS	100A Circuit Breaker
9833315	7148-BSS	150A Circuit Breaker

SURFACE MOUNT THERMAL CIRCUIT BREAKERS DC



Switching & circuit breaker function into 1 unit*. "Trip Free" design & cannot be held on. Visible reset lever to show open conditions. Ignition protected & safe for installation on gas powered boats.

Specifications: 3.34"H x 2.44"W (84.71mm x 61.90mm)
Max Volt Rating: 48vdc **Interrupt Rating:** 3,000A at 48vdc*
Operating Temp. Range: -40°C to 85°C
Circuit Breaker Type: Thermally Bi- metal blade
Circuit Breaker Class: Type III–Switchable / Manual
Terminal Stud Size: M6 (accepts 1/4" Ring Terminal)
Mounting Holes: Accepts 1/4" (M6) screw

- CE Marked Meets SAE J1171 external ignition protection requirements
- IP67–temporary immersion for 30 minutes

*** Don't use for direct control of high inrush loads like motor starting.**

PART NO.	MFG#	DESCRIPTION
9833031	7181-BSS	30A, Surface Mount
9833041	7182-BSS	40A, Surface Mount
9833051	7183-BSS	50A, Surface Mount
9933-081	7184-BSS	60A, Surface Mount
9833081	7186-BSS	80A, Surface Mount
9833101	7187-BSS	100A, Surface Mount
9933-088	7188-BSS	120A, Surface Mount
9833151	7189-BSS	150A, Surface Mount

PANEL MOUNTED THERMAL CIRCUIT BREAKERS DC





Switching & circuit breaker function into 1 unit*. "Trip Free" design & cannot be held on. Visible reset lever to show open conditions. Ignition protected & safe for installation on gas powered boats.

PART NO.	MFG#	DESCRIPTION
9833030	7081-BSS	30A, Panel Mount
9833040	7082-BSS	40A, Panel Mount
9833050	7083-BSS	50A, Panel Mount
9833060	7084-BSS	60A, Panel Mount
9833080	7086-BSS	80A, Panel Mount
9833100	7087-BSS	100A, Panel Mount
9833120	7088-BSS	120A, Panel Mount
9833150	7089-BSS	150A, Panel Mount
9833199	7198-BSS	Panel Mount Bezel

CIRCUIT BREAKER ENCLOSURE



- Surface mount option for mounting single and double pole circuit breakers
- Surface mount box for mounting single and double pole circuit breakers
- Accepts A-Series toggle and A and C-Series Flat Rocker Circuit Breakers

Includes:

- 4 x Circuit breaker mounting screws
- 4 x Panel mounting screws 2 x Wire glands

Accepts LED indicator lights and square format labels (not included).**Dimensions:** 4.92"H x 3.95"W x 4.07"D

PART NO.	MFG#	DESCRIPTION
9833000	3131-BSS	Circuit Breaker Enclosure

CIRCUIT BREAKER LOCKOUT SLIDE



Fits all double pole World or A-Series and Rocker Circuit breakers. Allows only 1 double pole AC Circuit breaker to be activated at a time. Uses circuit breaker mounting screw holes-requires no modification. Includes mounting screws.

PART NO.	MFG#	DESCRIPTION
9831505	4125-BSS	Lockout Slide

TOGGLE GUARD



Protects circuit breakers from being accidentally switched ON or OFF. Can be used on any brand of circuit breaker panel.

Material: Glass filled nylon.

PART NO.	MFG#	DESCRIPTION
9831502	4100-BSS	Toggle Guard

CIRCUIT BREAKER WATERPROOF BOOTS



Waterproof Boots protect circuit breakers in wet environments. They replace dress nut mounting. For use with push-button, reset-only circuit breakers, 3/8"-27 thread. Made of silicone rubber and nickel-plated brass. UV resistant to protect against fading and discolouration. Available in clear, white, or black. **Sold in packages of two.**

PART NO.	MFG#	DESCRIPTION
983240	4135-BSS	Clear, 2-pk.
983242	4136-BSS	White, 2-pk.
983245	4137-BSS	Black, 2-pk.

WATERPROOF FUSE PANEL

Designed for use where rain, sea spray or wash down spray will be present, these panels will withstand the water exposures normally encountered in above deck applications: salt spray, rain, hose washdowns, momentary immersions. Units are completely wired and ready to install. Labels included. Available in vertical or horizontal mounting.

Specifications:

- Switch rated 20A @ 12V, 15A @ 24V
- Switch LED is 18mA each
- Rated IP66"Use on ship decks"



9837553
W: 5.25" (133.35mm)
H: 3.75" (95.25mm)



9837555
W: 5.25" (133.35mm)
H: 3.75" (95.25mm)



9837556
W: 5.25" (133.35mm)
H: 7.50" (190.5mm)



9837558
W: 9.375" (238.125mm)
H: 3.75" (95.25mm)

PART NO.	MFG#	DESCRIPTION
9837553	8054-BSS	3 Switch Vert. Panel
9837555	8262-BSS	4 Switch Horiz. Panel
9837556	8053-BSS	6 Switch Vert. Panel
9837558	8261-BSS	8 Switch Horiz. Panel
3260090	5021-BSS	Water Resistant Fuse Holder

WEATHERDECK WATERPROOF FUSE PANELS

ATO/ATC fuse based panels for flybridge and open cockpit applications. Protected against accidental switching by raised sections of the housing. UV stabilized reinforced polycarbonate case with the "ON/OFF" switches protected by UV stabilized waterproof boots. Can be mounted in four different orientations and they include an independent backlighting circuit for labels that is compatible with all Blue Sea Systems Digital Dimmers. 30 Square Format Labels are included.

Specifications:

- 12VDC / Max Amps: 15A (per circuit) Switch Rating: 15A Maximum Backlighting Amps Draw: 10mA/ Illuminated Circuit
- Rated IP67–temporary immersion for 30 minutes.
- Fuses not included



9837570
W: 3.88"
H: 2.60"



9837571
W: 3.88"
H: 4.30"



9837572
W: 3.88"
H: 6.00"



9837573
W: 3.88"
H: 7.70"

PART NO.	MFG#	DESCRIPTION
9837570	4302-BSS	2-Position, 30A Max.
9837571	4304-BSS	4-Position, 60A Max.
9837572	4306-BSS	6-Position, 90A Max.
9837573	4308-BSS	8-Position, 100A Max.

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

WATER RESISTANT CIRCUIT BREAKER PANEL

- Designed for flybridge and open cockpit applications
- Panel front is rated IP66—Protected against powerful water jets
- Ignition protected—safe for installation aboard gasoline powered boats
- ON-OFF Contura Switches
- Push Button Reset-Only circuit breakers with waterproof boots
- Switch rating: 20A @ 12V, 15A @ 24V



9933-099
4-1/2"W x 7-1/2"H



9933-039
4-1/2"W x 3-3/4"H



9933-098
5-1/4" W x 4-1/4"H



9933-108
9-3/8" W x 4-1/4"H

PART NO.	MFG#	DESCRIPTION
9933-039	8374-BSS	3 circuit vertical
9933-098	8372-BSS	4 circuit horizontal
9933-099	8373-BSS	6 circuit vertical
9933-108	8371-BSS	8 circuit horizontal

WATER-RESISTANT CIRCUIT BREAKER SWITCH PANELS

- Designed for exposed mounting applications IP66
- Illuminated 15A breakers for switching, "ON" light & overcurrent protection
- Polycarbonate/ABS panel surface is UV-stabilized, flame retardant
- Silicon breaker boots and gasket protects against water ingress
- Low profile makes it easy to install in tight spaces
- Fast-on circuit breaker connectors make it quick to wire
- Two-wire connection for powering all panels is simple and requires #10 ring terminals. Terminals screw to bus bars for secure connections
- Set of 15 circuit labels included, & are easy to replace



9837520
5" W x 5" H



9837521
6-5/8"H x 4-5/8"W



9837522
6-5/8"H x 4-5/8"W

PART NO.	MFG#	DESCRIPTION
9837520	4320-BSS	4 x 15A
9837521	4321-BSS	4 x 15A, 12VDC Socket, Dual USB
9837522	4322-BSS	6 x 15A

WEATHERDECK WATERPROOF CIRCUIT BREAKER PANELS

Designed for flybridge and open cockpit applications, these Waterproof Circuit Breaker Panels can run 12V or 24V systems.

The faceplate is weather resistant with UV stabilizers and the panel is made of corrosion resistant reinforced thermoplastic materials. Independent Green LEDs illuminate the circuit labels and can be dimmed with digital dimmers which are available separately.

Panels Include:

- 1 x 30-piece waterproof DC label kit (square format)
- 1 per position x 15A thermal trip push-button reset-only circuit breakers
- 1 per position x On/Off SP-ST toggle switch (with waterproof switch boot)

Specifications:

- **Maximum Amps (per circuit):** 15A at 12VDC, 9A at 24VDC.
- **Panel Cumulative Rating:** 45A
- **Switch Type:** On/Off SPST Toggle w/ black waterproof boot
- **Backlighting Amps:** 10mA per illuminated circuit

Dimensions:

- **4-Position:** 4.3"H x 4.25"W x 3.5"D
- **6-Position:** 6"H x 4.25"W x 3.5"D
- **8-Position:** 7.7"H x 4.25"W x 3.5"D

Waterproof to IP67 – temporary immersion for 30 minutes.
Grey in colour.



9837564
4.3"H x 4.25"W



9837566
6"H x 4.25"W



9837568
7.7"H x 4.25"W



These panels can be mounted in 4 different positions.

9837568

PART NO.	MFG#	DESCRIPTION
9837564	4374-BSS	Grey, 4-Position Panel
9837566	4376-BSS	Grey, 6-Position Panel
9837568	4378-BSS	Grey, 8-Position Panel
9831540	4138-BSS	Toggle Boot
9831530	4150-BSS	Toggle Switch
983240	4135-BSS	Push Button Boot Clear, 2pk.

6 WAY ILLUMINATED SWITCH PANEL



Features:
6 x 12V 20A on/off switches, in-line spade type fuses. Red LED on/off illumination, Complete set of labels.

Impact resistant UV stabilized plastic housing. Template, mounting screws and gasket included. Pre-wired.

Colour: Grey. 6-1/8" x 4-3/8"

PART NO.	MFG#	DESCRIPTION
9837510	CSP6-F	Switch Panel

WATER PROOF SWITCH PANEL

- Material: UV stabilized plastic panel, Waterproof switch with LED indicator
- Cabled & Equipped with circuit breakers, Preprinted labels included
- Blister pack



9890096
4.015"W x 5.1"H
2 x 10A, 2 x 15A



9890098
4.015"W x 7.5"H
1 x 10A, 4 x 15A



9933-493
4.015"W x 7.5"H
2 x 10A, 4 x 15A

Operating Volts: 12VDC **Rating:** IP65

PART NO.	MFG#	DESCRIPTION
9890096	10324	4 Position
9890098	10325	5 Position + USB Dual Port Charger
9933-493	10326	6 Position

WAVE DESIGN SWITCH PANEL

These Plastic Wave Design Switch Panels have LED indicator switches with cabled circuit breakers.
Operating Voltage: 12VDC
Rating: IP65



9890090
4.5"W x 4.2"H
2 x 5A, 1 x 10A, 1 x 15A



9890091
6.3"W x 4.2"H
2 x 5A, 2 x 10A, 2 x 15A



9890092
8.27"W x 4.2"H
2 x 5A, 3 x 10A, 3 x 15A

PART NO.	MFG#	DESCRIPTION
9890090	10024-BK	4 Position
9890091	10026-BK	6 Position
9890092	10028-BK	8 Position

FUSED SWITCH PANEL





- 6 x 2-Position Chrome Switches
- Wired to common terminal
- 6-1/2"H x 4-1/2"W
- Hole C/L 5-5/8" x 3-3/4"
- Available with or without waterproof rubber boot on switches
- Includes 5A Fuses

PART NO.	MFG#	DESCRIPTION
9890100	10060	Panel, No Boots
9890110	10060-RC	Panel, Includes Boots
3260090	5021-BSS	Repl. Fuse Holder
9802013	MP39240-1	Boot

WATERPROOF SWITCH PANELS

- Black aluminum panels; gasketed rocker switches
- Equipped with ON indicating LEDs, AGC fuses and 30 preprinted labels



5 1/4" W x 3 3/4" H



5 1/4" W x 7 1/2" H

PART NO.	MFG#	DESCRIPTION
9933-058	10037	3 circuit, 12VDC
9933-059	10067	6 circuit, 12VDC

ILLUMINATED SWITCH PANEL

6 heat activated breakers with lighted rocker switches.



4-1/2"W 6-1/2"H

Aluminum plate: 4-1/2" x 6-1/2"

2 x 5A
2 x 10A
2 x 15A



9890098
Replacement Switch

PART NO.	MFG#	DESCRIPTION
9890050	10069	Panel,Illuminated
9933-077	P10065-03	Replacement Rocker Switch

For the most up to date pricing, please visit maritimemarinesupply.ca/price

WATERPROOF SWITCH PANEL, W/SPREADER LED INDICATOR



- Material: UV stabilized plastic panel, Voltage: 12 VDC
- UL approved neoprene capped switch x 4
- Cabled & Equipped with fuses 15A fuses
- Size: 3-13/16" x 4-5/16" x 1/2"
- LED spreader indication, 28 Preprinted labels included, IP65

PART NO.	MFG#	DESCRIPTION
9933-353	10044-D	4 Way
9933-354	10064-D	6 Way

SPLASHPROOF 6 SWITCH PANEL



- 6 Switch Panel
- Red "on" indicating lights.
- UV stabilized. Plastic with neoprene caps.
- Labels included.
- **Dimensions:** 4-1/4" x 4-7/8"

PART NO.	MFG#	DESCRIPTION
9837526	10064-LT	6 Switch Lighted Panel

SPLASHPROOF 4 SWITCH PANEL



- UV stabilized plastic
- Neoprene caps on switches
- Labels Included.
- **Dimensions:** 4-1/4" x 3-3/4"

PART NO.	MFG#	DESCRIPTION
9837524	10044	4 Switch Panel

2 X 2 WAY MODULAR SWITCH PANEL



- Labels backlit with green LED
- Changes to red when switch is on.
- Charcoal in colour.
- Assortment of labels included

PART NO.	MFG#	DESCRIPTION
9837516	900-2WP	Switch Panel

PANEL SWITCHES



For applications such as starters, bilge pumps, horns, wipers and engine controls where switching, in addition to circuit protection, is required. All panel switches mount in Blue Sea Systems' circuit breaker panels. Supplied with mounting adapter for standard 5/8" circuit breaker mounting hole. Nickel-plated brass and phenolic non-corrosive construction.

* Please Note that (On) means temporary on, must be held.

PART NO.	MFG#	DESCRIPTION
9831510	8200-BSS	Push Button, Off-(On)
9831511	8204-BSS	Toggle Off-On
9831512	8207-BSS	Toggle (On)-Off-On
9831513	8206-BSS	Toggle On-Off-On
9831514	8208-BSS	Toggle (On)-Off-(On)

WATER RESISTANT CONTURA SWITCHES



Specially manufactured for use in Blue Sea Systems Water Resistant Panels. Meets UL 1500 and ISO 8846 ignition protection requirements , safe for gasoline powered vessels. LED light for on/off indication. Vibration, shock, thermoshock, moisture and salt spray resistant.

Specifications:
Rating: 12VDC (20A), 24VDC (15A)
Mounting Hole: 1.45" x 0.85" (36.83mm x 21.08mm)
SP = SINGLE POLE ST = SINGLE THROW DP = DOUBLE POLE DT = DOUBLE THROW

Note: (On) = Momentary on (needs to be held on)
On = Regular On Switch (push and it stays on)

PART NO.	MFG#	DESCRIPTION		LEDs
GREY (Contura)				
9837545	8221-BSS	(ON)-OFF-ON	DP-DT	1
9837546	8220-BSS	ON-OFF-ON	DP-DT	2
9837547	8218-BSS	OFF-ON	DP-ST	1
9837548	8230-BSS	OFF-ON	SP-ST	1
9837549	8232-BSS	ON-OFF-ON	SP-DT	2
9837550	8233-BSS	(ON)-OFF-ON	SP-DT	1
9837551	8222-BSS	(ON)-OFF-(ON)	DP-DT	0
9837552	8234-BSS	(ON)-OFF-(ON)	SP-DT	0
9837554	8231-BSS	OFF-(ON)	SP-ST	0
9837557	8219-BSS	OFF-(ON)	DP-ST	0
BLACK (Contura)				
9837530	8282-BSS	OFF-ON	SP-ST	1
9837531	8292-BSS	OFF-(ON)	SP-ST	0
9837532	8283-BSS	ON-OFF-ON	SP-DT	2
9837533	8284-BSS	(ON)-OFF-ON	SP-DT	1
9837534	8285-BSS	(ON)-OFF-(ON)	SP-DT	0
9837535	8287-BSS	OFF-ON	DP-ST	1
9837536	8288-BSS	OFF-(ON)	DP-ST	0
9837537	8286-BSS	ON-OFF-ON	DP-DT	2
9837538	8289-BSS	(ON)-OFF-ON	DP-DT	1
9837539	8290-BSS	(ON)-OFF-(ON)	DP-DT	0
BLACK (Contura II)*				
*Contura II switches having LEDs feature a large red lens.				
9837580	7929-BSS	OFF-ON	SP-ST	1
9837581	7930-BSS	OFF-(ON)	SP-ST	0
9837582	7931-BSS	ON-OFF-ON	SP-DT	2
9837583	7932-BSS	(ON)-OFF-ON	SP-DT	1
9837584	7933-BSS	(ON)-OFF-(ON)	SP-DT	0
9837585	7934-BSS	OFF-ON	DP-ST	1
9837586	7935-BSS	OFF-(ON)	DP-ST	0
9837587	7936-BSS	ON-OFF-ON	DP-DT	2
9837588	7937-BSS	(ON)-OFF-ON	DP-DT	1
9837589	7938-BSS	(ON)-OFF-(ON)	DP-DT	0
9837590	7939-BSS	ON-ON	DP-DT	2

CONTURA SWITCH MOUNTING PANELS



9837540 9837541 9837544 9837543 9837542

Modular panels designed for effortless assembly in groups of varying sizes. Easily adaptable to the following six panels thicknesses:

0.06" (1.57mm) **0.09" (2.36mm)** **0.13" (3.17mm)**
0.19" (4.75mm) **0.25" (6.35mm)** **0.38" (9.52mm)**

PART NO.	DESCRIPTION	INCHES	MM
9837540	3 Position,	2.30" x 3.40"	58.42 x 86.36
9837541	Panel Plug		
9837542	Center Pos.	2.30" x 1.03"	58.42 x 26.26
9837543	End Pos.	2.30" x 1.19"	58.42 x 30.14
9837544	1 Position	1.34" x 2.30"	34.04 x 58.42
983117		Lable Kit 60 pc.	

INDICATOR LIGHTS



- 12VDC, 16A
- Length: 2-1/4" (57.2mm)
- Cut Out: 1/2" (12.7mm)

PART NO.	MFG#	DESCRIPTION
9831496	9414-BP	Red
9831497	9414-1-BP	Blue
9831498	9414-3-BP	Green
9831499	9414-7-BP	Amber

GENERAL APPLICATION 12V LED INDICATOR LIGHT



This small LED indicator light is for 12VDC use only, and can be easily installed with the simple push-in application.

Mounting Hole: 5/16" (7.8mm) **Volts** 12VDC Tinned copper wire leads – 5"

PART NO.	MFG#	DESCRIPTION
983402	UN22100	12VDC Red

LED INDICATOR LIGHTS



These LED indicator lights are easily installed in any Blue Sea Systems circuit breaker panel. With the simple push-in installation, these lights can be mounted in any thickness and can be used as general indicator and alarm lights.

Mounting Hole: 11/64" (4.3mm)
Volt: 12/24VDC **Amp Draw:** 1. 5mA **Volt:** 120AC **Amp Draw:** 2.5 MA

PART NO.	MFG#	DESCRIPTION
9831501	8033-BSS	12/24VDC Amber
9831507	8171-BSS	12/24VDC Red
9831506	8172-BSS	12/24VDC Green
9831508	8169-BSS	120VAC Amber
9831504	8066-BSS	120VAC Red
9831503	8034-BSS	120VAC Green

12V RED INDICATOR LIGHT



Heavy duty pilot light mounts through the rear of the panel. It comes with a miniature bayonet base 12V bulb (#1893). The snap-in red lens is 5/8" (15.9mm). The Satin knurled aluminum bezel is 15/16" (23.8mm) diameter. Mounting Stem dia is 11/16" (7.5mm) x 1/4" (6.4mm) long.

3/4"(19.0mm) mounting hole.

PART NO.	MFG#	DESCRIPTION
983403	PL-118-RC-COL	Indicator Light

WEATHER DECK TOGGLE SWITCHES



For Weather Deck water resistant panels.

Specifications: (Except for 9831535 5a at 30 v)

- **Rating:** 10A at 250VAC, 15A at 125VAC,15A at 12VDC
- **Terminal Size:** 0.25" (6.35mm)
- **Terminal Type:** Quick Connect Tab

9831535 is a double pole switch rated for 5A maximum at 30VDC. Switches are rated waterproof IP67 – temporary immersion for 30 min – when used with Toggle Switch Boot (9831540).

PART NO.	DESCRIPTION		TERM
9831530	ON-OFF	SP-ST	2
9831531	(ON)-OFF	SP-ST	2
9831532	ON-OFF-ON	SP-DT	3
9831533	(ON)-OFF-ON	SP-DT	3
9831534	(ON)-OFF-(ON)	SP-DT	3
9831535	ON-OFF-ON	DP-DT	6
9831540	Toggle Switch Boot		

2 POSITION TOGGLE SWITCH



- Complete with 6" wire leads
- Fits panel 9890100

PART NO.	MFG#	DESCRIPTION
9933-052	8403046	15 Amp
9933-118	1002020	Toggle Cover

HEAVY DUTY TOGGLE SWITCH



Rated 50A at 12V. Mounting stem 15/32" long x 15/32" dia. Zinc die cast construction. HD screw terminals. Silver contacts.

PART NO.	DESCRIPTION
9802015	Toggle Switch

SEALED SWITCHES



9838108

These switches are sealed to provide an IP67 rating for total protection against dirt and dust and water immersion up to 1 meter.



9838106

- **Electrical Rating:** 25A at 12VDC, 15A at 24VDC
- **Dimensions:** 1.5" x 1" x 7/8"
- **Pigtails:** 12" Tin Plated Copper Stranded Wire.

PART NO.	DESCRIPTION
9838100	On-Off, SPST, 2 wires
9838102	On-Off, DPST, 4 wires
9838104	On-Off-On, DPDT, 6 wires
9838106	(On)-Off-(On), DPDT, 6 wires
9838108	On-Off-On, SPDT, 3 wires
9838110	(On)-Off-(On), SPDT, 3 wires

VINYL DIPPED TOGGLE SWITCH



- Vinyl Dipped switches offer superior protection against moisture, dust and dirt
- SPST, single wire, two positions On – Off
- 25A 12V / 12A 24V

PART NO.	MFG#	DESCRIPTION
9838115	9427-11	Toggle Switch 12/24v

For the most up to date pricing, please visit maritimemarinesupply.ca/price

SINGLE CIRCUIT MARINE PUSH-PULL SWITCH



SPST push–pull switch for simple on-off selection. Two screw terminals.

PART NO.	DESCRIPTION
9802045	Push-Pull Switch

PUSH-PULL SWITCH



Maximum Panel Mount thickness: 1"
Mounting Hole Diameter: 3/8"

Made of Stamped Brass. Wired with two screw terminals. Rated 15A at 12VDC.

PART NO.	MFG#	DESCRIPTION
7905911	420390-1	ON-OFF, Normally OFF, 1-pk.

2 CIRCUIT MARINE PUSH-PULL SWITCH



SPDT push–pull switch. Permits two circuits to be operated independently. Three screw terminals. On-On-Off. 6-36V. 10A.

PART NO.	DESCRIPTION
9802047	Push-Pull Switch

2 AND 4 CIRCUIT PUSH PULL SWITCH



Brass body with chrome plated brass knobs. Rated 15A at 12V.

PART NO.	DESCRIPTION
7905910	ON-OFF
9802016	ON-OFF

PUSH-PULL SWITCH, 3-POSITION, 2-CIRCUIT





3 Position, 2 Circuit switch is OFF when pushed all the way in. When pulled to the first position, the first circuit is activated.

When pulled to the second position the first circuit is deactivated and the second circuit is activated.Max. Panel Mount thickness 1" (A). Mounting Hole Diameter 5/8" (B) Made of stamped brass. Wired with four screw terminals. Rated 15A at 12VDC.

PART NO.	MFG#	DESCRIPTION
9801016	420400-1	OFF-ON-ON, 1-pk.

HD 2 POSITION SEALED PUSH-PULL SWITCH



Off-On SPST . Two 18 gauge 12" long wire leads. Mounting stem is 3/8" Dia. and 1-1/4" long. Rated 15A at 12V.

PART NO.	DESCRIPTION
9802018	Push-Pull Switch

PUSH BUTTON SWITCH, MOMENTARY



9801010



9801012

Maximum Panel Mount Thickness: 1"
Mounting Hole Diameter: 5/8"
Made of Stamped Brass. Wired with two screw terminals. Rated 15A at 12VDC.

PART NO.	MFG#	DESCRIPTION
9801010	420420-1	No Cap, Momentary ON, 1-pk.
9801012	420422-1	Red Cap, Momentary ON, 1-pk.

BRASS PUSH BUTTON SWITCH



Push switch for starter, horn, glow plug.
Rated 20A at 12V. Comes with Rubber Boot. 5/8" hole.

PART NO.	DESCRIPTION
9802010	Push Button Switch
9802012	With Rubber Boot

PUSH BUTTON SWITCH



Momentary on-off spst, Brass, Rubber boot nut. 18 gauge wires, mounting bushing 15/16"long x 5/8",10A at 12VDC.

PART NO.	DESCRIPTION
SMP39350	Push Button Switch

TOGGLE SWITCHES





12mm stem, 20A.
12V on-off switch.

PART NO.	DESCRIPTION
9802014	Solder Type
9802013	Boot

TOGGLE SWITCH



- Single pole, single throw toggle
- Nominal voltage is 12V/24V DC
- Rated for 25A at 12V DC, 15A at 24V DC
- Long handle and 2 1/4" terminals
- Mount stem 15/32 fits panels up to 1/4" thick

PART NO.	MFG#	DESCRIPTION
9933-483	1002013	Long, 1 1⁄2" stem

PUSH BUTTON SWITCH



- Plastic with rubber, weatherproof cover
- 20A at 12V
- 7/8" hole

PART NO.	MFG#	DESCRIPTION
9933-268	10208	12V

LED PUSH BUTTON SWITCHES

BLUE SEA SYSTEMS

Ring Switches



Illuminates when on
Mounting Hole: 3/4" (19mm)

Backlit Switches



Illuminates Blue when off, Red when on
Mounting Hole: 7/8" (22mm)

These contemporary and compact Ring and Backlit Push Button Switches have a 316 Stainless Steel housing for optimal appearance and corrosion resistance. An O-ring panel gasket and a moulded rear cover provides an IP67 Waterproof rating. **ISO 8846 Marine Ignition Protection.**

Switch Capacity:

- *Ring* - 10A Continuous at 12VDC *Backlit* - 15A Continuous at 12VDC

Terminations:

- *Ring* - 0.110" Quick Connects *Backlit* - 3" Long Pigtails (18 & 16 AWG)

Backlit switches include five icon labels: Accessory, Lights, Anchor Light, Running Light, and Bilge Pump.



9837999 Label Kit for Backlit Switches

PART NO.	MFG#	DESCRIPTION
9837990	4160-BSS	OFF/ON - Blue Ring, 10A
9837991	4162-BSS	OFF/ON - Red Ring, 10A
9933-418	4192-BSS	OFF/ON - Red Ring, 20A
9837992	4161-BSS	OFF/(ON) - Blue Ring, 10A
9837993	4163-BSS	OFF/(ON) - Red Ring, 10A
9837995	4180-BSS	OFF Blue - ON Red, Backlit, 15A
9837996	4181-BSS	OFF Blue - (ON) Red, Backlit, 15A
9837999	4230-BSS	Icon Label Kit, Round, Qty. 50

LED PUSH BUTTON ON/OFF SWITCH

SEADOGLINE

HIGH AMP





This High Amp LED Push Button On/Off Switch lights up blue when the center button is pushed, energizing the circuit. Easy to install with spade terminals. Constructed of formed 304 stainless steel.
Switch Power: 25A, 10-24VDC
Dimensions: A: 7/8", **B:** 3/4", **C:** 1-9/16"
Rating: IP67



PART NO.	MFG#	DESCRIPTION
9837579	403064-1	ON/OFF Push Btn. Switch & Base

PUSH-BUTTONSWITCH



PART NO.	MFG#	DESCRIPTION
9933-119	10209	12V, Plastic

HORN BUTTON

SEADOGLINE



- Panel mounted, push button, momentary On-Off switch
- Mounts in 1/2" diameter hole
- Wired with 1/4" ID terminals
- 5/16" max panel thickness
- 15amp @ 12V

PART NO.	MFG#	DESCRIPTION
9933-548	420415-1	Red
9933-549	420416-1	Black

PUSH-BUTTON FOR MARINE HORN

vetus



- Watertight to IP67
- Maximum draw 15 Amp

PART NO.	MFG#	DESCRIPTION
9991-879	HORNPB	12/24V

LIGHTED ROCKER SWITCH - 12V

RIGID



- Waterproof
- Red LED

PART NO.	MFG#	DESCRIPTION
9931-599	40191	LED

LIGHTED ROCKER SWITCH - ECONOMY



- Waterproof IP65
- 12V, 20A
- 3 pin single pole, single throw

PART NO.	MFG#	DESCRIPTION
9933-158	10119-01	12V

PUSH BUTTON LIGHT SWITCH

Båtsystem



Double switch, with a frame and unit.

PART NO.	MFG#	DESCRIPTION
9997-250	B4870-2C	Double, Chrome

For the most up to date pricing, please visit maritimemarinesupply.ca/price

STARTER PANEL



- Push button starter with toggle cover and indicator light
- 4-1⁄4" W x 2-5⁄8" H

PART NO.	MFG#	DESCRIPTION
9933-104	9502654	12V

HEAVY DUTY IGNITION SWITCH 3 POS.



3 Position switch
Overall dimensions: 2-7/8"L

PART NO.	DESCRIPTION
9890102	Ignition Switch

KEY SWITCH



Key Switch – On/Off
2 Screw Terminals. Cummins B and C Series.

PART NO.	DESCRIPTION
SMP39820	Key Switch

MARINE IGNITION SWITCH



Off-Run-Start configuration. Rugged plastic construction will not rust or corrode. Durable PVC boot.

For added security, switches have individual key codes. Fits into standard 7/8" holes. Fits most OEM applications.
3 contact terminals. 15A ignition, 20A start. 6–36VDC.

PART NO.	DESCRIPTION
9890104	Marine Switch

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

IGNITION SWITCH (OFF / IGNITION / START)



- Impact and corrosion-resistant switch fits standard 7/8" diameter hole and includes PVC boot for added weather protection
- Coded tumbler lock for added secutiry, includes two keys
- Nominal voltage is 6-36V DC Rated for 15A ignition, 5A start
- #8-32 screw terminals Fits panels up to 7/8" thick

PART NO.	MFG#	DESCRIPTION
9933-486	1001610	6-36V

IGNITION SWITCHES



- Marine poly construction
- Coded tumbler lock, includes two keys
- 10A at 12V DC and start: 5A at 12V DC
- Fits panels up to 1" thick

PART NO.	MFG#	DESCRIPTION
9933-111	1001607	Ignition Switch

KILL SWITCH



Compact safety tether, kill switch combination. 12V design with clip on coil lanyard.

PART NO.	DESCRIPTION
9802030	Kill Switch

UNIVERSAL KILL SWITCH LANYARD



This universal kill switch lanyard includes 10 keys that fit all Johnson, Evinrude, Mercury, Yamaha and Honda Kill Switches. A swivel snap hook prevents tangles.

PART NO.	DESCRIPTION
9802029	Universal Kill Switch

ATO/ATC PLUG IN FUSES



A blade type fuse whose basic components are a plastic housing and two blade terminals with fuse to element fabricated from a single piece of metal.
Maximum Voltage Rating: 32VDC
Interrupt Rating: 1,000A DC

PART NO.	MFG#	DESCRIPTION
3260083	962-BP	5 per Pkg, 5A, ATO/ATC
3260084	964-BP	5 per Pkg, 10A, ATO/ATC
3260085	965-BP	5 per Pkg, 15A, ATO/ATC
3260086	966-BP	5 per Pkg, 20A, ATO/ATC
3260087	967-BP	5 per Pkg, 25A, ATO/ATC

BLADE FUSES



ATO/ATC



MAXI

ATO/ATC FUSES

- Fast-acting type fuses ideal for electronic devices
- Standard circuit protection device for automobiles and trucks
- Tin-plated connector blades for corrosion resistance
- Sold in packages of 2

MAXI FUSES

- Economical
- Tin-plated connector blades for corrosion resistance
- Visible indication of blown condition

PART NO.	MFG#	DESCRIPTION
3261040	5235-BSS	1 Amp, package of 2 , ATO/ATC
3261041	5236-BSS	2 Amp, package of 2 , ATO/ATC
3261042	5237-BSS	3 Amp, package of 2 , ATO/ATC
3261043	5238-BSS	4 Amp, package of 2, ATO/ATC
9934-212	5239-BSS	5 Amp, package of 2, ATO/ATC
3261045	5240-BSS	7.5 Amp, package of 2 , ATO/ATC
9934-213	5241-BSS	10 Amp, package of 2, ATO/ATC
9934-214	5242-BSS	15 Amp, package of , ATO/ATC
9934-215	5243-BSS	20 Amp, package of 2, ATO/ATC
9934-216	5244-BSS	25 Amp, package of 2, ATO/ATC
3261050	5245-BSS	30 Amp, package of 2 , ATO/ATC
9934-229	5246-BSS	40 Amp, package of 2, ATO/ATC
3260061	5138-BSS	30 Amp, Single, MAXI
3260062	5139-BSS	40 Amp, Single, MAXI
3260063	5140-BSS	50 Amp, Single, MAXI
3260064	5141-BSS	60 Amp, Single, MAXI
3260065	5142-BSS	70 Amp, Single, MAXI
3260066	5143-BSS	80 Amp, Single, MAXI

FUSE KITS ATM - ATO/ATC ASSORTMENTS

Combines a range of the most commonly used fuses and amp ratings in a compact resealable package.



3260996 Includes:
1 each of 5A, 10A, 15A, 20A, 30A

3260997 Includes:
1 each of 5A, 10A, 15A, 20A, 25A, 30A



PART NO.	MFG#	DESCRIPTION
3260996	5286-BSS	5 Pcs, ATM
3260997	5287-BSS	6 Pcs, ATO / ATC

ILLUMINATED ATO/ATC BLADE FUSES



Easy ID ATO/ATC fuses allow you to locate blown fuses with a single glance. These blade-style fuses feature a built-in LED that lights up after the fuse has blown. This makes it easy to locate blown fuses in dark compartments. These fast-acting fuses can be used to replace any non-illuminated ATO or ATC fuses. **Available in retail packages of 2 or as a kit.**



31-piece fuse kit includes the following:

- 3 ea x 3A, 5A, 7.5A, 10A, 20A, 25A, 30A & 40A 6 x 15A
- Fuse puller

Specifications:

- **Max. Operating Voltage:** 32VDC
- **Interrupt Capacity:** 1000A at 32VDC
- **Blade Material:** Tin-Plated

PART NO.	MFG#	DESCRIPTION
3260200	5291-BSS	3A EasyID ATO/ATC Fuses, 2-pk
3260201	5292-BSS	5A EasyID ATO/ATC Fuses, 2-pk
3260202	5293-BSS	7.5A EasyID ATO/ATC Fuses, 2-pk
3260203	5294-BSS	10A EasyID ATO/ATC Fuses, 2-pk
3260204	5295-BSS	15A EasyID ATO/ATC Fuses, 2-pk
3260205	5296-BSS	20A EasyID ATO/ATC Fuses, 2-pk
3260206	5297-BSS	25A EasyID ATO/ATC Fuses, 2-pk
3260207	5298-BSS	30A EasyID ATO/ATC Fuses, 2-pk
3260208	5299-BSS	40A EasyID ATO/ATC Fuses, 2-pk
3260995	5290-BSS	ATO/ATC EasyID Fuse Kit, 31 pcs.

FUSE KITS



3260998 Incl:
1 each 1A, 3A, 5A, 10A, 15A



3260999 Incl:
4 each 1A, 2A, 3A, 5A, 7.5A, 10A, 15A, 20A, 25A, 30A

Combines a range of the most commonly used fuses and amp ratings in a compact and convenient re-sealable package.

PART NO.	MFG#	DESCRIPTION
3260998	5288-BSS	5 Pcs, AGC
3260999	5289-BSS	40 Pcs, AGC

AGC FUSES



AGC – Fast acting glass fuses are typically used in DC applications up to 32VDC. Blown condition is easily visible. They fit Blue Sea Systems' ST Glass Fuse Blocks and Fuse Holders.

PART NO.	MFG#	DESCRIPTION
3261001	5204-BSS	5 per Pkg, 1A
3261002	5206-BSS	5 per Pkg, 2A
3261003	5208-BSS	5 per Pkg, 3A
3261004	5209-BSS	5 per Pkg, 4A
3261005	5210-BSS	5 per Pkg, 5A
3261006	5211-BSS	5 per Pkg, 6A
3261007	5212-BSS	5 per Pkg, 7A
3261008	5213-BSS	5 per Pkg, 7.5A
3261010	5215-BSS	5 per Pkg, 10A
3261015	5217-BSS	5 per Pkg, 15A
3261020	5218-BSS	5 per Pkg, 20A
3261025	5219-BSS	5 per Pkg, 25A
3261030	5220-BSS	5 per Pkg, 30A

IN-LINE FUSE HOLDER



Cut and splice into any circuit. Spring locked, opens with twist of the fingertips. **Length of wire:** 8"

PART NO.	MFG#	DESCRIPTION
326008	11511	In Line Fuse Holder

AGC INLINE FUSE HOLDER (RETAIL PACKAGED)



Injection moulded nylon inline fuse holder. For use with standard AGC 1/4" x 1-1/4" glass style fuses. Maximum 20A. 11-1/2" wire lead,14 AWG. **20A AGC 1/4" x 1-1/4" glass fuse included.**

PART NO.	MFG#	DESCRIPTION
3260097	420500-1	AGC Fuse Holder, 1-pk.

HEAVY DUTY IN-LINE FUSE HOLDER



This Heavy Duty In-Line Fuse Holder will easily provide heavy duty over current protection for your electrical devices. It splices into any circuit with 12 -18 AWG wire. Accepts AGC or MDL fuses up to 30A. **Fuse sold separately.**

PART NO.	MFG#	DESCRIPTION
3260094	5063-BSS	AGC/MDL In-Line Fuse Holder

WATERPROOF IN-LINE FUSE HOLDER



For use with AGC glass fuses.

- Accepts 12-16 AWG wire
- 30A Maximum fuse amperage

Fuse sold separately.

PART NO.	MFG#	DESCRIPTION
3260092	5061-BSS	Waterproof Fuse Holder

CRIMPABLE IN-LINE FUSE HOLDER



Crimping is the ABYC's preferred method of connecting wires. This Fuse Holder provides in-line over current protection to branch circuits or individual electrical devices. It can be crimped into any circuit with 12 -18 AWG wire. Accepts AGC or MDL fuses up to 30A. **Fuse sold separately.**

PART NO.	MFG#	DESCRIPTION
3260095	5060-BSS	AGC/MDL Crimp Fuse Holder

INLINE FUSE HOLDER



- Accepts ATO/ATC spade terminal fuses
- 12AWG 6"L wire lead
- 30A max
- IP67 waterproof rating

PART NO.	MFG#	DESCRIPTION
3260099	445198-1	Inline Fuse Holder 30A Max

FUSE HOLDER



Waterproof Fuse Holder for plug in fuse. Moulded insulation body with brass contacts and two copper wire lead holds all ATC Fuses from 3 to 30A.

PART NO.	MFG#	DESCRIPTION
3260081	11517	Fuse Holder

MAXI IN-LINE FUSE HOLDER



This MAXI In-Line Fuse Holder comes with 5" of #6 red lead wire and a cover that has a removable tether. Two or more holders can be surface mounted together. **Fuse is sold separately.**

PART NO.	MFG#	DESCRIPTION
3260096	5068-BSS	32VDC Max., 60A Max.

ATM / ATO/ATC BREAKER AND FUSE HOLDER



3260130



3260132

These ATM, ATO/ATC Breaker / Fuse Holders are sealed to provide an IP67 rating for total protection against dirt and dust.

They are waterproof seal tested to work for at least 30 minutes under 1m of water. Leads are 30cm long tin plated copper stranded wire.

PART NO.	MFG#	DESCRIPTION
3260130	949-11	30A, 12 AWG Leads
3260132	948-11	40A, 10 AWG Leads

WATERPROOF IN-LINE FUSE HOLDER



- For use with ATO or ATC fuses
- Supplied with 12 AWG pigtails
- 30A Maximum fuse amperage
- **Fuse sold separately.**

PART NO.	MFG#	DESCRIPTION
3260091	5065-BSS	Waterproof Fuse Holder

PANEL MOUNT ACG FUSE HOLDER



- For use with ACG
- **Fuse sold separately.**

PART NO.	MFG#	DESCRIPTION
9933-054	8403040	Fits panel 33-050N

WATER RESISTANT FUSE HOLDER



Made to withstand the water exposures normally encountered in above deck applications: salt spray, rain, hose washdowns, and momentary immersions, front face rated IP66.

Max Voltage: 32VDC **Max Amp:** 20A **Mounting Hole:** 0.50" (12.70mm)

PART NO.	MFG#	DESCRIPTION
3260090	5021-BSS	Fuse Holder

FUSE HOLDER



6 Gang fuse holder, designed for 1/4" x 1-1/4" fuses.

PART NO.	MFG#	DESCRIPTION
326009	FS40520-1	Fuse Holder

ATC FUSE BLOCK



- 3-3/8"L x 1-1/16"W x 1-1/2"H
- 6 gang splashproof fuse box for ATC fuses
- O-ring sealed with snap fit clear plastic cover

PART NO.	MFG#	DESCRIPTION
9934-225	358115781	ATC Fuse Block

ST BLADE BATTERY TERMINAL MOUNT FUSE BLOCK KIT



- Easily add 4 fused circuits to the terminal of a battery
- Mounts on the battery terminal stud
- Screw terminals for securing wires
- Nylon insulated ring terminals included for each screw terminal
- Accepts small format circuit labels
- Insulating cover meets ABYC/USCG insulation requirements
- Ignition Protected–meets ISO 8846 and SAE J1171 for use in a gasoline engine compartment
- Includes write on labels

The mounting holes have clearance for 3/8" (M10) studs. The insulating cover accepts small format circuit labels.
Fused Circuits: 4, 30A Max. **Includes:** 8 x Nylon ring terminals 1 x 15A Fuse

PART NO.	MFG#	DESCRIPTION
3260103	5024-BSS	Kit, 32VDC, 100A Max.
9934-251	5023-BSS	Fuse Block w/ 1x 15A Fuse
983117	8214-BSS	Small Format 60 Label Kit

WATER-RESISTANT FUSE BLOCK



This ST-Blade Water Resistant Fuse Block provides circuit protection for ATO/ATC style fast-acting blade fuses, ATC easyID illuminated blade fuses and ATO/ATC low profile circuit breakers.

The water resistant design accepts standard ring or fork type terminals and a wide range of wire sizes. This fuse block has 4 positions and includes 3 wire plugs to maintain water-resistant rating if less than 4 loads are required. 4 write-on circuit labels are included and this block accepts small format standard labels. Insulating cover meets ABYC/USCG insulation requirements. Accepts ATO/ATC fuses (not included). **Voltage:** 32VDC max. **Amperage:** 80A Total/Block, 25A per Load **Wire Size:** 1 x Input - 8 AWG to 4 AWG, 4 x Loads - 16 AWG to 10 AWG

PART NO.	MFG#	DESCRIPTION
3260108	5056-BSS	Water Resistant Fuse Block

ST BLADE COMPACT FUSE BLOCKS



3260104



3260105

- Provides surface mount circuit protection for ATO/ATC Fuses in a compact footprint
- Single side entry wiring
- Ignition Protected for use in a gasoline engine compartment
- Accepts ring or snap fork type terminals
- Ignition Protected–meets ISO 8846 and SAE J1171
- Insulating cover meets ABYC/USCG insulation requirements.

- **Max. Amperage:** 100A per Block (30A per Circuit)
- **Max. Voltage:** 32VDC

PART NO.	MFG#	DESCRIPTION
3260104	5045-BSS	4-Circuit Fuse Block
3260105	5046-BSS	8-Circuit Fuse Block

MAXI FUSE BLOCK



- Insulating snap on terminal cover, satisfying ABYC/USCG requirements Accepts wire sizes 18-4 AWG from sides or bottom; ring terminal screws compress fuse blades within blocks for extremely low resistance connections
- Ignition protected

MAXI Fuse Range: 30 to 80A **Voltage Rating:** 32VDC maximum
Mounting Holes: #10 Screws

PART NO.	MFG#	DESCRIPTION
3260060	5006100-BSS	Fuse Block

LED INDICATOR FUSE BLOCK



These LED Indicator Fuse Blocks accept ATO/ATC and ATM fuses from 1A–30A. They have red LED lights that indicate when a fuse is blown or missing.

The terminals are nickel-plated copper with stainless steel screws. The fuse block bodies are made of injection moulded ABS and include a semi-transparent cover and 71 labels. Main line terminal rating is 100A 32VDC max, with M5 metric threaded studs. Single line terminal rating is 30A 32VDC max, with M4 metric threaded studs. Installs with 4 x #8 FH fasteners (not included).
Dimensions:

- *3260002* - **A:** 3-7/16", **B:** 3-3/8", **C:** 1-7/16"
- *3260003* - **A:** 5-1/2", **B:** 3-3/8", **C:** 1-7/16"



PART NO.	MFG#	DESCRIPTION
3260002	445185-1	6 Position, w/LED Indicator
3260003	445188-1	12 Position, w/LED Indicator

For the most up to date pricing, please visit maritimemarinesupply.ca/price

ATO/ATC FUSE BLOCK SYSTEM



Clear insulating cover with label recess for small format labels. Satisfies ABYC/USCG requirements. Tin plated copper buses and fuse clips give 30A rating for all 12 circuits. Accepts ATO and ATC fast acting blade type fuses. For 12 Circuits.

- **Approximate size:** 6.5" x 3.18".
- **Max Amperage per circuit:** 30A
- **Max Amperage per block:** 100A
- **Max Voltage:** 32VDC

PART NO.	MFG#	DESCRIPTION
326005	5026-BSS	12 Circuits w/Negative Bus
3260080	5025-BSS	6 Circuits w/Negative Bus
983117	8214-BSS	60 Label Kit

30A FUSE BLOCK SYSTEM



- 6-Circuit
- Clear insulating cover with label recesses for standard Blue Sea Systems labels.
- Cover insulates all conductive parts, and stores spare fuses
- Nickel-plated metal components
- Beryllium copper contact clips give full 30A rating

Specifications:
Material: Glass-filled Nylon
Fuse Dimensions: 1/4" x 1-1/4"
Max Amps per circuit: 30A
Max Amps block: 100A
Maximum Voltage: 32VDC

PART NO.	MFG#	DESCRIPTION
9933-225	5018-BSS	6 Circuit Fuse Block
326000	5015-BSS	6 Circuit w/Negative Bus

ST CIRCUIT BREAKER BLOCK WITH NEGATIVE BUS



- Quick connect clips allow circuit breakers to snap easily into place
- Tin-plated copper busses and screw terminals
- Clear insulating cover with square format label recesses, satisfies ABYC/USCG insulation requirements
- Easy to open clip on cover
- Breakouts allow wire access in two directions
- Accepts ring terminals

Maximum Voltage: 32VDC
Maximum Current: 30A per Circuit, 100A per Block
Mounting: #8 Screw (M4) or #8 Nut
Screw Terminal: #8-32 Screws with Captive Star Lock Washer.

PART NO.	MFG#	DESCRIPTION
9890052	5052-BSS	6 Position
9890053	5054-BSS	12 Position

ST BLADE 6-CIRCUIT FUSE BLOCK



This Fuse Block is suitable for 24-hour circuits, switched circuits, or a combination of both. The fuse clips are made of corrosion resistant, tin-plated copper to reduce heat and improve conductivity. It includes a clear insulating cover with a push button latch and a built-in spare fuse holder. The cover is sized for small format labels (p/n 983117). This ST Fuse Block Accepts ATO or ATC fuses and the Screw Terminals accept ring and spade type connector terminals.
Fuses sold separately.

- **Max Amperage:** 30A per circuit. 40A per jumped circuit group.
- **Maximum Voltage:** 32VDC
- **Mounting:** #8 screws (M4)
- **Screw Terminal Type:** #8-32 with captive star lock washer
- **Dimensions:** 5.17"H x 2.13"W x 1.518"D

PART NO.	MFG#	DESCRIPTION
3260100	5035-BSS	6-Circuit Fuse Block
983117	8214-BSS	Small Format 60 Label Kit

ST BLADE 12-CIRCUIT SPLIT BUS FUSE BLOCK



This Screw Terminal Split Fuse Block provides two isolated groups of six ATO/ATC circuits for use with either two isolated batteries or with a single battery providing a mix of 24 hour and switched circuits. The fuse clips are made of corrosion resistant, Tin Plated copper to reduce heat and improve conductivity. Comes with a clear insulating cover with a push button latch that has label recesses sized for small format labels and has storage for two fuses. Accepts ring terminals. Fuses are sold separately.

Max Amperage: 30A per circuit, 100A per block
Max Voltage: 32VDC
Mounting: #8 screws (M4)
Screw Terminal: #8-32 screws with captive star lock washer. #10-32 Stud for the negative bus.
Dimensions: 7.35"H x 3.32"W x 1.51"D

PART NO.	MFG#	DESCRIPTION
3260101	5032-BSS	12 Circuit Split Fuse Block
983117	8214-BSS	Small Format 60 Label Kit

FUSE BLOCK



These very practical fuse blocks can be used as 24-hour circuits. The cover incorporates an easy to open push button latch providing easy access to fuses.

There is storage for two spare fuses and label recesses that accept Blue Sea Systems' small format labels for circuit identification. The buses and fuse clips are tin-plated copper. The cover satisfies ABYC/USCG requirements for insulation. Accepts ring or spade type terminals. Accepts ATO or ATC fuses Include 20 write-on circuit labels.

Specifications:
- **Maximum Voltage:** 32VDC
- **Maximum Amperage:** 30A (per circuit)
- **Maximum Amperage:** 100A (per block)

Distribution Bus: #10-32 Studs
Screw Terminal: #8-32 Screws w/ Lock Washer
Mounting: #8 Screw.

Fuses sold separately.

PART NO.	MFG#	DESCRIPTION
3260088	5028-BSS	6 Circuit
3260089	5029-BSS	12 Circuit
983117	8214-BSS	60 Label Kit

MRBF SURFACE MOUNT FUSE BLOCKS





- Accommodate 3 MRBF fuses for consolidated high amperage circuit protection
- Clip-on cover insulates terminal connections
- Suitable for gas engine compartments

Insulating cover satisfies ABYC/USCG insulation requirements.

Max Voltage: 58VDC - **Max Amperage:** 300A/block, 240A/circuit
Terminal Stud: 5/16" - **Recommended Torque:** 100 in-lbs.
Requires #10 mounting screws. - **Fuses sold separately.**

PART NO.	MFG#	DESCRIPTION
3260014	5196-BSS	3 Common Circuits
9933-327	5194-BSS	3 Independent Circuits

TERMINAL FUSE BLOCKS MRBF



- Isolated stud design uses standard M8 (5/16") hardware and permits stacking of terminals
- Fits 3/8" battery posts
- Provides high current protection in tight space constraints
- Weatherproof—suitable for small open-cockpit boats and other harsh environments
- Insulating cap prevents accidental shorts
- Fuse sold separately

Maximum Voltage: 58VDC **Maximum Amperage:** 300A DC
Terminal Stud: 5/16" **Recommended Torque:** 75'·lbs (Max)
Fuses Available: 30-300A DC

PART NO.	MFG#	DESCRIPTION
3260010	5191-BSS	Single Stud
3260012	2151-BSS	Double Stud

TERMINAL FUSES MRBF



Interrupt Rating: 10,000A at 14VDC
5,000A at 32VDC
2,000A at 58VDC
Maximum Voltage: 58VDC

Interrupt Rating satisfies ABYC requirements for DC Main circuit protection on large battery banks Ignition protected–safe for installation aboard gasoline powered boats. Clear window–visual indication of blown condition Colour coded.

- Meets SAE J1171 external ignition protection requirements
- Rated IP66–withstands water from heavy seas

PART NO.	MFG#	DESCRIPTION
3260015	5175-BSS	30A
3260016	5176-BSS	40A
3260017	5177-BSS	50A
3260027	5178-BSS	60A
3260018	5180-BSS	75A
3260019	5181-BSS	80A
3260028	5182-BSS	90A
3260020	5183-BSS	100A
9933-286	5184-BSS	125A
3260022	5185-BSS	150A
9933-288	5186-BSS	175A
3260024	5187-BSS	200A
3260025	5189-BSS	250A
3260026	5190-BSS	300A

FUSE BLOCK SAFETY HUB



Ignition protected fuse block with screw terminations. Safe for use on both diesel and gasoline powered boats, Reduces wiring connections, and consolidates up to ten fused circuits. It can be used for Main or Branch DC power distribution.

- The SafetyHub 150 has Four positions for 30A–200A AMI/MIDI fuse blocks ideal for high-amp circuits and Six slots for 1A–30A ATO/ATC fuse ideal for low-amp circuits.
- The SafetyHub 100 has Three positions for 30A–200A AMI/MIDI fuse blocks ideal for high-amp circuits and Four slots for 1A–30A ATO/ATC fuse ideal for low-amp circuits.

All Fuses are sold separately.
ISO 8846 ignition protected fusing and SAE J1171 external ignition protection meets Coast Guard and ABYC.

SafetyHub 100 Fuse Block



SafetyHub 150 Fuse Block



PART NO.	MFG#	DESCRIPTION
3260110	7748-BSS	SafetyHub 150, 4 & 6 Pos.
3260111	7725-BSS	SafetyHub 100, 3 &4 Pos.

For the most up to date pricing, please visit maritimemarinesupply.ca/price

FUSE HOLDER AND FUSES



- "Slow Blow" Strip Fuses
- Includes protective cover
- Fuses encapsulated in glass to prevent fire

PART NO.	MFG#	DESCRIPTION
9991-350	ZE063	63 Amp
9991-351	ZE080	80 Amp
9991-352	ZE100	100 Amp
9991-353	ZE125	125 Amp
9991-354	ZE160	160 Amp
9991-355	ZE200	200 Amp
9991-356	ZE250	250 Amp
9991-357	ZE300	300 Amp
9991-358	ZE355	355 Amp
9991-359	ZE425	425 Amp
9991-360	ZE500	500 Amp
9991-361	ZEHC100	Fuse Block

CLASS T FUSE BLOCKS



- Four stud design provides ample access around connecting stud to install large cable lugs without obstruction from the fuse
- Cover breakouts allow wire access in any direction
- Stud design ensures secure fuse mounting even with high heat

PART NO.	MFG#	DESCRIPTION
9933-337	5007100-BSS	110A-200A Class-T
9933-338	5502100-BSS	225A-400A Class-T

CLASS T FUSE BLOCKS



Recommended by most inverter manufacturers for its high speed response to short circuits. The clear insulating cover, satisfies ABYC/USCG requirements. Large stud terminals accept ring terminals for wire up to 4/0 AWG. The fuse mounting area has large heat dissipating tin-plated copper mounting blocks with two #8 accessory terminals located on each end.

Specifications:
Maximum Voltage: 160VDC
Maximum Amperage: 400A DC
Terminal Stud Size: 3/8"-16 (M10)
Mounting Holes Accept 1/4" (M6) Screws



Fuses sold separately.

Extremely fast short-circuit response in high amperage applications. Sold in packages of 1.

PART NO.	MFG#	DESCRIPTION
3260069	5502-BSS	Class T Fuse Block
3260140	5112-BSS	"T" Fuse, 110A
3260141	5113-BSS	"T" Fuse,125A
3260142	5114-BSS	"T" Fuse, 150A
3260143	5115-BSS	"T" Fuse, 175A
3260144	5116-BSS	"T" Fuse, 200A
3260070	5117-BSS	"T" Fuse, 225A
3260071	5118-BSS	"T" Fuse, 250A
3260072	5119-BSS	"T" Fuse, 300A
3260073	5120-BSS	"T" Fuse, 350A
3260074	5121-BSS	"T" Fuse, 400A

MEGA-AMG SAFETY FUSE BLOCK



Specifications:
- **Max Amperage:** 300A
- **Max Voltage:** 32VDC

Ignition protected for installation aboard gasoline or diesel powered boats. The sealed cover satisfies ABYC/USCG insulation requirements. The cover breakouts allow easy wire access. Accepts Blue Sea Systems Square Format standard or custom labels. Cable Size to Meet Ratings 2/0 AWG (70mm). Meets ISO 8846 ignition protection, and SAE J1171 external ignition protection requirements. IP66–protected against powerful water jets.





CE Marked. **Fuses sold separately.**

Maximum Voltage rating: 32VDC
Sold in packages of 1.

PART NO.	MFG#	DESCRIPTION
3260009	7721-BSS	Mega AMG Fuse Block
3260031	5101-BSS	Mega Fuse 100A
3260033	5102-BSS	Mega Fuse 125A
3260035	5103-BSS	Mega Fuse 150A
9936-223	5104-BSS	Mega Fuse 175A
3260032	5105-BSS	Mega Fuse 200A
3260034	5107-BSS	Mega Fuse 250A
9936-226	5108-BSS	Mega Fuse 300A

AMI/MIDI SAFETY FUSE BLOCK



Specifications:
- **Max Amperage:** 200A
- **Max Voltage:** 32VDC

Ignition protected for installation aboard gasoline or diesel powered boats. Satisfies ABYC/USCG insulation requirements. The cover breakouts allow easy wire access. Accepts Blue Sea Systems Square Format standard or custom labels. Cable Size to Meet Ratings 2/0 AWG (70mm). ISO 8846 ignition protection and SAE J1171 external ignition protection requirements. IP66–protected against powerful water jets.





CE Marked. **Fuses sold separately.**

Maximum Voltage rating: 32VDC
Sold in packages of 2.

PART NO.	MFG#	DESCRIPTION
3260008	7720-BSS	AMI/MIDI Safety Fuse Block
3260113	5250-BSS	Fuse 30A AMI/MIDI
3260114	5251-BSS	Fuse 40A AMI/MIDI
3260115	5252-BSS	Fuse 50A AMI/MIDI
3260116	5253-BSS	Fuse 60A AMI/MIDI
3260117	5254-BSS	Fuse 70A AMI/MIDI
3260118	5255-BSS	Fuse 80A AMI/MIDI
3260120	5256-BSS	Fuse 100A AMI/MIDI
3260121	5257-BSS	Fuse 125A AMI/MIDI
3260122	5258-BSS	Fuse 150A AMI/MIDI
9933-349	5259-BSS	Fuse 170A AMI/MIDI
3260124	5260-BSS	Fuse 200A AMI/MIDI

NEW

ANL SEALED FUSE BLOCK

EGIS MOBILE ELECTRIC



Maximum voltage: 80vdc
Maximum Amperage: 750A
Studs: 2x 5/16”
Mounting Holes: 4x #10 & 2x 1/4”
Base Material: Nylon 6 30% GF
Cover Material: Clear Polycarbonate
Ignition protected: Yes
IP Rating: IP66, IP67, IP6K9K
Dimensions: 7.28”L x 2.44”W x 1.9”H

PART NO.	MFG#	DESCRIPTION
9832131	3903	ANL Sealed Fuse Block

ANL FUSE BLOCK

BLUE SEA SYSTEMS

Swing out cover design allows easy fuse replacement without having to remove any fasteners and cover breakouts allow easy wire access. Cover satisfies ABYC/USCG requirements. The base is rated UL 94-V0, resistant to high heat, and has moulded-in stainless steel studs for corrosion-free and secure fuse mounting. **Fuses sold separately.**

3260049



3260050



Specifications	3260049	3260050
Max. Voltage	32VDC	32VDC
Max. Amp	300A	750A
Max. Cable	2/0 AWG	4/0 AWG

Fuses sold separately.



PART NO.	MFG#	DESCRIPTION
3260049	5005-BSS	ANL Fuse Block, up to 300A
3260050	5503-BSS	ANL Fuse Block, up to 750A
3260042	5122-BSS	ANL Fuse, 50A
3260043	5123-BSS	ANL Fuse, 60A
3260045	5124-BSS	ANL Fuse, 80A
3260044	5125-BSS	ANL Fuse, 100A
3260046	5126-BSS	ANL Fuse, 130A
3260047	5127-BSS	ANL Fuse, 150A
3260048	5128-BSS	ANL Fuse, 175A
3260051	5129-BSS	ANL Fuse 200A
3260052	5131-BSS	ANL Fuse 250A
3260053	5133-BSS	ANL Fuse 300A
3260056	5135-BSS	ANL Fuse, 350A
3260054	5136-BSS	ANL Fuse 400A
3260055	5137-BSS	ANL Fuse 500A
3260057	5161-BSS	ANL Fuse, 600A

NEW

AMI/MIDI SEALED FUSE BLOCK

EGIS MOBILE ELECTRIC



Maximum voltage: 80vdc
Maximum Amperage: 200A
Studs: 2x 5/16”
Mounting Holes: 4x #10 & 2x 1/4”
Base Material: Nylon 6 30% GF
Cover Material: Clear Polycarbonate
Ignition protected: Yes
IP Rating: IP66, IP67, IP6K9K
Dimensions: 6.4”L x 2.2”W x 1.9”H

PART NO.	MFG#	DESCRIPTION
9832129	3901	AMI/MIDI Sealed Fuse Block

NEW

AMG/MEGA SEALED FUSE BLOCK

EGIS MOBILE ELECTRIC



Maximum voltage: 80vdc
Maximum Amperage: 500A
Studs: 2x 5/16”
Mounting Holes: 4x #10 & 2x 1/4”
Base Material: Nylon 6 30% GF
Cover Material: Clear Polycarbonate
Ignition protected: Yes
IP Rating: IP66, IP67, IP6K9K
Dimensions: 7.28”L x 2.44”W x 1.9”H

PART NO.	MFG#	DESCRIPTION
9832130	3902	AMG/MEGA Sealed Fuse Block

SHORT STOP CIRCUIT BREAKERS

BLUE SEA SYSTEMS



Use a Circuit Breaker instead of a Fuse. Made with corrosion resistant materials to withstand harsh environments with Stainless Steel Nyloc nuts for secure connections. "Push to reset" type breakers with a red insulating boot to protect against dust and splashing water providing an IP64 Rating

PART NO.	MFG#	DESCRIPTION
9833391	7151-BSS	10A
9833392	7152-BSS	15A
9833393	7153-BSS	20A
9833394	7154-BSS	25A
9833395	7155-BSS	30A
9833397	7156-BSS	40A
9833398	7157-BSS	50A
9833399	7160-BSS	Replacement Insulating Boot

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

NEW

FUSE BLOCK

EGIS MOBILE ELECTRIC





*fuses sold separately



LED Blown Fuse Indicator
Model 8034 only

Three (3) High-Amp (1-50A) Outputs Allow Protection All Circuits with One Solution

Amp Rating: 200 Amp 12/24V

Expandable Up to 31 Fused Outputs with RT or CT series Fuse Blocks

Protects Branch Circuits by Accepting ATM-Mini Series Style Fuses.

Bulletproof Construction Designed With High Temperature Materials and SS Self-locking Hardware Allow Mounting Anywhere on Vehicle.

Integrated LED Blown Fuse Indicator for Model 8034 only..

Supports SAE Circuit Protection Standards for thermal/short circuit events.

Dimensions: 5"H x 3.53"W x 1.52"D

PART NO.	MFG#	DESCRIPTION
9832141	8033	Split Buss Block, 13 Circuit+Ground,
9832142	8034	13 Circuit+Ground w/Blown Fuse LED Indicator

NEW

FUSE BLOCK WITH LED INDICATORS

EGIS MOBILE ELECTRIC



Bullet-proof Construction: Designed with high temperature materials and stainless steel self-locking hardware allow mounting anywhere on vehicle.

Protects Branch Circuits by accepting ATO style fuses ranging from 1 through 40 Amps.

Supports SAE Circuit Protection Standards for thermal/short circuit events.

PART NO.	MFG#	DESCRIPTION
9832137	8025	6 Circuit w/ Ground & LED Indication
9832138	8026	12 Circuit w/ Ground & LED Indication

NEW

FUSE BLOCK WITH LED INDICATORS

EGIS MOBILE ELECTRIC



Bullet-proof Construction: Designed with high temperature materials and stainless steel self-locking hardware allow mounting anywhere on vehicle.

Protects Branch Circuits by accepting ATO style fuses ranging from 1 through 40 Amps.

Supports SAE Circuit Protection Standards for thermal/short circuit events.

PART NO.	MFG#	DESCRIPTION
9832139	8028	6 Circuit w/ LED Indication
9832140	8029	12 Circuit w/ LED Indication

NEW

FUSE BLOCK

EGIS MOBILE ELECTRIC



Compact inline 6 circuit independent feed fuse block protects branch circuits by accepting ATO style fuses ranging from 1 through 40 Amps. Supports SAE Circuit Protection Standards for thermal/short circuit events.

- Harsh Environment Design with SS Self-Locking Hardware and Optional Weather-Proof Labels in Standard or Customized Options
- Includes Latching Protective Cover with Integrated Label Recesses
- Designed with high temperature materials and stainless steel self-locking hardware allow mounting anywhere on vehicle

PART NO.	MFG#	DESCRIPTION
9832143	8037	6 Independent Circuits w/ Cover

NEW

FUSE BLOCK

EGIS MOBILE ELECTRIC



Compact inline 4 or 8 position fuse blocks have single side wire entry for tight installations spaces.

Harsh Environment design with stainless steel self-locking hardware and optional weather-proof labels in standard or customized options

Protects Branch Circuits by accepting ATO style fuses ranging from 1 through 40 Amps.

PART NO.	MFG#	DESCRIPTION
9832144	8045	4 Circuits w/Cover
9832145	8046	8 Circuits w/Cover

NEW FUSE BLOCK



Reduce Installation Space when combined with other Egis Mobile Electric power management devices and other sealed circuit breaker/fuse blocks.

Expandable with Dual, Triple and Quad Link Busbars for plug and play install and complete switching/protection solutions.

Bullet-proof Construction: Sealed to IP66/IP6K9K, high temperature materials, SS cable lug studs. Large mounting holes accept 1/4-20 / M6 attachment hardware. **Protective Cover** Stored 2 (Two) spare fuses and 4 (Four) screws. Easy to operate latching mechanism hold cover on securely.

PART NO.	MFG#	DESCRIPTION
9832132	3908	MIDI 5x Fuse Block w/Sealed Cover

NEW MEGA FUSE BLOCK



- 58 Max Vdc Rating easily supports 12, 24, 36, and 48 Nominal Vdc systems.
- Flexible Protective Cover ensures full 360-degree access for cables/ terminals to attach to fuse studs, while preventing inadvertent short circuits.
- Serrated Flange Lock Nuts improves resistance to cable terminal loosening in high-vibration environments.
- Supports Common Input Busbars when stacked side-by-side due to longer input stud lengths.
- Supports 30-500 Amp fuses

PART NO.	MFG#	DESCRIPTION
9832128	3820	Mega Fuse Block w/ Cover

NEW COMPACT ANL FUSE BLOCK



- Compact ANL fuse block can accept cables up to 2/0.
- Stainless steel locking hardware ensures long term reliability and ease of installation. 35-300A

PART NO.	MFG#	DESCRIPTION
9832126	3803	35-300A ANL

NEW MIDI FUSE BLOCK



- 58 Max Vdc Rating supports 12, 24, 36, and 48 nominal Vdc systems.
- Flexible Protective Cover ensures full 360-degree access to attach to fuse studs
- Serrated Flange Lock Nuts improve resistance to cable terminal loosening in high-vibration environments
- Supports Common Input Busbars when stacked side-by-side due to longer input stud lengths
- Designed with high temperature materials and stainless-steel self-locking hardware allow mounting anywhere on vehicle

PART NO.	MFG#	DESCRIPTION
9832127	3810	MIDI Fuse Block w/ Cover

NEW CLASS T FUSE BLOCKS



Fully Sealed Providing protection against water (IP66 / IP67 / IP6K9K), Dust, and chemicals. Separate Stud Connections for Cable Mounting allow heavier gauge cables and their terminals to feed in and out of the fuse, than would otherwise land on the fuse tab itself.

Ignition Protected to support installation in potential hazardous gaseous environments such as LPG or in gas boats.Stainless Steel Self Locking Hardware Ensures long term reliability and ease of installation Tin Plated Copper Busbars deliver superior electrical performance with minimal voltage drop

9832133
Maximum voltage: 80vdc
Maximum amperage: 70-100A
Dimensions: 6.41”L x 2.2”W x 1.91”H
Studs: 2x 5/16”

9832134
Maximum voltage: 80vdc
Maximum amperage: 110-200A
Dimensions: 7.28”L x 2.44”W x 1.91”H
Studs: 2x 5/16”

9832135
Maximum voltage: 80vdc
Maximum amperage: 225-400A
Dimensions: 7.16”L x 3”W x 2.23”H
Studs: 2x 3/8”

9832136
Maximum voltage: 80vdc
Maximum amperage: 450-600A
Dimensions: 7.16”L x 3”W x 2.23”H
Studs: 2x 3/8”



PART NO.	MFG#	DESCRIPTION
9832133	3910	Class T, Sealed Fuse Block 70-100A
9832134	3911	Class T, Sealed Fuse Block 110-200A
9832135	3912	Class T, Sealed Fuse Block 225-400A
9832136	3913	Class T, Sealed Fuse Block450-600A



For the most up to date pricing, please visit maritimemarinesupply.ca/price

NEW

TERMINAL BLOCK 30 AMP

EGIS MOBILE ELECTRIC

Pairs provide one input and one output screw connected to separate copper alloy bus bars for each matching connecting pair. Made with tin plated copper alloy conductors, and stainless steel hardware.





9832000
Block Jumpers

- **125 Volt AC or DC Rated** easily supports 12, 24, 36, and 48 Vdc systems, as well as 120/240 Vac applications
- **Anti-Rotation Ribs** on conductor strips reduce the chance of wire terminal rotation if strain relief distances are long.

Terminals blocks available in 2, 4, 6, 8, 10, or 12 matching connection pairs.
Continuous Current: 30 A Max Voltage: 250 VAC/VDC
Dielectric Strength: 2000 VAC

PART NO.	MFG#	DESCRIPTION
9832011	2230-02	2 Circuit
9832012	2230-04	4 Circuit
9832013	2230-06	6 Circuit
9832014	2230-08	8 Circuit
9832015	2230-10	10 Circuit
9832016	2230-12	12 Circuit
9832000	2202	Block Jumpers, 30A, 5 Pack

NEW

TERMINAL BLOCK 65A

EGIS MOBILE ELECTRIC



9832001
Block Jumpers

Pairs provide one input and one output screw connected to separate copper alloy bus bars for each matching connecting pair. Made with tin plated copper alloy conductors, and stainless steel hardware.

- **125 Volt AC or DC Rated** easily supports 12, 24, 36, and 48 Vdc systems, as well as 120/240 Vac applications
- **Anti-Rotation Ribs** on conductor strips reduce the chance of wire terminal rotation if strain relief distances are long.

Terminals blocks available in 2, 4, 6, 8, 10, or 12 matching connection pairs
Continuous Current: 65 A Max Voltage: 250 VAC/VDC
Dielectric Strength: 2000 VAC

PART NO.	MFG#	DESCRIPTION
9832017	2265-02	2 Circuit
9832018	2265-04	4 Circuit
9832019	2265-06	6 Circuit
9832020	2265-08	8 Circuit
9832021	2265-10	10 Circuit
9832001	2203	Term. Block Jumpers, 65A, 5 PK

BUS BAR SCREW-TERMINAL BLOCK

SEA-DOG LINE





3260180
5 Terminal

4-3/16"L x 7/8"W (#10–24 Studs)

3260185
10 Terminal

6-1/4"L x 7/8"W (#10–24 Studs)

Designed for use with tinned copper marine wire reducing electrolytic corrosion caused by pairing two disparate metals. Made of ABS and tin-plated brass. Mounting fasteners not included.
Maximum: 48VDC, 100A

retail Packaging

PART NO.	MFG#	DESCRIPTION
3260180	426710-1	5 x #8–32, 1-pk.
3260185	426711-1	10 x #8–32, 1-pk.

TERMINAL BLOCKS

BLUE SEA SYSTEMS



Closed back design completely insulates power from the mounting surface. Each screw pair forms 1 isolated circuit.

- **Bus Material:** Nickel-Plated Brass
- **Base Material:** Phenolic

PART NO.	MFG#	#TERM	AMPS	VOLT MAX.	TERM	MT.
9802232	2402-BSS	2	20	300	#6	#6
9802234	2404-BSS	4	20	300	#6	#6
9802236	2406-BSS	6	20	300	#6	#6
9802238	2408-BSS	8	20	300	#6	#6
9933-272	2410-BSS	10	20	300	#10	#10
9802213	2502-BSS	2	30	600	#8	#10
9802214	2504-BSS	4	30	600	#8	#10
9802216	2506-BSS	6	30	600	#8	#10
9802218	2508-BSS	8	30	600	#8	#10
9802220	2510-BSS	10	30	600	#8	#10
9802222	2512-BSS	12	30	600	#8	#10
9802242	2604-BSS	4	65	600	#10	#10
9933-277	2606-BSS	6	65	600	#6	#6

TERMINAL BLOCK JUMPER

BLUE SEA SYSTEMS



These Nickel-Plated Brass jumpers allow creation of common circuits on independent connectors. 5 jumpers per package.

PART NO.	MFG#	DESCRIPTION
9802250	9218-BSS	20A
9802251	9217-BSS	30A
9802252	9216-BSS	65A

CABLE TERMINAL BLOCKS CONNECTORS





- 30 A terminal connectors
- Nickel plated fasteners and conductors

PART NO.	DESCRIPTION
9934-123	6 Terminals, 30 Amp
9802208	Cable Connectors 8 Terminal 30 Amp

NEW

BUS BAR TERMINAL BLOCK

EGIS MOBILE ELECTRIC



All attachment hardware constructed of stainless steel with self-locking mechanisms for long lasting installations. Plated copper alloy bus bar conductor withstands corrosion and maximizes conductivity.

Max Current (Entire Block): 100 A
Max Current (Per Circuit): 30 A Voltage Range: 0-36 VDC

PART NO.	MFG#	DESCRIPTION
9832006	8030	12 Circuit Ground Bus Bar

WATER-RESISTANT BUS BAR

BLUE SEA SYSTEMS



This Water-Resistant Bus Bar provides bussing protection in harsh environments. Designed with standard ring or fork-type terminals allows for simple wiring with standard tools.

Ideal for positive distribution and for the collection of negative or AC ground circuits, this bus bar has 4 positions and includes 3 wire plugs to maintain water resistant rating if less than 4 wires are required. Terminal Type 1 x #10–32 Stud, 4 x #8–32 screws. 4 write-on circuit labels are included and this bus bar accepts small format standard labels. Insulating cover meets ABYC/USCG insulation requirements.**Voltage:** 48VDC/300VAC max.**Amperage:** 100A DC, 100A AC continuous **Wire Size:** 1 x Input - 8 AWG to 4 AWG, 4 x Loads - 16 AWG to 10 AWG

PART NO.	MFG#	DESCRIPTION
3260109	2356-BSS	Water-Resistant Bus Bar

MINIBUS TERMINAL WITH COVER

BLUE SEA SYSTEMS



- Large diameter nuts provide large electrical contact area on #10 studs; captive star type lock washers eliminate rotation of wires
- 100 Amp continuous rating; 48 VDC, 300 VAC maximum voltage
- 4-3/16" L x 7/8" W

PART NO.	MFG#	DESCRIPTION
326027	11582-06	150A 6 Term
326020	2304-BSS	5x#8-32 Term., No Cover
326028	2314-BSS	5x#8-32 term., w/Cover
9934-139	2315-BSS	4x#10-32 Term., w/Cover

COMMON BUS BARS

BLUE SEA SYSTEMS



- Press on insulating cover incl. – attaches to studs and allows unobstructed wire access
- Tin plated copper bus for maximum conductivity and resistance to corrosion

PART NO.	MFG#	DESCRIPTION
9934-137	2312-BSS	20 #8-32 terminals, 150A
9934-143	2300-BSS	10 #8-32 terminals, 150A
9934-144	2307-BSS	4 x ¼" terminals, 150A
326025	2305-BSS	100A 4 Terminal
326051	2713-BSS	Cover for 326025

100A MINI GROUNDING BUSBAR

BLUE SEA SYSTEMS



- Great for limited space applications
- Tin-plated copper

PART NO.	MFG#	DESCRIPTION
9933-318	2306-BSS	6 Gang

BUS BAR WITH COVER

SEADOGLINE



Designed for use with tinned copper marine wire which shares the same expansion rate. This prevents loosening wires and reduces electrolytic corrosion caused by pairing two disparate metals. Includes protective polycarbonate covers. CE and RoHS compliant. The 12 Terminal Bus Bar is two independent 6 terminal strips.

Maximum Power: 100A, 48VDC
Fastener: #8 FH (not included)
Dimensions:

- *3260190* - **A:** 13/16", **B:** 4-7/8", **C:** 3/16", **D:** 1-11/16"
- *3260192* - **A:** 1-9/16", **B:** 4-7/8", **C:** 3/16", **D:** 1-11/16"



3260190 3260192

PART NO.	MFG#	DESCRIPTION
3260190	426680-1	Bus Bar, w/Cover, 6 Terminals
3260192	426681-1	Bus Bar, w/Cover, 12 Terminals

4 & 6 TERMINAL MINIBUS COMMON BUS



326024 – 4 Terminal 150A 1/4" Studs
326025 – 4 Terminal 100A 10-24 Studs (Blue Sea)
326027 – 6 Terminal 150A 1/4" Studs

Great for limited space applications in electronics cabinets and under dashboards. Voltage Rating 300VAC, 48VDC. #10 Mounting Screws.
Bus Material: Tin-plated brass **Base Material:** ABS

PART NO.	MFG#	DESCRIPTION
326024	11582-04	150A 4 Term.
326055	2715-BSS	Cover for 326024
326054	2716-BSS	Cover for 326027

For the most up to date pricing, please visit maritimemarinesupply.ca/price

BUS BAR



Black moulded base with two solid brass bus bars and brass screws. 6 gang junction block.

PART NO.	MFG#	DESCRIPTION
326012	11583-06	6 Gang Bus Bar

DUAL BUS BAR 100A COMMON BUS



Combines negative and positive buses on one block.
Continuous Amperage: 100A
Voltage Rating: 48VDC max
Bus Material: Tin-plated brass
Base Material: ABS
Dimensions:
- 10 Terminal - 5"L x 1-3/4"W
- 5 Terminal - 3"L x 1-3/4"W

Stud Size: 8-32

PART NO.	MFG#	DESCRIPTION
326013	2702-BSS	10 Positive/10 Negative
326014	2701-BSS	5 Positive/5 Negative
326053	2710-BSS	10 Terminal Cover
326022	2709-BSS	5 Terminal Cover

4 TERMINAL 150A COMMON BUS



Cover Sold Separately

Made of reinforced polycarbonate with tin-plated copper bus.
Mounts with 2 x #10 (M5) screws (not included).

Max Voltage: 300VAC, 48VDC **Continuous Rating:** 130A (AC), 150A (DC)
Terminal Studs: 4 x 1/4"-20 studs **Dimensions:** 5.875"L x 1.25"W x 1.5"H

PART NO.	MFG#	DESCRIPTION
326029	2303-BSS	Bus Bar 4 x 4-1/4"-20 Stud
326055	2715-BSS	Cover for 326029

5, 10, 12, 20 TERMINAL BUS BAR COMMON BUS



- **Voltage Rating:** 300VAC, 48VDC max.
- **Stud Size:** 8-32
- **Bus Material:** Tin-plated brass, Base Material: ABS

PART NO.	MFG#	DESCRIPTION
326023	11582-05	5 Terminal 100A 4.25" x 7/8"
326021	11582-10	10 Terminal 150A 6.00" x 7/8"
326031	11582-12	12 Terminal 250A 6.00" x 7/8"
326016	11582-20	20 Terminal 150A 9.13" x 7/8"

10 TERMINAL BUS BAR



Solid Brass Bus Bar with brass terminals. Mounted on black moulded base. Both units have 1/4" brass studs on each end. Mounts with 3/16" fasteners.

PART NO.	MFG#	DESCRIPTION
326010	FS40750	10 Screw Terminal

10 OR 20 TERMINAL BUS BAR COMMON BUS

The industry standard bus for hot distribution or negative collection circuits.
Dimensions: 6.1" x 1-1/4"



- **Continuous Amps:** 130A AC / 150A DC
- **Voltage Rating:** 300VAC, 48VDC max.
- **Bus Material:** Tin-plated copper
- **Base Material:** Reinforced Polycarbonate
- **Terminal Type:** 1/4" Stud; #8-32 Screw

PART NO.	MFG#	DESCRIPTION
326011	2301-BSS	10 Terminal
326055	2715-BSS	10 Termianal Cover
326015	2302-BSS	20 Screw Terminal
326054	2716-BSS	20 Terminal Cover

BLUE SEA POWER BAR CABLE CONNECTOR



- Max 48VDC, or 300VAC.
- Cont. amp rated at 600A DC or 545A AC.
- Base material made of Lexan polycarbonate. Bus bar is tin plated copper.
- **Approximately:** 2" x 7"

PART NO.	MFG#	DESCRIPTION
326026	2104-BSS	4 Stud Bar
326056	2708-BSS	Cover

NEW

MINIBUS 100 AMP



Maximum voltage: 48vdc **Maximum amperage:** 100A
Studs: #10 **Screws:** #8 **Mounting holes:** 2x #10
Base material: Nylon 6 30% GF **Cover material:** Clear Polycarbonate
Dimensions: 4.2"L x .90"W x 1.28"H

PART NO.	MFG#	DESCRIPTION
9832024	6100-205	2x #10 Studs, 5x #8 Screws
9832025	6100-400	4x #10 Studs
9832003	6104	Cover

POWER BUS BAR



The Power BusBar offers a 1,000A Stepped BusBar design that offers two elevations for conductors. A Snap On insulating cover meets ABYC and USCG requirements.

Maximum Voltage: 150
Continuous Rating: 1000 amp Requires #10 (M5) Screws.

PART NO.	MFG#	DESCRIPTION
326040	1990-BSS	8 x 3/8" Terminal Studs
326041	1992-BSS	8 x 5/16" Terminal Studs
9933-439	1991-BSS	12 x 3/8" Terminal Studs

NEW

BUS BAR FOUR STUD



Tin Plated Copper Busbar, High Temperature Insulator.

- All-Stainless hardware with Self-Locking Fasteners for long life in harsh marine environments
- Four 1/4" Studs
- Rating: 150 Amp

PART NO.	MFG#	DESCRIPTION
9832028	6150-400	Four Stud
9832031	6151-400	Four Stud w/ Cover

NEW

BUS BAR DUAL STUD



- All-Stainless hardware with Self-Locking Fasteners for long life in harsh marine environments
- Dual 1/4" Stud + #8 Screws
- Rating: 150 Amp

PART NO.	MFG#	DESCRIPTION
9832026	6150-210	10 Screw, Dual
9832027	6150-220	20 Screw, Dual
9832029	6151-210	10 Screw, Dual w/ Cover
9832030	6151-220	20 Screw, Dual w/ Cover
9832004	6152	Busbar Cover for 9832026

600 AMP COMMON BUS BAR



- 8 stud terminals, 3/8" 16 tin-plated bus material
- Protective cover not available

PART NO.	MFG#	DESCRIPTION
9933-299	2107-BSS	8 Terminal bus bar

MAXIBUS 250A COMMON BUS

- Insert molded stainless steel studs eliminate need for securing nut and allow high torquing for excellent electrical contact
- Raised bus provides easy access to multiple wires on a single stud
- UL 94-V0 rated base material resists high heat
- Recessed mounting holes eliminate accidental shorts to aluminum and steel mounting surfaces
- **Protective cover sold separately**



9934-148



326052



9934-148



9933-336



9934-149



326030

PART NO.	MFG#	DESCRIPTION
9934-148	2127-BSS	4 x 5/16" stud terminals
9934-149	2128-BSS	6 x x10-24 terminals
9934-171	2126-BSS	6 x 5/16" studs
326030	2105-BSS	250A Bus Bar, 12 terminals
326052	2718-BSS	Protective Cover for 2126,2105
9933-336	2719-BSS	Protective Cover for 2127,2128

NEW

HEAVY DUTY MAXIBUS 250A

Maximum voltage: 80vdc **Maximum Amperage:** 250A
Studs: 5/16" **Terminal Screws:** #8
Mounting Holes: 4x #10(M5) & 2x ¼"(M6)
Base Material: Nylon 6 30% GF **Cover Material:** Clear Polycarbonate



9832034
Dimensions: 6.32"L x 1.22"W x 2"H



9832035
Dimensions: 6.32"L x 1.22"W x 2"H







9832036
Dimensions: 2"H x 1.22"W x 6.31"L



9832037
Dimensions: 2"H x 1.22"W x 7.89"L



9832038
Dimensions: 2"H x 1.22"W x 3.68"L

Covers are included on all Heavy Duty MAXIBUS

PART NO.	MFG#	DESCRIPTION
9832034	6250-208	2 x Studs, 8 x Terminal Screws
9832035	6250-214	2 x Studs, 14 x Terminal Screws
9832036	6250-404	4 x 5/16 Studs, 4 x #8 Terminal Screws
9832037	6250-600	6 x 5/16" Studs
9832038	6252-200	2 x 5/16 Studs, 2 x #8 Terminal Screws
9832005	6254	Cover fits, 9832034 / 9832036
9832043	6253	Cover fits, 9832035 / 9832037

NEW

MAXIBUS 600A COMMON BUS

EGIS MOBILE ELECTRIC



9832039
Dimensions: 6.32”L x 2.2”H x 1.22”W



9832040
Dimensions: 11.59”L x 2.2”H x 1.22”W



9832041
Dimensions: 4.25”L x 2.2”H x 1.22”W



9832042
Dimensions: 6.32”L x 2.2”H x 1.22”W

Includes Transparent Cover that allows inspection to torque markings without removal, and provides break-away tabs for cable/terminal access while ensuring maximum protection against inadvertent shorts to adjacent parts

Insert Molded Busbar and Studs maximize strength and durability on finished installation.

Stainless Steel Self Locking Hardware ensures long-term reliability and ease of installation

Tin plated copper Busbars deliver superior electrical performance with minimal voltage drop

Maximum voltage: 80vdc **Maximum amperage:** 600A

PART NO.	MFG#	DESCRIPTION
9832039	6600-404	4 x 3/8” Studs, 4 x #8 Terminal Screws
9832040	6600-804	8 x 3/8” Studs, 8 x #8 Terminal Screws
9832041	6601-300	3 x 3/8” Studs
9832042	6601-500	5 x 3/8” Studs

DUAL BUS PLUS 150A COMMON BUS BAR

BLUE SEA SYSTEMS



- **Continuous Amperage:** 130A AC.
- **Maximum Rating:** 300V
- **Voltage Rating:** 48VDC max
- **Bus Material:** Tin-plated copper
- **Stud Size:** 1/4" and 5/16"
- **Screw Terminals:** 10/32"

Combines 5 negative and 5 positive buses on one block. Clear polycarbonate cover snaps on to meet ABYC insulation requirements.

PART NO.	MFG#	DESCRIPTION
326017	2722-BSS	1/4" Stud 150A DC
326018	2723-BSS	5/16" Stud 150A DC

NEW

DUAL BUSBARS

EGIS MOBILE ELECTRIC



9832022
Dimensions: 2.71”L x 1.84”W x .87”H

Maximum voltage: 80vdc
Maximum Amperage: 100A
Screws: #8”
Mounting Holes: 4x #10 & 2x 1/4”
Base Material: Nylon 6 30% GF
Cover Material: Clear Polycarbonate
Ignition protected: Yes
IP Rating: IP66, IP67, IP6K9K



9832023
Dimensions: 5.42”L x 1.84”W x .87”H



9832002

9832022 requires 1x cover
9832023 requires 2x covers

PART NO.	MFG#	DESCRIPTION
9832022	6100-005	Dual Busbar, 2 x 5 #8 Screws
9832023	6100-010	Dual Busbar, 2 x 10 #8 Screws
9832002	6103	Cover

NEW

DUAL LEVEL BUSBARS 200A

EGIS MOBILE ELECTRIC



9832032
Dimensions: 23.87”L x 1.8”W x 2.12”H



9832033
Dimensions: 5.28”L x 1.8”W x 2.12”H

Maximum voltage: 80vdc
Maximum Amperage: 200A
Studs: 5 x 1/4”
Mounting Holes: 2x #10”
Base Material: Nylon 6 30% GF
Cover Material: Clear Polycarbonate

PART NO.	MFG#	DESCRIPTION
9832032	6200-225	200 A Dual Level Bus + Cover - 11 Screw
9832033	6200-229	200 A Dual Level Bus + Cover - 19 Screw

NEW

BUS BAR RELAY



All attachment hardware constructed of stainless steel with self-locking mechanisms for long lasting installations.

Plated copper alloy bus bar conductor withstands corrosion and maximizes conductivity.
Max Current (Entire Block): 100 A Max Current (Per Circuit): 30 A
Voltage Range: 0-36 VDC

PART NO.	MFG#	DESCRIPTION
9832007	8790	Bus Bar Relay, 2 Hole, Link
9832008	8791	Bus Bar Relay, 2 Hole, Crossover
9832009	8793	Bus Bar Relay, 3 Hole, L-Shape
9832010	8794	Bus Bar Relay, 4 Hole, Quad

JUNCTION BOX



Features:

- Duroplast housing construction
- Prevents current creepage
- Temperature resistant to 212°F
- Waterproof
- Nickel plated brass contacts
- Will accept 10 gauge wire

PART NO.	MFG#	DESCRIPTION
9802200	10094	8 Connector
9802202	10095	16 Connector

WIRE COVERS



Gives your boat that finished look by covering unsightly pass-thru holes up to 1-1/4" diameter. The black plastic cover includes screws and are sold in pairs.

PART NO.	MFG#	DESCRIPTION
9802145	DWC-1-DP	Wire Covers

BATT TERMINAL MOUNT BUSBARS



These Battery Terminal BusBars are made of tin plated copper and have 4 x #8-32 screws with captive star lock washers. The mounting holes have clearance for Ø3/8" (M10) studs.

PART NO.	MFG#	DESCRIPTION
326039	2340-BSS	32VDC, 100A Max.



HEAVY DUTY 2-SPEED WIPER MOTOR



Use Ongaro Arms only

This heavy duty wiper motor has a 316 Stainless Steel shaft with Stainless Steel mounting plate, bracket and mounting hardware. The motor is self parking in left or right and sweep is adjustable at 45°, 60°, 80°, or 110°. Much stronger than competitive models.

1 year commercial , 3 year recreational warranty

PART NO.	MFG#	DESCRIPTION
7905151	31991	12V, 1-1/2" Shaft Length,
7905152	30991	12V, 2-1/2" Shaft Length
7905153	32991	12V, 3-1/2" Shaft Length
7905252	30992	24V, 2-1/2"" Shaft Length
7905253	33892	24V, 3-1/2" Shaft Length

HEAVY-DUTY 2 SPEED WIPER MOTOR WATERPROOF



Your boat's windshield wipers are only as powerful as the motor that powers them. The Ongaro Waterproof Heavy Duty Motor offers the security of waterproof protection and delivers dependable, trouble free operation.

The high quality all-aluminum housing dissipates heat more efficiently than plastic for longer motor life and it also provides better stability when mounted. These motors easily replace older Ongaro and Bosch-type wiper motors for a simple, yet powerful, upgrade. Accepts up to 24" x 24" arm and blade Self-parking gear to left or right

- **Torque:** 15 Nm, 11 ft.lb
- **Sweep Speed:** 2 Speeds, 35 or 55 Sweeps per minute, selectable **Sweep Angle:** 40 to 110°, adjustable.
- **Rated:** IP 66 316 Stainless steel shaft.

PART NO.	MFG#	DESCRIPTION
7905161	33611	1-1/2" Shaft, 12V
7905261	33612	1-1/2" Shaft, 24V
7905162	33621	2-1/2" Shaft, 12V
7905262	33622	2-1/2" Shaft, 24V
7905163	33631	3-1/2" Shaft, 12V
7905263	33632	3-1/2" Shaft, 24V

ONGARO WIPER CONTROL SYSTEM



Allows easy synchronized operation for 1, 2 and/or 3 wiper motors. With a single heavy duty rocker switch (included) you can activate, change the speed (fast/slow), go to intermittent mode initiate a wash cycle.

Operating Voltage: 12 or 24VDC
Amperage: 5A draw max. per motor
Dimensions: 11cm (L) x 9.5cm (W) x 3.5cm (H)

PART NO.	MFG#	DESCRIPTION
7905304	32010	Control System, 12VDC
7905305	32011	Control System, 24VDC

DELUXE WIPER ARM - PANTOGRAPH



Standard wiper arm, pantograph, black powder coated stainless steel, heavy duty stainless steel spring, easy installation, replaces most arms with a 5/8" shaft.

PART NO.	MFG#	DESCRIPTION
7905632	33670	12"–18"
7905633	33671	19"–24"

LIGHT DUTY SELF PARKING WIPER KIT



Wiper motor has black powder coated aluminum cover with 304 Stainless Steel Mounting Plate, 2" shaft and mounting hardware. Sweep is adjustable at 90° or 110°. The motor is self parking in either left or right position. Kit includes 11" wiper blade and 10-1/2"–14" adjustable arm.

PART NO.	MFG#	DESCRIPTION
7905010	31011	12V Kit, 2" Shaft
7905542	33012	12" Wiper Blade
7905013	33680	11"–14" Wiper Arm

DELUXE ULTRA HD ADJUSTABLE ARM



304 Stainless steel powder coated black, heavy duty stainless steel spring, will fit heavy duty Ongaro & Bosch wiper motors. Adjustable length. Uses Deluxe Ultra blades.

PART NO.	MFG#	DESCRIPTION
7905420	33650	12"–18"
7905421	33651	19"–24"

DELUXE ULTRA BLADES



Powder coated blue steel body blades. Natural rubber blade inserts. Will fit old and new style Ongaro arms.

PART NO.	MFG#	DESCRIPTION
7905542	33012	12"
7905544	33014	14"
7905546	33016	16"
7905548	33018	18"

DELUXE S/S WIPER BLADES



These Deluxe wiper arms have black powder coated Stainless Steel frames and Natural Rubber blades. They are packed with 3 adapters to fit Ongaro Deluxe Wiper Arms and most other arms.

PART NO.	MFG#	DESCRIPTION
7905311	33111	11", S/S, Black
7905312	33112	12", S/S, Black
7905314	33114	14", S/S, Black
7905316	33116	16", S/S, Black
7905318	33118	18", S/S, Black
7905320	33120	20", S/S, Black
7905322	33122	22", S/S, Black
7905324	33124	24", S/S, Black

WEXCO MARINE WIPER MOTORS



- Sealed motor with a powder coated aluminum cover, is waterproof to IP66 standards
- Housing design uses heat sinks to draw heat away from motor to ensure even longer life
- Can be adjusted to LH or RH park and have 8 sweeping angles from 40º to 110 DEG. with coast to park
- SS shaft with brass housing
- 2 speeds: 40 sweeps/min at low, 60 sweeps/min at high 5

PART NO.	MFG#	DESCRIPTION
9932-122	4A1.12R110CE	12V, 1-½" shaft
9932-123	4A2.12R110CE	12V, 2-½" shaft
9932-124	4A3.12R110CE	12V, 3-½" shaft
9932-125	4A1.24R110CE	24V, 1-½" shaft
9932-126	4A2.24R110CE	24V, 2-½" shaft
9932-127	4A3.24R110CE	24V, 3-½" shaft

WEXCO STANDARD WIPER MOTORS



- 2-speed motors 11 ft/lbs of torque can swing arms up to 24" long
- 35 sweeps/min at low and 55 sweeps/min at high
- Coast to park can be set for left or right
- Sweep angles of 40-110 DEG. can be adjusted in 10 DEG. increments

PART NO.	MFG#	DESCRIPTION
9932-112	4R1.12.R110CE	12V, 1-1/2" shaft
9932-114	4R2.12.R110CE	12V, 2-1/2" shaft
9932-116	4R3.12.R110CE	12V, 3-1/2" shaft
9932-113	4R1.24.R110CE	24V, 1-1/2" shaft
9932-115	4R2.24.R110CE	24V, 2-1/2" shaft
9932-117	4R3.24.R110CE	24V, 3-1/2" shaft

LIGHT DUTY WIPER MOTOR KIT



- Includes adjustable arm 10" - 13" and 11" blade
- Compact motor sized to accommodate small window applications
- Motor base measures: 4-5/16" L x 2-1/2" H x 3-1/2" D
- Single speed, 54 sweeps/min at 80 or 110 DEG.

PART NO.	MFG#	DESCRIPTION
9932-100	SQ112110SSK	12V

WINDSHIELD WIPER BLADES



- Use double chlorinated natural rubber elements for the toughest environments
- Black powder coated finish
- Fits hook or saddle arms

PART NO.	MFG#	DESCRIPTION
9932-136	13610M-C	10", SS, black
9932-137	13612M-C	12", SS, black
9932-094	13614M-C	14", SS, black
9932-095	13616M-C	16", SS, black
9932-096	13618M-C	18", SS, black
9932-097	13620M-C	20", SS, black
9932-098	13622M-C	22", SS black

WINDSHIELD WIPERS ARMS
Radial Arm



- All arms begin with 304 SS and are tested to meet rigorous saltspray tests
- Arms are powder coated black for an even longer life span

PART NO.	MFG#	DESCRIPTION
9932-131	200722DS	8"-11", SS, blk
9932-132	200720DS	11"-14", SS, blk
9932-091	200704DS	14"-18", SS, blk
9932-092	200705DS	18"-20", SS, blk
9932-093	200726DS	20"-24", SS, blk

WINDSHIELD WIPERS ARMS
Parallograph Arms



- All arms begin with 304 SS and are tested to meet rigorous saltspray tests
- Arms are powder coated blk foran even longer life span

PART NO.	MFG#	DESCRIPTION
9932-133	200733DS	11"-14", SS, blk
9932-134	200701DS	14"-18", SS, blk
9932-135	200703DS	20"-24", SS, blk



12V WIPER MOTORS



- Extremely quiet two speed, self-parking wiper motors
- Separate housing with ATAR wheel transmission
- Adjustable sweep angle from 40° - 110°

PART NO.	MFG#	DESCRIPTION
9991-324	RW08A	12V, 1" shaft
9991-322	RW01A	12V, 2" shaft

PLASTIC COVER FOR VETUS WIPER MOTORS



- Complete with bottom plate. Installation of the plastic cover reduces the indicated maximum panel thickness by 3 mm (with wiper arm AD 6 mm/SSAD 3 mm).

PART NO.	MFG#	DESCRIPTION
9991-326	RWCG	Complete with bottom plate

ADJUSTABLE WIPER ARMS



- High gloss polished stainless steel metal parts and top grade synthetic black components For VETUS wiper motors

PART NO.	MFG#	DESCRIPTION
9991-334	RWAS	11" to 14-¾"
9991-335	RWAL	15-⅝" to 18-¹⁵⁄₁₆"
9991-336	RWAX	18-⅝" to 22"
9991-337	RWAD	Parallel, 12-⅛" to 15-½"
9991-338	RWADX	Parallel, 15-³⁄₁₆" to 18-½"

WINDSHIELD WIPER CONTROL PANEL



- Enables two or three wiper motors to operate simultaneously at normal speed
- Includes interval wipe feature, with three different settings and a wash/wipe function

PART NO.	MFG#	DESCRIPTION
9991-343	RWPANEL2	Model RWPANE

ADJUSTABLE WIPER ARMS – STAINLESS STEEL



PART NO.	MFG#	DESCRIPTION
9991-339	SSAS	11" to 14 ⁹⁄₁₆"
9991-340	SSAL	15-⅜" to 18-¹⁵⁄₁₆"
9991-341	SSAX	15-³⁄₁₆" to 22"
9991-342	SSAD	Parallel, 12-⅛" to 15-½"

POLISHED STAINLESS STEEL WIPER BLADES



- The metal parts of the blade are high-gloss polished S/S. This blade will fit almost all makes/types of wiper arms with a tang of 7.2 x 2.5 mm.

PART NO.	MFG#	DESCRIPTION
9991-331	WBS30	12"
9991-332	WBS41	16"
9991-333	WBS51	20"

POLISHED STAINLESS STEEL WIPER BLADES



- The metal parts of the blade are S/S, coated black. This blade will fit almost all makes/types of wiper arms with a tang of 7.2 x 2.5 mm

PART NO.	MFG#	DESCRIPTION
9991-328	WBB30	12"
9991-329	WBS41	16"
9991-330	WBB51	20"

THREE POSITION SWITCH FOR WINDSCREEN WIPERS



For a self-parking, two-speed wiper motor.

PART NO.	MFG#	DESCRIPTION
9991-327	HDMSW	OFF, 1, 2

CLEARVIEW SCREENS



- The rotating 12" diameter screen operates at 1900 rpm to throw off water, and the 170W heater melts ice, snow and slush for all-weather visibility
- 6 mm tempered glass screen can be installed in window thicknesses from 8 mm to 16 mm, with 12-3/4" diameter window cut-out required for installation
- Use with a 2 circuit breaker panel (not included)

Vastly improves visibility and safety when installed in the front windows of your vessel's wheelhouse. Water leakage may occur under severe weather conditions

PART NO.	MFG#	DESCRIPTION
9932-200	HCW-300-H	Clearview 12V
9932-201	HCW-300-H-24v	Clearview 24V
9932-203	HCW-300-H-110VAC	Clearview 110 VAC
9932-210	CLEARVIEW MOTOR, 12V	12V motor
9932-211	CLEARVIEW MOTOR, 24V	24V motor
9932-213	CLEARVIEW MOTOR, 110VAC	110 VAC motor
9932-230	CLEARVIEW BRUSHES	Motor brushes, per pair

OFFSHORE DUTY PANTOGRAPH WIPER MOTOR



- Standard configuration provides 85° sweep angle but is easily adjustable to 68° or 108°
- Self parking 2 speed motor
- This unit Includes motor, mounting bracket, drive arm, connecting link, pivot shaft and pantograph arm adapter; completely assembled and ready for mounting

You need four components for a complete wiper: motor assembly, Pantograph arm, wiper blade, pigtail connector.

PART NO.	MFG#	DESCRIPTION
9932-040	AMESM-12	12V
9932-041	AMESM-24	24V
9932-030	CKLEC62374CAD	Pigitail Connector

PANTOGRAPH ARM AND BLADES



Fits Offshore Duty Motor.
Must already have Pantograph adapter for arm to work.

PART NO.	DESCRIPTION
7906618	18" Arm
7905512	12" Blades
7905514	14" Blades
7905516	16" Blades
7905518	18" Blades
9932-063	20" Blades

OFFSHORE DUTY WIPER BLADES



PART NO.	MFG#	DESCRIPTION
7905716	ILLBD721011-16S	16" Straight Blades (Stainless Steel)

PANTOGRAPH ARM & BLADES FOR HD - BOSCH–MOTOR



Fits "Bosch" and Economy Motor.

PART NO.	MFG#	DESCRIPTION
7905614	AMELE52189-14	Pantograph Arm 14" Long
7905616	AMELE52190-16	Pantograph Arm 16" Long
7905512	AMEBD52168-12	12" Blades
7905514	AMEBD52169-14	14" Blades
7905516	AMEBD52170-16	16" Blades
7905518	AMEBD52171-18	18" Blades
9932-063	AMEBD52172-20	20" Blades

HAND WINDSHIELD WIPER



- Stainless steel, with 11" arm and 14" blade

PART NO.	MFG#	DESCRIPTION
9951-060	16571-14+16592-14+16582-14	Stainless
9932-042	16582-14	11" Arm only
9932-043	16592-14	14" Blade Only

WIPER MOTOR COVER



- White ABS plastic, molded to fit above standard and pantograph motors
- Openings allow ventilation and convenient wire routing
- Easily installed

PART NO.	MFG#	DESCRIPTION
9932-048	33025	Plastic

INTERMITTENT WIPER MOTOR CONTROLLER



This Intermittent Wiper Motor Controller provides Single and Dual Speed selections with synchronized control for Single and Dual wiper motor systems.

It features adjustable intermittent settings, adjustable continuous settings, and washer system operation. The controller is compatible with 12 and 24VDC systems and has reverse polarity protection.

Rated IP67—Potted aluminum case for harsh environment. Includes a SPDT (On)-Off-(On) Contura Switch

PART NO.	MFG#	DESCRIPTION
9933-470	76090	Single Speed, 12/24V
7905306	76080	Dual Speed, 12/24V

WIPER SWITCH



- Controls 12 or 24 VDC, 1 or 2 speed motors; perfect for motors 32-020 thru 32-025

PART NO.	MFG#	DESCRIPTION
9932-140	LIF75212-04-BX	Switch

ELECTRONIC INTERMITTENT WINDSHIELD WIPER SWITCH



4 Position switch (off/park, intermittent, low, and high), has push knob to activate washer pump circuit and provides 3 wipes after knob is released.

Die cast case is 2-7/32" x 2-7/32" x 1-13/16". Can be mounted on a panel up to 1/4" thick. Works with 2 speed, self park motors only (like the Ongaro 7905152). 7A.

PART NO.	MFG#	DESCRIPTION
7905116	75600-04-COL	12V
7905117	75602-04-COL	24V

2 SPEED WIPER SWITCH WITH PUSH WASHER CONTROL





2 Speed Wiper/Washer Switch with push knob washer control and copper alloy blade contacts 12VDC, 24VDC and 32VDC

PART NO.	MFG#	DESCRIPTION
7905115	75221-09	Wiper Washer Switch

For the most up to date pricing, please visit maritimemarinesupply.ca/price

3 POSITION ROCKER SWITCH



Switch suitable for 2 speed self parking motor. Will operate 12V and 24V Ongaro wiper motors.

PART NO.	MFG#	DESCRIPTION
7905118	40400	3 Position Rocker Switch

WINDSHIELD WASHER KIT



Complete with everything needed for a new installation. Includes a tank with pump, a wiring harness for the pump motor connection, a toggle switch, 15' of clear tubing, a hose barb tee, two spray nozzles and a mounting bracket with fasteners. Tank capacity is 2.5 liters / 2.66 quarts.

Tank Dimensions:
- 8-1/2" **x** 4-7/8"x 3-7/8"

Requires #10 RH screws.

PART NO.	MFG#	DESCRIPTION
7905108	414900-3	Windshield Washer Kit, 12V

WASHER RESERVOIR WITH PUMP



- 8" H x 9-1/2" W x 5-1/2" D
- Rugged, heavy wall construction for strength and durability; 4 litre capacity with snap-on lid
- Easy installation with 4-point surface mount
- Uses 3/16" ID hose

PART NO.	MFG#	DESCRIPTION
9932-156	AMP111-1024	12DVC
9932-157	AMP312-2514	24VDC

WET ARM KIT

Replacement wet kit for Radial and Pantograph wiper arms.



Wet Kit includes:
- 2 x Spray Nozzles
- 3 x Hose Holder For U Extension Type Arms
- 3 x Hose Holder for Flat Extension Type Arms
- 1 x Bolt
- 1 x Lock Nut
- 1 x 3.94' of Rubber Hose, 1/8" ID
- 1 x Instructions

PART NO.	DESCRIPTION
7905113	Wet Arm Kit

WINDSHIELD WASHER HOSE



PART NO.	MFG#	DESCRIPTION
9932-150	AMP314-1014	3/16" x 10' hose
9932-151	AMP314-1009	3/16" x 50' hos
9932-152	AMP314-1063	1/8" x 10' hose

WINDSHIELD WASHER CONTROL VALVE



A reliable control valve for windshield washer systems. The simple push to connect make installation easy. Works with any fresh water system to provide as much clean water as needed.

15mm inlet, 1/4" NPT outlet, 12V.

PART NO.	DESCRIPTION
7015580	12V Windshield washer Control Valve

BULKHEAD COWL FITTING



- For 1/8" x 3/16" Hose (1/8" External Metal Fitting)
- **Max. Bulkhead Thickness:** 1/2"
- Rubber Washer & 5/16" Nut Included

PART NO.	DESCRIPTION
7905112	Cowl Fitting

RAIN-X WINDSHIELD TREATMENT



- Apply to exterior of windshields, side and rear windows; rain, sleet and snow bead and roll off glass, letting you see clearly

PART NO.	MFG#	DESCRIPTION
5490930	36231	7oz. (207 mL)
5490932	36232	16 oz. (473 mL) trigger spray bottle

RAIN-X 2-IN-1 GLASS CLEANER



- Cleans glass and applies water-beading Rain-X technology
- Repels water and enhances visibility
- Ideal for all exterior and interior glass surfaces

PART NO.	MFG#	DESCRIPTION
9960-025	5076784	680 ml

POWER GRIP POWER CORD



Extremely flexible in design these Marine Power Cords are coated with a heavy-duty flame retardant, heat-resistant PVC sheath providing reliable protection against wear & tear from harsh outdoor conditions



- Locking rings create a weatherproof connection.
- Comes with an adjustable organizer/carrying strap.
- 100% copper, 10-gauge wires.
- Rated for 125V / 3750W.
- Compatible with NEMA L5-30 and NEMA L5-50.

PART NO.	MFG#	DESCRIPTION
7280200	55611	Marine Cord, 30 Amp, 25’
7280201	55612	Marine Cord, 30 Amp, 35’
7280202	55613	Marine Cord, 30 Amp, 50’
7280203	55621	Marine Cord, 50 Amp, 25’
7280204	55623	Marine Cord, 50 Amp, 50’

POWER GRIP Y-CABLES



Made to withstand the elements, these Marine Cables are coated with a heavy-duty flame retardant, heat-resistant PVC sheath providing reliable protection against wear & tear from harsh outdoor conditions. Plug into a single dockside 30 or 50 amp service and benefit from 2x 30 amp female connectors with reliable locking rings on the boat side

- Locking rings provide a secure connections
- and add moisture protection.
- Y-Splitter is rated for 125V / 3750W.
- Y-Adapter is rated for 125V / 7500W.
- Compatible with NEMA L5-30P.

PART NO.	MFG#	DESCRIPTION
7280214	55618	Y-Splitter, Locking, 30A(M), 2x 30A(F)
7280215	55628	Y-Adapter, Locking, 50A(M), 2x 30A(F)

POWER GRIP DOGBONE



- 50 & 30 amp locking rings for weatherproof connections.
- Durable, long-lasting 10/3 STW cord.
- Compatible with NEMA L5 connectors.
- STW cord has a 180º turn from male to female end.
- CSA approved for outdoor use.
- Rated 125 Volts.

PART NO.	MFG#	DESCRIPTION
7280212	55625	Dogbone, 12”, 50A(M), 30A(F)

POWER GRIP DOGBONE



- 15 amp standard Plug.
- 30 amp locking ring for weatherproof connections.
- Durable, long-lasting 10/3 STW cord.
- Compatible with NEMA L5 and NEMA 5 connectors.
- STW cord has a 180º turn from male to female end.
- Male end is 90º to the STW cord.
- CSA approved for outdoor use.
- Rated 125 Volts.

PART NO.	MFG#	DESCRIPTION
7280213	55635	Dogbone, 12”, 15A(M), 30A(F)

POWER GRIP DOGBONE



- 30 amp locking ring for weatherproof connections.
- 15 amp standard receptacle.
- Durable, long-lasting 10/3 STW cord.
- Compatible with NEMA L5 and NEMA 5 connectors.
- Female end is 90º to the STW cord.
- CSA approved for outdoor use.
- Rated 125 Volts.

PART NO.	MFG#	DESCRIPTION
7280211	55616	Dogbone, 12”, 30A(M), 15A(F)

SHORE POWERCORD



Made of the highest quality, marine-grade construction. The boat side connector features a moulded in LED power indicator light that lets you know if you have power. They are constructed with a watertight moulded plug and connector for safety and durability. They include the Easy Lock System Ring–a simple 1/8 twist of the ring provides a fast, positive watertight connection.

Part No.	Dock Side (Male)	Boat Side (Female)
7280249 7280250		
7280255		
7280256		

PART NO.	MFG#	DESCRIPTION
7280249	199117	30A 125V, 25'
7280250	199119	30A 125V, 50'
7280255	6152SPP	50A 125/250V, 50'
7280256	6153SPP	50A 125V, 50'

20 AMP MALE TO 30 AMP FEMALE



- 30A 125V locking female connector with sealing collar
- 20A 125V locking male plug

Dock Side (Male)	Boat Side (Female)
	

PART NO.	MFG#	DESCRIPTION
9933-479	106A	20A 125V (M) to 30A 125V (F)

50 AMP MALE TO 30 AMP MALE



- 30A 125V locking female connector with sealing collar
- 50A 125/250V locking male plug

Dock Side (Male)	Boat Side (Female)
	

PART NO.	MFG#	DESCRIPTION
9934-299	121A	50A Male 125/250 to 30A Female

30 AMP MALE TO 50 AMP FEMALE



- 30A 125V locking male plug
- 50A 125/250V locking female connector with sealing collar

Dock Side (Male)	Boat Side (Female)
	

PART NO.	MFG#	DESCRIPTION
9934-298	117A	30A Male to 50A 125/250V Female

30 AMP RIGHT ANGLE CORD SET ADAPTER



- Super flexible 10/3 cable converts 30 Amp power cord from straight to 90° connection, minimizing protrusion from inlet in tight spaces
- GripLock™ handle design for easy hook up and correct blade alignment with inlet, even in darkness
- Includes threaded ring, Easy Lock ring and sealing collar for maximum moisture protection between connector and cord set

Dock Side (Male)	Boat Side (Female)
	

PART NO.	MFG#	DESCRIPTION
9934-060	1RPC	30A 125V (M) to 30A 125V (F)

PIGTAIL ADAPTER



This adapts your 30A 125V Locking plug to 15A 125V straight plug, allowing use of a standard straight plug receptacle.

Dock Side (Male)	Boat Side (Female)
	

PART NO.	MFG#	DESCRIPTION
7280120	104SPP	15A 125V (M) to 30A 125V (F)

PIGTAIL ADAPTER



This Pigtail adapter is constructed with a LED Power Indicator Light, contoured grip end and a Thumbprint Locator on the connector end.
The Female Connector, 15A 125V straight blade, attaches to a 30A 125V cordset or boat inlet.

Part No.	Dock Side (Male)	Boat Side (Female)
7280122		

PART NO.	MFG#	DESCRIPTION
7280122	105SPP	30A 125V (M) to 15A 125V (F)

PIGTAIL ADAPTERS



These Pigtail Adapters allow you to connect from one dockside receptacle (or other power source receptacle) to one boat side inlet or equipment of dissimilar power configuration. These adapters are fully moulded and equipped with a unique sealing collar (where indicated) and covers for use in wet locations.

(F) = Female connector
(M) = Male connector

Part No.	Dock Side (Male)	Boat Side (Female)
7280123		
7280124		
7280125		

PART NO.	MFG#	DESCRIPTION
7280123	110A	50A 125V (M) to 30A 125V (F)
7280124	111A	30A 125V (M) to 50A 125V (F)
7280125	115A	15A 125V (M) to 50A 125V (F)

DOCKSIDE 30 AMP TO 3 X 15 AMP ADAPTER



- Provides safer hook up to 30A dockside power
- Offers protection for up to 3 attached tools
- Corrosion resistant and rain-proof rated for outdoor use
- GFI trip level of 4-6 mA

Dock Side
Male Plug
Locking

Dock Side
3x Female Connector Locking
Straight Blade

PART NO.	MFG#	DESCRIPTION
9934-051	199128	Way 15A 125V (F) to 30A 125V (M) w/GFCI

"Y" ADAPTERS



"Y" Adapters let you split one dock side receptacle between two boat inlets of similar or dissimilar power configurations. "Y" Adapters are fully moulded and equipped with a unique sealing collar (where indicated) and covers for use in wet locations.

Part No.	Dock Side (Male)	Boat Side (Female)
7280131		
7280132		

PART NO.	MFG#	DESCRIPTION
7280131	153AY	2 x 30A 125V (F) to 50A 125/250V (M)
7280132	157AY	2 x 30A 125V (F) to 30A 125V(M)



LOCKING ELECTRICAL CONNECTORS


7280104


7280105


7280110


7280111


7280112


7280113


9934-282


9934-281

These male and female Locking type plugs and connectors are constructed of rugged high grade nylon, and nickel plated brass blade connectors. A powerful strain relief secures cord with stainless steel screws, and the dust seal keeps contaminants out.

PART NO.	MFG#	DESCRIPTION
7280104	305CRCN	30A 125V (F) Connector
7280105	305CRPN	30A 125V (M) Plug
7280110	6360CRN	50A 125V (F) Connector
7280111	6361CRN	50A 125V (M) Plug
7280112	4731CR	15A 125V (F) Connector Locking
7280113	4721CR	15A 125V (M) Connector Locking
9934-282	5269CR	15A 125V (M) Connector Straight non lock
9934-281	5266CR	15A 125V (M) Plug Straight non lock

MALE CONNECTOR COVER



- Contoured cover with molded yellow boot provides superior weatherproof seal and a better grip
- Fits 15-30am

PART NO.	MFG#	DESCRIPTION
9934-067	102N	Male Connector Cover

FEMALE WEATHERPROOF COVER



This weatherproof cover comes with a threaded sealing ring and is for use with the female connector above. Fits 15-30am

PART NO.	MFG#	DESCRIPTION
7280103	103RN	Connector

FEMALE EASY LOCK CONNECTOR COVER



- Yellow weatherproof cover complete with Easy Lock sealing ring. Fits 15-30am

PART NO.	MFG#	DESCRIPTION
9934-267	103ELN	Female Easy Lock Cover

EEL SHOREPOWER CORDSETS



All EEL cordsets incorporate the highest quality, marine-grade construction for which Marinco is known.
They have watertight moulded plug and connector ends for safety and durability.

Heavy-duty, super flexible marine grade cable and corrosion-resistant, nickel-plated contacts. These cordsets will connect to any brand, NEMA configured inlet.

Part No.	Dock Side (Male)	Boat Side (Female)
7280260 7280261		
7280265 7280266		

PART NO.	MFG#	DESCRIPTION
7280260	CS30-25	30A 125V, 25'
7280261	CS30-50	30A 125V, 50'
7280265	CS503-25	50A 125V, 25'
7280266	CS503-50	50A 125V, 50'

EEL SHORE-POWER PIGTAIL ADAPTERS



7280150



7280151



7280153

EEL Pigtail Adapters enable you to connect from one dockside receptacle (or other power source receptacle) to one boat side inlet or equipment of the dissimilar power configuration.

In addition to the EEL system, the pigtail adapters incorporate the highest quality, marine grade construction for which Marinco is known.

They feature a sealing collar (where applicable) to create a waterproof seal when joining cables together. Watertight moulded plug and connector ends for safety and durability make them suitable for use in wet locations.

They are made with heavy-duty, super flexible marine grade cable and corrosion-resistant, nickel-plated contacts.

Part No.	Dock Side (Male)	Boat Side (Female)
7280150		
7280151		
7280153		

(F) = Female connector 125V (M) = Male connector 125V

PART NO.	MFG#	DESCRIPTION
7280150	P15-30	15A (M) to 30A (F)
7280151	P30-15	30A (M), to 15A (F)
7280153	P30-503	30A (M) to 50A (F)

EEL SHORE-POWER "Y" ADAPTER



EEL Shore-Power Y-Adapters enable you to split one dockside receptacle between two boat inlets of similar or dissimilar power configurations.

Part No.	Dock Side (Male)	Boat Side (Female)
7280160		
7280161		

In addition to the EEL Shore-Power system, Y-Adapters incorporate the highest quality, marine-grade construction for which Marinco is known. They feature a sealing collar (where applicable) to create a waterproof seal when joining cables together. Watertight moulded plug and connector ends for safety and durability make them suitable for use in wet locations. They are made with heavy-duty, super flexible marine grade cable and corrosion-resistant, nickel-plated contacts.

(F) = Female connector 125 v (M) = Male connector 125V

PART NO.	MFG#	DESCRIPTION
7280160	Y503-2-30	50A (M) to 2 x 30A (F)
7280161	Y30-2-30	30A (M) to 2 x 30A (F)

EEL SHORE-POWER STRAIGHT ADAPTERS



7280140



7280141

Part No.	Dock Side (Male)	Boat Side (Female)
9934-287		
7280140		
7280141		
9933-481		

EEL Shore-Power-Style Straight Adapters are high-quality, one-piece adapters used much like Pigtail Adapters. However, they do not have sealing collars and are not recommended for use in wet locations. They are for use only in an enclosed, dry location, such as when powering your boat from a 15A power receptacle inside your house.

PART NO.	MFG#	DESCRIPTION
9934-287	S20-15	20A Locking M, to 15/20A Straight F
7280140	S15-30	15/20A Straight M, to 30A Locking
7280141	S30-15	30A Locking M, to 15/20A Straight F
9933-481	S20-30	20A Straight M, to 30A Straight F

CABLE CLIP, RAIL MOUNT



Keep your on board shore power cables organized quick and easy with these handy Rail Mount Cable Clips. They are practically unbreakable, UV stable and can be used on tube or wire rails. For 30A marine cables.

PART NO.	MFG#	DESCRIPTION
7280001	CLIP-01	Rail Mount Clip, Black, 6 Pk.

15A HEAVY DUTY LOCKING EXTENSION CORDS



- Heavy-duty marine-grade cable with robust, fully molded ends for use in harsh environments
- Clear ends with a lighted female end to provide visual power indication.

PART NO.	MFG#	DESCRIPTION
9933-472	151225	25'
9933-473	151250	50'

MARINCO EXTENSION CORD NON-LOCKING



- Marine Grade 14/3 cable
- Female end lights up to confirm power

PART NO.	MFG#	DESCRIPTION
9934-323	150025NL	25'
9934-324	150050NL	50'

MARINCO LOCKING EXTENSION CORD



These Marinco Marine Locking Extension Cords are made with 14/3 marine grade SJTOW cable and have clear ends with a lighted female end to provide visual power indication. The female end also has a sliding button for Marinco's exclusive locking feature that prevents disconnection.
ETL certified to UL standards.

PART NO.	MFG#	DESCRIPTION
7280270	150025	25', 15A
7280271	150050	50', 15A

SHORE POWER CORD, 10/3



PER FT.

- Protected by a high visibility yellow jacket that is oil and sunlight resistant
- Ultra flexible insulation is abrasion resistant for "hard service" applications
- 600 volt rated for extra heavy-duty service

PART NO.	MFG#	DESCRIPTION
9934-163	153725	Yellow 10/3

SHORE POWER INLET



7280020 **7280021** **7280022** **7280023**

Constructed of glass-filled polyester, and the plug body is nylon with CTI greater than 600V. The contact blades and terminal parts are nickel plated brass. The rear enclosure is glass-filled polyester with a UL flammability rating of 94V-0. The terminals are clamp-type terminals with No. 10 terminal screws that accept up to 8 AWG wire. They have an integral strain relief for oval jacketed cable. Provides a weather seal when used with cords having threaded, or Easy Lock sealing rings.
Listings: UL Marine listed, File E57672 CSA certified, File LR81290 Complies with ABYC and Coast Guard Standards.

PART NO.	MFG#	DESCRIPTION
7280020	301EL-B	30A 125V
7280021	303SSEL-B	30A 125 S/S Cap & Bezel
7280022	304EL-B	30A 125V Contoured
7280023	305CRMB	Replacement Interior Fits 7280020 & 7280021

CABLE CLIP, SURFACE MOUNT



This handy Surface Mount Cord Clip keeps your shore power cable out of the water and out of the way. Easy to install on any flat surface and holds a 10 gauge 30A cable. Comes with Stainless Steel mounting screws

PART NO.	MFG#	DESCRIPTION
7280000	CLIP	Surface Mount Clip, 6 Pk.

SHORE POWER CABLE CLIPS



- Low profile "toe-friendly" shape designed to hold a 30 Amp marine power cord

PART NO.	MFG#	DESCRIPTION
9952-628	DE91200F	Cable dips, package of 4

ON-BOARD CHARGER INLET



On-Board Charger Inlet makes charging through an on board battery charger safe and more convenient.
The 15A 125V straight blade inlet flush mounts on your boat's exterior and is hard wired directly to the charger.

PART NO.	MFG#	DESCRIPTION
7280010	150BBI	Charger Inlet

AC PLUG HOLDER



When not in use, protect the AC plug on your ProMariner products from the environment with this waterproof easy to mount receptacle. No cutting, stripping or splicing required.

PART NO.	MFG#	DESCRIPTION
7280009	150PHB	AC Plug Holder

A Locate the **CURRENT FLOW IN AMPS** of your circuit along the top of the **WIRE SELECTION CHART.**

B Select the **CIRCUIT TYPE**.

Non-critical circuits with 10% allowable voltage drop include: general lighting, windlasses, bait pumps, general appliances

Critical circuits with 3% allowable voltage drop include: panel main feeders, bilge blowers, electronics, navigation lights

C Find the **CIRCUIT LENGTH** along the left side of the **WIRE SELECTION CHART**.

The circuit lingth is the length of the negative wire added to the length of the positive wire.

Calculations are based on 105°C wire. For wire rates at 90°C or lower, or for wire that passes through an engine room, the first row of the chart, in grey, does not apply.

D Intersect the **CURRENT FLOW IN AMPS** with **CIRCUIT LENGTH** to identify the correct wire size.

Example: A windlass rated 80A is 25'. from the battery. The circuit length is the total length of the positive and negative wire added together, which in the example is 50'. The circuit type is 'non-critical', and the correct wire size is 4 AWG.



Although this process uses information from ABYC E-11 to recommend wire size and circuit protection, it may not cover all of the unique characteristics that may exist on a boat. If you have specific questions about your installation please consult an ABYC certified installer.

ELECTRICAL WIRING COLOUR CODE CHART

Red	DC Positive Conductor	**Positive Mains**
Black or Yellow	DC Negative Conductor	**Return, Negative Mains**
Green or Green w/Yellow Stripe	DC Grounding Conductor	**Bonding System**
		Bonding Wires (if insulated)
Light Blue	Oil Pressure	**Oil Pressure Sender to Gauge**
Dark Blue	Cabin & Instrument Lights	**Fuse or Switch to Lights**
Brown	Generator Armature	**Generator Armature to Regulator**
	Alternator Charge Light	**Generator**
		Terminal/Alternator
		Auxiliary Terminal to Light to Regulator
	Pumps	**Fuse or Switch to Pumps**
Grey	Navigation Lights	**Fuse or Switch to Lights**
	Tachometer	**Tachometer Sender to Gauge**
Orange	Accessory Feed	**Ammeter to Alternator or**
		Generator Output and Accessory
		Fuses or Switches
	Common Feed	**Distribution Panel to Accessory Switch**
Pink	Fuel Gauge	**Fuel Gauge Sender to Gauge**
Purple	Ignition	**Ignition Switch to Coil & Electrical**
		Instruments
	Instrument Feed	**Distribution Panel to Electric Instruments**
Brown w/Yellow Stripe	Bilge Blowers	**Fuse or Switch to Blower**
Yellow w/Red Stripe	Starting Circuit	**Starting Switch to Solenoid**
Tan	Water Temperature	**Water Temperature Sender to Gauge**
Green/Stripe (G/x) (except G/Y)	Tilt Down and/or Trim In	**Tilt and/or Trim Circuits**
Blue/Stripe (Bl/x)	Tilt Up and/or ATrim Out	**Tilt and/or Trim Circuits**

FUSE SELECTION CHART

Calculations are based on 105°C wire.
For lower temperature rated wire, consult the Circuit Wizard at www.circuitwizard.bluesea.com



FUSE HOLDER SELECTION CHART



Although this process uses information from ABYC E-11 to recommend wire size and circuit protection, it may not cover all of the unique characteristics that may exist on a boat. If you have specific questions about your installation please consult an ABYC certified installer.

For the most up to date pricing, please visit maritimemarinesupply.ca/price

MARINE BOAT CABLE

Manufactured from tinned copper stranding for maximum protection against corrosion and electrolysis. ANCOR's proprietary premium vinyl insulation stays flexible even in extreme cold and resists salt water, battery acid, oil, gasoline and UV radiation. Insulation is rated at 600V, 105°C dry and 75°C wet, and is resistant to heat and abrasion. ANCOR Marine Grade wire and cable exceeds all UL 1426, US Coast Guard Charterboat (CFR Title 46) and ABYC standards.

1 CONDUCTOR MARINE WIRE, ROUND

ANCOR MARINE GRADE™ PRODUCTS





PART NO.	GAUGE	COLOUR	QTY
3256702	6	Green	100'
3255208	8	White	100'
3256601	8	Red	100'
3255209	8	Black	100'
3256602	8	Green	100'
3255210	10	White	100'
3256501	10	Red	100'
3255211	10	Black	100'
3256502	10	Green	100'
3256401	12	Red	100'
3255213	12	Black	400'
3256402	12	Green	100'
3255214	14	White	500'
3256301	14	Red	100'
3255215	14	Black	500'
3256302	14	Green	100'
3256303	14	Lt. Blue	100'
3256304	14	Dk. Blue	100'
3256305	14	Brown	100'
3256306	14	Gray	100'
3256307	14	Orange	100'
3256308	14	Pink	100'
3256309	14	Purple	100'
3255216	16	White	500'
3256201	16	Red	100'
3255217	16	Black	500'
3256202	16	Green	100'

2-CONDUCTOR MARINE WIRE, ROUND

ANCOR MARINE GRADE™ PRODUCTS



best for DC systems

PART NO.	GAUGE	COLOUR	QTY
3255421	12/2	Red/Yellow	100'
3255441	14/2	Red/Yellow	100'
3255461	16/2	Red/Yellow	100'

2-CONDUCTOR MARINE CABLE, FLAT

ANCOR MARINE GRADE™ PRODUCTS



best for DC systems

PART NO.	GAUGE	COLOUR	QTY
3255311	10/2	Red/Yellow	100'
3255321	12/2	Red/Yellow	100'
3255341	14/2	Red/Yellow	100'
3255345	14/2	Red/Yellow	500'
3255349	14/2	Red/Yellow	1000'
3255361	16/2	Red/Yellow	100'
3255365	16/2	Red/Yellow	500'
3255369	16/2	Red/Yellow	1000'

2-CONDUCTOR MARINE CABLE, FLAT

ANCOR MARINE GRADE™ PRODUCTS



PART NO.	GAUGE	COLOUR	QTY
3255121	12/2	Red/Black	100'
3255125	12/2	Red/Black	500'
3255141	14/2	Red/Black	100'
3255145	14/2	Red/Black	500'
3255149	14/2	Red/Black	1000'
3255161	16/2	Red/Black	100'
3255165	16/2	Red/Black	500'
3255169	16/2	Red/Black	1000'

3-CONDUCTOR MARINE WIRE, ROUND

ANCOR MARINE GRADE™ PRODUCTS



best for AC systems

PART NO.	GAUGE	COLOUR	QTY
3255423	12/3	Green/Black/White	100'
3255443	14/3	Green/Black/White	100'
3255463	16/3	Green/Black/White	100'

3-CONDUCTOR MARINE CABLE, FLAT

ANCOR MARINE GRADE™ PRODUCTS



best for AC systems

PART NO.	GAUGE	COLOUR	QTY
3255144	14/3	Green/White/Black	100'
3255148	14/3	Green/White/Black	900'
3255123	12/3	Green/White/Black	100'
3255114	10/3	Green/White/Black	100'
3255118	10/3	Green/White/Black	500'

4-CONDUCTOR FLAT RIBBON CABLE

ANCOR MARINE GRADE™ PRODUCTS



These Bonded Flat Ribbon Cables with colour-coded wires simplify installations such as RGB lighting.

PART NO.	GAUGE	DESCRIPTION	QTY
3255164	16/4	Red/Blue/Green/White	100'
3255184	18/4	Red/Blue/Green/White	100'

MARINE SPEAKER WIRE

MARINCO





Marine speaker wire is made with the highest quality Tin coated Copper for maximum protection against corrosion and electrolysis from salt water and harsh elements. **Sold per foot.**

PART NO.	DESCRIPTION
3255000	16/2

PE 902-566-1220 NS 902-928-1900

PRIMARY WIRE

- Finely stranded Type III tinned copper
- Flexible polyvinyl chloride resists acids, abrasion, alkali, flame, gasoline, moisture, oil
- Temperature rating from -20°C to 105°C dry, 75°C wet
- Voltage rating 600 volts







Gauge	White Item #.	Black Item #	Red Item #	Green Item #	Yellow Item #
Sold per 100 ft. coil					
18	**9934-494**	**9934-673**	**9934-674**	**9934-675**	**9934-676**
16	**9934-461**	**9934-482**	**9934-480**	**9934-479**	**9934-425**
14	**9934-462**	**9934-484**	**9934-483**	**9934-401**	**9934-426**
12	**9934-463**	**9934-486**	**9934-485**	**9934-424**	**9934-427**
10	**9934-464**	**9934-488**	**9934-491**	**9934-487**	**9934-428**
8	**9934-469**	**9934-489**	**9934-493**	**9934-492**	**9934-429**
6	**9934-474**	**9934-490**	**9934-496**	**9934-497**	**9934-498**

ROUND BOAT CABLE





- Flexible UL Standard boat cable suitable for all marine applications
- Finely stranded Type III Tinned Copper
- Insulation : Ultra Flexible Polyvinyl Chloride. Resists Acids, Abrasion, Alkali, Flame, Gasoline, Moisture, and Oil
- Rating: 600 Volts

Gauge	2 Conductor (Red/Yellow) Item #.	3 Conductor (Black/White/Green) Item #.
Sold per 100 ft. coil		
16	**9934-470**	**9934-475**
14	**9934-471**	**9934-476**
12	**9934-472**	**9934-477**
10	**9934-473**	**9934-478**

Note: Yellow wire is recommended as DC negative by ABYC, because black is the standard colour for AC hot.

FLAT BOAT CABLE

- Flexible UL Standard boat cable suitable for all marine applications
- Finely stranded Type III Tinned Copper
- Insulation : Ultra Flexible Polyvinyl Chloride. Resists Acids, Abrasion, Alkali, Flame, Gasoline, Moisture, and Oil
- Rating: 600 Volts







Gauge	2 Conductors (Red/ Yellow) Item #.	Red/ Black Item #	3 Conductors (Black/White/Green) Item #
Sold per 100 ft. Coil			
18	**9934-677**	**9934-678**	———
16	**9934-495**	**9934-405**	———
14	**9934-499**	**9934-406**	**9934-410**
12	**9934-402**	**9934-407**	**9934-409**
10	**9934-403**	**9934-400**	**9934-408**
Sold per 1000 ft. Reel			
16	**9934-098**	**9934-114**	———
14	**9934-104**	**9934-008**	**9934-112**
12	———	**9934-009**	**9934-027**

4 CONDUCTOR TRAILER CABLE FLAT – 16/4



Ancor flat trailer cable features white, green yellow and black Marine Grade primary conductors (correctly color-coded to ABYC standards) in a white common jacket that is made for easy removal while providing the best abrasion resistance available. These cables exceed UL 1426 standards and are made from the highest quality ultra flexible (Type 3/Class K) tinned copper stranding that provides maximum protection against corrosion and electrolysis while resisting fatigue due to vibration and flexing. The premium vinyl insulation is rated at 600 volts, 105 deg C dry and 75 deg C wet, stays flexible even in extreme cold (-40 deg F/C) and resists salt water, battery acid, oil, gasoline, heat, abrasion and ultra-violet radiation.

PART NO.	MFG#	DESCRIPTION
9934-177	154030	Sold per foot

MOULDED CONNECTORS (POLARIZED)



- These polarized connectors plug together only one way to prevent cross connections.
- hey are constructed of rugged plastic with molded-in terminals for durability.
- Soft, pliable rubber caps protect the rear of each connector

PART NO.	MFG#	DESCRIPTION
3272122		2 Pole Connector

SOLDER PELLETS



Pre-measured solder slugs for fast, convenient soldering of battery lugs and terminals. Colour coded for correct gauge.

Sold in packages of 10.

PART NO.	GAUGE	COLOUR
3203514	4	Grey
3203512	2	Green
3203511	1	Pink
3203501	1/0	Black
3203502	2/0	Orange
3203503	3/0	Purple
3203504	4/0	Yellow

For the most up to date pricing, please visit maritimemarinesupply.ca/price

AWG Sizes



MARINE BATTERY CABLE

ANCOR MARINE GRADE™ PRODUCTS



Sold Per Foot



- Constructed with premium vinyl insulation.
- Tinned copper Type 3 stranding.
- Stays flexible even in extreme cold (-40 deg F/C).
- Resists salt water, battery acid, oil, gasoline, heat, abrasion and ultra-violet radiation.
- Exceeds UL 1426, ABYC and US Coast Guard charter boat standards.

PART NO.	GAUGE	COLOUR
3240401	4	Black
3240402	4	Red
3240403	4	Yellow
3240201	2	Black
3240202	2	Red
3240203	2	Yellow
3241001	1/0	Black
3241002	1/0	Red
3241003	1/0	Yellow
3242001	2/0	Black
3242002	2/0	Red
3242003	2/0	Yellow
3243001	3/0	Black
3243002	3/0	Red
3243003	3/0	Yellow
3244001	4/0	Black
3244002	4/0	Red
3244003	4/0	Yellow

MARINE BATTERY CABLE

Vertex MARINE



Sold Per Foot

- Heat resistant, premium grade tinned copper strands and extra heavy duty PVC jacket that is oil, solvent, grease, and water proof
- UL listed 600V

PART NO.	GAUGE	COLOUR
9934-075	4	black
9934-076	4	red
9934-350	4	yellow
9934-077	2	black
9934-078	2	red
9934-351	2	yellow
9934-057	1/0	black
9934-257	1/0	red
9934-352	1/0	yellow
9934-058	2/0	black
9934-059	2/0	red
9934-353	2/0	yellow
9934-354	3/0	black
9934-355	3/0	red
9934-356	3/0	yellow
9934-357	4/0	black
9934-358	4/0	red
9934-359	4/0	yellow

90° TINNED COPPER LUGS

ANCOR MARINE GRADE™ PRODUCTS



- Angled Battery Cable Lugs make your install cleaner and easier with the 90° bend instead of straining the wire and crimp connection
- **Sold in Packages of 2**

PART NO.	GAUGE	STUD SIZE	QTY
3293205	6	5⁄16"	2-pk.
3293316	6	3⁄8"	2-pk.
3293305	4	5⁄16"	2-pk.
3293306	4	3⁄8"	2-pk.
3293325	2	5⁄16"	2-pk.
3293326	2	3⁄8"	2-pk.
3293115	1/0	5⁄16"	2-pk.
3293116	1/0	3⁄8"	2-pk.
3292026	2/0	5⁄16"	2-pk.
3292006	2/0	3⁄8"	2-pk.
3293006	3/0	3⁄8"	2-pk.
3294006	4/0	3⁄8"	2-pk.

COPPER LUGS
ELECTRO-TIN PLATED

PICO®



PART NO.	GAUGE	STUD SIZE	QTY
3203183	8	#10	each
3203184	8	1/4"	each
3203185	8	5/16"	each
3203186	8	3/8"	each
3203188	8	1/2"	each
3203307	6	1/4"	2-pk.
3203205	6	5/16"	each
3203316	6	3/8"	2-pk.
3203103	4	#10	each
3203104	4	1/4"	each
3203304	4	1/4"	2-pk.
3203105	4	5/16"	each
3203106	4	3/8"	each
3203306	4	3/8"	2-pk.
3203124	2	1/4"	each
3203125	2	5/16"	each
3203325	2	5/16"	2-pk.
3203126	2	3/8"	each
3203326	2	3/8"	2-pk.
3203128	2	1/2"	each
3203115	1/0	5/16"	each
3203116	1/0	3/8"	each
3203118	1/0	1/2"	each
3202006	2/0	3/8"	each
3202007	2/0	5/16"	each
3202026	2/0	3/8"	2-pk.
3202008	2/0	1/2"	each
3202028	2/0	1/2"	2-pk.
3203006	3/0	3/8"	each
3203008	3/0	1/2"	each
3204006	4/0	3/8"	each
3204008	4/0	1/2"	each

ANCOR

For all your wire & wire management needs

Electrical systems rely on Ancor, the leader in Marine Grade® wire, terminals, and tools.





ancorproducts.com

NAVICO GROUP

ProMariner®

Power your on-board lifestyle with the ProSport HD and ProTournament*elite* Waterproof Chargers





promariner.com

NAVICO GROUP

For the most up to date pricing, please visit maritimemarinesupply.ca/price

HEAVY DUTY LUGS



- **Sold individually; packed qty 25**
- Seamless tinned electrolytic copper flared end for easy insertion

PART NO.	MFG#	GAUGE	HOLE SIZE
9934-200	82090	8	#10
9934-218	81797	8	1/4"
9934-219	81802	8	5/16"
9934-220	81805	8	3/8"
9934-221	82152	8	1/2"
9934-201	81809	6	1/4"
9934-207	81813	6	5/16"
9934-208	81817	6	3/8"
9934-209	82157	6	1/2"
9934-202	81272	4	5/16"
9934-204	81276	4	3/8"
9934-205	82172	4	1/2"
9934-203	81280	2	5/16"
9934-206	81284	2	3/8"
9934-222	82254	2	1/2"
9934-223	81296	1/0	5/16"
9934-226	81300	1/0	3/8"
9934-018	82287	1/0	1/2"
9934-227	81304	2/0	5/16"
9934-228	81308	2/0	3/8"
9934-019	82197	2/0	1/2"
9934-237	82209	3/0	5/16"
9934-238	82214	3/0	3/8"
9934-239	82219	3/0	1/2"
9934-232	81312	4/0	5/16"
9934-230	81316	4/0	3/8"
9934-231	82227	4/0	1/2"

BATTERY CLIPS



- 10 amp 12V Rated

PART NO.	MFG#	DESCRIPTION
9933-061	426460-1	Battery Clips

ALLIGATOR CLIPS



PART NO.	MFG#	DESCRIPTION
9933-060	426470-1	Per pair

BATTERY TERMINAL CLEANER



- Excellent for hard to reach batteries, with high impact construction and a wide, easy grip

PART NO.	MFG#	DESCRIPTION
9934-020	700103	Easy Grip

STRAIGHT BARREL BATTERY TERMINALS



Lead plated brass Terminals available in 1-1/0 and 2-3/0 sizes.

PART NO.	MFG#	DESCRIPTION
3207001	884-PK	1-1/0 Pos./Neg.
3207210	885N-PK	2-3/0 Negative
3207215	885P-PK	2-3/0 Positive
3202005	895-PK	Repl. Bolt & Nut

BATTERY TERMINAL, 2/0 STRAIGHT POST TOP, POSITIVE



- Solder type tinned brass construction
- Does not lose conductivity or loosen

PART NO.	MFG#	DESCRIPTION
9934-016	82235	For 2/0 ga. wire

COPPER BATTERY TERMINALS



Straight



Right Angle

Tin-plated copper Terminal.

PART NO.	MFG#	DESCRIPTION
3207216	5215-PK	Neg., 4/0, Straight
3207217	5216-PK	Pos., 4/0, Straight
3207220	5213-11	Neg., 3/0, Straight
3207222	5214-11	Pos., 3/0, Straight
3207224	5233-11	Neg., 3/0, Angled
3207226	5234-11	Pos., 3/0, Angled

SPLIT BARREL



Each battery terminal comes with a nut and bolt giving tight connections to battery post for solid electrical contact. Wire Application: Solder

PART NO.	MFG#	DESCRIPTION
3207410	888N-PK	Negative
3207411	888P-PK	Positive
3202005	895-PK	Repl. Bolt & Nut

BATTERY TERMINAL ENDS



The Universal Battery Terminal is ideal for an efficient, reliable, and durable way to connect and disconnect batteries. This device is designed to provide a secure connection between the negative and positive posts of the battery.

PART NO.	MFG#	DESCRIPTION
3209060	880-11	1/0, 4
3209065	880HD-BP	2/0, 3/0
3202005	895-PK	Repl. Bolt & Nut

BATTERY TERMINAL WITH WING NUT



- Wing nut style tin plated battery terminals up to 40% more conductive than lead terminals; optimum performance, especially with high amperage devices such as inverters and windlasses

PART NO.	MFG#	DESCRIPTION
9934-017	260322	Pair

EPOXY COATED BATTERY TERMINAL



These Lead Alloy Epoxy Coated Battery Terminals are clamp type with Wing Nut. Good for Marine and special applications where corrosion may be an issue.

PART NO.	MFG#	DESCRIPTION
3209056	898EN-11	Neg., 5/16" Stud, Black
3209057	899EP-11	Pos., 3/8" Stud, Red

TINNED BRASS BATTERY TERMINAL



- Converts battery terminal to post connection
- Connection secured with yellow brass wingnut

PART NO.	MFG#	DESCRIPTION
9934-720	260010	Neg, 5/16" stud
9934-721	260012	Pos, 3/8" stud

POS/NEG BATTERY TERMINALS



- Constructed of die cast lead
- Wing nut style terminal
- Convert battery posts to stud connectors
- Neg post 5/16", Pos post 3/8"

PART NO.	MFG#	DESCRIPTION
9934-670	415210-1	Pair Neg/Pos
9934-671	415211-1	Neg only
9934-672	415212-1	Pos only

LEAD WING NUT MARINE TERMINAL



PART NO.	MFG#	DESCRIPTION
3209050	898N-BP	Negative
3209051	899P-BP	Positive

BATTERY TERMINAL BRASS



Bright tooled with accessory capability. Top terminal lead.
1/0–3/0 AWG

PART NO.	MFG#	DESCRIPTION
3207205	893N-11	Negative
3207206	893P-11	Positive

BATTERY TERMINALS COVERED AND RELEASABLE



This Covered and Releasable Battery Terminal kit has a simple to use clamping mechanism that fits both negative and positive battery posts. Press on the cap to clamp, lift the cap to release. No tools required, no fighting with battery cables. Kit includes a clamp mechanism, a blue cap for negative and a red cap for positive. Accepts 6, 4 and 2 Gauge wire.

PART NO.	MFG#	DESCRIPTION
3209054	897-12	Battery Terminal Kit

CABLE CAP INSULATORS



For batteries with marine adapter terminals added on.

PART NO.	GAUGE	DESCRIPTION
3207298	4, 2, 1 AWG	Pair (1 Red & 1 Black)
3207299	1/0, 2/0	Pair (1 Red & 1 Black)

CABLE CAP STUD CONNECTORS



PVC cable caps for insulating stud type connectors on alternators, starters, windlasses and other high amperage devices.

PART NO.	QTY	CABLE SIZE	COLOUR
3207302	3	18–10 AWG	Red
3207304	3	18–10 AWG	Black
3207300	2	8–4 AWG	Red
3207301	2	8–4 AWG	Black
3207305	1	2–2/0 AWG	Red
3207306	1	2–2/0 AWG	Black
3207307	1	3/0–4/0 AWG	Red
3207308	1	3/0–4/0 AWG	Black

CABLE CAP INSULATORS



PVC cable caps for insulating straight barrel style terminal.

PART NO.	GAUGE	COLOUR
3207310	1/0, 2/0	Black

POWER POSTS



326032
326038



326036
326037

Insulated single stainless steel stud terminates multiple large conductors

- Connects high amperage cables securely
- Rated for Max 48V
- Base Material is PBT UL94 V0

PART NO.	MFG#	DESCRIPTION
326036	2010-BSS	Stud, 10-32 x 5/8"
326037	2011-BSS	Stud, 1/4" x 3/4"
326038	2002-BSS	Stud, 5/16" x 7/8"
326032	2003-BSS	Stud, 3/8" x 7/8"

POWER POST PLUS



- 150A
- Bus for 8 connections
- Max 48V
- **Stud dimensions:** 3/8" x 3/4"
- Base material is Black Nylon 8231 GHS

Enables connection of multiple smaller wires in spaces where a traditional bus bar may not fit

PART NO.	MFG#	DESCRIPTION
9933-236	2101-BSS	1/4" Power Post
9933-237	2102-BSS	5/16" Power Post
326033	2103-BSS	3/8" Power Post
9933-389	2102-BSS	Repl. Stud Insulator

DUAL POWERPOST CABLE CONNECTORS



- Designed for connecting high amp conductors

PART NO.	MFG#	DESCRIPTION
9933-282	2016-BSS	5/16" - 18 studs w/ insulators
9933-283	2017-BSS	3/8" - 16 studs w/ insulators

DIRECT CONNECT BATTERY TERMINAL



- Terminate up to four electronic instruments on each
- Includes quick-connect terminals
- Positive in red, negative in black
- One piece,no screws/parts to lose
- Cover snaps tight when closed

PART NO.	MFG#	DESCRIPTION
3260075	12VTR	Battery Terminal

TERMINAL FEED THROUGH



Eliminates chafing and provides strain relief when passing high current through hulls, decks and bulkheads

- Great to pass high current cables through hulls, decks & bulkheads
- Eliminate chafing and provide excellent strain relief for the cable
- Large size terminals have a mounting face that can be gasketed or bedded to provide a water tight installation
- Rated IP66 — withstands water from heavy seas
- **Maximum Voltage Rating:** 45VDC
- **Continuous Amperage:** 250A

PART NO.	MFG#	DESCRIPTION
3260298	2201-BSS	5/16" Stud, Black
3260299	2202-BSS	5/16" Stud, Red
3260301	2203-BSS	3/8" Stud, Black
3260302	2204-BSS	3/8" Stud, Red

BATTERY JUMPERS



Battery systems can be difficult to maintain, and service. Our battery jumpers can reduce that difficulty by providing a safe and secure fit

Reducing the amount of exposed connections which in turn reduce the amount of corrosion. Made with 2/0 battery cable, the attached protective caps seal the connection. Fits up to a 3/8" stud.

PART NO.	MFG#	DESCRIPTION
3202010	6610-31	2-Position, Negative
3202011	6611-31	2-Position, Positive
3202012	6612-31	3-Position, Negative
3202013	6613-31	3-Position, Positive

BATTERY CABLE EXTENDER



- Includes both positive and negative terminals that can accommodate up to 2-gauge wire connecting back to the posts on the battery terminal
- dware with a 5/16-18 stud and a case to protect the in-line connection. The case then latches and unlatches for reuse and continued protection with water sealant or grease.

PART NO.	MFG#	DESCRIPTION
3242008	HCE-K-DP	5/16" Stud

BATTERY TERMINAL PROTECTOR





Prolongs battery life. Prevents battery terminal corrosion. Assures easier starting.

PART NO.	MFG#	DESCRIPTION
5210105	75046	212g Battery Terminal Protectant

RING TERMINALS



- Tinned copper serrated for additional grip
- Nylon insulated with extra insulation grip, UL listed

PART NO.	MFG#	Gauge	Qty . Pkg.	Stud Size
9934-688	81768	20/18	6	#8
9934-689	81769	20/18	25	#8
9934-690	81770	20/18	50	#8
9934-691	81105	20/18	6	#10
9934-692	81106	20/18	25	#10
9934-693	81107	20/18	50	#10
9934-694	81109	20/18	6	1/4
9934-695	81110	20/18	25	1/4
9934-696	81111	20/18	50	1/4
9934-697	81736	20/18	6	5/16
9934-698	81737	20/18	25	5/16
9934-699	81738	20/18	50	5/16
9934-360	81772	16/14	6	#8
9934-361	81773	16/14	25	#8
9934-362	81774	16/14	50	#8
9934-363	81117	16/14	6	#10
9934-364	81118	16/14	25	#10
9934-365	81119	16/14	50	#10
9934-366	81121	16/14	5	1/4
9934-367	81122	16/14	25	1/4
9934-368	81123	16/14	50	1/4
9934-369	81125	16/14	5	5/16
9934-370	81126	16/14	25	5/16
9934-371	81127	16/14	50	5/16
9934-372	81776	16/14	5	3/8
9934-373	81777	16/14	25	3/8
9934-374	81778	16/14	50	3/8
9934-375	81133	12/10	5	#10
9934-376	81134	12/10	25	#10
9934-377	81135	12/10	50	#10
9934-378	81137	12/10	4	1/4
9934-379	81138	12/10	25	1/4
9934-380	81139	12/10	50	1/4
9934-381	81141	12/10	4	5/16
9934-382	81142	12/10	25	5/16
9934-383	81143	12/10	50	5/16
9934-384	81145	12/10	4	3/8
9934-385	81146	12/10	25	3/8
9934-386	81147	12/10	50	3/8

UNION CONNECTORS



PART NO.	GAUGE	COLOUR	QTY
3271800	16-14	Blue	10
3281800	16-14	Blue	100
3271900	12-10	Yellow	5
3281900	12-10	Yellow	100

RING TERMINAL CONNECTORS



PART NO.	WIRE SIZE	STUD SIZE	COLOUR	QTY
3271804	16-14	#8	Blue	8
3281804	16-14	#8	Blue	100
3271805	16-14	#10	Blue	9
3281805	16-14	#10	Blue	100
3295908	16-14	#10	Blue	500
3271806	16-14	1/4"	Blue	4
3281806	16-14	1/4"	Blue	100
3271808	16-14	5/16"	Blue	4
3281808	16-14	5/16"	Blue	100
3271904	12-10	#8	Yellow	5
3281904	12-10	#8	Yellow	100
3271905	12-10	#10	Yellow	5
3281905	12-10	#10	Yellow	100
3271906	12-10	1/4"	Yellow	3
3281906	12-10	1/4"	Yellow	100
3271908	12-10	5/16"	Yellow	3
3281908	12-10	5/16"	Yellow	100
3271909	12-10	3/8"	Yellow	3
3281909	12-10	3/8"	Yellow	100
3271913	12-10	1/2"	Yellow	3

SPADE CONNECTOR



PART NO.	WIRE SIZE	STUD SIZE	COLOUR	QTY
3271823	16-14	#6	Blue	7
3271834	16-14	#8	Blue	7
3281834	16-14	#8	Blue	100
3271835	16-14	#10	Blue	6
3271934	12-10	#8	Yellow	7
3281934	12-10	#8	Yellow	100
3271935	12-10	#10	Yellow	5
3281935	12-10	#10	Yellow	100

FLAG CONNECTORS - FEMALE



- Fully Insulated
- For right angle connection
- Female quick disconnect

PART NO.	MFG#	COLOUR	QTY
3282020	2375N-BP	Red	3
3282021	2375N-CS	Red	100
3282022	2475N-BP	Blue	3
3282023	2475N-CS	Blue	100
3282024	2575N-BP	Yellow	3
3282025	2575N-CS	Yellow	100

BULLET CONNECTORS


Male


Female

PART NO.	GAUGE	QTY
3271858	16-14, Male	100
3271268	16-14, Female	100

FEMALE CONNECTORS



PART NO.	WIRE SIZE	STUD SIZE	COLOUR	QTY
3271855	16-14	.250"	Blue	9
3281855	16-14	.250"	Blue	100
*3281865	16-14	.250"	Blue	100
3271955	12-10	.250"	Yellow	6
3281955	12-10	.250"	Yellow	100
*3281965	12-10	.250"	Yellow	100

* = Insulated

MALE CONNECTORS



PART NO.	WIRE SIZE	STUD SIZE	COLOUR	QTY
3271856	16-14	.250"	Blue	9
3281856	16-14	.250"	Blue	100
3271956	12-10	.250"	Yellow	6
3281956	12-10	.250"	Yellow	100

MULTI STACK CONNECTORS



Available in 50 or 100 pack.

PART NO.	GAUGE	QTY
3271860	16-14	50
3281860	16-14	100

NO HEAT SELF SEALING BUTT CONNECTORS



Utilizes a revolutionary anaerobic (air free) sealant technology that installs in a fraction of the time of comparable heat seal connectors. Simply strip the wire and crimp. The crimping action activates the sealant creating a sealed connection which prevents the incursion of moisture and air.

PART NO.	MFG#	DESCRIPTION
3295910	1220-14	16-14 Ga 5 pack
3295911	1220-15	16-14 Ga 25 pack
3295913	1320-15	12-10 Ga 25 pack

STEP DOWN BUTT CONNECTORS



Unlike automotive terminals, Ancor's Marine Grade terminals are designed for the harsh marine environment. They are vinyl insulated and UL listed.
Available in 3 or 25 Packs or 50 Pack

- With special adhesive lined marine shrink tubing
- Crimp and heat for permanent watertight joint
- They are vinyl insulated and UL listed.

PART NO.	MFG#	DESCRIPTION
3271810	230164	22/18 to 16/14 AWG. 3-pk
3271811	210164	22/18 to 16/14 AWG. 25-pk.
9934-632	81479	22/18 to 16/14 AWG. 50-pk.
3271812		16/14 to 12/10 AWG. 3-pk.
9934-633	81481	16/14 to 12/10 AWG 3-pk.
3271813	210165	16/14 to 12/10 AWG. 25-pk.
9934-635	81483	16/14 to 12/10 AWG. 50-pk.
9934-636	81485	12/10 to 8 AWG. 3-pk.
9934-637	81486	12/10 to 8 AWG. 25-pk.
9934-638	81487	12/10 to 8 AWG. 50-pk.

NYLON THREE-WAY BUTT CONNECTORS



- Nylon insulated with insulation grip
- Double crimp, funnel entry

PART NO.	MFG#	DESCRIPTION
9934-603	81908	Gauge 16/14 AWG, 3 package
9934-604	81909	Gauge 16/14 AWG, 25 package
9934-605	81910	Gauge 16/14 AWG, 50 package
9934-606	81912	Gauge 12/10 AWG, 3 package
9934-608	81914	Gauge 12/10 AWG, 50 package

NYLON SPADE CONNECTOR



- Tinned copper serrated for additional grip
- Nylon insulated with extra insulation grip
- Funnel entry

PART NO.	MFG#	DESCRIPTION
9934-609	81229	Gauge 16/14, 6 package #8
9934-610	81230	Gauge 16/14, 25 package #8
9934-611	81231	Gauge 16/14, 50 package #8
9934-612	81233	Gauge 16/14 AWG, 6 package #10
9934-613	81234	Gauge 16/14 AWG, 25 package #10
9934-614	81235	Gauge 16/14, 50 package #10
9934-615	81241	Gauge 12/10 AWG,6 package #10
9934-616	81242	Gauge 12/10 AWG, 25 package #10
9934-617	81243	Gauge 12/10, 50 package #10

BUTT CONNECTORS



- Same construction as ring terminals; seamless

PART NO.	MFG#	DESCRIPTION
9934-679	81197	Gauge 22/18, 7 package
9934-680	81198	Gauge 22/18, 25 package
9934-681	81199	Gauge 22/18, 50 package
9934-390	81201	Gauge 16/14, 7 package
9934-391	81202	Gauge 16/14, 25 package
9934-392	81203	Gauge 16/14, 50 package
9934-393	81205	Gauge 12/10, 5 package
9934-394	81206	Gauge 12/10, 25 package
9934-395	81207	Gauge 12/10, 50 package

HEAT SHRINK SPADE CONNECTOR



- With special adhesive lined marine shrink tubing; simply join in the usual manner, then heat joint to create permanent waterproof connection

PART NO.	MFG#	DESCRIPTION
9934-651	81653	Gauge 16/14, 3 package #8
9934-652	81654	Gauge 16/14, 25 package #8
9934-653	81655	Gauge 16/14, 50 package #8
9934-654	81657	Gauge 16/14 AWG, 3 package #10
9934-655	81658	Gauge 16/14 AWG, 25 package #10
9934-656	81659	Gauge 16/14, 50 package #10
9934-657	81665	Gauge 12/10 , 3 package #10
9934-658	81666	Gauge 12/10 , 25 package #10
9934-659	81667	Gauge 12/10 , 50 package #10

HEAT SHRINK BUTT CONNECTORS
ADHESIVE LINED



Reusable Jar

These heat shrink butt connectors are adhesive lined to waterproof and seal electrical connections when crimped and heated. They are packaged in a clear reusable jar for easy identification of the terminals. The jar has a flip lid for ease of use.

The assorted jar contains:
- 50 x 22-18 AWG
- 150 x 16-14 AWG
- 50 x 12-10 AWG


Bulk Packaging

PART NO.	MFG#	DESCRIPTION
3295925	309001	22-18 AWG, 250 pcs., Jar
3295909	309002	22-18 AWG, 500 pcs., Bulk
3295926	309101	16-14 AWG, 250 pcs., Jar
3285901	309102	16-14 AWG, 500 pcs., Bulk
3295927	309201	12-10 AWG, 200 pcs., Jar
3286001	309202	12-10 AWG, 500 pcs., Bulk
3295928	309000	Assorted, 250 pcs., Jar

HEAT SHRINK BUTT CONNECTORS



Translucent, adhesive-lined polyolefin tubing allows visual inspection, prevents wire corrosion and provides a waterproof seal. Contacts are made of an electro-tin plated copper alloy for increased conductivity, minimum wear, and corrosion resistance.

Length: 1.5"

PART NO.	GAUGE	COLOUR	QTY
3295902	22-18	Red	5
3295903	22-18	Red	25
3295900	16-14	Blue	5
3295901	16-14	Blue	25
3285900	16-14	Blue	100
3296000	12-10	Yellow	5
3296001	12-10	Yellow	25
3286000	12-10	Yellow	100

ADHESIVE LINED HEAT SHRINK
BUTT CONNECTOR MULTI-PACK



This Marinco/Anchor 75-pc. Adhesive Line Heat Shrink Connector Multi-Pack comes in a six compartment reusable carrying case handy for storing terminals, fasteners or any other small items.

Case Dimensions:
6.625"L x 3.125"W x 1.375"H

Contains:
- 25 x 22-18 AWG (0.3-0.8mm²)
- 25 x 16-14 AWG (1-2mm²)
- 25 x 12-10 AWG (3-5mm²)

PART NO.	MFG#	DESCRIPTION
3270008	220011	Connector Kit, 75 Pcs.

MULTI-STACK CONNECTORS



These multi-stack disconnects are constructed from nylon and insulated for extra protection against sunlight, gasoline, oil and chemicals. A Crimp Ridge positions the crimp tool to prevent miscrimps and the metal sleeve crimps on wire insulation provide fatigue and strain relief

- 250 (6.4 mm) tab size
- Double crimp, funnel entry

PART NO.	MFG#	GAUGE	COLOUR	QTY
3295980	230602	22-18	Red	3
3295981	210602A	22-18	Red	25
3295982	230612	16-14	Blue	3
3295983	210612	16-14	Blue	25
3295984	230622	12-10	Yellow	3
3295985	210622	12-10	Yellow	25

HEAT SHRINK RING TERMINAL



Translucent, adhesive-lined polyolefin tubing allows visual inspection, prevents wire corrosion and provides a waterproof seal.

PART NO.	GAUGE	COLOUR	STUD	QTY
3295915	22-18	Red	#6	5
3295918	22-18	Red	#8	5
3295922	22-18	Red	#10	5
3295904	16-14	Blue	#8	5
3295905	16-14	Blue	#10	5
3295906	16-14	Blue	1/4"	5
3296004	12-10	Yellow	#8	5
3296006	12-10	Yellow	1/4"	5
3296007	12-10	Yellow	5/16"	5

SHRINK TUBE TERMINAL KIT



Adhesive-lined polyolefin tubing prevents wire corrosion and provides a waterproof seal.

Kit Includes:

- 5 x 22-18 Butt Connectors
- 5 x 16-14 Butt Connectors
- 5 x 16-14 #10 Ring Connectors
- 5 x 16-14-1/4" Ring Connectors
- 5 x 16-14 .250" Female Quick Connectors
- 5 x 16-14 .250" Male Quick Connectors
- 5 x 16-14 #10 Spade Connectors
- 5 x 12-10 Butt Connectors

PART NO.	MFG#	DESCRIPTION
3270001	6SC-E	40 piece, Terminal Kit

HEAT SHRINK QUICK CONNECTORS



Translucent, adhesive-lined polyolefin fully insulated tubing allows visual inspection, prevents wire corrosion and provides a waterproof seal.

Contacts are made of an electro-tin plated copper alloy for increased conductivity, minimum wear, and corrosion resistance.

PART NO.	TYPE	WIRE	STUD	COLOUR	QTY
3282000	Female	16-14	.250"	Blue	5
3282001	Female	16-14	.250"	Blue	25
3282002	Female	22-18	.250"	Red	5
3282003	Female	22-18	.250"	Red	25
3282005	Female	12-10	.250"	Yellow	5
3282006	Female	12-10	.250"	Yellow	25
3282010	Male	16-14	.250"	Blue	5
3282011	Male	16-14	.250"	Blue	25
3282012	Male	22-18	.250"	Red	5
3282013	Male	22-18	.250"	Red	25
3282015	Male	12-10	.250"	Yellow	5
3282016	Male	12-10	.250"	Yellow	25

HEAT SHRINK SPADE CONNECTORS



Translucent, adhesive-lined polyolefin tubing allows visual inspection, prevents wire corrosion and provides a waterproof seal. Conforms to manufacturers' specifications for wiring repairs, necessary for maintaining electrical warranties.

PART NO.	GAUGE	COLOUR	STUD	QTY
3295950	22-18	Red	#6	5
3295953	22-18	Red	#8	5
3295956	22-18	Red	#10	5
3295959	16-14	Blue	#6	5
3295962	16-14	Blue	#8	5
3295965	16-14	Blue	#10	5
3295968	12-10	Yellow	#10	5

HEAT SHRINK STEP-DOWN MULTI-WIRE CONNECTORS



Used as a step-down from one gauge size to another or as a multi-wire connector for one gauge size wire. Sealed alternative for products such as a quick-tap or 3-way connector in areas where corrosion is a concern.

- Watertight seal between wires
- Crimp indicator on barrel
- Clear heat shrink tubing ensures crimp accuracy
- Coloured stripes on the barrel indicate which crimp die to use, regardless of application.

PART NO.	MFG#	DESCRIPTION
3295931	320103	22/18 to 16/14 AWG, 3 Pk.
3295933	320203	16/14 to 12/10 AWG, 3 Pk.
3295935	320303	12/10 to 8 AWG, 3 Pk.

STEP DOWN BUTT CONNECTOR ASSORTMENT

Ancor's adhesive lined heat shrink butt connectors can be used as a step-down from one gauge size to another or as a multi-wire connector for one gauge size wire. These connectors offer a sealed alternative for products such as a quick-tap for 3-way connector in areas where corrosion is a concern.

- 4:1 shrink ratio
- Flared barrel with uniform copper wall
- Crimp indicator for proper placement of installation tool
- Coloured stripes on barrel indicate which crimp die to use, regardless of application.

Multi-pack contains:

- 5 x 24-22/24-18 AWG
- 10 x 22-18/16-14 AWG
- 10 x 16-14/12-10 AWG
- 5 x 12-10/8 AWG





PART NO.	MFG#	DESCRIPTION
3295929	320000	Heat Shrink Butt Connector

For the most up to date pricing, please visit maritimemarinesupply.ca/price

HEAT SHRINK STEP DOWN BUTT CONNECTOR



- With special adhesive lined marine shrink tubing
- Crimp and heat for permanent watertight joint

PART NO.	MFG#	DESCRIPTION
9934-630	81477	22-18 to 18-16 3 Pack
9934-631	81478	22-18 to 18-16 25 Pack
9934-632	81479	22-18 to 18-16 50 Pack
9934-633	81481	16-14 to 12-10 3 Pack
9934-634	81482	16-14 to 12-10 25 Pack
9934-635	81483	16-14 to 12-10 50 Pack
9934-636	81485	12-10 to 8 3 Pack
9934-637	81486	12-10 to 8 25 Pack
9934-638	81487	12-10 to 8 50 Pack

UNIVERSAL SPEAKER CONNECTOR KITS



3295940



3295941

Marine speakers are equipped with male disconnects in two sizes depending on speaker manufacturer.

Ancor's new universal speaker connector kits include all the connectors required to install 2 speakers regardless of the size.

Heat shrink disconnects provide a sealed connection for the harsh marine environment.
Kits include female adhesive lined heat shrink disconnects:

- 2 x .250 tab 2 x .188 tab 2 x .110 tab

PART NO.	MFG#	DESCRIPTION
3295940	SPK2218	18-22 AWG Wire Size , 6 Pk.
3295941	SPK1614	14-16 AWG Wire Size , 6 Pk.

SHRINK TUBE ASSORTMENT



- 52' in total
- 156 x 4" Pieces
- 2:1 Shrink Ratio
- Diameters–1/16", 3/32", 1/8", 3/16", 1/4", 3/8"
- Blue, Green, Red, White, Yellow and Clear

PART NO.	MFG#	DESCRIPTION
3297100	55-91	Shrink Tube Asst.

HEAT SHRINK RING TERMINALS



- With special adhesive lined marine shrink tubing; simply join in the usual manner, then heat joint to create permanent waterproof connection

PART NO.	MFG#	Gauge	Qty . Pkg.	Stud Size
9934-700	81149	20/18	3	#8
9934-701	81150	20/18	25	#8
9934-702	81151	20/18	50	#8
9934-703	81153	20/18	3	#10
9934-704	81154	20/18	25	#10
9934-705	81155	20/18	50	#10
9934-706	81157	20/18	3	1/4
9934-707	81158	20/18	25	1/4
9934-708	81159	20/18	50	1/4
9934-709	81904	20/18	3	5/16
9934-710	81905	20/18	25	5/16
9934-711	81906	20/18	50	5/16
9934-431	81161	16/14	3	#8
9934-432	81162	16/14	25	#8
9934-433	81163	16/14	50	#8
9934-434	81165	16/14	3	#10
9934-435	81166	16/14	25	#10
9934-436	81167	16/14	50	#10
9934-437	81169	16/14	3	1/4
9934-438	81170	16/14	25	1/4
9934-439	81171	16/14	50	1/4
9934-440	81173	16/14	3	5/16
9934-441	81174	16/14	25	5/16
9934-442	81175	16/14	50	5/16
9934-443	81732	16/14	3	3/8
9934-444	81733	16/14	25	3/8
9934-445	81734	16/14	50	3/8
9934-446	81181	12/10	3	#10
9934-447	81182	12/10	25	#10
9934-448	81183	12/10	50	#10
9934-449	81185	12/10	3	1/4
9934-450	81186	12/10	25	1/4
9934-451	81187	12/10	50	1/4
9934-452	81189	12/10	3	5/16
9934-453	81190	12/10	25	5/16
9934-454	81191	12/10	50	5/16
9934-455	81193	12/10	3	3/8
9934-456	81194	12/10	25	3/8
9934-457	81195	12/10	50	3/8

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

PICO



Adhesive lined polyolefin, heat shrinkable tubing. Tubing is designed for environmental sealing of electrical components including Wire splices, harness breakouts and cable ends from fluids, moisture and corrosion. The adhesive inner lining bonds to a wide variety of substrates.

Single wall 2:1 non-adhesive
Dual wall 3:1 with adhesive

3/16" Diameter

PART NO.	MFG#	LENGTH	QTY	DESCRIPTION	ADHESIVE
3297103	8330-13	2"	4	BLACK, Dual Wall	Yes
3297203	8320-BP	2"	25	BLACK, Single Wall	No
3297102	8330-5-13	2"	4	RED, Dual Wall	Yes
3297202	8320-5-15	2"	25	RED, Single Wall	No

1/4" Diameter

PART NO.	MFG#	LENGTH	QTY	DESCRIPTION	ADHESIVE
3297104	8331-13	2"	4	BLACK, Dual Wall	Yes
3297204	8321-BP	2"	25	BLACK, Single Wall	No
3297304	8321-26	100' Roll		BLACK, Single Wall	No
3297105	8331-5-15	2"	25	RED, Dual Wall	Yes
3297205	8321-5-15	2"	25	RED, Single Wall	No

3/8" Diameter

PART NO.	MFG#	LENGTH	QTY	DESCRIPTION	ADHESIVE
3297106	8332-13	2"	4	BLACK, Dual Wall	Yes
3297206	8322-BP	2"	25	BLACK, Single Wall	No
3297107	8332-5-13	2"	4	RED, Dual Wall	Yes
3297207	8322-5-15	2"	25	RED, Single Wall	no

1/12" Diameter

PART NO.	MFG#	LENGTH	QTY	DESCRIPTION	ADHESIVE
3297108	8333-13	2"	4	Black, Dual Wall	Yes
3297208	8323-BP	2"	25	Black, Single Wall	No
3297109		2"	4	RED, Dual Wall	Yes
3297209	8323-5-15	2"	25	RED, Single Wall	No

3/4" Diameter

PART NO.	MFG#	LENGTH	QTY	DESCRIPTION	ADHESIVE
3202001	3202001	3"	1	Black, Single Wall	No
3202002	3202002	3"	1	RED, Single Wall	No
3202003	8324-C	4Ft. Cut & Sold Per Ft.		BLACK, Dual Wall	No
3202004	8324-5-C	4Ft. Cut & Sold Per Ft.		RED, Dual Wall	No

1" Diameter

PART NO.	MFG#	LENGTH	QTY	DESCRIPTION	ADHESIVE
3297116	8335-15	2"	25	Black, Dual Wall	Yes
3297117	8335-5-15	2"	25	RED, Dual Wall	Yes
3297118	8335-43	6"	6	Black, Dual Wall	Yes
3297119	8335-5-43	6"	6	RED, Dual Wall	Yes

Vertex MARINE



- Adhesive lined heat shrink tubing bonds extremely well to insulating covers and terminals, producing strain relief for a stronger connection than mechanical connection alone
- Cross linked polyolefin, stronger than PVC, shrinks up to one third of initial diameter; waterproof heat activated adhesive shrinks at 275° F (below insulation melting temperature)
- One size can be used for a variety of wire sizes

1/8" Diameter

PART NO.	MFG#	LENGTH	COLOUR
9934-718	81449	6"	BLACK
9934-730	81450	6"	RED
9934-719	81451	48"	BLACK
9934-731	81452	48"	RED

1/4" Diameter

PART NO.	MFG#	LENGTH	COLOUR
9934-240	81457	6"	BLACK
9934-732	81458	6"	RED
9934-241	81459	48"	BLACK
9934-733	81460	48"	RED

3/8" Diameter

PART NO.	MFG#	LENGTH	COLOUR
9934-243	81461	6"	BLACK
9934-246	81462	6"	RED
9934-244	81463	48"	BLACK
9934-247	81464	48"	RED

1/2" Diameter

PART NO.	MFG#	LENGTH	COLOUR	
9934-269	81465	6"	BLACK	
9934-387	81466	6"	RED	
9934-388	81467	48"	BLACK	
9934-389	81468	48"	RED	**9934-389**

3/4" Diameter

PART NO.	MFG#	LENGTH	COLOUR
9934-249	81469	6"	BLACK
9934-252	81470	6"	RED
9934-250	81471	48"	BLACK
9934-253	81472	48"	RED

1" Diameter

PART NO.	MFG#	LENGTH	COLOUR
9934-255	81473	6"	BLACK
9934-258	81474	6"	RED
9934-256	81475	48"	BLACK
9934-259	81476	48"	RED

For the most up to date pricing, please visit maritimemarinesupply.ca/price

SHRINK TUBE ASSORTMENT







Adhesive-lined polyolefin, heat shrinkable tubing. Tubing is designed for environmental sealing of electrical components including wire splices, harness breakouts and cable ends from fluids, moisture and corrosion. The adhesive inner lining bonds to a wide variety of substrates.

PART NO.	MFG#	DESCRIPTION
3297111	30602-91	Black, Dual Wall, 3:1, 30 pcs.
3297112	30603-91	Black/Red, Dual Wall, 3:1, 30 pcs.
3297110	30606-91	Black, Diesel Resistant, 4:1, 20 pcs.



HEAT SHRINK BUTT CONNECTORS



- Adhesive lined marine shrink tubing
- Crimp & heat for permanent watertight joint

PART NO.	MFG#	DESCRIPTION
9934-254	81209	Gauge 22/18, 3 package
9934-266	81210	Gauge 22/18, 25 package
9934-268	81211	Gauge 22/18, 50 package
9934-412	81213	Gauge 16/14, 3 package
9934-413	81214	Gauge 16/14, 25 package
9934-414	81215	Gauge 16/14, 50 package
9934-415	81217	Gauge 12/10, 3 package
9934-416	81218	Gauge 12/10, 25 package
9934-417	81219	Gauge 12/10, 50 package
9934-600	81916	Gauge 8AWG, 3 package
9934-601	81917	Gauge 8AWG, 25 package
9934-602	81918	Gauge 8AWG, 50 package

MALE & FEMALE CONNECTORS



- Nylon insulated with insulation grip
- Disconnect

PART NO.	MFG#	Gauge		Qty. Pkg.
9934-682	81245	**22/18**	Male	4
9934-683	81246	**22/18**	Male	25
9934-684	81247	**22/18**	Male	50
9934-685	81257	**22/18**	Female	4
9934-686	81258	**22/18**	Female	25
9934-687	81259	**22/18**	Female	50
9934-618	81249	**16/14**	Male	4
9934-619	81250	**16/14**	Male	25
9934-620	81251	**16/14**	Male	50
9934-624	81261	**16/14**	Female	4
9934-625	81262	**16/14**	Female	25
9934-626	81263	**16/14**	Female	50
9934-621	81253	**12/10**	Male	3
9934-622	81254	**12/10**	Male	25
9934-623	81255	**12/10**	Male	50
9934-627	81265	**12/10**	Female	3
9934-628	81266	**12/10**	Female	25
9934-629	81267	**12/10**	Female	50

HEAT SHRINK FULLY INSULATED FEMALE CONNECTOR



- **FEMALE**

PART NO.	MFG#	Gauge	Qty. Pkg.
9934-712	81501	22/18	3
9934-713	81502	22/18	25
9934-714	81503	22/18	50
9934-639	81505	16/14	3
9934-640	81506	16/14	25
9934-641	81507	16/14	50
9934-642	81509	12/10	2
9934-643	81510	12/10	25
9934-644	81511	12/10	50

HEAT SHRINK FULLY INSULATED MALE CONNECTOR



- **MALE**

PART NO.	MFG#	Gauge	Qty. Pkg.
9934-715	81489	22/18	3
9934-716	81490	22/18	25
9934-717	81491	22/18	50
9934-645	81493	16/14	3
9934-646	81494	16/14	25
9934-647	81495	16/14	50
9934-648	81497	12/10	2
9934-649	81498	12/10	25
9934-650	81499	12/10	50

CABLE TIES



This true all weather cable tie is three times more UV resistant than the standard cable tie and has enhanced flexibility and strength in extreme heat and extreme cold weather or low humidity conditions from -40°C (-40°F) up to 105°C (221°F) per ISO180.

Colour: Black

PART NO.	MFG#	DESCRIPTION
3253090	7295-36	Cable Tie, 7.5", 50 lbs., Pkg. 100
3253092	7296-36	Cable Tie, 11", 50 lbs., Pkg.100
3253094	7297-36	Cable Tie, 14", 50 lbs., Pkg. 100
3253095	7298-36	Cable Tie, HD, 14", 120 lbs., Pkg. 100

CABLE TIE



PART NO.	MFG#	LENGTH	QTY	COLOUR
3253070	7063-0-C	4"	100 Pack	Black
9934-580	81325	5"	25 Pack	Black
9934-581	81326	5"	100 Pack	Black
9934-584	81337	8"	25 Pack	Black
3253071	008B-C-DP	8"	100 Pack	Black
3253074	011B-C-DP	11"	100 Pack	Black
9934-588	81345	14"	25 Pack	Black
3253078	014B-C-DP	14"	100 Pack	Black
9934-589	81346	14"	100 Pack	Black
9934-582	81327	5"	25 Pack	White
9934-583	81328	5"	100 Pack	White
9934-586	81339	8"	25 Pack	White
9934-587	81340	8"	100 Pack	White
9934-590	81347	14"	25 Pack	White
9934-591	81348	14"	100 Pack	White

HEAVY DUTY UVB CABLE TIES



Marinco/Ancor offer a patented, Double Lock design increasing tensile strength that is 33% stronger than the industry standard cable tie. With a unique design and high-quality construction, Marinco/Ancor cable ties provide a great solution for bundling wire, cable, hoses, cords and countless other applications.

- UV Resistant
- **Bundle Diameter:** 7"
- **Tensile Strength:** 175 lbs.

PART NO.	MFG#	DESCRIPTION
3253079	199219	24", Black, 10 Pk.

LOW PROFILE CABLE TIE



Curved ratchet catch conforms to objects to be secured. Low clearance needed. Comes in packages of 100.

PART NO.	MFG#	DESCRIPTION
3252507	7176-C	7.5", White, 100 Pk.
3252508	199325	8", Black, 100 Pk.

NYLON CABLE TIES



High strength, lightweight, flexible. 100 per package.

PART NO.	MFG#	DESCRIPTION
3253064	7065-C	5", White 100 pk.

SELF CUTTING CABLE TIES



- Simply lock and twist to finish the job, with no need for additional tools! This leaves a clean cut, which improves appearance and eliminates the sharp tail while maintaining industry standard tensile strength.

50 lbs tensile strength.

PART NO.	MFG#	DESCRIPTION
9934-411	199336	4", Black, 50 Pk.
9934-404	199333	4", Natural, 50 Pk.
9934-419	199342	6", Blackl, 50 Pk.
9934-418	199339	6", Natural, 50 Pk.
3252440	199274	8", Natural, 50 Pk.
3252441	199275	8", Natural, 50 Pk.
9934-421	199267	8", Natural, 500 Pk.
3252430	199276	8", Black, 20 Pk.
3252431	199277	8", Black, 50 Pk.
3252429	199264	8", Black, 500 Pk.
3252442	199278	11", Natural, 20 Pk.
3252443	199279	11", Natural, 50 Pk.
9934-459	199268	11", Natural, 500 Pk.
3252432	199280	11", Black, 20 Pk.
3252433	199281	11", Black, 50 Pk.
3252436	199265	11", Black, 500 Pk.
3252444	199282	14", Natural, 20 Pk.
3252445	199283	14", Natural, 50 Pk.
9934-467	199269	14", Natural, 500 Pk.
3252434	199284	14", Black, 20 Pk.
3252435	199285	14", Black, 50 Pk.
3252437	199266	14", Black, 500 Pk.

HEAVY DUTY MOUNTING TAB CABLE TIES



PART NO.	LENGTH	QTY
3252406	6"	25
3252408	Black 8"	25
3252411	11"	25
3252414	14"	25
3252415	15"	25
3252422	Black 22"	25
3253072	8"	100
3253075	11"	100
3253076	14"	100
3253077	15"	100

UL CABLE TIE - WITH MOUNTING HOLE



PART NO.	MFG#	DESCRIPTION
9934-579	427408-2	8", 25 pack, Black
9934-578	427408	8", 100 pack, Black
9934-569	427416-2	15", 25 pack, Black
9934-568	427416	15", 100 pack, Black
9934-571	82080	6-1/4", 25 pack, White
9934-570	82081	6-1/4", 100 pack, White
9934-573	81980	8", 25 pack, White
9934-572	81981	8", 100 pack, White
3252415	7077-PK	15", 25 pack, White
9934-574	82085	15", 100 pack, White

REUSABLE BEADED CABLE TIES



Finally, a re-usable cable tie that offers the heavy-duty tensile strength you need. Easier than a twist tie, more versatile than a cable tie, and stronger than hook and loop fasteners. Bundle your items with a double lock through 2 convenient keyhole slots to bind and secure or create a loop to hang. Adjustable bundle capacities from 1/4" to 7" diameters or string together for greater capacities.

PART NO.	MFG#	DESCRIPTION
3252460	199286	8", Black, 70 lbs., 15 Pk.
3252462	199289	12", Black, 70 lbs., 15 Pk.
3252464	199292	18", Black, 140 lbs., 10 Pk.
3252466	199295	24", Black, 140 lbs., 5 Pk.

STAINLESS STEEL TIES



STANDARD

Specifications:
- 8" Cable; Bundle Diameter 2" (5.1cm)
- 14" Cable; Bundle Diameter 4" (10.2cm)

Temperature Rating:
High: 500°C (932°F)
Low: -80°C (-112°F)
Tensile Strength: 120 lbs.

These S/S non-flammable ties are ideal for harsh, corrosive and salt water environments, chemical and radiation exposure, food processing and vibrating equipment.

PART NO.	MFG#	DESCRIPTION
3253100	7271-34	8" Standard S/S Cable Tie 25-pk.
3253105	7272-34	14" Standard S/S Cable Tie 25-pk.

HEAVY NYLON CLAMPS



When fixing long runs endeavour to string the cable temporarily between 2 points in order to take the weight.

PART NO.	SIZE	QTY
3277116	1/8"	18
3277118	3/16"	15
3277120	1/4"	14
3277122	3/8"	14
3277124	1/2"	14
9933-450	1/4"	25
9933-451	1/4"	100
9933-452	5/16"	25
9933-453	5/16"	100
9933-454	3/8"	25
3252206	3/8"	100
9933-456	1/2"	25
9933-457	1/2"	100
3252209	9/16"	25
3252210	5/8"	25
9933-459	1/8"	100
3252212	3/4"	25
9933-461	3/4"	100
3252216	1"	25
9933-463	1"	100
3252220	1-1/4"	25
9933-465	1-1/4"	100
3252224	1-1/2"	25
9933-467	1-1/2"	100

CLIP WITH NAIL



When fixing long runs endeavour to string the cable temporarily between 2 points in order to take the weight.

PART NO.	MFG#	SIZE	QTY
3252306	7604-C	6mm	100
3252308	7606-C	8mm	100
3252309	7607-C	9mm	100
3252310	7608-C	10mm	100

NYLON CABLE CLAMP KIT



Contains:
- 3/16" x 8
- 1/4" x 8
- 5/16" x 6
- 1/2" x 6

PART NO.	MFG#	DESCRIPTION
8800108	970225	Nylon Cable Clamp Kit

CABLE TIE FOR SCREW MOUNTING



- Ideal for securing wire bundles, hose or tubing
- **Sold individually; package quantity 100**

PART NO.	MFG#	DESCRIPTION
9934-196	81414	#10, capacity 175 lbs

CABLE TIE MOUNT



Designed to provide stability to wire bundles. Each mount is secured with a single #8 screw. Accepts ties up to 50 lbs.
Base Dimensions: 0.38"W x .600"L x .265"H.

PART NO.	MFG#	DESCRIPTION
3253045	7083-34	Package of 25
3253050	7083-36	Package of 100

CUSHION CLAMPS



- T304 stainless steel cushion clamps, corrosion resistant and annealed for flexibility
- EPDM insulation is temperature, water, fuel, oil and acid resistant; temperature rating -40°F to 800°F

PART NO.	MFG#	DESCRIPTION	QTY
9933-356	81424	1/4" Dia.	100
9933-360	81428	3/8" Dia.	100
9933-362	81430	1/2" Dia	100
9933-366	81434	3/4" Dia.	100
9933-370	81436	1" Dia.	100

STAINLESS STEEL RUBBER INSULATED CUSHION CLAMPS



- T304 stainless steel cushion clamps, corrosion resistant and annealed for flexibility
- EPDM insulation is temperature, water, fuel, oil and acid resistant; temperature rating -40°F to 800°F

1/4" mounting hole stainless steel 1/2" metal width.

PART NO.	SIZE	QTY
9933-355	1/4" ID	10
3252104	1/4" ID	20
3252105	1/4" ID	100
9933-357	5/16" ID	10
9933-358	5/16" ID	100
9933-359	3/8" ID	10
3252106	3/8" ID	20
3252107	3/8" ID	100
9933-361	1/2" ID	10
3252108	1/2" ID	20
3252109	1/2" ID	100
9933-363	5/8" ID	10
9933-364	5/8" ID	100
9933-365	3/4" ID	10
3252112	3/4" ID	20
3252113	3/4" ID	100
9933-367	7/8" ID	10
9933-368	7/8" ID	100
9933-369	1" ID	10
3252116	1" ID	13
3252117	1" ID	100
9933-371	1-1/4" ID	10
9933-372	1-1/4" ID	100
9933-610	1-1/2" ID	10
9933-611	1-1/2" ID	100
9933-612	1-3/4" ID	10
9933-613	2" ID	10
9933-614	2-1/2" ID	10
9933-615	3" ID	10

SPLIT LOOM WIRE PROTECTION

PICO



Flexible Polyethylene tubing holds groups of wires in position and gives the wire excellent protection again abrasion and crushing. Slit for easy insertion of wire, yet the slit still remains basically closed when the tubing is bent or twisted.

Temperature range: 40°F to 200°F.

PART NO.	MFG#	DESCRIPTION
3253504	5140-B	1/4" ID x 50'
3253508	5142-B	1/2" ID x 50'
3253512	5143-B	3/4" ID x 50'
3253516	5144-B	1" ID x 50'
3253520	5146-B	1-1/4" ID x 50'
3253524	5147-B	1-1/2" ID x 50'

PREMIUM CORRUGATED SPLIT WIRE LOOM

Vertex MARINE



- Easy to install corrugated, fire retardant polyethylene meets UL and ABYC specifications

PART NO.	MFG#	DESCRIPTION
9934-276	81741	1/4" x 50' box
9934-277	81743	1/4" x 250' box
9934-109	81745	3/8" x 50' box
9934-278	81747	3/8" x 250' box
9934-101	81749	1/2" x 50' box
9934-279	81751	1/2" x 250' box
9934-102	81757	3/4" x 50' box
9934-103	81759	1" x 50' box

SPLIT LOOM INSERTION TOOL

PICO



Wire Insertion Tool Kit for Split Loom above that works on the following ranges of sizes: 1/4" - 1-1/4"

PART NO.	MFG#	DESCRIPTION
3253500	810-91	Tool for 1/4" - 1-1/4" Split Loom

GROMMETS



Flexible oil resistant vinyl grommets. Insert into pre-drilled holes to guard against cut or frayed wires.

Assortment Pack Includes: 12 x 1/8", 12 x 3/16", 12 x 1/4", 10 x 5/16", 10 x 3/8", 6 x 1/2", 4 x 25/64", 2 x 1/2"

PART NO.	MFG#	DESCRIPTION
3252320	6115-BP	1/8" ID, 9-Pk
3252321	6115-14	1/8" ID, 25-Pk
3252324	6116-BP	3/16" ID, 7-Pk
3252326	6116-14	3/16" ID, 25-Pk
3252328	6117-BP	1/4" ID, 6-Pk
3252331	6118-BP	5/16" ID, 5-Pk
3252332	6118-14	5/16" ID, 25-Pk
3252334	6119-BP	3/8" ID, 5-Pk
3252335	6119-14	3/8" ID, 25-Pk
3252337	6120-BP	1/2" ID, 3-Pk
3252338	6120-14	1/2" ID, 25-Pk
3252343	6122-BP	5/8" ID, 2-Pk
3252346	6124-BP	3/4" ID, 1-Pk
3252347	6124-14	3/4" ID, 10-Pk
3252349	6127-13	1" ID, 1-Pk
3252350	6127-14	1" ID, 25-Pk
3252355	6G-E	Assortment Pack, 68-pcs.

For the most up to date pricing, please visit maritimemarinesupply.ca/price

legrand®

Wiremold

WIREMOLD RACEWAYS

- Low-profile, two-piece raceway with durable, textured white PVC
- Supplied with wide adhesive tape along its entire length to assist in final fastener attachment
- 400 Series, 7/8"W x7/16"H, take up to 5x14AWG wires or 3x12AWG
- 800 Series, 1-5/16" W x7/16"H, take up to 6x14AWG or 5x12AWG
- 2300 Series, 2-1/4" W x 11/16"H, take up to 15x14AWG or 14x12AWG
- Sold in 5' lengths





400BAC Series



800BAC Series



2300BAC Series

PART NO.	MFG#	DESCRIPTION
9933-570	400BACWH	400BAC Series
9933-571	800BAC-WH	800BAC Series
9933-572	2300BAC-WH	2300BAC Series

COVER CLIP

- For covering joint where 2 pieces of Raceway meet



PART NO.	MFG#	DESCRIPTION
9933-576	406-WH	Covering Joint
9933-577	806-WH	Covering Joint
9933-578	2306-WH	Covering Joint

WIRE CLIP

- For holding conductors in place before final installation of Raceway cover



PART NO.	MFG#	DESCRIPTION
9933-573	400WC	Wire Clip
9933-574	800WC	Wire Clip
9933-575	2300WCWH	Wire Clip

TEE

- For right angle Raceway branches



PART NO.	MFG#	DESCRIPTION
9933-585	415-WH	Tee
9933-586	815WH	Tee
9933-587	2315WH	Tee

90° FLAT ELBOW

- For right angle turns on flat surface



PART NO.	MFG#	DESCRIPTION
9933-582	411-WH	Elbow
9933-583	811WH	Elbow
9933-584	2311-WH	Elbow

INTERNAL ELBOW

- When Raceways meet at an inside corner



PART NO.	MFG#	DESCRIPTION
9933-588	417-WH	Elbow
9933-589	817-WH	Elbow
9933-590	2317-WH	Elbow

EXTERNAL ELBOW

- When Raceways meet at an outside corner



PART NO.	MFG#	DESCRIPTION
9933-591	418-WH	Elbow
9933-592	818-WH	Elbow
9933-593	2318-WH	Elbow

REDUCING CONNECTOR

- For transitioning from different Series Raceways



PART NO.	MFG#	DESCRIPTION
9933-594	889-WH	400 to 800
9933-595	2389-WH	800 to 2300
9933-596	2389A-WH	400 to 2300

DEVICE BOX

- 4-3/4" T x 3"W x 1-3/4"D



PART NO.	MFG#	DESCRIPTION
9933-599	2348-WH	With knock outs

EXTRA DEEP DEVICE BOX

- 4-3/4"T x 3"W x 2-3/4"D
- With knock outs



PART NO.	MFG#	DESCRIPTION
9933-600	2344D-WH	With knock outs

BLANK END FITTING

- For closing open end of raceway



PART NO.	MFG#	DESCRIPTION
9933-579	410BWH	End Fitting
9933-580	810B-WH	End Fitting
9933-581	201B-WH	End Fitting

JUNCTION BOX

- 5-1/2" dia. x 1"D fixture box
- Cover sold separately



PART NO.	MFG#	DESCRIPTION
9933-597	2338A-WH	Fixture Box
9933-598	2336-WH	Cover

PE 902-566-1220 NS 902-928-1900

NEW

PROFESSIONAL GRADE VINYL ELECTRICAL TAPE

3M



An all-weather, vinyl-insulating tape designed to perform continuously in temperatures ranging from -18°C to 105°C (0°F to 221°F). The combination of elastic backing and aggressive adhesive provides moisture-tight electrical and mechanical protection with minimum bulk.

PART NO.	MFG#	DESCRIPTION
3270080	7000042541	Electrical Tape, 3/4" x 66", Black

TEMFLEX VINYL ELECTRICAL TAPE

3M



Resists abrasion, moisture, alkalis, solvents and acids
Flame-retardant and helps inhibit the corrosion of electrical conductors

PART NO.	MFG#	DESCRIPTION
9960-098	7100169254	3⁄4" wide, 60' roll

ELECTRICAL TAPE

PICO



The Electrical Tape is made of low lead 7-mil PVC material for applications up to 600V.

PART NO.	MFG#	DESCRIPTION
327010B	3466-0-RL	Black Electrical Tape, 3/4" x 66'
327010R	3466-5-RL	Red Electrical Tape, 3/4" x 66'
327010W	3466-6-RL	White Electrical Tape, 3/4" x 66'
327016	3466-7-RL	Yellow Electrical Tape, 3/4" x 66'

ORANGE ELECTRICAL TAPE

ANCOR MARINE GRADE™ PRODUCTS



This quality electrical tape is designed for general purpose electrical applications.

- Made from low-lead 7-mil PVC
- For applications up to 600 V
- Temp rating 105C (220 deg F)
- 3/4" wide x 66' long

PART NO.	MFG#	DESCRIPTION
327014	3466-4-E	Orange

SELF-FUSING TAPE

PICO



No adhesive; tape fuses upon itself when wrapped to form a permanent airtight and watertight bond.
Available in black or red. 10' in length. 1" wide.

PART NO.	MFG#	DESCRIPTION
3270107	3469-0-31	Black, 10'
3270108	3469-5-31	Red, 10'

ULTIMATE SEALING TAPE

HANDI-MAN MARINE



Moisture proof sealing tape shrinks to a waterproof seal as you wrap. Water and UV resistant. Removes easily leaving no residue. Adheres to itself when stretched. An excellent insulator against the harsh environments.
1" x 10' rolls.

PART NO.	MFG#	DESCRIPTION
3270105	960027	1" x 10' Black
3270106	960028	1" x 10' White

LIQUID ELECTRICAL BRUSH-ON TAPE

Star brite



Designed for harsh environments, its uses range from protecting electrical circuits to preventing screws from loosening to absorbing vibrations.

The easy to apply Brush-On liquid tape forms a totally sealed and flexible fire resistant joint that offers protection from UV, Salt Water and most chemicals. Prevents corrosion and arcing on wires and terminals. Adheres to all metal, plastic, vinyl, rubber and composite surfaces. Dries to touch in about 10 minutes. Fully Cures in 24 hours.

PART NO.	MFG#	DESCRIPTION
3270120	084104PC	4 oz. Black

DIELECTRIC SILICONE COMPOUND

ANCOR MARINE GRADE™ PRODUCTS



Dielectric Silicone Compound fights oxidation to improve conductivity. Protects electrical connections.

- Penetrates aluminum oxide to maintain current paths
- Temperature rated -40° to 500°F
- 1/3 oz (9.5g) tube

PART NO.	MFG#	DESCRIPTION
3270099	700115	Dielectric Compound

DIELECTRIC TUNE-UP GREASE

Permatex



- Protects electrical connections and wiring from salt, dirt and corrosion
- Extends the life of bulb sockets
- Prevents voltage leakage around any electrical connection
- Also prevents spark plugs from fusing to boots
- Required for modern high energy ignition systems

PART NO.	MFG#	DESCRIPTION
5210121	22064	85g

For the most up to date pricing, please visit maritimemarinesupply.ca/price

CHAFING RINGS



These rings are solid and in mating pairs. Designed to trim out or prevent chafing.

Available in 2", 3", and 4" diameter, and up to 2" thick bulkheads.

PART NO.	MFG#	DESCRIPTION
7537202	20025000	Chaffing Ring, 2"
7537203	20035000	Chaffing Ring, 3"
7537204	20045000	Chaffing Ring, 4"

UTILITY GROMMET



The Utility Grommet is moulded of tough flexible vinyl. It is designed as a bulkhead pass-thru for wherever you want to eliminate chafing of cables, hose, wire, etc. Unit does not provide watertight seal. Covers a 2 3/8" diameter hole.
Outside Diameter 3-3/8"

PART NO.	MFG#	DESCRIPTION
9802150	UG-1-DP	Utility Grommet

CEACAP BULKHEAD PASS-THRU FITTING



These CeaCap Bulkhead Pass-Thru Fittings create a watertight seal for thru-hull cables, tubing or wires. They are self-attaching and no additional hardware is required. Includes turn down washer.

Fits: 3/4" Hole – Slot is 1/4" dia.

PART NO.	MFG#	DESCRIPTION
7520000	TH-CC-1-DP	Pass-Thru Fitting, Black
7520001	TH-CC-2-DP	Pass-Thru Fitting, White

BULKHEAD FITTING ASSEMBLY



7537160 **7537161** ***SHOWN ASSEMBLED**

These fittings are designed to have a bolt-on oval flange tube assembly with two optional low durometer flexible boots as termination fixtures. These are secured by either hose clamps, or straps.
Allows hose, cables or wires to pass through from 1"– 2-1/4".

PART NO.	MFG#	DESCRIPTION
7537160	7730	Bulkhead Flange
7537161	7735	Bulkhead Tube

WIRE SEALS



9802138 Round

9802139 Round

9802140 Round/Flat

9802141 Round

9802142 Flat

Made of Nylon 6/6 flame resistant, self extinguishing Buna-N form seal. All seals exceed NEMA 4x or 6x specs.

Overlapping clamping spines allow for superior pull-out protection and resistance. Strain relief fittings are resistant to salt water, acids, alkalis, alcohol, oils and are non-corrosive for use in the marine environment.

Good underwater to 300'/91.4m (150 PSIG) provided there is a liquid tight seal between body and housing. Provides low cost cable entries into panels and junction boxes.

Meets UL 94V-0 standards.

PART NO.	MFG#	NPT	SIZE	TYPE
9802138	764998	3/8"	18 - 10 AWG	Round
9802139	765000	1/2"	10 - 2 AWG	Round
9802140	765002	1/2"	4 - 1/0 AWG 14/2 - 10/2 AWG	Round Flat
9802141	765004	3/4"	1 - 3/0 AWG	Round
9802142	765010	1/2"	14/3 - 10/2 AWG	Flat

CABLE GLANDS



- Polyamide
- Used to secure the end of a cable

PART NO.	MFG#	DESCRIPTION
9934-530	82025	1/4", 18 -- 10 AWG
9934-531	82026	3/8", 10 -- 4 AWG
9934-532	82027	1/2", 4 -- 1 AWG
9934-533	82028	3/4", 1 -- 3/0
9934-534	82029	1", 4/0
9934-535	82030	1-1/4", 4/0+

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

PE 902-566-1220 NS 902-928-1900

CABLE CLAM
WITH STAINLESS STEEL DRESS CAP



Top Entry
9802096
9802097
9802098



Side Entry
9802095

These Cable Clams provide a waterproof entry for cables without requiring removal of the factory installed connector. A 316 Stainless Steel dress cap conceals mounting hardware and matches stainless steel deck fittings. The rings and slit seals are UV stabilized. **Fasteners are included.**

PART NO.	MFG#	MAX CABLE	MAX CONNECTOR
9802095	1007100-BSS	0.28" (7.11mm)	1" (25.4mm)
9802096	1001100-BSS	0.31" (7.87mm)	0.68" (17.27mm)
9802097	1002100-BSS	0.44" (11.18mm)	0.83" (21.08mm)
9802098	1003100-BSS	0.56" (14.22mm)	1.40" (35.56mm)

CABLE CLAMS



Waterproof coaxial installation without removing connectors. Save the expense of removing and replacing connectors. Avoid poor connections from removing factory connectors.

Body Material: Acetal
Seal Material: UV stabilized Buna-N rubber
Screws: Stainless steel

PART NO.	MFG#	DESCRIPTION
9802091	1001-BSS	.680" Connector Opening
9802092	1002-BSS	.834" Connector Opening
9802093	1003-BSS	1.396" Connector Opening

WATERTIGHT CABLE OUTLET



Has rubber grommet for watertight passage of cable through deck or bulkhead and to prevent chafing. Chrome plated brass finish.

PART NO.	MFG#	DESCRIPTION
9802106	11595	6mm 1/4"
9802108	11596	8mm 5/16"
9802110	11597	10mm 3/8"
9802112	11599	12mm 1/2"
9802116	11590	16mm 5/8"
9802119	11591	19mm 3/4"

CABLE OUTLET
(RETAIL PACKAGED)

These Cable Outlets provide a watertight seal for cable installations. They fit coaxial cables RG58, RG8X and RG8U dependent on cable outlet size. Made of chrome plated cast brass. **Sold 1 per pack.**

Faceplate installs with three #6 FH fasteners (not included).



PART NO.	MFG#	A	B	C	CABLE
9802080	426040-1	1-1/4"	1/4"	5/8"	RG58
9802081	426042-1	1-1/4"	5/16"	5/8"	RG8X
9802082	426051-1	1-1/2"	3/8"	11/16"	RG8U

WATERTIGHT DECK CONNECTOR



- Chrome plated, polarized double contact connector flange gasket
- Waterproof cap for base when plug is removed
- Rated for 15 Amp at 12V

PART NO.	MFG#	DESCRIPTION
9934-122	1190DP0CHR	15 Amp

DECK CABLE CONNECTOR



Chrome plated brass base and rubber plug. Plastic cup to cover base, 2 pin.
Flange diameter: 1-1/2"
Overall Length: 1-3/4"

PART NO.	MFG#	DESCRIPTION
9802121	11508	Deck Connector

WATERPROOF ELECTRIC CONNECTOR



Plastic and chrome plated brass housings. Waterproof with polarity protection. Plastic caps prevent scoring of the deck. Specially suitable for lighting equipment. Threaded lock and clamp for strain relief. Up to 8.5mm dia cable.

PART NO.	MFG#	PINS	AMPS
9802122	11556-2P	2	5
9802123	11557-3P	3	5
9802124	11558-4P	4	5

TWO POLE CONNECTOR



- Rubber case – brass contacts

PART NO.	MFG#	DESCRIPTION
9934-100	426162	5/16" Deck outlet

STAINLESS STEEL WIRE PORT



These wire ports allow wires to travel through the roof of your vessel freely without the chance of water leakage. Professionally welded and constructed with high quality stainless steel. The solid mounting base is pre-drilled.

PART NO.	MFG#	DESCRIPTION
7251470	7251470	Stainless Steel Wire Port, 3"
7251471	7251471	Stainless Steel Wire Port, 4"

WIREPORT



- 316 polished SS
- 1-7/8" dia. Maximum pass through

PART NO.	MFG#	DESCRIPTION
9990-528	407159	2"

For the most up to date pricing, please visit maritimemarinesupply.ca/price

PERKO®



7-1/2"H x 5-1/2 diameter

- Heavy duty seals to prevent water ingress; ventilated to prevent condensation and corrosion
- 12V, 24V and 32V base mount style, pre-wired

for vessels <50m up to 164'

Bulb NOT Included



PART NO.	MFG#	DESCRIPTION
6592230	1127RA0BLK	Port Red
6592231	1127GA0BLK	Starboard Green
6592232	1128A00BLK	White Masthead
6592233	1129A00BLK	White Stern
6592234	1130A00BLK	All-Round White
6592235	1130RA0BLK	All-Round Red
6592236	1130GA0BLK	All-Round Green
9931-500	1129MA0BLK	Towing Yellow
6592412	0374001CLR	12V, 30W Replacement Bulb
6592424	0374002CLR	24V, 30W Replacement Bulb
6592432	0374003CLR	32V, 30W Replacement Bulb
9931-209	0374004CLR	120V, 30W, Replacement Bulb
9931-199	0134	Replacement DC Socket

AQUA SIGNAL SERIES 55 NAVIGATION LIGHTS



Aqua Signal housing is made of black polycarbonate, and is sea water resistant, shock resistant non-magnetic and non-corrosive. Features a two wire hook up. These Series 55 Navigational lights are required on vessels from 65'–164' (20m–50m) in length.
Housing Dimensions: 7.9"H x 6"W x 6"D

Bulb NOT Included

for vessels <50m up to 164'





PART NO.	MFG#	DESCRIPTION
6594651	55004-1	All-Round Red
6594652	55002-1	All-Round Green
6594650	55000-1	All-Round-White
6594655	55400-1	Masthead White
6594657	55502-1	Towing Yellow
6594656	55500-1	Stern White
6594654	55300-1	Port Red
6594653	55200-1	Starboard Green
6592292	70163	Bulb 12V/25W
6592293	70164	Bulb 24V/25W
9931-166	90400285	Bulb 32V/25W
9931-167	90400286	Bulb 120V/25W
9931-704	LLB-28NW-24-SY	10-45V, 2.5W LED Repl. Bulb

BASE MOUNT NAVIGATION LIGHTS

PERKO

Perko Series 200


6592212 6592210 6592207 6592211


6592208 6592209


9931-704

for vessels <20m up to 65'7

For vessels under 65.6 Base mount. Black plastic.
Dimensions:
4-7/8" H x 3-5/16" diameter

12V Bulb Included

- All coloured lights and white masthead require 25 W bulb; other white lights require 10 W bulb

PART NO.	MFG#	DESCRIPTION
6592204	0200PB0DP1	Port
6592205	0200SDBDP1	Starboard
6592206	0200MB0DP1	Masthead
6592207	0200SNBDP1	Stern
6592208	0200TWBDP1	Yellow Towing
6592209	0200TB0DP1	Tri-Colour
6592210	0200SWBDP1	White All-Round Light
6592211	0200SRBDP1	Red All-Round Light
6592212	0200SGBDP1	Green All-Round Light
6592312	003488121	12V, 10W Repl Bulb
9931-704	LLB-28NW-24-SY	12/24V, LED, Repl. Bulb
6592292	70163	12V, 25W Repl Bulb
9931-154	P00112-01	12V, 30W Repl Bulb
6592293	70164	24V, 25W Repl Bulb
6592294	70165	32V, 25W Repl Bulb

SIDE MOUNT NAVIGATION LIGHTS

PERKO

Perko Series 200


6592202 6592203 6592200 6592201

Black plastic with stainless steel moun
Dimensions: 4-13/16"H x 3-5/16"D


9931-704

for vessels <20m up to 65'7

12V Bulb Included

- All coloured lights and white masthead require 25 W bulb; other white lights require 10 W bulb

PART NO.	MFG#	DESCRIPTION
6592200	0200PT0DP1	Port Red Side Light
6592201	0200SDTDP1	Stbd. Green Side Light
6592202	0200MT0DP1	White Masthead Light
6592203	0200SNTDP1	White Stern Light
9931-505	0200TWTDP1	Yellow Towing Light
6592292	70163	12V, 25W Repl Bulb
6592293	70164	24V, 25W Repl Bulb
6592294	003488121	32V, 25W Repl Bulb
6592312	003488121	12V, 10W Repl Bulb
6592324	003488131	24V, 10W Repl Bulb
9931-154	P00112-01	12V, 30W Repl Bulb
9931-704	LLB-28NW-24-SY	10-45V, 2.5W LED Repl Bulb

BASE MOUNT NAVIGATION LIGHTS

PERKO

Perko Series 200


6592220 6592221 6592222

sail only

for vessels <20m up to 65'7"


9931-704

- For vessels under 65.6' Base mount–black plastic.
- **Dimensions:** 8-5/8"H x 3-5/16" diameter

12V Bulb Included

PART NO.	MFG#	DESCRIPTION
6592220	0200MABDP1	Masthead/White All-Round
6592221	0200GRBDP1	Green/Red All-Round Light
6592222	0200TABDP1	Tri-Colour/White All-Round
6592312	003488121	12V, 10W Repl Bulb
6592292	70163	12V, 25W Repl Bulb
6592324	003488131	24V, 10W Repl Bulb
6592293	70164	24V, 25W Repl Bulb
6592294	70165	32V, 25W Repl Bulb
9931-704	LLB-28NW-24-SY	10-45V, 2.5W LED Repl. Bulb

PIPE MOUNTING BRACKET

PERKO



- 1/2" NPT female thread
- Includes rubber gasket and stainless screws

Dimensions: 3-5/16" dia. 1/2" tapped pipe size

PART NO.	MFG#	DESCRIPTION
6592219	0222DP0BLK	Mounting Bracket
6592215	0093	Replacement DC Socket

CONTOUR LED NAVIGATION LIGHT

LUMITEC



for vessels <50m up to 164'

- Low profile, Insert Style no exposed fasteners, and a clean, modern design
- U.S. Coat Guard approved 2nm for vessels upyo 165'/50M
- Easy integration into tops, arches, and pilothouses 10-30 VDC

PART NO.	MFG#	TYPE	DESC
9931-934	101574	Insert	Start./green
9931-935	101575	Insert	Port/Red
9931-936	101576	Insert	Stern/White

For the most up to date pricing, please visit maritimemarinesupply.ca/price

NAVIGATION LIGHTS FOR VESSELS UNDER 65'



for vessels <20m up to 65'7"

All lights include a 12V bulb 25W, except for stern light which has a 10W bulb.
Dimensions: 3-9/16"W x 5"H (overall) x 3-1/8"D

12V Bulb Included

- All lights include a 12V bulb 25W, except for stern light
- which has a 100W bulb.



PART NO.	BASE COLOUR	DESCRIPTION
6592161	Black	Starboard
6592162	Black	Port
6592163	Black	Masthead
6592164	Black	Stern
6592165	White	Port
6592166	White	Starboard
6592167	White	Masthead
6592312	12V, 10W Replacement Bulb	
6592292	12V, 25W Replacement Bulb	
6592324	24V, 10W Replacement Bulb	
6592293	24V, 25W Replacement Bulb	
6592294	32V, 25W Replacement Bulb	

LED NAVIGATION LIGHTS FOR VESSELS UNDER 65'



- Material: Plastic
- LED Lifetime: 50000hrs
- Beam Angle: 120°
- Waterproof IP66
- Voltage: 12 VDC
- Effective Lumen: 00112-LD: 10LM/ 00122-LD: 11LM/ 00132-LD: 173LM
00142-LD: 97LM/ 00152-LD: 25LM
- Wattage: 3W

Dimensions: 3-9/16"W x 5"H (overall) x 3-1/8"D

for vessels <20m up to 65'7"

PART NO.	MFG#	DESCRIPTION
9931-006	00122-LD	LED, Port
9931-019	00112-LD	LED, Starboard
9931-020	00132-LD	LED, Masthead
9931-026	00142-LD	LED, Stern

RUNNING LIGHTS



for vessels <12m up to 39'4"

- Internationally approved, with 12V bulb
- Black Housing

PART NO.	MFG#	DESCRIPTION
9931-631	00151	Bi-colour
9931-160	00121	Port
9931-161	00111	Starboard
9931-162	00131	Masthead (bow)
9931-163	94031	Stern
9931-170	9102616	12V Replacment bulb

LED NAVIGATION LIGHTS



for vessels <12m up to 39'4"

- LED Lifetime: 50,000 hrs
- Voltage: 12 VDC
- Black Housing

PART NO.	MFG#	DESCRIPTION
9931-641	00151-LD	Bi-colour
9931-633	00121-LD	Port
9931-635	00111-LD	Starboard
9931-637	00131-LD	Masthead (bow)
9931-639	00141-LD	Stern

HELLA NAVI-LED PRO LED NAVIGATION LIGHTS



for vessels <20m up to 65'7"

Extremely shock and vibration proof in demanding conditions. Reliable illumination even under severe voltage fluctuations and low battery voltages. Each NaviLED PRO lamp is a completely sealed unit. High impact housing and lens ensures durability from wind and waves. Pre-wired with 2.5m of twin core marine cable.



9931-207

Visibility:
- 2 nautical miles (yachts & powerboats)

Voltage: 9 – 33VDC, 1.1W
- +500V, spike prot. -500V, reverse polarity prot.

Rated: IP 67; meets the requirements of COLREG, USCG, ABYC C-5

Dimensions:
3.43"W x 3.54"H x 2.25"D , 87 mm x 90 mm x 57 mm)

LED Deck Mount Tri-Colour Light
3.35”D (85 mm) x 3.75”H (95 mm)

Side Mount to Deck Mount Adapters



- Mount NaviLED PRO lamps on horizontal surfaces
- Innovative design hides fastenings
- Space for cable gland beneath adaptor

PART NO.	MFG#	DESCRIPTION
6592150	017461001	Side Mount Starboard LED, Black
6592152	017460001	Side Mount Port LED, Black
6592153	017462001	Side Mount Stern LED, Black
6592154	959940201	Side Mount Masthead LED, Black
6592155	017461011	Side Mount Starboard LED, White
6592156	017460011	Side Mount Port LED, White
6592157	017462011	Side Mount Stern LED, White
6592158	959940211	Side Mount Masthead LED, White
9931-207	980650001	Deck Mount Tri-Colour, LED, Black
9931-942	241287802	Adapter, Black
9931-943	241287812	Adapter, White

SIDE MOUNT NAVIGATION LIGHTS

Perko Series 170



for vessels <20m up to 65'7"

For vessels under 65.6' Side Mount. Black plastic housing, 12V. **Dimensions:** 3-5/8"H x 4-1/8"W x 2-1/2"D

12V Bulb Included

PART NO.	MFG#	DESCRIPTION
6592170	0170BP0DP1	Base Black Port Red Light
6592171	0170BSDDP1	Base Black Stbd. Green Light
6592172	0170BM0DP1	Base Black Masthead White
6592173	0170BSNDP1	Base Black Stern White
9931-060	0170WP0DP1	Base White Port Red
9931-061	0170WSDDP1	Base White Starboard Green
9931-063	0170WM0DP1	Base White Mastehead White
9931-064	0170WSNDP1	Base White Starboard White
6593112	358107592	12V Repl Bulb
6593224	178560281	24V Repl Bulb
9931-058	0070DP1CLR	Bulbs, 12V, pkg of 2
9931-059	0067DP2CLR	Bulbs, 24V, pkg of 2

SIDE LIGHTS – VERTICAL MOUNT



for vessels <20m up to 65'7"

Not Certified for Navigation Lights

PART NO.	MFG#	DESCRIPTION
9931-003	0254W00DP1	12V, White housing, pair
9931-118	0254B00DP1	12V, Black housing, pair
9931-120	0071DP0CLR	12V Rplc. bulb
9931-701	LLB-19LC-21-00	LED Rplc. bulb

SIDE MOUNT LED NAVIGATION LIGHTS



- Voltage: 8-30 VDC
- Size: 4-1⁄4" W x 3-5⁄8" L x 2-3⁄8" H

Operating Voltage Range: 8-30V
Dimensions: 4-1/4"W x 3-5/8"L x 2-3/8"H

for vessels <20m up to 65'7"



PART NO.	MFG#	DESCRIPTION
6592190	00291-LD	Starboard
6592191	00292-LD	Port
6592192	00293-LD	Masthead
6592193	00294-LD	Stern
9931-111	00295-LD	Bi-Colour

LED TOP MOUNT NAV LIGHTS



- Certified for USCG 2NM (Colreg 2 mile)
- Stamped 304 stainless steel
- Includes a pair of port and starboard lights

for vessels <20m up to 65'7"

PART NO.	MFG#	DESCRIPTION
9931-062	400069-1	Pair (Starboard & Port)

NEW

ALL-ROUND NAVIGATION LIGHT



Designed for vessels up to 12 meters.

Crafted from durable ABS, this light features a festoon 12V10W bulb, ensuring clear visibility up to 2 nautical miles.

Its waterproof construction makes it ideal for marine environments, while its compact design (76mm x 67mm) allows for easy installation.

for vessels <12m up to 39'4"

PART NO.	MFG#	DESCRIPTION
6592169	00161-LD	Nav. Light, White

NAVIGATION LIGHT PANEL



- 6 position light control
- LED indicators
- HD engraved composite backing panel

PART NO.	MFG#	DESCRIPTION
983426	NAVSM	6 Position Nav Lights

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

NAVI-LED COMPACT NAVIGATION LIGHTING



Port and Starboard Pair



All Round



Stern

for vessels <20m up to 65'7"

A reliable and highly visible light output compared to bulb navigation lamps drawing a fraction of the energy required to run conventional 2 nautical mile incandescent lamps and they are extremely shock and vibration proof. Reverse polarity, spike and over-voltage protection providing long life and reliable illumination under severe voltage fluctuations and low battery voltages. Each NaviLED lamp is a completely sealed unit, highly UV and corrosion resistant and a high impact housing ensures durability from waves and impact.

Range: 2 Nautical Miles (Yachts and Powerboats)
Operating Voltage: 9–33VDC
Voltage Protection: Spike protected to +500V, Reverse polarity to -500V
Power consumption: <2W Rating IP 67 - Fully Sealed for Life

PART NO.	MFG#	DESCRIPTION	HOUSING COLOR
9931-722	980520001	Port	Black
9931-724	980520201	Starboard	Black
6592180	980520901	Port & Starboard, Pair	Black
6592182	980520501	Stern, White	Black
6592186	980910521	All Round, Red	Black
6592187	980910321	All Round, Green	Black
6592188	980910121	All Round, White	Black
9931-723	980520011	Port	White
9931-725	980520211	Starboard	White
6592181	980520911	Port & Starboard, Pair	White
6592183	980520511	Stern, White	White
6592159	980910531	All Round, Red	White
6592185	980910331	All Round, Green	White
6592189	980910131	All Round, White	White

LED STEALTH BI-COLOUR LIGHT



Ultra Low profile, horizontal mount Stainless Steel Bi-Colour light uses 10% less energy, dissipates less heat and has a longer life expectancy than standard lights.

Operating Voltage: 12VDC
Dimensions: 2-1/2"L x 2-5/8"W x 1/2"H
Mounting Screw: #8 (not included)

for vessels <12m up to 39'4"

PART NO.	MFG#	DESCRIPTION
6592250	0615DP2STS	Bi-colour Light

NAVIGATION LIGHTS



9931-100 Bi-Colour — for vessels <12m up to 39'4"

- 6-1/4" x 3-7/8" x 3-1/2" high
- Red one side, green the other



9931-109 Bi-Colour

- 4" x 3-1/8" x 1" high
- Red one side, green the other

9931-105 Side Lights, pair



- 5-1/2" x 3-1/8" x 1-1/8" projection
- Sold as a pair – one port and one starboard

PART NO.	MFG#	DESCRIPTION
9931-100	1218DP0CHR	12V, Bi-colour, Tall
9931-109	1310DP0CHR	12V, Bi-colour, Short
9931-105	1264DP0CHR	12V Side lights, per pair
9931-120	0071DP0CLR	12V Rplc. bulb

LED NAV LIGHTS



- Material: PC
- LED Lifetime: 50,000 hrs
- Voltage: 12VDC

for vessels <12m up to 39'4"

PART NO.	MFG#	DESCRIPTION
9931-287	00421	Starboard
9931-288	00422	Port
9931-289	00424	Stern
9931-698	00424	Bi-colour

LED STEALTH NAV LIGHTS VERTICAL



Ultra Low profile, vertical mount stainless steel navigation side lights use 10% less energy, and have a longer life expectancy than standard lights.

Operating Voltage: 12VDC
Dimensions: 2-1/2"L x 2-5/8"W x 5/8"H
Mounting Screw: #8 (not included)

for vessels <12m up to 39'4"

PART NO.	MFG#	DESCRIPTION
6592254	0617DP2STS	Vertical, Pair

VERTICAL MOUNT LED SIDE LIGHTS

PERKO



These all Polymer Black and White Vertical Mount LED side lights use 10% of the Energy Draw of Standard Lights. Made for power vessels under 20m (65 ft.)

- Low Heat and Long Life
- 2-Mile (USCG 2nm) Certified
- Input : 12 Vdc, 0.4 Amps each

Dimensions : 3-1/2"L x 2-1/4"W x 1-3/8"H

PART NO.	MFG#	DESCRIPTION
6592256	0274B00DP1	Side Mount Black, pair
6592257	0274W00DP1	Side Mount White, pair

BI-COLOUR LIGHT HORIZONTAL DECK LIGHT

attwood



Die cast side light with "Perma-Plate" finish. Provides one mile visibility for power boats up to 39.4' (12 meters). Housing completely encases socket. **Includes 7.5W, 12V bulb.**



for vessels <12m up to 39'4"

Dimensions: 2-1/2"W x 3"L x 1-7/8"H

PART NO.	MFG#	DESCRIPTION
6593240	6375D6	12V

BI-COLOUR LIGHTS

PERKO



- Complete with 12V bulb
- 3-1/2" x 2-1/4" x 1-5/8" high
- 2 nm visibility
- Sturdy plastic construction; rubber gasket ensures watertightness
- Red one side, green the other

Not Certified for Navigation Lights

for vessels <20m up to 65'7"

PART NO.	MFG#	DESCRIPTION
9931-001	0252WB0DP1	12V, White housing
9931-117	0252BB0DP1	12V, Black housing
9931-120	0071DP0CLR	12 Replacement bulb
9931-701	LLB-19LC-21-00	LED Replacement bulb

PORT AND STARBOARD SIDE LIGHTS





Stainless Steel body, red and green lenses. Mounting screws and bulb included. **Sold in pairs.**
Dimensions: 2-1/4" Base x 1-3/8"H
Voltage: 12VDC

for vessels <12m up to 39'4"

PART NO.	MFG#	DESCRIPTION
6593232	00198	Port & Starboard 12V

BI-COLOUR LIGHT



12V port/starboard light for smaller crafts stainless steel housing.

for vessels <12m up to 39'4"

Dimensions: 1-1/2"H x 2-1/2" diameter

PART NO.	MFG#	DESCRIPTION
6593230	00153	Bi-colour Light

LED BI-COLOUR LIGHT



for vessels <20m up to 65'7"

- Material: chrome plated zinc, with plastic base
- IP66 waterproof

Dimensions:
3-1/4"Wx 4"Lx 1-3/4"H

PART NO.	MFG#	DESCRIPTION
6593235	00154	Bi-colour Light

BI-COLOUR LED NAVIGATION LIGHTS

attwood

Light Armour Navigation Lights have all the characteristics that signify the premium Light Armour brand: top-quality materials, robust construction, durability, and sleek design. Proprietary modular LED light engine technology. Design flexibility and ease of installation



Certifications :
- EN/ISO 19009:2015
- ABYC A-16 & C-5
- RCD 2013/53/EU
- USCG 33 CFR

Visibility: 2NM

for vessels <20m up to 65'7"

Dimensions: 2.45L x 2.13"W x 1.17"H **Operating Voltage:** 12Vdc



PART NO.	MFG#	DESCRIPTION	
6593300	NV1002SS-1	Stainless Steel	Bi-Color
6593301	NV1012SS-1	Stainless Steel	Port & starboard (Pair)
6593302	NV1002PB-1	Black Composite	Bi-Color
6593303	NV1012PB-1	Black Composite	Port & starboard (Pair)

For the most up to date pricing, please visit maritimemarinesupply.ca/price

PORTABLE LED NAVIGATION LIGHT KIT



Made of a shock-proof composite material & shatter-proof polycarbonate, Water-resistant, and operate on three AAA batteries (not included) with a typical run time of 150+hours. it includes red/green LED bow light, white LED stern light, quick release heavy-duty mounts, pole, and hardware. Not intended to meet Transport Canada regulations. Not meant for use on boats that can exceed speeds of seven knots.

PART NO.	MFG#	DESCRIPTION
6593226	14190-7	Kit, Marine Grey

BATTERY NAVIGATION LIGHT SET



Three piece set; Port, Starboard & Stern. Made of plastic. Waterproof. Uses 1 x D cell battery each, NOT included. Package of 3 lights and brackets 5-3/8".

PART NO.	MFG#	DESCRIPTION
6593225	00123	Battery Nav. Light Set

TAKE-DOWN NAVIGATION LIGHTS



for vessels <12m up to 39'4"

- Compact navigation light with integrated reflector
- Lighting lifetime: 60 to 80 hours
- Waterproof and operated by simply rotating
- Powered by 1.5V D type battery (not included)

PART NO.	MFG#	DESCRIPTION
9990-535	28037	Navigation Light Set

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

LED 3-MILE TRANSOM LIGHT



Focuses the light aft creating 135° of light at 3NM of visibility. A luxurious electropolished stainless cover with an easy to install, "surface mount" design utilizes a snap feature to eliminate exposed fasteners. **For pleasure craft up to 164' (50m) in length.**

Lights are rated for 50,000+ hours of use and feature a 10 year warranty. 3" Diameter.

for vessels <50m up to 164'

PART NO.	MFG#	DESCRIPTION
6593244	6556-7	LED Transom Light

LED TRANSOM LIGHT



3 1/4" dia.

- Approved for USCG 2 NM
- Stamped 304 Stainless
- 12VDC

for vessels <12m up to 39'4"

PART NO.	MFG#	DESCRIPTION
9931-066	400033-1	Round

LED FLUSH STERN LIGHT



This Stainless Steel Flush LED Stern Light allows you to be seen by other boats in low-visibility conditions. Perfect for small boats less than 20m in length, placing this stern light on the rear allows other vessels to determine the angle of your boat at night and avoid collisions. Made of stainless steel with a flush finish. This LED Stern Light can withstand marine conditions.

Lumens: 60.3 lm
Beam Angle: 120°
Colour: 5500-6300K Cool White
Rating: IP66
Dimensions:
5.2"W x 3.4"H x 1.4"D

for vessels <20m up to 65'7"

PART NO.	MFG#	DESCRIPTION
6593245	00146-LD	LED Flush Stern Light, 12VDC

NAVILED 360 ALL ROUND WHITE NAVIGATION LAMPS



- 2 NM visibility
- Less than 1W of consumption
- No bulbs, no maintenance; Ultra long service life
- MultivoltTM 9-33VDC
- Fully sealed for life. IP 67 Certified

for vessels <20m up to 65'7"

PART NO.	MFG#	DESCRIPTION
9931-810	980960001	Black, Surface mount
9931-811	980960201	Black, Pole mount, 6"
9931-812	980960301	Black, Pole mount, 12"
9931-813	980960341	Black, Pole mount, 24"
9931-921	980960011	White, Surface mount
9931-922	980960211	White, Pole mount, 6"
9931-923	980960311	White, Pole mount, 12"
9931-924	980960351	White, Pole mount, 24"

LED ALL ROUND FOLD DOWN LIGHTS



These Attwood All-Round Fold Down Navigation Lights include a durable, easy to use, easy to install, LightArmour fold down base.

- 2-mile 360° illumination for boats up to 39.4ft (12m)
- Durable, anodized aluminum pole
- Includes new LightArmour fold-down base
- Long-lasting LED technology (20 year expected life)
- Meets standars ABYC C-5 & A-16, USCG CFR 183.810
- **Operating voltage:** 10.5 – 14.4Vdc

for vessels <12m up to 39'4"

PART NO.	MFG#	DESCRIPTION
6593304	5557-P12A7	12" All-Round LED
6593305	5550-PA20-7	20" All-Round LED

FOLDING MOUNT TOWER ARCH LIGHT



- For arches and towers
- 6-3⁄4" tall
- Thumbscrew makes light position adjustments easy: up is all around white navigation light, down is cockpit courtesy light, and horizontal out of the way for skiing or boarding
- Mounts easily with included adaptors for flat, curved or V-shaped mounts
- Reduced glare design with clear fluted lens and frosted globe
- USCG and CE approved
- Complete with 12VDC bulb

for vessels <20m up to 65'7"

PART NO.	MFG#	DESCRIPTION
9931-502	1607DP0CHR	All round light
9931-041	0338DP2CLR	12V Rplc. bulb

FIXED MOUNT ALL ROUND WHITE LIGHTS

- White translucent globe on telescoping aluminum mast with 16° rake angle mount
- Maximum vertical height 26-1/2"
- Complete with 12V bulb

9931-046





6592174

- 5-1/8" Fixed
- Complete with 12V bulb

for vessels <20m up to 65'7"

PART NO.	MFG#	DESCRIPTION
9931-046	1611DP3CHR	White, 26-1/2" max. Telescoping
6592174	0170SWBDP1	All-Round, White,5-1/8"
6592175	0337012DP	12V Bulb (2pk)
9931-043	0201DP0WHT	Replacement Globe

LED COMBO MASTHEAD DECK LIGHT



- For boats up to 39'
- 12V
- 6/8"W x 7-5/16"H

for vessels <12m up to 39'4"

PART NO.	MFG#	DESCRIPTION
9931-814	00100-LD	LED, Deck Light

COMBO MASTHEAD/DECK LIGHT



Made of sturdy plastic, for use on sail boats and power boats; up to 12 meters. Comes complete with 12V, 10W masthead bulb (p/n 6593212) and 12V, 10W Halogen bulb for deck light.

for vessels <12m up to 39'4"

Approx. Dimensions: 6-3/8"H x 7-5/16"W x 2-3/4"D

PART NO.	MFG#	DESCRIPTION
6595120	00100	Masthead/Deck Light
6593253	P00100-03	Deck Light Bulb

MASTHEAD FLOOD LIGHT/COMBO LAMP



- Hella Free Form reflector technology
- Flexible mounting arms to fit mast profile
- 3nm masthead and 55W flood light

for vessels <20m up to 65'7"

PART NO.	MFG#	DESCRIPTION
9931-377	998504001	Black housing
9931-387	003488301	masthead bulb, 12V
6525101	178555061	floodlight bulb, 12V HD 55W

WHITE ALL-ROUND LED LIGHT



This new style high-tech design has a self contained LED module incorporated into a 3/4" aluminum pole. The lens is clear frosted and the LED optics adjust based on the pole mount angle.

- Fits all Perko® 0° and 5° plug-in mounting bases.
- Includes locking and large threaded collars
- Electrical requirement 12 Vdc, 0.10 Amp (base not included)
- Certified USCG 2nm, 2-Mile

PART NO.	MFG#	DESCRIPTION
6595140	1444DP2ALU	24" LED All-Round, White
6595141	1444DP4ALU	36" LED All-Round, White
6595142	1444DP6ALU	48" LED All-Round, White

For the most up to date pricing, please visit maritimemarinesupply.ca/price

DELTA UNIVERSAL ALL-ROUND POLE LIGHT

PERKO



- 3/4" anodized aluminum tube
- Stow-A-Way plug-in pole
- 40° head adjustability (+-20°)
- 2 Screws Positions for Multiple Base Applications
- 2 Globes Included
- Two globes and 12V bulb included
- Fits Bases 1045, 1046, 1047, 1048, 1059, 1060

1470 Series

for vessels <20m up to 65'7"

PART NO.	MFG#	DESCRIPTION
9931-784	1470DP2CHR	24" height
6595119	1470DP4CHR	36" height
9931-785	1470DP5CHR	42" height
9931-029	1470DP6CHR	48" height
9931-786	1470DP7CHR	54" height
9931-041	0338DP2CLR	Bulb, 12V

STEALTH SERIES UNIVERSAL ALL-ROUND LED POLE LIGHT

PERKO



- 3/4" anodized aluminum tube
- Reduced glare globe preserves night vision while under way
- 40° head adjustability (+-20°)
- Gold Plated Contacts
- LED light head provides extra long life
- Fits Bases 1045, 1046, 1047, 1048, 1059, 1060

1347 Series

for vessels <20m up to 65'7"

PART NO.	MFG#	DESCRIPTION
9931-797	1347DP2CHR	24" height
9931-798	1347DP4CHR	36" height
9931-799	1347DP5CHR	42" height
9931-809	1347DP6CHR	48" height

POLE STORAGE CLIPS

PERKO



Constructed of soft black plastic that is UV stabilized. Fits 3/4" OD poles. Utilizes #10 screws for mounting.
(Not Included).
Approx. Dimensions:
3/4" x 2-1/4" x 1-5/8"

PART NO.	MFG#	DESCRIPTION
7264020	0477DP0BLK	Storage Clips (2Pk)

ALPHA SERIES UNIVERSAL ALL-ROUND POLE LIGHT

PERKO



- Traditional frosted globe
- Replacement stow-a-way plug-in type
- Use of 2 screws holes or collars allow for multiple replacement applications
- 3/4" anodized aluminum tube
- 12V bulb included
- Fits Bases 1045, 1046, 1047, 1048, 1059, 1060

1400 Series

for vessels <20m up to 65'7"

PART NO.	MFG#	DESCRIPTION
9931-791	1400DP2CHR	24" height
9931-792	1400DP3CHR	30" height
9931-793	1400DP4CHR	36" height
9931-794	1400DP5CHR	42" height
9931-795	1400DP6CHR	48" height
9931-796	1400DP7CHR	54" height
9931-043	0201DP0WHT	Replacement Globe
6592175	0337012DP	Bulb, 12V, pkg of 2

PLUG-IN LIGHT BASE

attwood



Attwood Light Armor Plug-In Light Base has a threaded design feature that fits with a threaded locking collar to ensure a tight and secure fit that prevents annoying rattling while underway or trailering.

- Unique cover design Stays secure while underway or trailered
- Low-profile prevents water from pooling on top surface

PART NO.	MFG#	DESCRIPTION
6593227	910R2PB-1	Plug-In Base, 2 Pin

LIGHTPOLE BASE

PERKO



- 2 Pin Plug-I Base
- Fits 3/4" Poles w/Locking Collar.
- Waterproof Snap-On Cover.
- Pigtail Leads, 6 inches.

PART NO.	MFG#	DESCRIPTION
9931-787	1045P0SDP	Vertical Polished S/S

LIGHTPOLE BASE

PERKO



9931-790 6595121

- 2 Pin Plug Base
- Fits 3/4" Poles with Locking Collar
- Waterproof Snap-On Cover
- Pigtail Leads, 6 inches

PART NO.	MFG#	DESCRIPTION
9931-790	1059P00DP	16° angled
6595121	1060PB0DP	5° angled

PE 902-566-1220 NS 902-928-1900

LED PONTOON FOLD DOWN ALL AROUND LIGHT



- Approved for USCG 2 NM
- 12VDC
- Mounts on 1-1/4" square tubing

for vessels
<20m
up to 65'7"

PART NO.	MFG#	DESCRIPTION
9931-067	400023-1	9" Pontoon light
9931-068	400026-1	24" Pontoon light

LED ALL-ROUND LIGHT – FOLDING



- Material: S.S. Tubing, Adjustable ABS Base
- Bulb Type: 1 x 0.5W Cool White LED
- Effective Wattage: 0.5W
- Voltage: 8-30 VDC
- Water Resistant

PART NO.	MFG#	DESCRIPTION
9931-291	01126-LD	9-1/2" Long Folding Light
9931-292	01126-LLD	25" Long Folding Light

LED ALL-ROUND STERN LIGHT W/ SOCKET



- Material: S.S. Tubing, ABS Base
- Bulb Type: 1 x 0.5W Cool White LED
- Voltage: 8-30 VDC
- Wattage: 0.5W
- Water Resistant
- Universal Angle 15°

PART NO.	MFG#	DESCRIPTION
9931-815	00026-25	25"
9931-293	00026-36	36"

LED FIXED MOUNT ALL AROUND LIGHT



- Approved for USCG 2NM (Colreg 2 mile)
- 12 VDC
- Injection molded nylon/aluminum
- Fixed mount takes #8 fasteners

for vessels
<20m
up to 65'7"

PART NO.	MFG#	DESCRIPTION
9931-038	400010-1	4"
9931-039	400011-1	7 1/2"

LED FOLD DOWN ALL AROUND LIGHT



- Approved for USCG 2NM (Colreg 2 mile)
- 12 VDC
- Injection Molded Nylon/Aluminum
- Thumb screw makes light position easy

for vessels
<20m
up to 65'7"

PART NO.	MFG#	DESCRIPTION
9931-030	400012-1	9"
9931-031	400013-1	24"

LED REMOVEABLE ALL AROUND LIGHT



- Approved for USCG 2NM (Colreg 2 mile)
- 12 VDC
- Injection molded nylon/aluminum
- Mounting base included

for vessels
<20m
up to 65'7"

PART NO.	MFG#	DESCRIPTION
9931-032	400015-1	24 5/8"

For the most up to date pricing, please visit maritimemarinesupply.ca/price

STAINLESS STEEL POLE LIGHT





for vessels <20m up to 65'7"

This durable S/S pole light is fully adjustable with the turn of a knob. Comes with two 12V 5W bulbs which are easily replaceable as well as base gasket.
Height: 10-1/2" **Base:** 2-1/4" x 5/8"

PART NO.	MFG#	DESCRIPTION
6595115	00113	Stainless Steel Pole Light, 10-1/2"
6595113	002091361	12V Bulb

STERN LIGHT PLUG-IN





Sturdy 24" Pole with easily removable plastic lens cover. **Comes complete with 12V, 10W bulb.**

for vessels <20m up to 65'7"

PART NO.	MFG#	DESCRIPTION
6595118	00110	Stern Light Plug-In

ALL ROUND LED LIGHT





This folding water resistant All-Round LED Light has a plastic top and base with clear fluted globe to reduce glare.

for vessels <12m up to 39'4"

Operating Voltage for 6592125: 12V
Operating Voltage Range for 6592126: 8-30V

PART NO.	MFG#	DESCRIPTION
6592125	00126-LDN	LED Light 9-1/2" 12v only
6592126	00126-LLD	LED Light 25" 8-30v

LED BIMINI TOP STERN LIGHT



This All-Around LED fold down stern light is made of injected moulded nylon. The 316 Stainless Steel base mounts on a 1-1/4" square tubing, or on a 3/4" round tubing.

Specifications: 24" high, 12VDC. Approved for USCG 2NM (Colreg 2 mile).



PART NO.	MFG#	DESCRIPTION
6592120	LED-BTSL-24-DP	LED Stern Light 24"

NEW

WHOLE SERIES POLE LIGHT



Meticulously engineered to meet stringent marine safety standards while delivering exceptional illumination. Crafted with 304 SS tubing, a durable plastic base, and a robust plastic lens, this pole light is designed to withstand the demanding conditions of marine environments.

LED Illumination: Each model is equipped with 0.5W x 8 LEDs, providing a natural white color temperature and an effective output of 86 lumen. 10-30V

PART NO.	MFG#	DESCRIPTION
6592124	1000-LD5	Pole Light, White, 7"

LED SNAP FLEX STERN LIGHT



This LED Snap Flex Stern Light features a spring-loaded locking RCA CAM that prevents the light from walking out of the base. The flexible shaft is made of UV Stable Fiberglass with a patent pending design quick-release system.
Specifications: 48" high, 12VDC Two-mile USCG Approved LED configuration.

BASE INCLUDED



PART NO.	MFG#	DESCRIPTION
6592122	LED-NAVSFK-48-DP	LED Stern Light 48"

ANCHOR LAMP





Ideal as navigation lamps on small boats. Low power consumption. Seawater-proof, anti-magnetic.
12V/10W Bulb included.

Approx. Dimensions: 2-11/16"H x 2-3/8" diameter

for vessels <12m up to 39'4"

PART NO.	MFG#	DESCRIPTION
6593246	002492201	12V/10W Anchor Lamp
6593247	178560021	12V Bulb
6593248	178560241	24V Bulb

MASTLIGHT TOWER



Mastlight tower raises navigation lights 16" above deck level. All stainless steel construction for long life.

Dimensions: 24"H x 14"W
Base: 5-1/2" x 3-1/2"

PART NO.	MFG#	DESCRIPTION
6595900	54062	2' Mastlight Tower

HALOGEN CHART LAMP



12V, 5W lamp with flexible gooseneck. On/off switch on lamp head. 19" arm with 12v Recepticle plug.

PART NO.	MFG#	DESCRIPTION
6575025	004532161	Lamp
6575026	211738711	12V–5W Bulb

FLEXIBLE LED CHART LIGHT



- Chrome Brass Steel Tubing, Plastic Base
- LED Type: 8 LEDs, LED Lifetime: 50,000 hrs, Wattage: 0.56W
- Voltage: 12 VDC Total Length 20”

PART NO.	MFG#	DESCRIPTION
6575027	01429-WH	16" Flex

LED FLEX-NECK DAY/NIGHT LIGHT W/USB



LED Flex-Neck Day/Night Light with USB is great for chart lighting or can be used as a reading, cabin, or berth light.

Dimensions:
14-1/2” Long
2-3/8” DIA base
3/4" Thick

- 3000K Bridgelux bulbs @ 3W.
- USB Port: 5V/2A.
- Constructed of rubber coated plastic.
- Installs with two #6 FH fasteners (included).
- CE, RoHS certified
- 12Vdc

PART NO.	MFG#	DESCRIPTION
6575023	404939-3	USB-LED Day / Night Light

USB CHART LIGHT



10 bright LEDs mounted in an injection moulded Nylon / Powder Coated Steel casing with a flexible 7" gooseneck that can rotate 360° illuminating any dark corner. 3 function touch switch provides a full 10 bulb brightness mode as well as a 5 bulb half as bright mode. Light head is detachable for easy storage. Made of Injection Moulded Nylon/Powder Coated Steel.

PART NO.	MFG#	DESCRIPTION
6575022	426560-1	USB - LED Map Light

KURS CHART LIGHTS – LED SURFACE MOUNT



- 13" neck 330mm
- Toggle ON, wall mount
- 12 VDC, 1.3 watts
- Red-Off-White

PART NO.	MFG#	DESCRIPTION
9997-081	94447-330	LED black
9997-332	94447-330MS	LED silver

LED RED/WHITE CHART LIGHT



- Red and white light in one
- Don’t get caught in the dark when trying to navigate, ultra bright LEDs
- Includes built-in switch
- 10-30 VDC
- Warm White: 3 Watts, Red: 1Watt

PART NO.	MFG#	DESCRIPTION
9931-626	LLB-49WR-21-CR	19"

S/S CIGARETTE LIGHTER/CHART LIGHT



Cigarette Lighter/Chart Light with Mounting Plate & Wires.

PART NO.	MFG#	DESCRIPTION
6575030	01330	S/S Lighter/Chart Light

LED TUBE LIGHT



Impact-resistant and water-resistant Tube Light. A great replacement light designed to fit most standard T-top light housings. It mounts easily to T-tops with tie-wraps or Velcro straps. Highly efficient, 100,000 hour operating life, white LEDs provide maximum lighting and low glare red LEDs for chart reading. 18' cable is great for reaching tops, bridges and towers of all sizes.
Electrical: 12VDC, 0.25A **Dimensions:** 20" long

PART NO.	MFG#	DESCRIPTION
6525155	F38-2060R-1	LED Tube Light

For the most up to date pricing, please visit maritimemarinesupply.ca/price

10" SOLAR RAY SEARCHLIGHT

PERKO



Requires 4 x5/16" mounting fasters
(not Included)

- Heavy gauge brass and cast bronze construction with white 'Perko-Kote' scratch resistant, chip proof surface
- Parabolic glass mirror reflectors
- Stainless steel latches on front opening door
- Weatherproof, covered vents for heat dissipation
- Lever controlled
- Floating stops allow 400° Rotation

Bulbs NOT Included. They can be ordered separately below.

PART NO.	MFG#	DESCRIPTION
9931-251	0884OP1WHT/851000	20-1/8H, 12V socket incl.
6560910	884MPWHT	28-1/4"H, 12V socket incl.
6560907	0851MB0	22-1/2" Optional Control Arm
6560914	0875001	12 Vdc – 2 Pin Socket
6560922	0876001	24 Vdc – 2 Pin Socket
6560934	0878001	32 Vdc – 2 Pin Socket
9931-285	0879001	110 Vac – 2 Pin Socket
6560912	0816	12 Vdc – 2 Pin Bulb, 1,168,000 cp
6560924	12192	24 Vdc – 2 Pin Bulb, 891,000 cp
9931-284	0820	110 Vac – 2 Pin Bulb, 908,000 cp
9931-277	0890001	Replacement Reflector

LED 7" SEALED BEAM REPLACEMENT



- Spot lamp uses 10 LED diodes to produce 1200 lumens @ 4.2amps
- Impact resistant, non-yellowing, headlamp-grade polycarbonate lens
- Corrosion resistant anodized aluminum housing dissipates heat efficiently
- 3 year warranty

PART NO.	MFG#	DESCRIPTION
9931-886	TRU-81701	12V

7" PERKO SEARCHLIGHT

PERKO



Commercial grade chrome plated brass head with chrome plated bronze base able to withstand the punishment of our tough marine environment. Watertight fittings keep the light dry and trouble free.

The 7" Light is controlled by lever action allowing 380° horizontal movement and 70° vertical range. Can be mounted in ceiling thicknesses up to 5".

Supplied with 12V, 100W seal beam.

Overall Length: 24"
Approximate Range: 5/8 mile

PART NO.	MFG#	DESCRIPTION
6560750	0314C0712V	7" Searchlight
6560712	11338	12 Vdc Sealed Beam, 250,000 CP
6560724	043300324V	24 Vdc Sealed Beam, 470,000 CP
6560732	14680	32 Vdc Sealed Beam, 260,000 CP
9931-886	TRU-81701	12 Vdc LED Sealed Beam, 1200 Lumens
6560743	0314SPR029	Base Gasket
6560742	0314SPR019	Rubber Bellows
6560751	0314SPR037	Pivot Bearing
6560752	0314SPR038	Handle Rod
6560753	0314SPR039	Screw/Nut for Handle
6560754	0314SPR040	Control Handle
6560755	0314SPR041	Fulcrum
9931-308	0314SPR025	Cone Point Set Screw
9931-316	0314SPRC17	Front Ring w/Screw
9931-319	0314SPR036	Yoke

7" SPOTLIGHT LED RETROFIT

LIGHT & MOUNTING BRACKET ONLY

Rhyno Brand LED



This Rhyno Retrofit set is designed to convert your existing searchlight to a maintenance free, long life 10° LED spot light by simply removing the round housing from the base assembly, and attaching the stainless steel Rhyno retrofit bracket.

Light Specifications

- **Input Voltage:** 10-30VDC
- **Input Amps:** 5.7A at 12V
- **LED Power:** 90W
- **Lumens:** 9000 lm
- **3 x 3 Array:** 9 x10W CREE LEDs
- **Beam Angle:** 10° Spot
- **Colour:** Black
- **Rating:** IP 68

Dimensions:
6.3"W x 5.5"H x 5.2"D (158 x 138 x 130mm)

PART NO.	MFG#	DESCRIPTION
6530600	RL-WLC090S	90W LED Light
6530999	RL-WLC090S	S/S Mounting Bracket & Hardware Kit

LED REMOTE CONTROL SEARCHLIGHT

17.9" Diameter Head



21.1" H

15" Base

Utilizing an electrically operated remote system, this LED searchlight provides the best in call optical beam.

With a patented design customized optical lens, this light offers high visibility allowing ship crews to protect others and themselves in the open seas.

Coated with special UV resistant outdoor coating and high tempered thick lens, it will stand the test of time.

Features:

- High impact resistance-meeting IK10 Standard
- Meets 3G vibration Standards.
- Lightweight and dimensionally designed for low drag.
- Extreme narrow focused beam for long range distribution
- Toughened and UV resistant glass lens.
- Specially designed from the ground up for the harsh marine environment
- Separate SOS funtion

Remote



Specification:

Wattage:	280w
Lumen output:	17,688
Voltage:	120-277Vac
Beam angle:	3.5°
Candlepower:	3,673,851cp

Dimensions: 21.1" Height x 15" Base, 17.9" Head

5 Year warranty

PART NO.	MFG#	DESCRIPTION
6530284	RL-SLR-300W-120	LED Searchlight, 280w 110-277v

4 1/2"ECONOMY SEARCHLIGHT



- 55,000 candle power halogen bulb
- Stainless steel cabin-controlled spotlight for small boats or where long range is not required
- Height above deck 8"

PART NO.	MFG#	DESCRIPTION
9931-350	01603-WB	12V, complete with bulb
9931-329	P01603-01	Rplc. bulb, 12V 55W

NEW

LED MANUAL CONTROL SEARCHLIGHT

17" Diameter Head



7" D

21.5" H

Utilizing this brand-new LED Searchlight delivers best-in-class optical performance. Featuring a patented, custom-designed optical lens, this fixture provides exceptional light visibility empowering crew members to safeguard themselves and others on the open seas. Coated with special UV-resistant outdoor paint and equipped with high-protection thick tempered glass, it ensures long-lasting durability even in harsh marine environments.

Features:

- High impact resistance meeting IK10 Standard
- Meets 3G vibration standard
- Lightweight and dimensionally designed for low drag
- Extreme narrow focused beam for long ranging distribution
- Toughened and UV resistant glass lens
- Specifically designed from the ground up for Maritime use.
- 50W center floodlight option while spotlight is not being used
- Included are 4x 1' extensions to accommodate mounting distance 12" -48" handle

Specifications:

Wattage:	280w spot & 50w flood
Lumen Output:	17,688
Voltage Optional:	120-277vac or 12/24vdc
Beam Angle:	3.5°
Candlepower:	3,673,851cp
Dimensions:	21.5"Height, 17" Head Width, 7.9" depth

5 year warranty

PART NO.	MFG#	DESCRIPTION
6530285	RL-SLMB280-12/24	12/24VDC
6530286	RL-SLMB280-120	120Vac LED

LED RETROFIT SEARCHLIGHT



This LED searchlight provides excellent beam pattern and even spread illumination. It uses high quality technological optics and has a very narrow distribution allowing the light to be thrown at a very far distance. This light is built to last with an anodized aluminum finish and a UV-stabilized power paint on the outside coating.

Built with a bracket configuration for multiple applications and can be a replacement for standard halogen or incandescent head assemblies.

Specification:

Wattage:	100w
Lumen output:	10,000
Color:	6500k
Voltage:	12/24Vdc
Amp draw:	8.3 Amp @ 12v
Equivalent:	200w MH

Dimensions: 7.2" diameter 10.67" Length

5-year warranty

PART NO.	MFG#	DESCRIPTION
6530995	RL-P7100W	LED Retrofit Searchlight

GOLIGHT RADIORAY LED GT



Model 20004GT 12V RadioRay LED Searchlight has 10 high-flux LEDs, producing a 410,000-candela 8° beam projecting to a max distance of 4,200'.

Built with a higher torque drivetrain allowing more precise pan/tilt control.

A high impact housing provides enhanced resistance levels associated with shock and vibrations. **3 Year Limited Warranty.**

- Permanent mounting, UV/saltwater-resistant housing suitable for land/marine applications
- 370° rotation x 135° tilt. 2.8A at 13.8V. 410,000 Candela.
- **Max. Beam Distance:** 4,200'
- **Dimensions:** 7" x 7" x 6.5"

Wireless handheld remote will operate a light up to 80' away. Can be used alone or along with a wireless dash mount remote.

PART NO.	MFG#	DESCRIPTION
6560802	20004GT	12V LED Searchlight

RADIORAY LED SEARCHLIGHT



- 12V
- Hardwired dash mount remote with 20' wiring harness
- 10 Hi flux LEDs produce 200,000 candela at 3.5amps
- 370° Rotation x 135° Tilt
- 8° beam width
- 3 Year limited warranty

PART NO.	MFG#	DESCRIPTION
9931-775	20204GT	12V Led, White
9931-776	20214GT	12V Led , Black

GOLIGHT RADIORAY GT HALOGEN



6560782 with Wireless Remote



6560785 with Dashmount Remote

9931-774 with Dashmount Remote

Golight's Permanent Mount RadioRay GT series Halogen Searchlights are designed for both close and distant usage with a powerful Philips bulb and a revolutionary concentrated beam reflector. Its powerful center beam projects up to one half mile. The highest quality UV materials are implemented into the impact-resistant casting to protect from cracking, warping and discolouration. Vital mechanisms of each RadioRay are sealed from exposure to rain, snow and dirt.

Model 2000GT Includes: Programmable handheld wireless remote, mounting hardware and Rockguard lens cover.

Model 2020GT Includes: Dash mount joystick remote, 20' wiring harness, mounting hardware and Rockguard lens cover.

- Light Output: 225,000 Candela
- Beam Angle: 8°
- Beam Distance: 3116'
- Direction Range: 370° Rotation, 135° Tilt
- Power Draw: 5.5A at 12VDC
- Rating: IP56
- Dimensions: 7" x 7" x 6.5"
- 3 Year Limited Warranty.

PART NO.	MFG#	DESCRIPTION
6560782	2000GT	Searchlight w/Wireless Remote, Black
6560785	2020GT	Searchlight w/Joystick Remote, White
9931-774	2021GT	Searchlight w/Joystick Remote, Black

GOLIGHT PERMANENT MOUNT REMOTE CONTROL SPOTLIGHT



- Exclusive CR5 Pentabeam Technology
- Wireless handheld Remote Control
- 370° Rotation x 135° Tilt
- 225,000 Candela, Beam Distance: 3,113'
- 65 watt Halogen Bulb, 5.5 amps
- 8° Beam Angle
- UV resistant and Saltwater Resistant
- 12V

PART NO.	MFG#	DESCRIPTION
9931-772	2051GT	12V, Black

PRECISION SPL WIRELESS REMOTE SPOTLIGHT



6560682



9931-518

6560681





6560689
Wireless remote, sold separately



6560687
6560688

6560680



- Provides a full 370° Sweep and a 120° Tilt (75° up and 45° Down
- Features a one touch auto sweep and S.O.S. function
- Spotlight and Remotes are IP56 Waterproof Rated
- A 12Vdc/100W and a 24Vdc/100W (H3) Halogen bulbs are included
- Optional Wireless Control range up to 200' (65m)
- Bridge Mount Hard Wired Remote is included

Peak Beam Intensity: 210,000 Cp
Peak Beam Distance: 3,000' (917m)
Spotlight Dimensions: 7.5"W x 7.5"H x 9.25"D (19 x 19 x 23.5cm)

PART NO.	MFG#	DESCRIPTION
6560680	SPL-12W	Spotlight, 12V/24V, White
6560681	SPL-12B	Spotlight, 12V/24V, Black
6560682	SPL-12C	Spotlight, 12V/24V, Chrome
6560687	202319	Bulb, 12V-100W, H3
6560688	202320	Bulb, 24V-100W, H3
6560689	SPLR-1	Wireless Handheld Remote
9931-518	SPLR-3	Wired Remote

5.5" MANUAL LED SEARCHLIGHT
WITH MANUAL UNDER DECK CONTROL HANDLE





7200 Lumens
30° Beam Angle
360° Rotation, ±35° Tilt
Designed to meet SOLAS

Features:
- **Input Voltage:** 12/24VDC
- 360° Rotation, ±35° Tilt
- Manual under-deck control handle
- **Rating:** IP67
- **Expected LED Lifespan:** 30,000 hours
- **Weight:** 1.9kg

Above Deck Dimensions: 10.7"H x 4.9"D x 5.5" diameter (272 x 124 x 140mm)

PART NO.	MFG#	DESCRIPTION
6560735	A6196	72W LED Searchlight

9.3" MANUAL LED SEARCHLIGHT
WITH MANUAL UNDER DECK CONTROL HANDLE



4800 Lumens

5° Beam Angle

360° Rotation, ±35° Tilt



Features:
- **Input Voltage:** 12/24VDC
- **Light Colour:** 6000K
- 360° Rotation, ±35° Tilt
- Manual under-deck control handle
- **Rating:** IP66
- **Expected LED Lifespan:** 50,000 hours
- **Weight:** 4kg

Above Deck Dimensions: 13.6"H x 10.4"D x 9.3" diameter (345 x 265 x 236mm)

PART NO.	MFG#	DESCRIPTION
6560737	A6159	40W LED Searchlight

NEW

RCL-100 LED SEARCHLIGHT





URP-103 Point Pad



URC-104 Master Controller



URH-103 Handheld Controller

The RCL-100 Searchlight incorporates a new efficient 9 LED array that produces over 220,000 candelas. It has reduced power consumption demand by up to 50% on 12V vessels.

- Wired remote that allows continuous 360 degrees of rotation.
- LED array provides over 40,000 hours of use.
- Weather-resistant and operates with 12 or 24 DC power.
- 7-degree beam angle, also provides elevation angles at 9 degrees up and 17 degrees down
- Rugged triple-primed and sealed, marine-grade aluminum housing
- 15-foot wiring harness and 2-speed motor control

New Features:

- The URP-103 Point Pad with backlit buttons utilizing multiple colors for indication of different modes and/or functions.
- URH-103 Handheld Wireless Remote, a first-of-its-kind handheld remote option for the RCL-100 LED and RCL-50 LED searchlights.
- URC-104 Master Controller is the brains behind the operation, ensuring full functionality of both the URP-103 Point Pad Controller and the URH-103 Handheld Wireless Remote. The critical hub that enables seamless remote operation of your searchlight

PART NO.	MFG#	DESCRIPTION
6560824	1976	White
6560825	1977	Black

For the most up to date pricing, please visit maritimemarinesupply.ca/price

LED DECK LIGHT



- Material Aluminum alloy, PC outer ring
- LED Type: 6 x 3W Cool white LED
- LED Lifetime: 50000hrs
- Beam Angle: 60°
- Color Temperature: 5000-6500K
- Effective Lumen: 560LM
- Voltage: 10-30 VDC
- IP66

PART NO.	MFG#	DESCRIPTION
9931-260	01502-WB	Black, 10-30VDC

UNIVERSAL HALOGEN DECK LIGHTS



- 6-5⁄8" W x 3-3⁄4" H x 3" D
- Halogen bulb and free form lens reflector for 30% more light than conventional reflectors
- Plastic UV resistant housing, stainless steel hardware

Dimensions: 3.75"H x 3.375"W x 5.5"D

PART NO.	MFG#	DESCRIPTION
6525106	ML-005BW-STC	Worklight, 12V-55W, Blk
6525107	ML-005WW-STC	Worklight, 12V-55W, Wht
6525101	178555061	Bulb, H3 Halogen, 12V, 45 watt
6525102	178555241	Bulb, H3 Halogen, 24V, 70 watt

LED DECK LIGHT



Marine-rated deck lights coated in durable powder coat and additional anti-corrosive sealant for extra protection in saltwater environments. They are super bright and use 7 x CREE LEDs to give you all the docking light you need. Fastened with a rubber grommet and injection sealant to provide defense against water and environment. **Lifetime Warranty.**

Output: 5000 Lumens **Voltage:** 12–32VDC **Rating:** IP67
Colour: White **Dimensions:** 4.3" Dia.

PART NO.	MFG#	DESCRIPTION
6530436	MS-4CREE-35W	Deck Light

MAGNETIC WORK LIGHT – PM300



- Pure Beam Optics
- 700 Lumens at high light output.
- Twist lens to focus between Spot and Flood beam.
- Push button to cycle between high/medium/ low light options.
- Up to 60 Hrs run time at low light output.
- Built to IP54 specifications, dust resistant and storm proof.
- Handle Rotates 360°.
- Magnetic Base.
- Battery description: 4x AA (included)

PART NO.	MFG#	DESCRIPTION
9931-983	30208	Magnetic Work Light, PM300

Shapes & Colours

Rules for the placement of navigation lights depend on the size and type of vessel. For most boats, there will be a number of correct possibilities to choose from. You should always select the most visible configuration of lights for your vessel length. In general, smaller vessels may use any of the lighting arrangements available to larger vessels of the same type. Lighting rules are available in Transport Canada's Safe Boating Guide or the International Collision Regulations. The following are some of the most common lighting arrangements:

All boats anchored somewhere other vessels might normally navigate should display an all-round white light.

Larger boats & commercial vessels have their own set of lighting rules. These rules provide information about the size and type of vessel, as well as what activities the vessel is engaged in. For example, a **yellow** stern light indicates a towing vessel is underway - watch out for additional lights of the vessel being towed!

Power



<12m (39'4") <20m (65'7") <50m (164'1")

Sail

Handheld lantern - only if other options aren't practicable.



<7m (23') <20m (65'7") <50m (164'1")

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

MARINE HALOGEN SPOTLIGHT



- High Intensity 100 Watt Halogen Bulb, 1400 Lumens
- 450 Meters Long Range Beam Distance
- Direct use with 12V DC plug adapter
- Heavy gauge coiled cord extends up to 10'

PART NO.	MFG#	DESCRIPTION
9931-762	CYC-HS140012V	1400 Lumens SpotLight

LED HANDHELD SPOTLIGHT



- 500 Lumens
- 3 Cree Hi-Power LEDs for long range, 6 LEDs for immediate area use
- Improved 20% brighter illumination
- Rubberized grip with trigger pulse switch
- Dual recharge, AC/DC adapter or 12V DC car adapter (both included)
- Detachable red lens included
- Always ON lock switch
- Burn Time: 3 CREE Watt = 4 hours, 6 LED = 12 hours

PART NO.	MFG#	DESCRIPTION
9931-765	CYC-RVX15	Sirius SpotLight

LED RECHARGEABLE MARINE SPOTLIGHT



- Super bright CREE XM-L2 10 Watt LED
- Powered by 1S2P rechargeable Li-ion battery
- Recharge with included AC/DC charger or 12V DC car plug adapter
- Durable ABS Poly Carbonate housing with rubberized grip & bezel
- Switching High/Low/Off

PART NO.	MFG#	DESCRIPTION
9931-759	CYC-1000HHS	900 Lumen Spotlight

LED FLOATING SPOTLIGHT/POWER BANK



- Very powerful floating spotlight delivering 5 lighting modes upto 1600 lumens/ 905M Features a 5000 mAh battery, rechargeable by micro-USB
- Works as a powerbank to charge a smartphone or any other USB rechargeable device
- Swiveling bracket to hang spotlight according to the light orientation required, includes carry strap
- Rated IP67

PART NO.	MFG#	DESCRIPTION
9931-861	67367	Handheld LED Spotlight

HANDHELD LED SPOTLIGHT



- Includes 6 x AA batteries
- Run time: 6 hours High/15 Hours Low
- Beam distance 425m
- Rugged ABS, steel, and rubber construction can withstand drops up to 7m

PART NO.	MFG#	DESCRIPTION
9931-781	HCSP61E	600 Lumens

LED RECHARGEABLE HANDHELD FLOOD LIGHT



Marine grade featuring 5 x 3W high intensity Bridgelux LEDs which produce 1200 lumens. Fully adjustable, the handle allows the light to be hung or propped at many different angles.

Constructed of a black powder-coated aluminum housing with a stamped 304 stainless steel bracket and a polycarbonate lens. Includes both a 12VDC and 120VAC charge adapter for the rechargeable Li-battery, 7.4VDC at 2200mAh.

Estimated run time is 3–4 hours. Estimated charging time is 3–4 hours.

Dimensions: 11"L, 3-1/4"D, 3-1/2"W
Ratings: IP65, CE and RoHS compliant

PART NO.	MFG#	DESCRIPTION
6575610	405300-3	Handheld LED Flood Light

HANDHELD SPOT LIGHT



Rubber body spotlight with deck plug.

6-1/2" diameter.
12V, 55W Halogen bulb.

PART NO.	MFG#	DESCRIPTION
6555210	01606-WB	Handheld Spot Light
6525101	178555061	12V 55W Replacement Bulb

LED LANTERN – EAL17



- Light output: 460 lumens
- Max runtime: 50h
- Weight: 45.4 oz / 1287 g
- Battery description: 4 x D

PART NO.	MFG#	DESCRIPTION
9931-880	20863	460 Lumens

LED LANTERN – EAL15



- Light output (high): 60 lumens
- Max runtime: 50h
- Weight: 22 oz / 623 g
- Battery description: 4 x C

PART NO.	MFG#	DESCRIPTION
9931-881	C7050CP	60 lumens

For the most up to date pricing, please visit maritimemarinesupply.ca/price

EXTREME BEAM LED FLOOD LIGHTS



These Extreme Beam Lunasea Flood Lights are designed to provide large area lighting in a corrosive and hazardous environment.

The housings are machined from a solid Marine Grade Aluminum block and have a hard anodized finish, They come with 304 Stainless Steel adjustable mounting brackets.

24,000 LUMENS!

Light Colour: Natural White
Operating Voltage: 90-305VAC, 50-60 Hz, 127-431VDC. Comes with a 3-wire, 6' long cable.
Rating: IP65
Conforms to: UL Std 844 Hazardous Location, UL Standard 1598 Wet Location
Dimensions: 13.39"W x 11.81"H x 4.04" Deep

PART NO.	MFG#	DESCRIPTION
6530412	LLB-60PC-31-10	Dual, 24,000 Lm, 70° Beam

LUNASEA LED FLOODLIGHT



- Environmentally friendly, mercury-free, lead-free and energy efficient
- Rated for over 50,000 hours
- Provides extremely bright light without radiation, strobe flash or UV
- Die-cast aluminum radiator interfaces with ambient air to insure maximum heat dissipation
- Superior anodized corrosion resistant finish- Beam angle of 110 degree great for area lighting
- Stainless bracket, tempered glass, completely sealed

PART NO.	MFG#	DESCRIPTION
9931-593	LLB-366N-81-00	12/24VDC, 12 Watt, 1300 Lum
9931-595	LLB-366N-31-10	120VAC, 12 Watt, 1200 Lum
9931-596	LLB-36MN-81-00	12/24VDC, 35 Watt, 4800 Lum
9931-598	LLB-36MN-41-00	120VAC, 35 Watt, 4500 Lum

LED DECK AREA LIGHT



- Aluminum housing and impact-resistant plastic window
- Years of trouble free service even in the most brutal environments
- An optical system designed to spread light very widely and evenly

PART NO.	MFG#	DESCRIPTION
9931-899	101475	12/24V, White

MAXILLUME TR150 LED FLOOD/SPOT



- 210 watts, producing 20,000 lumen
- 17.5amp @ 12vDC, 8.75amp @ 24vDC
- 2amp @ 110vAC, .95amp @ 240vAC
- Completely sealed to IP67 standards
- Tested to military specifications for shock and vibration
- 13-3⁄4" W x 7-1⁄4" H x 3-3⁄4" D
- HD SS trunnion mount

PART NO.	MFG#	DESCRIPTION
9931-913	101413	12/24v Flood
9931-914	101416	12/24v Spot

SEA HAWK-R LED DECK FLOODLIGHT



- Power consumption less than 7 Watts
- 550 lumens
- Stainless steel mounting bracket can be adjusted by hand
- Durable high impact nylon lens and housing

PART NO.	MFG#	DESCRIPTION
9931-338	980573021	Bracket Mount
9931-783	980577011	Flush mount

LED DECK LIGHT



- Aluminum alloy, PC lens, S.S.304 bracket
- LED Type: 6 x 1W cool white LED
- LED Lifetime: 50,000hrs
- Beam Angle: 120°
- Size: 6 1⁄16" x 1 1⁄2"
- Effective Lumen: 680LM
- Wattage: 8.4W
- IP65
- 10-30 VDC

PART NO.	MFG#	DESCRIPTION
9931-819	01619-WH	680 lumen

LED DECK LIGHT - 12/24V



- A perfect replacement for 55W halogens
- Completely sealed and IP67 compliant
- Expected output life is over 22,000 hours
- 10 to 30 VDC; draws 900 mA @ 12VDC

PART NO.	MFG#	DESCRIPTION
9931-348	101040	Caprera bracket mount

RAZOR LED LIGHT BAR



- Mount forward or aft, horizontal or downward facing
- Includes a surface mount kit for flat or slightly crowned tops
- Will not damage gel-coat from excessive heat
- 17-7/8"L x 3-1/2"D, sits at only 1-1/2"H
- 10,000 Lum, 10-30 VDC, 9Amps @ 12v

PART NO.	MFG#	DESCRIPTION
9931-931	101586	Flood Pattern Light Bar
9931-932	101587	Spot Pattern Light Bar

OPTILUX CUBE, 4 LED





Whenever small spaces are available, but a lot of light is needed, the Optilux Cube with 4 High Intensity LEDs is a great option. It is small, durable and uses only 16W of power. The flood beam provides a light angle of 90°.

Made of a Die-cast aluminum housing with Stainless Steel brackets, a Polycarbonate Lens and computer designed reflectors. Includes Hardware and Mounting Instructions.
Lumens: 850 Measured**Beam:** Flood Operating
Voltage: 10–30VDC
Power Consumption: 16W
Dimensions: 3.2"W x 3.4"H x 3.2"D

PART NO.	MFG#	DESCRIPTION
6530900	357204031	Spreader LED Light, Black
6530902	357204041	Spreader LED Light, White

LED CUBE LIGHT



These marine-rated cube lights are coated in durable powder coat to give you the durability to last in harsh conditions.

These cubes are super bright and use 4 x CREE LEDs to give you all the spot that you need. The removable amber cover clips on for those extremely foggy situations.
3 Year Warranty.

Output: 1300 Lumens **Voltage:** 12–32VDC **Rating:** IP68
Colour: White **Dimensions:** 3" x 3"

PART NO.	MFG#	DESCRIPTION
6530435	RS4L3X316W-W	Cube Light, Street Series

OPTILUX MINI LIGHT BAR, 6 LED





The Optilux Mini Light Bar has a very low mounting profile and the adjustable Stainless Steel mounting bracket. The reflectors are computer designed, the lens is Polycarbonate, the housing is made of a Die-cast Aluminum.
Includes Hardware and Mounting Instructions.

Lumens: 800 Measured **Beam:** A cool white beam for far distance visibility
Operating Voltage: 10–30VDC **Power Consumption:** 18W
Dimensions: 6.3"W x 1.8"H x 2.5"D (160 x 45 x 63mm)

PART NO.	MFG#	DESCRIPTION
6530910	357203001	Mini LED Light Bar, Black
6530912	357203051	Mini LED Light Bar, White

OPTILUX LIGHT BAR, 12 LED



The double flood pattern reflector gives great light performance. The reflectors are computer designed, the lens is Polycarbonate, the housing is made of a Die-cast Aluminum, and the mounting brackets are coated Aluminum.

Includes Hardware and Mounting Instructions
Lumen: 1700 Measured **Beam:** Cool white beam for far distance visibility
Operating Voltage: 10–30VDC **Power Consumption:** 36W
Dimensions: 8.2"W x 3.0"H x 3.5"D (208 x 76 x 88mm)

PART NO.	MFG#	DESCRIPTION
6530920	357208001	Double LED Light Bar, Black
6530922	357208011	Double LED Light Bar, White

LED UNDERMOUNT LIGHT BAR



Constructed of powder coated die cast aluminum with a durable polycarbonate lens



- Fixed 45° Tilt
- IP67 Rating
- CE Compliant
- Operating Voltage 9 – 32 Vdc

6530905 Small
1200 Lumens @ 15W
5"L x 2-5/8"H x 2"Deep

6530906 Long
3200 Lumens @40W
10"L x 1-1/2"H x 2-1/8"Deep

PART NO.	MFG#	DESCRIPTION
6530905	405360-3	Light Bar, Small
6530906	405364-3	Light Bar, Large

For the most up to date pricing, please visit maritimemarinesupply.ca/price

LED HIGH POWER 22" 5000K SPOTLIGHT



5-year Warranty when installed by a certified electrician.

- Die-cast aluminum body with a special marine grade UV stabilized powder coating for additional protection from harsh environments
- Single piece die-cast body provides max heat dissipation for longer life
- Mounting bracket and visor are unpainted stainless steel
- The LED lenses use a proprietary optical control designed for max light output
- With the appropriate electrical components, the drive module can be mounted inside the wheelhouse, away from the elements, up to 50' from the Light
- Includes: Light, Visor, Mounting Bracket, Driver Module

Specifications	500 Watts	750 Watts
Equivalent	1000W MH	1200W MH
Input Volts	12/24 V	24 V
Input Amps	48A @ 12 VDC	32A @ 24 VDC
Input Volts	110 – 277 VAC, 50 – 60 Hz	
Input Amps	4.28 Amps @ 120 VAC	6.23 Amps @ 120 VAC
Lumens	87, 129 @ 5000K°	110,827 @ 5000K°
Beam Angle	35°	
Colour	White	
Rating	IP66	
Operating Temp.	-30 to +50 C°	
Face Area	22.5" (575mm) Diameter	
Weight Light	18 kg Light and Visor (40 Lbs.)	
Certification	UL, CUL	

PART NO.	MFG#	DESCRIPTION
6530270	RL-XCLD120-500-02	120-277 V, 500W, 5000K°, Dimmable
6530272	RL-XCLD120-750-02-5	120-277 V, 750W, 5000K°, Dimmable
6530278	RL-XCLD12/24-500-02-05	12-24 VDC, 500W Non Dimmable
6530279	RL-XCLD24-750-02-05	24 VDC, 750W Non Dimmable
6530260	RL-DM500W	Dimmer Switch, 110-277 VAC

DRIVER JUNCTION BOX



Waterproof drive box for remote mounting of LED drivers. Made for wet locations if drivers cannot be mounted in dry location. Constructed of high-grade aluminum and a rubber water seal to protect from the elements.

Used for 6530265, 6530257 & 6530258 LED spot lights only.

Dimensions: 12.5" high x 8" wide x 3.5" deep

PART NO.	MFG#	DESCRIPTION
6530259	RL-DB53W	Driver Junction Box

LED HIGH POWER 22" 4000K SPOTLIGHT



5-year Warranty when installed by a certified electrician.

- Die-cast aluminum body with a special marine grade UV stabilized powder coating for additional protection from harsh environments
- Single piece die-cast body provides max heat dissipation for longer life
- Mounting bracket and visor are unpainted stainless steel
- he LED lenses use a proprietary optical control designed for max light output
- With the appropriate electrical components, the drive module can be mounted inside the wheelhouse, away from the elements, up to 50' from the Light
- These 4000K spotlights more mimic the traditional Metal Halide color temperature
- Includes: Light, Visor, Mounting Bracket, Driver Module

Specifications	750 Watts	1000 Watts
Equivalent	1200W MH	1500W MH
Input Volts	24 V	24 V
Input Amps	32A @ 24 VDC	42A @ 24 VDC
Input Volts	110 – 277 VAC, 50 – 60 Hz	
Input Amps	6.23 Amps @ 120 VAC	8.34 Amps @ 120 VDC
Lumens	110,827 @ 4000K	146,000 @ 4000K
Beam Angle	35°	
Color	White	
Rating	IP66	
Operating Temp.	-30 to +50 C°	
Face Area	22.5" (575mm) Diameter	
Weight Light	18kg light and visor (40lbs)	
Certification	UL, CUL	

PART NO.	MFG#	DESCRIPTION
6530273	RL-XCLD120-750-02-4	110-277V, 750W, 4000K, Dimmable
6530275	RL-XCLD120-1000-02-4	110-277V, 1000W, 4000K Dimmable
6530287	RL-XCLD24-750-02-04	24VDC, 750W, 4000K Non Dimmable
6530288	RL-XCLD24-1000-02-4	24VDC, 1000W, 4000K Non Dimmable
6530260	RL-DM500W	Dimmer Switch, 110-277 VAC

DIMMER SWITCH FOR 110-277V SPOTLIGHTS ONLY



This dimmer switch allows the ability to dim a selected few 110-277V spot lights. The dimmer is designed to dim up to 10% of the light's wattage. Minimum output connect cable is 20AWG and the maximum length is 50'. The installation must be carried out by an electrical specialist.

Used for 6530257, 6530258, 6530770, 6530272 & 6530262 LED spot lights only.

Dimensions: 20mm wide x 32mm high x 35.5mm deep

PART NO.	MFG#	DESCRIPTION
6530260	RL-DM500W	Dimmer Switch

LED HIGH POWER 12", 300W 4000K SPOTLIGHT

This High-Power Spot Light module mounts where the light is needed and the driver module mounts safely away out of reach from harsh environments.

The spot light module is made of heavy duty die cast aluminum and the mounting bracket is stainless steel. With the appropriate electrical components, the drive modules can be mounted inside the wheelhouse, up to 50' from the sealed IP65 rated LED head assembly.



Specifications:

- **Watts:** 300
- **Lumens:** 41191 at 4000K
- **Beam Angle:** 45°
- **Colour:** White
- **Rating:** IP65
- **Face Area:** 12" (320mm)
- **Weight, Light:** 4 lbs. (1.9 kg)
- **Weight, Total Unit:** 9 lbs. (4.1 kg)
- **Certification:** UL, CE, FCC, RoHS
-

- **Stainless Steel Visor is included**

5-year Warranty when installed by a certified electrician.

Input Volts: 12-24 VDC
Input Amps: 25A at 12 VDC

Input Volts: 110-277 VAC
Input Amps: 2.5A at 120 VAC

PART NO.	MFG#	DESCRIPTION
6530257	RL-XCLD20-300-03	110-277V, 300W Dimmable
6530276	RL-XCLD12/24-300-02	12-24V, 300W Non-immable

LED HIGH POWER 14", 500W 4000K SPOTLIGHT

This High-Power Spot Light module mounts where the light is needed and the driver module mounts safely away out of reach from harsh environments.

The spot light module is made of heavy duty cold forged aluminum and the mounting bracket is stainless steel. With the appropriate electrical components, the drive modules can be mounted inside the wheelhouse out of the elements up to 50' from the sealed IP65 rated LED head assembly.



Specifications:

- **Watts:** 500
- **LEDs:** 700 Circular
- **Lumens:** 65710 at 4000K
- **Beam Angle:** 45°
- **Colour:** White
- **Rating:** IP65
- **Face Area:** 14" (360mm)
- **Weight, Light:** 7 lbs. (3.2 kg)
- **Weight, Total Unit:** 13 lbs. (5.9 kg)
- **Certification:** UL, CE, FCC, RoHS
-

- Stainless Steel Visor is included

5-year Warranty when installed by a certified electrician.

Input Volts: 12-24 VDC
Input Amps: 41.7A at 12 VDC

Input Volts: 110-277 VAC
Input Amps: 4.17A at 120 VAC

PART NO.	MFG#	DESCRIPTION
6530258	RL-XCLD20-500-03	110-277V, Dimmable
6530277	RL-XCLD12/24-500-03	12-24V, Non-dimmable



120/277VAC Flood Lights

These Rhyno maintenance free outdoor LED Flood Lights are mounted in a high quality aluminum alloy housing with corrosion resistive coating, complete with stainless steel bolts and screws. The lenses are tempered glass with a silicone rubber gasket. These lights replace the equivalent of up to 10 times the power of incandescent lights with energy savings of up to 90%.

Estimated Lifespan: 50,000 Hours

Ideal for:

- Small, Medium & Large Area Lighting
- Wall Washing Landscaping
- Outdoor Advertising
- Overhead, Wall and Eave Installation
- Parking Lots, Docks and Playgrounds

1 YEAR WARRANTY

Please Note: **Installation of LED Lights must include use of water tight connectors (not electrical tape) must be used on all AC/DC connections or warranty will be voided.**

120/277Vac Flood Lights

15 WATT FLOOD LIGHT 110-277 VAC



Input Voltage: 110 – 277VAC
Input Amps: 0.11A at 120V
Wattage: 15
Lumens: 1300
Beam Angle: 120°
Colour: White
Rows: 3 x 6
Rating: IP65

Dimensions: 5" x 3.5" x 1.45" (127 x 89 x 37mm)

PART NO.	MFG#	DESCRIPTION
6530326	RL15-120-04	15 Watt 110-277v FloodLight

30 WATT FLOOD LIGHT 110-277 VAC



Input Voltage: 110 – 277VAC
Input Amps: 0.25A at 120V
Wattage: 30
Lumens: 3000
Beam Angle: 120°
Colour: White
Rows: 4 x 5
Rating: IP65

Dimensions: 9.5" x 5" x 2" (241 x 127 x 51mm)

PART NO.	MFG#	DESCRIPTION
6530335	RL30-120-04	30 Watt 110-277v FloodLight

50 WATT FLOOD LIGHT 110-277 VAC



Input Voltage: 110 – 277VAC
Input Amps: 0.42A at 120V
Wattage: 50
Lumens: 5200
Beam Angle: 120°
Colour: White
Rows: 4 x 5
Rating: IP65

Dimensions: 9.5" x 5" x 2" (241 x 127 x 51mm)

PART NO.	MFG#	DESCRIPTION
6530355	RL50-120-04	50 Watt 110-277v FloodLight

75 WATT FLOOD LIGHT 110-277 VAC



Input Voltage: 110 – 277VAC
Input Amps: 0.63A at 120V
Wattage: 75
Lumens: 8645
Beam Angle: 120°
Colour: White
Rows: 5 x 8
Rating: IP65

Dimensions: 12" x 8.7" x 3" (306 x 221 x 74mm)

PART NO.	MFG#	DESCRIPTION
6530358	RL75-120-04	75 Watt 110-277v FloodLight

95 WATT FLOOD LIGHT 110-277 VAC



Input Voltage: 110 – 277VAC
Input Amps: 0.79A at 120V
Wattage: 95
Lumens: 12,312
Beam Angle: 120°
Colour: White
Rows: 5 x 8
Rating: IP65

Dimensions: 12" x 8.7" x 3" (306 x 221 x 74mmmm)

PART NO.	MFG#	DESCRIPTION
6530360	RL95-120-04	95 Watt 110-277v FloodLight

150 WATT FLOOD LIGHT 110-277 VAC



Input Voltage: 110 – 277VAC
Input Amps: 1.25A at 120V
Wattage: 150
Lumens: 18,294
Beam Angle: 120°
Colour: White
Rows: 5 x 12
Rating: IP65

Dimensions: 16" x 11.5" x 4" (408 x 293 x 102mm)

PART NO.	MFG#	DESCRIPTION
6530393	RL150-120-04	150 Watt 110-277v FloodLight

190 WATT FLOOD LIGHT 110-277 VAC



Input Voltage: 110 – 277VAC
Input Amps: 1.58A at 120V
Wattage: 190
Lumens: 23,465
Beam Angle: 120°
Colour: White
Rows: 5 x 12
Rating: IP65

Dimensions: 16" x 11.5" x 4" (408 x 293 x 102mm)

PART NO.	MFG#	DESCRIPTION
6530394	RL190-120-04	190 Watt 110-277v FloodLight

12/24VDCFlood Lights

Ideal for:

- Marine & Equipment
- Small, Medium & Large Area Lighting
- Landscaping
- Remote Area Lighting
- Solar Lighting Installations

1 YEAR WARRANTY

Please Note: **Installation of LED Lights must include use of water tight connectors (not electrical tape) must be used on all AC/DC connections or warranty will be voided.**

12/24Vdc Flood Lights

15 WATT FLOOD LIGHT 12/24 VDC



Input Voltage: 12/24 vdc
Input Amps: 1.08A at 12V
Wattage: 15
Lumens: 1300
Beam Angle: 120°
Colour: White
Rows: 3 x 6
Rating: IP65

Dimensions: 5" x 2.71" x 1.45" (127 x 69 x 37mm)

PART NO.	MFG#	DESCRIPTION
6530316	RL15-12/24-02	15 Watt 12/24vdc FloodLight

30 WATT FLOOD LIGHT 12/24 VDC



Input Voltage: 12/24 vdc
Input Amps: 2.5A at 12V
Wattage: 30
Lumens: 3000
Beam Angle: 120°
Colour: White
Rows: 4 x 5
Rating: IP65

Dimensions: 9.5" x 5" x 2" (241 x 127 x 51mm)

PART NO.	MFG#	DESCRIPTION
6530334	RL30-12/24-02	30 Watt 12/24vdc FloodLight

50 WATT FLOOD LIGHT 12/24 VDC



Input Voltage: 12/24 vdc
Input Amps: 4.2A at 12V
Wattage: 50
Lumens: 5200
Beam Angle: 120°
Colour: White
Rows: 4 x 5
Rating: IP65

Dimensions: 9.5" x 5" x 2" (241 x 127 x 51mm)

PART NO.	MFG#	DESCRIPTION
6530356	RL50-12/24-02	50 Watt 12/24vdc FloodLight

75 WATT FLOOD LIGHT 12/24 VDC



Input Voltage: 12/24 vdc
Input Amps: 6.25A at 12V
Wattage: 75
Lumens: 8645
Beam Angle: 120°
Colour: White
Rows: 5 x 8
Rating: IP65

Dimensions: 12" x 8.7" x 3" (306 x 221 x 74mm)

PART NO.	MFG#	DESCRIPTION
6530357	RL75-12/24-02	75 Watt 12/24vdc FloodLight

95 WATT FLOOD LIGHT 12/24 VDC



Input Voltage: 12/24 vdc
Input Amps: 7.9A at 12V
Wattage: 95
Lumens: 12,312
Beam Angle: 120°
Colour: White
Rows: 5 x 8
Rating: IP65

Dimensions: 12" x 8.7" x 3" (306 x 221 x 74mmmm)

PART NO.	MFG#	DESCRIPTION
6530359	RL95-12/24-02	95 Watt 12/24vdc FloodLight

150 WATT FLOOD LIGHT 12/24 VDC



Input Voltage: 12/24 vdc
Input Amps: 12.5A at 12V
Wattage: 150
Lumens: 18,294
Beam Angle: 120°
Colour: White
Rows: 5 x 12
Rating: IP65

Dimensions: 16" x 11.5" x 4" (408 x 293 x 102mm)

PART NO.	MFG#	DESCRIPTION
6530361	RL150-12/24-02	150 Watt 12/24vdc FloodLight

190 WATT FLOOD LIGHT 12/24 VDC



Input Voltage: 12/24 vdc
Input Amps: 15.8A at 12V
Wattage: 190
Lumens: 23,465
Beam Angle: 120°
Colour: White
Rows: 5 x 12
Rating: IP65

Dimensions: 16" x 11.5" x 4" (408 x 293 x 102mm)

PART NO.	MFG#	DESCRIPTION
6530362	RL190-12/24-02	190 Watt 12/24vdc FloodLight

12/24VDC Work Lights

Ideal for:
- Marine & Equipment
- Small, Medium & Large Area Lighting
- Landscaping
- Remote Area Lighting
- Solar Lighting Installations

Ideal for: • Marine & Equipment • Small and Medium Area Lighting • Off-Road Vehicles • Emergency Vehicles • Solar Lighting Installations

Please Note: **Installation of LED Lights must include use of water tight connectors (not electrical tape) must be used on all AC/DC connections or warranty will be voided.**

16 WATT WORK LIGHT 12/24 VDC



Input Voltage: 12/24 vdc
Input Amps: 1.4A at 12V
Wattage: 16
Lumens: 1400
Beam Angle: Flood
Colour: Black
Rows: 2 X 2
Rating: IP68

Dimensions: 3.2" x 3.0" x 3.3" (80 x 75 x 82mm)

PART NO.	MFG#	DESCRIPTION
6530590	RL-WLC-016	16 Watt 12/24vdc WorkLight

18 WATT WORK LIGHT 12/24 VDC



Input Voltage: 12/24 vdc
Input Amps: 1.46A at 12V
Wattage: 18
Lumens: 1600
Beam Angle: Flood
Colour: Black
Rows: 6 x Circular
Rating: IP68

Dimensions: 4.6" x 1.7" (116mm x 43mm)

PART NO.	MFG#	DESCRIPTION
6530580	RL-WL-018W	18 Watt 12/24vdc WorkLight

18 WATT WORK LIGHT 12/24 VDC



Input Voltage: 12/24 vdc
Input Amps: 1.5A at 12V
Wattage: 18
Lumens: 1600
Beam Angle: Flood
Colour: Black
Rows: 1 x 6
Rating: IP68

Dimensions: 6.3" x 2.5" x 2.5" (159 x 63 x 63mm)

PART NO.	MFG#	DESCRIPTION
6530581	RL-WL018R	18 Watt 12/24vdc WorkLight

27 WATT WORK LIGHT 12/24 VDC



Input Voltage: 12/24 vdc
Input Amps: 2.25A at 12V
Wattage: 27
Lumens: 2400
Beam Angle: Flood
Colour: Black
Rows: 9 x Circular
Rating: IP68

Dimensions: 5.1" x 4.4" x 2.2" (128 x 110 x 55mm)

PART NO.	MFG#	DESCRIPTION
6530582	RL-WL-027W	27 Watt 12/24vdc WorkLight

35 WATT WORK LIGHT 12/24 VDC



Input Voltage: 12/24 vdc
Input Amps: 3A at 12V
Wattage: 35
Lumens: 3000
Beam Angle: Flood
Colour: Black
Rows: 4 x 4
Rating: IP68

Dimensions: 5.2" x 4.6" x 2.6" (132 x 116 x 66mm)

PART NO.	MFG#	DESCRIPTION
6530584	RL-WL-035W	35 Watt 12/24vdc WorkLight

50 WATT WORK LIGHT 12/24 VDC



Input Voltage: 12/24 vdc
Input Amps: 4.2A at 12V
Wattage: 50
Lumens: 4300
Beam Angle: Flood
Colour: Black
Rows: 5 x Offset
Rating: IP68

Dimensions: 5.7" x 5.8" x 3.1" (145 x 146 x 79mm)

PART NO.	MFG#	DESCRIPTION
6530594	RL-WLC-050	50 Watt 12/24vdc WorkLight

60 WATT WORK LIGHT 12/24 VDC



Input Voltage: 12/24 vdc
Input Amps: 5.0A at 12V
Wattage: 60
Lumens: 5200
Beam Angle: Flood
Colour: Black
Rows: 2 x 3
Rating: IP68

Dimensions: 6.2" x 5.5" x 5.2" (158 x 138 x 130mm)

PART NO.	MFG#	DESCRIPTION
6530588	RL-WL-C60W	60 Watt 12/24vdc WorkLight

90 WATT WORK LIGHT 12/24 VDC



Input Voltage: 12/24 vdc
Input Amps: 7.5A at 12V
Wattage: 90
Lumens: 8100
Beam Angle: Flood
Colour: Black
Rows:3 x 3
Rating: IP68

Dimensions: 6.3" x 5.5" x 5.2" (158 x 138 x 130mm)

PART NO.	MFG#	DESCRIPTION
6530599	RL-WLC-090	90 Watt 12/24vdc WorkLight

LED FLOOD / AREA LIGHTS 110/277VAC



These powerful LED Flood/Area lights have been designed to meet diversified installation requirements.

They can be used as flood lights or as large area lights. They are of a solid die-cast aluminum construction with a Bronze UV stabilized powder coated finish and a heat and impact resistant tempered glass.

Input Voltage: 110 – 277VAC
Wattage: 80
Rating: IP65
Certified: UL and cUL listed for wet locations

Dimensions: 16"W x 20.7"H x 5" Deep (406 x 525 x 127mm)

PART NO.	MFG#	DESCRIPTION
6530383	RL-80-120-03	80 Watts 2 LEDs, 8795 Lm

200 WATT LED FLOOD / SPOT LIGHTS 12/24 VDC



These rugged LED flood lights are designed to handle all the harsh marine environments.

Built with a slimline design along with one of the highest Lumen performances on the market, these lights can be used as flood light, or as an area light.

Constructed with a UV stabilized powder coated finish and a one-piece die cast aluminum body.

Input Voltage: 12/24 vdc
Input Amps: 18.3A at 12V
Wattage: 200
Lumens: 30,510

Flood Beam Angle: 120°
Spot Beam Angle: 60°
Light Color: 5000k
Colour: White
Rating: IP65

Certified: UL and CUL listed for all wet locations **2 Year Warranty**
Dimensions: 13"W x 21"H x 3.5"D

PART NO.	MFG#	DESCRIPTION
6530363	RL220-12/24-02	LED Flood, 200W, 12-24V
6530364	RL220-12/24-02S	LED Spot, 200W, 12-24V

200 WATT LED FLOOD / SPOT LIGHTS 110/277VAC



These rugged LED flood lights are designed to handle all the harsh marine environments.

Built with a slimline design along with one of the highest Lumen performances on the market, these lights can be used as flood light, or as an area light.

Constructed with a UV stabilized powder coated finish and a one-piece die cast aluminum body.

Input Voltage: 110/277 vac
Input Amps: 1.83A at 120V
Wattage: 200
Lumens: 30,510

Flood Beam Angle: 120°
Spot Beam Angle: 60°
Light Color: 5000k
Colour: White
Rating: IP65

Certified: UL and CUL listed for all wet locations **2 Year Warranty**
Dimensions: 13"W x 21"H x 3.5"D

PART NO.	MFG#	DESCRIPTION
6530282	RL220-120-03	LED Flood, 200W, 110-277V
6530365	RL220-120-03S	LED Spot, 200W, 110-277V

300 WATT LED FLOOD / SPOT LIGHTS 12/24 VDC



These rugged LED flood lights are designed to handle all the harsh marine environments.

Built with a slimline design along with one of the highest Lumen performances on the market, these lights can be used as flood light, or as an area light.

Constructed with a UV stabilized powder coated finish and a one-piece die cast aluminum body.

Input Voltage: 12/24 vdc
Input Amps: 25.6A at 12V
Wattage: 300
Lumens: 43,849

Flood Beam Angle: 120°
Spot Beam Angle: 60°
Light Color: 5000k
Colour: White
Rating: IP65

Certified: UL and CUL listed for all wet locations **2 Year Warranty**
Dimensions: 13"W x 21"H x 3.5"D

PART NO.	MFG#	DESCRIPTION
6530366	RL307-12/24-02	LED Flood, 300W, 12-24V
6530367	RL307-12/24-02S	LED Spot, 300W, 12-24V

300 WATT LED FLOOD / SPOT LIGHTS 110/277VAC



These rugged LED flood lights are designed to handle all the harsh marine environments.

Built with a slimline design along with one of the highest Lumen performances on the market, these lights can be used as flood light, or as an area light.

Constructed with a UV stabilized powder coated finish and a one-piece die cast aluminum body.

Input Voltage: 110/277 vac
Input Amps: 2.56A at 120V
Wattage: 300
Lumens: 43,849

Flood Beam Angle: 120°
Spot Beam Angle: 60°
Light Color: 5000k
Colour: White
Rating: IP65

Certified: UL and CUL listed for all wet locations **2 Year Warranty**
Dimensions: 13"W x 21"H x 3.5"D

PART NO.	MFG#	DESCRIPTION
6530283	RL307-120-03	LED Flood, 300W, 110-277V
6530368	RL307-120-03S	LED Spot, 300W, 110-277V

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

LED Vapourtight Lights

These Rhyno LED Vapourtight Lights have a clear lens and an off-white housing made of 100% UV stabilized Polycarbonate with a Silicon gasket all stainless steel hardware. They have a 3/4" waterproof Nylon cable gland and can be surface mounted or suspended, perfect for machine rooms, workshops, galleys, stores, walk-in-coolers, passage ways, accommodations, public areas and more. They are designed for indoor and outdoor applications. They are designed to meet marine requirements, Rated IP65.
Two (2) tubes included with each fixture.

2 Year Warranty

2FT 20 WATT LED VAPOUR LIGHT 12/24 VDC



2' TUBES

Input Voltage: 12/24 vdc
Wattage: 20
Lumens: 2100
Beam Angle: 120°
Colour: Off-White
Lens: Clear
Tube Lens: Frosted
Leds: T8 Self-Ballasted
Rating: IP65

Dimensions: 27" x 4" x 7" (686 x 102 x 178mm)

PART NO.	MFG#	DESCRIPTION
7200335	RL-MX486-2-10/30	2FT Vapour Light 12/24Vdc

2FT 20 WATT LED VAPOUR LIGHT 110/277 VAC



2' TUBES

Input Voltage: 1110/277 Vac
Wattage: 20
Lumens: 2100
Beam Angle: 120°
Colour: Off-White
Lens: Clear
Tube Lens: Clear
Leds: T8 Self-Ballasted
Rating: IP65

Dimensions: 27" x 4" x 7" (686 x 102 x 178mm)

PART NO.	MFG#	DESCRIPTION
7200343	RL-MX486-2-120V	2FT Vapour Light 110/277 Vac

4FT 36 WATT LED VAPOUR LIGHT 12/24 VDC



4' TUBES

Input Voltage: 12/24 vdc
Wattage: 36
Lumens: 3700
Beam Angle: 120°
Colour: Off-White
Lens: Clear
Tube Lens: Frosted
Leds: T8 Self-Ballasted
Rating: IP65

Dimensions: 49-3/4" x 4" x 7" (1264 x 102 x 178mm)

PART NO.	MFG#	DESCRIPTION
7200336	RL-MX486-4-10/30	4FT Vapour Light 12/24Vdc

4FT 36 WATT LED VAPOUR LIGHT 110/277 VAC



4' TUBES

Input Voltage: 1110/277 Vac
Wattage: 36
Lumens: 3700
Beam Angle: 120°
Colour: Off-White
Lens: Clear
Tube Lens: Clear
Leds: T8 Self-Ballasted
Rating: IP65

Dimensions: 27" x 4" x 7" (686 x 102 x 178mm)

PART NO.	MFG#	DESCRIPTION
7200344	RL-MX486-4-120V	4FT Vapour Light 110/277 Vac

LED T8 TUBES

These maintenance free T8 LED tubes are replacements for 28 to 40W T8-T12 fluorescent tubes. Made of high quality aluminum alloy housing with a Polycarbonate (PC) lens. They will provide energy savings of up to 50% when compared to equivalent fluorescent tube.

Suitable for multiple applications:

- Office lighting
- Warehouse lighting
- Outdoor advertising (sign backlighting)
- Overhead, wall and eave (eyebrow lighting)

2FT T8 LED TUBE 9/30 VDC



2 Year Warranty

2' TUBES

Input Voltage: 9-30 Vdc
Wattage: 10
Lumens: 1100
Beam Angle: 150°
Lens: Frosted
Tube Lens: Frosted
Rating: IP44

Dimensions: 1.03" x 23.6" (26 x 600mm)

PART NO.	MFG#	DESCRIPTION
7200339	RL-T8-10W600-10/30	2FT T8 Tube 9-30Vdc

2FT T8 LED TUBE 100/277 VAC



2 Year Warranty

2' TUBES

Input Voltage: 100-277 Vac
Wattage: 10
Lumens: 1100
Beam Angle: 150°
Lens: Frosted
Tube Lens: Frosted
Rating: IP44

Dimensions: 1.03" x 47.3" (26 x 1200mm)

PART NO.	MFG#	DESCRIPTION
7200342	RL-T8-10W600-WINZ	2FT T8 Tube 100-277Vac

4FT T8 LED TUBE 9/30 VDC



2 Year Warranty

4' TUBES

Input Voltage: 9-30 Vdc
Wattage: 18
Lumens: 1880
Beam Angle: 150°
Lens: Frosted
Tube Lens: Frosted
Rating: IP44

Dimensions: 1.03" x 47.3" (26 x 1200mm)

PART NO.	MFG#	DESCRIPTION
7200337	RL-T8-18W1200-10/30	4FT T8 Tube 9-30Vdc

4FT T8 LED TUBE 100/277 VAC



2 Year Warranty

4' TUBES

Input Voltage: 100-277 Vac
Wattage: 18
Lumens: 1800
Beam Angle: 150°
Lens: Frosted
Tube Lens: Frosted
Rating: IP44

Dimensions: 1.03" x 47.3" (26 x 1200mm)

PART NO.	MFG#	DESCRIPTION
7200338	RL-T8-18W1200-120	4FT T8 Tube 100-277Vac

12 / 24 VDC DOUBLE ROW LIGHT BARS

These Marine Grade Double Row Straight LED Light Bars are made of durable powder coated Aluminum Alloy Housings with a clear Polycarbonate lenses and contain High Intensity OSRAM or Cree LEDs. They are rated at IP67, dust protection and temporary immersion up to 1 meter for 30 seconds. They have a life span of 50, 000 hours or more and come with 1 year warranty.

	36W	72W	120W	180W	240W
Mfg#	MS36WWDS	MS72WWDS	MS120WWDS	MS180WWDS	MS240WWDS
Photo					
Part No.	6530508	6530509	6530511	6530512	6530513
Input Volts	12/24VDC	12/24VDC	12/24VDC	12/24VDC	12/24VDC
Input Amps	3.0 Amps @ 12VDC	6.0 Amps @ 12VDC	10.0 Amps @ 12VDC	15.0 Amps @ 12VDC	20.0 Amps @ 12VDC
Cree Leds	12 x 3W	24 x 3W	40 x 3W	60 x 3W	80 x 3W
Lumens	2, 520	5, 040	8, 400	12, 600	16, 800
Light Length (L1)	6.5”	10.5”	20.0”	30.0”	40.0”
Overall Length (L2)	8.5”	12.5”	22.0”	32.0”	42.0”

12 / 24 VDC DOUBLE ROW LIGHT BAR CURVED



The NEW Marine Sport LED Light Bars are a revolutionary way to contour light bars and high power light output to any surface area with a straight or curve appeal.

The light bars are designed for Marine use, but can also be used in Automotive, UTV, ATV, Industrial applications where a white colored shell is desired.

To make these bars even more attractive, Race Sport uses a white facing tile instead of the common chrome tiles to give this a TRUE "WHITE OUT" look!

	180W
Mfg#	MS180WWWA
Part No.	6530504
Input Volts	12/24VDC
Input Amps	14.2 Amps @ 12 VDC
Cree Leds	60 x 3w
Lumens	11,900
Light Length (L1)	30.5
Overall Length (L2)	32.5



WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

HIGH PERFORMANCE LED FLOOD AND SPOT LIGHTS

Constructed with high-quality materials to withstand harsh marine environments, such as saltwater, extreme temperatures, and UV exposure, these high performance Perko LED Lightship Lights will deliver exceptional illumination with high lumen output for enhanced visibility. They offers multiple mounting configurations for easy installation and come with a Marine grade aluminum mounting bracket.

50 WATT HIGH PERFORMANCE FLOOD LIGHT 12 - 32 VDC



Input Voltage: 12-32Vdc
Input Amps: 3.8A at 120V
Wattage: 50
Lumens: 7500
Beam Angle: 80°
Colour: 5000k
LEDs: 9
Rating: IP68

Dimensions: 7"x5.5"x2"

PART NO.	MFG#	DESCRIPTION
6560830	1643050F0W	White Flood Light 50W
6560831	1643050F0B	Black Flood Light 50W

100 WATT HIGH PERFORMANCE FLOOD LIGHT 12 - 32 VDC



Input Voltage: 12-32Vdc
Input Amps: 3.8A at 120V
Wattage: 100
Lumens: 13,300 12v
16,670 24v
Beam Angle: 76°
Colour: 5000k
LEDs: 21
Rating: IP68

Dimensions: 13"x9-1/2"x3"

PART NO.	MFG#	DESCRIPTION
6560832	1643100F0W	White Flood Light 100W
6560834	1643100F0B	Black Flood Light 100W

100 WATT HIGH PERFORMANCE SPOT LIGHT 12 - 32 VDC



Input Voltage: 12-32Vdc
Input Amps: 3.8A at 120V
Wattage: 100
Lumens: 13,300 12v
16,670 24v
Beam Angle: 25°
Colour: 5000k
LEDs: 21
Rating: IP68

Dimensions: 13"x9-1/2"x3"

PART NO.	MFG#	DESCRIPTION
6560833	1643100S0W	White Spot Light 100W
6560835	1643100S0B	Black Spot Light 100W

300 WATT HIGH PERFORMANCE FLOOD LIGHT 12 - 32 VDC



Input Voltage: 12-32Vdc
Input Amps: 3.8A at 120V
Wattage: 300
Lumens: 40,000 12v
50,000 24v
Beam Angle: 76°
Colour: 5000k
LEDs: 63
Rating: IP68

Dimensions: 14-1/2"x20-3/4"x3-1/2"

PART NO.	MFG#	DESCRIPTION
6560836	1643300F0W	White Flood Light 300W
6560838	1643300F0B	Black Flood Light 300W

300 WATT HIGH PERFORMANCE SPOT LIGHT 12 - 32 VDC



Input Voltage: 12-32Vdc
Input Amps: 3.8A at 120V
Wattage: 300
Lumens: 40,000 12v
50,000 24v
Beam Angle: 25°
Colour: 5000k
LEDs: 63
Rating: IP68

Dimensions: 14-1/2"x20-3/4"x3-1/2"

PART NO.	MFG#	DESCRIPTION
6560837	1643300S0W	White Spot Light 300W
6560839	1643300S0B	Black Spot Light 300W



INTERIOR LIGHT BAR



- Perfect for installation in areas that need lots of light
- Design allows for installation in tight areas and allows for adjustable direction of light
- The direction of LED light can be adjusted to 0°, 45°and 90°
- 3⁄8" H surface mount, daisy chain ability with link cable
- Cool white

PART NO.	MFG#	DESCRIPTION
9931-950	LLB-32KC-01-00	12" Light 12V
9931-951	LLB-32LC-01-00	20" Light 12V
9931-952	LLB-32KC-11-00	12" Light 24V
9931-953	LLB-32LC-11-00	20" Light 24V
9931-954	LLB-32KA-OP-00	Light Bar link cable 39"

LED VAPOR PROOF LIGHT



These rugged vapor-proof LED lights are built to last. Constructed with industrial grade rubber gaskets and marine grade aluminum, this light is a beacon against the marine environment. Built with a diecast guard to protect the glass dome. UV stabilized powder coated finish housing, sandblasted Silver. This fixture can be mounted inside or outdoors.

Supplied with 12w LED bulb for 12/24v applications.

Output: 1450 lm, 5000K
Equivalent: 70W MH
Voltage options: 10-85vdc,110-277vac

Certified UL and CUL listed for all wet locations. **2-year warranty**

PART NO.	MFG#	DESCRIPTION
6530280	RL-VTL-955S	LED Side Mount
6530281	RL-VTL-956S	LED Top Mount

LED SURFACE STRIP LAMPS WITH SWITCH



- White or Red/White option
- Exceptional Light output at Ultra low power consumption
- UV and corrosion resistant
- Completely sealed switch system
- 12 VDC, 0.25 Amp
- 24 VDC, 0.16 Amp

PART NO.	MFG#	DESCRIPTION
9931-750	958123001	White, 12V
9931-751	958123401	White, 24V
9931-752	958121001	White/Red, 12V
9931-753	958121401	White/Red, 24V

LED DECK STRIP LIGHT



- 5-1/2" L x 2-1/2" H x 1-1/4"D
- Ultra low current draw; less than 0.2 Amp at 12V
- Completely sealed pre-wired unit, with low heat signature
- Shock and vibration resistant
- ISO ignition protection approvals

PART NO.	MFG#	DESCRIPTION
9931-324	959700701	12 LED, 12/24VDC

LED INTERIOR LIGHT



- Material: ABS, ABS shade
- Type: SMD Warm white LED
- Colour Temperature: 2700-3200K
- Effective Lumen:142LM
- Voltage:12 - 24 VDC
- Splashproof

PART NO.	MFG#	DESCRIPTION
9931-818	01804-S	12-24 VDC

NEW

LED INTERIOR LIGHT



- Material : ABS casing + aluminum anodized base
- Strip LEDs : 60 x "3020" SMD LED
- Beam Angle : 120°
- Color Temperature : 8300~6000K; Natural White
- Effective Lumen : 351LM
- Power : 10-30Vdc, 4.8W

Dimensions : 15"L x 2-3/4"W x 3/4"TH - 383 x 71 x 18 mm

PART NO.	MFG#	DESCRIPTION
7200449	01808-WH	LED Interior Light w/Switch

LED BIMINI LIGHT



- Designed to be mounted in exterior locations
- Built-in of/off switch
- Tough waterproofed casing

PART NO.	MFG#	DESCRIPTION
9931-891	16212-7	12 VDC

For the most up to date pricing, please visit maritimemarinesupply.ca/price

LUNASEA ENGINE ROOM LIGHT



- High output LED light with versatile mounting and dimming capabilities
- Hard anodized, white urethane finish for extreme durability
- Input voltage 10-40 VDC - 15W
- Ignition proof
- 8-1/2" L x 5-3/4" W x 3/4"D

PART NO.	MFG#	DESCRIPTION
9931-592	LLB-51WO-91-10	DC, Alum

LED ENGINE ROOM LIGHT



This Engine Room LED light has a white painted aluminum alloy housing with a polycarbonate lens. It has 4 x 3W Cool White LEDs with a beam angle of 110°

- **Lumens:** 426 lm
- **Operating Voltage:** 8 – 30VDC
- **Dimensions:** 5.31" x 2.75"

PART NO.	MFG#	DESCRIPTION
7200431	01614-WH	Cool White

LED ENGINE ROOM LIGHT



This LED Engine Room Light has a plastic body with a polycarbonate lens.

It has 33 Cool White LEDs providing 727 Effective Lumens with a beam angle of 120°. **Rating:** IP 67 **Dimensions:** 6.29" x 3.75" x .5"(H)

PART NO.	MFG#	DESCRIPTION
7200432	01624-WH	10-30VDC

DURALED 36 HEAVY-DUTY INTERIOR-EXTERIOR LIGHTING



- 9-33 VDC
- ISO Ignition protection Approvals
- Extremely bright white light and energy efficient

Dimensions for all models
8-3/4" L x 3-3/4" W x 1"" H

Ideal for: Cabin, fly bridge, chart table, cockpit, deck, bilge, etc.

PART NO.	MFG	DESCRIPTION
7200430	959037521	36 LED, 12/24 VDC
9931-337	980629001	50 LED, 12/24 VDC
9931-730	980629501	50 LED , 12/24 VDC - Wide Beam

SQUARE 80 LED CEILING LIGHTS



- 8-30VDC, 1.66 watts
- 3-1/8"W
- IP66 waterproof

PART NO.	MFG#	DESCRIPTION
9997-325	9790MK	Matte Chrome

LED PINTO CEILING LIGHT



- Comes with 2W, SMD card LED bulb
- 8-30VDC
- 3.22" diameter
- 150 lumens

PART NO.	MFG#	DESCRIPTION
9997-211	9476C	LED Chrome

LED SUN CEILING LIGHTS



- 8-30VDC, 2.4 watts
- 4-5⁄16" OD x 1-1⁄2" H

PART NO.	MFG#	DESCRIPTION
9997-309	9411C	Led, Chrome

LED SOFT LIGHT INTERIOR-EXTERIOR



- 12V, .75 watts, 60 mA

PART NO.	MFG#	DESCRIPTION
9997-329	9025V	White

CORONA LED CEILING LIGHTS



- Polished stainless steel
- 8-30VDC, 2.4 watts

PART NO.	MFG#	DESCRIPTION
9997-315	9797-1PS	White
9997-316	9797PSRV	White/red

LED NOVA CEILING LIGHTS



- Comes with 2.4W, SMD card LED bulb
- 8-30VDC
- 3" diameter

PART NO.	MFG#	DESCRIPTION
9997-217	9485MS	LED Matte silver
9997-312	9485CRV (old 9475CRV)	LED Chrome (white/red)

DURA-LED JUNIOR SURFACE MOUNT LIGHT



LED Light Colour: White
Bezel Finish: White
Operating Voltage: 12/24VDC
Power Consumption: <2.5W
Mount: Surface
Dimensions:
5.51" x 2.56" x 1.26"

ISO ignition protected. No Switch Included.

PART NO.	MFG#	DESCRIPTION
7200434	959700101	LED Lamp
7200435	980704001	LED Lamp w/ Switch

LED TEAR DROP LIGHT WITH DIMMER



LED Tear Drop Light features a warm white light with blue accented, touch controlled on/dim/off switch. Plastic exterior.

- 3000K Warm white light.
- 200 lumens @ 3W.
- Works with 12V and 24V systems.
- Installs with two #6 FH fasteners (included).
- CE, RoHS compliant

Dimensions:
A 4”
B 9/16”
C 3-1/2”



PART NO.	MFG#	DESCRIPTION
7200461	401817-3	Tear Drop Light w/Dimmer

MIRROR LIGHT WITH DIMMER



This LED Oval Mirror Light features white and blue LED lights with a built-in, touch controlled on/dim/off switch. Touch the center button to switch between white, blue, and off. Continue to touch button to activate dimmer. 3000K, 36 Osram LEDs, 300 lumens @ 6W. Works with 12V and 24V systems. Includes two #6 FH fasteners and white hole plugs. CE, RoHS compliant.



- Oval 7-7/8”L x 4-3/4”W x 5/16”T
- Round 4”D x 5/16”T

PART NO.	MFG#	DESCRIPTION
7200453	401845-3	Oval Mirror Light
7200454	401835-3	Round Mirror Light

LED SQUARE MIRROR LIGHT W/DIMMER



This LED Square Mirror Light features white and blue LED lights with a built-in, touch controlled on/dim/off switch. Plastic.

Dimensions :
A 7-7/8”
B 5/16”
C 7-7/8”



- 3000K warm white light.
- 1000 lumens @ 6W.
- Works with 12V and 24V systems.
- Installs with two #6 FH fasteners (included).
- CE, RoHS compliant.

PART NO.	MFG#	DESCRIPTION
7200483	401840-3	Mirror Light w/Dimmer



For the most up to date pricing, please visit maritimemarinesupply.ca/price

TOUCH LED DOME LIGHT



- Completely sealed (IP67)
- No O-rings or swithches to wear out
- Touch feature works even with gloves
- Touch controls - on, off, color change and dimming
- Dimensions: 6-3/4 OD, 1-1/8 H
- 12VDC, 410 mA
- 24VDC, 215 mA

PART NO.	MFG#	DESCRIPTION
9931-933	101098	White/Red, 12/24V

LED AURORA DOME LIGHT



- A clean look, and a notable level of quality
- Completely sealed for interior/exterior installation
- Control light on/off, color and intensity
- All light features are controlled by twisting the bezel
- 180 Lum, 12/24V, 290mA at 12 VDC
- Surface mnt, 1/2" mounting hole

PART NO.	MFG#	DESCRIPTION
9931-948	101138	White/Blue, 12/24V
9931-949	101139	White/Red, 12/24V

LED TASK LIGHT LOW PROFILE



- Surface mounted light constructed of corrosion resistant 304 SS
- Integral touch controlled on/dim/off operation
- Features 24 warm white LEDs @ 0.19A/145 lumens

PART NO.	MFG#	DESCRIPTION
9931-920	401686-1	12 /24 VDC

LED DOME LIGHT



These vibration resistant LED Dome Lights are pre-wired with an on/off toggle switch. With 12 low current-consumption LEDs, they give off very little heat and have extremely long service life. Stamped 304 stainless steel.

Power Consumption: 0.068A at 12VDC
Dimensions: 4-3/8" Diameter 1-3/8" H
Surface mounts with 3 x #4 RH fasteners (not included).

PART NO.	MFG#	DESCRIPTION
7200441	400213-1	Mini Dome Light

LED DOME LIGHT



Surface mount LED Dome light has a Stainless Steel housing containing 20 x 0.2W Natural White LEDs with a beam angle of 120°.
Lumens: 268 lm
Operating Voltage: 12VDC
Dimensions:

- 6-3/4" Overall Diameter
- 6" Lens Diameter
- 2" Thick

PART NO.	MFG#	DESCRIPTION
7200408	00550-SLD	S/S, White LED
7200409	00550-SWR	S/S, White & Red LED

STAINLESS STEEL DOME LIGHT WITH SWITCH



6-3/4" OD x 2" high with a 5" lens. Comes with 12V bulb & rocker switch. Lens is made of polycarbonate.

PART NO.	MFG#	DESCRIPTION
7200424	00550-SS	Light
7200427	P00552-04	Bulb 12V

"BRIGHT SLIM" LED CEILING LIGHT



- SS 304, PC Lens
- LED Type: 9 x 0.5W warm white
- LED Lifetime: 50,000hrs
- Beam Angle: 120°
- Effective Lumen: 162LM
- Voltage: 12 VDC
- Size: 5-3/16"Dia. IP65

PART NO.	MFG#	DESCRIPTION
9931-816	00702-WH	12 VDC

BRIGHT SLIM LED DOME LIGHT



Made of 304 Stainless Steel with a high impact strength Polycarbonate lens, these super slim dome lights are great for surface mounting just about anywhere. As slim as they are, they can provide a lot of light output using many high power LEDs. 12V. LED has a lifetime of 50,000 hours. **Colour Temperature:** 2850-3200K Warm White **Beam Angle:** 120°

PART NO.	MFG#	DESCRIPTION
7200402	00601-WH	Small White Light 3-5/8"
7200403	00601-WR	Small White/Red Light 3-5/8"
7200404	00602-WH	Large LED Dome Light 5-1/4"

LOW PROFILE FLUSH MOUNT DOME LIGHT



Made of 316 Stainless Steel with 4" plastic lens on/off switch.

6" x 1" with 12V, 15W bulb.

PART NO.	MFG#	DESCRIPTION
7200452	00540-SS	Flush Mount Light

COMPACT DOME LIGHT





- 4-3⁄8" dia. base, 3" dia. lens
- Complete with toggle switch and festoon bulb

PART NO.	MFG#	DESCRIPTION
9931-425	00532-SS	SS - 12V
9931-426	00532-BL	Brass - 12V

INCANDESCENT DOME LIGHTS W/ NIGHT VISION



- 6-3⁄4" dia. base, 5" dia. lens, 2" H
- Has2 bulbs: one white, one red for night vision – great for wheelhouse

PART NO.	MFG#	DESCRIPTION
7200425	00552-SS	Light S/S, Red and White
9931-404	00552-BL	Light Brass, Red and White
7200427	P00552-04	Clear Bulb 12V

INCANDESCENT DOME LIGHTS



- 6-3/4" dia. base, 5" dia. lens, 2" H
- Polished stainless steel housing with built-in switch
- Complete with 12V bulb and toggle switch

PART NO.	MFG#	DESCRIPTION
9931-405	00551-SS	SS-12V

DOME LIGHT – BRASS AND TEAK



- 6" dia. base, 5" dia. lens
- Polished brass housing, teak base with built-in toggle switch
- Complete with 12V bulb

PART NO.	MFG#	DESCRIPTION
9931-408	00543	12V

LED DOME LIGHT



This Stainless Steel surface mount LED Dome light with toggle switch has a 1 x 3W Warm White LED with a beam angle of 125°.
Lumens: 98 lm
Operating Voltage: 8-30VDC
Dimensions: 5-1/4" Dia. x 1-3/4" Thick

PART NO.	MFG#	DESCRIPTION
7200407	00554-WH	Warm White

LED CEILING LIGHT



This LED Ceiling Light is made of chrome plated aluminum with a frosted plastic lens and has an on-off touch switch in the center.

Operating Voltage: 10 - 30VDC
Colour: 3000K
Lumens: 430 lm **Rating:** IP68
Dimensions: 4.2"Dia.x0.87"(105 x 22mm)

PART NO.	MFG#	DESCRIPTION
7200438	00253	Ceiling Light

LED CEILING LIGHT, SURFACE MOUNT



- Material: Plastic
- LED Type: 3 x "2835" 0.2W LED
- LED Lifetime: 50,000hrs
- Effective Lumen: 45LM
- Colour Temperature: Warm White 4500K
- Wattage: 0.50W
- Voltage: 12 VDC
- IP67

PART NO.	MFG#	DESCRIPTION
9931-236	00168-WH	White with switch

LED DOME LIGHT



This plastic surface mount LED Dome light with switch has 16 Warm White LEDs with a beam angle of 120°.

Lumens: 75.5 lm
Operating Voltage: 12VDC
Dimensions: 5-1/2" Dia. x 1-1/2" Thick

PART NO.	MFG#	DESCRIPTION
7200405	00546-WH	Warm White

PLASTIC DOME LIGHT



3 Position switch, two clear one Red bulb for night vision.
Diameter: 5-1/2"

PART NO.	MFG#	DESCRIPTION
7200420	00546	Plastic Dome Light
6593258	P00546-08	Clear Bulb 12V (6W)

INCANDESCENT REPLACEMENT BULBS



PART NO.	MFG#	DESCRIPTION
9931-230	B-00541	12V
9931-240	22073	32V

For the most up to date pricing, please visit maritimemarinesupply.ca/price

LED SURFACE MOUNT COURTESY LIGHT



304 stamped stainless steel and lightweight plastic for corrosion resistance. 3 low amperage, long life blue or warm white LEDs. Installs with two #10 FH fasteners (not included). 12VDC.

Dimensions: 3-1/8" x 1-7/16" x 3/16"
Rating: Waterproof IP65

PART NO.	MFG#	DESCRIPTION
7200458	401405-1	Courtesy Light, White 12V
7200459	401409-1	Courtesy Light, Blue 12V

LED COURTESY LIGHT



Plastic housing and five in-line Warm White LEDs with a beam angle of 120°.

Lumens: 7.6 lm for White
Operating Voltage: 12VDC
Dimensions:
72.1L x 37.1W x 9.9T (mm)

PART NO.	MFG#	DESCRIPTION
7200484	00182-WH	Warm White 12V
7200485	00182-RD	Red 12V
7200486	00182-BU	Blue 12V

SURFACE MOUNT PUSH- ON/OFF LIGHT



Reverse



This 12V/24V LED light is constructed of plastic, and is designed to withstand the marine environment. Can be surface or flush mounted to meet a variety of applications. To illuminate light, gently push in on the lens. This light consists of 6 white LED bulbs and has a 2 wire lead for installing. Two mounting screws included. **Dimensions:** 5-1/2" x 3-5/8"

PART NO.	MFG#	DESCRIPTION
7200443	00075-WHD	Surface Mount LED Light 12V/24V

ROTATING LED RAIL LIGHT



7200391

7200390

These LED rail lights feature a rotating axis design to adjust the light where you want. The housings are a powder coated aluminum extrusion rail with moulded mounting ends and a frosted lens pattern for a uniform light distribution. Internally coated to make them water, corrosion and vibration resistant, easy to install anywhere.

Operating Voltage:
- 12VDC, 80mA for 6"
- 12VDC, 160mA for 12"

PART NO.	MFG#	DESCRIPTION
7200390	LED-51857-DP	6", White 12V
7200391	LED-51858-DP	12", White 12V

EUROLED DOME LIGHTS



- 5-1/8"
- Consumes 30% of the energy required to operate a traditional 10W interior lamp
- Multivolt technology provides consistent illumination and circuit protection from 9–33 VDC, even under severe voltage fluctuations
- Durable, completely waterproof, impact resistant and shock resistant

PART NO.	MFG#	DESCRIPTION
9931-356	959820521	White, 12/24V

LED LIGHT "PUSH ON/OFF"



This white plastic surface mount light has 16 LEDs and provides 67.5 lumens of illumination. This light has a push-in-Lens with a built-in ON/OFF switch.
Colour Temperature: 5500-6300K
Operating Voltage: 12VDC
Size: 5"dia. x 44mm thickness

PART NO.	MFG#	DESCRIPTION
7200467	00165-WH	Push LED Light, White

LED DOME CEILING LIGHT W/SWITCH



This super bright LED surface mount Ceiling Light has a built in on/off switch but can be connected to a steady volt dimmer switch.

Effective Lumens: 328 Lm
Dimensions: 125mm Dia. x 30mm (H)

PART NO.	MFG#	DESCRIPTION
7200401	00553-WH	12VDC, Warm White

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

BICOLOR LED SLIM CEILING LIGHT



These surface mount bicolour LED Slim Ceiling Lights provide a super bright warm white light and a passive blue or red light. They are made of plastic materials and are splashproof. On/Off button.

Operating Voltage: 10 - 30VDC
Colour: 2900 - 3200K
Rating: IP65
Lumens: 390 lm
Thick (127 x 12.2mm)
Dimensions: 5" Dia. x 1/2

PART NO.	MFG#	DESCRIPTION
7200360	00608-WB	30 White + 26 Blue LEDs 12V/24V
7200361	00608-WR	30 White + 26 Red LEDs 12V/24V

LED INTERIOR LIGHT



All plastic construction with frosted lens. Powered by high power LEDs.

Operating Voltage Range: 8-30V
Size: 5" (Dia.) x 25mm Thick

PART NO.	MFG#	DESCRIPTION
7200463	00600-7W	White Light 12V/24V

FLUSH-MOUNT WHITE LED LAMP



This flush mount lamp contains 3 LEDs. It is completely waterproof. This lamp is small, compact yet durable and bright. 12V bulbs.

3-1/8" Dia. x 1-1/8"H

PART NO.	MFG#	DESCRIPTION
7200442	00158-WH	Light LED Flush Mount 12V

ANDROS LED COURTESY LIGHT



- Compact, attractive and remarkably bright
- Polished 316SS casing
- IP67

PART NO.	MFG#	DESCRIPTION
9931-896	101043	12 VDC, white
9931-897	101044	12 VDC, blue

SURFACE MOUNT UTILITY LIGHT



Tough moulded plastic construction. 12V, 1W bulb included. 2 x #6 screws for installation required.

Approx. Dimensions: 1-7/8" x 9/16"

PART NO.	MFG#	DESCRIPTION
7200455	0137DP0BLK	Black Shielded Light Cover 12V

LED COURTESY LIGHT



- Chrome plated brass
- Beam Angle: 30°
- Wattage: 0.24W; Voltage: 12 VDC
- Round: 1-1/4" dia.,
- Square: 1-3/16" W
- IP65

PART NO.	MFG#	DESCRIPTION
9931-855	00186-BU	Round, blue 12V
9931-856	00186-WH	Round, white 12V
9931-853	00185-BU	Square, blue 12V
9931-854	00185-WH	Square, white 12V

LED MINI COURTESY LIGHT



Compact and versatile flush mount mini light. Available with 1 LED or 8 LEDs for various applications.

White in colour. 12V.

7200464 **7200466**

PART NO.	MFG#	DESCRIPTION
7200464	00187-WH	1 LED Light, 28mm 12V
7200466	00188-WH	8 LED Light, 41mm 12V

LED ACCENT LIGHT



- 2X .2W White LEDs, 120° beam
- Plated SS plastic ring

PART NO.	MFG#	DESCRIPTION
9931-264	00203-WH	12VDC

LED COURTESY LIGHT



Dimensions: 45mm x 32mm

Made of high impact strength Polycarbonate material and provides a comfy light output level with 1 low power high output LED.
Operating Voltage: 12V

PART NO.	MFG#	DESCRIPTION
7200465	00189-WH	LED Courtesy Light 12V

For the most up to date pricing, please visit maritimemarinesupply.ca/price

LED FLUSH MOUNT STRIP LIGHT



- Splashproof
- LED Type: 6 x 0.2W LED
- LED Lifetime: 50,000 hrs

White in colour 12V

5-1/2"L x 1-9/64"W x 13/16"H

PART NO.	MFG#	DESCRIPTION
7200460	00183-WH	LED Light

LED SLIM LIGHT



These surface mount LED Utility Strip Lights are great for lighting or decorating interior and exterior of boats, RVs and other vehicles. They are completely sealed in epoxy making them water, corrosion and vibration resistant and virtually mountable anywhere.

Operating Voltage: 12VDC, 40mA (100mA for Red)
Dimensions: 4"L x 7/8"W x 3/4"H
6"L x 7/8"W x 3/4"H
8"L x 7/8"W x 3/4"H

PART NO.	MFG#	DESCRIPTION
7200376	LED-51800-DP	4", 6 x White LEDs
7200377	LED-51801-DP	4", 6 x Blue LEDs
7200378	LED-51803-DP	4", 6 x Red LEDs
7200370	LED-51805-DP	6", 12 x White LEDs
7200371	LED-51806-DP	6", 12 x Blue LEDs
7200372	LED-51810-DP	8", 18 x White LEDs
7200373	LED-51811-DP	8", 18 x Blue LEDs

LED PONTOON STRIP LIGHT 12 VDC



- 120 Degree Viewing Angle
- Energy Efficient and 30 LEDs per meter
- Can be cut to size, they can be mounted virtually anywhere
- 12V

PART NO.	MFG#	DESCRIPTION
9931-627	LLB-453W-01-05	5m strip/warm white
9931-628	LLB-453R-01-05	5m strip/red-white
9931-629	LLB-453B-01-05	5m strip/blue-white

LED STRIP LIGHT

Aim for the maximum WOW factor with these versatile lights!





- Great for lighting a deck or under the gunwale areas.
- Quality 3M backing tape for mounting anywhere
- Can be cut to length
- Low amp draw
- Water and Moisture Resistant
- Mounting channel is made of clear plastic and requires mounting screws

Operating Voltage: 12VDC

PART NO.	MFG#	DESCRIPTION
7200396	LED-51946-DP	12", Cool White
7200397	LED-51947-DP	12", Blue
7200398	LED-51948-DP	12", Red
7200399	LED-51949-DP	12", Green
7200386	LED-51950-DP	24", Cool White
7200387	LED-51951-DP	24", Blue
7200388	LED-51952-DP	24", Red
7200389	LED-51965-DP	24", Green
7200381	LED-51959-DP	24", White / Blue
7200384	LED-51953-DP	48", Cool White
7200385	LED-51954-DP	48", Blue
7200380	LED-RLC	72", Mounting Channel

LED SURFACE MOUNT STRIP LIGHT



Surface Mount strip contains 6 white LEDs
White in colour 12V.

5-1/2"L x 43/64"W x 24/32"H

PART NO.	MFG#	DESCRIPTION
7200462	00193-WH	LED Surface Mt. Light 12V

ELEGANT WALL MOUNT LED LIGHT



- Brushed nickel
- Built-in touch dimming switch also produces a soothing blue glow
- 12 VDC, 3W

PART NO.	MFG#	DESCRIPTION
9931-617	LLB-33RW-81-OT	Warm white

ELEGANT SWIVEL WALL MOUNT LED LIGHT



- Brushed nickel
- Warm white swivel head light
- Built-in touch dimming switch also produces a soothing blue glow
- 12 VDC, 3W

PART NO.	MFG#	DESCRIPTION
9931-618	LLB-33JW-81-OT	Warm white

LED CABIN LIGHT



- Built-in touch controlled on/dim/off switch
- High quality aluminum construction
- 3000K Cree bulb providing 270 lumens at 2W
- 12 or 24 VDC

PART NO.	MFG#	DESCRIPTION
9931-919	400710-3	270 lumens

LED TUBE LIGHT



- 2-3/4" W x 3" H base
- Comes with 1W, 1.3W MR 12/24V

PART NO.	MFG#	DESCRIPTION
9997-202	9406C	Chrome with switch
9997-203	9406MS	Matte silver with switch

LED CHROME PLATED WALL LIGHT



This chrome plated brass wall light with a frosted glass shade has a life expectancy of 50,000 hours. The 1 x 3W white LED light provides 140 lumens of illumination.

Colour Temperature: 2850-3500K
Beam Angle: 110°
Operating Voltage: 8–30VDC
Size: 54mm base diameter x 101.8mm lamp height

PART NO.	MFG#	DESCRIPTION
7200448	00006-CPW	LED Wall Light



WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

LED CABIN/READING LIGHT



LED Cabin/Reading Light with built-in, touch controlled on/dim/off switch and USB port.

This light features an adjustable direct beam reading light, as well as ambient light for the cabin. Warm white LED light with blue accented dimmer switch, 3000K Bridgelux bulb provides 270 lumens @ 3W. Works with 12V and 24V systems. USB Port: 5V/2A. Constructed of high quality brushed aluminum. Includes two #6 FH fasteners and Allen wrench. CE, RoHS compliant.



- A 2-1/2" B 2-3/8" C 3-3/8" D 4"

PART NO.	MFG#	DESCRIPTION
7200451	400715-3	LED Cabin Light

LED BRASS READING LIGHT



- 3-1⁄2" dia. base, 4-1⁄2" overall height
- Stylish, lacquered brass, bulkhead mounted fixture with tilting head
- Complete with toggle switch and 30º, 25 lumen LED cluster
- Warm white

PART NO.	MFG#	DESCRIPTION
9931-259	00942-BLHD	12 VDC

BRASS READING LIGHT



This reading light has a beautiful lacquered brash finish. Can be rotated approximately 340° as well as tilted up and down. It contains a 12V 20W Halogen bulb.

Size: 4-1/2"H
Base: 1-1/2"

PART NO.	MFG#	DESCRIPTION
7200444	00922-BSD	Brass Reading Light
6593255	P00501-03	Bulb 12V–20W

LED READING LIGHT



- Chrome plated brass, 12 x 0.2W LEDs
- LED Lifetime: 50,000 hrs
- 10-30 VDC

PART NO.	MFG#	DESCRIPTION
9931-248	00823-CP	LED

OPAL READING LIGHT



A brass swivel reading light with a frosted glass shade. Contains a 12V 10W halogen bulb.

Size: 2-5/8"L x 3-1/8"W

PART NO.	MFG#	DESCRIPTION
7200446	00926-BL	Brass Lacquered Reading Light
6593255	P00501-03	Bulb 12V–20W

LED READING LIGHT



Chrome-plated brass swivel LED reading light with a frosted glass shade and an operating life expectancy of 50,000 hours. Contains 1 x 3W warm white LED which provides 140 effective lumens of illumination.
Colour Temperature: 2900-3200K
Beam Angle: 110°
Size: 2-5/8"L x 3-1/8"W
Voltage: 8-30VDC

PART NO.	MFG#	DESCRIPTION
7200450	00926-SSD	LED Reading Light

EYELIGHTS LED CEILING LIGHT



- 3-1⁄4" W x 4-1⁄4" H base
- Comes with 1.2W, MR 11 8-30VDC LED bulb

PART NO.	MFG#	DESCRIPTION
9997-207	9441MS	Matte silver with switch

LED INTERIOR LIGHT



- Touch switch (dimmable)
- Material: Plastic, White
- LED Type: 24 x 1W Nature white LED
- Voltage: 10-30VDC
- Effective Lumen: 1780LM
- Size: 5-1/8" Dia.
- IP67

PART NO.	MFG#	DESCRIPTION
9931-817	00759-02	LED

INTERIOR LED LIGHT W/SENSOR



This extremely bright plastic LED Interior Light with Auto Sensor has 24 x 1W white LEDs providing 1780 Effective Lumens.
Rating: IP67
Dimensions: 130mm Dia. (5.19") x 18.5mm H

PART NO.	MFG#	DESCRIPTION
7200406	00759-03	10-30VDC

AUTO LED SENSOR LIGHT



This surface mount Auto LED Sensor Light has a polycarbonate housing with 3 Cool White LEDs and a beam angle of 120°. It turns ON automatically in the dark.
Lumens: 8 lm
Operating Voltage: 12VDC
Dimensions: 63.5mm Dia. x 13mm Thick

PART NO.	MFG#	DESCRIPTION
7200478	00238-WH	Cool White

DECKHAND DIMMER



Digitally controls non-regulated LEDs, incandescent, and halogen lights providing an "Exit Mode" with a selectable time delay which allows boaters to safely disembark before lights automatically turn off. Supports multiple switch locations. Retail package includes momentary (ON)-OFF-(ON) switch.

Dimensions:
3.25"H (82.55mm) x 3.5"H (88.9mm)

PART NO.	MFG#	DESCRIPTION
9802003	7507-BSS	12VDC, 12A
9802004	7509-BSS	24VDC, 12A

LED DIMMER SWITCHES



- Gives you unlimited possibilities shifting the mood, from working light to a softer light
- Input 12/24V
- 2-3⁄8" x 2-3⁄8"

PART NO.	MFG#	DESCRIPTION
9997-322	BD1206C	Chrome
9997-323	BD1206MS	Matte Silver

PUSH BUTTON LIGHT SWITCHES



- 2-3⁄8" x 2-3⁄8"
- 3⁄4" deep

PART NO.	MFG#	DESCRIPTION
9997-250	B4870-2C	Double, chrome







For the most up to date pricing, please visit maritimemarinesupply.ca/price

LED FESTOON STYLE 37MM



- 37mm 12 LED festoon style
- 10-30 VDC, 1 W
- Equivalent to 15 watt incandescent light bulb

PART NO.	MFG#	DESCRIPTION
9931-701	LLB-19LC-21-00	Cool white

LED FESTOON STYLE 42MM



- 42mm 6 LED festoon style
- 10-30 VDC, 1.5 W

PART NO.	MFG#	DESCRIPTION
9931-719	LLB-186W-21-00	Warm white

LED FESTOON STYLE 42MM



- 42mm 12 LED festoon style
- 10-30 VDC, 1 W

PART NO.	MFG#	DESCRIPTION
9931-702	LLB-18LC-21-00	Cool white

LED G4 STYLE BACKPIN



- G4 back pin, 10 LED
- 10-30 VDC, 2 W

PART NO.	MFG#	DESCRIPTION
9931-711	LLB-21UW-21-00	Warm white

LED G4 STYLE SIDEPIN



- G4 side pin, 10 LED
- 10-30 VDC, 2 W

PART NO.	MFG#	DESCRIPTION
9931-709	LLB-21TC-21-00	Cool white
9931-710	LLB-21TW-21-00	Warm white

LED G4 BOTTOM PIN



- G4 bottom pin
- 10-30 VDC, 1.5 W
- Encapsulated to protect from the elements
- At over 200 lumen output this light replaces a 25-30W Halogen

PART NO.	MFG#	DESCRIPTION
9931-707	LLB-21KW-71-00	18 LED, warm white

LED BA15S BAYONET SINGLE



- Bayonet single contact
- Water tight silicone encapsulated
- 10-30 VDC, 3W
- 220 Lumen, equal to a 20W incandescent

PART NO.	MFG#	DESCRIPTION
9931-712	LLB-22KC-21-00	Cool white
9931-713	LLB-22KW-21-00	Warm white

LED BA15S BAYONET DOUBLE



- B15S bayonet double contact, 18 LED
- 10-30 VDC, 3.2 W

PART NO.	MFG#	DESCRIPTION
9931-715	LLB-26KC-21-00	Cool white
9931-716	LLB-26KW-21-00	Warm white

LED BA15S BAYONET DOUBLE



- Double contact encapsulated LED bayonet style
- Equivalent to 2NM incandescent nav Bulb
- Certified USCG COLREG 72 & ABYC-A16
- Maintains Full Brightness at 12Vdc
- 2.5 W

PART NO.	MFG#	DESCRIPTION
9931-704	LLB-28NW-24-SY	White

LED BA15S BAYONET



- Bayonet double contact, 9 LED
- 10-30 VDC, 1.5 W

PART NO.	MFG#	DESCRIPTION
9931-717	LLB-26FC-21-00	Cool white
9931-718	LLB-26FW-21-00	Warm white

LED FESTOON BASE BULB



Festoon Type Base LED Bulbs
Lumens: 31mm - 60 Lm; 36mm - 90 Lm; 39mm - 90 Lm; 41mm - 120 Lm
Colour: Warm White **Operating Voltage:** 12VDC

PART NO.	MFG#	DESCRIPTION
6592560	LD00028-WH	31mm x 15.5mm
6592562	LD00030-WH	36mm x 14mm
6592564	LD00029-WH	39mm x 14mm
6592566	LD00031-WH	41mm x 13.8mm

G4 LED BULB



- Dimmable
- Warm White
- Side pins

PART NO.	MFG#	DESCRIPTION
9997-307	94G4S	8-30V, 1.7W

G4 LED BULB BACKPIN



- Pins on back
- Warm White
- Dimmable

PART NO.	MFG#	DESCRIPTION
9997-334	94G4B	LED, 8-30V, 1.7W

MR11 LED BULB



- Dimmable
- Warm White
- Safety lenses

PART NO.	MFG#	DESCRIPTION
9997-336	94MR11LEDV	1.3W, 8-30V

G4 LED BULB



- Pins on bottom
- Warm White
- Dimmable

PART NO.	MFG#	DESCRIPTION
9997-335	94G4V	12V, 5W, 1.2W

G4 HALLOGEN BULBS



- Dimmable

PART NO.	MFG#	DESCRIPTION
9997-291	G41210	12V, 10W

G4 BASE BULB

6592540
6 LEDs





6592542
12 LEDs

G4 Type Base LED Bulbs
Lumens: 120 Lm (6 LEDs), 210 Lm (12 LEDs)
Beam Angle: 120°
Colour: Warm White
Operating Voltage: 10-30VDC

PART NO.	MFG#	DESCRIPTION
6592540	LD00014-NWH	Side Pins, 26mm Dia.
6592541	LD00014-WH1	Back Pins, 26mm Dia.
6592542	LD00016-NWH	Side Pins, 31mm Dia.
6592543	LD00016-NWH1	Back Pins, 31mm Dia.

12V LED BULB "FESTOON TYPE"



This 12V festoon style bulb allows you to convert your existing standard bulb to LED with ease. Drawing little current while creating very little heat makes this bulb safe, and saves you power. This LED bulb also provides a long life, lasting for thousands of hours. Available in red or white.

PART NO.	DESCRIPTION
6592520	White, 35mm x 10mm
6592522	White, 40mm x 10mm

HALOGEN BULB 2 PIN



Adapter
9933-191



Replacement Halogen Bulb

- Nickel-Plated brass base.
- Adapts a 2 Pin Halogen bulb to a Parallel pin, double contact, bayonet base.

PART NO.	MFG#	VOLT	WATT
7200429	B-00503	12	10
9933-196	9502482	12	20
9933-197	67786	24	20
9933-191	529381	Adapter, Bay Base, Dbl Contact	

LED BAYONET BULB



- **Connection Type:** Indexed Pins
- **Input Voltage:** 8 – 35VDC
- **Power Consumption:** 6W
- **Lumen Output:** 450 lm
- **Beam Angle:** 360°
- **Dimensions:** 52mm L x 20mm D

Not Approved for Navigation Lights.

PART NO.	MFG#	DESCRIPTION
6592299	RL-BAY15D-41SMD	Cool White

LED FESTOON BULB



- **Connection Type:** Festoon
- **Input Voltage:** 8 – 35VDC
- **Power Consumption:** 1W
- **Lumen Output:** 135 lm
- **Dimensions:** 41mm L x 20mm D

Not Approved for Navigation Lights.

PART NO.	MFG#	DESCRIPTION
6593115	RL-FES-9SMD	Cool White

For the most up to date pricing, please visit maritimemarinesupply.ca/price

LED BULB, BAYONET BASE




Parallel Pins


Non-Parallel Pins

Bayonet Base Bulbs with White LEDs.
Eff. Lumens: 110 Lm
Light Colour: Warm White
Operating Voltage: 12VDC
Dimensions: 38.6mm L x 15.2mm Dia.

PART NO.	MFG#	DESCRIPTION
6592550	01173-WH	Double Contact, Parallel Pins
6592551	01173-WH/1	Double Contact, Non-Parallel Pins

12V LED CLUSTER LAMP BULBS



CONTACT DIAGRAM



This LED cluster lamp allows you to convert your existing standard lamp to LED without effort. These 12V lamps draw little current while creating very little heat providing a long life, lasting for thousands of hours, making it very reliable. Available in red or white, double or single contact, parallel or non-parallel pin.

***Please note:** 1142 and 1016 bulbs are double contact (contact grounded) bulbs that must be installed correctly to function.

PART NO.	BULB #	COLOUR	DESCRIPTION
6592512	1142	Clear	Double Contact
6592515	1157	Red	Double Contact
6592516	1157	Clear	Double Contact
6592517	1156	Clear	Single Contact
6592518	1156	Red	Single Contact
6592524	1016	Red	Double Contact
6592525	1016	Clear	Double Contact

FLOODLIGHT BULBS





Bulb only

- Light has been discontinued, see below for replacement bulbs

PART NO.	LENGTH	VOLT	WATT
6530024	4-1/2"	24	300
6530032	4-1/2"	32	300
6530110	4-1/2"	110	500
6530212	7"	120	1000

SINGLE BASE BULB



Approximate height: 1-1/2"

PART NO.	LENGTH	VOLT	WATT
6593247	1-1/2"	12	10
6593248	1-1/2"	24	10

SINGLE CONTACT BULB



6575026



9851210 & 9852410

* For VDO Gauges.

PART NO.	LENGTH	VOLT	WATT
6575026	1-1/4"	12	5
9851210	13/16"	12	2
9852410	13/16"	24	3

FUSE TYPE BULB



Pointed

PART NO.	LENGTH	VOLT	WATT
6593212	1-5/8"	12	Pointed 10W
6593224	1-5/8"	24	Pointed 10W
6593112	1-5/8"	12	Pointed 15W
6595113	1-1/4"	12	Pointed 10W

PLUG IN BULB



For newer VDO Gauges.
3/4" Overall length.

PART NO.	COLOUR	VOLT
9851224	Clear	24
9851211	Clear	12

REPLACEMENT BULB



Replacement bulb for Master Marine Controls E/C and W/D switch. 12V, 0.17A.

PART NO.	MFG #	VOLT
9851213	50235	12

FLUORESCENT BULB



Replacement Bulb for 12 or 24 volt appplications, 12" long 8 watt bulb. Sold as each.

PART NO.	DESCTRIPTION
7200415	Replacement Bulb.

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

DOUBLE CONTACT BASE



Replacement Bulb
Parallel Pin, Double Contact

PART NO.	COLOUR	VOLT	WATT
7200427	Clear	12	15

DOUBLE CONTACT BASE



Approximate height is 2-5/8"



BA15S/BA15D Parallel Pin
BAY15D Indexed Pin

PART NO.	PIN PATTERN	VOLT	WATT
6592312	Offset	12	10
6592324	Offset	24	10
6592292	Offset	12	25
6592293	Offset	24	25
6592294	Offset	32	25
6592412	Parallel	12	30
6592424	Parallel	24	30
6592432	Parallel	32	30

HALOGEN BULBS



Replacement Halogen Bulb

PART NO.	LENGTH	VOLT	WATT
6525101	1-1/2"	12	55
6525102	1-1/2"	24	70
6560156	1-1/2"	12	100

SEALED BEAMS



Replacement Bulb

PART NO.	DIA	VOLT	WATT
6560712	7"	12	100
6560724	7"	24	450
6560732	7"	32	200

LED E27"SCREW" BULB



Specifications:
- **Connection Type:** E27 Screw
- **Input Voltage:** 8 – 35V
- **Power Consumption:** 6W
- **Lumen Output:** 450 lm
- **Beam Angle:** 360°
- **Dimensions:** 52mm L x 20mm D

PART NO.	MFG#	DESCRIPTION
6575099	RL-E27-36SMD	Cool White

MEDIUM SCREW BASE BULBS



- Sold in boxes of 6

PART NO.	MFG#	DESCRIPTION
9931-401	52022.	12V, 25W
9931-402	52010.	12V, 50W
9931-445	69791.	24V, 25W
9931-447	70189.	24V, 100W
9931-450	52222.	32V, 25W
9931-448	69789 (OLD #52012)	32V, 50W
9931-449	52026.	32V, 100W

SCREW BASE BULBS



Approximate height is 4-1/2"

PART NO.	VOLT	WATT
6575100	130	100
6575125	12	25
6575150	12	50
6575225	24	25
6575299	24	100
6575325	32	25
6575350	32	50
6575399	32	100

LED MEDIUM SCREW BASE BULBS



- Sold per each
- LED alternative to standard 50W incandescent
- Colour temp: 2700K (warm white)
- Average life: 25,000 hrs
- Aluminum frame with glass lens
- Dimmable

PART NO.	MFG#	DESCRIPTION
9931-720	UPLB-DC12-7WW	12V, 7W
9931-721	UPLB-DC24-7WW	24V, 7W

LED SCREW BASE BULBS



Specifications:
- **Base Type:** A19 screw
- **Beam Angle:** 170°
- **Operating Temp:** -20°C to +50°C
- **Voltage:** 10 - 85VDC
- 5000K daylight white

1 year warranty.

	Lumens	Equivalent	Dimensions
7W	590 lm	40W	110 x 60mm
12W	1000 lm	60W	122 x 60mm
15W	1250 lm	100W	132 x 70mm

PART NO.	MFG#	DESCRIPTION
6575080	RL-A197W	LED 7W, 590 Lumens
6575081	RL-A1912W	LED 12W, 1000 Lumens
6575082	RL-A1915W	LED 15W, 1250 Lumens

For the most up to date pricing, please visit maritimemarinesupply.ca/price

Bayonet Base LED Light Bulbs

Parallel Pins Single Contact					
PART NO.	**6592675**	**6592685**	**6592695**	**6592705**	**6592715**
MFG#	B15900-1	B15800-1	B15130-1	B15180-1	B15270-1
LIGHT	Warm White	Warm White	Warm White	Warm White	Warm White
VOLTS	10 – 14.5VDC	10 – 30VDC	10 – 30VDC	10 – 30VDC	10 – 30VDC
LUMENS*	36 – 40 lm	120 lm	195 lm	260 – 270 lm	405 lm
POLARITY	Non-Sensitive	Non-Sensitive	Non-Sensitive	Non-Sensitive	Non-Sensitive
CONTACTS	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE
REPLACES	1003, 1073, 1141, 1195	1141	1003	93, 1073, 1093, 1129, 1141, 1147, 1156, 1159, 1295, 1295NA, 1459, 1619, 1651, 1680, 2396, 3497, 7506, 7527	93, 1073, 1093, 1129, 1141, 1147, 1156, 1159, 1295, 1295NA, 1459, 1619, 1651, 1680, 2396, 3497, 7506, 7527

Offset Pins Double Contact					
PART NO.	**6592681**	**6592691**	**6592701**	**6592711**	**6592721**
MFG#	B15913-1	B15813-1	B15133-1	B15183-1	B15273-1
LIGHT	Warm White	Warm White	Warm White	Warm White	Warm White
VOLTS	10 – 14.5VDC	10 – 30VDC	10 – 30VDC	10 – 30VDC	10 – 30VDC
LUMENS*	36 – 40 lm	120 lm	195 lm	270 lm	405 lm
CONTACTS	OFFSET DOUBLE PIN	OFFSET DOUBLE PIN	OFFSET DOUBLE PIN	OFFSET DOUBLE PIN	OFFSET DOUBLE PIN
REPLACES	1157	1157	1157	1157	1157

Parallel Pins Double Contact					
PART NO.	**6592680**	**6592690**	**6592700**	**6592710**	**6592720**
MFG#	B15910-1	B15810-1	B15131-1	B15181-1	B15271-1
LIGHT	Warm White	Warm White	Warm White	Warm White	Warm White
VOLTS	10 – 14.5VDC	10 – 30VDC	10 – 30VDC	10 – 30VDC	10 – 30VDC
LUMENS*	36 – 40 lm	120 lm	195 lm	270 lm	405 lm
CONTACTS	PARALLEL DOUBLE PIN	PARALLEL DOUBLE PIN	PARALLEL DOUBLE PIN	PARALLEL DOUBLE PIN	PARALLEL DOUBLE PIN
REPLACES	1004, 1142, 1176	1004, 1142, 1176	1004, 1142, 1176	1004, 1076, 1142	1004, 1076, 1142

G-4 Base LED Light Bulbs

						
PART NO.	**6592610**	**6592615**	**6592620**	**6592625**	**6592630**	**6592635**
MFG#	B46000-1	B49000-1	B49000-2	B49100-1	B41200-1	B41200-2
LIGHT	Warm White	Warm White	Pure White	Warm White	Warm White	Pure White
VOLTS	10 – 30VDC	10 – 30VDC	10 – 30VDC	10 – 30VDC	10 – 30VDC	10 – 30VDC
LUMENS*	70 – 80 lm	95–115 lm	95–115 lm	95–115 lm	120 – 140 lm	120 – 140 lm
VIEW ANGLE	120–130°	120–130°	120–130°	120–130°	120–130°	120–130°
WATTS	1.0W	1.6W	1.6W	1.6W	2.2W	2.2W
LENGTH	24mm	28mm	28mm	28mm	31.5mm	31.5mm
DIAMETER	9mm	9mm	9mm	9mm	9mm	9mm
POLARITY	Non-Sensitive	Non-Sensitive	Non-Sensitive	Non-Sensitive	Non-Sensitive	Non-Sensitive
CONTACTS	Side Pins	Side Pins	Side Pins	Back Pins	Side Pins	Side Pins
REPLACES	12, 91, 891, Q5/T3/CL	12, 91, 891, Q5/T3/ CL, Q10/T3/CL	12, 91, 891, Q5/T3/ CL, Q10/T3/CL	12, 91, 891, Q5/T3/ CL, Q10/T3/CL	12, 91, 891, Q5/T3/CL, Q10/T3/CL	12, 91, 891, Q5/T3/ CL, Q10/T3/CL

PE 902-566-1220 NS 902-928-1900

Energy Efficient Marine LED Lighting

LuxOr LED solid state lamps use as little as one-fifth (1/5) the power of conventional light bulbs. For avid boaters who enjoy the adventure of cruising and anchoring in peaceful bays, self-sufficiency is paramount. Leading-edge LED lighting technology from LuxOr Lighting provides that advantage by dramatically reducing your lighting load by as much as 80%, significantly extending battery life between charging cycles. LuxOr LED solid state lamps last longer than conventional bulbs, up to 40,000 hours compared to incandescent bulbs at 1000 hours.

T-10 BASELED LIGHT BULBS





PART NO.	6592600	6592605	6592640
MFG#	B10800-1	B10800-3	B10500-1
LIGHT	Warm White	Blue	Warm White
VOLTS	12VDC	12VDC	12VDC
LUMENS*	25 – 30 lm	25–30 lm	70–75 lm
VIEW ANGLE	360°	360°	360°
WATTS	0.4 – 0.5W	0.4 – 0.5W	1.0W
POLARITY	Sensitive	Sensitive	Sensitive
CONTACTS	Wedge	Wedge	Wedge
REPLACES	147, 152, 158, 1459, 161, 168, 184, 192, 193, 194, 259, 280, 285, 447, 464, 555, 558, 585, 655, 656, 657, 1250, 1251, 1252, 2450, 2652, 2921, 2825	147, 152, 158, 1459, 161, 168, 184, 192, 193, 194, 259, 280, 285, 447, 464, 555, 558, 585, 655, 656, 657, 1250, 1251, 1252, 2450, 2652, 2921, 2825	147, 152, 158, 1459, 161, 168, 184, 192, 193, 194, 259, 280, 285, 447, 464, 555, 558, 585, 655, 656, 657, 1250, 1251, 1252, 2450, 2652, 2921, 2825

FESTOON BASE LED LIGHT BULBS







PART NO.	6592650	6592655	6592660	6592665	6592670
MFG#	B31200-1	B31200-2	B31800-1	B31800-2	LED-FEST42-6HP-WW
LIGHT	Warm White	Pure White	Warm White	Pure White	Warm White
VOLTS	12VDC	12VDC	10-30VDC	10-30VDC	10-30VDC
LUMENS*	25 – 30 lm	25–30 lm	66–70 lm	35–40 lm	80–90 lm
VIEW ANGLE	120–150°	120–150°	360°	360°	120–150°
WATTS	0.6W	0.6W	0.7W	1.0W	1.3W
LENGTH	31mm	31mm	31mm	31mm	42mm
DIAMETER	8mm	8mm	11mm	11mm	16.5mm
POLARITY	Sensitive	Sensitive	Sensitive	Sensitive	Sensitive
CONTACTS	Point	Point	Point	Point	Point
REPLACES	3021, 3022, 3175, 6428, 6430, DE3175		3021, 3022, 3175, 6428, 6430, DE3175		211, 212-2, 214-2, 4411, 6411, 6413, 6429

RIGHT BRIGHT WHITE LIGHT

Choosing the right bright white light can be just as difficult as it sounds. There are two main factors to consider. The first is *brightness*. Way back in the olden days, we used to measure the brightness of incandescent light by the amount of power they drew. At the time, this worked because most light technologies resulted in similar **luminous efficacy** or lumens per watt. In today's world, this is no longer the case.

The most common unit for measuring brightness is the lumen (lm). One lumen is the amount of light produced in a square foot, one foot away from a candle. The higher the number, the brighter the light appears. **Here are some approximate examples:**

- Night Light Bulb 60 lm
- Appliance Bulb 450 lm
- Household Bulb (60W) 850 lm
- Automotive Sealed Beam 1600 lm
- Halogen Sealed Beam 2150 lm



The second factor is *temperature*. Temperature is measured in **Kelvin** and refers to the colour of light. Light is referred to as 'cool' if it measures above 5000 K. These lights are bluish in colour. Lower temperatures (yes, *lower*!) are referred to as 'warm'. These lights generally measure around 2500–3000K and appear somewhat yellow in colour. 'Pure white' falls in between the warm and cool ranges. Because of the way the human eye works, cooler lights generally appear brighter than warm lights with the same lumen value.

Traditional, relaxing, cozy — Modern, bright, vivid

1000 K	2000 K	3000 K	**Warm** 4000 K	**Pure** 5000 K	**Cool** 6000 K	7000 K	8000 K	9000 K

For the most up to date pricing, please visit maritimemarinesupply.ca/price

2-POD UNDERWATER LED LIGHTING SYSTEMS



Marine Sport Lighting Stainless Steel LED Underwater boat lights function as transom lights and are also great for dock lighting. These durable LED boat lights will add colour to your wake, your night-time swim or diving. The LED housing is vibration and shock-resistant and is made from a solid piece of 316 marine-grade stainless steel with a shatterproof polycarbonate lens. They are completely waterproof, and intended exclusively for underwater use. The 120W underwater LED boat light is designed to last 50,000 hours.

The 36 High-Powered Cree LEDs operates within a wide 9–32VDC range. Installation hardware is included for surface-mounting on a variety of transom types.

- **Beam Angle:** 180°
- Waterproof IP68
- **Operating Temperature:** -30–50°C
- 9-32VDC, 120W
- **1 Year Warranty**

PART NO.	MFG#	DESCRIPTION
6596032	MSUWL120RGB	Dual Light Red/Green/Blue

MULTI-COLOR LED UNDERWATER LIGHT



Adding underwater lighting to your vessel has never been easier. One small cable hole and a few mounting screws is all it takes. Race Sport Lighting's Surface Mount Underwater LED lights boast a corrosion-proof, solid Stainless Steel body with a polycarbonate lens that is resistant to marine growth and does not require bonding or painting. Overheating is not a problem, due to the active thermal management system which manages the unit's light output based on temperature. These lights can be installed below the waterline, and are ideal for transom, hull-side, and many other locations.

A Remote Control provides a selectable range of multiple colours from 3x 3W Red/Green/Blue LED's Completely self-contained, fully sealed, fully waterproof, and fully submersible

• 12-24VDC, 0.75A at 12VDC

• 2 Year Warranty •IP68 waterproof rating

PART NO.	MFG#	DESCRIPTION
6596010	MS3LEDRGB	Light, Selectable Multi-Colour

LED RGB UNDERWATER LIGHT



HydroBLAST™ LED LIGHTING SERIES

These RGB Underwater Lights are designed exclusively for underwater use and function as transom lights as well as dock lighting. Use these durable LED boat lights to add colour to your wake, attract fish, or for nighttime swimming and diving.

The LED housing is vibration and shock-resistant and is made from a solid piece of 316 marine-grade stainless steel with a shatterproof polycarbonate lens. Installation hardware is included for surface-mounting on a variety of transom types. **1 Year Warranty.**

Lumens: 1350 **Beam Angle:** 180° **Rating:** IP68 **Voltage:** 9–32VDC
Dimensions: 3.2" diameter
Must be submerged when on to avoid overheating.

PART NO.	MFG#	DESCRIPTION
6530445	MSUWL60RGB	RGB Underwater Light
6530441	MSUWBTC12V	Bluetooth Remote

LED RGB DRAIN PLUG LIGHT



HydroBLAST™ LED LIGHTING SERIES

These RGB Underwater Drain Plug Lights are designed exclusively for underwater use. These durable LED boat lights add colour to attract fish, or for nighttime swimming and diving.

The LED housing is made from a solid piece of 316 marine-grade stainless steel with a shatterproof polycarbonate lens. Comes with 56" pigtail and installation hardware. **1 Year Warranty.**

Lumens: 259–1176 **Rating:** IP68 **Voltage:** 12VDC
Dimensions: 1.43" Dia x 2"L
Must be submerged when on to avoid overheating.

PART NO.	MFG#	DESCRIPTION
6530455	MS-27RGB	RGB Drain Plug Light
6530441	MSUWBTC12V	Bluetooth Remote

BLUETOOTH LED RGB REMOTE CONTROLLER



HydroBLAST™ LED LIGHTING SERIES

This compact LED Marine Multi-Colour Bluetooth RGB Controller combo gives you convenient control over your marine RGB LED lighting. You can adjust the brightness, colour, fade, flash and more, plus change the look of your system with just the touch of your electronic device. The black box stores neatly in a pocket or cubbyhole. If you can download the app to your cell phone, iPad, or other electronic device, you can control your lights. **1 Year Warranty.**

Bluetooth Transmit Distance: 33' (10m)
Voltage: 12VDC Input/Output
RGB Outputs: 2
Output Power: 360W max. Total
Rating: IP67

Includes: Installation hardware and instructions for downloading the app.
Dimensions: 5-1/2" x 2" x 3-1/2"

PART NO.	MFG#	DESCRIPTION
6530441	MSUWBTC12V	Bluetooth Remote

LIGHT ARMOR UNDERWATER LIGHT





Premium surface-mount LED lights that are engineered to be the brightest and most durable lights in the industry. Built to perform in the harshest marine environments, backed by an industry-leading 10-year warranty.





Exclusive Heat-Sync Cooling System with Active Overheat Protection Resistant to corrosion, chemicals, and UV Damage Extreme impact-resistant lens Fully-sealed waterproof electronics Low-profile design Electro-polished 316 s/s cover (Optional for OEM)

Sold as each

	Colour	Lumens	Voltage	Amps
6595285	Sapphire Blue	2,750	12/24VDC	1.61

Sold as each

	Colour	Lumens	Voltage	Amps
6595290	Sapphire Blue	5,000	12/24VDC	3.22

PART NO.	MFG#	DESCRIPTION
6595285	66UW06B-7	Sapphire Blue 2750 Lumens
6595290	66UW12B-7	Sapphire Blue 5000 Lumens

LED UNDERWATER LIGHT



This surface mount LED Underwater Light has 10 x 3W LEDs with their illumination increased 2x by using a secondary Optical Lens built into a 316 Stainless Steel housing. 1.5 meter long pigtails are provide.

	White	Blue	Green
Lumens:	1130	245	590
Beam Angles:	120°	120°	125°
Operating Voltage:	10–30VDC		
Dimensions:	135L x 67W x 24.3T (mm)		
Waterproof: IP68			

PART NO.	MFG#	DESCRIPTION
6595270	00298-10WH	Cool White
6595271	00298-10BU	Blue
6595272	00298-10GN	Green

MULTICOLOUR LED UNDERWATER LIGHT



This surface mount LED Underwater Light is made of plastic and has a 316 Stainless Steel trim ring. It has 9 high power LEDs providing 575 Effective Lumens In White, 100 in Blue, 501 in Green and 166 in Red with a beam angle of 15°. Colour selection and strobe mode is selected with the ON-OFF switch.

Rating: IP68
Dimensions: 6.3" x 3.09" x 0.929"

PART NO.	MFG#	DESCRIPTION
6595275	00398-9SSRGBW	10-30VDC

UNDERWATER LED LIGHT



Operating Voltage: 12VDC, 130mA
Dimensions: 3.5"L x 1.5"W x 1.2"H with spacer (0.7"H no spacer)

Totally waterproof and designed to be used above or below the water line. A broad flood light effect is created with a choice of white, blue or green illumination. **Stainless Steel hardware Included.** These surface mount LED lights provide up to 600 Lumens of low heat and low current draw for an expected life of 100,000 hours.

PART NO.	MFG#	DESCRIPTION
6595265	LED-51866-DP	LED Light White 12V
6595266	LED-51867-DP	LED Light Blue 12V
6595267	LED-51868-DP	LED Light Green 12V

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

LED UNDERWATER SEABLAZEX2



- One of the highest rated lumen underwater light at 5000lum
- Delivers White or Blue light solid or strobe state
- 12/24 VDC
- 5amps @12 VDC, 2.5amps @ 24 VDC
- 3-7/8" dia, 3/4" H, surface mnt

PART NO.	MFG#	DESCRIPTION
9931-917	101516	White/blue

ZAMBEZI UNDER WATER LIGHT



- Perfect for smaller pontoons and skiffs
- Small, easy to mount, easy on the wallet, yet packs a visual punch
- 3-screw mounting footprint only 3" diameter

PART NO.	MFG#	DESCRIPTION
9931-893	101456	12/24V, white
9931-894	101457	12/24V, blue
9931-895	101458	12/24V,Spectra/RWBG

LED UNDERWATER SEABLAZE QUATTRO



- Marine grade bronze housing
- White/Blue solid or cross fade lighting, 2000lum
- 12/24 VDC
- 2.1amps @ 12 VDC, 1.1amps @ 24 VDC
- 3-7/8" dia, 3/4" H, surface mnt

PART NO.	MFG#	DESCRIPTION
9931-918	101511	White/blue

SEABLAZE MINI LED - UNDERWATER LIGHTS



The newest member of the SeaBlaze family, the diminutive SeaBlaze Mini packs a surprising punch! SeaBlaze Mini leverages many of the technologies utilized in the world's most popular underwater light. With an actual measured output of more than 700 lumens, there is simply no better value in underwater lighting. Perfect for smaller trailer boats, skiffs or dinghies. Sold as a pair.

PART NO.	MFG#	DESCRIPTION
9931-442	101246	2 pack, blue, 12/24V
9931-444	101245	2 pack, white, 12/24V

DIONE LED UNDERWATER LIGHT



- 12/24V, draws <550mA @ 12V
- 3-bolt silver housing, polycarbonate lens
- 500 Lumen, 35deg beam angle



PART NO.	MFG#	DESCRIPTION
9931-887	3312401001	White
9931-888	3312402001	Blue



ALUMINUM SOLAR DOCK LIGHT



- Matte finish hi Intensity aluminum Solar Dock Lite
- Corrosion resistant aluminum
- Brite white LEDs
- Traffic tolerant, toe friendly design
- Rechargeable batteries

PART NO.	MFG#	DESCRIPTION
9952-665	DE96263F	White LED

MOTION SENSOR DOCK LIGHT



- Stainless steel light mounts on posts or any vertical service
- Powerful solar charging performance
- Up to 3m and 90º detection angle vertically and horizontally
- White LED illuminates for 15 seconds when motion is detected
- Blue LED illuminates in standby

PART NO.	MFG#	DESCRIPTION
9952-667	DE96280F	White LED

SOLAR LED DOCK LIGHT



- Material: PC base + PC lens
- LED Type: 6 x 5mm Cool white LEDs
- LED Lifetime: 50000hrs
- 1 x Rechargeable battery
- Weight Bearing: 20 Ton
- Use solar power to charge the battery during daytime and turns ON automatically at night
- Expose to sun for at least 12 hours before use

Waterproof: IP68
Dimensions: 100.0mm x 100.0mm

PART NO.	MFG#	DESCRIPTION
6575003	01640-WH	Cool White, Solar

SOLAR DOCK & DECK LIGHT ULTRA



- Made from polycarbonate
- Automatic on-at-dusk
- 2v, 200mA solar panel
- Runs for 20 hours on a full charge
- Ni-MH 1200mAh battery
- Ideal for fresh and salt water locations
- IP 68 Waterproof Rating

Dimensions : 4.53 x 4.13 x 0.79" (115 x 105 x 20mm)

PART NO.	MFG#	DESCRIPTION
6575072	DE96287F	Dock / Deck Light

SOLAR DOCK/ WARNING LIGHTS



Charge during the daylight hours and automatically turn on at dusk to alert boaters of hazards. Easily attached to buoys, docks, moorings. They are constructed with a tough, waterproof (not submersible) plastic housing to keep the light working in all conditions. Steady on mode, a slow flash mode (15 times / minute), and a fast flash mode (60 times / minute)all within the same unit.

Available in white, red, or green LEDs. All come with clear lens.

PART NO.	MFG#	DESCRIPTION
7926860	46106	White
7926861	46107	Red
7926862	46108	Green

SIDE MOUNT DOCK LIGHT



- Ideal for any location where a cast light is desirable such as walkways, entrances, or areas difficult to reach with an electrical outlet such as a shed or garage
- Small, compact, durable & attractive
- No wiring is necessary
- Automatically active at dusk

PART NO.	MFG#	DESCRIPTION
9952-666	DE96272F	Dock Light

PILING SOLAR LIGHT



- deal for docks, decks, walkways and driveway or slip entries
- Attractive & functional
- Up to 10 hr run time
- Bright white LED / 360° illumination
- Powerful solar charging performance
- Installs easily with no wires
- Attractive & rugged broad-based ABS pillar
- Fits piling diameters 7" and up

PART NO.	MFG#	DESCRIPTION
9952-664	DE96264F	Up to 10 hr run time

PILING CAP LIGHT SOLAR



This Solar Piling Cap Light has a convenient touchpad that can select any one of 6 preinstalled LED colors.

- 360 illumination.
- Automatic on-at-dusk.
- Durable UV resistant ABS is durable and weatherproof.
- Wildlife deterrent spike.
- Includes rechargeable AAA Ni-Cd battery.
- IP 65 Waterproof Rating

PART NO.	MFG#	DESCRIPTION
6575073	DE96268F	Piling Light

For the most up to date pricing, please visit maritimemarinesupply.ca/price

CLEARVUE LED SOLAR LIGHTS

These ClearVue LED Lights are ideal for docks, decks, or walkways. They feature four ultra-bright warm white LEDs and a user replaceable AA NiMH battery.

A clear plastic lens ensures durability while still allowing the solar panel to properly charge, allowing for 8 hour run times after a full charge.



Flat Mount
6575004



Side Mount
6575006



Post Top Mount
6575005

PART NO.	MFG#	DESCRIPTION
6575004	46303	ClearVue, Flat Mount
6575005	46304	ClearVue, Post Top Mount
6575006	46305	ClearVue, Side Mount

SOLAR POWERED SENSOR ACTIVATED LED LIGHTS



6575012

Motion Sensor Solar LED Post Light

This light turns on automatically at sunset. It puts out a constant beam of dim light (10LM) then brightens (100LM) when it senses motion. User replaceable lithium 18650 battery.
Dimensions: 3-7/8"W x 5"H x 2-1/2"D



6575013

Motion Sensor Solar LED Overhead Light

This light turns on automatically at sunset. It puts out a constant beam of dim light (15LM) then brightens (135LM) when it senses motion. User replaceable lithium 18650 battery.
Dimensions: 6-5/8"L x 4-3/8"W x 2-1/8"H

PART NO.	MFG#	DESCRIPTION
6575012	46301	Motion Sensor Post Light
6575013	46300	Motion Sensor Overhead Light

SENTINEL SOLAR DOCK LIGHT



- Broad-based, tapered pillar to illuminate docking areas
- Optional "J" hook (54-060) creates a life ring station
- Rechargeable batteries included

PART NO.	MFG#	DESCRIPTION
9952-634	DE96252F	35"

LED SOLAR POST LIGHTS



PACK OF 2

- Includes 6 changeable LED bulbs (white, blue, green, red orange and yellow)
- Runs 18 hours on a full charge
- 3-1/2" Dia. x 3-1/2"H lens; overall 6-3/4"H
- 360º lenticular light diffusing lens maximizes light reflection
- Universal fit for installation on post sizes 1-5/8" OD, 1-7/8" OD, 2-3/8" OD, 3-1/4"ID and will mount to flat surfaces

PART NO.	MFG#	DESCRIPTION
9952-632	DE96258F	LED bulbs, Solar Light Pack of 2

LED SOLAR DOCK LIGHTS



- Automatic on-at-dusk; extended duty solar charged batteries will last until sunrise
- Comes with 6 bright white LED bulbs
- 8-1/2" L x 6" W x 1" H
- Durable, weatherproof low profile construction makes it an attractive and functional addition to docks, walkways, decks and landings; ideal for illuminating trouble spots on pathways or transition areas such as from dock to shore
- Uses two #10 panhead stainless steel wood screws

PART NO.	MFG#	DESCRIPTION
9952-631	DE96255F	White LED bulbs

PANORAMIC DOCK LIGHT



- Perfect for docks and decks
- Automatic on-at-dusk
- Weatherproof, durable
- Works 8 hours on a full charge
- Replaceable, rechargeable battery
- 4-5 lumens of emitted light

PART NO.	MFG#	DESCRIPTION
9952-669	DE96286F	Weatherproof

SOLAR DOCK LIGHT VALUE PACK



- Automatic on-at-dusk
- Weatherproof and Durable
- Installs easily with NO wires
- Traffic tolerant, toe friendly design

PART NO.	MFG#	DESCRIPTION
9952-658	DE96262F	Pack of 2

BULLS-EYE SPOT BEAM PENLIGHT – PS100



- Spot Beam Optics Bulls-Eye Hot Spot surrounded by a Soft Halo
- Lumen output : 110 lm
- Beam distance : 135 ft/41m
- Push button cycle between power options
- Runtime : 14h 30min
- Rating : IP54
- Storm Proof, Crush Proof, Drop Proof and Dust Resistant
- Battery description: 2 x AA (included)

PART NO.	MFG#	DESCRIPTION
9931-982	30610	Penlight, Polysteel PS100

PURE BEAM FOCUSSING - G32



- Beam optics: pure beam focusing
- Lumen output: 355 (high); 110 (low)
- Beam distance (high): 435 ft/132m
- Beam distance (low): 240 ft/73m
- Runtime (high): 47min, 4h 15min (low)
- Length: 6.4” in/16.3 cm
- Weight: 5.6 oz/159 g
- Battery description: 2 x AA (included)

PART NO.	MFG#	DESCRIPTION
9931-981	21440	Flashlight, G32

SPOT BEAM PENLIGHT – G22



- Beam optics: Bulls-Eye™ Spot Beam
- Beam distance: 170 ft / 52 m
- Output : High/Low Beam, 100Lumens Max.
- Run Time: 5.5 Hours
- Rated : IP54 Storm Proof, Dust Resistant
- Length: 4 in / 10.2 cm
- Weight: 1.4 oz / 40 g
- Battery description: 1 x AA (included)

PART NO.	MFG#	DESCRIPTION
9931-980	30571	Penlight, G22, Black

POLYSTEEL 200



- Beam optics: pure beam focusing
- Lumen output: 320 (high); 30 (low)
- Beam distance (high): 387 ft/118m
- Beam distance (low): 121 ft/37m
- Runtime (high): 3h 45min, 34h (low)
- Length: 5 in/12.7 cm
- Weight: 4.1 oz/116 g
- Battery description: 3 x AAA

PART NO.	MFG#	DESCRIPTION
9931-870	20466	Polysteel 200

POLYSTEEL 400



- Beam optics: pure beam focusing
- Lumen output: 375 (high); 41 (low)
- Beam distance (high): 633 ft/193m
- Beam distance (low): 206 ft/63m
- Runtime (high):50min (high),16h (low)
- Length: 5 3/4" in/14.6 cm
- Weight: 6.4 oz/181 g
- Battery description: 4 x AAA

PART NO.	MFG#	DESCRIPTION
9931-871	20860	Black

POLYSTEEL 600



- Beam optics: pure beam focusing
- Lumen output: 710 (high); 73 (low)
- Beam distance (high): 810 ft/247m
- Beam distance (low): 255 ft / 78m
- Runtime (high): 2h15min, 40h (low)
- Length: 7 7/8" in/19.98 cm
- Weight: 12 oz./340 g
- Battery description: 4 x AA

PART NO.	MFG#	DESCRIPTION
9931-872	20835	Black

POLYSTEEL 1000



- Beam optics: pure beam focusing
- Lumen output: 1000 (high); 98 (low)
- Beam distance (high): 1151 ft/351m
- Beam distance (low): 357 ft/109m
- Runtime (high): 11h, 85h (low)
- Length: 10 3/16" in/25.9 cm
- Weight: 21.2 oz 602g
- Battery description: 9 x AA

PART NO.	MFG#	DESCRIPTION
9931-873	21580	Black

For the most up to date pricing, please visit maritimemarinesupply.ca/price

INSPECTION LIGHT – G20



- Beam optics: inspection beam
- Beam distance: 72 ft / 22 m
- Runtime: 10h
- Length: 5.65 in / 14.35 cm
- Weight: 2.4 oz / 68 g
- Battery description: 2 x AAA

PART NO.	MFG#	DESCRIPTION
9931-876	20254	Black

INSPECTION LIGHT – G19



- Beam optics: inspection beam
- Beam distance: 65 ft / 20 m
- Runtime: 2h 30min
- Length: 4.0 in / 10.2 cm
- Weight: 1.5 oz / 42 g
- Battery description: 1 x AAA

PART NO.	MFG#	DESCRIPTION
9931-875	20834	Black

NEW

FLOATING FLASHLIGHT



- Shockproof.
- 1 LED x 50 lumens.
- Run time: 25 hours.
- Beam distance: 20 m.
- Powered by 2 AA batteries (not inclu.).

PART NO.	MFG#	DESCRIPTION
9990-940	65537	Yellow, Floating

NEW

SAFETY FLASHLIGHT



- Super-powerful white LEDs.
- Morse code function.
- Housing covered in translucent blue rubber.
- IP44 rating: sprayproof.
- Powered by 2 AA batteries (not supplied).

PART NO.	MFG#	DESCRIPTION
9990-942	P203948	Blue, 3 LED
9990-943	P203949	Blue, 7 LED

WATERPROOF FLASHLIGHT



- Heavy Duty, waterproof to a depth of 30'
- Unbreakable lens and krypton bulb
- Comes with 2 x AA batteries

PART NO.	MFG#	DESCRIPTION
9931-560	WRWP21E	Waterproof

LED FLOATING FLASHLIGHT



Watertight, compact, floating flashlight with 3 LED blubs. The shock-resistant casing has a non-slip grip and bright colour. 2 x AA batteries are included. **Dimensions:** 11.0"L x 3.875"Dia.
8-12 Lumens, 50,000 Hour LED Life.

PART NO.	MFG#	DESCRIPTION
6575592	7914-0105	Floating LED Flashlight

LED FLASHLIGHTS



Fox 40 Flash Pack is a waterproof, compact, go-anywhere floating flashlight pack consisting of 1 large and 1 small LED Flashlight, 2 x AA Batteries and 1 x AAA Battery. 3 LED bulbs project an 8-12 lumen beam with a 50,000 hour lifetime. Shock-resistant casings with a non-slip grip and its bright colour makes them easy to locate in an emergency. Great for boating, fishing or outdoor excursions.

PART NO.	MFG#	DESCRIPTION
6575593	7914-0110	"Flash Pack" Flashlights

ENERGIZER MAX ALKALINE BATTERIES



PART NO.	MFG#	DESCRIPTION
9931-550	E91BP4	AA , pkg of 4
9931-551	E92BP4	AAA, pkg of 4
9931-552	E93BP2	C, pkg of 2
9931-553	E95BP2	D, pkg of 2
9931-554	522BP	9V, pkg of 1

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

LED HEADLAMP – FL13



- Broad and wide beam for up close work
- White & red LED light for night vision
- Reflective safety strap, hinged beam adjustment, and hardhat compatibility
- Light Output (high/low): 380 lumens, 54 lumens
- Beam Distance (high/low): 68 ft / 29 ft
- Runtime (high/low): 2.5 hrs, 13 hours
- Includes 2 x standard AAA alkaline batteries and hardhat clips

PART NO.	MFG#	DESCRIPTION
9931-926	21705	225 lumens

LED HEADLAMP – FL19



- Broad and wide beam for up close work
- White & red LED light for night vision
- Reflective safety strap, hinged beam adjustment, and hardhat compatibility
- Light Output (high/low): 365 lumens, 45 lumens
- Beam Distance (high/low): 124 ft, 49 ft
- Runtime (high/low): 3.25 hrs, 17 hrs
- Includes 3 x standard AAA alkaline batteries and hardhat clips

PART NO.	MFG#	DESCRIPTION
9931-927	21679	365 lumens



LED HEADLAMP – FL80



- The FL80 is a powerful, all white, front-loader with focusing and 3 light modes.
- Light Output (high/low): 615 lumens, 96 lumens
- Beam Distance (high/low): 600 ft, 252 ft
- Runtime (high/low): 2.25 hrs, 13 hrs
- Includes 3 x standard AAA alkaline batteries and hardhat clips

PART NO.	MFG#	DESCRIPTION
9931-928	21438	615 lumens

LED HEADLAMP



- White and red lights with 3 beam patterns and 3 intensities
- Pivoting head and adjustable head band
- Integrated SOS whistle on the head band
- Waterproof to IPX5
- Takes 3 x AAA (not Included)

PART NO.	MFG#	DESCRIPTION
9931-770	67366	210 lumens

RANGER – LED HEADLAMP



- 126 Lumens
- 1 watt super bright center CREE white LED
- 3 bottom green LEDs and 4 side red LEDs
- ABS rubberized housing for durability, plus weather-resistant
- Burn Time: 5+ hours
- Includes 3 Energizer AAA batteries

PART NO.	MFG#	DESCRIPTION
9931-768	CYC-RNG1XP	Black, 126 lumen
9931-769	CYC-RNG1XP-CMO	Camo, 126 lumen

MINIMUM SAFETY EQUIPMENT REQUIREMENTS FOR PLEASURE CRAFT

The following table summarizes Transport Canada safety requirements. Be sure to consult the current Safe Boating Guide for Safety Equipment requirements for your vessel. Free copies of the guide should be available from your local marine equipment dealer.

Is your vessel properly equipped for Safe Boating?

Transport Canada Transports Canada

	Personal Watercraft (PWC)	Sail and Power Boats			
		up to 19'8" (6 m)	19'8" - 29'6" (6 m to 9 m)	29'6" – 39'4" (9 m to 12 m)	39'4" – 78'9" (12 m to 24 m)
Personal Lifesaving Appliances	1) 1 life jacket or PFD for each person 2) 1 buoyant heaving line min. 49'3"L 3) *1 reboarding device	1) 1 life jacket or PFD for each person 2) 1 buoyant heaving line min. 49'3"L 3) *1 reboarding device	1) 1 life jacket or PFD for each person 2) 1 buoyant heaving line min. 49'3"L OR 3) 1 lifebuoy attached to a buoyant line min. 49'3"L 4) *1 reboarding device	1) 1 life jacket or PFD for each person 2) 1 buoyant heaving line min. 49'3"L 3) 1 lifebuoy attached to a buoyant line min. 49'3"L 4) *1 reboarding device	1) 1 life jacket or PFD for each person 2) 1 buoyant heaving line min. 49'3"L 3) 1 lifebuoy with self-igniting light or attached to buoyant line min. 49'3"L 4) *1 reboarding device
Vessel Safety Equipment (See Note 1)	4) 1 manual propelling device OR 1 anchor and at least 49'3" of cable, rope or chain in any combination 5) 1 bailer or manual bilge pump	4) 1 manual propelling device OR 1 anchor and at least 49'3" of cable, rope or chain in any combination 5) 1 bailer or manual bilge pump	4) 1 manual propelling device OR 1 anchor and at least 49'3" of cable, rope or chain in any combination 5) 1 bailer or manual bilge pump	5) 1 anchor and at least 98'5" of cable, rope or chain in any combination 6) 1 manual bilge pump OR Bilge-pumping arrangements	5) 1 anchor and at least 164'1" of cable, rope or chain in any combination 6) Bilge-pumping arrangements
Visual Signals (See Note 2)	6) 1 watertight flashlight OR 3 Type A, B or C flares	If boat is equipped with a motor 6) 1 watertight flashlight OR 3 Type A, B or C flares	6) 1 watertight flashlight 7) 6 Type A, B or C flares	7) 1 watertight flashlight 8) 12 Type A, B, C or D flares, not more than 6 of which are Type D	7) 1 watertight flashlight 8) 12 Type A, B, C or D flares, not more than 6 of which are Type D
Navigation Equipment (See Note 3)	7) 1 sound-signalling device or appliance 8) **Navigation lights 9) ***1 magnetic compass 10) 1 radar reflector	7) 1 sound-signalling device or appliance 8) **Navigation lights 9) ***1 magnetic compass 10) 1 radar reflector	8) 1 sound-signalling device or appliance 9) **Navigation lights 10) ***1 magnetic compass 11) 1 radar reflector	9) 1 sound-signalling device or appliance 10) Navigation lights 11) 1 magnetic compass 12) 1 radar reflector	9) 1 sound-signalling device that meets the applicable standards set out in the Collision Regulations 10) Navigation lights 11) 1 magnetic compass that meets Navigation Safety Regulations 12) 1 radar reflector
Fire Fighting Equipment 	11) 1 5BC fire extinguisher	11) 1 5BC fire extinguisher if equipped with an inboard engine, a fixed fuel tank, or a fuel-burning cooking, heating or refrigerating appliance	12) 1 5BC fire extinguisher if equipped with a motor 13) 1 5BC fire extinguisher if equipped with a fuel-burning cooking, heating or refrigerating appliance	13) 1 10BC fire extinguisher if equipped with a motor 14) 1 10BC fire extinguisher if equipped with a fuel-burning cooking, heating or refrigerating appliance	13) 1 10BC fire extinguisher at all of: access to each space with a fuel-burning cooking, heating or refrigerating appliance; entrance to any accommodation space; and entrance to the machinery space 14) 1 axe 15) 2 buckets min. 10 L ea.

*Required if vertical climbing height to reboard the boat from the water (freeboard) is over 1'8" (0.5 m). **Required if operating after sunset, before sunrise or in restricted visibility
***Not required if the boat is 26'3"(8 m) or less and operated within sight of navigation marks.

Note 1 – Exception for Bailers and Manual Bilge Pumps: A bailer or manual bilge pump is not required for a boat that cannot hold enough water to make it capsize or a boat that has watertight compartments that are sealed and not readily accessible.

Note 2 – Exception for Flares: Flares are not required for a boat that * is operating on a river, canal or lake in which it can never be more than 1 nautical mile (1.852 km) from shore; or
* has no sleeping quarters and is engaged in an official competition or in final preparation for an official competition.

Note 3 – Radar Reflectors: Radar reflectors are required for boats under 65'7" (20m) and boats that are built of mostly non-metallic materials.
A radar reflector is not required if: * boat operates in limited traffic conditions, daylight and favorable environmental conditions, and a radar reflector is not essential to the boat's safety; or
* small boat size or its operation away from radar navigation makes having a radar reflector impracticable.

Distress Flares

Required item for most recreational vessels

Flares are an important safety device aboard any vessel, but remember to replace them every **4 years**. Each flare has its date of manufacture stamped on the casing. Keep your flares accessible at all times and, to keep them safe, always store flares vertically in a cool, dry location–a watertight container is best. All our flares are Transport Canada approved.

Type A – Rocket Parachute Flares

Type A flares are fired into the sky and slowly descend with a parachute. They reach a height of 300m (984') and burn for at least 40 seconds.Type A flares are highly visible from both the ground and the air.

TYPE "A" PARACHUTE SIGNAL ROCKET



Distress signal conforming to SOLAS for releasing red star at 300m altitude.

PART NO.	MFG#	DESCRIPTION
7223204	CM-1631	Signal Rocket

Type B – Multi-Star Flares

Type B flares fire two stars into the sky from a pistol or a disposable handheld launcher. These flares don't travel as high or burn for as long as parachute flares.

TYPE "B" SKY-LITE FLARE KIT



Comet Sky-Lite Flares are hand-held, waterproof and will float. The Sky-Lite launches twin stars 90 meters into the air with a 4 second burn time.

PART NO.	MFG#	DESCRIPTION
7223200	CM-1228-3PK	3 Flares
7223201	CM-1228-6PK	6 Flares

TYPE "B" 12 GAUGE FLARE GUN KIT

For use on non-CSI inspected vessels. The Kit includes a durable, easy to use Pistol Launcher and 6 Twin Star 12-Gauge cartridge flares all packed inside a sturdy water resistant case with two thumb latches and a convenient carry handle. Two red stars are ejected to a height of 61m which burn for 5.5 seconds at 10,000 candela.



7223230



7223232

PART NO.	MFG#	DESCRIPTION
7223230	CM-1774KIT	Twin Star Kit
7223232	CM-1774KIT1	Blister Pack
7223235	CM-1774	12ga Flare Cart. (ea)

Type C – Handheld Flares

Type C flares are handheld. They burn for at least a minute and they're best for helping air searchers pinpoint your location in an emergency.

TYPE "C" HANDHELD FLARE



- Distress signal for marking position.
- Burning time up to 60+ seconds at 15,000 candela.

PART NO.	MFG#	DESCRIPTION
7223202	CM-1628	Type C, Handheld Flare, Single
7223203	CM-1628-3PK	Type C, Handheld Flare, 3pk
7223206	CM-1628-6PK	Type C, Handheld Flare, 6pk

Type D – Smoke Flares

Type D flares produce smoke. They're only visible during the day, so if you carry this type of flare, you'll also need to have another type on board so you can be spotted at night.

TYPE "D" FLOATING SMOKE SIGNAL



Transport Canada and SOLAS approved for use aboard commercial ships. Used for daytime signalling, this safety signal is buoyant and safe for use on oil or petroleum covered water. Superior advances make this floating signal smoke for 3 minutes, exceeding that of other orange smoke signals. This means the orange coloured smoke will last in the area of distress longer and increase the likelihood of being spotted by rescuers. Used in Lifeboats, life rafts and onboard ship's bridge sets of pyrotechnics.



PART NO.	MFG#	DESCRIPTION
7223240	CM-1920	Floating Smoke Signal

Sending the right signals...

If you're boating in a river, canal or lake and you could never be more than one mile from the shore, you don't need to carry flares. If the boat doesn't have sleeping quarters and you're in a race (eg. Lasers, 29ers), you don't need flares. Sailboards and kiteboards don't need flares either. **Otherwise, most recreational watercraft must follow these rules:**

- Paddleboats, watercycles, canoes, kayaks & rowboats more than 6m long require 6 flares, any combination of type A, B, or C.
- PWC like Seadoo's require 3 flares, type A, B, or C. You can keep a watertight flashlight aboard instead of flares.
- Sailboats and powerboats up to 6m (19'8") that have a motor need 3 flares, type A, B, or C. You can choose to carry a watertight flashlight instead of flares.
- Boats 6 - 9m (19'8" - 29'6") need 6 flares, type A, B, or C.
- Boats 9 - 24m (29'6" - 78'9") need 12 flares. At least 6 of these need to be type A, B, or C.



For the most up to date pricing, please visit maritimemarinesupply.ca/price

12-GAUGE TWIN ALERTER BASIC KITS



- Transport Canada approved for non-CSI inspected vessels
- Kits contain 12-gauge pistol launcher with bandolier and twin star cartridges
- 6 twin star cartridges
- Recommended for all pleasure craft over 6m long, but not more than 8m

PART NO.	MFG#	DESCRIPTION
9954-011	C12TB6/596	Basic 6

12-GAUGE TWIN CARTRIDGES



Each cartridge launches two meteors.

- Type B 12-gauge twin star cartridge launches two meteors
- Burns for 7 seconds with 16,000 candlepower intensity, reaching an altitude of 500'
- Fits any CIL/Orion 12-gauge pistol launcher

PART NO.	MFG#	DESCRIPTION
9954-072	C12T3PK/692	Pack of 3
9954-139	C12T6PK	Pack of 6

TYPE "B" SKY-LITE FLARE KIT



These self contained Skyblazer II Aerial signal flares are safe, bright, waterproof and float in the event that they should fall into the water.

- Each hand held firing device contains 2 Star signals.
- Altitude up to 140 meters (450 ft.)
- Burn time up to 7 seconds, brightness up to 16,000 candelas.
- Transport Canada approved for day and night use.

PART NO.	MFG#	DESCRIPTION
9954-102	CIL3/699	Pack of 3
9954-106	CIL6/946	Pack of 6

12-GAUGE TWIN ALERTER SUPER KITS

- Transport Canada approved for non-CSI inspected vessels
- Kits contain 12-gauge pistol launcher with bandolier and twin star cartridges



- 3 Type C Handheld Red
- Water resistant case
- 12 gauge launcher
- 3 twin star aerial flares



- 6 Type C Handheld Red
- Water resistant case
- 12 gauge launcher
- 6 twin star aerial flares

PART NO.	MFG#	DESCRIPTION
9954-088	SUPER6/396	Super 6 Kit
9954-089	SUPER12/385	Super 12 Kit

TYPE C HANDHELD RED SIGNAL FLARES



- Transport Canada approved for non-CSI inspected vessels
- Average burn time 3 minutes,700 candlepower

PART NO.	MFG#	DESCRIPTION
9954-103	ECONO3/386	Pack of 3
9954-105	ECON06/394	Pack of 6

C·I·L / ORION

SOLAS TYPE A AND C FLARES

9954-101



9954-100



- Transport Canada approved for commercial boats; meets SOLAS requirements

PART NO.	MFG#	DESCRIPTION
9954-100	52286	Type C handheld
9954-101	52262	Type A rocket parachute

TYPE D FLOATING ORANGE SMOKE



- Daytime signal to help rescuers pinpoint your location
- Delivers 3 minutes of a dense orange cloud
- Will not harm the environment; meets SOLAS, Transport Canada and USCG requirements

PART NO.	MFG#	DESCRIPTION
9954-095	52251	Smoke

WATERPROOF FLARE CONTAINER



- Watertight and rugged, excellent for storing your flares neatly and safely
- 16" H x 9" diameter

PART NO.	MFG#	DESCRIPTION
7223040	CM-1280	Flare Container

SPORT UTILITY DRY BOXES



- Reinforced steel pin hinge system never fails
- Heavy duty steel bar locking latch system; hand laid lid gasket seals the inside
- Extra thick copolymer wall construction won't warp from sun, cold, or rough handling

PART NO.	MFG#	DESCRIPTION
9953-390	56011-15	15" W x 7-3/4" L x 6-1/2" H, OD
9953-391	56021-15	15" W x 7-3/4" L x 11-1/2" H, OD

SIGNALLING MIRROR



- 3" x 4" polished stainless steel mirror with lanyard

PART NO.	MFG#	DESCRIPTION
9954-009	MIRR/916	Stainless Steel

SIGNALLING MIRROR





The Signalling Mirror is the most basic and the most underrated signalling device found in a survival kit. It is simple to operate and does not present the problem of low battery power or chemical exhaustion that can affect other emergency light sources.

A lanyard hole facilitates attaching an emergency whistle and/or float.

Dimensions: 3-7/8" x 3-7/8" square

PART NO.	MFG#	DESCRIPTION
7223013	FW-BP010	Signalling Mirror



FLOATING LED-TYPE LITHIUM LIFEBUOY LIGHT



Floating LED-type lifebuoy with automatic seawater activation. Operates with an integrated lithium battery, 5-year run time. Can be stored in any position with no risk of inadvertent activation.

- Duration: 2 hours minimum in operation mode
- Dimensions: 4" x 9" (Ø x H)
- Supplied with holder and 2.65 m lanyard
- SOLAS approved

PART NO.	MFG#	DESCRIPTION
9990-609	63655	LED

MAN OVERBOARD LIGHT



The Latest L90 LED Lifebuoy Light from Daniamant replaces the popular original L90 with modern LED technology.

- Exceeds the IMO SOLAS regulations
- Approvals : SOLAS/MED/USCG/TC
- Min. standard: 2cd output
- Min. standard: 2 hour duration
- Lasts for days!
- Robust and reliable
- Water Tightness IP68 + 50m for 1 hour
- IP6X Dust Ingress
- IPX8 Water Ingress Certificate
- Uses tried and proven Alkaline battery technology. (Requires 5 x LR20 – 1.5 volt, Not Included)

PART NO.	MFG#	DESCRIPTION
7223226	DN-63-401A-WB	Lifebuoy Light, L90-LED, with Bracket
9954-027	DN-63-4003	Storage Bracket

REPLACEMENT PARTS FOR THE ORIGINAL L90

PART NO.	MFG#	DESCRIPTION
9931-262	DN-63-1000	Replacement bulb
9954-437	DN-63-4001	Replacement dome
9954-438	DN-63-8005	ReplacementO-ring

STELLA LED FLOATING LIFEBUOY LIGHT



- 360° arc of visibility, 2 candela light intensity
- Approx 8 hours run time60 flashes/ minute
- Uses only one D (R20) alkaline battery
- SOLAS approved
- **Battery not included**

OPTIONAL MOUNTING CLIPS

- Fits any tube or rail, horizontal or vertical: 20 to 30 mm
- Screws not included

PART NO.	MFG#	DESCRIPTION
9990-421	196482	SOLAS Approved
9990-553	45184	Mounting Clip

LED LIFEBUOY LIGHT WITH BRACKET



- 2 cd output, 2 hour duration
- Commercial brackets fit 30" Life Rings
- Recreational brackets fit 24" Life Rings
- Offers low maintenance and does not Require battery replacement

Approvals: TC T.C137.034.036, SOLAS/MED.

PART NO.	MFG#	DESCRIPTION
7223216	FW-61010A	L170 Flashing Lifebuoy Light

NEW

LIFE JACKET LIGHT



Automatic activation by sensor contact with water. Can be switched off manually. Protected by an extra-flat dome guaranteeing wide diffusion of the light signal and considerably reducing the risk of damage during rescue operations.

- Autonomy: 8 hours
- Flashes: 55/min
- Lithium battery (5-year life)

PART NO.	MFG#	DESCRIPTION
9990-866	60833	Lifejacket Light, Auto Activate

PERSONAL LOCATOR LIFEJACKET LIGHT





This new low-profile Automatic W4-A FitzWright Lifejacket Light is a single compact flashing unit that will remain lit once it is water activated to facilitate rescue scenarios involving an unconscious survivor.

The light can be turned off manually if required. It meets all the testing requirements of SOLAS, Transport Canada and the Marine Equipment Directive with an operating time of 60 hours – far in excess of the required 8 hours.
Transport Canada: TAE0000103 **USCG/SOLAS:** 161.112/100/0

PART NO.	MFG#	DESCRIPTION
7223213	FW-1360	Lifejacket Light

LIFEJACKET LIGHT



- Battery lifespan of 5 years
- 2NM Auto. light for PFD, jacket or suit 2 NM
- SOLAS approved

PART NO.	MFG#	DESCRIPTION
9990-762	2263071	Jacket or Suit 2 NM

FLOATING LIFEBUOY LIGHT





- Designed to float upright, which causes activation
- Illumination 2 hours under full battery
- Uses five D (R20) batteries (not included)

PART NO.	MFG#	DESCRIPTION
9990-227	57719	Light with bracket
9990-382	37034	Clip for lifebuoy light
9990-199	26320	Replacement bulb

LED MARINE FLOATING FLASHLIGHT



- Watertight, compact, go-anywhere floating flashlight with three LED blubs
- Shock-resistant casing and non-slip grip
- Bright colour, easy to locate in an emergency
- Bulbs project 8-12 lumens beam strength with 50,000 hours lifetime LED
- Batteries are included
- Dimensions: 2"D x 6"L and 1-1/2"D x 4"L

PART NO.	MFG#	DESCRIPTION
6575592	7914-0105	Floating LED Flashlight
6575593	7914-0110	"Flash Pack" Flashlights

ST-250 SIGNALLING TORCH



- For use in liferafts and lifeboats, plus other lifesaving situations
- Approved ISO18813:2006 and SOLAS
- Capable of Morse signalling and a constant beam, producing a max concentrated beam of 250cd lasting a minimum of 5 hours

PART NO.	MFG#	DESCRIPTION
9953-542	DN-70-001A	Torch

WATERPROOF FLASHLIGHT



- Heavy duty, waterproof to a depth of 30'
- Fitted with an unbreakable lens and krypton bulb

PART NO.	MFG#	DESCRIPTION
9931-560	WRWP21E	Waterproof

WATER RESISTANT FLASHLIGHT



PART NO.	MFG#	DESCRIPTION
9954-007	FLASH	Water Resistant

SAFETY WHISTLE – MICRO



- Designed to be small & flat with no pressure points
- Can be attached to anything - life jackets, clothing, backpacks, etc.
- No moving parts to freeze, jam or deteriorate
- 2 pack (neon yellow & green) with lanyards

PART NO.	MFG#	DESCRIPTION
9955-027	9512-1808	2 per Pack

CLASSIC WHISTLE W/ LANYARD



The harder you blow, the louder the sound! The chambers are designed to self-clear when submerged in water. There are no moving parts to freeze, jam or deteriorate.

PART NO.	MFG#	DESCRIPTION
7223146	9905-0318	Whistle with Lanyard

LIFE JACKET WHISTLE





Clip on Style

- Attaches to Life Jackets and Life Rings
- SOLAS approved

PART NO.	MFG#	DESCRIPTION
7223145	BR-PA036	Life Jacket Whistle
9954-031	WHIS2/976	(2) strong whistles with lanyard

SAFETY WHISTLE – EPIK



- Integrated black Cushioned Mouth Grip
- Designed shape to fit your hand better
- Ring has sleek black zinc finish
- Easy to blow, optimized performance
- Flawless, consistent and reliable
- Sound will be heard up to a mile away
- Includes break-away lanyard

PART NO.	MFG#	DESCRIPTION
9955-025	8803-1308	Safety Whistle

SAFETY WHISTLE – SONIC BLAST



- Distinct, loud and clear sound
- Cushioned Mouth Grip
- No moving parts to freeze, jam or deteriorate
- Sound will be heard up to a mile away
- Includes lanyard

PART NO.	MFG#	DESCRIPTION
9955-026	9203-1308	Clear Sound

FOG HORN



Mouth operated. Made of durable plastic.
Colour: Red

PART NO.	MFG#	DESCRIPTION
7904030	15007	Red Fog Horn

TRUMP AND MINI-TRUMP



- Combines the powerful blast of sound of a gas fog horn, with the simplicity of a mouth horn
- Delivers over 100 dB with no effort

PART NO.	MFG#	DESCRIPTION
9990-485	27180	2-3/4" Dia.
9990-486	37894	2" Dia

FALCON SONIC BLAST AIR HORN



- Specially formulated, non-flamable repellant
- 99% lower Global Warming Potential
- Provides a piercing blast up to 112 db at 10 feet
- 1 oz. provides up to 12 blasts and meets USCG requirements for boats up to 39' (12 m)
- 5 oz. provides up to 56 blasts and meets USCG
- requirements for boats up to 65' (20 m)

PART NO.	MFG#	DESCRIPTION
7904063	FSB1	1oz. w/Clip
9954-149	FSB5	5oz .
9954-146	FSB5R	5oz refill

FALCON SOUND ALERT AIR HORN



- 90% Lower Global Warming Potential
- Provides a piercing blast up 120 db at 10 feet
- Meets requirements for boats up to 65' (20 m)

PART NO.	MFG#	DESCRIPTION
7904069	FSA6	6 oz.
7904070	FSA6R	6 oz. Refill

SIGNAL HORN



Provides up to 56 blasts | Provides up to 40 blasts | Provides up to 12 blasts

The Falcon FSH39 Signal Horn is ideal for sporting events and marine emergencies.

Meets requirements for boats up to 65'

PART NO.	MFG#	DESCRIPTION
9954-136	FSH1	Signal Horn Small, 1oz .
7904072	FSH39	Signal Horn Medium, 3.9 oz.
7904073	FSH39R	Refill for 3.9 oz.
9954-073	FSH	Signal Horn Large 5.5oz
9954-078	FSHR	Refill for 5.5oz

NEW

MANUAL AIR HORN



Pump Air Horn Kit ideal as a Fog Horn for marine use. Features a metal tube and a plastic trumpet, operated by a hand pump rather than a disposable aerosol can.

Comes with:
- Needle x 1
- Hose x 1
- Connector x 2

PART NO.	MFG#	DESCRIPTION
7904011	15001	Manual Hand Pump and Trumpet

8" FOG BELL

PERKO



- Stamped brass; removable

PART NO.	MFG#	DESCRIPTION
9954-080	455720-3	8"

RED FIRE BUCKET



Required item
for vessels over 12m (39'4")

This traditional style Fire Bucket design has been modernized with a handle at the top and bottom for better control when throwing water or sand on the fire.

Regulatory Compliance:
- Transport Canada
- SOLAS
- USCG

PART NO.	MFG#	DESCRIPTION
7223015	FW-FRPL-01	Traditional Fire Bucket, 2.7 Gl., (10 Ltrs.)

FIRE AXE

Required item
for vessels over 12m (39'4")



Yellow, fiberglass-handled fire axe with spike. 36" long.
Weight: 6 lbs.

PART NO.	MFG#	DESCRIPTION
7223020	SS-330961B	Fire Axe
7223021	0325000STS	Fire Axe Bracket

FIRE PORTS





7260500



7260501

- Lessen the risk of injury to crew members
- Easily installed within minutes
- Visually inspect engine compartment without opening it and adding oxygen to the fireGives you the opportunity to eliminate, or at least control, the situation until help can arrive

PART NO.	MFG#	DESCRIPTION
9954-300	6800	Engine Box, White
9954-301	6850	Outboard Engine, Clear
7260500	6860	3 piece, White
7260501	6999	Fire Port

FIRE EXTINGUISHERS CLASS A:B:C



These marine approved dry chemical A:B:C units are rechargeable and reusable. Constructed of all metal valves, easy to read colour coded corrosion resistant metal gauge, and metal pull pin. Effective against fires involving paper, wood, textiles, and plastics as well as flammable liquid fires, and live electrical fires. These extinguishers are ULC Rated. **Bracket included with 2.5 lbs extinguisher.**

PART NO.	MFG#	DESCRIPTION
7223302	21008346	Red, 2.5 lbs. 1A:10-B:C
7223305	21008347	Red 5 lbs. 3A:40-B:C
7223310	21008348	Red 10 lbs. 6A:80-B:C

MARINE EXTINGUISHER CLASS B:C



- ULC Rated 5-B:C, Marine approved
- High quality gauge for easy pressure check
- Preferred compact design
- Disposable / Non-Rechargeable
- Strap bracket included

PART NO.	MFG#	DESCRIPTION
9954-154	466294MTL	5B:C, 2.5lb, Red
9954-157	468031MTL	5B:C, 2.5lb, White

MARINE EXTINGUISHER CLASS A:B:C



- Rechargeable; easy to use and handle
- Dry, non-toxic chemical extinguishing agent
- Non-leaking, non-rusting steel canister with pressure gauge
- Meets or exceeds CAN/ULC S508-02 standards for effectiveness against A, B and C fires
- 6-year limited warranty

PART NO.	MFG#	DESCRIPTION
9955-037	7908-0105	2.5 lb

PWC FIRE EXTINGUISHER CLASS B:C



A Fire Extinguisher for your Personal Watercraft Storage Container. Effective against flammable liquid and electrical fires. Push button to check pressure.

- Mounting Bracket
- UL Rated 5-B:C
- U.S. Coast Guard Approved

PART NO.	MFG#	DESCRIPTION
7223303	FE5R-PWCNA	White, 2.8 lbs. 5-B:C

FIRE EXTINGUISHERS CLASS B:C



These marine approved dry powder B:C units are rechargeable and reusable. Constructed of all metal, easy to read colour-coded corrosion resistant metal gauge, metal pull pin and mounting bracket with strap. Effective against flammable liquid fires, and live electrical equipment fires. **These extinguishers are ULC Rated.**

PART NO.	MFG#	DESCRIPTION
7223312	FE1A10GOWA	White 2.5 lbs. 10-B:C

FIRE EXTINGUISHER BRACKETS



7223332 7223335 7223336

These all metal brackets are designed for all marine and vehicle use. These corrosion resistant brackets are suitable for use in heavy traffic and rough usage areas.

PART NO.	MFG#	DESCRIPTION
7223332	BRACKET2	Sm. Bracket (fits 2.5 lb.)
7223335	466400	Lg. Bracket (fits 5 lb.)
7223336	366242	10 lb. HD Bracket

Where There's Smoke



It's one thing to have the proper fire equipment aboard - it's another thing to be able to use it properly.

If you need to use a fire extinguisher, the acronym **PASS** will help you remember how to use it. Make sure you've got the right extinguisher for the type of fire.



1. Pull the pin. **2.** Aim at the fire's base.



3. Squeeze handle. **4.** Sweep side to side.

WHITE POLYESTER WASHDOWN HOSE



- Extra strength and flexibility industrial grade lay-flat style hose, polyester jacket with synthetic rubber liner
- Aluminium male on one end and aluminium female on the other.

PART NO.	MFG#	DESCRIPTION
9923-015	54307-4	1-1/2" x 25'
9923-016	54307-7	1-1/2" x 33'
9923-115	54307-8	2" x 25'
9923-116	54307-10	2" x 33'

BLACK NITRILE RUBBER WASHDOWN HOSE



- Heavy duty fire and washdown hose, woven high tensile synthetic, lightweight flexible discharge for water and oil
- Aluminium male on one end and aluminium female on the other.

PART NO.	MFG#	DESCRIPTION
9923-022	01DA54307-11	1-1/2" x 25'
9923-023	01DA54307-13	1-1/2" x 33'
9923-024	01DA54307-14	2" x 25'
9923-028	01DA54307-16	2" x 33'

PREMIUM WASHDOWN HOSE



1-1/2" Nitrile hose is nylon reinforced for added strength. **This long lasting hose is rated to 300 PSI and is patchable.** Brass male on one end and brass female swivel on the other.

PART NO.	MFG#	DESCRIPTION
3957325	NITRIL-1.5X25	25' Hose with Ends
3957333	NITRIL-1.5X33	33' Hose with Ends
3957299	14TW5P-1.5X100	100' Hose with Ends
3957300	NITRIL-1.5	Hose only, per Foot

WASHDOWN HOSE



1-1/2" white polyester with synthetic rubber liner, brass male one end, and brass female swivel the other.

Not recommended for use on rough decks.

PART NO.	MFG#	ID SIZE
3957225	1 1/2X25W/NPSH	25'
3957235	1 1/2X33W/NPSH	33'
3957250	1 1/2X50W/NPSH	50'
3957151	1 1/2"INDUSTAR	1-1/2' Hose Only (per ft)

WASHDOWN HOSE NOZZLE



- The fire hose nozzle is adjustable from spray to solid stream
- The tapered brass and plastic nozzles are 10" long with a non-adjustable solid stream

PART NO.	MFG#	DESCRIPTION
6914100	1TB NOZZLE	1", Brass straight
6914101	FNB100NPSH	1", Poly fog spray
6914125	1 1/4TB NO	1-1/4", Brass straight
6914150	1 1/2TB NO	1-1/2", Brass staright
6914151	1575	1-1/2", Poly fog spray
6914152	1510	1-1/2", Poly straight
9922-151	2520	2" Poly fog spray

SMOKE ALARM

FIRST ALERT



This smoke alarm is battery operated (9V battery included). With the easy access battery door, there is no need to remove from the ceiling to change battery. This alarm is most sensitive to small particles generated by flaming fire.

Unit dimensions: 9.88"H x 6.63"W x 2.35"D

PART NO.	MFG#	DESCRIPTION
9860540	1039802	Smoke Alarm

NEW

SMOKE AND FIRE DETECTOR

FIREBOY



This state of the art ionization smoke alarm is designed to provide early detection of a fire and sounds an internal alarm horn. Recommended installation is to install one unit in each salon, galley, sleeping accommodation, and electrical control room.

- Alarm Horn: 85 dB @ 10 ft
- 9V Battery Powered, No Wiring Required
- Low Battery Warning.
- conforms to UL 217RV Edition 8 and meets USCG approval.

Includes: 9 V Battery and Mounting Hardware.
Dimensions: 5-1/2" Dia. x 2" H

PART NO.	MFG#	DESCRIPTION
9860541	SMI100RV	Smoke and Fire Detector

MARINE CARBON MONOXIDE ALARM

FIREBOY-XINTEX



The most advanced marine CO alarm on the market, featuring a state-of-the-art sensor that is unaffected by common cleaning solvents. Ultra-low current draw – 4 mA and a long sensor life, Approx. 7 year end-of-life. Available in Black or White



3 Versions to Choose From

Battery Operated

- Requires no wiring, maintenance free lithium battery

DC Hard Wired

- 12 or 24VDC with battery back-up

DC Hard Wire Interconnected

- All 12/24VDC wired alarms will sound together

PART NO.	MFG#	DESCRIPTION
9860542	CMD6-MB-R	White, Battery Operated
9860543	CMD6-MB-BR	Black, Battery Operated
9860546	CMD6-MD-R	White, 12/24 DC wired
9860547	CMD6-MD-BR	Black, 12/24 DC wired
9860548	CMD6-MDR-R	White, 12/24 DC wired Interconnected
9860549	CMD6-MDR-BR	Black, 12/24 DC wired Interconnected

SOLAS REFLECTIVE TAPE



- Pressure sensitive adhesive conforms well to nylon, cotton, rubber and other materials
- SOLAS approved; US Coast Guard, IMO certified

PART NO.	MFG#	DESCRIPTION
9954-065	ST-150	2" wide, 150' roll

SOLASREFLECTIVETAPES



- 1 1⁄2" wide, comes in 4 ft. roll
- Cube corner prism is visible over 1⁄2 km distance
- SOLAS approved; meets USCG requirements

PART NO.	MFG#	DESCRIPTION
9954-385	RE800	Red/Silver
9954-386	RE802	Silver
9954-387	RE804	Red

3M NON-SKID TAPE



This 3M slip resistant surfacing is a high-friction textured material, which consists of abrasive mineral particles bonded by a tough, durable polymer to a flexible, resilient plastic backing. The backing is coated with a pressure sensitive adhesive covered by a peel and stick protective liner.

PART NO.	MFG#	DESCRIPTION
3270202	7100009880	Non-Skid Tape 2" x 60'.
3270203	3270203	Non-Skid Tape 2" x 30'.
3270206	7100011625	Non-Skid Tape 6" x 60'.
3270207	3270207	Non-Skid Tape 6" x 30'.

T-REX® EXTREME TREAD TAPE



T-Rex® Extreme Tread Tape is a multi-layer non-slip product that will improve surface traction on a variety of surfaces. Ideal for use on trailers, steps, walkways, landings, ladders .

- Ferociously strong adhesive.
- Industrial-quality long lasting grip.
- Helps prevent slips and accidents.
- Service temperatures from -40°C to 105°C.
- UV and weather-resistant

PART NO.	MFG#	DESCRIPTION
3270315	285807	2” x 8” (5 x 20cm), 3 pk., Black

GATOR GRIP PREMIUM NON-SKID TAPE



- **Sold in 60' roll**
- Thick PVC base layer with aggressive, long lasting black 60 grit aluminum oxide compound
- Extremely durable, waterproof and double bonded for chemical resistance

PART NO.	MFG#	DESCRIPTION
9954-413	RE141	1"
9954-414	RE142	2"
9954-415	RE160	4"
9954-416	SG3106B	6"

ANTI-SLIP SAFETY GRIT STEP STRIPS



- Black pre-cut 46 grit aluminum oxide compound strips; permanent adhesive backing
- Durable in dry or wet conditions

PART NO.	MFG#	DESCRIPTION
9954-410	RE172	2" x 5', each
9954-412	RE629BL	6" x 21', each

GATORSKINZ NON-SKID



- Use anywhere for grip in/out of the water!
- Grit & Pebble Non Skid Patterns
- Black, White, Light Gray Colors
- Available in 2-pack step pads (16”x 4”)
- Uses exclusive 3M KeelShield adhesive
- No curing time – No peeling or lifting edges
- Superior UV Stability & Lifespan

PART NO.	MFG#	DESCRIPTION
9941-018	GSSTEPBLK-GRIT-DPX	black grit
9941-019	GSSTEPLGY-GRIT-DP	gray grit
9941-020	GSSTEPWHT-GRIT-DP	white grit
9941-022	GSSTEPBLK-PEB-DP	black pebble

TEXTURED VINYL TRACTION STRIPS

- Pre-cut embossed PVC strips with permanent self-adhesive backing
- Suitable for bare foot contact, with no harsh grit particles





LifeSafe vinyl traction strips are suitable for bare foot contact, with no harsh grit particles.

Great for decks, docks, ladders and practically anywhere you need a slip-resistant surface.

PART NO.	MFG#	DESCRIPTION
9954-390	RE3895BL	4" x 9", black - pkg of 2
9954-391	RE3896GR	4" x 9", grey - pkg of 2
9954-392	RE3897WH	4" x 9", white - pkg of 2
9954-396	RE3904BL	6" x 21", black - each
9954-397	RE3905GR	6" x 21", grey - each
9954-398	RE3906WH	6" x 21", white - each

For the most up to date pricing, please visit maritimemarinesupply.ca/price

Life Cell Marine Safety

Struggling to find Emergency Equipment?

Safety equipment is often stored under seats, in gunwales or under bunks making it difficult to locate in a time of emergency. Life Cell, however, allows you to keep all the essential safety equipment in a flotation device, which reduces the time needed for these items to be found in time to abandon the vessel. If you do end up in the water, Life Cell will not only keep you afloat, it will keep everybody together and provide a stable platform from which to operate your safety equipment as needed. Life Cells have been built to the highest standards and have passed all independent testing. Filled with closed cell PU foam, they are unable to absorb water, even if casing is damaged. Constructed with 316 stainless steel inserts and 3/16" (4mm) stainless steel hinge bar. Lanyards are supplied with each Life Cell corresponding to the number of people the Life Cell can assist. These ensure that users can tether themselves to the device in the event of fatigue or high seas. There is an external recess that will hold EPRIB in an upright position if you need to activate (excluding the Trailer Boat Model).

Features:

- Light weight flotation device
- High visibility
- Fire, impact & UV resistant
- Easy grip handles
- Quick release from bracket
- Impact Resistant - Drop Tested to 100' (30m)
- Fire Resistant - Exposed to a naked flame
- Temp. Cycled - -22°F to 149°F (-22°C to 65°C)
- UV Resistant - UV rating 8

Benefits:

- Keeps safety equipment together
- Easy to access in time of emergency
- Simple to use, even for the novice boater
- Keeps people together in the water
- Ensures compliance with maritime authorities
- Floats off bracket if submerged



LIFE CELL, THE CREWMAN



The largest of all Life Cells, the Crewman is primarily designed for commercial use.

Dimensions:

- **External:** 27.5"H x 22.83"W x 8.66"D
- **Internal:** 11.61"H x 9.25"W x 6.29"D
- **Glove Box:** 5.5"H x 9.25"W x 6.29"D

Assists: 8 People
Colour: Orange
Includes: 2 Mounting Brackets
Safety equipment must be purchased separately.

PART NO.	MFG#	DESCRIPTION
7222210	LF1	Crewman, Orange, 8 Person

LIFE CELL, THE TRAWLERMAN



Designed for larger boats or for commercial applications.

Dimensions:

- **External:** 21"H x 22"W x 8.6"D
- **Internal:** 11.61"H x 9.25"W x 6.29"D

Assists: 6 People
Colour: Orange
Includes: Standard Mounting Bracket
Safety equipment must be purchased separately.

PART NO.	MFG#	DESCRIPTION
7222208	LF2	Trawlerman, Orange, 6 Person

LIFE CELL, THE YACHTSMAN



Designed for recreational boats that operate in open waters.

Dimensions:

- **External:** 23.22"H x 16.53"W x 6.69"D
- **Internal:** 11.22"H x 10.23"W x 4.13"D

Assists: 4 People
Colour: Orange
Includes: Standard Mounting Bracket
Safety equipment must be purchased separately.

PART NO.	MFG#	DESCRIPTION
7222204	LF3	Yachtsman 4 Person

LIFE CELL, THE TRAILER BOAT



The smallest Life Cell that is designed to fit on smaller boats and can be used in inland or offshore waters.

Dimensions:

- **External:** 15.74"H x 16.73"W x 6.69"D
- **Internal:** 7.87"H x 10.62"W x 2.93"D

Assists: 2 - 4 People
Colour: Orange or White
Includes: Standard Mounting Bracket
Safety equipment must be purchased separately.

PART NO.	MFG#	DESCRIPTION
7222202	LF5W	Trailer Boat, White 2 - 4 Person

CSA FIRST AID KITS



Following first aid kits meet CSA Z1220 workplace program standards, currently adopted by NB, NL and PE.

Type 2: Basic Small First Aid Kit

- Contents secured in plastic box
- Suitable for most workplaces with low risk work environment
- Minimum content requirements
- 2-25 workers per shift

Type 3: Intermediate Small First Aid Kits

- Contents secured in plastic box
- Suitable for most workplaces with moderate or high-risk work environment
- Type 2 contents plus additional items to meet needs for higher risk environment.
- 2-25 workers per shift

PART NO.	MFG#	DESCRIPTION
7223005	81CSA24-0002-0	Type 2 Basic Small
7223008	81CSA24-0005-0	Type 3 Intermediate Small

MARINE FIRST AID KIT



- Durable plastic case can be wall mounted
- Federal approved First Aid Kit for 6-19 people includes nitrile gloves, antiseptic and moist towelettes, cloth tape, sterile eye pads, various bandages and gauze dressings, alcohol wipes, splints and scissors

PART NO.	MFG#	DESCRIPTION
9954-211	F951BP240 FEDERAL	Federal Approved

FIRST AID KIT



- Contains 71 items for small to medium wounds
- Soft, zippered, water-resistant bag with pockets to hold products in place
- Contents label shows photo of all items included in the kit

PART NO.	MFG#	DESCRIPTION
7223002	7100009880	First Aid Kit

NEW

SEA SICKNESS WRISTBAND



- Natural method to effectively combat nausea for all seasickness sufferers.
- Based on the principle of acupressure (acupuncture without needles), with no side effects.
- One-size-fits-all elastic wristbands.
- Washable and reusable.

PART NO.	MFG#	DESCRIPTION
9990-863	1010400	12-Pack

MINI FIRST AID KIT



- Contains 54 items for small to medium wounds
- Durable white plastic snap lid case with integrated handle can be mounted
- Great all-purpose first aid kit is handy for any size boat
- Meets all of Health Canada's regulations

PART NO.	MFG#	DESCRIPTION
7223001	7928-0300	Mini First Aid Kit

FIRST AID KIT – MICRO



- Contains 47 items for small to medium wounds
- Compact and convenient first aid kit
- Durable, lightweight white plastic snap lid case
- Small kit is perfect for a hiking backpack or small watercraft

PART NO.	MFG#	DESCRIPTION
9955-021	7928-0400	47 piece

THERMAL PROTECTIVE BLANKET



- Aluminum insulating blanket

PART NO.	MFG#	DESCRIPTION
9990-481	11057	63" x 83", Thermal Blanket

FIRE BLANKET



- Fibreglass fire blanket in rigid ABS container
- Complies with BS EN 1869 standard
- Material is continuous filament glass cloth
- Container: 9-13⁄16" x 6-7⁄8" x 1-3/4"
- Pull twin tabs to operate

PART NO.	MFG#	DESCRIPTION
9990-551	65757	1 m x 1 m, Fire Blanket

QUEAZ-AWAY WRIST BAND



- Wrist bands exert gentle pressure on the acupressure point in the wrist to help eliminate disagreeable effects of motion sickness
- Universal size; adjustable nylon strap fits all
- No side effects; safe and simple to use

PART NO.	MFG#	DESCRIPTION
7223035	400	One Size Fits All

SAFETY ROPE FOR LIFEBUOYS



- Flexible, double braided, floating polypropylene
- Easy to splice
- Resistant to chemicals, gasoline and oil
- Sold per foot. Comes in 600' reel.

PART NO.	MFG#	DESCRIPTION
9971-355	60754	5/16" Dia. yellow/red, per foot

WATER RESCUE THROW LINE



This Water Rescue Throw Line is a floating rope that will not absorb water. It features an extra heavy cover ratio for improved durability, light weight, and throw accuracy.

PART NO.	MFG#	DESCRIPTION
7243100	60754	5/16" Dia. yellow/red, per 600' roll

ROPE FLOAT 50'



- 50' (15m) length
- Lab tested to 900 lb breaking strength
- Float is made of expanded polyvinyl chloride for toughness, weather resistance and long service life

PART NO.	MFG#	DESCRIPTION
7223134	7905-0000	Rope Float 50'

SAFETY THROW BAG



Highly-durable drawstring rescue throw bags in a waterproof bag. Premium braided polypropylene floating rope with 900 lbs breaking strength. Bright colour makes them easy to locate in an emergency.

PART NO.	MFG#	DESCRIPTION
7223140	7907-0102	50', Red Bag
7223133	7909-0302	90', Orange Bag

SAFETY THROW KIT



- A superior alternative to fabric throw bags, especially in windy conditions as traditional fabric bags tend to get caught in the wind
- Aerodynamic shell sails through windy conditions
- 50' (15 m) premium polypropylene woven floating rope has 900 lb breaking strength

PART NO.	MFG#	DESCRIPTION
7223141	7901-0201	Water Safety Throw

RESCUE LINE



- Simple to operate 20m retrieval line is weighted, so that it can be thrown accurately
- Grab loop at both ends
- Comes in storage bag

PART NO.	MFG#	DESCRIPTION
9990-390	27020	Rescue line
9990-391	30766	Rescue line holder

BOATING ESSENTIALS KIT



Basic kit designed to help bring your Boat, Canoe or Kayak up to Regulations. Fits into an orange, waterproof screw-top container that can also act as a bailer.

Compact kit includes: Fox 40 Marine Waterproof Incandescent FlashlightFox 40 Pealess Safety Whistle, 1/4" x 50' (15m) Braided Rope & Float

PART NO.	MFG#	DESCRIPTION
7223138	7910-0200	Safety Kit

CLASSIC BOAT SAFETY KIT



- Provides the minimum safety requirements for any personal watercraft
- The innovative design of the bailer makes it easy to grab in an emergency
- Bailer lid has a mirror for signaling and important safety tips on the inside of the lid

PART NO.	MFG#	DESCRIPTION
7223137	7903-0201	Classic Boat Safety Kit

STAND-UP PADDLEBOARD SAFETY KIT

WAIST PACK



Made of a 300D polyurethane-coated waterproof ripstop polyester, It has a watertight roll top main compartment with a Velcro fastener, a heavy-duty padded belt and clip to hold pack in place on waist, a waterproof zippered front pocket and two D-loops.

The Fox 40 SUP Safety Kit includes:

- a Fox 40 Dry Bag Belt Pack
- a 50' Safety Rope
- a Fox 40 XP LED Light
- a Fox 40 Micro Whistle

PART NO.	MFG#	DESCRIPTION
7223131	7928-1300	SUP Safety Kit

DELUXE SAFETY KIT



Deluxe Kit fits in a snap-lid case.

Contents include:

- Waterproof Incandescent Flashlight
- Pealess Safety Whistle
- 1/4" x 50' (15m) Braided Rope & Float
- 2.0 lb 1A:5-B:C (White) Fire Extinguisher
- 1.5kg Anchor
- 1/4" x 50' (15m) Anchor Line with Carabiner Clip.

Complies with Coast Guard Safety Equipment requirements.

PART NO.	MFG#	DESCRIPTION
7223139	7911-0002	15.5" x 7.0" x 9.5" deep

PADDLERS SAFETY PACK



The Fox 40 Paddlers Safety Kit is ideal for your kayak, canoe or small boat. This compact kit has items for all your rescue and first aid needs neatly packed in a dry bag. All items in the kit were hand-picked by professionals as essential items to have on board.

Weight: 3.5 lb. / 1.6 kg

Kit Includes:

- Micro First Aid Kit
- Micro Pealess Safety Whistle
- 50' (15m) woven polypropylene Marine Rope
- LED Light
- Bilge Sponge
- Waterproof screw-top container/bailer
- 2 Glow Sticks
- Compass
- Dry Bag

PART NO.	MFG#	DESCRIPTION
7223135	7928-0200	Paddlers Safety Pack

FLOATING SAFETY CUSHION



Light polyethylene foam interior protected by a durable polyester fabric cover. This cushion is great to sit on and it provides an efficient Buoyancy Aid.

- Peripheral straps for easy grabbing.
- Washable with fresh water and can be sun dried.
- 29"L x 14-1/2"W x 3" Thick unfolded

PART NO.	MFG#	DESCRIPTION
9990-510	70601	1 person, Navy Blue

LIFE RINGS



DOT approved. Resistant to oil, gas, salt water. Rigid Polyurethane closed cell core. Nylon grab line.

24" available in orange or white.

28" is orange w/reflective tape.

Required item
for vessels over 9m (29'6")

PART NO.	MFG#	DESCRIPTION
7223124	DE55143F	24" Orange
7223125	DE55141F	24" White
7223130	PB-1831504	28" Orange

LIFE RINGS



- 30" TC and SOLAS Approved
- 24" TC and USCG Approved

PART NO.	MFG#	DESCRIPTION
9955-060	C HSO-30	30", SOLAS, HSO-30
9955-061	C HS-24 O	24", Orange, HS-24-O .
9955-062	C HS-24 W	24", White, HS-24-W

RESCUE RING KIT



- SOLAS 74.96 standard compliant
- Kit includes 30" lifebuoy ring, floating light and 100' of 5/16" yellow floating retrieval line
- Yellow coated, UV-protected fabric storage bag is fitted with pulpit attachment clips

PART NO.	MFG#	DESCRIPTION
9990-389	35926	Ring Kit

HORSESHOE BUOYS



- 22-1/2" H x 25.2" W x 4" thick (57 cm H x 64 cm W x 10 cm)
- Flexible center articulation for ease of fit

PART NO.	MFG#	DESCRIPTION
9990-412	63750	Orange
9990-413	63457	Yellow

SILZIG MOB BUOY/HARNESS



- Complete rescue gear: provides buoyancy and helps hoisting casualty back aboard
- Quick set-up, ideal in the event of a man over board.
- Slim, flexible and compact, easy to store on board; fits ideally along the guardrail, on the transom or neatly inside a RIB along tube and floor

PART NO.	MFG#	DESCRIPTION
9990-179	65559	Slim, Flexible and Compact

LIFE RING CONTAINER WITH DOOR



- Designed for 24" and 30" life rings
- Features a transparent round opening to check the presence of the buoy
- 35-7/16" x 35-7/16" x 10-1/4"

PART NO.	MFG#	DESCRIPTION
9990-683	64204	Good for 24" and 30" life rings

For the most up to date pricing, please visit maritimemarinesupply.ca/price

LIFE RING HOLDER- STAINLESS

JIM-BUOY



- Features heavy-duty, welded stainless steel construction throughout for a lifetime of maintenance-free use. Its rugged beauty will enhance any installation.
- Available with pre-drilled holes for stanchion and life line mounting as well as cabin wall installations.

PART NO.	MFG#	DESCRIPTION
9955-064	1123-30	30", Life Ring Holder
9955-065	1123-24	24", Life Ring Holder

HEAVY DUTY ALUMINUM LIFE RING BRACKET



This heavy duty aluminum "Y" designed life bracket will hold 30" commercial life rings securely in place.

PART NO.	MFG#	DESCRIPTION
7223103	7223103	HD Alum. Life Ring Bracket

LIFE RING BRACKET



Stainless Steel.

Will accommodate life rings up to 30" in diameter.

7" x 3/4" x 4-1/4"

PART NO.	MFG#	DESCRIPTION
7223101	53572	Life Ring Bracket (Bulk)

LIFE RING/BUOY RACK

PLASTIMO





- Kit includes 1 Plasticlip that fits 3/4" – 1" tube diameter, 1 stainless steel rack for ring buoy, 1 shock cord with plastic snap shackle, screws and nuts

PART NO.	MFG#	DESCRIPTION
9990-415	37800	Horseshoe buoy
9990-416	37832	Life ring

LIFE RING HOLDER





This Stainless Steel Life Ring Holder is made to fit 7/8"and 1" tubes.

PART NO.	MFG#	DESCRIPTION
7223102	53575	S/S Life Ring Holder

NEW

INSHORE DAN BUOY

PLASTIMO



- Black fiberglass boom length 7 ft (2.14 m).
- Float protected by rigid plastic housing.
- Lead ballast sheathed in yellow plastic.
- Pavillon and 25 mm reflective tape.
- 3 m floating rope.

PART NO.	MFG#	DESCRIPTION
9990-921	176928	Dan Buoy, Inshore, 7 ft

TELESCOPING DAN BUOY

PLASTIMO



Ergonomic and shockproof PVC buoy; telescoping fibreglass Dan buoy with quarter turn fastening

- Built in stainless steel ballast
- 1.95m long; 3.52m long extended, sits 2.3m above the waterline
- Holder for Telescoping Dan Buoy
- Fits 3/4" – 1" (18.5 to 25.5 mm) tube diameter with two fastening lugs

PART NO.	MFG#	DESCRIPTION
9990-387	55664	Telescoping, Orange
9990-418	56397	SS Holder

INFLATABLE IOR DAN BUOY

PLASTIMO





- Adjustable webbing sling seat for man-over-board to rest on
- Automatically activated light with 8-hour battery life
- Drogue anchor to help resist drifting
- ISAF-ORC compliant

PART NO.	MFG#	DESCRIPTION
9990-527	63455	Dan Buoy with Yellow Canister
9990-860	61073	Dan Buoy with White Canister
9990-774	50374	Re-Arm Kit

SAFETY LADDER – TRANSOM FLUSH MOUNT



- 3 polypropylene steps
- Stainless steel handle assembled with a highly resistant 3 mm polyester line
- Stored in a polyamide tube with a grey polypropylene cap, for optimum protection and waterproofness

The man overboard simply removes the cap, pulls the ladder down, and climbs onboard.

Mounts with only 2" thru-hull diameter!

PART NO.	MFG#	DESCRIPTION
9990-225	51558	Safety Ladder

SAFETY LADDER



Comes in a canvas bag with one handle to attach the bag alongside the boat and another for the man fallen overboard to grab

The bag pulls open and the ladder unfolds instantly, helping the person get back onboard.

PART NO.	MFG#	DESCRIPTION
9990-226	29008	4 Step
9990-608	29009	5 Step

RESCUE SLING



Complete gear for Man Over Board recovery. Provides a means to hoist the person back aboard (with the help of a lifting tackle or halyard winch if necessary).



- Buoyancy of the belt: 75 N
- Safe working load: 200 kg
- Retro-reflective tape
- Large enough to pass over a lifejacket
- Orange floating rope, Ø 8 mm, Length 36 m (120 ft.)

PART NO.	MFG#	DESCRIPTION
9990-388	P205836	Rescue Sling® Yellow
9990-798	P205835	Rescue Sling® White

SMALL DROGUE



- Ideal to slow the drift of a horseshoe buoy, Dan buoy, small vessel, etc.

PART NO.	MFG#	DESCRIPTION
9990-228	25354	31-1/2" L x 13-3/4" W

NEW

OFFSHORE KNIFE



This Offshore knife offers essential functions on board: cutting quality, night visibility, blade locking, one-handed opening, corrosion resistance, and mechanical strength.

Blade, Shackle Key, and Spike attachments

PART NO.	MFG#	DESCRIPTION
9990-966	65269	Yellow/Black Offshore Knife

SAFETY KNIFE



- SS blade, sharp cutting inside, round outside for safe stowing
- Highly visible plastic non-slip handle, ergonomic for perfect grip in an emergency
- Durable casing can be attached to belt/PFD

PART NO.	MFG#	DESCRIPTION
9990-167	65475	L: 5-5⁄16", Weight: 56 g

FLOATING SAFETY KNIFE



- Plastic handle and rounded 7 cm rigid stainless steel serrated blade; ideal for rope or net cutting

PART NO.	MFG#	DESCRIPTION
9990-426	11053	4-1/2" x 1-⅜" (11.5 x 3.5 cm)

SAFE BLUE KNIFE



- 2-3/4" smooth blade , 4" folded, 7" unfolded

PART NO.	MFG#	DESCRIPTION
9970-010	67427	Folding Safety Knife

GATOR PATCH



- Watertight, impenetrable
- A Prep-Peel-Stick application that cures simply with UV light in under an hour
- Will bond to virtually all materials
- Repairs almost any surface, moldable around flat or curved areas, dents, joints, or angles
- Perfect in or out of the water! Great for any Fiberglass or Aluminum Boat, Kayaks, Canoes,Tanks, Plumbing, and more!
- Can be drilled, tapped, sanded, or painted within hour

PART NO.	MFG#	DESCRIPTION
9941-010	GP36	3" x 6"
9941-011	GP69	6" x 9"
9941-012	GP912	9" x 12"

For the most up to date pricing, please visit maritimemarinesupply.ca/price

DAY SHAPES


BALL


CONE


CYLINDER


DIAMOND

Heavy duty black vinyl, coated nylon fabric with stainless steel or galvanized framing

- Fully collapsible when stored
- Simplicity of design offers rapid and rigid display when required

Some of the most common signs:

NAVIGATION STATUS	DAY SHAPE	RESTRICTION
Vessel Under Sail & Power	Cone	>12m
Anchored	Ball	>7m (not in channel >20m (in anchorage)
Constrained By Draft	Cylinder	
Aground	3 balls (vertical line)	>12m
Not Under Command	2 balls (vertical Line)	>12m
Restricted In Ability To Maneuver	1 ball, +1 diamond +1 ball (vertical line)	>12m (except dive boats)
Fishing (Commercial)	2 cones (vertical line)	>12m (must display nets or trawling)
Vessel Towing	Diamond	>200m
Vessel Being Towed	Diamond	>200m

PART NO.	MFG#	DESCRIPTION
7223050	SA-BALL	Ball 28"D
7223051	SA-CONE	Cone 24"D x 34"H
7223052	SA-DIAMOND	Diamond 24"W x 48"H
7223053	SA-CYLINDER	Cylinder 24"D x 48"H

ANCHOR BALL/DAY SHAPE



- Internationally recognized signal, for use when at anchor
- Folds flat for easy storage

PART NO.	MFG#	DESCRIPTION
9990-424	16185	30 cm diameter

ORANGE DISTRESS FLAG



- Highly visible 3 square foot flag features heavy duty vinyl construction and comes complete with 4-1/2" nylon ties for easy display

PART NO.	MFG#	DESCRIPTION
9954-008	FLAG/925	Heavy Duty Vinyl

DISTRESS FLAG



The square and circle pattern on this Distress Flag has been proven to be quite effective in daytime aerial searches. Made from orange plastic with grommets in each corner. It's required by law in many areas, and recommended for all boats.

Dimensions: 36" x 36"

PART NO.	MFG#	DESCRIPTION
7223142	FD-36	Plastic Distress Flag

RADAR REFLECTOR



This Radar Reflector is made of Stamped Aluminum.

Dimensions: 340 x 340 x 470mm
13.39" x 13.39" x 18.5"

PART NO.	MFG#	DESCRIPTION
910705	70024	Radar Reflector

ECONOMY RADAR REFLECTOR



Traditional diamond shaped aluminum radar reflector. Mounted 7/8" hole.

Dimensions: 18" x 18"

PART NO.	MFG#	DESCRIPTION
910700	910700	Economy Radar Reflector

RADAR REFLECTOR



910701



910702

Every small boat should have a radar reflector to give other small boats and ships a chance to see your boat in fog and low visibility conditions.
The Davis Radar Reflectors are compact, lightweight and economical units that can be quickly assembled when required and then disassembled and stowed flat for storage.
910701 is made of a special plastic-metal foil laminate to resist corrosion and peeling.
910702 is made of a robust marine grade aluminum of sufficient thickness, 0.05" (1.3mm), to minimize flexing.

PART NO.	MFG#	DESCRIPTION
910701	151	Emergency, 11.5" Dia.
910702	152	Echomaster, 12.5" Dia.
910703	156	Mounting Kit

CYLINDRICAL RADAR REFLECTORS S-2



The best performance is achieved when the mobri radar reflector is mounted in a vertical position high as possible, a min of 4 mtr./13 ft. is recommended. Mounting eyes are molded in the structure at top and bottom. Durable lashing materials should be used to attach it to the standing rigging. It provides a radar cross section of 4 m².

Color: Available in Black or white Dimensions: ø 50 x 570 mm Weight: 380 g

Rigging Mount S-2

- Eye hooks on either end enable mounting in sailboat rigging
- 2" Dia. x 22" L cylindrical shape
- Solidly built radar reflector which does not demand a lot of space

PART NO.	MFG#	DESCRIPTION
9954-033	#401 S-2 BLACK	S-2 Black
9954-036	#402 S-2 WHITE	S-2 White

CYLINDRICAL RADAR REFLECTORS S-4



The best performance is achieved when the mobri radar reflector is mounted in a vertical position high as possible, a min of 4 mtr./13 ft. is recommended. Mounting eyes are molded in the structure at top and bottom. Durable lashing materials should be used to attach it to the standing rigging. It provides a radar cross section of 4 m².

Color: Black Dimensions: ø 100 x 590 mm Weight: 880 g

Rigging Mount S-4

- Eye hooks on either end enable mounting in sailboat rigging
- 4" Dia. x 20" L cylindrical shape
- For offshore sailboat applications

PART NO.	MFG#	DESCRIPTION
9954-029	#404 S-4 BLACK	S-4 Black

RADAR REFLECTORS



- Clever shape minimize effects of windage and prevents chafe on gear
- Reflection capacity is proportional to the reflectors size, it's advised to choose a model with the largest possible reflection area
- Have radar reflector installed/hoisted as high as possible
- Having a radar reflector on board is no substitute for an active watch Sailboat, with groove shroud

PART NO.	MFG#	DESCRIPTION
9990-383	25586	2" Dia x 23" L, sail rigging
9990-384	39099	4" Dia x 23" L, sail rigging
9990-385	25587	2" Dia x 22" L, bracket
9990-386	29496	4" Dia x 22" L, bracket

RATCHET MOUNT RADAR REFLECTORS M-2



The mobri M-2 is designed with a mounting bracket and is most suitable for the use of power boats. The best performance is achieved when the mobri radar reflector is mounted in a vertical position as high as possible over the deck. It should be mounted on the coach roof, or a flybridge away from the "shadow" of other equipment such as antennas. The mounting bracket on the M-2 has 3 holes for fasteners. The radar reflector is easy to remove when not in use.
Radar cross section: 2 m²

Color: Black Dimensions: ø 50 x 585 mm Weight: 475 g

Ratchet Mount M-2

- Large surface area and adjustable ratchet base mount
- 2" Dia. x 23" L cylindrical shape
- Solidly built for power boat applications

PART NO.	MFG#	DESCRIPTION
9954-034	#403 M-2	M-2 Black
9954-040	#409 M-2	M-2 White

FIXED BASE RADAR REFLECTORS M-3



Designed with a mounting bracket and is most suitable for the use of power boats. Best performance is achieved when the mobri radar reflector is mounted in a vertical position as high as possible. The mounting bracket on the M-3 has 4 holes for fasteners. The radar reflector is easy to remove when not in use. It provides a radar cross section of 3 m².

Color: Available in Black or White
Dimensions: 100x480mm
Weight: 880g

Fixed Base Mount M-3

- Fixed base mount radar reflector provides large surface area
- 4" Dia. x 15" L
- For offshore power boat applications

PART NO.	MFG#	DESCRIPTION
9954-032	#405 M-3 BLACK	M-3 Black
9954-037	#406 M-3 WHITE	M-3 White

FIXED BASE RADAR REFLECTORS M-4



Designed with a mounting bracket and is most suitable for the use of power boats. Best performance is achieved when the mobri radar reflector is mounted in a vertical position as high as possible. The mounting bracket on the M-3 has 4 holes for fasteners. The radar reflector is easy to remove when not in use. It provides a radar cross section of 3 m².

Color: Available in Black or White
Dimensions: ø 50 x 585 mm
Weight: 475 g

Fixed Base Mount M-4

- Fixed base mount
- 4" Dia. x 20" L
- Largest reflective surface area for serious offshore applications

PART NO.	MFG#	DESCRIPTION
9954-038	#407 M-4 BLACK	M-4 Black
9954-039	#408 M-4 WHITE	M-4 White

For the most up to date pricing, please visit maritimemarinesupply.ca/price

NEW

WIRELESS MAN OVERBOARD DETECTION WITH ENGINE CUT OFF

TAG WHAT MATTERS

GARMIN





Garmin OnBoard System includes the GOS10 Hub and 1 white MOB Tag with wristband





- Tags are worn on wrist, carabiner or key ring float.
- Tags are designated either Captain or Passenger
- Captain Tag enables Engine CutOff
- Temporarily disarm tags with ease
- The GOS10 Hub includes loud alarm
- Tag battery life exceeds a season of typical use.



Garmin OnBoard Built so you can move freely and boat confidently, the Garmin OnBoard system uses wireless tags instead of traditional tethered cords — integrating with your compatible Garmin chartplotter. The wearable MOB tags are part of a wireless MOB system letting you move untethered while still being monitored. Captain MOB detection will trigger engine cutoff, a MOB waypoint on the chartplotter and an audible alarm on the MFDs and hub. The GOS 10 hub includes a loud external alarm — alerting you to a MOB event.

PART NO.	MFG#	DESCRIPTION
7275420	010-02908-00	Garmin OnBoard System
7275421	010-02908-30	White Mob Tag with Band
7275422	010-02908-31	Black Mob Tag with Band
7275423	010-13401-21	Black Carabiner Clip for Mob Tag
7275424	010-13401-20	Black Carabiner Clip for Mob Tag

THE SCIENCE OF SURVIVAL

ACR

RESQLINK VIEW RLS PERSONAL LOCATOR BEACON



ResQLink 400 has been professionally engineered and tested to ensure it can withstand even the harshest elements. Boasting a digital display providing live status updates, and with the inclusion of the new Return Link Service (RLS) feature, this ACR beacon provides you with the comfort in knowing that your distress message has been received and your location detected.

- No Subscription Required
- Digital Display
- Return Link Service (RLS) Functionality
- GPS | Galileo GNSS, Built-In Buoyancy
- Strobe and Infrared Strobe
- Global Coverage - MEOSAR Compatible
- Small and lightweight - 5 year battery life
- 28 hours Operational Life**
- Multifunction Clip System Included

PART NO.	MFG#	DESCRIPTION
7273256	2932.63	ResQLink View RLS

RESQLINK 400 PERSONAL LOCATOR BEACON



This buoyant Personal Locator Beacon requires no subscription for use and can be utilized to enhance your safety in a wide variety of environments. Whether on land, at sea, or in the air.

- No Subscription Required
- GPS and Galileo GNSS
- Built-In Buoyancy
- Strobe and Infrared Strobe
- Global Coverage - MEOSAR Compatible
- Small and lightweight
- 5-year battery life
- 24+ hours Operational Life
- Multi-function Clip System Included

PART NO.	MFG#	DESCRIPTION
7273255	2921.63	ResQlink 400

SOLAS RESCUE STROBE LIGHTS



7223222



7223223

The all new Firefly PRO rescue strobe lights are the brightest and most feature packed strobe lights on the market today. With 3 activation functions, toggle between the ultra-bright strobe or the SOS strobe to visually alert Search and Rescue of your location and toggle to the Steady-On feature for close up recovery operations.

- Transport Canada Approved
- Visibility: Over 3 Miles
- 257 lumens Strobe, 105 Steady on
- Activation: Manual (Firefly Pro) or Water Activated (WaterBug)
- Power: (2) AA Batteries (Not Included)
- Run Time: Over 56 Hours
- 4.4"h x 2.2"w x 1.2"d "

PART NO.	MFG#	DESCRIPTION
7223222	3970.3	Manual Activated Firefly Pro
7223223	3971.3	Water Activated WaterBug

RESQFLARE PRO ELECTRONIC FLARE



As the next advancement in electronic flares from ACR Electronics, the ResQFlare PRO Electronic Boat Flare introduces cutting edge SOS distress signaling technology. Utilizing red-orange and cyan LEDs combined with an infrared (IR) component, the ResQFlare PRO offers substantial operational life (burn time) while also significantly improving the level of visibility.

PART NO.	MFG#	DESCRIPTION
7223224	3967	RESQFLARE, Handheld

C-STROBE LED LIFE JACKET LIGHT



- For location help during low-light emergencies
- Exceedingly bright 45 Lumen White LED
- Continuous operating life more than 120 hours
- Waterproof – Tested for 24 hrs at 3.3 ft. (1m)
- Easy twist On/Off activation
- Impact-resistant case
- Uses two “AA” 1.5V batteries (not included)
- USCG/SOLAS Approved
- Ideal for life jackets, camping, biking, auto, etc.

PART NO.	MFG#	DESCRIPTION
7223220	3965.1	C-Strobe LED Light

C-STROBE H20 LIFE JACKET LIGHT



- For location help during low-light emergencies
- 3 Modes – Strobe, Steady-On, and SOS
- Exceedingly bright 45 Lumen White LED
- Continuous operating life more than 120 hours
- Waterproof – Tested for 24 hrs at 3.3 ft. (1m)
- Easy twist On/Off activation
- Uses two “AA” 1.5V batteries (not included)
- Water activation sensors – Automatic activation when in contact with water

PART NO.	MFG#	DESCRIPTION
7223221	3964.1	C-Strobe H20 (Water Activated)

AISLINK CB2 CLASS B+ AIS BUNDLE



The new AISLink CB2 AIS Kit with MOB is the ultimate AIS package. With the latest in AIS Class B+ technology in the AISLink CB2 and best selling AIS Man Overboard Beacon in the Ocean Signal rescueMe MOB1, this bundle brings safety to a new level of affordability.

GPS antenna Included

This kit includes two Ocean Signal MOB1 rescueMe AIS Beacons, your AISLink CB2 is also now your complete Man Overboard system. The MOB1 communicates with your AISLink CB2 as well as other vessels in the vicinity (up to 5 miles range dependent on conditions). In an emergency rescueME MOB1 provides 2 methods of rapidly communicating your position, accurate to a few meters, back to the vessel, plus providing a visual indication via its built-in strobe light.

AISLink CB2



- 5 Watts of Power – More than double that of older Class B units
- Guaranteed Time Slot Reservations
- Increased visibility to other vessels
- FREE user-friendly mobile app for set up and controls
- Wi-Fi, USB, NMEA 0183, and NMEA 2000 connectivity
- Simple to install and use with superior internal 99-channel GPS receiver
- External GPS antenna (Included) and multi-color LED indicator light
- Receives and interprets messages from other AIS-equipped vessels
- Durable waterproof design with low energy consumption

Ocean Signal rescueMe MOB1



- Integrated DSC transmitter (digital selective calling)
- 30% (Typ) smaller than competitors with Automatic activation
- Simple lifejacket integration
- 7-year battery life and 24+ hours operational life
- 5-year warranty

PART NO.	MFG#	DESCRIPTION
7277707	2352	AisLink CB2 Bundle

RESQLINK AIS PERSONAL LOCATOR BEACON



All new ACR ResQLink AIS Personal Locator Beacon (PLB) contains both satellite and local transponders. With the introduction of Automatic Identification System (AIS) functionality, Return Link Service (RLS) technology, and Near Field Communication (NFC) capability in one 406 MHz beacon. Designed to IntegratewithcommonInflatable PFDs

- No Subscription Required
- 406MHz Cospas Sarsat Distress Signal (MEOSAR Compatible) & 121.5 MHz Local Homing Signal
- AIS Loc. Signal & Free ACRBeacon Mobile App
- Smartphone connectivity via NFC
- Free ACRBeacon Mobile App
- Return Link Service(RLS)Functionality
- GNSS via GPS, Galileo, and Glonass
- Strobe and Infrared StrobeLight
- 5-year battery life & >24hours Operational Life

PART NO.	MFG#	DESCRIPTION
7273257	2933.63	ResQLink AIS

GLOBALFIX V5 GPS EPRIB W/AIS



The new ACR GlobalFix V5 EPIRB is an innovativeEPIRB with a unique featureset. The addition of an AIS alert provides the easiest and quickest path to rescue while the included Return Link Service (RLS) functionality provides a welcome sense of security by providing direct to beacon confirmation that your distress message has been received.

Adding Near Field Communication (NFC) to the mix allows for smartphone connectivity and access to data and product interaction that has never before been available. This advanced feature set makes the GlobalFix V5 perfect for mariners whether coastal cruising, working offshore or crossing oceans.

NO SUBSCRIPTION REQUIRED



- No Subscription Required
- 406 MHz Cospas Sarsat Distress Signal (MEOSAR Compatible)
- 121.5 MHz Local Homing Signal
- AIS (Automatic Identification System) Alert
- Smartphone connectivity via NFC (Near Field Communication)
- Free ACR Beacon Mobile App
- RLS (Return Link Service) Functionality
- GPS| Galileo| Glonass GNSS
- Strobe and Infrared Strobe
- GlobalCoverage
- Category I (Float Free) or Category II (Manual) bracketoptions
- Small and lightweight
- 10year battery life >= 48hours Operational Life



PART NO.	MFG#	DESCRIPTION
7273250	2851.63	Gps Epirb /AIS

For the most up to date pricing, please visit maritimemarinesupply.ca/price

Fishing Vessel Safety Packages



Our fishing vessel safety packages consist of a Fitzwright 4 or 6 person flat or round pack life raft.

A rugged life raft cradle is provided with all life rafts. Each package includes 3 x SeaEco+ Immersion suits in which all suits are tested and approved according to the strictest national and international standards. Both packages come with a Cat. 1 EPIRB manufactured by Ocean Signal (with GPS).

PACKAGE 1

INCLUDES 4-PERSON FLAT PACK LIFE RAFT

- 4-Person Flat Pack Life raft c/w Cradle

Included but not inside cradle

- 3 x Immersion Suits
- 1 x Ocean Signal Cat. 1 EPIRB with GPS

PACKAGE 2

INCLUDES 6-PERSON FLAT PACK LIFE RAFT

- 6-Person Flat Pack Life raft c/w Cradle

Included but not inside cradle

- 3 x Immersion Suits
- 1 x Ocean Signal Cat. 1 EPIRB with GPS

4 AND 6 PERSON RAFT AND CRADLE AVAILABLE SEPARATELY (CALL FOR PRICING)
HRU SOLD SEPARATELY

Please contact Maritime Marine Supply directly FOR PRICING.
PH: 1-902-566-1220 OR VIA EMAIL info@mmsupply.ca

OCEAN SIGNAL SAFESEA EPIRB

SafeSea EPIRBs operate in the 406MHz satellite band monitored by Cospas-Sarsat, the international satellite operator, ensuring a signal can be located wherever it is activated around the globe.
These EPIRBs are also fitted with a 121.5MHz homing beacon and a high brightness LED strobe light for fast on-scene location. The SafeSea E100G EPIRB (7223296) benefits from a dedicated built-in GPS which sends a highly accurate position, greatly reducing search time. With the SafeSea EPIRB battery operating life being the highest in the industry, an Ocean Signal EPIRB keeps rescue services updated with your location for longer.



Cospas-Sarsat: T.001/T.007
IMO regulations: A.662(16); A.694(17); A.810(19)1; A.814(19)
International Standards Radio: IEC61097-2
International Standards EMC: IEC60945
European approval GMDSS: Marine Equipment Directive A.1/5.6
USA Standards RTCM: SC110
USA Standards FCC: CFR47 part 80.1101
Transport Canada: 9296A-E100E1E2

- EPIRB with GPS (7223296) incorporates a state of the art 50 channel GPS receiver for fast and accurate position acquisition
- Manual bracket, manual release housing & float free housing options
- Extreme battery life (96 hours of operation; replacement 5 years)
- User replaceable batteries with five-year replacement interval
- Intuitive operating controls protected from accidental activation
- Meets or exceeds all International standards
- Class 2 EPIRB (-20°C to +55°C) for general use
- Non-hazardous battery

PART NO.	MFG#	DESCRIPTION
7223296	OS-702S-03401	EPIRB Automatic with GPS

RESCUEME PERSONAL LOCATOR BEACON PLB1





At sea or on land, the **rescueME PLB1** provides Global Emergency Services with the press of a button from a single hand in even the most challenging situations.
-Transmitter Frequency: 406.040MHz
- Waterproof: 15M
- Batt: Lithium >24hours @ -20°C, Typ. 7 Year Life

- Easily fits to most lifejackets
- Retractable Antenna
- High brightness strobe light >1candela
- 66 channel GPS receiver
- Operates on the global Cospas Sarsat rescue system
- Free to use, no subscription charges

PART NO.	MFG#	DESCRIPTION
7223280	OS-730S-01261	Personal Locator Beacon

REPLACEMENT EPIRB HRU



Approvals:
- Transport Canada Recognized
- **USGC:** 160.062/13/0

MUST BE REPLACED AFTER TWO YEARS!

PART NO.	MFG#	DESCRIPTION
7223293	OS-701S-00608	Ocean Signal HRU, EPIRB
9954-407	BM-ACR9490	ACR GlobalFix

HYDROSTATIC RELEASE UNIT 4 YEAR



This Disposable Hydrostatic Release Unit (HRU) is approved to the new MED and SOLAS regulations together with ships wheel approval, USCG, TC and many others. The units are made from anodized aluminum and UV–resistant plastics to meet the tough requirements of the marine environment. The units operate independently of the life raft buoyancy and are approved for any size of life raft up to a buoyancy load of 1500 kgs. All parts are made from non-toxic materials and can be recycled.
Features:
- No Servicing Requirements
- 4 Year Operational Life

Approvals: TC 245.007.004, SOLAS/MED.

PART NO.	MFG#	DESCRIPTION
7223300	TH-DK2010	4 Year HRU

HAMMAR EPIRB HRU, MCMURDO/KANNAD



7223291



7223292

The Hammar H20 is also used widely for Emergency Position Indicating Radio Beacons (EPIRB). Nearly all leading EPIRB manufacturers are using the Hammar H20 for the float free function. Should the vessel sink, the Hammar H20, which is activated by increasing water pressure, will automatically release the EPIRB. Instead of the rope sling, a specially developed plastic bolt secures the radio beacon and will be cut when the unit is activated.

Approvals:
- Transport Canada Recognized
- SOLAS 74 Convention, Reg. III/4
- IMO Res. MSA 48(66)-(LSA Code)
- IMO MSC/Cir. 811 and IMO MSC/Cir. 980

MUST BE REPLACED AFTER TWO YEARS!

PART NO.	MFG#	DESCRIPTION
7223291	HM-HE-0100	Hammar HRU, EPIRB
7223292	KA-82-996A	McMurdo/Kannad Breakable Pin Kit
9954-408	HM-HE-0100/KA82-996A	HRU Complete

HAMMAR H2O HYDROSTATIC RELEASE UNIT 2 YEAR



The Hammar H2O hydrostatic release unit is designed for liferafts from 6 up to 150 persons. It consists of a double looped white rope line, a release mechanism and a Red Weak Link (breaking strength 2.2 ± 0.4kN). If the ship sinks, the water pressure will, within 4 metres, activate the sharp knife which cuts the rope and the liferaft will float free. As the ship sinks, the painter line will be stretched and the liferaft starts to inflate. The Red Weak Link breaks and survivors can board the floating liferaft.

Approvals:
- Transport Canada
- SOLAS 74/96 Convention, Reg. III/4 LSA Code
- IMO Res. MSC. 48/(66), IMO Res. MSC. 81(70)
- EU Directive 96/98 EC

MUST BE REPLACED AFTER TWO YEARS!

PART NO.	MFG#	DESCRIPTION
7223299	HM-H20HRU	Hydrostatic Release

For the most up to date pricing, please visit maritimemarinesupply.ca/price

Liferafts

PLASTIMO



18-year manufacturer's Warranty

Retroactive to all our liferafts manufactured since 2013.

With such quality features now extended over a longer period of time...
No doubt, a Plastimo liferaft is your best investment and safest choice



ISO 9001
BUREAU VERITAS Certification

An exclusive warranty supported by a unique quality

Building on a unique 40-year expertise as liferaft designer and manufacturer, Plastimo confidently commit themselves :

- design by our own R & D team, fully dedicated to your safety.
- exclusive and patented construction technology.
- production in our Plastimo factories, ISO 9001 certified.

PE 902-566-1220 NS 902-928-1900

LIFE RAFT ISAF TRANSOCEAN



- Required for most offshore races
- Meets the ISAF 1&2 categories and OSR 4.20.2 (d) i-iv requirements
- Large capacity and quantity of ballast pockets, large area drogue anchors



Canister

- Double insulating floor, fluoresent orange canopy, outside light and retro-reflecting stripes
- Boarding ramp with an inside grab handle to ease embarking
- Water, rations and first aid kit just a few extras with the emergency survival pack
- Packed in cannister

PART NO.	MFG#	DESCRIPTION
9990-777	54561	4 man, Canister
9990-778	54563	6 man, Canister
9990-779	54565	8 man, Canister

LIFE RAFT – CRUISER 4-MAN



- The cruiser liferafts are designed for coastal cruising and moderate navigation conditions
- Single floor on cruiser standard



Canister



Valise

PART NO.	MFG#	DESCRIPTION
9990-231	28822	4 man, Valise
9990-331	57042	4 man, Canister

LIFE RAFT TRANSOCEAN ISO 9650-1



Blue water liferaft for extreme conditions.

- Large capacity ballast pockets and large drogue anchor
- -15°C inflation temp. (group A), double insulating floor



Canister



Valise

- Fluorescent orange canopy with automatically erecting arch tube
- 4.3 cd. outside light and retro-reflecting stripes.
- Standard pack for rescue within 24 hours: contains all the equipment related to the liferaft structure and visibility including some pyro

PART NO.	MFG#	DESCRIPTION
9990-775	52161	4-person, Valise
9990-776	52162	4-person, Canister
9990-332	52380	6-person, Valise
9990-230	52381	6-person, Canister

LIFE RAFT - CRUISER STANDARD



Designed for coastal cruising and moderate navigation conditions. Single floor and double air chamber construction.



Valise



Canister

- Floating anchor with 10 m Line. Rescue Quoit with 30 m of line.
- Drinking water and Rainwater collecting pouch.
- Pump, Sponge and Bailer, Paddles(pr.), Floating Knife, Repair Kit.
- Waterproof Flashlight with spare battery and bulb.

PART NO.	MFG#	DESCRIPTION
9990-850	27979	6 Person, Valise
9990-851	57047	6 Person, Canister

DSS Protection is now an authorized service provider for Plastimo liferafts across Canada.

Service your Plastimo Liferaft at DSS Protection

All four DSS Protection Stations—from coast to coast—are now certified to inspect, service, and recertify **Plastimo liferafts.**

NS | NL | QC | BC **1-888-523-0221**



CRADLES FOR LIFE RAFTS STAINLESS STEEL



DECK MOUNT WITH STRAPS

Horizontal Deck Mount Cradle with Straps

- Stainless steel, with adjustable straps
- Only model suitable for hydrostatic release unit

PART NO.	MFG#	DESCRIPTION
9990-780	40446	For Trans ocean 4-man
9990-237	40447	For Trans ocean 6-man
9990-781	40448	For Trans ocean 8-man

STANDARD DECK MOUNT



Standard Horizontal Deck Mount Cradle

PART NO.	MFG#	DESCRIPTION
9990-234	53442	For Cruiser+ 4-man
9990-235	18673	For Transocean 4 & 6

Universal Cradle for Canister



Universal

- May be installed horizontally or vertically on the pushpit or transom

PART NO.	MFG#	DESCRIPTION
9990-233	27462	Universal Cradle



WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/

Or by using this QR Code on your phone.

SAFETY TETHERS

- Very flexible polyester strap with retroreflective thread for easy and quick identification at night, charge indicator.
- All Plastimo lanyards are equipped with self-closing carabiners to prevent accidental opening.
- Load indicator: when the lanyard is subjected to too great a load (for example during a fall), the overload indicator unseals and reveals a label indicating that the lanyard must be replaced.
- Approval:ISO 12401 & CE



Technical characteristics
Length:1.5 mm
Weight:215 kg
Strap width:23 mm
Number of carabiners: 1



Technical characteristics
Length:Elastic 1- 1.5 mm
Weight:225 kg
Strap width:23 mm
Number of carabiners: 1



Technical characteristics
Length:1.5 mm
Weight:354 kg
Strap width:23 mm
Number of carabiners: 2

PART NO.	MFG#	DESCRIPTION
9990-807	66834	Tether Flat, 1 ss hook
9990-808	66838	Tether Flat, 2 ss hooks
9990-809	66836	Tether Elastic, 1 ss hook

TETHERS WITH PREMIUM ALUMINIUM SAFETY HOOK



- Premium aluminium safety hook(s)
- Robust safety hook with safety bar
- Superfast opening and closing in a single action
- Polyester flexible tethers, retro-reflective thread to optimize night visibility
- Strain indicator
- ISO12401 certified. (Double tethers: RORC-RSO 2018 compliant)

PART NO.	MFG#	DESCRIPTION
9990-668	66867	2-hook
9990-669	66842	3-hook

STAINLESS STEEL SAFETY HOOK TETHERS



- Automatic closing stainless safety hook(s) to prevent accidental opening
- Polyester flexible tethers, retro-reflective thread to optimize visibility at night
- ISO12401 certified (Double tethers: RORC-RSO 2018 compliant)
- Strain indicator
- Supplied in a mesh bag

PART NO.	MFG#	DESCRIPTION
9990-666	66840	2-hook
9990-667	66865	4-hook

REFLECTIVE JACKLINES





- 1" flat polyester webbing
- Reflective thread optimizes visibility at night
- Fixing loops, breaking strain 900lbf
- Sold by the pair, shackle not included

PART NO.	MFG#	DESCRIPTION
9990-764	66985	23'(7M) pair
9990-765	66986	26'(8M) pair
9990-766	66987	29'(9M) pair
9990-767	66988	33'(10M) pair
9990-768	66989	40'(12M) pair
9990-769	66990	46'(14M) pair

JACKLINES



- 1-3⁄16" (30mm) wide polyester webbing
- To ensure continued strength and safety, Jacklines should be replaced after 2 years of outdoor exposure
- Shackles not included

PART NO.	MFG#	DESCRIPTION
9990-405	36215	7m, pair
9990-406	36216	8m, pair
9990-407	36217	9m, pair
9990-408	36218	10m, pair
9990-763	66981	12m, pair
9990-482	62102	14m, pair

For the most up to date pricing, please visit maritimemarinesupply.ca/price

M.I.T. 70 AUTO INFLATABLE PFD





The exclusive Membrane Inflatable Technology (MIT) creates lightweight and flexible comfort.

The vest inflates automatically upon water immersion and includes a pull cord for manual inflation at any time. When deployed, the vest displays a high visibility contrasting fabric for increased safety in rescue situations.

Material: 420D Nylon
Buoyancy: 15 Lbs.
Size: Adult, Universal, 30" to 52" Chest - (76 to 132 cm)
Approval: Harmonized Level 70

PART NO.	MFG#	DESCRIPTION
7223689	MD4042-4-0-202	Auto-Inflatable PFD, Red
7223690	MD4042-191-0-202	Auto-Inflatable, Grey
7223645	MA4041-0-0-101	Re-arm Kit "K", 17gr.

M.I.T. 100 CONVERTIBLE A/M INFLATABLE PFD





This versatile front entry inflatable PFD allows users to convert between Automatic and Manual inflation modes simply by swapping inflator caps. (Included).

- Will Self-Right most wearers (Face-Up) once inflated.
- Provides 28 Lbs of buoyancy when inflated.
- Compatible with the 1.5" Buckle Belt Extender 9953-834 (MA7637)



7223646

Approvals:
USCG – Recreational Type III / Commercial Type V
TC Approved Inflatable PFD (Type II Performance)

PART NO.	MFG#	DESCRIPTION
7223692	MD2040-191-0-202	Convertible, Universal Adult, Grey
7223693	MD2040-4-0-202	Convertible, Universal Adult, Red
7223646	MA2030-0-0-101	Re-Arm Kit, "L", 24 gr.

HIT INFLATABLE PFD
WITH SAILING HARNESS





- Will automatically inflate under water pressure, not inadvertently in rain, spray or humidity
- Mustang's most popular inflatable PFD in the sailing community
- SOLAS reflective tape, safety whistle and strobe light attachment on inflation cell
- Two heavy duty stainless steel D-rings for use with tethers

Buoyancy: 35lbs./150N

Size	Chest (in)	Chest (cm)	Weight (lbs)	Weight (kg)
Universal	30"–52"	76–132cm	80 lbs. or over	36 kg or over

Compliant to Transport Canada Ship Safety Bulletin No. 06/2012
Approval: TC Marine - TP 14475 - Inflatable PFDs - Type II Canadian Life Saving Appliance Standard

PART NO.	MFG#	DESCRIPTION
7223675	MD315402-123-0-235	HIT Universal PFD w/Harness
7223643	MA7214-0-0-102	HIT Re-Arm Kit 'C', 33gr

HIT HIGH VISIBILITY INFLATABLE PFD
(AUTO HYDROSTATIC)



The MD3153 T3 Inflatable PFD with HIT (Hydrostatic Inflator Technology) is Mustang Survival's brightest inflatable yet.

This offers reliable inflation in a low maintenance design that will only automatically inflate when submerged in 4" or more of water and not inadvertently due to rain, spray or humidity.

This low profile PFD ensures high visibility and is light weight and comfortable enough that you'll forget you're wearing a PFD.

Size	Chest (in)	Chest (cm)	Weight (lbs)	Weight (kg)
Universal	30"–52"	76–132cm	80 lbs. or over	35 kg or over

PART NO.	MFG#	DESCRIPTION
7223434	MD3153T3-239-0-101	PFD, Fluo Yel-Grn/Black
7223643	MA7214-0-0-102	Hydrostatic Re-Arm Kit "C", 33gr

Harmonized Floatation

A **Harmonized** flotation device conforms to a new Transport Canada/US Coast Guard North American Standard. All **Harmonized** flotation devices will have a single North American label based on ISO symbols.



Ideal for shared Canada-US waters, the new labelling system uses identical icons and performance levels based on the flotation device's intended use and the environment within which it is to be worn.

HIT INFLATABLE LIFE JACKET



- Hydrostatic inflator, offers reliable inflation
- Maintenance free for 5 years or until inflated
- Lightweight and comfortable design with neoprene collar
- Provides 35 lbs. of buoyancy when inflated, twice the flotation of most foam PFDs

Recommended for: Sailing, Boating, Industrial Marine, Search & Rescue. **Transport Canada approved:** CAN/CGSB 65.7-2007 – Life Jacket

The first and only TC approved inflatable lifejacket in Canada!

Buoyancy: 35lbs./150N

PART NO.	MFG#	DESCRIPTION
7223436	MD315702-2-0-235	HIT Inflatable Life Jacket
7223669	MA5283-0-0-101	Hydrostatic Re-Arm Kit 'B', 33gr

ELITE 120 PFD

The Elite 120 PFD Hammar MA1 inflator is low maintenance and prevents accidental inflation. It utilizes our groundbreaking ADAPT technology incorporating bladder contouring that provides strong turning performance and the Elite 120 is shaped to sit off the neck and provide all-day comfort.



- Mesh liner for breathability.
- Compatible with Sprayhood.
- Engine kill switch loop.

Buoyancy: 120N / 28 Lbs.

Approvals: ITC Recreational TYPE II
TC Commercial TYPE V.

Materials: Shell: PFAS-free urethane coated Nylon
Bladder : TPU laminated Nylon.
Universal Adult: Chest: 75 – 155 cm, 30" – 61"

PART NO.	MFG#	DESCRIPTION
7223698	MD5170-4-0	Elite 120, Red
7223699	MD5170-191-0-202	Elite 120, Grey
7223700	MD5170-292-0	Elite 120, Green
7223665	MA5183-0-0-101	Re-Arm Kit, "A", 24 gr.

ELITE 190 PFD



- Mesh liner for breathability.
- Compatible with Sprayhood.
- Engine kill switch loop.
- Room for AIS and PLB

The Elite 190 Hammar MA1 inflator is low maintenance and prevents accidental inflation. ADAPT Technology incorporates bladder contouring that provides strong turning performance and the Elite 190 is shaped to sit off the neck and provide all-day comfort

Buoyancy: 188N / 42 Lbs. (USCG/TC Type II).

Approvals: ITC Recreational TYPE II
TC Commercial TYPE V.

Materials:
Shell: PFAS-free urethane coated Nylon, 500D Cordura.
Bladder: TPU laminated Nylon.
Universal Adult:
Chest: 75 – 155 cm, 30" – 61"

PART NO.	MFG#	DESCRIPTION
7223696	MD3170-123-0-202	Elite 190, Red-Black
7223697	MD3160-13-0	Elite 190, Black
7223648	MA3160-0-0-101	Re-Arm Kit, "O", 38gr.
7223649	MA3150-45-0-202	Sprayhood (Optional)

ATLAS 190 DXL PRO LIFE JACKET

The Atlas 190 Hammar MA1 inflator is low maintenance and prevents accidental inflation. ADAPT Technology incorporates bladder contouring that provides strong turning performance and the Atlas 190 is shaped to sit off the neck and provide all-day comfort.





- Low-profile tether point.
- Integrated leg strap is detachable.
- Integrated Sprayhood prevents secondary drowning.
- Water-activated light increases on the water visibility.
- Room for AIS and PLB.

Buoyancy: 188N / 42 Lbs.

Approvals:
ISO 12402-3 (150N).
ISO 12401 (Harness).
ISO 12402-8 (Sprayhood and light).

Materials: Shell: PFAS-free urethane coated Nylon, 500D Cordura.
Bladder: TPU laminated Nylon.

Universal Adult:
Chest: 75 – 155 cm, 30" – 61"

Inflated and Spray Hood

PART NO.	MFG#	DESCRIPTION
7223694	MD3195E1-123-0-202	Atlas 190 DLX, Red-Black
7223695	MD3195E1-13-0-202	Atlas 190 DLX, Black
7223647	MA3190-0-0-101	Re-Arm Kit, "N", 38gr.
7223649	MA3150-45-0-202	Sprayhood (Replacement)

SPRAY HOOD



This low-profile spray hood seamlessly integrates with the Atlas 190 DXL Pro Sensor Life Jacket to prevent secondary drowning from waves. Ideal for offshore sailing and boating, its high-visibility design aids in rescue situations.

- Designed to protect your airways in the water.
- Highly visible fabric aids in rescue scenarios.
- Packs easily into an Atlas 190 DLX Life Jacket
- Optional for Elite 190



Size: Universal

PART NO.	MFG#	DESCRIPTION
7223649	MA3150-45-0-202	Spray Hood, Fluorescent Yellow

For the most up to date pricing, please visit maritimemarinesupply.ca/price

MINIMALIST MANUAL INFLATABLE BELT PACK





The Minimalist MANUAL Inflatable Belt is designed for inshore paddles and/or skilled swimmers who are looking for a little extra safety support. The design stays out of the way until activated. Soft exterior fabric and ergonomic construction make this PFD extremely comfortable to wear.



- Manually activated.
- Pillow style bladder.
- Inflates via manual inflation cord.
- Molle webbing secures essentials.
- Harmonized Level 70

Buoyancy: 16.9 lbs/ 75N when inflated.

Approvals: 15.8 Lbs./70 USCG and Transport Canada

Materials: 500D Cordura Nylon

PART NO.	MFG#	DESCRIPTION
7223705	MD3070-191-0-202	Belt Pack, minimalist, Grey
7223706	MD3070-268-0-202	Belt Pack, minimalist, Blue
9953-834	MA7637-13-0-101	Belt Extender Option
7223707	MA3070-0-0-101	Re-Arm Kit, "J", 16 gr.

ESSENTIAL MANUAL INFLATABLE BELT PACK



If you don't want anything getting in the way of your paddle stroke The Essential MANUAL Inflatable Belt pack with strategic storage has you covered for inshore explorations. Two zippered pockets, a mesh pocket and a key loop keep your valuables secure.

- 3D breathable mesh liner keeps you cool.
- Manually activated via manual inflation cord.
- Simple and easy to repack after use.
- Pillow style bladder.
- Harmonized Level 70.



PART NO.	MFG#	DESCRIPTION
7223545	MD3800-191-0-202	Belt Pack, Essential, Grey
7223546	MD3800-4-0-202	Belt Pack, Essential, Red
9953-834	MA7637-13-0-101	Belt Extender Option
7223707	MA3070-0-0-101	Re-Arm Kit, "J", 16 gr.

MANUAL INFLATABLE BELT PACK





- Allows for total freedom of movement during Stand-Up-Paddle-boarding, flatwater paddling, fishing, sailing and other recreational water activities
- A zippered pocket for convenient storage of smaller items
- Reflective piping for increased visibility when on the water
- 1" buckle and belt
- Protective cover is made of 400 denier nylon fabric
- 24g CO2 cylinder with a yellow water soluble bobbin and a green indicator clip
- Transport Canada Approved for persons 16 years of age and older, and over 80 lbs

PART NO.	MFG#	DESCRIPTION
7223457	130001-700-004-12	Belt Pack, PFD, Black
7223458	135000-701-999-12	Re-Arm Kit, 24gr

INFLATABLE PFD BELT EXTENDER



Two zippered pockets and a mesh stash pocket with key loop for storing essentials

Buoyancy : 16.9 lbs/ 75N when inflated.

Approvals : 15.8 Lbs./70 USCG and Transport Canada.

- Ads 12" to the waist belt
- Note: wearing a belt extender voids the Canadian ULC approval for the PFD

PART NO.	MFG#	DESCRIPTION
9953-834	MA7637-13-0-101	For 1.5" wide buckles
9953-835	MA7632-13-0-101	For 2" wide buckles

REPLACEMENT BOBBINS



Replacement part for automatic inflators, They dissolve when immersed in water and cause the CO2 cylinder to inflate a PFD.
Fits models MD3017, MD3019, MD0200 MD3053, MD3054

PART NO.	MFG#	DESCRIPTION
7223439	MA9211-0-0-205	Replacement Bobin

HYDROSTATIC RE-ARM KITS

TYPE A

Contains:

- Auto Hydrostatic inflator with cap
- Body (with 24g CO2 cylinder) Metal key
- Re-arming instruction manual.
- **Fits:** MD5153, MD5183 and MD5160



TYPE B

Contains:

- Auto Hydrostatic Inflator
- Inflator cap with metal pull handle
- Body (with 33g CO2 cylinder) Metal key
- Re-arming instruction manual
- **Fits:** MD5283, MD5253, MD6284, MD6254 and MD315702.



TYPE C

Contains:

- Auto Hydrostatic inflator with cap
- Body (with 33g CO2 cylinder) Metal key
- Re-arming instruction manual.
- Plastic Pull Handle
- **Fits:** MD3153, MD3154, MD3157, MD3183, MD3184, MD315402, MD3188



TYPE D

Contains:

- One 24-gram CO2 cylinder and bayonet assembly
- One bobbin (used for automatic PFD models only)
- One re-arming instruction manual
- **Fits:** MD2014, MD2015, MD2016, MD2017, and versions CM and T1.



TYPE E

Contains:

- One 33-gram CO2 cylinder
- One bobbin (used for automatic PFD models only)
- One re-arming instruction manual
- **Fits:** MD3051, MD3052, MD3053, MD3054, MD3083, MD3084, MD3087



TYPE F

Contains:

- One 33-gram CO2 cylinder
- One green inflator pin
- One automatic inflator bobbin (used for automatic PFD models only)
- One re-arming instruction manual
- **Fits:** MD1166, MD3000, MD3001, MD3002, MD3003, MD3004, MD3017, MD3019, MD3020, MD3010, MD3015, MD3021, MD3025, MD3031, MD3032, and MD3091.



TYPE G

Contains:

- One 12-gram CO2 cylinder
- One green indicator pin
- One re-arming instruction manual
- **Fits:**Khimera dual flotation PFD, MD7183



PART NO.	MFG#	DESCRIPTION
7223665	MA5183-0-0-101	Type A, 24g
7223669	MA5283-0-0-101	Type B, 33g
7223643	MA7214-0-0-102	Type C, 33g
7223659	MA2014	Type"D", 24g
7223398	MA7114-0-0-102	Type "E", 33g
7223399	MA7113-0-0-102	Type "F", 33g
7223396	MA7116-0-0-102	Type "G", 12g

TYPE H

Contains:

- One 17-gram CO2 cylinder and bayonet assembly
- One bobbin (used for automatic PFD models only)
- Re-arming instruction manual
- **Fits:** MD4031, MD4032



TYPE J

Contains:

- One 16-gram CO2 cylinder.
- One green indicator pin.
- One re-arming instruction manual.
- Fits: MD3070



TYPE K

Contains:

- One 17-gram CO2 cylinder
- One bobbin (used for automatic PFD models only)
- One re-arming instruction manual
- **Fits:** MD4042



TYPE L

Contains:

- One 24-gram CO2 cylinder
- One bobbin (used for automatic PFD models only)
- One re-arming instruction manual
- **Fits:** MD2040



TYPE N

Contains:

- One 38-gram CO2 cylinder/inflator body
- One Inflator Cap with metal pull handle
- One Metal Key
- One re-arming instruction manual
- Fits: MD3195E1



TYPE O

Contains:

- One 38-gram CO2 cylinder/inflator body
- One Inflator Cap with metal pull handle
- One Metal Key
- One re-arming instruction manual
- Fits: MD3160, MD3170



PART NO.	MFG#	DESCRIPTION
7223397	MA4031-0-0-101	Type "H", 17g
7223707	MA3070-0-0-101	Type “J”, 16g
7223645	MA4041-0-0-101	Type "K", 17g
7223646	MA2030-0-0-101	Type "L", 24g
7223647	MA3190-0-0-101	Type “N”, 38g
7223648	MA3160-0-0-101	Type “0”, 38g

PILOT 165 LIFEJACKET



UNIVERSAL SIZING



INFLATED

- Comfortable and lightweight, the Pilot 165 is the perfect all-rounder, ideal for all nautical activities.
- Very flexible and body-hugging.
- Slim cut with optimized folding.
- Easy to fold and re-pack when checking or servicing.
- Buoyancy : Rated 150 N, actual buoyancy 165 N.
- Automatic with manual backup.

PART NO.	MFG#	DESCRIPTION
9990-830	66783	Manual PFD, Blue
9990-831	66781	Manual PFD, Red
9990-832	66785	Manual PFD, Black
9990-689	66797	Automatic PFD, Blue
9990-690	66795	Automatic PFD, Red
9990-691	66799	Automatic PFD, Black
9990-718	66803	Automatic PFD w/ Harness, Blue
9990-804	68786	Automatic PFD w/ Harness, Red, (XXL) *
9990-719	66801	Automatic PFD w/Harness, Red
9990-760	66805	Automatic PFD w/Harness, Black
9990-833	66815	Hydrostatic PFD w/Harness, Blue
9990-834	66813	Hydrostatic PFD w/Harness, Red
9990-835	66817	Hydrostatic PFD w/Harness, Black
9990-197	40199	Re-arm kit for Pilot 165 Manual, 33gr
9990-198	40200	Re-arm kit for Pilot 165 Automatic, 33gr
9990-371	58461	Re-arm kit for Pilot 165 Hydrostatic, 33gr

***Universal Size : 55 – 140 cm Chest, XXL Size : 60 – 175 cm Chest**

EVO 165 LIFEJACKET WITH INTEGRATED HARNESS



- Short cut on chest combined with rounded shape provide superior comfort and mobility.
- Foam padded patch on stomach, integrated to waist belt.
- Flexible and hardwearing material.
- Visibility of inflated jacket : yellow air chamber + 300 cm² retro-reflecting tapes.
- Pro-Sensor: Viewing window helps monitor status of firing mechanism
- automatic with manual backup

PART NO.	MFG#	DESCRIPTION
9990-692	66961	black w/ harness
9990-552	58460	Re-arm kit, pro sensor pre 2019
9990-805	65769	Automatic Pro Sensor "Elite" Re-Arm Kit, 2019+

PILOT PRO 180 PFD



- Comfortable and hard-wearing, perfectly adapted to intensive working conditions
- Yellow fabric, PVC coated on both sides, washable and fire-retardant
- Rounded comfortable neck. Reflective piping on shoulders

PART NO.	MFG#	DESCRIPTION
9990-695	P200478	Auto
9990-696	P200479	Auto w/harness
9990-799	64114	Re-am Kit, 38gr
9990-374	**64115**	Re-arm kit, SL180, pro sensor, 38gr

UML RE-ARM KIT AUTO PRO SENSOR ELITE-33G



UML Re-arming kit including all necessary parts to re-arm your inflatable lifejacket.

Includes :
Water-dissolving kit. 38 g CO2 cartridge.
Specifications:
Actual buoyancy: 180 N Weight: CO2 : 33 kg

Release mechanism: Automatic Pro Sensor Elite **COMPATIBLE WITH:** Pilot 165, EVO 165, Seapack, Seashore, Pilot Pocket, Recuse Belt, Pilot Race, Quickfit, Easyfit

PART NO.	MFG#	DESCRIPTION
9990-805	65769	EVO Re-Arm Pro Sensor Elite-33g

NEW

INFLATABLE LIFEJACKET SLR 196



- Exclusive dual-chamber technology.
- Optimized bladder design with ergonomically enhanced collar.
- Release handle integrated into vest.
- Modern design with high-tech materials and Carbon-effect fabric.
- 196 N buoyancy for improved rollover efficiency and freeboard.
- Quick purge to adjust pressure and deflate vest if needed.



9990-838

PART NO.	MFG#	DESCRIPTION
9990-836	70453	Auto Pro Sensor
9990-837	70454	Auto Hammar
9990-838	71038	Re-Arm Kit, Hammar

NEW

INFLATABLE LIFE JACKET PILOT PRO 180

PLASTIMO



The Pilot 180 lifejacket stands at the intersection of recreational boating and professional activities. With a buoyancy rating of 180 N, it is offered in 3 versions of durable protective cover:

- In orange PVC double-coated fabric.
- In navy or red polyester fabric with polyurethane coating
- In black fireproof cordura fabric.

This cover provides effective protection against wear and tear during activities such as recreational sport fishing or professional fishing, as well as for industrial applications.

The Pilot 180 lifejacket is ISO 12402-3 certified, reassuring its safety and reliability.

PART NO.	MFG#	DESCRIPTION
9990-839	P200482	Orange PVC
9990-840	P200483	Orange PVC w/ Harness
9990-841	P200490	Navy Polyester
9990-842	P200916	Black Fireproof Codura w/ Harness
9990-843	P200933	Red Polyester
9990-845	65872	Re-Arm Kit

SPRAYHOOD

PLASTIMO



- Provides added protection against waves and enhances visibility in survival conditions.
- Y shape leaves unobstructed the safety instruments which require a clear emission scope (PLB, flashlight...)
- Optimum visibility: bright fluorescent colour combined with retro-reflecting tapes on head and bust
- Easy to mount and use

PART NO.	MFG#	DESCRIPTION
9990-165	64950	Optimum Visibility

AUTO/MANUAL INFLATABLE LIFE JACKET

FitzWright



- Comfortable, lightweight, low profile design
- Soft neoprene neckline for all day comfort
- This TC approved PFD will automatically inflate upon immersion in water or when the wearer pulls the "Pull to Inflate" handle
- Convertible from AUTO/MANUAL inflation to MANUAL ONLY inflation

PART NO.	MFG#	DESCRIPTION
7223425	FW-AM24-B	Standard
7223427	AO-24G	Re-arm Kit, Manual/Auto, 24gr

LIFE JACKET STRAP

PLASTIMO



- 1" wide polyester webbing with plastic buckle

PART NO.	MFG#	DESCRIPTION
9990-400	50524	1" Wide



For the most up to date pricing, please visit maritimemarinesupply.ca/price

KEYHOLE LIFEJACKET

The basic block foam design of this FitzWright Adult Keyhole Lifejacket provides many easy storage configurations. The articulated multiple folding sections increases comfort around the neck and will increase survival of unconscious wearers.



Includes SOLAS reflective tape an attachment point for an approved lifejacket light and a Whistle (sold separately).

Approvals: Transport Canada 201600394 and SOLAS

PART NO.	MFG#	DESCRIPTION
7223402	FW-L0147C2	Lifejacket

MUSTANG LIFE JACKET - TC SOLAS APPROVED LR-TC-0000035

Features SOLAS grade reflective tape, an accessory tab with SOLAS approved whistle, an attachment point for a personal light (not included), a buoyant buddy line and a lifting loop.
Adult Size: Maximum Chest: 69" (175cm) **Weight:** 95lbs+ (43 kg+)
Dimensions: 24.75" x 12.5" x 5.75" (63 x 32 x 15cm)

Child Size:
Maximum Chest: 55" (140cm)
Weight: 33-95lbs (15-43 kg)
Dimensions: 22" x 11.38" x 4.38"



Approvals: USCG SOLAS, MED SOLAS, USCG Type I Stds & TC SOLAS LR-TC-0000035.

PART NO.	MFG#	DESCRIPTION
7223400	MV8040-2-0-227	Universal Adult
7223401	MV-8035-2-0-227	Universal Child

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

DELUXE MESH VEST



- TC approved
- Lightweight PFD
- Mesh construction keeps you cool and offers freedom of movement

PART NO.	MFG#	DESCRIPTION
9953-870	FW-PFD1508-S	S
9953-871	FW-PFD1508-M	M
9953-872	FW-PFD1508-L	L
9953-873	FW-PFD1508-XL	XL
9953-874	FW-PFD1508-2XL	2XL
9953-875	FW-PFD1508-3XL	3XL

INDUSTRIAL MESH VEST



- The MV1255 T1 Industrial Mesh Vest offers maximum visibility, mobility, cooling and comfort with features such as large arm holes, mesh shoulders, and SOLAS reflective tape across the front and back of the vest. The MV1255 is also strength tested to 50 MPH.

Recommended for: Industrial, Marine, Law Enforcement, Search & Rescue
Transport Canada Approved: CAN/CGSB 65.11 M88–Adult PFD

PART NO.	MFG#	DESCRIPTION
7223448	MV1255T1-2-S/M-216	S/M
7223449	MV1255T1-2-L/XL-126	L/XL
7223450	MV1255T1-2-XXL/XXXL-216	XXL/XXXL

CLASSIC INDUSTRIAL VEST

WITH SOLAS REFLECTIVE TAPE



This Flotation Vest is a classic PFD for industrial applications. It offers large arm holes and adjustable straps comfort and mobility and SOLAS reflective tape on the shoulders for visibility. A good option for the commercial fishing, commercial transportation, industrial marine, search and rescue, special operations and security sector. **Orange/Black.**

Transport Canada Approved: CAN/CGSB 65.11 M88–Adult PFD. *Harmonized Level 70.*

PART NO.	MFG#	DESCRIPTION
7223421	MV3196T2-2-M-216	S/M
7223422	MV3196T2-2-L-216	L/XL
7223424	MV3196T2-2-XXL-216	XXL
7223431	MV3196T2-2-7XL-216	3XL/7XL

KHIMERA ULTRA SLIM DUAL FLOTATION PFD



Ultra slim PFDs provide freedom of movement in or on the water by a combined dual flotation system of foam & inflation. The slim foam chassis keeps you afloat & a hidden manual inflation chamber provides you with extra buoyancy if required. This lightweight & low profile design offers greater comfort,range of motion, & eases re-entry into your boat from water. Adjustable shoulder & waist straps create a close- to-body fit. Reflective shoulder patches for visibility, front storage pocket, & slot to hold extra CO2 cylinder (not included).

Buoyancy: 7.5 lbs. Foam & 12.5 lbs. Inflation for a total of 20 lbs.

Approval: USCG/Transport Canada Approved Level 70 buoyancy aid (equivalent to Type III foam vest performance, approved to the new harmonized standard)

PART NO.	MFG#	DESCRIPTION
7223635	MD7183-191-0-202	Grey, Manual
7223636	MD7183-268-0-202	Blue, Manual
7223637	MD7183-4-0-202	Red, Manual
7223396	MA7116-0-0-102	Re-Arm Kit "G", 12gr

UNIVERSAL INDUSTRIAL PFD VEST



- This universal-fit PFD provides incredible versatility for both recreational and industrial boaters alike
- The perfect PFD to have on board for drop-in guests or a rotating work crew
- Has 3 adjustable belts and open sides for a flexible fit
- Fits chest sizes up to 52”

Recommended for: Industrial Marine
Transport Canada Approved: CAN/CGSB 65.11 M88–Adult PFD

PART NO.	MFG#	DESCRIPTION
7223444	MV3005T1-2-0-257	Universal

SOLARIS FOAM VEST



Classic high-back foam vest designed to clear most kayak seatbacks. Mesh panels are incredibly breathable, and fleece-lined pockets.

- Mesh high-back design increases breathability and clears seat backs
- Easy buckle clip front entry
- Adjustable shoulder straps
- 2 zippered cargo pockets with mesh drainage
- Tethered signal whistle, reflective trim

PART NO.	MFG#	DESCRIPTION
7223612	MV807002-222-XS/S-216	Yellow Xsmall-Small
7223613	MV807002-222-M/L-216	Yellow Med-Large
7223614	MV807002-222-XL/XXL-216	Yellow Xlarge-XXLarge

BUOYANCY AID – ROGUE VEST



- Designed specifically to meet the challenging needs of fishermen
- Minimal bulk, max flexibility, offering buoyancy for overboard situations
- Black neoprene with two strips of SOLAS reflective tape
- *Note: This product is not approved by Transport Canada. It is designed to be a buoyancy aid to supplement your compliance requirements.*

PART NO.	MFG#	DESCRIPTION
7223381	FW-ROGUE-M	Buoyancy Aid, Black, Medium
7223382	FW-ROGUE-L	Buoyancy Aid, Black, Large
7223383	FW-ROGUE-XL	Buoyancy Aid, Black, X-Large
7223384	FW-ROGUE-2XL	Buoyancy Aid, Black, XX-Large
7223385	FW-ROGUE-3XL	Buoyancy Aid, Black, XXX-Large
7223386	FW-ROGUE-4XL	Buoyancy Aid, Black 4XL
7223387	FW-ROGUE-5XL	Buoyancy Aid, Black 5XL

Safe and Sound



The first version of the SOLAS Convention was adopted after the sinking of the *Titanic* in 1914.

The **Safety of Lives at Sea Convention (SOLAS)** is the most important international treaty governing safety aboard ships.

Through the **Life-Saving Appliances Code (LSA)**, SOLAS sets out the minimum requirements for life jackets, life boats, and rescue boats.

The **International Maritime Organization (IMO)** is a **United Nations** agency created to develop and maintain safety regulations such as SOLAS.

International Maritime Organization (IMO) flag.

Unlike most other approval ratings, a SOLAS approval is internationally recognized aboard merchant vessels governed by the IMO. For example, a lifejacket or PFD approved only by the US Coast Guard is **not** Canadian approved!

SOLAS



A SOLAS Approved Lifejacket offers the best performance. It will turn you on your back within seconds to keep your face out of the water so you can breathe - even if you're unconscious.

GENERAL PURPOSE PFD

- Lightweight PFDs made with durable flotation foam
- Adjustable belt(s) along with a chest strap to keep from riding up
- Infant PFDs feature a Pop-Up pillow, a Leg Strap for added safety and a Grab Strap for quick recovery
- Child PFDs feature a Leg Strap for added safety
- Transport Canada approved



Onyx

PART NO.	MFG#	DESCRIPTION
7223924	103000-100-001-12	Child, 33-55 lbs, Red
7223925	103000-500-001-12	Child, 33-55 lbs, Blue
7223926	103000-100-002-12	Youth, 55-88 lbs, Red
7223927	103000-500-002-12	Youth, 55-88 lbs, Blue
7223975	103000-100-004-12	Adult, Universal, Red
7223976	103000-100-005-12	Adult, Oversize, Red
7223977	103000-500-004-12	Adult, Universal. Blue
7223978	103000-500-005-12	Adult, Oversize, Blue

UNIVERSAL RECREATIONAL PFD VEST



- This universal-fit PFD provides incredible versatility for both recreational and industrial boaters alike
- The perfect PFD to have on board for drop-in guests or a rotating work crew
- Has 3 adjustable belts and open sides for a flexible fit
- Fits chest sizes up to 52”

pfd play

Approval: TC/CCG CAN /CGSB 65.11–M88

PART NO.	MFG#	DESCRIPTION
7223479	MV3005-4-0-257	Universal

TREND LIFE VEST FOR WOMEN

AIRHEAD



These Dual sized closed Trend Life Vests for women are built for extra comfort and designed for on the water activities like boating, skiing and fishing. They have four sturdy 1-1/2" belts with side release buckles. Transport Canada approved.

PART NO.	MFG#	DESCRIPTION
7223960	20081-07-A-BKHP	X-Small

WATER SPORTS PFD

pfd play



Made with soft PVC foam and high quality nylon to provide the ultimate fit. It has large armholes for good mobility and three big buckles to keep you strapped in for all the day's activities.

Transport Canada approved: CAN/CGSB 65.11 M88–Adult PFD.

PART NO.	MFG#	DESCRIPTION
7223390	MV127302-48-S-257	Small
7223391	MV127302-48-M-257	Medium
7223392	MV127302-48-L-257	Large
7223394	MV127302-48-XL-257	X Large
7223395	MV127302-48-XXL-257	XX Large
9953-812	MV127302-48-3XL-257	XXX Large

REV YOUNG ADULT VEST



The Rev Young Adult Vests bridge the gap from children's to adult PFDs with a form-fitting chassis specifically designed for young adults.

They are made up of segmented foam panels to fit better than a size small adult vest and provide an active flexible fit.

They have a MOLLE inspired accessory panel for custom attachment of gear.
Size: 88 – 110 lbs. 28 to 31" Chest.
Approval: Harmonized* Level 70 Buoyancy Equivalent to Type III Performance

PART NO.	MFG#	DESCRIPTION
7223413	MV360002-821-0-279	Grey/Light Grey/Fluo. Yel-Grn

APF FOAM VEST UNIVERSAL SIZE



- Open sides for freedom of movement and breathability
- 9 points of adjustment
- 2 side storage pockets for small items
- Reflective trim on front and shoulders

PART NO.	MFG#	DESCRIPTION
7223606	MV411102-861-0-216	Red/Grey Universal Size

MUSTANG NEOPRENE PFD



Horsepower

Diva Delight

The Horsepower PFD is designed for serious days on the water. Features tone-on-tone artwork and one of the most flexible fits you'll find on the market.

The Diva Delight PFD features tone-on-tone artwork and one of the most custom fits in the market. The Diva Delight is cut and sized specifically for women to provide the most comfortable and stylish vest on the water.

Approval:
TC Marine - CAN/CGSB 65.11 M88 - Adult PFD

PART NO.	MFG#	DESCRIPTION
7223830	MV1283-13-XS-227	Men's Horsepower PFD, XS
7223831	MV1283-13-S-227	Men's Horsepower PFD, S
7223832	MV1283-13-M-227	Men's Horsepower PFD, M
7223833	MV1283-13-L-227	Men's Horsepower PFD, L
7223834	MV1283-13-XL-227	Men's Horsepower PFD, XL
7223835	MV1283-13-XXL-227	Men's Horsepower PFD, XXL
7223836	MV1283-13-XXXL-227	Men's Horsepower PFD, XXXL
7223840	MV1285-13-XS-227	Women's Diva Delight PFD, XS
7223841	MV1285-13-S-227	Women's Diva Delight PFD, S
7223842	MV1285-13-M-227	Women's Diva Delight PFD, M
7223843	MV1285-13-L-227	Women's Diva Delight PFD, L
7223844	MV1285-13-XL-227	Women's Diva Delight PFD, XL

PADDLE PFD



- Mesh ventilation on both front and back
- Back panel will accommodate most canoe and kayak seats
- Shoulder adjustments with neoprene comfort pads & adjustable side belts
- Strong durable zipper closure with zipper assist loop at base and an expandable zippered pocket with drain holes
- SOLAS grade reflective material for visibility and a marine whistle are included
- Torsion model also has vented foam on inner back for added comfort airflow and an adjustable waist belt.
- U.S. Coast Guard/Transport Canada Approved

PART NO.	MFG#	DESCRIPTION
7223965	122200-200-020-14	XS/S, Black/Orange, Dynamic
7223966	122200-200-040-14	M/L, Black/Orange, Dynamic
7223967	122200-200-060-14	XL/2XL, Black/Orange, Dynamic
7223970	122400-100-020-21	XS/S, Red/Black, Torsion
7223971	122400-100-040-21	M/L, Red/Black, Torsion
7223972	122400-100-060-21	XL/2XL, Red/Black, Torsion

LIVERY FOAM VEST



This all-around front entry foam vest is excellent to outfit the whole family or guests when paddling, sailing, or powerboating.

- Front entry with buckles
- Comfortable V-neck
- Large arm holes for paddling freedom
- 3 front webbing straps can be adjusted to open for added ventilation

PART NO.	MFG#	DESCRIPTION
7223600	MV7010-131-XS/S-216	Red Xsmall-Small
7223601	MV7010-4-M/L-216	Red Med-Large
7223602	MV7010-4-XL/XXL-216	Red Xlarge-XXLarge

DOUBLE ADJUSTABLE HARNESS



- Ergonomic double adjustable safety harness
- Quick and easy adjustment: simultaneous on waistband and shoulder straps
- X-shaped back for added comfort and freedom of movement
- ISO12401 certified
- RORC-OSR 2018 compliant
- Supplied with a mesh bag

PART NO.	MFG#	DESCRIPTION
9990-684	66829	X-shaped back

SINGLE ADJUSTMENT SAFETY HARNESS



- Min/max chest circumference: 80-120 cm (from 50 kg).
- Attachment point of the textile loop lanyard visible at night thanks to the retroreflective thread sewn into the loop.
- Harness buckle breaking load: 2,000 DaN – 2,040 kg.
- Wide 45mm strap.
- ISO12401 certified
- Supplied with mesh bag

PART NO.	MFG#	DESCRIPTION
9990-806	66830	Single Adjustable Safety Harness

NEW

SAFETY HARNESS



Textile loop lanyard attachment point can be spotted at night thanks to the retroreflective thread sewn into the loop. Double-security stainless steel snap hook.

Min/max chest circumference: 80-120 cm
Break load: 2 000 kg

PART NO.	MFG#	DESCRIPTION
9990-864	67037	Safety Harness, 1 Hook Tether

For the most up to date pricing, please visit maritimemarinesupply.ca/price

ALL ADVENTURE PADDLE PFD





- Great for canoeing, kayaking, boating, stand-up-paddleboards and fishing
- Also great for tubing, skiing and PWC
- Durable nylon fabric with seven segmented hinge points
- Zippered front with waist belts to keep vest from riding up
- Child model features a Leg Strap and Grab Strap for quick recovery
- US coast guard and Transport Canada approved

PART NO.	MFG#	DESCRIPTION
7223916	121000-200-001-21	Child, 33-55 lbs., Orange
7223917	121000-600-001-21	Child, 33-55 lbs., Purple
7223920	121000-105-005-26	Youth, 55-88 lbs., Pink
7223921	121000-500-002-26	Youth, 55-88 lbs., Blue

CLASSIC CHILDREN'S VEST



These PFDs feature a 3 piece collar which cradles the head for extra buoyancy and improved in-water support, an adjustable waist belt and crotch strap for a secure fit, and a safety grabstrap for ease of rescue.
Approval: TC Marine–CAN/CGSB 65.15–Child

pfd play

Sizing Chart

Size	Chest (in)	Chest (cm)	Weight (lbs)	Weight (kg)
Infant	18" -20"	46cm-51cm	20 lbs-30 lbs	9kg-14kg
Child	21" -24"	53cm-61cm	30 lbs-60 lbs	14kg-27kg
Youth	24" -29"	61cm-74cm	60 lbs-90 lbs	27kg-41kg

PART NO.	MFG#	DESCRIPTION
7223415	MV120302-123-0-279	Infant Vest
7223416	MV120502-123-0-279	Child Vest
7223417	MV120702-123-0-279	Youth Vest

CRAYON FISH LIFE VEST



These open sized vests with a coloured fish inspired design are made of durable Nylon fabric. They have a front zipper, two waist belts and a chest belt with side release buckles and a crotch strap and hood for extra safety.

Transport Canada approved. Child fits 30-50 lbs.

PART NO.	MFG#	DESCRIPTION
7223915	20086-02-ARD	Red/Yellow, Child 30-50 lbs

TREASURE LIFE VEST



This closed sized vest with ocean inspired graphics has a front zipper, a waist belt with side release buckle and a crotch strap and hood for extra safety.

Transport Canada approved, Fits children 30-50 lbs.

Colour Motif: Blue/Sand

PART NO.	MFG#	DESCRIPTION
7223910	20088-02-A	Treasure, Child 30-50 lbs

REEF LIFE VEST



This closed sized vest with ocean inspired graphics has a front zipper, a waist belt with side release buckle and a crotch strap and hood for extra safety.

Transport Canada approved, Fits children 30-50 lbs.

Colour Motif: Blue/Pink

PART NO.	MFG#	DESCRIPTION
7223911	20089-02-A	Reef, Child 30-50 lbs

CHILD AND INFANT LIL LEGENDS FOAM VEST

The Lil Legends foam vests provide safety and comfort to little one's aquatic adventures—excluding water skiing, towable sports, and use on personal watercraft (PWC). The front entry with zipper and buckle closure, along with the leg strap, guarantees a secure and snug fit. The three-piece collar cradles the head when in the water, and the strategically placed grab loop facilitates quick and efficient rescues.



- Ventilated mesh back.
- Grab loop.
- Built-in crotch strap.
- 3-piece collar cradles head.
- Free from PVCs, CFCs, phthalates, and halogens

Approvals: IHarmonized level 70

Materials: Shell: 100% Nylon
Foam : Combination of Gaia and EPE

SIZE	CHEST	WEIGHT
CHILD	21"- 24" 51 - 61 cm	30-55 Lbs. 14-25 Kg
INFANT	18"-20" 46-51 cm	Up to 30 Lbs. Up to 14 Kg.

PART NO.	MFG#	DESCRIPTION
7223710	MV3556-844-0-279	Child, Lil Legend, Yellow
7223711	MV3556-57-0	Child Lil Legend, Red
7223712	MV3251-844-0-279	Infant, Lil Legend Yellow
7223713	MV3251-57-0-279	Infant Lil Legend, Red

SUPER DELUXE MESH FISHING VEST



This Dual Sized Super Deluxe Fishing Vest has a mesh upper chest and back for breathable flexibility and comfort.

It has a zippered front, two waist belts with side release buckles and two handy zippered pocket on each side and a Velcro flap pocket on each side. This vest has side adjustments for maximum comfort. Ideal for any outdoor activity. **Transport Canada approved.**

PART NO.	MFG#	DESCRIPTION
7223932	22006-05-A-BA	Fishing Vest, Mesh, Bark, L/XL

MESH FISHING VEST CLASSIC



This Dual Sized Classic Red Fishing Vest has a mesh upper chest and back for breathable flexibility and comfort.

It has a zippered front, two waist belts with side release buckles and a handy zippered pocket on each side. Ideal for any outdoor activity.
Transport Canada approved.

PART NO.	MFG#	DESCRIPTION
7223931	22002-06-A-RD	Fishing Vest, Mesh, Red, 2XL/3XL

UTILITY FLOAT CUSHION



This Throwable Utility Float Cushion is made of multiple layers of buoyant polyethylene foam covered with a Nylon shell.

It has two Nylon straps for easy grasp to throw or to hang onto. Ideal for extra seating comfort at any outdoor activity. Made to be grasped and held until rescued, never to be worn. *Not to be used as a an approved PFD.*
Dimensions: 15" x 15" x 2-1/2"

PART NO.	MFG#	DESCRIPTION
7223939	10001-00-A-CM	Cushion, Camo

DOG FLOTATION VEST



- Soft closed cell foam flotation
- 3 quick buckle straps, 2 on body and one at neck
- Lifting handle at back with D-ring for leash

SIZE	NECK	LENGTH	MAX CHEST
Small	12"	9"	18"
Medium	16"	12"	21"
Large	21"	14"	26"
X-Large	26"	16"	30"



PART NO.	MFG#	DESCRIPTION
9990-066	70596	Small
9990-069	70597	Medium
9990-070	70598	Large
9990-071	70599	X-Large

UNDERDOG FOAM FLOTATION





This PFD is for your best friend. The cape-style design has four adjustment points to ensure a secure fit on every dog. Constructed to support the pup's natural swim angle and provide maximum mobility, most of the buoyancy is under their neck and chest.

An ideal choice for keeping your pet safe and comfortable on the water with 3D mesh on the back keeps things breathable and cool, and reflective panels enhance visibility in low light conditions. A reinforced carry-handle and leash attachment point makes it an excellent flotation device for the four-legged.

SIZE	CHEST	WEIGHT
XS	12" - 18" 31 cm - 46 cm	2 - 12 lbs 0.9 kg - 5.4 kg
S	18" - 24" 46 cm - 61 cm	12 - 24 lbs 5.4 kg - 10.9 kg
M	24" - 30" 61 cm - 76 cm	24 - 60 lbs 10.9 kg - 27.2 kg
L	27" - 36" 69 cm - 91 cm	60 - 90 lbs 27.2 kg - 40.8 kg
XL	33" - 44" 84 cm - 112 cm	90 - 120 lbs 40.8 kg - 54.4 kg

PART NO.	MFG#	DESCRIPTION
7223180	MV5020-123-XS-216	Size XS Vest
7223181	MV5020-123-S-216	Size S Vest
7223182	MV5020-123-M-216	Size M Vest
7223183	MV5020-123-L-216	Size L Vest
7223184	MV5020-123-XL-216	Size XL Vest

For the most up to date pricing, please visit maritimemarinesupply.ca/price

FLOTATION COAT



Unparalleled range of motion and mobility as well as waterproof protection from rain and spray without the restricted feeling of traditional flotation coats.

3-layer M-Tech comfort system keeps you dry, keeps you afloat when you need it. It comes with an interior pocket, zippered chest pocket, front slash hand-warmer pockets and front cargo pockets. Reflective trim accents on elbows, shoulders and on the integrated hood.

Approval: TC Marine CCG CAN/CGSB 65.11–M88

Recommended for: Fishing, Sailing, Boating, Hunting, Snowmobiling, Industrial Marine, Law Enforcement, Search & Rescue, Coast Guard **Colour:** Red/Black

PART NO.	MFG#	DESCRIPTION
7223590	MC5446-123-S-206	Small Red
7223591	MC5446-123-M-206	Medium Red
7223592	MC5446-123-L-206	Large Red
7223593	MC5446-123-XL-206	X Large Red
7223594	MC5446-123-XXL-206	XX Large Red

CLASSIC COAT



Full length storm flap, enhanced mobility and comfort with relaxed fit. Zipper closures on front pockets, attachable hood can be purchased separately.

Colour: Orange
Approval: TC Marine
CCG CAN/CGSB 65.11–M88

PART NO.	MFG#	DESCRIPTION
9953-849	MC1506-2-SM-206	Small
7223501	MC1506-2-MED-206	Medium
7223502	MC1506-2-LG-206	Large
7223503	MC1506-2-XL-206	X Large
7223504	MC1506-2-XXL-206	XX Large
9953-854	MC1506-2-XXXL-206	XXX Large

CLASSIC FLOTATION BIB PANTS



Designed to be worn with the Classic Flotation Coat, Mustang Survival's MP4212 Classic Flotation Bib Pant provides foam insulation that will not only keep you warm during regular marine activities but will also increase your hypothermia protection in the event of cold water immersion.

- Adjustable elasticized suspenders
- Leg zippers allow ease of entry and donning over boots
- Provides additional hypothermia protection and flotation support

PART NO.	MFG#	DESCRIPTION
9953-855	MP4212-13-S-101	Black, small
9953-856	MP4212-13-M-101	Black, medium
9953-857	MP4212-13-L-101	Black, large
9953-858	MP4212-13-XL-101	Black, XL
9953-859	MP4212-13-XXL-101	Black, 2XL

CLASSIC SUIT



Designed for use in a range of industrial work environments, Tug-Tites at thighs for improved fit. Velcro closures at wrists and ankles.

SOLAS reflective tape enhances visibility, insulated hood.

Colour: Orange
Approval: TC Marine
CCG CAN/CGSB 65.11–M88

PART NO.	MFG#	DESCRIPTION
9953-837	MS185-2-S-206	Small
7223451	MS185-2-M-206	Medium
7223452	MS185-2-L-206	Large
7223453	MS185-2-XL-206	X Large
7223454	MS185-2-XXL-206	XX Large
9953-842	MS185-2-XXXL-206	XXX Large

DELUXE ANTI-EXPOSURE FLOTATION SUIT

Red/Carbon



- Mustang AirSoft™ foam for flotation and hypothermia protection
- Immersed Clo value of 0.420
- Inflatable head support pillow for additional buoyancy
- Neoprene wrist closures for weather protection
- Two chest pockets and extra large hip pockets
- SOLAS reflective tape enhances visibility

- **Approval: TC Marine - CAN/CGSB 65.11 - Adult PFD**

PART NO.	MFG#	DESCRIPTION
7223403	MS195HX-185-M-206	Med
7223404	MS195HX-185-L-206	Large
7223405	MS195HX-185-XL-206	XLarge
7223406	MS195HX-185-XXL-206	XXLarge

DELUXE ANTI-EXPOSURE FLOTATION SUIT



- Approval: TC Marine - CAN/CGSB 65.11 - Adult PFD
- Mustang AirSoft™ foam for flotation and hypothermia protection
- Inflatable head support pillow for additional buoyancy
- Neoprene wrist closures for weather protection
- Tug-Tite® at thighs and ankles for improved fit
- Ergonomic insulated hood folds into collar
- Two chest pockets and large hip pockets
- SOLAS reflective tape enhances visibility

PART NO.	MFG#	DESCRIPTION
7223510	MS2195-33-M-206	Med
7223511	MS2195-33-L-206	Large
7223512	MS2195-33-XL-206-33-XL	XLarge
7223513	MS2195-33-XXL-206	XXLarge

MUSTANG IMMERSION SUIT



For use in commercial operations, this Immersion Suit is the ideal ship abandonment suit for workboats, transport vessels, drilling rigs, supply ships, steamships and commercial fishermen. Easy to don in stormy conditions and will provide flotation as well as protect the wearer from hypothermia using 5mm thick fire retardant neoprene with triple-sealed seam construction and a water tight face seal with shield to protect from spray. Includes an inflatable head pillow to support the neck and provide an optimal flotation angle, integrated 5 finger insulated gloves for dexterity, a light pocket made for variety of SOLAS approved lights, ankle adjustments for a better fit and durable non-slip soles for stability. A buddy line and lifting harness are also included.

SOLAS grade reflective tape for night time and easier detection in severe weather conditions. SOLAS grade hailing whistle

Approvals: TC 029.070.045, CAN/CGSB 65.16-2005

Model	Size	Height	Weight
MIS220 TC	Small	Max. 68"	110 lbs–200 lbs)
MIS230 TC	Universal	Max. 75"	110 lbs–330 lbs
MIS240 TC	Oversize	Max. 75"	225 lbs–375 lbs

PART NO.	MFG#	DESCRIPTION
7223495	MIS220TC-4-0-209	Small
7223496	MIS230TC-4-0-209	Universal
7223497	MIS240TC-4-0-209	Oversize

SEA ECO+ IMMERSION SUITS FOR CANADA

These Sea ECO+ Immersion Suits for Canada strike balance between the need for quick donning, and maximizing dexterity to provide the wearer with maximum mobility and protection in an emergency.

- Easy donning with waterproof PU-Zip, Velcro fasteners in legs and gloves attached by elastic bands
- Buoyancy pillow in back to ensure a correct floating position and freeboard
- Fixed hood & and Watertight cuffs
- Rubber soles for optimal grip on slippery surfaces
- Emergency light with buddy line and floating hook
- Lifting strap with stainless steel D-ring and carabiner
- Flame retardant 5mm neoprene material
- Approved reflective patches



Approvals:

- **TC:** LB – 495, 262.1 -011239-4
- **SOLAS:** MEDB0000104 344.1-000688-7

PART NO.	MFG#	DESCRIPTION
7223498	HN-82608-55290M	Medium
7223499	HN-82608-55290STD	Universal
7223500	HN-82608-55290XL	X-Large

NEW

SOLAS INSULATED THERMAL SUIT



Unique aluminized polyethylene suit designed with heat-sealed seams for maximum protection down to minus 30°C.

- Fits all body sizes
- Very soft – flexible
- MED / SOLAS approved

PART NO.	MFG#	DESCRIPTION
9990-865	42152	Thermal Suit, Orange

For the most up to date pricing, please visit maritimemarinesupply.ca/price

BOAT HOOK



Dimensions : A Universal / Acme Thread
B 6” Wide
C 3” High

These Sea-Dog Boat Hooks feature an over-moulded soft rubber coated hook to protect your boat from scuffs and scratches. The bright orange rubber tip cover is readily visible and removes for accessory attachment. The four-point comfort grip handle and marine grade aluminum tubing make for a high quality and durable accessory. Its buoyant design keeps the boat hook afloat for more than six minutes.
Injection moulded nylon/aluminum.
Fits 7924129 Combination Soft Bristle Brush & Squeegee.

PART NO.	MFG#	DESCRIPTION
7924121	491013-1	Boat Hook, 72", Large
7924124	491034-1	Boat Hook, 36"–96", Small
7924125	491036-1	Boat Hook, 56"–144", Small
7924128	491052-1	Hook Only, Large

PLASTIC HULL SCRAPER FOR BOAT HOOK



- Attaches to any Sea-Dog Boat Hook/Boat Pole
- Attaches to any universal/Acme threaded device
- Great for waterline cleaning from inside the vessel
- Boat Hook sold separatley



PART NO.	MFG#	DESCRIPTION
7924130	491108-1	Boat Hook Hull Scraper

BECKSON BOAT HOOKS, 6' & 8'



Pistol hand grip aligned with hook

One-piece aluminium construction

PVC sheathed for safety

Double-ball hook end 5-year guarantee

Features a fixed length so there is no collapse in an emergency. The hook end permits pushing, pulling, and retrieving without slippage. Made out of non-corroding material and cleans easily for a lifetime of service. Most other hooks immediately sink out of sight. Hook Mate boat hooks always FLOAT!

PART NO.	MFG#	DESCRIPTION
7924106	HM-6	6' Boat Hook
7924108	HM-8	8' Boat Hook

BECKSON BOAT HOOK END



Tough nylon replacement end for boat hooks. Fits 1" tubing.
Colour: Red

PART NO.	MFG#	DESCRIPTION
7924110	HM-R	Beckson Boat Hook End

TELESCOPIC BOAT HOOK



- Anodised aluminum, Rubber handle, Plastic hook
- Quarter turn locking action, at desired length
- Grained rubber handle for better grip

PART NO.	MFG#	DESCRIPTION
9990-544	62094	4' - 7'

TELESCOPING 3-SECTION BOAT HOOK



A tough boat hook is a valuable asset when launching, docking, mooring, or retrieving. Telescoping boat hooks have a threaded end to accept a deck brush, mop, squeegee and other accessories. A highly visible, soft vinyl top covers the thread and protects the boat's finish when fending off. All boat hooks float!

PART NO.	MFG#	DESCRIPTION
7924089	4122	53" to 8' (130 to 240cm) Boat Hook
7924088	4132	38" to 8' (100 to 240cm) Boat Hook
7924090	4152	54" to 12' (140 to 370cm) Boat Hook
7924087	5141	Replacement Boat Hook End

BOAT HOOKS-CROOKED CREEK



- Telescoping to reach further, yet stow easily
- Corrosion-resistant anodized aluminum shaft
- High impact ABS plastic hookw/rope guide
- Durable lightweight construction that floats

PART NO.	MFG#	DESCRIPTION
9974-046	50475	2 1⁄2' to 6'
9974-047	50476	4' to 8'
9974-048	50477	4 1⁄2' to 12'

PREMIUM TELESCOPING BOAT HOOK



The Attwood telescoping boat hook is virtually unbreakable due to its glass reinforced nylon hook permanently mounted on a anodized aluminum tube.

- Lightweight, durable aluminum with maximum strength.
- Hooks are permanently attached.
- Comfortable non slip vinyl safety grip

PART NO.	MFG#	DESCRIPTION
7924100	55170	3.5’ to 8’ Telescoping
7924101	55175	4.5’ to 12’ Telescoping
7924102	55190	4’ to 7.5’ Telescoping

METAL BOAT HOOK HEADS



- Heavy solid cast bronze, ball point
- 8" overall length

PART NO.	MFG#	DESCRIPTION
9973-079	672800	Bronze, for 1" handle
9973-080	FIG40#5 GALV STEEL	Galvanized, for 1 1⁄2" handle

NEW ALUMINUM TELESCOPIC BOAT HOOK



Designed to provide versatility and convenience for various marine applications. This boat hook features an extendable aluminum tube equipped with a durable plastic tip and a locking ring mechanism.

Telescopic Design: Easily adjustable length, providing extended reach when needed and compact storage when not in use.

PART NO.	MFG#	DESCRIPTION
7924140	50033	Telescoping, 47” – 79”
7924141	50034	Telescoping, 3-piece, 54” – 124”
7924142	50033-HD	Telescoping, 54” – 96”

BOAT HOOK MOORING BUOY SNAP KIT



A convenient and easy solution for attaching a mooring line to a buoy or cleat. Simply hook the carabiner on the inside of the attachment point, then pull back on the boat pole. The carabiner snaps shut as it slides free of the pole, securely clipping to the mooring eye or cleat.

Includes an investment cast 316 stainless steel snap hook, a stamped 304 stainless steel keeper plate, and #8 FH fasteners. Sea-Dog boat hooks have pre-drilled mounting holes for easy installation.
Dimensions: **A:** 3/8", **B:** 4", **C:** 5/8", **D:** 7/8

PART NO.	MFG#	DESCRIPTION
7925029	491055-1	Mooring Buoy Snap Kit

MOORING HOOK



- Easy for attaching and retrieving mooring lines from buoy
- Safety working load: 395 kg/ 870 lbs.

PART NO.	MFG#	DESCRIPTION
9972-017	0508366	4-1/4"L X 2-1/2"W

BOAT HOOK HOLDERS – STAINLESS STEEL



- 3 1⁄2" L x 1" W; fits up to 1 1⁄2" pole OD
- Takes #6 screws (not included)

PART NO.	MFG#	DESCRIPTION
9973-094	0492DP0STS	Pair

LADDER CLIPS



Simple positive "locking design". Installs easily with a single S/S screw. UV resistant for colour stability.

PART NO.	MFG#	DESCRIPTION
7205520	4340W	2 pc. Ladder Clips

CLIPPER SUPERIOR MOULDED HOLDING CLIP



Non-conductive, non-magnetic and non-corrosive. Ideal for storing boat hooks, mops, gaffs, flashlights, tools and a variety of accessories. Sold in Pairs. Holding Range 1-1/8" –1-3/8" (29–35mm). **Uses #8 screws.**

PART NO.	MFG#	DESCRIPTION
7264013	CLP-1-1/4	2 pc. Holding Clips

QUICK FIST RUBBER CLAMPS



Holds objects from 7/8" to 2-1/4" in diameter. Each clamp supports approx. 22 lbs. (10kg) Mounting base measures 7/8 x 2-3/4" Typically used for hoses/cables, small tools, mops, brooms, gaffs, boat hooks, flashlights.

PART NO.	MFG#	DESCRIPTION
7264025	540	Quick Fist (pair)

SUPER QUICK FIST RUBBER CLAMPS



Holds objects from 2-1/2" to 7-1/2" in diameter. Each clamp supports approximately 50 lbs (23kg). Mounting base measures 7/8" x 6". Typically used for fire extinguishers, D-size gas cylinders, chart holders, larger hoses and cable bundles.

PART NO.	MFG#	DESCRIPTION
7264026	544	Super Quick Fist

BOAT HOOK HOLDERS



Sold in pairs. S/S clamps are wall mounted.

Fits 1" to 1-1/4" poles. Uses #8 screws.

PART NO.	MFG#	DESCRIPTION
7264012	491136-1	Boat Hook Holders, Pair

BOAT HOOK HOLDER



Stainless Steel. Uses #8 screws.

PART NO.	MFG#	DESCRIPTION
7264010	53576	Boat Hook Holder

BOAT HOOK HOLDERS



- Stainless steel spring clamps for shaft diameters from 5⁄8" to 1 1⁄4"
- Takes #6 screws (not included)

PART NO.	MFG#	DESCRIPTION
9973-089	0502DP1STS	Stainless Steel , Pair

For the most up to date pricing, please visit maritimemarinesupply.ca/price

OARS AND PADDLES

These quality oars and paddles are made from select kiln dried wood coated with a top quality varnish.

PADDLE & OAR TYPES

SQ = Square BT = Beavertail

TELESCOPING PADDLE



Easily adjusts to variable lengths with a simple twist. A section of the aluminum shaft disappears inside the blade to allow for compact storage under boat seats or in your PWC storage compartment. The corrosion-resistant aluminum shaft and high-impact moulded blade with boat hook handle and hassle-free locking device ensure years of service. The bright orange blade is great for signalling in emergencies.

PART NO.	MFG#	DESCRIPTION
7230010	P-1	Telescoping Paddle 20" - 45"
7230012	P-3	Telescoping Paddle 25" - 72"

TELESCOPIC PADDLE



These adjustable paddles are made tough for years of hard use on PWCs, inflatables and small boats. The bright orange paddle can be used as an emergency signalling aid. The paddle stows easily and telescopes from 1'8" to 3'9" (50 to 115cm).

PART NO.	MFG#	DESCRIPTION
7230013	4330	Telescopic Paddle 20" -45"

TELESCOPIC PADDLE/BOAT HOOK COMBO



This Paddle/Boat Hook combination is great to have on board and at the launch ramp. The bright orange paddle end doubles as a signalling device.

PART NO.	MFG#	DESCRIPTION
7924091	4372	Paddle/Boathook 32" - 66"

TELESCOPIC PADDLE AND PUMP

SPOUT



- Corrosion-resistant aluminum.
- High impact plastic.
- T-handle functions as a water spout and boat hook.
- Pumping action allows paddle to function as bilge pump.
- Compact design allows for easy storage and accessibility.

PART NO.	MFG#	DESCRIPTION
7924096	7928-0216	Closed 25" - Extended 43"

Required item
for most recreational vessels

TELESCOPIC PADDLE



- Lightweight with aluminum shaft
- Adjusts to varying lengths with a quick twist of the handle
- Comfortable handle for a great grip
- High-impact molded plastic blade with corrosion-resistant shaft
- 21" L closed, 42" L fully extended

PART NO.	MFG#	DESCRIPTION
7924095	7928-0206	21" - 42" x 6.5" x 1.5"

TELESCOPIC PADDLE - INJECTION MOLDED



PART NO.	MFG#	DESCRIPTION
9973-021	490250-1	39"- 60" Nylon/Alum

TELESCOPIC PADDLE HOOK



- Handle integrated to the blade

PART NO.	MFG#	DESCRIPTION
9990-597	44365	5' to 7-1⁄2'

ALUMINUM PADDLE

- Anodized aluminum shaft with thick rubber sleeve
- High impact ABS polymer blade
- 5' OAL, 7-1⁄2"W x 18"L blade, 1-1⁄4" dia



PART NO.	MFG#	DESCRIPTION
9973-078	50452	Blue
9973-088	50454	Camo
9973-115	50458	Orange

ECONOMY PADDLE



Economy in name only, this paddle is crafted using light weight Poplar for easy maneuvering. It's 6" wide square blade provides maximum striking power.

PART NO.	MFG#	DESCRIPTION
7230002	454	54" Square Paddle, Single
7230003	460	60" Square Paddle, Single

TRADITIONAL PADDLE



This Beaver Tail shaped traditional paddle is crafted by laminating selected Spruce and Ash. This combination provides a high flexibility and strength ratio providing virtually effortless power and control. The blade is 6-3/4" wide.

PART NO.	DESCRIPTION
7230000	54" BT Laminated Paddle (Single)

WOODEN PADDLE

- New Zealand Pine
- Multi-ply laminated construction for strength
- Polyurethane finish with epoxy blade tip for durability



PART NO.	MFG#	DESCRIPTION
9973-058	50431	4'
9973-067	50433	5'
9973-068	50435	6'

STANDARD OARS, SPRUCE



These top quality oars are made of Spruce with a varnished finish. The square blade is 5-1/4" wide. **Sold individually.**

PART NO.	MFG#	DESCRIPTION
7230020	160RA-PR	6' SQ Oar (Single)
7230021	170RA-PR	7' SQ Oar (Single)
7230023	180RA-PR	8' SQ Oar (Single)
7230025	190RA-PR	9' SQ Oar (Single)

CLEAR WOODEN OAR



- New Zealand Pine
- Multi-ply laminated construction for strength
- Polyurethane finish with epoxy blade tip for
- durability

PART NO.	MFG#	DESCRIPTION
9973-028	50402	6'
9973-029	50404	7'
9973-032	50406	8'

PADDLE STORAGE BRACKET



- Paddle storage bracket can be held vertical, horizontal, overhead, or under
- Super-tough ABS plastic holds paddle firmly
- Includes clips for wooden or synthetic paddles

PART NO.	MFG#	DESCRIPTION
9973-077	50439	Includes clips

SUP PADDLE

- Adjustable and lightweight aluminum shaft with reinforced low-flex glass-filled polypropylene blade for durability
- A hybrid grip supports the full palm
- Adjustable from 67” to 86” and can be taken apart and stored in a mesh bag



PART NO.	MFG#	DESCRIPTION
7230045	50492	Ajustable

KAYAK PADDLE, ASYMMETRICAL



- Lightweight anodized aluminum shaft with fiberglass reinforced-polypropylene blades
- Cold weather hand grips
- Blades feature a built-in dock hook and three push-button feather settings
- Convenient two piece design to allow for quick and easy storage.

PART NO.	MFG#	DESCRIPTION
7230040	50484	Easy storage

OARLOCKS AND SOCKETS



- Hot dipped galvanized malleable iron

PART NO.	MFG#	DESCRIPTION
9973-000	580870-1	Oarlock 2" round, pair
9973-001	580871-1	Oarlock 2 3/16", pair
9973-002	580880-1	Socket Top mount, pair
9973-003	580890-1	Socket Side mount, pair

OAR COUNTER BALANCE



- 4 lb. steel sleeves slide easily over the end of 1 7/8" oar shafts
- Allows weight offset of the oar outside your oarlocks
- Custom adjust these weights for persoanl preference

PART NO.	MFG#	DESCRIPTION
9973-051	50427	Pair

OAR LOCKS



- Black chromate surface finish over zinc-plated steel
- 2"L x 1/2" shaft, bushing for 5/8"
- Fits oar shafts up to 1 7/8"

PART NO.	MFG#	DESCRIPTION
9973-050	50428	Black

OARLOCKS – CHROME PLATED



- For 1/2" straight shanks
- **Sold per pair.**

PART NO.	MFG#	DESCRIPTION
9973-022	1185DP0CHR	Top mount oarlock sockets
9973-023	1262DP0CHR	Oarlock horns
9973-024	1187DP0CHR	Side mount oarlock sockets

DAVIS OARLOCK AND SOCKET



- Investment Cast 316 Stainless
- Kit includes one oarlock and one side mount socket

PART NO.	MFG#	DESCRIPTION
9973-019	580310-1	Kit

OARLOCKS



Finish: Cast Bronze
Oarlock Size: # 0
Horn I.D.: 2-1/8"
Shank O.D.: 1/2"
Overall Height: 5"
Stem Length: 2" Under Flange
Weight: 0.90 lbs.

PART NO.	MFG#	DESCRIPTION
7230159	00OL4HB	Oarlocks, Bronze, Pair

OARLOCK BRACKETS



Finish: Cast Bronze
Hole ID: 1/2"
Screw Center-Center: 2-1/2"

PART NO.	MFG#	DESCRIPTION
7230162	00OL5FB	Bracket, Top Mount, Bronze, Pair

OARLOCK BRACKETS



Finish: Cast Bronze
Hole I.D.: 1/2"
Screw Center -Center: 2-1/2"

PART NO.	MFG#	DESCRIPTION
7230163	00OL5AB	Bracket, Side/Top Mount, Bronze, Pair

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

OARLOCK SOCKETS



These oarlocks and sockets are made of Chrome-plated, die cast zinc. The shafts are 2" long not including the eye. The shafts and sockets are 1/2" diameter.

PART NO.	MFG#	DESCRIPTION
7230161	580450-1	Top Mount 1-3/16" Deep, Pair

OARLOCK SOCKETS



These oarlocks and sockets are made of Chrome-plated, die cast zinc. The shafts are 2" long not including the eye. The shafts and sockets are 1/2" diameter.

PART NO.	MFG#	DESCRIPTION
7230160	580451-1	Oarlock Sockets, Pair

OARLOCKS CLAMP-ON



These heavy duty clamp-on oarlocks are constructed with heavy gauge steel. Fits 1-5/16" to 2-1/8" diameter oar shafts and has a 1/2" post. **Sold as Pair.**

PART NO.	MFG#	DESCRIPTION
7230157	582070-1	Oarlocks, Clamp-On, Pair

ADJUSTABLE OAR COLLARS



- Flexible polyethylene
- Adjustable protector fits standard oars, but can be trimmed for smaller ones
- Cushion stroke, reduce noise and prevent wear
- Split cover is quick and easy to install with brass nails (included)

PART NO.	MFG#	DESCRIPTION
7230165	580101-1	Oar Collar, 1 pr.

HEAVY DUTY OARLOCKS



7230154



7230156



7230158

Sold as Pair

These heavy duty chrome plated oarlocks are built strong and durable for the marine environment. This stylish oarlock has a 1/2" post.

PART NO.	MFG#	DESCRIPTION
7230154	580411-1	Horn Pin 1 5/8, 1/2" Shank
7230156	580413-1	Ribbed w/Pin 2", 1/2" Shank
7230158	580425-1	Round Horn 2", 1/2" Shank







LIVE BEYOND LAND

MUSTANG SURVIVAL

MEN'S MANCHESTER 2.0 SHELL JACKET



The Manchester 2.0 collection design is made with fabrics focusing on fit. This collection provides the utility needed to get the work done, without compromising on comfort.

Main Fabric : 100% Polyester – 152g/m2

Features:

- Detachable, adjustable hood with elastic drawcord
- No shoulder seams
- Brushed fleece inside collar
- YKK® front zipper with chin protector
- Chest and hand pockets with YKK® zipper
- Articulated sleeves with elastic cuffs for optimal mobility
- Adjustable hem with elastic drawcord inside hand pocket
- Extended back for improved comfort
- Reflective details
- Zip-in compatible style

PART NO.	MFG#	DESCRIPTION
7229846	71261-990-S	**Black** Jacket, SM
7229847	71261-990-M	**Black** Jacket, M
7229848	71261-990-L	**Black** Jacket, L
7229849	71261-990-XL	**Black** Jacket, XL
7229850	71261-990-2XL	**Black** Jacket, XXL

WOMEN'S MANCHESTER 2.0 SHELL JACKET



The Manchester 2.0 collection design is made with fabrics focusing on fit. This collection provides the utility needed to get the work done, without compromising on comfort.

Main Fabric : 100% Polyester – 152g/m2

Features:

- Detachable, adjustable hood with elastic drawcord
- No shoulder seams
- Brushed fleece inside collar
- YKK® front zipper with chin protector
- Chest and hand pockets with YKK® zipper
- Articulated sleeves with elastic cuffs for optimal mobility
- Adjustable hem with elastic drawcord inside hand pocket
- Extended back for improved comfort
- Reflective details
- Zip-in compatible style

PART NO.	MFG#	DESCRIPTION
7229995	71262-990-S	**Black** Jacket, SM
7229996	71262-990-M	**Black** Jacket, M
7229997	71262-990-L	**Black** Jacket, L
7229998	71262-990-XL	**Black** Jacket, XL
7229999	71262-990-2XL	**Black** Jacket, XXL

CHELSEA EVO HOODED SOFTSHELL



Softshell fabric with membrane and fleece backing combined with back panel in 4-way stretch fabric gives you the ultimate Softshell Jacket.

The 4-way stretch fabric is strategically placed across the upper back to maximize movability and comfort. The fabric ensures water and wind resistance and the exclusion of shoulder seams increases the water repellency even further. This jacket is probably the most versatile jacket you can own.

Features:

- Softshell fabric with membrane and DWR
- 4-Way stretch fabric at upper back for max comfort, No shoulder seams
- Adjustable hood with drawcord, YKK® front zipper with chin protector
- Chest pocket with YKK® zipper, Headphone cord hole inside chest pocket
- Hand pockets with YKK® zipper, Hand pockets with brushed lining
- Articulated sleeves for optimal mobility, adjustable cuffs

PART NO.	MFG#	DESCRIPTION
9956-272	74140-590-M	**Navy** Jacket, M
9956-273	74140-590-L	**Navy** Jacket, L
9956-274	74140-590-XL	**Navy** Jacket, XL
9956-275	74140-590-2XL	**Navy** Jacket, 2XL

NEW

REVA COATS



Jobe Reva Coats are a warm, waterproof and windproof changing robe designed for use on and around the water, for activities such as stand-up paddleboarding, kayaking, or simply staying warm after a swim.

Made from a 240T Ripstop polyester shell with PA coating these coats have side splits, side pockets, and Velcro sleeve straps to enhance freedom of movement, comfort and practicality.

- Polyester teddy lining for extra warmth.
- Two front pockets with zipper closure.
- Hood with adjustable toggles.
- Fully taped seams.
- Two-way zipper.

PART NO.	MFG#	DESCRIPTION
7240600	560024001-XS/S	Reva Coat, XS/S
7240601	560024001-M/L	Reva Coat, M/L
7240602	560024001-XL/2XL	Reva Coat, XL/XXL

KENSINGTON SOFTSHELL JACKET



- Softshell fabric with membrane and fleece backing gives you a breathable and water resistant jacket that is built for long work days
- Cuffs with velcro adjustment, extended back for max comfort
- Chest pocket, inside pocket, and 2 hand pockets

Features:

- No shoulder seams, articulated sleeves
- Extended back for max comfort, shaped collar for max comfort
- YKK center front zipper with back placket, YKK chest pocket zipper
- Hole for headphone cord inside chest pocket
- YKK hand pockets zipper, inner pockets
- Cuffs with Velcro adjustment
- Bottom hem adjustment system inside pocket

PART NO.	MFG#	DESCRIPTION
7229871	74231-990-S	**Black** Jacket, S
7229872	74231-990-M	**Black** Jacket, M
7229873	74231-990-L	**Black** Jacket, L
7229874	74231-990-XL	**Black** Jacket, XL
7229875	74231-990-2XL	**Black** Jacket, 2XL
7229876	74231-990-3XL	**Black** Jacket, 3XL

OXFORD HOODED SOFTSHELL JACKET



Softshell fabric with membrane and Durable Water Repellency provides versatility and comfort for those long active days. OEKO-TEX® approved main fabric provides breathability.

Features:

- No shoulder seams
- Detachable hood
- Adjustable hood with drawcord and fastener
- Brushed polyester inside collar
- YKK® front zipper with chin protector
- Hand pockets with YKK® zipper
- Articulated sleeves for optimal mobility
- Adjustable cuffs
- Adjustable hem with drawcord inside hand pocket
- Extended back for improved comfort
- Reflective details

PART NO.	MFG#	DESCRIPTION
7229764	74290-990-M	Black Hooded Jacket, M
7229765	74290-990-L	Black Hooded Jacket, L
7229766	74290-990-XL	Black Hooded Jacket, XL
7229767	74290-990-2XL	Black Hooded Jacket, 2XL

KENSINGTON HOODED SOFTSHELL JACKET



Softshell fabric with membrane and fleece backing gives you a breathable and water resistant jacket that is built for long work days. The comfort and versatility of a softshell jacket easily makes this your go to jacket!

Features:

- No shoulder seams, articulated sleeves
- Extended back for max comfort
- YKK® center front zipper with back placket, chest pocket zipper
- Hole for headphone cord inside chest pocket
- Inner pockets
- Cuffs with velcro adjustment
- Draw cord adjustment inside hood
- Bottom hem adjustment system inside pocket

PART NO.	MFG#	DESCRIPTION
9956-346	74230-590-M	**Navy** Hooded Jacket, M
9956-348	74230-590-XL	**Navy** Hooded Jacket, XL
9956-349	74230-590-2XL	**Navy** Hooded Jacket, XXL
9956-359	74230-990-M	**Black** Hooded Jacket, M
9956-360	74230-990-L	**Black** Hooded Jacket, L
9956-361	74230-990-XL	**Black** Hooded Jacket, XL
9956-363	74230-990-2XL	**Black** Hooded Jacket, XXL

NEW

TECH HOODIE MIDLAYER JACKET

Sleek for layering without unnecessary bulk, this jacket also features elastic cuffs to keep the weather out. It will take you through the shoulder seasons on its own and right through winter when layered with an outer shell, creating an insulated work jacket.



Features:

- AMANN threads
- Elastic cuffs
- YKK® front zipper
- Chest & hand pockets with YKK® zipper
- Hand pockets with brushed lining

PART NO.	MFG#	DESCRIPTION
7229350	79232-590-M	Navy, Midlayer, M
7229351	79232-590-L	Navy, Midlayer, L
7229352	79232-590-XL	Navy, Midlayer, XL
7229353	79232-590-XXL	Navy, Midlayer, XXL
7229354	79232-930-M	Grey, Midlayer, M
7229355	79232-930-L	Grey, Midlayer, L
7229356	79232-930-XL	Grey, Midlayer, XL
7229357	79232-930-XXL	Grey, Midlayer, XXL
7229358	79232-990-M	Black, Midlayer, M
7229359	79232-990-L	Black, Midlayer, L
7229360	79232-990-XL	Black, Midlayer, XL
7229361	79232-990-XXL	Black, Midlayer, XXL

OXFORD LINED JACKET



Features:

- No shoulder seams
- Pile fleece lining
- YKK® front zipper with chin protector
- Full inner front placket
- Chest pockets with YKK® zipper
- Hand pockets with YKK® zipper
- Inner chest pocket
- Articulated sleeves for optimal mobility
- Adjustable cuffs
- Reflective details

The Oxford Lined Jacket with an extended back for comfort is both reliable and warm keeping you effective through those long cold active days.

PART NO.	MFG#	DESCRIPTION
7229830	77041-999-M	Black / Ebony, Lined Jacket, M
7229831	77041-999-L	Black / Ebony, Lined Jacket, L
7229832	77041-999-XL	Black / Ebony, Lined Jacket, XL
7229833	77041-999-2XL	Black / Ebony, Lined Jacket, 2XL
7229834	77041-999-3XL	Black / Ebony, Lined Jacket, 3XL

OXFORD WINTER JACKET



The Oxford Winter Jacket is equipped with a Helly Tech® Performance membrane and Primaloft® insulation, keeping you warm, dry and comfortable in both rain and snow.

The shoulders seams have been removed for durability on an otherwise high-impact area, but also maximizes your comfort when carrying a backpack or equipment.

Features:

- Helly Tech® Performance fabric
- Critically taped
- Primaloft® insulation
- No shoulder seams
- Detachable hood
- Adj. hood with drawcord and fastener

- Brushed polyester inside collar
- YKK® front zipper w/ chin protector
- Full inner front placket
- Hand pockets with YKK® zipper
- Inner chest pocket

PART NO.	MFG#	DESCRIPTION
7229669	73290-990-M	**Black** Jacket, M
7229670	73290-990-L	**Black** Jacket, L
7229671	73290-990-XL	**Black** Jacket, XL
7229672	73290-990-2XL	**Black** Jacket, XXL

KENSINGTON WINTER JACKET



Warm up without feeling weighed down. Our proprietary LifaLoft™ insulation is lighter and warmer than standard insulation. Features both the LifaLoft™ technology and Black Eco Insulation from Primaloft® for when you need to stay warm for long hours.

Waterproof & breathable, with articulated sleeves, detachable hood and adjustments on the cuffs to create the perfect fit. Main fabric: 100% Polyester Lining: 100% Polyamide Insulation: 70% Polypropylene, 30% Polyester, 100 g.

Features:

- Helly Tech® Professional
- LIFALOFT™ insulation by PrimaLoft®
- Primaloft® Black Eco Insulation
- Waterproof, windproof and breathable
- Fully taped construction, detachable hood

PART NO.	MFG#	DESCRIPTION
9956-543	71345-991-M	**Black** Winter Jacket, M
9956-544	71345-991-L	**Black** Winter Jacket, L
9956-545	71345-991-XL	**Black** Winter Jacket, XL
9956-546	71345-991-2XL	**Black** Winter Jacket, XXL

BIFROST WINTER PARKA



The Bifrost Winter Parka was designed and tested alongside polar scientists to keep you warm on the job, even in the coldest environments. We ensure optimal body temperature and comfort for long days in the elements. The multi-pocket solution has a dedicated space for your phone with Life Pocket™ insulation, ensuring cold temperature doesn't drain your battery. The parka is fully adjustable to create an optimal fit, including a detachable hood and faux fur, adjustable cuffs and even an adjustable collar.

Main fabric: 100% Polyester 215 g/m² Secondary main fabric: 100% polyamide 270 g/m², lining: 100% polyester insulation body: 100% recycled polyester insulation hood: 80% recycled polyester, 20% polyester

Features:

- Internal Life Pocket™ for phone, no need to open the parka to access
- Downfeel recycled blowable insulation
- Waterproof, windproof and breathable, fully taped construction
- Cordura® fabric reinforcement on shoulders and elbows
- YKK® front and chest pocket zippers
- Articulated sleeves for optimal mobility

PART NO.	MFG#	DESCRIPTION
9956-535	71362-990-M	**Black** Jacket, M
9956-536	71362-990-L	**Black** Jacket, L
9956-537	71362-990-XL	**Black** Jacket, XL
9956-538	71362-990-2XL	**Black** Jacket, 2XL

EVO ZIP HOODIE

NEW



Featuring industrial grade YKK® zippers and AMANN thread for increased durability and Ribbed knit around the collar, at the cuff, and hem add contractor-approved style and freedom of movement.

Features:

- AMANN threads
- Rib-knit around collar for improved comfort
- YKK front zipper
- Hand pockets with YKK zipper
- Rib-knit at bottom sleeve and hem

PART NO.	MFG#	DESCRIPTION
7229362	79345-591-M	Navy, Hoodie, M
7229363	79345-591-L	Navy, Hoodie, L
7229364	79345-591-XL	Navy, Hoodie, XL
7229365	79345-591-XXL	Navy, Hoodie, XXL
7229366	79345-991-M	Black, Hoodie, M
7229367	79345-991-L	Black, Hoodie, L
7229368	79345-991-XL	Black, Hoodie, XL
7229369	79345-991-XXL	Black, Hoodie, XXL
7229370	79345-932-M	Grey, Hoodie, M
7229371	79345-932-L	Grey, Hoodie, L
7229372	79345-932-XL	Grey, Hoodie, XL
7229373	79345-932-XXL	Grey, Hoodie, XXL

VENTUS HOODED WINDSHELL



These lightweight packable Hooded Windshells provide a layer of extra protection for cool days on the water and are perfect to have when the sun goes down. They are made of non-hazardous and environmentally safe Bluesign® and OEKO-TEX® certified fabrics, abrasion resistant Ripstop Nylon and PFC-Free Durable Water Repellent.

Features:

- Tall collar for increased wind protection.
- Cinchable hem adjusts for a customized fit.
- Hood tucks out of the way.
- Windshell packs into chest pocket for convenient storage.

PART NO.	MFG#	DESCRIPTION
7229972	MJ1800-191-M-264	Men's, Grey, Medium
7229973	MJ1800-191-L-264	Men's, Grey, Large
7229974	MJ1800-191-XL-264	Men's, Grey, X-Large
7229975	MJ1800-191-XXL-264	Men's, Grey, 2X-Large
7229968	MJ1850-191-S-264	Women's, Grey, Small
7229969	MJ1850-191-M-264	Women's, Grey, Medium
7229970	MJ1850-191-L-264	Women's, Grey, Large

WINTER COVERALLS



Winter Coveralls containing 50% Polyester, 50% Oxford Nylon, 170 g/m2. Lining: 100% Polyester, 160 g/m2. Breathable, wind and waterproof with taped seams.

- Two-way zipper with storm flap
- Multiple pockets with various functions
- Zipper and inside storm flap at ankles
- Underarm zippers for ventilation
- Cordura reinforcement on knees
- Reflective details at chest, arms and ankles

PART NO.	MFG#	COLOUR	SIZE
7228130	LR7033-0607-S	Black/Grey	S
7228131	LR7033-0607-M	Black/Grey	M
7228132	LR7033-0607-L	Black/Grey	L
7228133	LR7033-0607-XL	Black/Grey	XL
7228134	LR7033-0607-2XL	Black/Grey	XXL
7228135	LR7033-0607-3XL	Black/Grey	XXXL

SVOLVAER SOU'WESTER HAT



- 0.35mm PVC coated knitted Polyester/Cotton - 320g
- Cold and mildew resistant
- Lined, with earflaps

PART NO.	MFG#	DESCRIPTION
9956-397	79816-310-57/58	M
9956-398	79816-310-59/60	L
9956-399	79816-310-61/62	XL

KENSINGTON BEANIES



- Classic beanie to keep your head and ears warm on colder days

PART NO.	MFG#	DESCRIPTION
9956-313	79811-991-STD	Black
9956-315	79811-931-STD	Grey
9956-316	79811-240-STD	Orange
9956-317	79811-481-STD	Army Green

OXFORD CONSTRUCTION PANTS



- 2-way stretch in critical areas makes sure the wearer has freedom of movement
- Hanging pockets with double lined bottom and nylon webbing for durability
- Hand & back pockets
- Hammer holder loops on both sides
- Broad center back belt loop for extra stability and strength
- Gusset in crotch for freedom of movement
- Articulated knees for optimal mobility
- Reinforced fabric at the knees and bottom hem
- Knee Pad pockets accessible from the inside
- ID card loop and ruler pocket
- YKK® zipper

PART NO.	MFG#	DESCRIPTION
7229891	77467-990-32/32	32 / 32
7229892	77467-990-34/32	34 / 32
7229893	77467-990-36/32	36 / 32
7229894	77467-990-38/32	38 / 32
7229895	77467-990-40/32	40 / 32
7229896	77467-990-42/32	42 / 32

OXFORD SERVICE PANT, BLACK



- Lightweight cotton mixed with 3% elastan gives you comfort throughout a long day at work
- Hand pockets, back pockets and thigh pockets

PART NO.	MFG#	DESCRIPTION
9956-510	77466-990-32/32	32/32
9956-511	77466-990-34/32	34/32
9956-512	77466-990-36/32	36/32
9956-513	77466-990-38/32	38/32
9956-514	77466-990-40/32	40/32

Helly Hansen Sizing Chart:

Size designation	XS	S	M	L	XL
Chest width	34.5	36	37.5-39	41-42.5	44-45.5
Waist width	30	31	33-34	36-38	39-41
Hips width	37	38.5	40-41.5	43-45	46-48
Inside leg length	30.5	31.5	32	33	34

Size designation	2XL	3XL	4XL	5XL	6XL
Chest width	47-48.5	50-51.5	53-54.5	56-57.5	58-60
Waist width	42-44	45-47	48-50	51-53	54-56
Hips width	49.5-51	52.5-54	55.5-57	58.5-60	61.5-63
Inside leg length	35	35	35	35	35

BASELAYERS UNDERGARMENTS

HEAVY WEIGHT BASELAYER

Helly Hansen's Baselayer moisture management system uses a unique LIFA Stay Dry Moisture Wicking Fiber Technology to ventilate excess heat and transport moisture away from skin keeping your body dry, warm and comfortable in harsh, mild to cold environments. All seams are "Flatlock Stitched" for maximum comfort. Great for wearing under Rain Gear.





LIFA Max. 230g/m² Dual Layer. Designed for low to medium activity.

PART NO.	MFG#	DESCRIPTION
7229926	75108-590-S	Lifa Max Crewneck, S
7229927	75108-590-M	Lifa Max Crewneck, M
7229928	75108-590-L	Lifa Max Crewneck, L
7229929	75108-590-XL	Lifa Max Crewneck,XL
7229930	75108-590-2XL	Lifa Max Crewneck, XXL
7229936	75508-590-S	Lifa Max Pants, S
7229937	75508-590-M	Lifa Max Pants, M
7229938	75508-590-L	Lifa Max Pants, L
7229939	75508-590-XL	Lifa Max Pants, XL
7229940	75508-590-2XL	Lifa Max Pants, XXL

LIGHT WEIGHT BASELAYER BLACK





LIFA. 125g/m² Single Layer. Designed for high activity.

PART NO.	MFG#	DESCRIPTION
7229906	75105-990-S	Lifa Crewneck, S
7229907	75105-990-M	Lifa Crewneck, M
7229908	75105-990-L	Lifa Crewneck, L
7229909	75105-990-XL	Lifa Crewneck, XL
7229910	75105-990-2XL	Lifa Crewneck, XXL
7229916	75505-990-S	Lifa Pants, S
7229917	75505-990-M	Lifa Pants, M
7229918	75505-990-L	Lifa Pants, L
7229919	75505-990-XL	Lifa Pants, XL
7229920	75505-990-2XL	Lifa Pants, XXL

MANCHESTER SOCKS 3 PACK



- Mesh ventilation for added breathability
- Ankle flex
- 71% cotton, 26% polyamide, 3% elastane

PART NO.	MFG#	DESCRIPTION
9956-579	79646-990-36-38	Size 5-8
9956-580	79646-990-39-42	Size 9-11
9956-581	79646-990-43-46	Size 12-14

MAGNI WINTER SOCK



- Primaloft fiber
- Shinbone cushion protector
- 51% polyester, 47% polyamide

PART NO.	MFG#	DESCRIPTION
9956-570	79641-990-36-38	Size 5-8
9956-571	79641-990-39-42	Size 9-11
9956-572	79641-990-43-46	Size 12-14

CHELSEA EVO WINTER SOCK



- LIFA fibers in heel & toe for added durability
- Mesh ventilation for added breathability
- 39%polyamide, 37%polypropylene, 22% wool

PART NO.	MFG#	DESCRIPTION
9956-573	79643-990-36-38	Size 5-8
9956-574	79643-990-39-42	Size 9-11
9956-575	79643-990-43-46	Size 12-14

OXFORD WINTER SOCK



- Full terry leg to keep warmth
- Polyamide fiber in heel & toe for added durability
- 34% polyamide, 32% Merino wool, 32% acrylic

PART NO.	MFG#	DESCRIPTION
9956-576	79645-990-36-38	Size 5-8
9956-577	79645-990-39-42	Size 9-11
9956-578	79645-990-43-46	Size 12-14

KNEEPAD STANDARD



Standard Kneepads protect your knees from impact injuries and provide padding for extended kneeling on hard surfaces. Made of 100% Polyethylene. Use with durable Construction, Bib and Work Pants.
Dimensions: 9.5" x 5-3/4" x 3/4"
Conforms to EN14404 knee protection.

PART NO.	MFG#	DESCRIPTION
7229839	79569-990-STD	Knee Pads, Black, Pair

THERMO BOOTS





- Polyurethane boots with thick sole for a better insulation from the ground
- Excellent thermal insulation
- Removable insoles; Heel spur for easy removal
- Steel toe cap
- Meets ASTM standard

PART NO.	MFG#	DESCRIPTION
9956-326	3825-GR-7	Size 7
9956-327	3825-GR-8	Size 8
9956-328	3825-GR-9	Size 9
9956-329	3825-GR-10	Size 10
9956-330	3825-GR-11	Size 11
9956-331	3825-GR-12/13	Size 12/13

ULTRA LITE BOOTS



- Light flexible Polyurethane material
- Features energy absorbing heel that provides extra comfort and reduces tiredness
- Removable insoles
- Heel spur for easy removal
- Removable insoles
- Offers excellent insolation for temperatures down to -20 deg. C, while maintaining its flexibility keeping the feet dry and comfortable even in extreme conditions

PART NO.	MFG#	DESCRIPTION
9956-320	3826-OR-7	Size 7
9956-321	3826-OR-8	Size 8
9956-322	3826-OR-9	Size 9
9956-323	3826-OR-10	Size 10
9956-324	3826-OR-11	Size 11
9956-325	3826-OR-12	Size 12/13

For the most up to date pricing, please visit maritimemarinesupply.ca/price

ABBOTSFORD NYLON RAIN JACKET



- 170g/m² PU coated nylon knit
- Outer storm flap with concealed marlex snap closure
- Inside storm flap
- Attached 3 panel hood with drawcord and cordlocks
- Microwelded seams

ABBOTSFORD NYLON BIB PANTS



- 170g/m² PU coated nylon knit
- Adjustable suspenders
- Quick release buckles
- Side gusset with snap closure
- Can be worn back-to-front for longer wear
- Micro welded seams

PART NO.	MFG#	DESCRIPTION	SIZE
7229880	70193-480-S	Jacket, Army Green	Small
7229881	70193-480-M	Jacket, Army Green	Medium
7229882	70193-480-L	Jacket, Army Green	Large
7229883	70193-480-XL	Jacket, Army Green	X-Large
7229884	70193-480-2XL	Jacket, Army Green	2X-Large
9956-020	70193-480-3XL	Jacket, Army Green	3X-Large
9956-427	70193-480-4XL	Jacket, Army Green	4X-Large
9956-428	70193-480-5XL	Jacket, Army Green	5X-Large
7229885	70592-480-S	Pants, Army Green	Small
7229886	70592-480-M	Pants, Army Green	Medium
7229887	70592-480-L	Pants, Army Green	Large
7229888	70592-480-XL	Pants, Army Green	X-Large
7229889	70592-480-2XL	Pants, Army Green	2X-Large
9956-022	70592-480-3XL	Pants, Army Green	3X-Large
9956-431	70592-480-4XL	Pants, Army Green	4X-Large
9956-432	70592-480-5XL	Pants, Army Green	5X-Large
9956-010	70193-260-S	Jacket, Orange	Small
9956-011	70193-260-M	Jacket, Orange	Medium
9956-012	70193-260-L	Jacket, Orange	Large
9956-013	70193-260-XL	Jacket, Orange	X-Large
9956-014	70193-260-2XL	Jacket, Orange	2X-Large
9956-021	70193-260-3XL	Jacket, Orange	3X-Large
9956-429	70193-260-4XL	Jacket, Orange	4X-Large
9956-430	70193-260-5XL	Jacket, Orange	5X-Large
9956-015	70592-260-S	Pants, Orange	Small
9956-016	70592-260-M	Pants, Orange	Medium
9956-017	70592-260-L	Pants, Orange	Large
9956-018	70592-260-XL	Pants, Orange	X-Large
9956-019	70592-260-2XL	Pants, Orange	2X-Large
9956-023	70592-260-3XL	Pants, Orange	3X-Large
9956-433	70592-260-4XL	Pants, Orange	4X-Large
9956-434	70592-260-5XL	Pants, Orange	5X-Large

GALE RAIN JACKET



- 100% PU on 100% Polyester knit – 170 g/m²
- Gale Jacket sets the new standard in rain gear built for workers! Phthalate free fabrics ensures low environmental impact while at the same time keeping you dry no matter the weather
- YKK center front zipper
- Double main fabric front flap
- Napoleon pocket with YKK zipper and hole for head phones
- Hand pockets
- Packable hood with draw cord adjustment at front
- Neoprene cuffs
- Inner pocket
- Bottom hem adjustment with cord
- Extended back for better comfort

GALE RAIN BIB PANTS



- 100% PU on 100% Polyester knit 170 g/m²
- Inner chest pocket with YKK® zipper
- Elastic suspenders
- Button adjustment in waist
- Bottom hem adjustment with buttons

PART NO.	MFG#	DESCRIPTION	SIZE
9956-244	70282-480-S	Jacket, Green	Small
9956-245	70282-480-M	Jacket, Green	Medium
9956-246	70282-480-L	Jacket, Green	Large
9956-247	70282-480-XL	Jacket, Green	X-Large
9956-248	70282-480-2XL	Jacket, Green	2X-Large
9956-249	70282-480-3XL	Jacket, Green	3X-Large
9956-250	70282-480-4XL	Jacket, Green	4X-Large
9956-258	70582-480-S	Pants, Green	Small
9956-259	70582-480-M	Pants, Green	Medium
9956-260	70582-480-L	Pants, Green	Large
9956-261	70582-480-XL	Pants, Green	X-Large
9956-262	70582-480-2XL	Pants, Green	2X-Large
9956-263	70582-480-3XL	Pants, Green	3X-Large
9956-264	70582-480-4XL	Pants, Green	4X-Large
9956-251	70282-290-S	Jacket, Orange	Small
9956-252	70282-290-M	Jacket, Orange	Medium
9956-253	70282-290-L	Jacket, Orange	Large
9956-254	70282-290-XL	Jacket, Orange	X-Large
9956-255	70282-290-2XL	Jacket, Orange	2X-Large
9956-256	70282-290-3XL	Jacket, Orange	3X-Large
9956-257	70282-290-4XL	Jacket, Orange	4X-Large
9956-265	70582-290-S	Pants, Orange	Small
9956-266	70582-290-M	Pants, Orange	Medium
9956-267	70582-290-L	Pants, Orange	Large
9956-268	70582-290-XL	Pants, Orange	X-Large
9956-269	70582-290-2XL	Pants, Orange	2X-Large
9956-270	70582-290-3XL	Pants, Orange	3X-Large
9956-271	70582-290-4XL	Pants, Orange	4X-Large

STORM RAIN GEAR JACKETS



- 100% PVC on 100% Polyester knit – 310 g/m²
- Storm Jacket sets the new standard in rain gear built for fishing! Phthalate free fabrics ensures low environmental impact while at the same time keeping you dry no matter the weather.
- YKK center front zipper
- Double main fabric front flap
- Napoleon pocket with YKK zipper and hole for head phones
- No shoulder seams
- Hood with draw cord adjustment at front and Velcro adjustment at back
- Neoprene cuffs
- Inner pocket
- Extended back for better comfort
- ID card loop

STORM RAIN GEAR BIB PANTS



- 100% PVC on 100% Polyester knit – 310 g/m²
- Storm Bib sets the new standard in rain gear built for fishing! Phthalate free fabrics ensures low environmental impact while at the same time keeping you dry no matter the weather
- Inner chest pocket with YKK® zipper
- Elastic suspenders
- Button adjustment in waist
- Bottom hem adjustment with buttons

PART NO.	MFG#	DESCRIPTION	SIZE
7229650	70283-299-XS	Jacket, Orange/**Black**	X-Small
7229651	70283-299-S	Jacket, Orange/**Black**	Small
7229652	70283-299-M	Jacket, Orange/**Black**	Medium
7229653	70283-299-L	Jacket, Orange/**Black**	Large
7229654	70283-299-XL	Jacket, Orange/**Black**	X-Large
7229655	70283-299-2XL	Jacket, Orange/**Black**	2X-Large
7229656	70283-299-3XL	Jacket, Orange/**Black**	3X-Large
7229657	70283-299-4XL	Jacket, Orange/**Black**	4X-Large
7229660	70583-299-XS	Pants, Orange/**Black**	X-Small
7229661	70583-299-S	Pants, Orange/**Black**	Small
7229662	70583-299-M	Pants, Orange/**Black**	Medium
7229663	70583-299-L	Pants, Orange/**Black**	Large
7229664	70583-299-XL	Pants, Orange/**Black**	X-Large
7229665	70583-299-2XL	Pants, Orange/**Black**	2X-Large
7229666	70583-299-3XL	Pants, Orange/**Black**	3X-Large
7229667	70583-299-4XL	Pants, Orange/**Black**	4X-Large
9956-147	70283-480-S	Jacket, Green	Small
9956-148	70283-480-M	Jacket, Green	Medium
9956-149	70283-480-L	Jacket, Green	Large
9956-159	70283-480-XL	Jacket, Green	X-Large
9956-169	70283-480-2XL	Jacket, Green	2X-Large
9956-178	70283-480-3XL	Jacket, Green	3X-Large
9956-179	70283-480-4XL	Jacket, Green	4X-Large
9956-199	70583-480-S	Pants, Green	Small
9956-208	70583-480-M	Pants, Green	Medium
9956-209	70583-480-L	Pants, Green	Large
9956-218	70583-480-XL	Pants, Green	X-Large
9956-219	70583-480-2XL	Pants, Green	2X-Large
9956-228	70583-480-3XL	Pants, Green	3X-Large
9956-229	70583-480-4XL	Pants, Green	4X-Large

MANDEL JACKET



- 100% Polyester, PVC coated 410 g/m²
- Waterproof
- Mildew resistant
- No shoulder seams
- Two pockets at front with flaps
- Push button adjustment at cuffs
- Storm flap with push button closure

MANDEL BIB PANT



- 100% Polyester, PVC coated 410 g/m²
- Waterproof
- Mildew resistant
- Inner chest pocket
- Adjustable elastic suspenders

PART NO.	MFG#	DESCRIPTION	SIZE
9956-453	70129-480-S	Jacket, Green	Small
9956-454	70129-480-M	Jacket, Green	Medium
9956-455	70129-480-L	Jacket, Green	Large
9956-456	70129-480-XL	Jacket, Green	X-Large
9956-457	70129-480-2XL	Jacket, Green	2X-Large
9956-458	70129-480-3XL	Jacket, Green	3X-Large
9956-477	70529-480-S	Pants, Green	Small
9956-478	70529-480-M	Pants, Green	Medium
9956-479	70529-480-L	Pants, Green	Large
9956-480	70529-480-XL	Pants, Green	X-Large
9956-481	70529-480-2XL	Pants, Green	2X-Large
9956-482	70529-480-3XL	Pants, Green	3X-Large
9956-459	70129-290-S	Jacket, Orange	Small
9956-460	70129-290-M	Jacket, Orange	Medium
9956-461	70129-290-L	Jacket, Orange	Large
9956-462	70129-290-XL	Jacket, Orange	X-Large
9956-463	70129-290-2XL	Jacket, Orange	2X-Large
9956-464	70129-290-3XL	Jacket, Orange	3X-Large
9956-471	70529-290-S	Pants, Orange	Small
9956-472	70529-290-M	Pants, Orange	Medium
9956-473	70529-290-L	Pants, Orange	Large
9956-474	70529-290-XL	Pants, Orange	X-Large
9956-475	70529-290-2XL	Pants, Orange	2X-Large
9956-476	70529-290-3XL	Pants, Orange	3X-Large

For the most up to date pricing, please visit maritimemarinesupply.ca/price

COBALT TEAR RESISTANT ARMOUR RAIN GEAR



JACKET

- Tear resistant durable, high tenacity 420 denier nylon outer shell
- Inner layer of 170g/m² PU coated nylon knit Impertech waterproof fabric
- Generously cut 3 panel drawcord hood with cord locks
- Durable inner and outer storm flap for durability
- Neoprene inner storm cuffs for comfort and dryness
- Concealed stainless steel rust resistant snap closure
- Inner layer has micro welded seam



BIB PANTS

- Tear resistant outer shell of durable, high tenacity 420 denier nylon
- Inner layer of 170g/m² PU coated nylon knit Impertech waterproof fabric
- Side gusset for easy entry
- Adjustable suspenders
- Quick release buckles
- Inner layer has micro welded seams

PART NO.	MFG#	DESCRIPTION	SIZE
7229585	70201/550/S	Jacket	Small
7229586	70201/550/M	Jacket	Medium
7229587	70201/550/L	Jacket	Large
7229588	70201/550/XL	Jacket	X Large
7229589	70201/550/2XL	Jacket	2X Large
7229635	70201/550/3XL	Jacket	3X Large
7229636	70201/550/4XL	Jacket	4X Large
9956-443	70201-550-5XL	Jacket	5X Large
7229595	70501-550-S	Pants	Small
7229596	70501-550-M	Pants	Medium
7229597	70501-550-L	Pants	Large
7229598	70501-550-XL	Pants	X Large
7229599	70501-550-2XL	Pants	2X Large

ENGRAM FISH OIL RESISTANT RAIN GEAR



JACKET

- 450g/m² PVC coated cotton
- Resistance to fish oil
- Attached, generously cut 3-panel hood for better fit
- Inside storm flap
- Concealed rust-resistant snap closure
- Micro welded seams



DOUBLE BIB PANTS

- 450g/m² PVC coated cotton
- Resistance to fish oil
- Side gusset for easy entry
- Adjustable suspenders
- Can be worn back to front for longer wear
- Generously cut
- Micro welded seams

PART NO.	MFG#	DESCRIPTION	SIZE
7229560	70123-410-S	Jacket, Light Green	Small
7229561	70123-410-M	Jacket, Light Green	Medium
7229562	70123-410-L	Jacket, Light Green	Large
7229563	70123-410-XL	Jacket, Light Green	X-Large
7229564	70123-410-2XL	Jacket, Light Green	2X-Large
9956-435	70123-410-3XL	Jacket, Light Green	3X-Large
9956-436	70123-410-4XL	Jacket, Light Green	4X-Large
9956-437	70123-410-5XL	Jacket, Light Green	5X-Large
7229570	70124-410-S	Pants, Light Green	Small
7229571	70124-410-M	Pants, Light Green	Medium
7229572	70124-410-L	Pants, Light Green	Large
7229573	70124-410-XL	Pants, Light Green	X-Large
7229574	70124-410-2XL	Pants, Light Green	2X-Large
9956-438	70124-410-3XL	Pants, Light Green	3X-Large
9956-439	70124-410-4XL	Pants, Light Green	4X-Large
9956-440	70124-410-5XL	Pants, Light Green	5X-Large



VOSS JACKET



- 100% Polyester, Knitted, PU coated 170g/m²
- Waterproof
- Reflective details
- Front zipper with inner placket
- Packable hood with draw cord adjustment at front
- Two pockets at front with flaps
- Draw cord adjustment at hem
- Tail drop in back
- Push button adjustment at cuffs

VOSS PANT

- 100% Polyester, Knitted, PU coated 170 g/m²
- Waterproof
- Elastic at waist with draw cord
- Push button adjustment at hem



PART NO.	MFG#	DESCRIPTION	SIZE
9956-417	70180-990-S	Jacket, **Black**	Small
9956-418	70180-990-M	Jacket, **Black**	Medium
9956-419	70180-990-L	Jacket, **Black**	Large
9956-420	70180-990-XL	Jacket, **Black**	X-Large
9956-421	70180-990-2XL	Jacket, **Black**	2X-Large
9956-422	70480-990-S	Pants, **Black**	Small
9956-423	70480-990-M	Pants, **Black**	Medium
9956-424	70480-990-L	Pants, **Black**	Large
9956-425	70480-990-XL	Pants, **Black**	X-Large
9956-426	70480-990-2XL	Pants, **Black**	2X-Large



WEST COAST JACKET



- Brushed polyester inside collar
- Reflective details
- No shoulder seams
- Chest & sleeve pocket with water repellent zipper
- Two pockets at front with flaps
- Ventilation & tail drop at back
- Draw cord adjustment at hem
- Velcro adjustment at edge of sleeve
- Storm flap with zipper and push button closure
- 100% Polyester, knitted, PU coated - 210g/m2

Rated EN 343 3,1 Waterproof

PART NO.	MFG#	DESCRIPTION
7229640	70187-992-S	West Coast Jacket, Small
7229641	70187-992-M	West Coast Jacket, Medium
7229642	70187-992-L	West Coast Jacket, Large
7229643	70187-992-XL	West Coast Jacket, X-Large
7229644	70187-992-2XL	West Coast Jacket, XX-Large
9956-492	70187-992-3XL	West Coast Jacket, XXX-Large
9956-493	70187-992-4XL	West Coast Jacket, XXX-Large

JACKET, ROAN ANORAK



- 100% Polyester - 220 g/m² - PVC coating
- Waterproof fabric and construction
- Oil resistant
- Hood with draw cord and velcro adjustment, designed to be used with a helmet
- Chest pocket with flap and push button
- Draw cord adjustment at hem
- Neoprene cuffs
- Brushed inside
- 1/2 zip opening
- Click-on loop inside hem for ID card holder

Waterproof: EN 343 - 3.1

PART NO.	MFG#	DESCRIPTION
7229610	70206-399-S	Small
7229611	70206-399-M	Medium
7229612	70206-399-L	Large
7229613	70206-399-XL	X-Large
7229614	70206-399-2XL	2X-Large
7229615	70206-399-3XL	3X-Large
9956-500	70206-399-4XL	4X-Large

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

ISODER JACKET-GREEN



- ISOLATECH, provides more comfort with reduced condensation inside the garment
- MAGIC Hood does not obstruct your vision and moves with the head
- Two waterproof pockets under flap
- GLENTEX fabric is comfortable, supple, and tough
- Coated on one side. 320g/m²

BAROSSA PANTS-GREEN



- High symmetrical cut both front and back
- Snap fastening double gusset on one side of bib
- Adjustable elasticated braces on front and back
- GLENTEX fabric is comfortable, supple and tough
- Coated on one side. 305g/m²

PART NO.	MFG#	DESCRIPTION	SIZE
9956-527	019-M	Jacket, Green	Medium
9956-528	019-L	Jacket, Green	Large
9956-529	019-XL	Jacket, Green	X-Large
9956-530	019-2XL	Jacket, Green	2X-Large
9956-531	119-M	Pants, Green	Medium
9956-532	119-L	Pants, Green	Large
9956-533	119-XL	Pants, Green	X-Large
9956-534	119-2XL	Pants, Green	2X-Large

GAMVIK JACKET-WHITE



- Very hardwearing zip beneath double flap with concealed snap-fasteners
- Adjustable hood with visor
- Snap-fastening elasticated cuffs with gusset
- GLENTEX fabric is comfortable, supple and tough
- Coated on one side. 305g/m²

HITRA PANT-WHITE



- High symmetrical cut both front and back
- Snap fastening double gusset on one side of bib
- Adjustable elasticated braces on front and back
- GLENTEX fabric is comfortable supple and tough
- Coated on one side. 305g/m²

PART NO.	MFG#	DESCRIPTION	SIZE
9956-515	024-M	Jacket, White	Medium
9956-516	024-L	Jacket, White	Large
9956-517	024-XL	Jacket, White	X-Large
9956-518	024-2XL	Jacket, White	2X-Large
9956-519	124-M	Pants, White	Medium
9956-520	124-L	Pants, White	Large
9956-521	124-XL	Pants, White	X-Large
9956-522	124-2XL	Pants, White	2X-Large

CHINOOK PULLOVER



Light and completely waterproof smock, thanks to high-frequency welding. The Neoprene waterproof cuffs become an extension of your gloves.

- Perfect protection against wind, rain and spray
- Peaked Hood
- Wide gusset with ¼ zip
- Chest pocket under flap
- Neoprene wrists
- Lightweight, single side PVC coated, 320 g/m2

PART NO.	MFG#	DESCRIPTION	SIZE
9956-306	2021-M	**Jacket Orang/Black**	Medium
9956-307	2021-L	**Jacket Orang/Black**	Large
9956-308	2021-XL	**Jacket Orang/Black**	X-Large
9956-309	2021-2XL	**Jacket Orang/Black**	2X-Large

ISOPRO JACKET

- ISOLATECH system : an insulation technique to control condensation inside the waterproof garment
- "Magic" Hood does not obstruct your vision and does not restrict your movements
- Heavy duty zip under double self-grip flap
- Polyester base coated on each side with PVC
- Heavy duty rip stop fabric is very durable and will hold up under rough working conditions
- Adjustable elastic cuffs concealed in the sleeves



X-TRAPPER BIB PANTS

- Tough bib trousers for tough fishermen
- Double layer on the whole front with the outside layer in an exclusive rip stop fabric
- Triple layer on the chest
- Inside chest pocket
- Bottom of legs reinforced
- Velcro adjustment at the ankles
- Heavy duty Fixlock buckles and adjustable suspenders



PART NO.	MFG#	DESCRIPTION	SIZE
9956-280	026-MYB	Jacket, Orange/Blue	Medium
9956-281	026-LYB	Jacket, Orange/Blue	Large
9956-282	026-XLYB	Jacket, Orange/Blue	X-Large
9956-283	026-2XLYB	Jacket, Orange/Blue	2X-Large
9956-284	116-MYB	Pants, Orange/Blue	Medium
9956-285	116-LYB	Pants, Orange/Blue	Large
9956-286	116-XLYB	Pants, Orange/Blue	X-Large
9956-287	116-2XLYB	Pants, Orange/Blue	2X-Large
9956-288	116-3XLYB	Pants, Orange/Blue	3X-Large

CBD PANTS-BLUE

- Front section (from belt to bottom of bib) lined with 3-layers at the knees
- Chest pocket, elasticated waist at back
- Industry first, convenient fly flap
- Inside hanging loop for drying or storing the bib
- Nylpeche fabric provides completely waterproof garments unequalled for their strength and flexibility



PART NO.	MFG#	DESCRIPTION	SIZE
9956-523	136-M	Pants, Blue	Medium
9956-524	136-L	Pants, Blue	Large
9956-525	136-XL	Pants, Blue	X-Large
9956-526	136-2XL	Pants, Blue	2X-Large

GARNVIK JACKET

- Hooded jacket made of tough, light and supple fabric
- Adjustable hood with visor
- Wind protecting elasticated cuffs that can be adjusted by invisible snap fasteners on storm flap
- Fabric composition: Polyester (70 g/m2). 1 side PVC coating 510 g/m². Total weight 580 g/m2
- Orange colour is clearly visible



HITRA BIB PANT

- 100% waterproof and comes with welded seams to protect against any moisture
- Vistex fabric: High flexibility. Single-sided coating. Polyester (50g/m²), PVC coating (300g/m²). Total weight: 350g/m².
- Reversible front to rear for extended use
- Elastic straps with front and rear Fixlock buckles



PART NO.	MFG#	DESCRIPTION	SIZE
9956-289	015-M	Jacket, Orange	Medium
9956-290	015-L	Jacket, Orange	Large
9956-291	015-XL	Jacket, Orange	X-Large
9956-292	015-2XL	Jacket, Orange	2X-Large
9956-293	115-M	Pants, Orange	Medium
9956-294	115-L	Pants, Orange	Large
9956-295	115-XL	Pants, Orange	X-Large
9956-296	115-2XL	Pants, Orange	2X-Large





LYNGSØE RAINWEAR



Fishing Jacket in extra strong PVC quality 70% PVC, 30% Polyester, 550 g/m2 Available in Saturn Orange, and HI-Vis Yellow. Resistant to animal and vegetable oil, cold resistant
Wind and waterproof
Waterproof: >20.000 MM





- Fixed hood with drawstring
- Press studs under double storm flap
- With 'Offshore' reflective details



HiVis Yellow

ANTI OIL & COLD | EXTRA STRONG FABRIC

PART NO.	MFG#	DESCRIPTION	SIZE
7228070	LR848-0503-S	Jacket, Orange	Small
7228071	LR848-0503-M	Jacket, Orange	Medium
7228072	LR848-0503-L	Jacket, Orange	Large
7228073	LR848-0503-XL	Jacket, Orange	XLarge
7228074	LR848-0503-2XL	Jacket, Orange	2XLarge
7228075	LR848-0503-3XL	Jacket, Orange	3XLarge
7228080	LR846-0503-S	Pants, Orange	Small
7228081	LR846-0503-M	Pants, Orange	Medium
7228082	LR846-0503-L	Pants, Orange	Large
7228083	LR846-0503-XL	Pants, Orange	XLarge
7228084	LR846-0503-2XL	Pants, Orange	2XLarge
7228085	LR846-0503-3XL	Pants, Orange	3XLarge
7228100	LR848-5303-S	Jacket, Yellow	Small
7228101	LR848-5303-M	Jacket, Yellow	Medium
7228102	LR848-5303-L	Jacket, Yellow	Large
7228103	LR848-5303-XL	Jacket, Yellow	XLarge
7228104	LR848-5303-2XL	Jacket, Yellow	2XLarge
7228105	LR848-5303-3XL	Jacket, Yellow	3XLarge
7228110	LR846-5303-S	Pants, Yellow	Small
7228111	LR846-5303-M	Pants, Yellow	Medium
7228112	LR846-5303-L	Pants, Yellow	Large
7228113	LR846-5303-XL	Pants, Yellow	XLarge
7228114	LR846-5303-2XL	Pants, Yellow	2XLarge
7228115	LR846-5303-3XL	Pants, Yellow	3XLarge

FISHING RAIN GEAR

LYNGSØE RAINWEAR



JACKETS

Fishing Rain Jacket in heavy PVC quality, 84% PVC, 16% Cotton, 550 g/m² Wind and waterproof
Waterproof: >20.000 MM

- Fixed hood with drawstring
- Inside neoprene cuffs
- Press studs under double storm flap
- Can be washed at 95 degrees

ANTI OIL & COLD | EXTRA STRONG FABRIC

BIB PANTS

Rain Bib & Brace Trousers in heavy PVC quality 84% PVC, 16% Cotton, 550 g/m² Wind and waterproof
Waterproof: >20.000 MM



- Elastic shoulder straps with buckles
- Can be washed at 95 degrees

ANTI OIL & COLD | EXTRA STRONG FABRIC

PART NO.	MFG#	DESCRIPTION	SIZE
7228040	LR448-08-S	Jacket, Green	Small
7228041	LR448-08-M	Jacket, Green	Medium
7228042	LR448-08-L	Jacket, Green	Large
7228043	LR448-08-XL	Jacket, Green	X-Large
7228044	LR448-08-2XL	Jacket, Green	2X-Large
7228045	LR448-08-3XL	Jacket, Green	3X-Large
7228060	LR446-08-S	Pants, Green	Small
7228061	LR446-08-M	Pants, Green	Medium
7228062	LR446-08-L	Pants, Green	Large
7228063	LR446-08-XL	Pants, Green	X-Large
7228064	LR446-08-2XL	Pants, Green	2X-Large
7228065	LR446-08-3XL	Pants, Green	3X-Large
7228020	LR448-05-S	Jacket, Orange	Small
7228021	LR448-05-M	Jacket, Orange	Medium
7228022	LR448-05-L	Jacket, Orange	Large
7228023	LR448-05-XL	Jacket, Orange	X-Large
7228024	LR448-05-2XL	Jacket, Orange	2X-Large
7228025	LR448-05-3XL	Jacket, Orange	3X-Large
7228030	LR446-05-S	Pants, Orange	Small
7228031	LR446-05-M	Pants, Orange	Medium
7228032	LR446-05-L	Pants, Orange	Large
7228033	LR446-05-XL	Pants, Orange	X-Large
7228034	LR446-05-2XL	Pants, Orange	2X-Large
7228035	LR446-05-3XL	Pants, Orange	3X-Large

SMS DISPOSABLE COVERALLS

- SMS barrier fabric is a unique tri-laminate construction that offers a high tensile strength and toughness that is also soft, drapable, and easy to work with.
- Excellent barrier protection while keeping the worker cool and comfortable
- A fluid and particulate barrier to protect the worker without sacrificing mobility and comfort
- Strong and durable, yet offer outstanding comfort, breathability, softness, and wearability
- Lightweight and resistant to tears and punctures



PART NO.	MFG#	DESCRIPTION
9964-109	CMP50127W-M	Coveralls, M
9964-110	CMP50127W-L	Coveralls, L
9964-111	CMP50127W-XL	Coveralls, XL
9964-112	CMP50127W-2XL	Coveralls, 2XL
9964-113	CMP50127W-3XL	Coveralls, 3XL

ISOFRANC APRON





- Reinforced straps
- No welded hems
- Adjustment strap at the waist
- PVC coating on two sides, easy to clean

PART NO.	MFG#	DESCRIPTION
9956-312	4024	Apron, Green

DISPOSABLE PROTECTIVE COVERALLS

Kleenguard A40 Liquid and Particle Protection Coveralls with hood are a great addition when offering your team comfortable protective clothing.

Made of breathable, microporous film to keep out debris, non-hazardous liquid chemicals and dry particulates. Suits feature a two-way zipper in the front, and elastic wrists and ankles. These coveralls with hood pass NFPA 99 for antistatic materials.



PART NO.	MFG#	DESCRIPTION
8928035	1012181	Coveralls, Medium
8928036	1012182	Coveralls, Large
8928037	1012183	Coveralls, X-Large
8928038	1012184	Coveralls, XX-Large
8928039	1012185	Coveralls, XXX-Large

SPRAY SOCK



Made of soft comfortable cotton knit material this hood-type sock fits snugly over the head. Use any place where dust, over spray, fallout will get in hair, ears, or clothing. Three-way stretch knit material allows for full face, eyes and nose or eyes only exposure while the head and neck remain protected and cool.

- One size fits all
- **Weight:** 0.25 lbs

PART NO.	MFG#	DESCRIPTION
8928010	32001	Spray Sock Cotton

PVCSLEEVES



- Elastic at both end
- One size fits all

PART NO.	MFG#	DESCRIPTION
9956-311	613	Green

MAREE CUFFS



- PVC coated fabric
- Slip them over your gloves for an excellent protection of arms
- Neoprene cuffs at wrists
- Velcro with adjustment on top of arms

PART NO.	MFG#	DESCRIPTION
9956-310	0618	Blue

SUREGRIP WORK GLOVES



These NBR Series Suregrip Gloves are made of a special foam nitrile that does not compromise the extra strength and durability of the nitrile coating. This allows better grip even when handling metal under water. The cotton lining has been treated to control odors and germs. They are ultra-flexible and soft yet many times stronger and more puncture/abrasion resistant than most gloves on the market. 26" Long and chemical and oil resistant.

PART NO.	MFG#	DESCRIPTION
7229157	NBRSG681M	Cotton Lined, M, Pair
7229159	NBRSG681XL	Cotton, Lined, XL, Pair

GLOVES PVC W/SLEEVE



These rugged gloves are triple dipped in PVC and have an interlocking lining. They are 28" long with a rough finish and have an elastic cuff. **Color:** Blue

PART NO.	MFG#	DESCRIPTION
7229058	90-6628/7	Size 7, Pair
7229059	90-6628/8	Size 8, Pair
7229060	90-6628/9	Size 9, Pair
7229061	90-6628/10	Size 10, Pair
7229062	90-6628/11	Size 11, Pair

GLOVES, COTTON LINED



PART NO.	MFG#	DESCRIPTION
7229045	SWNBR680-M	M, Long-Sleeve, Pair
7229048	SWNBR680-XXL	XXL, Long-Sleeve, Pair

PVC GLOVE 12 PACK

- Triple dipped PVC, fully coated, rough finish
- 28"



PART NO.	MFG#	DESCRIPTION
9956-744	90-6628-M	M, 12 pack
9956-745	90-6628-L	L, 12 pack
9956-746	90-6628-XL	XL, 12 pack
9956-747	90-6628-2XL	2XL, 12 pack

NITRILE GLOVES 12 PACK



- Fully coated nitrile, smooth finish
- Interlock lining
- Safety cuff

PART NO.	MFG#	DESCRIPTION
9956-693	90-470-XL	XL, 12 pack

GLOVE PVC-NITRLE, BOA LINED



- Premium fabric and coating PVC-Nitrile, sandy finish
- Boa lining, 100% polyester
- Inside knit to keep moisture away
- Flexible for comfort and dexterity
- Water-resistant
- or cold climates, down to -50 °C / -60 °F

Sold in Pairs

PART NO.	MFG#	DESCRIPTION
7229255	90-7112S-M	PVC-Nitrile, Boa Lined, Medium
7229256	90-7112S-L	PVC-Nitrile, Boa Lined, Large
7229257	90-7112S-XL	PVC-Nitrile, Boa Lined, X-Large
7229258	90-7112S-XXL	PVC-Nitrile, Boa Lined, XX-Large

PVC GLOVES



- Triple dipped PVC, fully coated, rough finish
- Interlocking lining for strength
- 12” long

PAIR

PART NO.	MFG#	DESCRIPTION
7229042	90-6612-8	PVC Gloves, M, Pair
7229043	90-6612-9	PVC Gloves, L, Pair
7229044	90-6612-10	PVC Gloves, XL, Pair
7229041	90-6612-11	PVC Gloves, XXL, Pair

12 PACK

PART NO.	MFG#	DESCRIPTION
9956-740	90-6612-M	PVC Gloves, M, 12", 12 Pack
9956-741	90-6612-L	PVC Gloves, L, 12", 12 Pack
9956-742	90-6612-XL	PVC Gloves, XL, 12", 12 Pack
9956-743	90-6612-2XL	PVC Gloves, 2XL, 12", 12 Pack

NEW

DOUBLE DIPPED PVC/ NITRILE GLOVES



- Double dipped PVC/Nitrile premium quality coating, unique in North America
- PVC/Nitrile palm, pebble finish
- Knit support, 100% nylon
- Sherpa lining, 100% polyester
- Flexible for comfort and dexterity

PART NO.	MFG#	DESCRIPTION
7229323	J907112P-M	Pvc/Nitrile Gloves, M, Pair
7229324	J907112P-L	Pvc/Nitrile Gloves, L, Pair
7229325	J907112P-XL	Pvc/Nitrile Gloves, XL, Pair
7229326	J907112P-XXL	Pvc/Nitrile Gloves, XXL, Pair

PVC GLOVES FLEECE LINING



- Triple dipped PVC, fully coated, rough finish
- 100% polyester polar fleece liner
- The palm and fingers are lightly textured for non-slip action.
- 12" long

PAIR

PART NO.	MFG#	DESCRIPTION
7229055	90-6712/MED	PVC Gloves, Size 8, M, Pair
7229056	90-6712/LG	PVC Gloves, Size 9, L, Pair
7229057	90-6712/XL	PVC Gloves, Size 10, XL, Pair
7229053	90-6712/XXL	PVC Gloves, Size 11, XXL, Pair

12 PACK

PART NO.	MFG#	DESCRIPTION
9956-754	90-6712-M	PVC Gloves, M, 12 pack
9956-755	90-6712-L	PVC Gloves, L, 12 pack
9956-756	90-6712-XL	PVC Gloves, XL, 12 pack
9956-757	90-6712-2XL	PVC Gloves, 2XL, 12 pack

PVC THERMAL FISHING GLOVES 12 PACK



- 12" length, double dipped PVC
- Lined with acrylic fleece (warm) or polar fleece (warmer)
- Stays flexible in cold temperature
- Finished with sandy grip coating

PART NO.	MFG#	DESCRIPTION
9960-858	PGO12-FF	Orange 12 pack

PVC FISHING GLOVE 12 PACK



- Double coated blue PVC
- Cotton lined hand, unlined 12" cuff
- Anti-slip grip

PART NO.	MFG#	DESCRIPTION
9960-852	P2D14U-M	M, 12 pack
9960-853	P2D14U-L	L, 12 pack
9960-854	P2D14U-XL	XL, 12 pack

PVC AND NITRILE GLOVES



- Triple dipped PVC nitrile.
- Interlock lining. Rough finish.
- Lined gloves have a 100% polyester yellow boa lining.
- **Length:** 12"
- **Colour:** Blue

PART NO.	MFG#	DESCRIPTION
7229245	90-2812-8	PVC Gloves, M, Pair
7229246	90-2812-9	PVC Gloves, L, Pair
7229247	90-2812-10	PVC Gloves, XL, Pair
7229248	90-2812-11	PVC Gloves, XXL, Pair
9956-719	90-2812-M	PVC Gloves, M, 12 pack
9956-720	90-2812-L	PVC Gloves, L, 12 pack
9956-721	90-2812-XL	PVC Gloves, XL, 12 pack
9956-722	90-2812-2XL	PVC Gloves, XXL, 12 pack

POLYURETHANE GLOVES



- Double dipped water base Polyurethane, fully coated, rough finish
- 100% acrylic yellow sherpa lining
- 12 inches long

PART NO.	MFG#	DESCRIPTION
7229205	90-8712-L	GLOVE, POLY, ACRYLIC LINED, L
7229206	90-8712-XL	GLOVE, POLY, ACRYLIC LINED, XL
7229207	90-8712-2XL	GLOVE, POLY, ACRYLIC LINED, 2XL

THERMAL NITRILE GLOVE



- Outer glove made of 15-gauge orange polyester
- Inner made of 7-gauge orange acrylic
- Fully coated nitrile, porous finish palm, and elastic cuff
- Will remain warm and flexible
- down to -40 F/C

PART NO.	MFG#	DESCRIPTION
7229109	90-486T-XXL	Nitite Glove, XXL, Pair

CORAL GRIP FISHING GLOVE



- Great abrasion resistance with the highest anti-slip grip
- Boa thermal lined, stays flexible in cold
- Double dipped high visibility orange PVC

PART NO.	MFG#	DESCRIPTION
9960-861	PC3DFF-L	Gloves , L, Pair
9960-862	PC3DFF-XL	Gloves , XL, Pair

ICE GRIPPER ROPE GLOVE 12 PACK



- Red nylon knit backing
- Dipped latex foam grip
- Stays flexible even in extreme cold
- Terry synthetic lined for warmth

PART NO.	MFG#	DESCRIPTION
9960-855	LNG-W-R/M	Gloves , M, 12 pack
9960-856	LNG-W-R/L	Glove s, L, 12 pack
9960-857	LNG-W-R/XL	Gloves , XL, 12 pack

NITRILE ROPE GLOVE



- Black seamless polyester liner
- Black nitrile coated palm
- Best abrasion resistance

PART NO.	MFG#	DESCRIPTION
9960-849	NPB-M	Glove s, M, 12 pack
9960-850	NPB-L	Gloves , L, 12 pack
9960-851	NPB-XL	Gloves , XL, 12 pack

POWDERED DISPOSABLE LATEX GLOVES - 100/BOX



- 4mil powdered latex disposable glove with a rolled cuff
- Good puncture resistance
- Lightly textured for better grip

PART NO.	MFG#	DESCRIPTION
9960-830	DL100-M	M, Box of 100 Gloves
9960-831	DL100-L	L, Box of 100 Gloves
9960-832	DL100-XL	XL, Box of 100 Gloves

DISPOSABLE NITRILE GLOVES



- Powder-free black 6mil nitrile
- Excellent oil and grease resistance
- Great cut and puncture resistance
- Lightly textured for better grip

PART NO.	MFG#	DESCRIPTION
9960-836	DN106-M	M, Box of 100 Gloves
9960-837	DN106-L	L, Box of 100 Gloves
9960-838	DN106-XL	XL, Box of 100 Gloves

DISPOSABLE GLOVES



These disposable gloves are made of lightweight, seamless neoprene. They are more chemically resistant than latex gloves. They provide excellent protection while retaining good fiber sensitivity and dexterity and they are more puncture resistant than conventional disposable gloves. **Large size fits most.**

PART NO.	MFG#	DESCRIPTION
8960088	832-4	Disposable Gloves, 4 pk.

THICKSTER 14 MIL. LATEX DISPOSABLE GLOVES



These strong and flexible Thickster Powder Free Latex disposable gloves are made of 14 mil thick latex and have a beaded cuff for easy donning and are textured for a superior grip.

12" long for added protection.

PART NO.	MFG#	DESCRIPTION
7229104	6603-20	L, Box of 50 Gloves
7229105	6604-20	XL, Box of 50 Gloves

MECHANIC GLOVES – GOAT LEATHER



- Reinforced finger tips for better durability
- Foam padded palm for decrease hand fatigue
- Breathable back

PART NO.	MFG#	DESCRIPTION
9960-845	AGT-10-L	L, Pair
9960-846	AGT-11-XL	XL, Pair

MECHANIC GLOVES – SYN LEATHER



- Black Amara leather, reinforced index finger
- Foam padding in palm and knuckles
- Velcro wrist strap for secure fit
- Breathable back

PART NO.	MFG#	DESCRIPTION
9960-843	AMT-10-L	L, Pair
9960-844	AMT-11-XL	XL, Pair

SAFETY GLOVES



- Long cuff safety gloves designed to be used with heat tools
- Long cuff protects wrists and clothing
- Non-flammable, safe to use with open flame of heat tool

PART NO.	MFG#	DESCRIPTION
7923040	DS-009	Gloves

WATERPROOF THERMAL KNIT GLOVES



- 13 gauge polyester knit, nitrile palm
- 100% acrylic 7gauge thermal lining
- Waterproof membrane
- Abrasion resistant, impact protection and waterproof

PART NO.	MFG#	DESCRIPTION
7229125	90-479-M	Gloves, M, Pair
7229126	90-479-L	Gloves, L, pair
7229127	90-479-XL	Gloves, XL, Pair
7229128	90-479-XXL	Gloves, XXL, Pair

KNITEX GLOVES



These machine washable KniTex gloves are made of breathable polycotton material and provide a superior ambidextrous grip with a grip net PVC coating on both sides for twice the wear.
Colour: Sharp Yellow

PART NO.	MFG#	DESCRIPTION
7229136	SWNM07105-M	M, Pair
7229137	SWNM07105-L	L, Pair
7229138	SWNM07105-XL	XL, Pair

GREY STRING KNIT GLOVES 12 PACK



- Glove is knit with a blended poly/cotton fiber to optimize comfort, durability and affordability
- 50% Cotton / 50% Polyester

PART NO.	MFG#	DESCRIPTION
9960-839	11G-L	One size, 12 pack

NEW

LINED LATEX GLOVES



- Triple dipped latex, fully coated
- Hand with crinkle finish
- 100% cotton soft jersey support

PART NO.	MFG#	DESCRIPTION
7229320	J905412-L	Lined Latex Gloves, L, Pair
7229321	J905412-XL	Lined Latex Gloves, XL, Pair
7229322	J905412-XXL	Lined Latex Gloves, XXL, Pair

LEATHER GLOVES



- One piece palm
- Elastic at the back of glove

PART NO.	MFG#	DESCRIPTION
9956-703	90-014-M	M, Pair
9956-704	90-014-L	L, Pair
9956-705	90-014-XL	XL, Pair

NEW

TYPHOON PERFORMANCE 3L JACKET



Features:

- Coated with 3-layer polyester material with mechanical stretch Fully taped seam construction.
- Protective and fully adjustable fit.
- Splash proof zips.
- PU lined adjustable cuffs.
- Unlined for reduced weight and increased flexibility.
- Fleece lined collar.
- Outer and inner chest pocket.
- Reflective print detail.

PART NO.	MFG#	DESCRIPTION
9993-010	P203786	Grey Jacket, S
9993-011	P203788	Grey Jacket, M
9993-012	P203789	Grey Jacket, L
9993-013	P203790	Grey Jacket, XL
9993-014	P203791	Grey Jacket, XXL
9993-015	P203792	Red Jacket, S
9993-016	P203793	Red Jacket, M
9993-017	P203794	Red Jacket, L
9993-018	P203795	Red Jacket, XL
9993-019	P203796	Red Jacket, XXL

TYPHOON PERFORMANCE 3L TROUSERS



Features:

- TX-3 DWR coated, 3-layer polyester material with mechanical stretch
- Fully taped seam construction Cordura® reinforcing panels for abrasion resistance
- Unlined for reduced weight and increased flexibility
- Adjustable elastic straps
- 3x pockets with splashproof zips
- Centre zipper with internal gusset for ultimate waterproofing
- Elasticated waist and snag-proof adjustment tabs

PART NO.	MFG#	DESCRIPTION
9993-020	P203797	Black Trousers, S
9993-021	P203798	Black Trousers, M
9993-022	P203799	Black Trousers, L
9993-023	P203800	Black Trousers, XL
9993-024	P203801	Black Trousers, XXL
9993-025	P203802	Grey Trousers, S
9993-026	P203803	Grey Trousers, M
9993-027	P203804	Grey Trousers, L
9993-028	P203805	Grey Trousers, XL
9993-029	P203806	Grey Trousers, XXL





PLEASE REFER TO THE SAFETY SECTION OF OUR CATALOGUE TO VIEW THE PLASTIMO LIFERAFTS AVAILABLE

XM CRUISING BOOTS

PLASTIMO



- 14" (36 cm) high; flexible and durable navy blue natural rubber
- Non-skid razor cut rubber outer soles; drainage channels ensure traction
- Outer rubber reinforcement on heel, toe and instep and removable foot bed

PART NO.	MFG#	DESCRIPTION
9990-566	54126	Size 4.5 US Men
9990-567	54127	Size 5 US Men
9990-217	54128	Size 6 US Men
9990-218	54129	Size 7 US Men
9990-219	54131	Size 8 US Men
9990-220	54132	Size 9 US Men
9990-221	54133	Size 10 US Men
9990-569	54134	Size 11 US Men
9990-222	54135	Size 11.5 US Men

NEW

TYPHOON SAILING GLOVES

PLASTIMO



Made from breathable, 4-way stretch fabric for comfort and flexibility. The palm has 3 mm reinforced padding for durability and enhanced grip.

Available in half finger and full finger

PART NO.	MFG#	DESCRIPTION
9993-050	P202706	Gloves, Half Finger, S
9993-051	P202492	Gloves, Half Finger, M
9993-052	P202707	Gloves, Half Finger, L
9993-053	P202708	Gloves, Half Finger, XL
9993-054	P202702	Gloves, Full Finger, S
9993-055	P202488	Gloves, Full Finger, M
9993-056	P202700	Gloves, Full Finger, L
9993-057	P202701	Gloves, Full Finger, XL

NEW

TYPHOON SAILING PERFORMANCE GLOVES

PLASTIMO



- Neoprene cuff with watch cut out
- Amara palm for added durability
- Durable outer layers in high friction points for extra durability
- Raised rubber print for enhanced grip
- Pressure points equipped with 3mm foam for extra padding
- Rubber pull tab adjuster with hook and loop for a secure fit
- Available in half finger and full finger

PART NO.	MFG#	DESCRIPTION
9993-058	P202746	Gloves, Half Finger, S
9993-059	P202487	Gloves, Half Finger, M
9993-060	P202747	Gloves, Half Finger, L
9993-061	P202748	Gloves, Half Finger, XL
9993-062	P202740	Gloves, Full Finger, S
9993-063	P202485	Gloves, Full Finger, M
9993-064	P202741	Gloves, Full Finger, L
9993-065	P202742	Gloves, Full Finger, XL

OSEA WAIST PACK



Durable, water-repellent hip pack made of 210D nylon ripstop fabric, suitable for various outdoor activities like sailing, hiking, and travel. Includes an internal mesh pocket for organization. The waist band has a comfortable webbing strap.

PART NO.	MFG#	DESCRIPTION
9993-080	P203104	Waist Pack, Black

WATERPROOF DRY BAG



Made from a durable & waterproof 250D reach compliant tarpaulin material, the roll top range is ideal for any watersport. 100% waterproof with welded seams inside.

Available in 5L, 10L and 15L options

PART NO.	MFG#	DESCRIPTION
9993-084	P022356	Waterproof Bag, Yellow, 5L
9993-085	P022357	Waterproof Bag, Yellow, 10L
9993-086	P022358	Waterproof Bag, Yellow, 15L

WATERPROOF BARREL BAG



- All-rounder dry tube, protects and carries your personal essentials when practising watersports or outdoor activities by the seaside
- Waterproof, IP66 rating: thermo-welded seams, roll-down closure with buckle and strap
- Tough abrasion resistant materials: Tarpaulin 500D and Polyester 600
- Capacity: 20 L
- Dimensions: 10-1⁄4" x 18-7⁄8" H

PART NO.	MFG#	DESCRIPTION
9990-746	66058	20L Orange/black

3 PIECE DRY BAG SET



Ultralight waterproof dry sacks. The waterproof E-Vent bottom allows air to escape out of the sack as it is roll compressed but prevents any water from entering. An arched rolling stay helps keep the top open while loading and shapes an easy grab handle when sealed.

PART NO.	MFG#	DESCRIPTION
9993-081	P203105	3 Piece Dry Set, Orange/Green/Blue

WATERPROOF DRY BAG



Waterproof backpacks made of heavy-duty red 500 D PVC.

- Fold-over closure and straps with buckles.
- Semi-rigid flap for easy collar roll-up.
- Padded shoulder straps.

Ideal for water activities: sailing, canoeing, rafting, fishing, etc.

PART NO.	MFG#	DESCRIPTION
9993-082	71865	Drybag, Red, 47L
9993-083	71864	Drybag, Red, 75L

OSEA DRY BACKPACK 2.0



Made from a very resistant and waterproof 500D polyester canvas. Adjustable roll-up closure with compression straps and ergonomic padded backpack system. Shoulder strap and waist band are both adjustable.

Available in 20L and 40L options

- 100% waterproof with welded seams inside
- Front exterior pocket with waterproof zipper for quick access to gear
- Buckle with whistle on chest strap for added safety
- Front elastic cord for attaching additional gear

PART NO.	MFG#	DESCRIPTION
9993-074	P202498	Backpack, 20L, Black/Solar
9993-075	P202499	Backpack, 20L, Slate/Lime
9993-076	P202500	Backpack, 40L, Black/Solar
9990-892	P202502	Backpack, 40L, Slate/Lime

OSEA DRY DUFFEL BAG 2.0

Made from a very resistant and waterproof 500D polyester canvas. Adjustable roll-up closure with compression straps and ergonomic padded backpack system. Shoulder strap & waist band both adjustable.



Available in 40L and 60L options

- 100% waterproof with welded seams inside
- Front exterior pocket with waterproof zipper for quick access to gear
- Buckle with whistle on chest strap for added safety
- Front elastic cord for attaching additional gear

PART NO.	MFG#	DESCRIPTION
9993-070	P202494	Duffel Bag, 40L, Black/Solar
9993-071	P202495	Duffel Bag, 40L, Slate/Lime
9993-072	P202496	Duffel Bag, 60L, Black/Solar
9990-893	P202497	Duffel 60L 2.0 - Slate/ Lime

NEW

DRYBAGS

JOBE



Waterproof bags keeps your gear clean and dry during watersports and travel wherever you go. Built to withstand the elements and they come with 4 carabiner clips to easily attach to a Jobe SUP board.

- 1 shoulder strap. 1 handle.
- Dimensions 10 L : 20" x 12"
- Dimensions 20 L : 26" x 14"

PART NO.	MFG#	DESCRIPTION
7240610	220025002	DryBag, 10 Ltrs.
7240611	220025003	DryBag, 20 Ltrs.

NEW

DRYBAGS

JOBE



50 L

Waterproof bags will keep your gear clean and dry during watersports and travel wherever you go. Built to withstand the elements and they come with 4 carabiner clips to easily attach to a Jobe SUP board.

- 2 closure options 1 at top & 1 at sides.
- Adjustable chest strap.
- Double side coated 420D TPU.
- Easy to carry as backpack.
- Dimensions 30L: 28" x 16"
- Dimensions 50L : 34" x 18"

30 L



PART NO.	MFG#	DESCRIPTION
7240612	220025004	DryBag, 30 Ltrs.
7240613	220025005	DryBag, 50 Ltrs.

NEW

DAYPACK

JOBE



Jobe stylish waterproof Daypack is ready for any weather. It is spacious and versatile, ideal for keeping your belongings dry and organized during every day use or outdoor trips

- 1 handle Adjustable chest strap. Adjustable shoulder straps with 3D mesh.
- 2 Water-repellent pockets on the outside.
- 4 Carabiner clips to attach the bag to a SUP board.
- Laptop pocket inside. Single side coated 420D TPU

PART NO.	MFG#	DESCRIPTION
7240615	220025006	DayPack, Grey

NEW

COOLERBAG

JOBE



The Jobe waterproof Coolerbag uses foam insulation with TPU lining to keep food and drinks cool for hours. Great for water activities like boating, paddleboarding, beach days and outdoor activities. Easy to carry as backpack

- 1 Neoprene comfort handle.
- Adjustable chest strap.
- Adjustable shoulder straps with 3D mesh.
- 4 Carabiner clips to attach to a SUP board.
- Double side coated 420D TPU
- Water repellent pocket on the outside
- Dimensions: 20" x 14"

PART NO.	MFG#	DESCRIPTION
7240616	220025007	CoolerBag, Midnight Blue

NEW

WET GEAR BAG

JOBE



The Jobe practical waterproof Wet Gear Bag is designed to transport wet items like swimwear and towels without leaking onto other belongings. It is ideal for water sports or trips to the beach, pool, or spa.

- 2 carabiner clips to hang bag upside to dry.
- Mesh fabric to let water out of the bag.
- PVC bottom. Zipper closure at top. 1 Neoprene comfort handle.

PART NO.	MFG#	DESCRIPTION
7240614	220025001	Wet Gear Bag

ULTIMATE GEAR BAG

TEMPRESS



Marine Grade fabric with detachable shoulder strap plus large padded handles for carrying. Holds clothing, towels, shoes, life jackets and everything else you want to take aboard. Great for the car, camper or SUV too!

Dimensions: 20"H x 20"W x 10"D

PART NO.	MFG#	DESCRIPTION
7224540	3122-4	Ultimate Gear Bag

For the most up to date pricing, please visit maritimemarinesupply.ca/price

LINE TAMER



- Sold per pair
- Coil line, loop through the line tamer and hang on hook
- Supplied with screws

PART NO.	MFG#	DESCRIPTION
9990-512	53447	Line Tamer, Black
9990-513	53983	Line Tamer, White

HAMMOCK WITH FORESTAY SUSPENSION



Easy to Use:
1) Attach one end of the hammock to the spinnaker pole ring on the mast (or a halyard) using the soft shackle supplied
2) On the other end, a saddle folds around the forestay (or attach it to a genoa halyard and fix this to the toe rail with a short rope)
3) Relax

- Superior design gives this hammock its marine credentials
- Mesh centre panel for cool comfort
- Reinforced hem for durability
- Webbing panels for strength

PART NO.	DESCRIPTION
99BP190	82-11⁄16" x 47-3⁄16 / 39-3/8"

BUNK NET



- Just the thing to stop you rolling out of bed or store equipment in rough weather
- Ripstop nylon reinforced with nylon webbing and polyester borders
- Two mesh everyday bags, perhaps for glasses and a watch
- Straps on the bottom edge

PART NO.	DESCRIPTION
99BP600	2 Mesh bags, 67" x 21"

SEA RAIL COVER



- Sea rail covers make hiking out or leaning on the rails more comfortable
- Outer cover of Blue Performance Ripstop with Velcro closure over the full length
- Mid-layer of durable foam
- Inner core of clear fl exible plastic tube, spiral cut, to protect the foam mid-layer

PART NO.	DESCRIPTION
99BP866	Sea Rail Cover 1.5m
99BP867	Sea Rail Cover 2m

COCKPIT BAG



- Store your drinks, sun cream, etc, in this handy storage bag
- Attach and remove using Blue Performance screw-in hooks
- Flap with Velcro closure
- Double external front pockets with mesh
- Two inner pockets
- Waterproof, mildew & UV resistant material
- Ripstop lining

PART NO.	DESCRIPTION
99BP400	Large, 18-1⁄2" x 11-13⁄16"
99BP410	Small, 11-13⁄16" x 9-13⁄16"

COCKPIT COMBI BAG



- Store your winch handle, drinks, sun cream, etc, in this handy storage bag
- Attach and remove using Blue Performance screw-in hooks
- Flap with Velcro closure; external front pocket with mesh
- Two external winch handle bags/bottle holders; two inner pockets
- Waterproof, mildew and UV resistant material, Ripstop lining

PART NO.	DESCRIPTION
99BP405	Waterproof, 18-1⁄2" x 11-13⁄16" x 2-7/8

CABIN BAG



- Great for phones, tablets, CDs and books
- Attach and remove using Blue Performance screw-in hooks
- Waterproof, mildew and UV resistant material
- Ripstop lining

PART NO.	DESCRIPTION
99BP580	Small, 13-3⁄8" x 18-1⁄2" x 3-7⁄8"
99BP585	Large, 17-11⁄16" x 22-13⁄16" x 3-7⁄8"

PE 902-566-1220 NS 902-928-1900

BULKHEAD SHEET BAG



- Store your halyards & sheets in this handy storage bag
- Attach and remove using Blue Performance screw-in hooks

- One compartment; mesh side panels
- Waterproof, mildew and UV resistant material, Ripstop lining
- An integrated pocket in the base contains a waterproof cover manufactured from UV resistant Ripstop

PART NO.	DESCRIPTION
99BP450	Small, 11-13/16" x 7-7/8" x 4-11/16"
99BP460	Medium, 13-13/16" x 9-13/16" x 5-7/8"
99BP470	Large, 16-1/2" x 11-13/16" x 7-7/8"
99BP475	Giant, 13" x 15" x 4-11/16"

BULKHEAD SHEET COMBI BAG



- Store your winch handle, drinks, sun cream, etc, in this handy storage bag
- Attach and remove using Blue Performance screw-in hooks

- Three compartments with mesh bottom; Mesh front pouch
- Waterproof, mildew and UV resistant material, Ripstop lining
- An integrated pocket in the base contains a waterproof cover manufactured from UV resistant Ripstop

PART NO.	DESCRIPTION
99BP500	Small, 13-13/16" x 7-7/8" x 3-7/8"
99BP505	Medium, 15-3/16" x 10-13/16" x 4-5/16"
99BP510	Large, 16-1/2" x 11-13/16" x 4-11/16"

SEA RAIL BAG





- Store your sheets in this handy sea rail bag
- Attach to the wire/rail using a Velcro flap and fix upright with two webbing straps on the lower wire/rail
- Inner pocket with closure; mesh side panels
- Waterproof, mildew and UV resistant material, Ripstop lining
- An integrated pocket in the base contains a waterproof cover manufactured from UV resistant Ripstop
- 2 side pockets on Deluxe model

PART NO.	DESCRIPTION
99BP490	Standard, 13-7/8" x 9-7/8" x 2-7/8"
99BP515	Deluxe, 13-7/8" x 9-7/8" x 2-7/8"

WINCH HANDLE BAGS



- Store your winch handle in this handy winch handle bag
- Plastic reinforcement holds the shape
- Stores up to three winch handles in size large
- Self draining
- Waterproof, mildew and UV resistant material
- Reinforced lining

PART NO.	DESCRIPTION
99BP435	Small, 4-5/16" x 11" x 2-13/16"
99BP440	Large, 5-7/8" x 11-13/16" x 3-11/16"

CAN HOLDERS

- Store your drinks at the rail
- Holds for two cups, cans or bottles
- Stylish reinforcement around the opening ensures durability
- Self draining, waterproof, mildew and UV resistant material



Rail Mount

- Attach the Velcro flap to the wire/rail and hold upright with two webbing tail straps around the lower wire/raiL



Bulkhead Mount

- Attach and remove using Blue Performance screw-in hooks

PART NO.	DESCRIPTION
99BP660	Rail Mount
99BP661	Bulkhead mount

REPLACEMENT HOOKS



- For bulkhead mounted products
- Complete with screws

PART NO.	DESCRIPTION
99BP980	Pack of 4

SAIL CLIPS - 3 PIECE SET



- Tie your main to the boom. Attention to detail make these sail ties the best you can get
- The webbing sleeve design features integral shock cord to gather the sail after clipping
- Clip size is printed on the buckle padding and colour coded on its end
- Each Sail Clip has a quick release, slide adjustable buckle

PART NO.	DESCRIPTION
99BP300	S Grey/yellow, 8-11/16 -- 13-3/8" dia.
99BP310	M Grey/blue, 11 -- 18-1/2" dia.
99BP320	L Grey/Red, 14-3/16 -- 23-3/16" dia.
99BP330	MIX - Small, Medium, Large

ROPE CLIPS



- Tidy storage for ropes, garden hoses and extension cords
- Also handy in and around the house
- The loop is reinforced by a cord threaded through the tube
- Tags on the loop assist easy release
- Mildew and UV resistant webbing

PART NO.	DESCRIPTION
99BP340	8-11/16 – 12-5/8", Pack of 2

For the most up to date pricing, please visit maritimemarinesupply.ca/price

SUNSHADE - FREE HANGING



- Suspend this sunshade from a halyard anywhere you like on a yacht
- Assemble and pack away in a minute
- Stows in its own compact bag
- Waterproof, Ripstop, reflective material provides UV protection
- Centre grommet for hanging
- Flexible batten sections
- Reinforced with webbing and polyester

PART NO.	DESCRIPTION
99BP150	Small, 40-3⁄16" square
99BP160	Medium, 53-7⁄8" square
99BP170	Large, 63" square
99BP180	Extra Large, 72-13⁄16" square

HATCH COVER



- Hatch covers prevent the deterioration and crazing of hatch acrylic and can provide a blind for the night
- Waterproof, mildew and UV resistant Ripstop
- Stretch border with elastic straps for a neat fit
- Secure with shock cord and toggle around the rim

PART NO.	DESCRIPTION
99BP802	3" x 13" max
99BP804	19-11⁄16" x 19-11⁄16" max
99BP805	22-13⁄16" x 22-13⁄16" max
99BP806	27-1⁄2" x 27-1⁄2" max

SEA RAIL PROTECTOR – PACK OF 2



- A smart cover over the lifeline fittings to avoid snags
- Waterproof, mildew and UV resistant PVC
- Easy to install and remove
- Fastens with push buttons

PART NO.	DESCRIPTION
99BP895	7-1⁄8" L x 3-7⁄8" x 7-7⁄8"
99BP896	7-13⁄16" L x 5-1⁄8" x 9-13⁄16"

OUTBOARD COVER



- Protect your outboard from the sun and sea
- Waterproof, mildew and UV resistant breathable material
- Stylish reinforcement and elastic straps around the opening ensures a durable, snug fit
- Sewn inside the cover a mesh bag fits over the outboard and is secured using shock cord and toggle

PART NO.	DESCRIPTION
99BP751	Up to 3.5HP

MESH TRASH BAG



- Holds 20 liters
- Locking suction cup for secure mounting.
- Drawstring top with Litter Guard cinch.
- Collect trash or laundry.
- Portable, Reusable and Washable.
- Durable Mesh sides allow air flow preventingstrong musty or foul smells.

Tough PVC and nylon construction made for rugged, outdoor adventures on land and sea. Attaches to smooth surfaces with suction cup or to any surrounding support structures with the tie cords and clips.

PART NO.	MFG#	DESCRIPTION
7260387	52074	Mesh Trash Bag

STAY PROTECTION



- A cover for the stay rigging screws to protect ropes, sails and the crew
- Waterproof, mildew and UV resistant PVC
- Velcro fixture

PART NO.	DESCRIPTION
99BP890	5⁄16" & 3⁄8" turnbuckles
99BP892	5⁄8" & 3⁄4" turnbuckles

ROPE COVER – SET OF 2



- Chafe guard for your mooring lines
- Water repellent polyester
- 43cm long and up to 32mm round

PART NO.	DESCRIPTION
99BP341	16-7/8" x 1-5/16", Set of 2

HALYARD BAG



- Store your halyards at the mast in this handy bag
- Storage for up to three mast-head halyards
- Velcro mast straps
- Self draining
- Waterproof, mildew and UV resistant Ripstop
- Three hanging rope clips inside the bag to separate halyards
- Heavy duty zip front with Velcro flap
- Open collar at the top for halyard entry

PART NO.	DESCRIPTION
99BP550	Small, 5-7/8" x 17-11/16" x 4-5/16"
99BP555	Medium, 6-7/8" x 23-5/8" x 5-1/8"
99BP560	Large, 8-5/16" x 27-5/8" x 5-7/8"



WINCH COVERS



- Tough Ripstop fabric with reinforced interior and rim; weatherproof and UV resistant
- Two air vents prevent condensation and mildew; Three, sprung clips inside the cover fix it to the winch
- Compatible with Anderson, Lewmar and Harken winches

PART NO.	BASE#	HEIGHT
99BP901	6-1/8"	5-7/8"
99BP902	6-1/2"	6-13/16"
99BP903	6-1/8"	6-7/8"
99BP904	6 5/8"	6-11/16"
99BP905	7-3/8"	8-11/16"
99BP906	8"	9-13/16"
99BP907	8-3/8"	10-5/8"
99BP908	8-13/16"	8-1/8"
99BP909	10"	10-1/2"



SELF-TAILING WINCH

LEWMAR



Lewmar Self-Tailing Winches provide the ultimate self-tailing design - gentle on the line yet providing a firm grip. The "Wavespring" floating jaws adapt to a wide range of line diameters automatically. The specially designed low friction feeder arm smoothly transfers the line to the self-tailing jaws. Internal loads are supported by smooth running, rigid cage, permanently lubricated, stainless steel roller bearings that will not seize up under high loads.

Features:

- Two Speeds
- High tensile bronze gears
- Pawls are captive and will not pop out when the drum is removed for servicing
- Stainless steel main gear shafts
- Convertible to electric
- Material Chrome

Size 40ST	
Power 1st/2nd	13:2/40.2:1
Gear 1st/2nd	1.9:1/5.8:1
Line Size	5/16"-1/2"
Model	40ST
SWL	1753lbs.
Weight	14.3 lbs.
Height	6-13/16"
Drum Dia.	2-15/16"
Base Dia.	5-13/16"

PART NO.	MFG#	DESCRIPTION
7249815	49040056	Self-Tailing Winch, 40ST

STANDARD WINCHES

LEWMAR



Best suited for sport boats requiring constant trimming and where weight consideration is a premium. Also suitable as mast mounted winches. Architecture based on self tailing Winches. Tool-free servicing. Constructed Black alloy

Features:

- One Speed
- Material Aluminum
- Gear ratio, 1:1
- Gear 1st/2nd, 1:1

Siz 6		Size 7		Size 8	
Power 1st/2nd	6.8:1	Power 1st/2nd	7.9:1	Power 1st/2nd	7.9:1
Line Entry	1-3/8"	Line Entry	1-9/16"	Line Entry	1-9/16"
Model	6A	Model	7A	Model	8A
Weight	1.1 lbs.	Weight	1.8 lbs.	Weight	3.1 lbs.
Height	3-1/4"	Height	4"	Height	4-1/16"
Drum Dia.	2-5/16"	Drum Dia.	2-9/16"	Drum Dia.	2-9/16"
Base Dia.	3-11/16"	Base Dia.	4-1/4"	Base Dia.	4-1/4"

PART NO.	MFG#	DESCRIPTION
7249810	49006010	Standard Winch, Size 6
7249811	49007030	Standard Winch, Size 7
7249812	49008030	Standard Winch, Size 8

EVO SELF-TAILING WINCHES

LEWMAR

Evo self-tailing winches are built with engineering excellence on the front end and a lifetime of simple servicing. No tools required, just unscrew the top cap with your fingers. The Wave Spring jaw and stripper ring has an integrated investment cast stainless steel feeder arm, which covers the winch, and does not create a rope trap above the wave spring jaws. The feeder arm position can be adjusted to smoothly feed the rope out of the jaws and into the cockpit, while the stripper ring goes round the Wave Spring



Features:

- Two Speeds
- Material, Chromed Bronze
- Unique design ensures you cannot snag that loose rope cover
- Optional "Fast Fit" stud fixings for easy installation
- User friendly direction arrows
- Convertible to electric
- 7-year warranty

Size 30ST EVO		Size 40ST EVO	
Power 1st/2nd	13.8:1/29.21	Power 1st/2nd	13.2:1/40.2:1
Gear 1st/2nd	2.1/4.2.1	Gear 1st/2nd	1.9:1/5.8:1
Line Size	5/16"-1/2"	Line Size	5/16"-1/2"
Model	30ST	Model	40ST
SWL	1510 lbs.	SWL	1753 lbs.
Weight	12.3 lbs.	Weight	14.3 lbs.
Height	5-3/4"	Height	6-1/4"
Drum Dia.	2-5/16"	Drum Dia.	2-5/16"
Base Dia.	5-7/16"	Base Dia.	5-13/16"

PART NO.	MFG#	DESCRIPTION
7249813	49530056	EVO Self-Tailing Winch, 30ST EVO
7249814	49540056	EVO Self-Tailing Winch, 40ST EVO

GREY DRUM ALUMINUM

LEWMAR





Replacement aluminum drum for Lewmar Self-Tailing winches. Textured surface grips and holds line securely.

PART NO.	MFG#	DESCRIPTION
7249826	45000214SPA	Grey Drum Aluminum 40ST
7249827	45000414SPA	Grey Drum Aluminum 48ST

NEW

ONE TOUCH WINCH HANDLES

LEWMAR



One Touch Release Lever

The Lewmar One Touch Winch Handle is an ergonomically designed, one-handed operation winch handle that simplifies the process of locking into or releasing from a sailboat winch using a patented lever.

The "Power Grip" refers to the comfortable grip and the option to switch from single-hand, speed cranking to a two-handed, high-power grip as the load increases.

8" and 10" Alloy Handle with Standard Grip with Power Grip

- 8" (200 mm) or 10" (250 mm) Alloy Handle.
- Lightweight Marine grade alloy construction.
- Easy one-handed removal – just squeeze and lift.
- No twisting, jiggling or fiddling around.
- Release lever runs entire length of the handle.
- Corrosion resistant for years of performance in harsh conditions.

PART NO.	MFG#	DESCRIPTION
7249800	29140040	One Touch, Lock-In, Single Grip Handle, 8”
7249801	29140044	One Touch, Lock-In, Single Grip Handle, 10”
7249804	29140046	One Touch, Lock-In, Power Grip Handle, 10”
7249803	29140020	Handle Pocket

NEW

TITAN WINCH HANDLE

LEWMAR

Lock Handle



Lewmar Red Titan winch handle has been carefully designed for everyday use with simple but effective features. It is engineered to withstand the rigorous saltwater environment

Features:

- Finger activated Locking mechanism.
- Very light-weight Glass-Filled Nylon.
- Handle floats if dropped overboard.
- Strong Composite Construction
- WaterProof

PART NO.	MFG#	DESCRIPTION
7249802	29145301	Winch Handle, Titan, Locking, Red, 8”
7249803	29140020	Handle Pocket

NEW

LOCK-IN FLOATING WINCH HANDLE



Lightweight and Strong: **Made from high-quality plastic, offering a perfect balance between ease of use and durability.**
Lock-In Mechanism: Ensures a secure attachment to the winch, preventing accidental disengagement during operation.
Floating Design: Engineered to float if accidentally dropped overboard, facilitating easy retrieval and reducing the risk of loss.

PART NO.	MFG#	DESCRIPTION
7249850	63527-08	Winch Handle, 8”
7249851	63527-10	Winch Handle, 10”

NEW

WINCH HANDLE

PLASTIMO



Made of flexible, UV-resistant white PVC, it is designed for storing standard winch handles on a boat.

Suitable for most standard 8" and 10" winch handles

PART NO.	MFG#	DESCRIPTION
9990-964	26895	Barton Floating 290
9990-965	29458	Glass Floating 235

NEW

WINCH CIRCLIP

LEWMAR



- **Purpose:** Secures the winch drum to the winch's center stem.
- **Use:** For non-self-tailing Lewmar winches.
- Fits most Lewmar #6, #7, and #8 models.
- **Internal Diameter:** 1–1/8 inches.

PART NO.	MFG#	DESCRIPTION
7249836	B2075SPA	Circlip Replacement, 1-1/8”

NEW

WINCH HANDLE POCKET

LEWMAR



Lewmar Universal Winch Handle Pocket is made of UV stabilized soft white PVC that will not scratch or mar your winch handle. It fits Single and Double Grip handles and has slots in the side to allow Pedestal mounting with hose clamps.

Features:

- Waterproof PVC.
- Strong Composite Construcion
- Self Drainage

Dimensions:

- Top W: 3-3/4" (95 mm)
- Bottom W: 2-7/8" (73 mm)
- Overall H: 10" (250 mm)

PART NO.	MFG#	DESCRIPTION
7249803	29140020	Handle Pocket

NEW

WINCH HANDLE POCKET

PLASTIMO



Made of flexible, UV-resistant white PVC, it is designed for storing standard winch handles on a boat.

Suitable for most standard 8" and 10" winch handles

PART NO.	MFG#	DESCRIPTION
9990-960	16920	10-1/2” Pocket
9990-961	16921	12-1/4” Pocket

For the most up to date pricing, please visit maritimemarinesupply.ca/price

WINCH MAINTENANCE KIT

LEWMAR



Lewmar Winch Maintenance Kit for basic maintenance including greasing, pawl lubrication and replacement of pawls and springs.

Contains:

- Lewmar Gear Grease Tube 100g
- Lewmar Race Lube Winch Oil 55 ml
- 10 Standard Pawl Springs (Small)
- Brush 1”
- Lewmar Winch Service Manual Standard & Self Tailing Sizes 6 to 90

PART NO.	MFG#	DESCRIPTION
7249825	19701500	Winch Maintenance Kit

NEW

WINCH RACELUBE

LEWMAR



Lewmar Racelube is a high-performance lubricant specifically designed for marine winches and other deck hardware like blocks and travelers. It is a low-viscosity solution that protects aluminum and stainless steel components while allowing for quick and smooth operation. This oil is ideal for reducing friction and enhancing performance without attracting dirt and grit like grease can.

- Formulated to lubricate winch pawls, springs, and ratchet assemblies.
- Enhances efficiency and longevity of moving parts.
- Resists saltwater wash-off.

PART NO.	MFG#	DESCRIPTION
7249835	19701600	Race winch Lube, 55 ml.

WINCH GREASE

LEWMAR



To protect the interior mechanisms of your winch from freshwater condensation and saltwater corrosion. Contains solid activation, which aids the load-carrying characteristics of a winch. It is highly recommended that you lubricate your winch every year.

Features:

- Perfect for routine service and maintenance
- Aids the load-carrying characteristic of a winch
- Suitable for trailer wheel bearings, steering gear, and hydraulic equipment

PART NO.	MFG#	DESCRIPTION
7249824	19701000	Winch Grease,100g

COLLET KIT

LEWMAR



Replacement Collet Kit for Lewmar self tailing winches, size 16ST-68ST

Features:

- Durable marine grade brass construction
- Sold as a pair

PART NO.	MFG#	DESCRIPTION
7249829	48000446	Collet Kit, Pair

STANDARD PAWL SPRING SMALL

LEWMAR



- Durable 302 stainless steel construction
- Sold as pack of 20

PART NO.	MFG#	DESCRIPTION
7249820	1260/7PK	Standard Pawl Spring Small 20pk

WINCH REBUILD KIT

LEWMAR



This rebuild kit is for servicing Ocean Self-Tailing winches from size 28 through 48, EVO Self-Tailing winches size 30 through 50, and EVO Standard (Plain Top) winches size 30 through 50

This rebuild kit contains:

- (2) 16-66ST OCEAN COLLET
- (4) 30-48 GEAR SPINDLE SLEEVE
- (1) 24-40 GEAR SPINDLE SLEEVE
- (4) STD PAWL SPRING (SMALL)
- (4) STD PAWL (SMALL)
- (2) 40-46 GEAR SPINDLE SLEEVE
- (1) O-RING 49.6 ID X 2.4 SECTION
- (1) O-RING, 48 x 1.5 NITRILE 70
- (1) WINCH SPARE 2 PIECE R/TL CARD

PART NO.	MFG#	DESCRIPTION
7249828	48000019	Winch Rebuild Kit

STANDARD PAWL SMALL

LEWMAR



Lewmar’s Replacement Small Pawl is designed for use on most Lewmar winches.

- Sold as pack of 20

PART NO.	MFG#	DESCRIPTION
7249821	1260/8PK	Standard Pawl Small 20pk

SPACER

LEWMAR



Lewmar 40 STD/ST bearing spacer

PART NO.	MFG#	DESCRIPTION
7249822	15000491	Bearing Spacer 40 STD/ST

STANDARD SMALL PAWLS & SPRINGS KIT

LEWMAR



Replacement pawls and pawl springs for use with Lewmar winches sizes 6 - 48

Kit Includes:
(6) Pawls and (12) pawl springs

PART NO.	MFG#	DESCRIPTION
7249823	19700501	Small Pawls & Spring Kit

GREY JAW KITS

LEWMAR



The Lewmar Winch Jaws and Stripper Ring Kits are to be used when replacing these components on Ocean Series self tailing winches.

Kits Include:

- 1) Upper Crown
- (1) Lower Crown
- (1) Stripper Ring
- (3) Fixing Screw
- (6) Springs
- (6) Spring Cups

PART NO.	MFG#	DESCRIPTION
7249830	48000448	Grey Jaw Kit, 28ST-30ST
7249831	48000449	Grey Jaw Kit, 34ST-40ST
7249832	48000450	Grey Jaw Kit, 44ST-46ST

NEW

ROPE CLUTCHES

LEWMAR

Lewmar's Domino mechanism technology uses a variable geometry handle and a unique grip pattern of dominos to flex the rope for a better grip and less wear. A pull back handle combined with a patented clutch and release mechanism provides controlled release even at full holding load.

- Clutches instead of jamming the rope.
- Domino Cluster prevents fraying.
- Handle has a solid link to the domino cluster.
- Holds a line under load without fraying the rope

DC1 ROPE CLUTCH





DC2 ROPE CLUTCH





Part No.	MFG#	Description	Line mm	Holding min.	WLL	PRICE
7249936	29101110BK	DC1 Single	8-10	400 kg.	500 kg.	
7249937	29101112BK	DC1 Single	10-12	500 kg.	500 kg.	
7249940	29101210BK	DC1 Double	8-10	400 kg.	500 kg.	
7249941	29101212BK	DC1 Double	10-12	500 kg.	500 kg.	
7249938	29101410BK	DC2 Single	8-10	500 kg.	1200 kg.	
7249939	29101412BK	DC2 Single	10-12	700 kg.	1200 kg.	
7249942	29102410BK	DC2 Double	8-10	900 kg.	1200 kg.	
7249943	29102412BK	DC2 Double	10-12	700 kg.	1200 kg.	

D-RACE

YACHTING ROPES BY Lanex



RACINGLINE

- Double braided heat set, Core: braided 100% Dyneema SK78
- Inner cover (on 1/4" diameter or larger): polyester staple
- Outer cover: polyester
- Very strong with exceptionally low elongation, holds very well at all stoppers
- May be stripped of cover to Reduce weight
- For mainsail, jib, vang and cunningham

RED	BLUE	DIAMETER	STRENGTH LB
9997-836	**9997-837**	3mm	860
9997-840	**9997-841**	4mm	1,650
9997-844	**9997-845**	5mm	2,860
9997-700	**9997-701**	6mm	3,960
9997-704	**9997-705**	8mm	7,260
9997-708	**9997-709**	10mm	12,210

D-F2

YACHTING ROPES BY Lanex



RACINGLINE

- CONSTRUCTION: 12 strand braided heat set
- MATERIAL: 100% Dyneema SK78, special surface finish
- Number one among halyard ropes and first choice for all advanced yachters, D-F2 is unbeatably strong with minimum elongation
- Special protective finish provides extreme abrasion resistance and stability when exposed to UV radiation, almost zero elongation
- Grey color

PART NO.	DIAMETER	STRENGTH LB
9997-001	3mm	1,650
9997-002	4mm	2,640
9997-833	5mm	5,060
9997-835	6mm	5,720

For the most up to date pricing, please visit maritimemarinesupply.ca/price

DYNESTORM

YACHTING ROPES BY LANEX

RACINGLINE



- CONSTRUCTION: Double braided line
- CORE: 100% Dyneema SK 78, braided special surface finish
- COVER: HT Polyester/Cordura

This line meets expectations of all racers. Cordura in the cover gives this line excellent grip and handling. The core, D–F2 can be used separately. Perfect grip, good abrasion resistance, mixture of Dyneema and Cordura.

DIAMETER	STRENGTH LB	RED	BLUE	BLACK
6mm	860	**9997-006**	**9997-007**	**9997-008**
8mm	1,650	**9997-009**	**9997-012**	**9997-013**
10mm	2,860	**9997-014**	**9997-017**	**9997-018**

LEVANTE

YACHTING ROPES BY LANEX

SPORTLINE



- CONSTRUCTION: Double braided line, CORE: 100% Nexsteel (HMPE)
- COVER: High Tenacity Polyester
- **Not suitable for spicing**

Outstanding performance for the . In comparison with other racing lines, Levante contains Nexsteel (LANEX tested HMPE) material in the core. In our assessment, this line offers the best performance for the . Elongation up to 3 % by 20 % of breaking load.

DIAMETER	STRENGTH LB	BLACK	BEIGE	GREY
6mm	860	**9997-019**	**9997-020**	**9997-021**
8mm	1,650	**9997-022**	**9997-023**	**9997-024**
10mm	2,860	**9997-026**	**9997-027**	**9997-028**
12mm	3,960	**9997-029**	**9997-030**	**9997-031**

D–F3

YACHTING ROPES BY LANEX

SPORTLINE



- CONSTRUCTION: 12-strand braided heat set line
- MATERIAL: 100% Nexsteel (HMPE) + special surface finish

Developed in cooperation with riggers for all standing rigging applications, where minimal elongation is necessary. The line surface is finished with Polyurethane coating, which gives you excellent resistance against UV and abrasion. Elongation of the line reaches max. 2 % by 30 % of breaking load.

DIAMETER	STRENGTH LBS	GREY
5mm	5,070	**9997-003**
6mm	7,054	**9997-004**
8mm	11,681	**9997-005**

MELTEMI FIX

YACHTING ROPES BY LANEX

CRUISINGLINE



- Double braided line, CORE: Polyester heat set, pre-stretched
- COVER: High Tenacity Polyester

Universal line MELTEMI FIX is a strong and exceptionally soft line, retaining its flexibility and softness even if wet. Line is heat set and pre-stretched. This is a reliable line for all types of applications. Meltemi Fix offers the best spliceability in the Cruising Line series.

DIAMETER	STRENGTH LB	RED	BLUE
6mm	860	**9997-048**	**9997-049**
8mm	1,650	**9997-050**	**9997-051**
10mm	2,860	**9997-052**	**9997-055**
12mm	3,960	**9997-056**	**9997-057**
14mm	7,260	**9997-059**	**9997-060**

HURRICANE

YACHTING ROPES BY LANEX

CRUISINGLINE



- CONSTRUCTION: Double braided line
- CORE: Polyester COVER: High Tenacity Polyester

Flexible line with very good strength and low elongation. Universal use for sheets and halyards. Thanks to technical innovations, HURRICANE displays outstanding strength in its group and moreover is very easy to splice.

DIA	STR LB	RED	BLUE	BLACK	RED SOLID	BLUE SOLID	GREY SOLID
6mm	2,112	**9997-748**	**9997-749**	**9997-750**	**9997-032**	**9997-033**	**9997-034**
8mm	3,520	**9997-752**	**9997-753**	**9997-754**	**9997-035**	**9997-036**	**9997-037**
10mm	5,500	**9997-756**	**9997-757**	**9997-758**	**9997-039**	**9997-040**	**9997-041**
12mm	6,700	**9997-760**	**9997-761**	**9997-762**	**9997-042**	**9997-043**	**9997-044**
14mm	8,580	**9997-816**	**9997-817**	**9997-818**	**9997-045**	**9997-046**	**9997-047**

ZEPHYR TOUCH

YACHTING ROPES BY LANEX

CRUISINGLINE



- CONSTRUCTION: Double braided line
- CORE: Polyester
- COVER: HT Polyester/Polyester staple

The best option for sailors, who love a compact line with a unique design. Staple in cover offers perfect handling. The best choice for sheets.

DIAMETER	STRENGTH LB	BORDEAU	NAVY
6mm	2,156	**9997-061**	**9997-062**
8mm	2,926	**9997-063**	**9997-064**
10mm	4,202	**9997-065**	**9997-066**
12mm	7,040	**9997-067**	**9997-068**

BORA

YACHTING ROPES BY LANEX

UNIVERSALLINE



- CONSTRUCTION: Braided line with parallel core
- CORE: Polyester, parallel-arranged twisted core
- COVER: High Tenacity Polyester

Originally, this line has been developed for military purposes, but it can be used as a universal auxiliary line under any conditions. It is the best-selling universal line. Due to the construction of the core, the spliceability of this line is poor.

DIAMETER	STRENGTH LBS	RED	BLUE	GREEN	GREY
3mm	440	**9997-854**	**9997-855**	**9997-856**	**9997-857**
4mm	1,100	**9997-858**	**9997-859**	**9997-860**	**9997-861**
5mm	1,210	**9997-862**	**9997-863**	**9997-864**	**9997-865**
6mm	1,980	**9997-764**	**9997-765**	**9997-766**	**9997-767**
8mm	2,860	**9997-768**	**9997-769**	**9997-770**	**9997-771**
10mm	4,180	**9997-772**	**9997-773**	**9997-774**	**9997-775**

AQUARIUS

YACHTING ROPES BY LANEX

UNIVERSALLINE



- CONSTRUCTION: Braided line with twisted core
- CORE: Polypropylene multifilament, parallel-arranged twisted core
- COVER: Polypropylene multifilament

A simple floating line for universal use. Aquarius will be a great choice for fender line same as for light spinnaker sheet line in very low wind.

DIAMETER	STRENGTH LB	RED	BLUE
6mm	880	**9997-069**	**9997-070**
8mm	2,200	**9997-071**	**9997-073**
10mm	3,300	**9997-074**	**9997-084**

PE 902-566-1220 NS 902-928-1900

SOFT SHACKLES



- High-strength fiber can handle high loads
- 10 times lighter than a metal carabiner with the same strength
- Eliminates the noise of metal on metal
- A special knot prevents unlocking even under heavy loads

Diameter	9998-300	9998-301	9998-302	9998-303	9998-304	9998-305
Diameter	3mm	4mm	5mm	6mm	7mm	8mm
Breaking Load	1000kg	2450kg	3200kg	4800kg	5000kg	6200kg
Working Load	200kg	490kg	640kg	960kg	1000kg	1240kg

PART NO.	MFG#	DESCRIPTION
9998-300	SNURA-C00033KO	3mm Soft Shackle
9998-301	SNURA-C00034KO	4mm Soft Shackle
9998-302	SNURA-C00035KO	5mm Soft Shackle
9998-303	SNURA-C00036KO	6mm Soft Shackle
9998-304	SNURA-C00037KO	7mm Soft Shackle
9998-305	SNURA-C00038KO	8mm Soft Shackle

OLDTIMER 3 STRAND ROPE



- Made of an up-to-date synthetic material the appearance of which resembles natural material and is especially suitable for traditional boats
- Thanks to the material used, OLDTIMER provides better strength and utility properties compared to ropes made of natural materials

Sold per foot

PART NO.	MFG#	DESCRIPTION
9997-965	200LOL5A100R	3/4"
9997-966	2400LOL5A100R	1"
9997-967	300LOL5A100R	1-1/4"

SAILING DOG BONES



Allen Dog Bones are ideal for use with soft shackles as rope stops.
They are CNC machined from aluminium making the sailing dog bones extremely hard wearing.

Specifications	6 mm	8 mm	10 mm
Length	24 mm	32 mm	36 mm
Max. O.D.	6 mm	8 mm	10 mm
Rope	2-4 mm	4-5 mm	6 mm
Breaking	600 kgs	1100 kgs	1800 kgs
Working	350 kgs	600 kgs	900 kgs
weight	1 gr.	3 gr.	4.6 gr.

PART NO.	MFG#	DESCRIPTION
9996-290	A8606B	Dog Bone, 6 mm, Blue
9996-291	A8608B	Dog Bone, 8 mm, Blue
9996-292	A8610B	Dog Bone, 10 mm, Blue

READY MADE HALYARD

- Double braid high tenacity polyester
- UV and abrasion resistant
- High quality splice eye and stainless steel snap shackle
- Messenger line as bonus





8mm (5⁄16") x 35m (115')

PART NO.	MFG#	DESCRIPTION
9998-107	W080LCE2F035.0K1K	Blue
9998-108	W080LCE2I035.0K1K	Gray
9998-109	W080LCE2K035.0K1K	Black

10mm (3⁄8") x 40m (131')

PART NO.	MFG#	DESCRIPTION
9998-110	W100LCE2F040.0K1K	Blue
9998-111	W100LCE2I040.0K1K	Gray
9998-112	W100LCE2K040.0K1K	Black

SHOCK CORD



- Flexible latex rope suitable for many applications aboard
- Polyester cover offers extraordinary resistance to abrasion and UV radiation
- Sold per 100m roll (328')

PART NO.	MFG#	COLOR	DESCRIPTION
9998-970	G0501B000R	White/Blue	5mm – 3⁄16"
9998-971	G0601B000R	White/Blue	6mm – 1⁄4"
9998-972	G0801B000R	White/Blue	8mm – 5⁄16"
9998-104	G0501A100R	Black	5mm – 3⁄16"
9998-105	G0601A100R	Black	6mm – 1⁄4"
9998-106	G0801A100R	Black	8mm – 5⁄16"

For the most up to date pricing, please visit maritimemarinesupply.ca/price

OPTIMIST LINE SET

- Pre-cut lines of exact length and diameters for all application on Optimist class dinghy

YACHTING ROPES BY Lanex





DIAMETER	MFG#	DESCRIPTION
9998-000	OPTIMISTSET	Line Set

Quantity	Product Name	Dia	Length	Colour	Application
1x	Shock Cord	3 mm	2 m	White-blue	Tension line for hiking straps
1x	Vectran Line	3 mm	1.2 m	Beige	Sprit control rope
1x	Vectran Line	3 mm	1.2 m	Beige	Boom to mainsheet connection
1x	Shock Cord	3 mm	1.5 m	White-blue	Secure shockcord for bailers
1x	Dynestorm	3 mm	1 m	Yellow-red	Hiking straps adjustment lines
1x	Dynestorm	4.5 mm	1.2 m	Yellow-red	Outhaul
1x	Dynestorm	4.5 mm	1.5 m	Red-white	Bottom sprit control line
1x	Shock Cord	6 mm	1.5 m	Red	Daggerboard bungy
1x	Fix Line	1.9 mm	1.4 m	Orange	Paddle safety line
16x	Sail Fix	1.9 mm	1.4 m	Yellow-orange	Sail ties
1x	Fix Line	1.9 mm	1.5 m	Orange	Secure rope for daggerboard
6x	Sail Fix	2.8 mm	0.5 m	Yellow-orange	Corner sail ties
1x	Fix Line	1.9 mm	0.6 m	Orange	Secure rope for mechanical clip for securing the mast
1x	Aquarius	6 mm	9 m	Yellow-blue	Floating painter- bowline
1x	Dynestorm	6 mm	0.8 m	Blue-red	Vang
1x	Vectran Line	3 mm	0.8 m	Beige	Vang
1x	Marlin Touch	7 mm	7 m	White-red-blue	Mainsheet



Photo courtesy of Lanex Yachting Ropes

BACK SUPPORTERS FOR GUARDRAILS



Rigid plastic

- 15" x 4-3/4"(38 x 12 cm)



Soft foam

- 18-1/2" x 5-1/2" (47 x 14 cm)

PART NO.	MFG#	DESCRIPTION
9990-110	13444	Rigid plastic, white
9990-113	29525	Soft foam, blue

GUARDRAIL NETTING

- White, 100% nylon Height: 40 to 60 cm



PART NO.	MFG#	DESCRIPTION
9990-111	14938	10m
9990-112	14939	100m spool

SPREADER BOOT

- White PVC covers
- Protects against snags and chaffing on your rigging hardware



PART NO.	MFG#	DESCRIPTION
9990-514	17062	6mm
9990-515	17063	9mm

RIGGING SCREW COVERS

- White PVC covers
- Protects against snags and chaffing on your rigging hardware



PART NO.	MFG#	DESCRIPTION
9990-520	10535	4-6mm
9990-521	10536	8-10mm
9990-522	10537	10-12mm

CABLE COVERS - SET OF 5

- White PVC covers
- Protects against snags and chaffing on your rigging hardware



Sold in 5 pieces 1.8m long

PART NO.	MFG#	DESCRIPTION
9990-523	13669	4mm Wire
9990-524	13670	5mm Wire
9990-525	13671	6-7mm Wire
9990-526	13672	8mm Wire

SAIL PATCH REPAIR TAPE

- Lightweight and flexible, transparent tape that resists tearing in any direction
- Even works on damp sails



PART NO.	MFG#	DESCRIPTION
9954-380	RE3843	Sail Patch Tape

MASTBOOT TAPE

- Conforms to irregular shapes and bonds itself into a solid piece of rubber for protection against moisture; leaves no sticky residue
- Does not require unstepping the mast



PART NO.	MFG#	DESCRIPTION
9954-381	RE3940	4" W x 40" roll
9954-382	RE3941	4" W x 100" roll

RIGGING TAPE

- 1" wide x 15' roll
- Protects against chafing and sharp edges, while providing safety for sails, lines and rope ends





PART NO.	MFG#	DESCRIPTION
9954-383	RE3869	Black
9954-384	RE3867	White

For the most up to date pricing, please visit maritimemarinesupply.ca/price

D-SPLICER
ROPE SPLICING PRODUCTS

Today's sailing lines have grown beyond hand-twisted sisal and manila fibers. New tools are needed to splice modern rope fibers.
Sailors and riggers around the world depend on D-SPLICER tools to get the job done safely. D-SPLICER's unique double needles grip lines securely so they're easier to pull through. D-SPLICER products are designed to work in tight spaces and with thinner ropes. They work with conventional fids to streamline the splicing process.

D-SPLICER FIXED NEEDLES



- A single needle with a fixed handle

Rope sizes are approximate. Needles work in many other situations. For example, use a needle to pull the cover of a 14mm rope back in itself.

PART NO.	MFG#	NEEDLE	ROPE Ø MM	ROPE Ø INCHES
9998-201	**130151**	1mm Needle	<2	0"–5/64"
9998-202	**130147**	1.5mm Needle	2–4	5/64"–5/32"
9998-203	**130148**	2mm Needle	4–6	5/32"–1/4"
9998-204	**130149**	2.5mm Needle	6–8	1/4"–5/16"

D-SPLICER SET



- Includes 4 needles & an exchangeable handle
- 2 x needles measuring 1mm x 24cm (for ropes <2mm diameter)
- 2 x needles measuring 1.5mm x 26cm (for ropes 2–4mm diameter)
- Packed in a tube for easy storage

PART NO.	MFG#	DESCRIPTION
9998-200	130969	Set

D-SPLICER CERAMIC KNIFE



- Very sharp—excellent for cutting super fibers such as Dyneema, Vectran, Stirotex & aramid
- 9998-210 Cuts rope up to 10mm; includes protective cover
- 9998-207 Cuts rope up to 20mm; includes protective cover

PART NO.	MFG#	DESCRIPTION
9998-210	150606	C-20 Rope Cutter upt to 10mm
9998-207	150607	C-24 Rope Cutter upt to 24mm

D-SPLICER SCISSORS



- Specially designed for cutting super fibers such as Dyneema, Vectran and Stirotex
- Laser cut blades with an excellent grinding profile

PART NO.	MFG#	DESCRIPTION
9998-205	130146	D-16, up to 8mm rope
9998-206	130143	D-26, up to 14mm rope

D-SPLICER TAPE



- Strong, smooth & flexible rigging tape

PART NO.	MFG#	DESCRIPTION
9998-208	140605	2cm wide x 66m long

D-SPLICER SPLICING SET, SAILOR



Sailor Splicing Kit:
Ideal kit to keep onboard, perfect for splicing 1 - 16 mm lines

Contains:
- D-Splicer P-40 carry pouch.
- Selma 4 needle splicing fid set.
- D-Splicer F-15 fixed splicing needle.
- D-Splicer C-20 knife.
- D-Splicer polyester whipping twine.
- John James 6 needle set.
- D-Splicer splicing tape.

PART NO.	MFG#	DESCRIPTION
9998-211	201200	Splicing Set, Sailor

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

NEW

FOLDING STEERING WHEEL

LEWMAR



Lewmar's patented Folding Wheel has a two-turn, buttress-threaded, split-spoke design and a unique hinging system with fast-action handgrip release. This allows you to easily fold and unfold the wheel, using a simple twist of the composite handgrip.

Fits Shaft 1" Taper / 1" Parallel

PART NO.	MFG#	DESCRIPTION
8105200	89700406	Folding Wheel, 32" (813 mm)
8105201	89700407	Folding Wheel, 36" (914 mm)
8105202	89700408	Folding Wheel, 40" (1016 mm)
8105203	89700521	Folding Wheel, 42" (1066 mm)



SAILBOAT RIGGING CABLE COVERS

DAVIS



These Cable Covers will protect your sails and sheets from chafe. They will also keep your sails clean and prevent wear. Made to last longer from tough, durable plastic that can absorb more ultraviolet than other brands. 6' (180cm) lengths and they are split for quick "snap-on" installation.

PART NO.	MFG#	DESCRIPTION
7249992	251	3/32" (2mm)
7249993	252	1/8" (3mm)
7249994	253	5/32" (4mm)
7249995	254	3/16" (5mm)
7249996	255	1/4" (6mm)
7249997	256	5/16" (8mm)
7249999	257	3/8" (10mm)

DELUXE RIGGING KNIFE

DAVIS



Made entirely of top quality 100% stainless steel with dura-edged blades, the Deluxe Rigging Knife comes with a marlin spike, shackle key, and slotted screwdriver.

PART NO.	MFG#	DESCRIPTION
3270065	1551	Rigging Knife

CLEVIS PINS

HANDI-MAN MARINE



Stainless Steel Clevis Pins.

PART NO.	SHANK	LENGTH	CLEAR	PK.
8800202	3/16"	21/32"	1/2"	2
8800204	3/16"	5/8"	1/2"	2
8800205	3/16"	3/4"	39/64"	2
8800206	3/16"	1"	55/64"	2
8800207	3/16"	1-1/4"	1-1/16"	2
8800208	3/16"	1-29/32"	1-3/4"	2
8800210	1/4"	19/32"	7/16"	2
8800211	1/4"	1/2"	23/64"	2
8800213	1/4"	3/4"	39/64"	2
8800214	1/4"	29/32"	3/4"	2
8800215	1/4"	31/32"	13/16"	2
8800216	1/4"	1"	55/64"	2
8800217	1/4"	1-5/32"	1"	2
8800218	1/4"	1-1/4"	1-7/64"	2
8800219	5/16"	3/4"	9/16"	2
8800220	5/16"	13/16"	9/16"	2
8800223	5/16"	1"	3/4"	1
8800224	5/16"	1-1/4"	1"	1
8800225	5/16"	1-1/2"	1-1/4"	1

COTTER RINGS

HANDI-MAN MARINE



Stainless Steel Cotter Rings.

PART NO.	MFG#	DESCRIPTION
8800190	361011	Fits 3/16" Clevis, 8 Pk.
8800191	361021	Fits 1/4" Clevis, 6 Pk.
8800192	361031	Fits 5/16" Clevis, 4 Pk.
8800193	361041	Fits 3/8" Clevis, 4 Pk.
8800194	361051	Fits 1/2" Clevis, 4 Pk.
8800195	361061	Fits 5/8" Clevis, 4 Pk.
8800196	361071	Fits 3/4" Clevis, 2 Pk.

NEW

WINDVANES

PLASTIMO



It is constructed from durable ABS and aluminum, features an AXIS rotation system, and can be mounted on either a mast or a side pole. Designed to provide immediate and reliable wind direction information for optimal sail trimming

PART NO.	MFG#	DESCRIPTION
9990-962	17116	Tempest Dinghy
9990-963	17117	Vireflex Racing

WINDTRAK WIND VANES

WINDTRAK

Exceptional performance at the best value of any wind indicator worldwide. Easy-to-read, fully adjustable tacking tab system with reflector tape on the vane and tacking tabs makes it easy to see day or night. WindTrak vanes are sturdy and when installed properly, offer many years of use

WindTrak 10



- For dinghies, smaller boats and sport boats
- J-Base for side, top or front mounting on any mast
- Stands just 9.25" tall
- Weighs 1.2 ounces (31g)

WindTrak 15



- For cruising and racing boats 15' (4.6m) and bigger
- Through-bolt or drill and tap mounting socket
- Stands 12.75" tall
- Weighs 3.6 ounces (101g)



J-Bases provide Horizontal and Vertical mounting for the WindTrak Wind Vanes.

7277612 / 17



Extend your WindTrak 10 or WindTrak 15 vane away from masthead obstructions. This kit includes a 13" (33cm) arm and comes with hardware to allow for side or top mounting and offset angles up to 20°. Mount on the back of the mast for easier viewing from the cockpit. Can be used with the WindTrak Light.

7277620/ 72

Windtrak vanes have been wind tunnel tested to wind speeds of 80 knots!

PART NO.	MFG#	DESCRIPTION
7277610	3120	10" (25cm) Vane
7277611	3101	Replacement 10" Vane
7277612	3125	Replacement J-Base for 7277610
7277615	3150	15" (38cm) Vane
7277616	3151	Replacement 15" Vane
7277617	3155	Optional J-Base for 7277615
7277620	1705	13" (33cm) Extension Kit For 7277610 and 7277615

WINDTRAK AV ANTENNA MOUNT

WINDTRAK



- Complete kit includes wind vane, PTFE bearing washers, adjustable stainless tacking arms and reflectors underneath the tabs
- Allows installation of Windtrak 15" vane to any whip antenna

PART NO.	MFG#	DESCRIPTION
9954-355	3160	Antenna Mount Kit

WIND-TELS

DAVIS



- Port and starboard coloured tales mount on any shroud sizes up to 3/8" (10 mm)

PART NO.	MFG#	DESCRIPTION
7277655	1260	3/8" Wind Tels

AIR FLOW TELS

DAVIS



- Lightweight, ripstop nylon Air-Flow Tels attach to sails with waterproof adhesive locator discs

PART NO.	MFG#	DESCRIPTION
7277656	950	Air-Flow Tel Kit

WINDY HANDHELD ANEMOMETER

PLASTIMO



3 cups mounted on rotor, allow the reading of wind speed in all Waterproof and submersible. Automatic backlighting in low light conditions. Automatic OFF switch 60 seconds after cups have stopped rotating (allows battery saving).

Wind speed:

- Scale: 1 to 40 m/s
- Units: digital knots, m/s, km/h, mph
- Graphic Beaufort force - Maximum wind speed
- Average speed on 5, 10, 20 or 40 selected seconds
- Accuracy: 4 % - Resolution: 0.1 (up to 9.9), 1 (over 10)

Air temperature and Windchill:

- Scale: -20 to +60°C Units: °C or °F
- Accuracy: 1°C (2°F) Resolution: 1°C (2°F)

PART NO.	MFG#	DESCRIPTION
9990-352	49357	Waterproof Anemometer

TURBO METER WIND SPEED INDICATOR

DAVIS



The Turbo Meter provides wind speed in miles/hour, meters/second, feet per minute and knots with uncommon accuracy (±3%) and sensitivity (0.1MPH) with pocket size convenience. A special three digit display is used for extra resolution and provides excellent viewing contrast in bright sunlight. Has auto power off. Requires 3 x AAA alkaline batteries (not included).

Size: 2.6 x 4.7" x 1.2" (66 x 120 x 30mm)
Weight: 3 oz. (85g)
Range: Wind speed from 0–99.9 MPH

PART NO.	MFG#	DESCRIPTION
7277552	271	Turbo Meter

HAND BEARING COMPASS



Using these precision marine hand bearing compasses, you can easily obtain quick magnetic bearings on shore or onboard floating vessels. Obtain a bearing simply by aligning front and rear sights on an object. Stable, liquid-damped compass card graduated in 5° segments. Bold graduations every 15° for easy reading. Large contoured handle designed for sure, steady grip and angled forward for added control. Lanyard and instructions included.

PART NO.	MFG#	DESCRIPTION
7262431	215	Illum. Model with LED Light

ADDITIONAL SPAR PACKAGE



9990-659

- 1.5m Includes :
  1 alloy spar, 1 plastic spar,
  1 quick-coupling sleeve with screws.
- 2.5m Includes :
  1 alloy spar,
  1 quick-coupling sleeve with screws.

PART NO.	MFG#	DESCRIPTION
9990-658	26901	For single groove, 1.5m
9990-659	26902	For twin groove, 2.15m

REGATTA TRAINING BUOY



- 10.2" Dia. x 74" H (26 x 188 cm)
- Used either as a drifting buoy or a traditional regatta buoy
- Bright yellow rigid PVC 1100 Decitex
- Bottom ballast bag holds up to 31 lb. (14 kg) for vertical position and 20.4" (52 cm) immersion

PART NO.	MFG#	DESCRIPTION
9990-095	38076	Bright yellow

REGATTA MARK BUOYS

- Bright yellow UV resistant PVC
- Carrying handles and two inflation/deflation valves, with large transparent pockets for advertising use
- Netting absorbs pulling force from anchor line
- No special ballast or maintenance necessary

5.24ft Dia. x 4.92ft H



9990-093

2.95ft Dia. x 4.92 H



9990-094

PART NO.	MFG#	DESCRIPTION
9990-093	P201636	Spherical with 2 pockets
9990-094	P201638	Cylindrical with 1 pocket

PRO-COMFORT BOSUN'S CHAIR



- Marine plywood padded seat 15"L x 7"W
- Semi-rigid backrest for max safety
- Hooked by a reinforced strap buckle.
- 220 denier polyester fabric.
- 2 adjustments of tightening at the thighs.
- 2 seat tilt adjustments.
- Integrated tool bag with pockets 20"L x 3"W x 8"D, bag is also used to store the chair.
- Max weight 330lbs

PART NO.	MFG#	DESCRIPTION
9990-105	68797	Pro-Comfort Bosun Chair

BOSUN CHAIR FIRST



- Marine plywood padded seat 15"L x 7"W
- Semi-rigid backrest for maximum safety
- Hooked by a reinforced strap buckle.
- 220 denier polyester fabric
- Ergonomic front adjustment with a sliding belt all around.
- Max weight 220lbs

PART NO.	MFG#	DESCRIPTION
9990-104	68796	Bosun chair, First

HALYARD DIVERTER WHEEL



- Prevents the genoa halyard from twisting around the spar
- Works for all models of 406 609 and 811

PART NO.	MFG#	DESCRIPTION
9990-680	25720	Diverter wheel

HALYARD FEEDER



9990-681 **9990-682**

- For a masthead or fractional rig

PART NO.	MFG#	DESCRIPTION
9990-681	26140	For 406
9990-682	25677	For 609 & 811

For the most up to date pricing, please visit maritimemarinesupply.ca/price

Instruments for sailboats

advanSea

Instruments are the core component of any yacht navigation system. The advanSea S400 series uses cutting edge technology to provide accurate data for cruisers or racers.



Compass, repeater and Wi-Fi interface are great additions that definitely make the S400 series a solid value set of instruments.

- Accuracy, optimal legibility, flexibility and ease of installation are the key benefits of the S400 series, together with easy intuitive operation with direct function access.
- LCD screens with wide-angle viewing and super size digits for unmatched visibility. Watertight display facia (IP66) ; displays feature an anti-fogging coating for optimal safety even in extreme conditions.



The S400 series is available with a choice of compatible transducers manufactured by Airmar or Plastimo. The instruments can also operate as 'stand alone' with intelligent transducers or an NMEA0183 source.

JPROP® Sailboat Propellers

JPROP

JPROP is ideal for cruising sailboats – it is strong, efficient and easy to install.

A full range of 2 and 3 blade models are available in multiple shaft sizes.

JPROP's pitch may be adjusted without having to remove any parts; the adjustment is so easy it can be accomplished by a diver with the boat still in the water, great for experimenting to find the most efficient prop pitch.



SPECIAL ORDERS WELCOME

For pricing and lead time, please contact us at the number listed below and speak to one of our sales representatives with your specific requirements.

Phone 1-800-565-0231
or Email info@mmsupply.ca



SAILING INSTRUMENTS

S400 SAILING INSTRUMENTS

- Unmatched visibility – LCD screens with wide-angle viewing and large digits
- Watertight display with anti-fogging coating for optimal safety, even in extreme conditions
- Compatible transducers included; can also operate as stand alone with intelligent transducers or an NMEA0183 source

advanSea S400sailing

WIND

- Wind speed (0 to 199 knots), direction through 360° at 1° resolution and wind trend indication
- Apparent and true wind angle and speed
- VMG speed
- Wind speed alarm
- With masthead transducer unit and 25m cable





PART NO.	MFG#	DESCRIPTION
9990-296	57751	S400 Digital Wind
9990-297	57753	S400 Analog Wind
9990-304	57763	Masthead extension cable, 25 m
9990-587	57762	Replacement masthead unit

MULTI

- Choice of data displayed on 2 lines
- Depth and speed trend indication
- Proprietary Bus interface and NMEA0183 input/output
- Simulation mode



PART NO.	MFG#	DESCRIPTION
9990-328	57750	Display only

TRANSDUCERS



Depth



Speed

PART NO.	MFG#	DESCRIPTION
9990-333	61669	Advansea Depth Transducer, 200kHz
9990-334	40640	Advansea Speed Transducer, 30knots

REPLACMENT COVER



Direct fit replacemt cover keeps your electronics safe from the harmful effects of salt or UV

PART NO.	MFG#	DESCRIPTION
9990-305	57764	Replacement cover, S400 series

DEPTH

- Depth: 1.6 - 652' (0.5m - 199m) with keel offset
- Depth trend indication
- Deep and shallow alarms
- Low battery alarm



PART NO.	MFG#	DESCRIPTION
9990-273	57748	Display only
9990-333	61669	Depth Transducer

SPEED

- Water speed 0 - 60 knots, 0 - 69 mph, 0 - 111 km/h
- GPS speed and water temp if NMEA connected
- Total and trip log, elapsed time and countdown race timer, speed trend indication
- Water temperature (input required)
- Surface speed high and low alarms



PART NO.	MFG#	DESCRIPTION
9990-274	57749	Display Only
9990-334	40640	Depth Transducer

ADVANSEA MINI-CONTEST COMPASS

advanSea sailing



- Designed for vessels up to 23'
- Apparent card diameter 3-1/3" (85 mm)
- Mounted vertically or inclined up to 15°

PART NO.	MFG#	DESCRIPTION
9990-468	28976	Mini-Contest

For the most up to date pricing, please visit maritimemarinesupply.ca/price

JIB FURLING

The Plastimo jib furling range stems from 50 years of expertise in high-pressure injection and composite materials engineering. Designed for boats, 4 to 11 meters, our headsail reefing meets the needs of all yachtsmen, whether experienced sailors or beginners. Very easy to use and virtually maintenance free, the Plastimo jib furling is a reliable crewmember which contributes to your sailing performance.

SELECTING YOUR PLASTIMO JIB FURLING

Spar design : S-series or T-series?

The S-series jib furling features a single-groove spar (S for "single"). Its patented assembly system allows for very easy installation with no need to unstep the existing forestay.

The T-series jib furling features a twin-groove spar (T for "twin"). It allows the use of the jib reefing on a hollow forestay when racing, or the setting of twin head sails, to avoid hoisting the spinnaker.

Chainplates or turnbuckle?

- Most sailing boats are equipped with chainplates to fasten the forestay to the stem fitting. Chainplates come with several holes which facilitates the adjustment of the standing rigging. The use of chainplates also allows to position the tack point as low as possible.
- The turnbuckle version allows for more accurate rigging adjustments. However, the tack point will have to be positionned slightly higher depending on the turnbuckle size.





406 JIB FURLING

Sailboats 4 to 6 m (14 to 20 ft)

- Lightweight and sturdy, the 406 jib furling features all the benefits of a large headsail reefing system: 2 Delrin twin ball bearing races in both drum and halyard swivel

406 Jib Reefing: Sailboats 4 to 6 m (14 to 20 ft)				
Model	**406-S**	**406-S**	**406-T**	**406-T**
Mounting version	Chainplates	Turnbuckle	Chainplates	Turnbuckle
Reference	25722	25723	25200	25286
Forestay diameter	4 - 7 mm	4 - 7 mm	4 - 7 mm	4 - 7 mm
Supplied complete for forestay :				
-chainplates version	6.35 m	-	6.75 m	-
-turnbuckle version	-	6.45 m	-	6.85 m
Max. headsail size	12 m2	12 m2	12 m2	12 m2
Luffrope Ø, finished	6.5 mm	6.5 mm	5 mm	5 mm
Drum sheet capacity	7 m, Ø 5 mm		7 m, Ø 5 mm	

Single Groove

PART NO.	MFG#	DESCRIPTION
9990-670	25722	Chainplates
9990-671	25723	Turnbuckle

Twin Groove

PART NO.	MFG#	DESCRIPTION
9990-672	25200	Chainplates
9990-673	25286	Turnbuckle

PE 902-566-1220 NS 902-928-1900

609 JIB FURLING

Sailboats 6 to 9 m (20 to 30 ft)

- The 609 drum cheeks swivel through 360°, ensuring safe manoeuvres through a smooth and regular feeding of the tiller rope. These cheeks protect the reefing drum efficiently and the round unobtrusive design, combined with recessed screws, allows free running of the rope.
- Reefing drum features highly resistant stainless steel and Delrin ball bearings
- Halyard swivel features Torlon and Delrin ball bearings which enhances the overall performance and increases the mechanical resistance
- Chainplates width is adjustable





609 Jib Reefing: Sailboats 6 to 9 m (20 to 30 ft)				
Model	**609-S**	**609-S**	**609-T**	**609-T**
Mounting version	Chainplates	Turnbuckle	Chainplates	Turnbuckle
Reference	58202	58203	58207	58208
Forestay diameter	4 - 7 mm	4 - 7 mm	4 - 7 mm	4 - 7 mm
Supplied complete for forestay :				
-chainplates version	9.40 m	-	8.95 m	-
-turnbuckle version	-	9.55 m	-	9.10 m
Max. headsail size	25 m2	25 m2	25 m2	25 m2
Luffrope Ø, finished	6.5 mm	6.5 mm	5 mm	5 mm
Drum sheet capacity	13 m, Ø 6 mm		13 m, Ø 6 mm	

Single Groove

PART NO.	MFG#	DESCRIPTION
9990-674	58202	Chainplates
9990-675	58203	Turnbuckle

Twin Groove

PART NO.	MFG#	DESCRIPTION
9990-676	58207	Chainplates
9990-677	58208	Turnbuckle

811 JIB FURLING

Sailboats 8 to 11 m (26 to 36 ft)

- The 811 drum cheeks swivel through 360°, ensuring safe manoeuvres through a regular feeding of the tiller rope
- The drum core is manufactured from highly resistant aluminium combining performance and lightweight features
- Drum and halyard swivel are equipped with Torlon and Delrin ball bearings for increased performance and mechanical resistance
- 811 model comes as standard with adjustable chain plates, allowing both mounting possibilities (chainplates or turnbuckle)





811 Jib Reefing: Sailboats 8 to 11 m (26 to 36 ft)		
Model	**811-S**	**811-T**
Reference	58204	58209
Forestay diameter	4 - 7 mm	4 - 7 mm
Supplied complete for forestay :	11.20 m	11.40 m
Max. headsail size	35 m2	35 m2
Luffrope Ø, finished	6.5 mm	5 mm
Drum sheet capacity	17.5 m, Ø 8 mm	17.5 m, Ø 8 mm

PART NO.	MFG#	DESCRIPTION
9990-678	58204	Single groove
9990-679	58209	Turnbuckle

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

NEW

SYNCHRO BLOCKS

LEWMAR®

Lewmar Synchro blocks are engineered for speed, efficiency and superior handling. A combination of scientifically optimised block geometry, a Free-Spin bearing and a self-aligning head reduce friction and increase efficiency by up to 40% over budget blocks on mainsheet systems. Each component is perfectly synchronised with the movement of the rope, providing you with an easier and smoother transfer of power from deck to sail with less wear on your rope.

- Stainless steel strap for improved strength and longer service life.
- Stiff glass fibre reinforced cheeks to prevent lines from wedging.
- Simple switch to change from swivelling to fixed shackle.
- Larger sheave diameter – Minimises rope friction.
- High density free-spin bearing – reduces axle diameter for superior efficiency.

SINGLE SYNCHRO BLOCK

Part No.	MFG#	DESCRIPTION	SHEAVE	LINE DIA.	MAX LOAD
7249904	29925001BK	Single	50 mm Ø	6-10 mm	450 kg. / 990 Lbs.
7249902	29925004BK	Single w/Becket	50 mm Ø	6-10 mm	450 kg. / 990 Lbs.
7249905	29925031BK	Single – Fiddle	50 mm Ø	6-10 mm	450 kg. / 990 Lbs.
7249916	29926001BK	Single	60 mm Ø	8-10 mm	800 kg. / 1760 Lbs.
7249914	29926004BK	Single w/Becket	60 mm Ø	8-10 mm	800 kg. / 1760 Lbs.
7249917	29926031BK	Single – Fiddle	60 mm Ø	8-10 mm	800 kg. / 1760 Lbs.
7249928	29927201BK	Single	72 mm Ø	10-12 mm	1100 kg. / 2420 Lbs.
7249926	29927204BK	Single w/Becket	72 mm Ø	10-12 mm	1100 kg. / 2420 Lbs.
7249929	29927231BK	Single – Fiddle	72 mm Ø	10-12 mm	1100 kg. / 2420 Lbs.



SINGLE W/BECKET W/FIDDLE

DOUBLE SYNCHRO BLOCK

Part No.	MFG#	DESCRIPTION	SHEAVE	LINE DIA.	MAX LOAD
7249907	29925002BK	Double	50 mm Ø	6-10 mm	450 kg. / 990 Lbs.
7249900	29925005BK	Double w/Becket	50 mm Ø	6-10 mm	450 kg. / 990 Lbs.
7249919	29926002BK	Double	60 mm Ø	8-10 mm	800 kg. / 1760 Lbs.
7249912	29926005BK	Double w/Becket	60 mm Ø	8-10 mm	800 kg. / 1760 Lbs.
7249931	29927202BK	Double	72 mm Ø	10-12 mm	1100 kg. / 2420 Lbs.
7249924	29927205BK	Double w/Becket	72 mm Ø	10-12 mm	1100 kg. / 2420 Lbs.



DOUBLE W/BECKET

FIDDLE SINGL SYNCHRO BLOCK

Part No.	MFG#	DESCRIPTION	SHEAVE	LINE DIA.	MAX LOAD
7249908	29925034BK	Fiddle - Becket	50 mm Ø	6-10 mm	450 kg. / 990 Lbs
7249903	29925037BK	Fiddle - Cam	50 mm Ø	6-10 mm	450 kg. / 990 Lbs
7249906	29925039BK	Fiddle - Becket - Cam	50 mm Ø	6-10 mm	450 kg. / 990 Lbs
7249920	29926034BK	Fiddle - Becket	60 mm Ø	8-10 mm	800 kg. / 1760 Lbs.
7249915	29926037BK	Fiddle - Cam	60 mm Ø	8-10 mm	800 kg. / 1760 Lbs.
7249918	29926039BK	Fiddle - Becket - Cam	60 mm Ø	8-10 mm	800 kg. / 1760 Lbs.
7249932	29927234BK	Fiddle - Becket	72 mm Ø	10-12 mm	1100 kg. / 2420 Lbs.
7249927	29927237BK	Fiddle - Cam	72 mm Ø	10-12 mm	1100 kg. / 2420 Lbs.
7249930	29927239BK	Fiddle - Becket - Cam	72 mm Ø	10-12 mm	1100 kg. / 2420 Lbs.



W/BECKET W/CAM W/BECKET / CAM

HALYARD SYNCHRO BLOCK

Part No.	MFG#	DESCRIPTION	SHEAVE	LINE DIA.	MAX LOAD
7249901	29925021BK	Halyard	50 mm Ø	6-10 mm	450 kg. / 990 Lbs.
7249913	29926021BK	Halyard	60 mm Ø	8-10 mm	800 kg. / 1760 Lbs
7249925	29927221BK	Halyard	72 mm Ø	10-12 mm	1100 kg. / 2420 Lbs.



SYNCHRO BLOCK SNAP SHACKLE

Part No.	MFG#	DESCRIPTION	SHEAVE	LINE DIA.	MAX LOAD
7249950	29925040	Shackle, Synchro, Snap	50 mm Ø	6-10 mm	450 kg. / 990 Lbs.
7249951	29926040	Shackle, Synchro, Snap	60 mm Ø	8-10 mm	800 kg. / 1760 Lbs
7249952	29927240	Shackle, Synchro, Snap	72 mm Ø	10-12 mm	1100 kg. / 2420 Lbs.



25MM


..93


..93LZ

	Line Dia. mm	Safe Load kg	MFG#	ITEM NO.
25 mm Plain Bearing Vang Blocks				
Becket block	4–6	310	A..93*1	**9996-000**
Becket block with straight key	4–6	310	A..93LZ*1	**9996-001**

27MM


2030PSC

	Line Dia. mm	Safe Load kg	MFG#	ITEM NO.
27 mm Plain Bearing Blocks				
Bullet block	4-8	N/A	A2030P	**9996-004**
Block with swivel terminal	4-8	N/A	A2030PSC*1	**9996-005**
Block with becket and swivel	4–10	N/A	A4380SC	**9996-007**

29MM


.178-74


.178

	Line Dia. mm	Safe Load kg	MFG#	ITEM NO.
29 mm Plain Bearing Sheet Blocks				
Single block	8	140	A.178*1	**9996-012**
Single block with inglefield clip	8	140	A.178-74*1	**9996-013**

38MM


.278-74


.378


.278

	Line Dia. mm	Safe Load kg	MFG#	ITEM NO.
38 mm Plain Bearing Sheet Blocks				
Single block	10	155	A.278*1	**9996-014**
Single block with inglefield clip	10	155	A.278-74*1	**9996-015**
Single block with becket	10	155	A.378*1	**9996-016**

RATCHET BLOCKS


60mm
2160

	LINE DIA. MM	BREAKING LOAD KG	TRGGER LOAD KG	MFG#	ITEM NO.
60 mm Pro-Ratchet Block Autoratchet block	6 -14	1,000	2160	2160	**9996-018**

ITEM NO.	MFG#		Line Dia. mm	Max. Working Load kg
20 mm Dynamic Blocks				
9996-021	2020	Dynamic block, 20 mm	2.5–6	115
9996-022	2020LZ	Block with lacing eye	2.5–6	115
9996-023	2021	Multi-function block	2.5–6	115
9996-024	2026M	Cheek block	2.5–6	115
9996-025	2021HK	Block with hook	2.5–6	115
9996-026	2021F	Block with fork head	2.5–6	115
9996-027	2021SC	Block with shackle swivel head	2.5–6	115
9996-029	2022	Double block	2.5–6	200
9996-032	2027	Triple block with cleat & becket	2.5–6	320
9996-276	A5849	Deck Mount Plate w/2x 2021F	6	115
30 mm Dynamic Blocks				
9996-033	2030	Dynamic block, 30 mm	6–10	140
9996-034	2030LZ	Block with lacing eye	6–10	140
9996-282	A2030Tii	Block w/Shackle	8	140
9996-035	A2031*1	Multi-function block	6–10	140
9996-036	2036	Cheek block	6–10	140
9996-037	2036M	Cheek block, carbon composite	6–10	140
9996-038	2031F	Block with fork	6–10	140
9996-039	2031SC	Block with swivel fork	6–10	140
9996-040	4801	Midi through deck block	6	140
9996-041	2032	Double block	6–10	280
9996-042	2033	Double block with becket	6–10	350
9996-043	2034	Triple block	6–10	420
9996-044	2035	Triple block with becket	6–10	490
9996-045	4980	Triple block with cleat & becket	6–10	490
9996-046	4475	Snatch block	6	140
40 mm Dynamic Blocks				
9996-047	2040	Dynamic block, 40 mm	6–10	180
9996-048	2040B	With bolt	6–10	180
9996-049	2040SC	Swivel block	6–10	180
9996-050	2046	Cheek block	6–10	180
9996-051	2042	Double block	6–10	320
9996-052	1375	Snatch block	6–10	200
60 mm Dynamic Blocks				
9996-053	2060	Dynamic block, 60 mm	5–14	500
9996-055	92020 and 9220	Double block	5–14	600
9996-056	92034 and 9230	Triple block	5–14	600
9996-057	99083	Triple block w/cleat & ratchet	5–14	600
9996-058	92086 and 9224	Quadruple block	5–14	600

20MM


2026/2036


2020/2030


2021/2031


2020LZ/2030LZ


2021SC/4280SC


2021HK


2021F/2031F

30MM


2022/HT2032


2033


2024/2034


2025/2035


2027/4980


2036M


4475


4801

40MM


2040


2040B


2040SC


2042


2046


1375

60MM


2060


92020 AND 922


92034 AND 9230


99083


92086 AND 9224

TII-ON BLOCK W/SHACKLE

Blocks feature a stainless steel loop at the head of the block this gives the range maximum strength and reliability with minimal cheek separation when tied on and loaded up with the included soft shackle. Perfect for use in systems where weight saving is a necessity or there is no requirement for a metal shackle.

20MM SINGLE



PART NO.	DESCRIPTION
9996-280	A2020TII-SHACKLE

20MM DOUBLE



PART NO.	DESCRIPTION
9996-281	A2022TII-SHACKLE

30MM SINGLE



PART NO.	DESCRIPTION
9996-282	A2030TII-SHACKLE



LUFF SHACKLE

Nylon sail shackle 45mm

ITEM NO.	MFG#	OPENING MM	WIDTH MM	LENGTH MM
9996-266	A.449	7	24	45



.455



.450

STANCHION MOUNTED BLOCK AND FAIRLEAD

ITEM NO.	MFG#		Line DIA. mm	Bracket Dia. mm
9996-059	A.450A*1	Autoratchet block	8-10	25
9996-060	A.455*1	Autoratchet block	8-10	25

CONTROL LINE CAM CLEATS AND ACCESSORIES



.677



.676



.677



..676



4467



4077



.593

ITEM NO.	MFG#	Cam Cleats Accessories	Line DIA. mm	Fixing Centre kg	Max. Working Load kg
9996-061	A.677*1	Alanite, small	2–6	28	120
9996-062	A..77*1	Alloy, small	2–6	28	140
9996-063	A4467*1	Alloy with base fairlead, small	2–6	26	n/a
9996-064	A.676*1	Alanite, large	4–10	38	180
9996-065	A..76*1	Alloy, large	4–10	38	200
9996-066	A4077*1	Acetal jaws, large	4–12	38	n/a
9996-065	A5848	Dual with base	2-6	67	100
9996-066	A5861	Lower Vang	2-6	28	n/a

ITEM NO.	MFG#	Use with
9996-075	A.593	Wedge kit, large	91025, 91035

For the most up to date pricing, please visit maritimemarinesupply.ca/price

FAIRLEADS

	Fixing Hole mm	Dist. Between Holes mm	Inside Dia. mm	MFG#	Item No.
Low profile, open based	3	20	7	A.153*2	**9996-080**
Open based, pkg of 2	4	23	7	A.182*2	**9996-082**
Open based, pkg of 2	4	23	9	A.282*2	**9996-083**
Open based	4	25	12	A.382*2	**9996-084**
Bullseye with SS liner	3	15	6	A4052*2	**9996-085**
Bullseye with SS liner	3	18	10	A4452*1	**9996-086**
Bullseye with SS liner, pkg of 2	4	25	13	A4152*2	**9996-087**
Bullseye with SS liner	5	34	21	A4252*1	**9996-088**



THROUGH DECK BUSHES

- Stainless steel lined with flange

	Fixing Hole mm	Dist. Between Holes mm	Inside Dia. mm	Outside Dia. mm	MFG#	Item No.
Deck bush	3	28	7	19	A4039*1	**9996-089**
Deck bush	3	31	6	22	A4239*2	**9996-090**
Deck bush, pkg of 2	3	36	7	25	A4339*2	**9996-091**
Deck bush, pkg of 2	3	44	9	33	A4139*2	**9996-092**
Deck bush, pkg of 2	no holes	—	12	13	A4439*2	**9996-093**



INGELFIELD CLIPS

	Max. Rope Size mm	Length mm	Thickess mm	MFG#	Item No.
Spinnaker clip, pkg of 2	6	36	4	A..74*2	**9996-095**
Spinnaker clip, large	10	50	10	A.174*2	**9996-096**
Flag clip, pkg of 2	5	26	7	A..75*2	**9996-097**



LACING HOOKS

	Rope Dia. mm	Fixing Hole Size mm	Dist. Btwn Holes mm	Height mm	Length mm	MFG#	Item No.
Acetal, pkg of 2	5	3	16	16	25	A..61*2	**9996-130**
Nylon	4	4	43	18	57	A.248*2	**9996-131**
Nylon, pkg of 2	5	3	14	16	49	A.148*2	**9996-132**
Nylon	8	4	19	20	49	A.135*2	**9996-133**



SPRING CLIPS – NYLON


.754


.854


.354


.554


.654

	TUBE DIA. IN.	BASE SIZE MM	FIXING HOLE SIZE MM	DIST. BETWEEN HOLES MM	O/A HEIGHT MM	MFG#	ITEM NO.
Black	3/4"	19 x 14 x 4	3	single	25	A.754*2	**9996-098**
Black	7/8"	22 x 16 x 5	3	8	29	A.854*2	**9996-099**
Black	1-1/4"	30 x 18 x 4	4	11	46	A.354	**9996-402**
Black, pkg of 2	1-1/2"	35 x 19 x 4	4	12	**55**	A.554*2	**9996-101**
Black	1-3/4"	41 x 22 x 5	4	21	**64**	A.654*2	**9996-102**

PINTLES

7.8MM


4019

8MM


4020S


4120


.420

TRANSON	FIXING HOLE SIZE MM	HOLE OR PIN DIA. MM	WIDTH MM	TRANSOM TO PIN CENTRE MM	MFG#	ITEM NO.
Transom pintle	4	7.8	76	17	A4019S	**9996-104**
Transom gudgeon	5	8.1	131	39	A.420*1	**9996-106**
Transom gudgeon	**5**	8	76	**17**	A4020S*1	**9996-108**
Optimist	**5**	8	76	**18**	A4120*1	**9996-109**

GUDGEONS

7.8MM


4117L/A4117S

8MM


4017-23


4017-35/42/45/51/54

RUDDER	FIXING HOLE SIZE MM	HOLE OR PIN DIA. MM	WIDTH MM	PIN LENGTH MM	LENGTH MM	MFG#	ITEM NO.
Rudder pintle	5.2	8	23	40	89	A4017-23*1	**9996-111**
Rudder pintle	5.5	8	35	40	94	A4017-35*1	**9996-112**
Rudder pintle	5.5	8	42	40	90.5	A4017-42	**9996-113**
Rudder pintle	5.5	8	45	40	89.5	A4017-45	**9996-114**
Rudder pintle	5.5	8	51	40	85.5	A4017-51*1	**9996-115**
Rudder pintle	5.5	8	54	40	84	A4017-54	**9996-116**
Rudder pintle	5.2	7.8	11	47	70	A4117L	**9996-117**
Rudder pintle	4	7.8	11	35	70	A4117S	**9996-118**

For the most up to date pricing, please visit maritimemarinesupply.ca/price

CLEATS

	Max. Rope Size mm	Fixing Hole Size mm	Length mm	Height mm	Hole Centres mm	MFG#	Item No.
V Cleats							
Glass filled nylon, pkg of 2	2–6	4	65	15	53	A.146*2	**9996-119**
Stainless steel	3–6	4	29	10	23	A4146*2	**9996-121**
Open Cleats							
Nylon	8	4	99	20	33	A.181*1	**9996-122**
Nylon	10	5	155	27	48	A.281*1	**9996-123**
Nylon	11	5	133	25	42	A.781*1	**9996-124**
Nylon	14	6	200	38	64	A.381*1	**9996-125**
Mast Cleats							
Acetal resin	8	5	100	18	31	A.481	**9996-127**
Jam Cleats							
Nylon	36	-	63	12	23	A.124*2	**9996-128**
Nylon	8	3	92	17	34	A.130*2	**9996-129**


.146


4146


.181


.281


.781


.381


.481


.124
.130

GOOSENECKS

	Fixing Hole Size mm	Suit Section Dia. mm	Pin Dia. mm	MFG#	Item No.
Fixed gooseneck, radiused strap	4	55	12	A4009LZ*1	**9996-150**
Fixed gooseneck, radiused strap	4	50-55	12	A4009C*1	**9996-151**


4009LZ/4009C

MAST & BOOM FITTINGS

	Fixing Hole Size mm	Approx. Spar Size mm	Strap Thickness mm	MFG#	Item No.
Mast tang	5	50–80	1.5	A4042	**9996-152**
Mast tang, long	5	50–80	1.5	A4142-6.5*1	**9996-153**
Kicking strap key	5.5	—	—	SA.312	**9996-154**
Kicking strap key, curved	5.5	—	—	SA.873	**9996-155**
Kicking strap key	5.5	8 mm pin, 13 mm knob		A4002	**9996-156**
Boom strap	5	32	1.5	A4116	**9996-157**
Boom strap	5	38	1.5	A4016	**9996-158**
Boom strap	5	Any shape	1.5	A4216	**9996-159**
Gaff band	5	44 x 44	1.5	A4032*1	**9996-160**


4042


4142


4002


4016


4032


4116



4024



4172

	Pin Dia. mm	Adjustment Range mm	Increments mm	Internal Width mm	MFG#	Item No.
Channel stay adjuster	5	87	9	13	A4024*1	**9996-163**
Stay adjuster	5	52	9	8	A4172*1	**9996-164**
Stay adjuster	5	60	9	8	A4372*1	**9996-165**
Stay adjuster	5	69	9	8	A4472*1	**9996-166**
Stay adjuster	6	76	13	9	A4872	**9996-169**
Vernier adjuster	5	64	3	9	A4272*1	**9996-170**

TILLER EXTENSIONS – ALUMINUM

- Stiff, lightweight high grade aluminum with soft foam grip
- Complete with grip end cap and tiller joint





PART NO.	MFG#	DESCRIPTION
9996-136	A4898R	Red 2 ft. L, 124g
9996-139	A4298BL	Blue 2-1/2 ft. L, 147g
9996-140	A4498R	Red 3 ft. L, 170g
9996-141	A4498BL	Blue 3 ft. L, 170 g
9996-143	A4698R	Red 3-1/2" ft. L, 195g

TILLER EXTENSION ACCESSORIES



5198



4098



..21



4121

PART NO.	MFG#	UNIVERSAL	FIXIN HOLE SIZE MM	SUIT TILLER EXT. MM
9996-145	A5198*1	Pro-Tiller joint	5	13 mm ID min.
9996-147	A4098*1	Universal joint, bolt fixing	4	17 mm OD max.

PART NO.	MFG#	RETAINING CLIP	FIXIN HOLE SIZE MM	O/A WIDTH MM
9996-148	A..21*2	Acetal clips, package of 2	4	53
9996-149	A4121*1	Stainless steel clip	5	78

For the most up to date pricing, please visit maritimemarinesupply.ca/price

TRAPEZE EQUIPMENT

	Rope Size mm	Max. Wire mm	Length mm	MFG#	Item No.
T type handle	-	3	54	A..60*1	**9996-174**



..60

HATCH COVERS

- Grey polypropylene with neoprene O-rings
- Bag attaches to HA.337 hatch cover for storing valuables or food while sailing
- **O-rings sold separately as required**

	Fixing Hole Size mm	Cutout Size mm	Opening Size mm	MFG#	Item No.
Non O-Ring Covers					
Non O-ring cover, medium	3	159	144	A.237*1	**9996-176**
Covers with O-Rings					
O-ring cover, small	3	110	100	A.337*1	**9996-177**
Sealing O-ring, for HT.337				A.338*1	**9996-178**
Hatch cover bag with fixing screw, for HT.337				A-BAG-KIT*1	**9996-179**
Hatch Cover Grey	3	157	145	A.537*1	**9996-180**



.237



.337



BAG-KIT



.537

DRAIN SOCKETS

	Fixing Hole Size mm	Dist. Between Holes mm	Outside Hole Dia mm	Inside Hole Dia mm	MFG#	Item No.
Drain socket	3	28	19	17	A.123*2	**9996-184**
Drain socket w/ plug	3	30 x 30 x 30	26	-	A.223*2	**9996-186**



.223



.123

SELF BAILERS

	Fixing Hole Size mm	Cutout Size mm	MFG#	Item No.
Self bailer with stainless steel guard	3	42x62	A4155	**9996-187**
"Delta" advanced self bailer	3	template supplied	A4555	**9996-188**
Spare part kit for A4155 Bailer	-	-	A4155KIT	**9996-190**

4155



4555



NEW

LASER CONTROL LINE CLEATS WITH BASE

allen



- Offers fast and secure adjustment of Cunningham and Outhaul control lines
- Comes complete with two Allen Cam Cleats, and two Pro-Leads
- Keep the rope running centrally through the cam cleat while allowing for adjustment of the line at any angle
- Base uses the same hole spacing and mounting location as the stock deck-mounted clam cleat

PART NO.	MFG#	DESCRIPTION
9996-275	A5848	Control Line Cleats w/Base

NEW

DECK MOUNTING PLATE WITH TWO A2021F

allen



- Class legal Laser deck mounting plate for Outhaul and Cunningham control lines
- Central rivet that provides great options as a tie on becket

PART NO.	MFG#	DESCRIPTION
9996-276	A5849	Deck Mont Plate w/Blocks

NEW

LASER LOWER VANG UNIT

allen



- Easily attaches to the Laser / ILCA mast tang with a nut and bolt
- The cam cleat is mounted to a swivel, this ensures you can pull the vang control line from any angle with minimal friction

PART NO.	MFG#	DESCRIPTION
9996-277	A5861	Lower Base Unit

LASER DOWN AND OUTHAUL PACK

allen

- Designed for use with the Laser dinghy and is an easy and class legal way to upgrade your control systems



Includes:

- 5mm Shockcord – 1000mm long
- 4mm Mast retaining Line
- 4mm Red Dyneema – 620mm long
- 4mm Red Dyneema – 920mm long
- 4mm Red Dyneema – 1710mm long
- 4mm Speckled Dyneema – 600mm long
- 5mm Speckled Dyneema – 3900mm long
- 4mm Speckled Dyneema – 4700mm long
- Prolead and cleats
- 20mm Dynamic block x4
- 20mm Dynamic block w/hook
- Stopper knobs
- 200mm Blocks deck plate

PART NO.	MFG#	DESCRIPTION
9996-146	A8332	Pack

LASER KICKER RACE PACK

allen



- Simple and class legal way to upgrade your kicker system to a more streamlined racing setup
- Includes – Lines 5mm Speckled Dyneema, 4mm Red Dyneema, Blocks 20mm Dynamic dbl block w/becket, 27mm Plain block w/vang, Lower Vang Unit

PART NO.	MFG#	DESCRIPTION
9996-028	A8331	Pack

NEW

MAINSHEET TRAVELER SYSTEM KIT

LEWMAR



Lewmar Traveller System kit includes the necessary components to assemble a standard size 1 system. Requires 1/4" hex head bolts for the mounting track (not included). It is ideal for day boats, off-shore cruisers and Grand Prix racers up to 11 m (36').

- End Boom : 34m2 (366ft2).
- Mid Boom : 21m2 (226ft2).
- Safe Working Load : 900kg (1980 lb).
- Suitable for 8mm (5/16") control line.

Kit Includes :

- Mainsheet Car Shackle with Double Control Line
- Sheaves, Cleats & Beckets
- 2 x End stop with Double Control Line Sheaves.
- 1 x Sliding Bolt Track, Track Length 1.5m

Requires 1/4" hex head bolts for the mounting track (not included).

PART NO.	MFG#	DESCRIPTION
7249946	29461354BK	Traveller System Kit, size 1NTR

For the most up to date pricing, please visit maritimemarinesupply.ca/price

RECTANGULAR SINKS



Designed for those who aspire to do more in their galley.
Hand polished to a sophisticated mirrored finish and long lasting luster.

PART NO.	MFG#	DESCRIPTION
9995-021	LI 30.15.15P	12" L x 6" W x 6" D
9995-023	LI 30.24.20P	12" L x 9" W x 7 3/4" D
9995-026	LI 33.23.18	13" L x 7" W x 7" D)
9995-027	LI33.33.18	13" L x 13" W x 7" D
9995-028	LI 35.29.20/L/P	Left drain, 13-1/2" L x 11-1/2" W x 7-3/4" D
9995-029	LI 35.29.20/R/P	Right drain, 13-3/4" L x 11-1/2" W x 7-3/4" D

DOUBLE SINKS



Designed for those who aspire to do more in their galley. Hand polished to a sophisticated mirrored finish and long lasting luster.

PART NO.	MFG#	DESCRIPTION
9995-030	LV30.33.15.15/P	11-3/4" L x 19" W x 6" D
9995-031	LV 30.32.32.20	11-3/4" L x 25-1/2" W x 7-3/4" D

OVAL SINKS



PART NO.	MFG#	DESCRIPTION
9995-011	LI GO34	Drop shape, 13-1/2" Dia. x 6" D
9995-013	LI OVAL35	8-3/4" L x 14" W x 6" D
9995-014	LI OVAL36	9 ½" L x 14" W x 5" D
9995-015	LI OVAL38/1	12" L x 15" W x 6" D
9995-016	LI OVAL45	13" L x 17-3/4" W x 6" D

CYLINDRICAL SINKS



- Cylindrical stainless
- Steel sink
- Mirror finish
- Inset flange

PART NO.	MFG#	DESCRIPTION
9995-006	LI CIL26/SD	10-¼" Dia. x 7" D
9995-007	LI CIL30/SD	11-3/4" Dia. x 7" D
9995-009	LI CIL36	14-1/4" Dia. x 7" D

WASH HAND BASINS



Hemispherical stainless steel sink – Mirror finish – Inset flange

PART NO.	MFG#	DESCRIPTION
9995-017	LI SS20	7-¾" Dia. x 4" D
9995-018	LI SS26	10-¼" Dia. x 4-3/4" D
9995-019	LISS30/SD	11-3/4" Dia. x 6" D
9995-020	LI SS36	14" Dia. x 6" D

SINK PARTS



9995-074



9995-075



9995-080 - 081



9995-078



9995-084



9995-083



9995-086 - 087



9995-079 & 082

PART NO.	MFG#	DESCRIPTION
9995-075	PD1235/L	Double strainer
9995-074	PA1214	Adaptor 1-1/2" to 1-1/4"
9995-080	PG1420	Hosetail reducer 1-1/4" to 20 mm
9995-081	PG1425	Hosetail reducer 1-1/4" to 25 mm
9995-078	PF2535	Angle flat strainer 25 mm
9995-084	PI1435	Plastic strainer 1-1/4"
9995-083	PI1235	Plastic strainer 1-1/2"
9995-087	PS1432	Straight tube 1-1/4"
9995-086	PS1240	Straight tube 1-1/2"
9995-082	PG 3812	Female hosetail, 3/8" x 8mm
9995-079	PG 1213	Female hosetail, 1/2" x 13 mm

RECTANGULAR STAINLESS STEEL SINK



- Made of Stainless Steel 18/10, 0.8 mm thick for a sturdy and long-lasting product.
- The satin finish reduces the need of care.
- The lowered draining hole assures a complete drainage of the water.
- Can be completed with drains & wastes drainers

PART NO.	MFG#	DESCRIPTION
9995-025	LI 30.33.15/P	Weight 1,42 Kg

STAINLESS STEEL ROUND SINK



Cutout size: 10-7/8"

PART NO.	MFG#	DESCRIPTION
7200801	40031-02	11-1/2" x 5"D

SINK DRAINS





7200804

2" Strainer with a 5/8" hose barb. For use with 7200798 and 7200801 only.



7200805

1-1/4" drain tube.

PART NO.	MFG#	DESCRIPTION
7200804	517526-1	2" Sink Drain w/strainer
7200805	517515-1	1-1/4" Sink Drain Tube w/ Stopper



PLASTIC SINKS



- Polypropylene, shock and stain resistant
- Supplied without plug

PART NO.	MFG#	DESC.	A	B	C	D
9990-611	17448	Basin Sink	15-1/2"	10-7/8"	5-1/8"	
9990-612	17449	Corner Sink	18-1/2"	11-3/4"	5-1/8"	13"
9990-613	17450	Drain				

PLASTIC SWIVEL FAUCET



- Colour light grey
- 45° pivoting base, swivelling spout
- Only one water inlet
- 3/8" hose connection

PART NO.	MFG#	DESCRIPTION
9990-614	27304	For use with Foot Pump

PLASTIC FAUCET – HOT & COLD



- 2-knob tap (hot/cold)
- Swivelling base and spout
- Pressure: 2.5 - 3 bar

PART NO.	MFG#	DESCRIPTION
9990-616	28593	Hot/Cold

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

TRADITIONAL BASIN TAP



- Fixed spout with flow breaker.
- Body in chrome brass.
- Handle in chrome ABS.
- Valve in brass with bottom gasket.
- 1-3/4" dia. 2-9/16" tall

PART NO.	MFG#	DESCRIPTION
9995-089	RF 3000	Fixed Spout

TRADITIONAL DOUBLE HANDLE ONE HOLE BASIN MIXER



- Fixed spout, with flow breaker.
- Body, spout and handles in chrome brass.
- Valves in brass with bottom gasket.
- 1-3/4" dia. 4-3/4" tall

PART NO.	MFG#	DESCRIPTION
9995-047	MF 3000	Double Handle, Fixed Spout

TRADITIONAL SINGLE SWIVEL SPOUT TAP



- Swivel spout with flow breaker.
- Body and spout in chrome brass.
- Handle in chrome ABS.
- Valve in brass with bottom gasket.
- 1-3/4" dia. 8-1/4" tall

PART NO.	MFG#	DESCRIPTION
9995-088	RC 3100	Swivel Spout

TRADITIONAL TAP WITH TALL SWIVEL AND FOLD DOWN SPOUT



- The limited size make it suitable for the more difficult mountings.
- Body and spout in chrome brass.
- Triangular handle in chrome ABS.
- Valve in brass with bottom gasket.
- 11/16" dia. 6-7/8" tall

PART NO.	MFG#	DESCRIPTION
9995-093	RM 5500	Folding spout , Tall Swivel

ONE HANDLE BASIN MIXER



- Compact design reduces risk of accidental impacts.
- Body in chrome brass with aerator.
- 2" dia. 4-15/16" tall

PART NO.	MFG#	DESCRIPTION
9995-056	MM 7000	Fixed mixer spout

TRADITIONAL DOUBLE HANDLE ONE HOLE MIXER



- The spout, with flow breaker, can swivel over 360°.
- Body, spout and handles in chrome brass.
- Valves in brass with bottom gasket.
- 1-3/4" dia. 7-1/4" tall

PART NO.	MFG#	DESCRIPTION
9995-127	MG3100	Tube Spout, swivel

U SPOUT SINGLE LEVER TAP FOLD DOWN



- Swivel and fold down spout allow for mounting inside the sink Body, spout and handle in polished chrome brass,
- 1-1/4" dia. 4" tall

PART NO.	MFG#	DESCRIPTION
9995-096	RR4600	U spout, swivel and folding

J SPOUT SINGLE LEVER TAP FOLD DOWN



- Swivel and fold down spout allow for mounting inside the sink. Body, spout and handle in polished chrome brass,
- 1-1/4" dia. 8" tall

PART NO.	MFG#	DESCRIPTION
9995-095	RR 4100	J spout, swivel and folding

SINGLE LEVER MIXER / HIGH SWIVEL SPOUT



- The spout can swivel and fold down to allow for mounting inside the sink.
- The reversed working of the handle (ON upward) avoid the involuntary openings due to the shaking of the craft.
- Body, spout and handle in chrome brass.
- 1 " dia. 7-1/4" tall

PART NO.	MFG#	DESCRIPTION
9995-061	ML 2500	Swan neck spout, swivel and folding

QUARTER TURN DOUBLE FOLD DOWN MIXER



- The spout can swivel and fold down to allow for mounting inside the sink.
- The positions of the handles on the valves pivots can me modified to adapt them to the choosen mounting.
- Body, spout & handles in polished chrome brass
- 2 x 1-1/4" dia. 1-1/4" tall

PART NO.	MFG#	DESCRIPTION
9995-064	MR 4500	Swan neck spout, swivel and folding

ONE HANDLE MIXER WITH SWIVEL SPOUT AND AERATOR



- A classic shape suitable for sinks, single and double
- Typical kitchen mixer with long and tall spout
- Body and spout in chrome brass.
- 2" dia. 6-11/16" tall

PART NO.	MFG#	DESCRIPTION
9995-057	MM 7700	Swivel spout, chrome

ONE HANDLE MIXER WITH SWIVEL SPOUT WITH AERATOR



- A classic shape suitable for basins and sinks
- The pivoting spout of intermediate length allows the use for basins and sinks.
- Body and spout in chrome brass.
- 1-5/8" dia. 5-1/8" tall

PART NO.	MFG#	DESCRIPTION
9995-055	MM 6700/20	Swivel spout, chrome

ONE HANDLE MIXER WITH SWIVEL SPOUT AND TURNING HEAD



- The elegant shape has become the choice for the more prestigious yachts
- Built in chrome brass througout, body spout and handle.
- 1/2" FNPT connection
- 1-3/4" dia. 5-9/16" tall

PART NO.	MFG#	DESCRIPTION
9995-071	MY1820-1/2"F	Swivel spout

COMPACT MIXER WITH PULL-OUT SHOWER NON SWIVEL



- Chrome brass body
- Push buttons to switch between full flow or spray
- The shower can be pulled-out but doesn't swivel
- Comes with 1.5 m chrome brass hose
- 1-7/8" dia. 6-1/2" tall

PART NO.	MFG#	DESCRIPTION
9995-045	MD 6551	Pull out, Non Swivel
9995-135	D55	Replacement straight shower

COMPACT SWIVEL MIXER WITH PULL-OUT SHOWER



- Chrome brass body.
- Heavy duty chrome ABS with anti-limescale shower head.
- Swivel and pull-out shower.
- Comes with 1.5 m chrome brass hose
- 2" dia. 6-11/16" tall

PART NO.	MFG#	DESCRIPTION
9995-046	MD 7551	Swivel shower, 50 mm Dia
9995-135	D55	Replacement straight shower

SINGLE HANDLE MIXER WITH PULL-OUT SHOWER



- The mixer handle, in OFF position when lowered, avoids the opening due to the jolts at sea.
- Comes with 1.5 m black hose
- Chrome brass body and handle.
- 1-3/4" dia. 4-3/8" tall.

PART NO.	MFG#	DESCRIPTION
9995-132	MDM10101-4PL	Chrome
9995-145	D010	Replacement handle

DOUBLE HANDLE SHOWER MIXER WITH PULL-OUT SHOWER



- Shower head can swivel & can be lifted.
- The flow can be modified from full to spray.
- The on/off push button near the head allows to stop temporary the flow to save water.
- Chrome brass hose 1.5m
- Body and handles in chrome brass.
- 2" dia. 5-1/2" tall.

PART NO.	MFG#	DESCRIPTION
9995-043	MD 3941	Black
9995-137	D94	Replacement handle
9995-042	MD 3911	White
9995-138	D91	Replacement handle

DOUBLE HANDLE SHOWER MIXER WITH PULL-OUT SHOWER



- The shower head swivel and can be lifted. The flow can be modified from full to spray and back.
- Chrome brass hose 1.5 m long
- Body and handles in chrome brass.
- 2" dia. 6" tall

PART NO.	MFG#	DESCRIPTION
9995-038	MD 3141	Black
9995-139	D14	Replacement handle
9995-036	MD 3111	White
9995-140	D11	Replacement handle

DOUBLE HANDLE SHOWER MIXER WITH PULL-OUT SHOWER



- Shower head can swivel and can be lifted.
- The trigger has 3 positions: permanently closed, permanently open or open at the push of the trigger, spring loaded to closed.
- Chrome brass hose 1.5 m long
- Body and handles in chrome brass.
- 2" dia. 5-1/2" tall

PART NO.	MFG#	DESCRIPTION
9995-040	MD 3242	Black Handle Mixer, w/2m hose
9995-141	D24	Black Replacement handle
9995-039	MD 3211	White Handle Mixer w/1.5m hose
9995-142	D21	White Replacement handle
9995-035	MD 31101	Chrome Handle Mixer w/1.5m hose
9995-144	D110	ChromeReplacement handle

BULKHEAD TAP



- For deck washing; suitable for garden hose
- 1/2" M inlet; 3/4" F outlet

PART NO.	MFG#	DESCRIPTION
9995-091	RG5000	Deck Wash Tap

THERMOSTATIC MIXERS



- Permanently set the output temperature to avoid constant adjustments
- 3/4" FNPT connection

PART NO.	MFG#	DESCRIPTION
9995-067	MT 9000H	Heavy duty

ELBOW CONNECTOR – THROUGH BULKHEAD



- Compact size and smoothed shape, suitable in combination of most designs
- 3/8" bsp

PART NO.	MFG#	DESCRIPTION
9995-001	BG0038	3/8" Elbow Connector

HOSES – CHROME BRASS







- 3/8" female x 15 mm male

PART NO.	MFG#	DESCRIPTION
9995-106	TC 1538	1.5 m
9995-130	TC2038	2 m

IN-LINE TAP CONNECTOR PUSH BUTTON



- For temporary use only with showers

PART NO.	MFG#	DESCRIPTION
9995-097	RSMF12	1/2" Male x 1/2" Female

PLUMBING ADAPTER – BRONZE



- Converts 3/8" BSP connection to 1/2" MNPT
- **Used to convert all Barka faucets from BSP to North American NPT**

PART NO.	MFG#	DESCRIPTION
9995-131	ADAPT38-12	3/8" BSP to 1/2" MNPT

ROCKER GALLEY PUMP



- Chrome plated, die cast top with plastic body
- 1-7/8" diameter cutout
- Takes 5/8" hose

PART NO.	MFG#	DESCRIPTION
9924-010	WS63W	Chrome plated
9924-021	SKIT63/29	Service kit

ULTRA GALLEY PUMP



- 3-1/2" spout
- 1-1/4" diameter cutout
- Overall height above the counter top 8-1/2"; extends 8-3/4" below counter flange
- Takes 5/8" hose

PART NO.	MFG#	DESCRIPTION
9924-016	WS67W	White plastic
9924-022	SKIT67/16	Service kit

PUMP/FAUCET COMBO



- A one package solution to add a sink in your head or galley – just add hose and wire
- Chrome plated brass faucet, lever operation
- Quiet, self priming 1.1 GPM pump with 35 psi pressure switch
- 12 VDC 15" Tall 1/4 hose

PART NO.	MFG#	DESCRIPTION
9921-209	61123	35PSI, 1.1 GPM
9922-201	10-22020-101	Pump only

DIAPHRAGM FOOT PUMP



- Corrosion resistant construction, for use with fresh or salt water
- Self priming; operates dry without damage
- Approximately 5 GPM
- 1/2" ports

PART NO.	MFG#	DESCRIPTION
9921-900	8717201	Foot Pump
9921-901	8804204	Repair kit

TASTEPURE MARINE WATER FILTERS





These Camco TastePURE In-Line Canister Water Filters are carbon based and can greatly reduce bad taste, odours, chlorine and sediment in drinking water for up to 120 days. The KDF/Carbon filter **(7921930)** also helps to prevent bacteria growth. Fits standard garden hose couplings.

PART NO.	MFG#	DESCRIPTION
7921928	40646	Marine Water Filter
7921930	40044	Marine Water Filter, w/KDF, 2-pk.

FLEX HOSE PROTECTOR



Flexible Hose Protector with Easy Gripper coiled attachment eliminates hose crimping at the faucet. Comes complete with Easy Gripper for effortless attachment to the faucet.

PART NO.	MFG#	DESCRIPTION
3957499	22703	Flex Hose Protector





Clean Water



Cleaning



Crooked Creek



Galley & Cooking



Grills



Electrical



Sanitation



Stabilization



Water Heaters



Winterization



Paddles



SeaSide Living

WATER PRESSURE REGULATOR W/ GAUGE



Helps protect plumbing and hoses from damage caused by high-pressure city water. Easy to read dial. Attaches easily with convenient 3/4" garden hose threads. Pressure is factory preset at 40-50 PSI

PART NO.	MFG#	DESCRIPTION
7200852	40064	Water Pressure Regulator

QUICK DISCONNECT COUPLER



Hose
6914185



Nozzle
6914186

These brass water hose Quick Disconnect Couplers make it easy to join your water nozzle with your water supply.

PART NO.	MFG#	DESCRIPTION
6914185	QD-WHCF	Coupler
6914186	QD-WHNM	Nipple

WATER HOSE COUPLING



6914180



6914181

These Water Hose Couplings come with shut-off valves for easy flow control.

PART NO.	MFG#	DESCRIPTION
6914180	199-WV	In-Line Coupling w/Valve
6914181	202-WV	"Y" Coupling w/Valves

WATER INLET FITTING



Chrome plated bronze construction. Standard female swivel hose connection. **Includes black plastic watertight plug with stainless steel bead chain.** Attaches with three #8 screws. 1/2" pipe size.
Flange size is 2-3/4" OD.

PART NO.	MFG#	DESCRIPTION
3957500	0499DP0CHR	Water Inlet

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

NEW

SHOWER SUMP 800 GPH attwood

This shower sump systems deliver the performance offering fast flow in and out of the sump box. The lid snaps in to allow quick installation (and removal for cleaning) and includes a gasket to seal the sump box against overflow. The sump box includes an air vent to prevent air locks.



Dimensions: 10-1/2"L x 8-1/8"W x 4-1/2"H

Port Sizes:
Discharge: 3/4"
Inlets: 3/4" / 1" and 1-1/8" / 1-1/2"

Meets or exceeds all applicable regulations of the ABYC and USCG.

PART NO.	MFG#	DESCRIPTION
5412507	5142-1	12Vdc, 5 Amp
5412508	5144-1	24Vdc, 2 Amp

SHOWER DRAIN KITS 800GPH

rule a xylem brand

Rule shower drain box features a polycarbonate impact-resistant snap cover lid and a cover gasket.



Offering multiple mounting options with rear mounting flange and anchor on any three sides. Improved scoop strainer design allows ease of cleaning debris from the box. Manufactured with a larger joker valve allowing full flow through the plumbing which means more flow at higher heights.

Discharge Port: 3/4" (19mm)
Inlet Port: 3/4", 1", 1-1/8", 1-1/2" (19, 25.4, 28.6, 38mm)
Dimensions: 9"L x 9.5"W x 5"H (23 x 24 x 13cm)

PART NO.	MFG#	DESCRIPTION
5412503	98B	12VDC, 4A
5412502	98B-24	24VDC, 2A

ULTIMA SHOWER SUMP

Johnson Pump



- 1000 GPH, Ultima switch; built in check valve
- Fully submersible
- Multiple inlet ports to handle sink, shower and condensation drains at the same time
- Easy to clean inlet screen traps hair and debris before clogging pump and the tight fitting see-through lid minimizes sloshing

PART NO.	MFG#	DESCRIPTION
5412501	57151	12V
9922-424	57151-24	24V

SEAFLO SHOWER SUMP PUMP SYSTEM 750 GPH

SEAFLO





Dimensions:
13.15"L x 8.50"W x 4.4"H

Features a built in float switch that turns the system on when the water level rises and shuts off when water is removed.

A clear screw down cover and removable mesh filter provides easy cleaning if system becomes clogged with debris.

12VDC 750 GPH pump, Max draw 3.0A, the unit has a 3/4" outlet diameter. Standard pump configuration. 9' head, 3' lead.

PART NO.	MFG#	DESCRIPTION
5412510	SFBP1-G750-07	Shower Sump 12 Vdc

300S SERIES SHOWERS BASIC KIT (NO PUMP)

HEATER CRAFT



- 10-1/4" L x 3-1/2" W x 6-1/4" H
- All plastic components are UV protected
- 1 - 10' Hose, 1 - Spray Head (White spray head with water conservation button)
- 4 Year/48 Month Warranty!

PART NO.	MFG#	DESCRIPTION
9921-238	303SB	White
9921-241	S218	Replacement shower handle

COCKPIT/SHOWER DRAIN



This 90° Nylon thru-deck connector is excellent for draining water from the cockpit or shower areas of your boat. The grill prevents the objects from going thru the drain. **Requires 1-1/2" hose.**

PART NO.	MFG#	DESCRIPTION
7526250	TH-1592G-B	With Plastic Drain
9974-036	5260SS	With Stainless Steel Screen

MARINE SHOWERHEADS



Convenient on/off switch allows you to pause the flow of water while shampooing, greatly reducing the amount of water used. Multi-featured showerhead allows you a choice of four spray patterns. Heavy-duty construction for years of use. **Kit includes:** Showerhead, Flex Hose, Washers, Wall Mount and Hardware. Available in white or chrome.

PART NO.	MFG#	DESCRIPTION
7200844	43713	Chrome Showerhead, Kit
7200845	43714	White Showerhead, Kit
7200840	43710	Replacement Chrome Showerhead
7200841	43711	Replacement White Showerhead

EZ WATER UNITS



- As screws get tightened, both clamping wings will flip up and pull tight against the back of the bulkhead
- UV-resistant white ASA cover withstands temperature variations ABS built-in housing

PART NO.	MFG#	DESCRIPTION
9990-800	67202	Deck Shower
9990-801	67204	Deck Tap
9990-802	67206	Water Inlet

FLUSH-RECESSED SHOWER MIXER



- Made in chrome brass throughout.
- Compact flush container with simple cap
- Ideal where the space is a premium.
- Ceramic mixer cartridge suitable also for houshold pressures.
- Can be installed both on horizontal or vertical surfaces.

PART NO.	MFG#	DESCRIPTION
9995-060	MR 2010	Mixer
9995-098	R81	Replacement container
9995-002	C81	Replacement cover

ON/OFF PUSH BUTTON SHOWER



- Comes with 2m plastic hose
- 3⁄8" FNPT connection

PART NO.	MFG#	DESCRIPTION
9995-003	DR1513	White, flush recessed mount
9995-146	D151	Replacement straight shower

SOLAR SHOWER



- Three hours of sun exposure is enough to heat the water

PART NO.	MFG#	DESCRIPTION
9921-236	13272	5 Gallon

RAIL SHOWERS – CHROME



9995-103 **9995-105**

- Comes with 1.5 m chrome hose
- 3⁄8" FNPT connection

PART NO.	MFG#	DESCRIPTION
9995-103	SS 1601	w/Anti-Limescale
9995-105	SX 1701	Three Jets w/Anti-Limescale

SINGLE HANDLE SHOWER CONTROLS



Bulkhead Mount **Table Mount**

PART NO.	MFG#	DESCRIPTION
9995-051	MDI 6000	Bulkhead Mount, 1/2" FNPT
9995-050	MI2000/1	Table Mount, Chrome

ADJUSTABLE SPRAY ELBOW SHOWER



- Comes with 1.5 m chrome brass hose
- 3⁄8" FNPT connection

PART NO.	MFG#	DESCRIPTION
9995-005	DS1201	Basin shower
9995-136	D120	Replacement handle

ADJUSTABLE BULKHEAD SHOWER SUPPORTS



- The rotating ferrule assure to find friction suitable to hold also the heaviest showers
- Made in chrome Zama

PART NO.	MFG#	DESCRIPTION
9995-099	SD 0100	For elbow showers
9995-100	SD 0700	For straight showers

SENSOR-MAX II VARIABLE SPEED FRESHWATER PUMP

The Sensor-Max II incorporates a high-performance five-chamber design with an advanced pressure sensor and variable speed programming that automatically adjusts the motor speed to deliver the right flow and pressure the water system requires.



Sensor-Max II pump



90 degree
40 Mesh Strainer

- Quiet operation with no water hammer.
- Consistent pressure and smooth, steady flow.
- Eliminates the need for an accumulator tank.
- High flow capacity supplies up to five outlets.
- Conserves power by adjusting motor speed as needed.

Includes

- 1 X 1/2” straight hose barbs
- 1 X 3/4” straight hose barbs
- 1 X 1/2” 90 degree elbow hose barb
- 1 X 3/4” 90 degree elbow hose barb



Snap-Fit Port Fittings

PART NO.	MFG#	DESCRIPTION
2711120	V50AJ-115N-3A	Sensor-Max II, 12V 40PSI, 5 Gpm

PAR-MAX HD FRESH WATER PUMPS



- Wider diameter motor with powder coated shell, cast aluminum end bells and lower housing to improve pressure capability
- Co-molded diaphragm technology provides long life and durability
- Bypass module reduces cycling and provides smoother flow
- Self-priming & runs dry, no damage
- Vibration dampening mounting feet
- Sealed pressure switch for on-demand operation
- Includes In-Line strainer and 2 x 1⁄2” straight barb port fittings

PART NO.	MFG#	DESCRIPTION
7200790	Q301J-115S-3A	PAR-MAX, HD3, 40 PSI, 3 GPM, 12V
7200794	Q401J-115S-3A	PAR-MAX, HD4, 40 PSI, 4 GPM, 12V
7200777	Q402J-115S-3A	PAR-MAX, HD4, 40 PSI, 4 GPM, 24V
7200788	P601J-215S-3A	PAR-MAX, HD6, 40 PSI, 6 GPM, 12V
7200789	P602J-215S-3A	PAR-MAX, HD6, 40 PSI, 6 GPM, 24V
2712076	16470-0040	Replacement Pressure Switch 40PSI
7200792	Q301J-118S-3A	PAR-MAX, HD3, 60 PSI, 3 GPM, 12V
7200795	Q401J-118S-3A	PAR-MAX, HD4, 60 PSI, 4 GPM, 12V
7200791	P501J-118S-3A	PAR-MAX, HD5, 60 PSI, 5 GPM, 12V
7200800	P601J-218S-3A	PAR-MAX, HD6, 60 PSI, 6 GPM, 12V
7200799	P602J-218S-3A	PAR-MAX, HD6, 60 PSI, 6 GPM, 24V
2712077	16470-0060	Replacement Pressure Switch 60PSI

PAR-MAX FRESH WATER PUMPS



- Co-molded diaphragm technology for long life and durability
- Efficient and quiet operation
- Integrated, sealed pressure switch for on-demand operation
- Self-priming allows for installation versatility
- Can run dry without damage
- Quick connect ports for ease of installation, servicing, and maintenance
- Vibration dampening mounting feet
- Equipped with integrated bypass module to reduce cycling and provide smoother flow

PART NO.	MFG#	DESCRIPTION
7200773	31295-3512-3A	PAR-MAX, 35 PSI, 2 GPM, 12V
7200783	31295-3524-3A	PAR-MAX, 35 PSI, 2 GPM, 24V
2712075	18916-1035	Replacement Pressure Switch 35PSI
7200770	31395-4012-3A	PAR-MAX, 40 PSI, 3 GPM, 12V
7200774	31395-4024-3A	PAR-MAX, 40 PSI, 3 GPM, 24V
9921-252	18916-1040	Replacement Pressure Switch 40PSI

PAR-MAX FRESH WATER PUMPS



- Output max. 3,8 litres/min(1 GPM)
- Self-Priming up to 1,8m
- Runs dry without damage
- Pressure Switch cuts out at 2.4 bar (35 PSI)
- Including snap-in ports 3/8" hose barb and adapter for 1/2" hose
- Amperage max 3,5A; fuse size 4A
- Dimensions: Height 6,8cm / width 10,3cm / length 16,5cm

PART NO.	MFG#	DESCRIPTION
7200721	42630-3512-3C	PAR-MAX, 35 PSI, 1 GPM, 12V

PRESSURE SWITCH - 70PS



Compatible with the Jabsco PAR-MAXplus / Flojet VersiJet Multiplex pumps (plus others)

PART NO.	MFG#	DESCRIPTION
2712078	16470-0070	Replacement Pressure Switch 70PSI

REPLACEMENT PRESSURE SWITCHES FOR OLDER PUMP MODELS

PART NO.	DESCRIPTION
9922-483	Fits Par-Max 1
2712063	Pre-2012 Parmax 4, (30600, 30620, 30700)
9922-484	Parmax (32605, 32305, 31295, 31395, 32600) 50PSI
9922-485	ParmaxPlus (82400, 82500, 82600) 60PSI

AQUA KING II FRESH WATER PUMPS

PENTAIR SHURFLO



2711110 4.0 GPM



2711115 5.0 GPM

The Shurflo Aqua King II Premium and Supreme Fresh Water Pumps are designed for boats with multi-fixtures providing "just like home" shower pressure.

A built in mechanical bypass function enables these pumps to operate at lower flow conditions with minimal cycling. Featuring heavy duty, seamless shell electro coated motors built to withstand marine environment with o-ring sealed end bells and completely sealed wire entries. Sealed switch. Ignition protected. Thermally protected. **3 Year Warranty.** Inlet strainer and Two 1/2" hose barb fittings are included.

	Premium	Supreme
Operating Power	10A at 12VDC	13A at 12VDC
Flow Rate	4.0 GPM (15.1 LPM)	5.0 GPM (18.9 LPM)
Shut-Off Pressure	55 PSI (3.8 BAR)	
Port Sizes	1/2" NPSM 1/2" Hose Barb Adapters Included	
Dimensions	10"L x 5"W x 4.75"H 254 x 127 x 120mm	

PART NO.	MFG#	DESCRIPTION
2711110	4148-153-E75	Premium, 4.0 GPM
2711115	4158-153-E75	Supreme, 5.0 GPM

AQUA KING II FRESH WATER PUMPS

PENTAIR SHURFLO



2711100 2.0 GPM



2711105 3.0 GPM

The Shurflo Aqua King II Junior and Standard Fresh Water Pumps are designed with a unique over-moulded single-piece diaphragm assuring a long life and top performance in all plumbing systems.

These fresh water automatic on-demand pumps are quiet and can run dry without damage. Sealed switch. Ignition protected. Thermally protected. Two 1/2" hose barb fittings are included. **3 Year Warranty.**

	Junior	Standard
Operating Power	3.5A at 12VDC	6.5A at 12VDC
Flow Rate	2.0 GPM (7.6 LPM)	3.0 GPM (11.35 LPM)
Shut-Off Pressure	30 PSI (2.0 bar)	55 PSI (3.8 bar)
Port Sizes	1/2" NPSM 1/2" Hose Barb Adapters Included	
Dimensions	8.2"L x 4.9"W x 4.1"H 208 x 124 x 104mm	

PART NO.	MFG#	DESCRIPTION
2711100	4128-110-E04	Aqua King II Junior, 2.0 GPM
2711105	4138-111-E65	Aqua King II Standard, 3.0 GPM

ELECTRONIC WATER SYSTEM PUMPS

MARCO



9931-824 2.5 GPM



9931-825 4.0 GPM



9931-826 6.9 GPM



9931-827 10.5 GPM

- Self-priming automatic electric pumps with helical PTFE gears, integrated check valve and electronic control
- Nickel-plated brass body and stainless steel shaft
- Main applications: fresh water pressure systems and shower kits on boats, rubber dinghies, sailing boats and campers

PART NO.	MFG#	DESCRIPTION
9931-824	164-660-15	2.5 GPM, 12/24V, 3/8"
9931-825	164-602-15	4 GPM, 12/24V, 3/8"
9931-826	164-622-15	6.9 GPM, 12/24V, 1/2"
9931-827	164-681-15	10.5 GPM, 12/24V, 1/2"

AQUA JET FLOW MASTER 5.0 WATER PRESSURE SYSTEMS

SPXFLOW Johnson Pump

- Capacity 5 GPM; 50 psi cut-off pressure
- Fittings included for 1/2" hose, 3/4" hose, or 1/2" NPT port connections
- Digital controller adjusts water flow as demand changes, pump maintains smooth flow regardless of how many taps are being used
- Variable flow feature allows Flow Master to be used without an accumulator tank, for easy inexpensive installation
- Complete with PUMProtector inlet strainer



PART NO.	MFG#	DESCRIPTION
9922-086	10-13329-103	12V
9922-087	10-13329-104	24V
9922-511	09-46781-01	Pressure switch

ULTRA-MAX PRESSURE WATER SYSTEMS



The Jabsco Ultra-Max Water Pressure Pump Set features a fully assembled water pressure set with pump, pressure switch, accumulator tank and Pumpgard strainer.

Features: Ideal for handling up to (4) outlets All set components mounted on one board for quick, simple and low-cost installation Self-priming with smooth, even flow Pump

- Capacity 228 GPH
- Self-priming to 5 ft. and can run dry
- 12-7/8" L x 12-5/8" W x 4-15/16" H
- Integrated multi-outlet water system includes Par-Max 4 pump, inlet strainer, 1 L accumulator tank and corrosion proof base
- Assembled with snap-in port fittings

PART NO.	MFG#	DESCRIPTION
9921-216	59451-1012	12V, 6 Amp

AQUA JET WATER PRESSURE PUMP



These Quiet Self Priming Aqua Jet five chamber diaphragm pumps provide the perfect pulsation free water pressure for small and medium leisure and commercial boats. Integrated pressure switch turns pump on / off automatically when tap is opened or closed.

Efficient and compact and particularly suitable where low sound levels and continuous even pressure in relation to water flow are placed at a premium - such as in shower and galley applications. Operates in fresh or sea water. Always use a PUMProtector Inlet Strainer before the pump intake. When a pipe thread connection is required, simply cut off the barb portion of the adapter.

Ports:

- **Connection for 2.9 GPM:** 1/2" hose / 3/8" NPT & 3/4" hose / 1/2" NPT
- **Connection for 4.0 GPM:** 1/2" hose / 3/8" NPT & 3/4" hose / 1/2" NPT

PART NO.	MFG#	DESCRIPTION
2.9 GPM		
2711000	10-13405-103	12VDC, 10A, 2.9 GPM
9922-515	09-47028-01	Pressure Switch for 2.9 GPM
3.5 GPM		
7200735	10-13395-103	12VDC, 3.5 GPM
9921-101	10-13395-04	24VDC, 3.5 GPM
9922-517	09-47277-01	Pressure Switch for 3.5 GPM
4.0 GPM		
2711005	10-13406-103	12VDC, 10A, 4.0 GPM
2711006	10-13406-104	24VDC, 5A, 4.0 GPM
9922-511	09-46781-01	Pressure Switch for 4.0 GPM
5.2 GPM		
9921-102	10-13406-107	12VDC, 5.2 GPM
9921-103	10-13406-108	24VDC, 5.2 GPM

NEW

WATER PRESSURE PUMP



The 21-Series Pumps are compact and designed for a wide range of applications including liquid transfer, spraying, circulation, filtration and dispensing. It provides up to 1.2 gallons per minute.

This multi outlet water pressure pump serves one or two 3/8" (10 mm) outlets at any time. Built-in pressure switch, which automatically starts and stops the pump when faucet is opened and closed.

21 SERIES

- Up to 1.2GPM
- On-demand pressure switch
- Adjustable pressure setting
- Up to 2 outlets
- Self-priming up to 4ft, can run dry
- Ignition protected
- Intermittent duty
- 18 AWG, 13" (33 cm) long Leads
- Meets or exceeds RoHS, SGS, and ISO standards

PART NO.	MFG#	DESCRIPTION
7200855	SFDP1-012-035-21	Series 21, 35PSI 1.2GPM 12V

NEW

WATER PRESSURE PUMP
33 SERIES





The 33-Series is a general-duty on-demand positive displacement pump. It provides reliable performance in high water flow and moderate pressure applications.

Serves up to three 1/2" (13 mm) outlets. Built-in pressure switch, which automatically starts and stops when the faucet is opened and closed.

33 SERIES

- Up to 3.0 GPM
- Self priming up to 6ft, can run dry
- Up to 3 outlets
- On-demand use
- Completely rubber mounting-base
- Adjustable pressure switch
- 16 AWG, 4.5"(11.4 cm) long Leads
- Meets or exceeds RoHS, SGS, and ISO standards

PART NO.	MFG#	DESCRIPTION
7200857	SFDP1-030-045-33	Series 33, 45PSI 3GPM 12V

NEW

WATER PRESSURE PUMP WITH BYPASS

SEAFLO



The newest addition to SeaFlo diaphragm pumps: the 42 series. It retains the raw power and pressure of its predecessors but also can adapt to situations where huge flow is not needed.

It is a great fit for tight spaces. Can be configured with different inlet types, with unique fittings, to be sure that it fits any application you can find

42 SERIES

- Up to 3.0GPM
- Continuous duty
- Self priming up to 6ft, run dry safe
- Up to 4 outlets
- On-demand use
- Completely rubber mounting-base
- Internal bypass technology reduces cycling
- 16 AWG, 9.4"(23.8 cm) long leads
- Meets or exceeds RoHS, SGS, and ISO standards

PART NO.	MFG#	DESCRIPTION
7200859	SFDP1-030-055-42	Series 42, 55PSI 3GPM 12V

NEW

WATER PRESSURE PUMP
41 SERIES

SEAFLO



Seaflo's 41-Series pump provides high volume water flow with reduced pump cycling, thanks to the quad chamber diaphragm and internal bypass. Runs on water systems with no accumulator tank necessary, and up to five outlets. It is also suited for use with a holding tank water system.

41 SERIES

- Up to 4.5GPM
- Quick-Connect fittings
- Self priming up to 6ft, run dry safe
- Up to 5 outlets
- On-demand use
- Rubber mounting-feet
- Can be used for Fresh & Salt Water
- Adjustable pressure switch
- 16 AWG, 4.5"(11.4 cm) long Leads
- Meets or exceeds RoHS, SGS, and ISO standards

PART NO.	MFG#	DESCRIPTION
7200861	SFDP1-045-040-41	Series 41, 40PSI 4.5GPM 12V

NEW

WATER PRESSURE PUMP

SEAFLO



The 5-chamber 55-series is SeaFlo's Heavy-Duty water pump. It provides high volume water flow with reduced pump cycling.

With built-in bypass function, it can reduce rapid cycling and allow water to flow back from the outside to the inlet side of the pump.

55 SERIES

- Up to 5.5GPM
- Low starting pressure, reduces cycling
- Can supply up to 4 fixtures
- Run dry capable for normal workloads
- Self Priming up to 6ft
- On-demand combine with by-pass
- Fresh water or salt water available
- 16 AWG, 9"(22.8 cm) long Leads
- Meets or exceeds RoHS, SGS, and ISO standards

PART NO.	MFG#	DESCRIPTION
7200863	SFDP1-055-060-55	Series 55, 60PSI 5.5GPM 12V

AQUA JET UNO

SPXFLOW
Johnson Pump



- 5.2GPM, 40PSI, 15Amp @ 12V, 3/4"hose
- Medium demand unit consisting of an Aqua Jet WPS five-chamber diaphragm pump integrated with a pre-pressurised 2 liters accumulator tank and inline strainer
- The unit's design allows for either vertical or horizontal installation

PART NO.	MFG#	DESCRIPTION
9921-128	10-13408-03	12V
9921-129	10-13408-04	24V

AQUA JET DUO WATER PRESSURE SYSTEMS

SPXFLOW
Johnson Pump



- Two parallel connected Aqua Jet WPS five-chamber diaphragm pumps on a fixed base with a pre-pressurised 2L accumulator tank and PUMProtector inlet strainer
- Capacity 10.4 GPM
- Cut-off pressure 41 psi
- 3/4" hose connection

PART NO.	MFG#	DESCRIPTION
9921-104	10-13409-01	12V
9921-105	10-13409-02	24V
9922-511	09-46781-01	Pressure switch

PUMPROTECTOR STRAINER

SPXFLOW Johnson Pump



UNIVERSAL



INLET

The PUMProtector inlet and universal strainers feature transparent covers for simple inspection, a wide variety of KlickTite port connectors for simple installation and removal, and high quality materials for simple maintenance.

Diameter: 3.15" (80mm) **Height:** 2.35" (60mm)
Weight: 0.33 lbs. (0.15 kg) **Mesh size:** 40
Max Liquid Temp.: ±120°F (±50°C)
Max Temp. for Drinking Water: ±85°F (±30°C)
When a pipe thread connection is required, simply cut off the barb portion of the adapter.

Ports:

- **Universal Strainer:** 2 x (1/2" hose / 3/8" NPT) 2 x (3/4" hose / 1/2" NPT)
- **Inlet Strainer:** 1 x (1/2" hose / 3/8" NPT) 1 x (3/4" hose / 1/2" NPT) Built-in KlickTite

PART NO.	MFG#	DESCRIPTION
7503000	09-24652-02-CN	Universal Strainer
7503002	09-24653-02-CN	Inlet Strainer

ACCUMULATOR TANK

JABSCO



Intended for installation in any pumped water pressure system found in boats, RV's, motor caravans, coaches that are controlled by a pressure switch. Softens the water flow by using an internal bladder to absorb the variations in pressure between the pump and the outlets in the system. This, in turn, reduces noise from the pump motor, shock pressures (pipe hammer) as well as reducing battery drain and promoting longer pump life. Also provides better control over hot water temperature especially noticeable with instantaneous gas water heaters and with showers.

Tank: Pressure Resistant Plastic Construction
Capacity: 1 liter (33 fl oz)
Max. Operating Pressure: Up to 125 PSI (8.6 bar)
Pre-Charge Pressure: 10 PSI (0.7 bar)
Air Valve: Standard Tire Valve **Weight:** 1.6 lbs. (0.7 kg)
Dimensions: 13-1/4" (337mm) x 4-3/4" (119mm)

PART NO.	MFG#	DESCRIPTION
7200731	30573-0000	Tank w/Bladder

2840 SERIES WATER BOOSTER SYSTEM

JABSCO



- The pump is fully automatic, with built in inlet strainer, pressure switch and check valve, and supplies smooth flow from trickle to full flow
- Typical uses include applications where available water pressure is very low, and fluctuates widely

PART NO.	MFG#	DESCRIPTION
9921-248	02840000A	115VAC
9921-249	02840100A	12V
9921-247	02840300A	24V

NEW

PUMPGUARD™ 90º WATER STRAINER

JABSCO



This PumpGuard 90 degree Quick Connect Water Strainer is designed with a Large 23 mm Format Direct Plug-In Quad Port Outlet and Large Format Snap-In Port Inlet. Placed before the pumps inlet It will filter water and protect the check valves and pressure switch.

- Fine 40 Mesh Stainless Steel Screen.
- Fits 6 GPM or lager pumps.
- Requires large format fittings

PART NO.	MFG#	DESCRIPTION
7503010	46400-0711	Water Strainner

NEW

ACCUMULATOR TANK 0.75 LTRS.

SEAFLO



This Pressurized Accumulator Tank holds a reservoir of air and water down stream from the pump. The air acts as a cushion, absorbing pump and pressure fluctuations, smoothing the flow and making the system quieter. Accumulators allow the pump to reach shut-off pressure more smoothly which reduces the on/off cycle which gives better control of hot water delivery.

- Smoother flow, quieter water systems.
- Internal rubber membrane eliminates maintenance.
- Better control of hot water delivery temperatures.
- Simply fits new or existing systems.
- Longer pump life, lower battery drain.
- Standard automotive style tire valve
- Snap-in port fittings.

Pre Charge : 10 psi., Maximum : 125 psi.
Port Sizes: 1/2" MNPT
Includes : 2x 1/2"-14 FNPT x 1/2" Barb Straight Fittings
Outside Dimensions : 8"H x 5"W x 5" Deep

PART NO.	MFG#	DESCRIPTION
7200865	SFAT-075-125-01	Accumulator Tank, 0.75 Ltr.

PUMP INLET STRAINERS

JABSCO



- Keeps debris from entering water system pump
- Stainless steel 40 mesh screen and a threaded cover to make cleaning quick and easy

PART NO.	MFG#	DESCRIPTION
7503050	46400-0002	1/2" Hose barb ports
7503075	46400-0000	3/4" Hose barb ports
9922-372	46400-0004	1/2" Male threaded QEST ports

PLUG IN PORTS

JABSCO

2 Ports per kit, will fit all Flojet and Jabsco Pumps.
Except 3/4" Garden Hose Port



PART NO.	MFG#	DESCRIPTION
7200706	1877K-3211S	3/4" Garden Hose, Single pc.
7200707	1877K-3222S	3/4" Hose, pair
7200708	1877K-2222S	1/2" Hose, pair
7200709	1877K-2222E	90° for 1/2" Hose, pair
7200710	1877K-2242S	1/2" Male NPT, pair
7200712	1877K-3322S	3/4" Hose, for 6 GPM, pair
7200713	1877K-3311S	3/4" Garden Hose, for 6GPM

KUUMA PREMIUM MARINE WATER HEATERS



Front/Rear Mount Shown

Enjoy hot water heated dockside with 120VAC power or with engine heat when underway. These Kuuma hot water heaters feature a marine-grade aluminum case and a clad aluminum tank with a 1500W heating element and a large diameter, dual-loop heat exchanger. The circuitry is ignition protected, and each heater includes a high-temperature limiter with automatic reset.

All connections are on the FRONT of the water heaters. Not for use with raw water. Use with engine coolant only.

Specifications
Power: 120VAC, 1500W, 12.5A
Heater Ports: 1/2" NPT
Heat Exchanger Ports: 5/8" Hose Barb



Front/Rear Mounts Side Mounts

***SIDE and FRONT/REAR refers to the location of the mounting tabs.**

Capacity	6 Gallon	6 Gallon	11 Gallon	11 Gallon
Mount	Front/Rear	Side	Front/Rear	Side
Width	13.75"	16.625"	16.25"	18.875"
Height	13.625"	13.625"	16.25"	16.25"
Depth	19.75"	19.375"	23.25"	21.625"

PART NO.	MFG#	DESCRIPTION
7014050	11810	Side Mount, 6 Gal.
7014051	11811	Front/Rear Mount, 6 Gal.
7014055	11840	Side Mount, 11 Gal.
7014056	11841	Front/Rear Mount, 11 Gal.
7014048	11930	Thermostat, All Models, 120/240VAC
7014049	11920	High Temp Limiter, All Models, 120VAC
9921-269	02858	Heating element

WATER HEATERS WITH HEAT EXCHANGER



Cylindrical Water Heaters

- 1200W, 100V
- 1/2" output; relief/non-return valve allows discharging
- Every part that may be in contact with water is AISI 316 stainless steel
- Heat exchanger has a high capacity coiled stainless steel tube over 3 meters long; electric element has adjustable safety thermostat
- Complete with mounting brackets for wall or floor mounting

PART NO.	MFG#	DESCRIPTION
9994-710	FLB31512S0LVA00	4gal (15L), 12-15/32 x 15-31/32
9994-720	FLB32012S0LVA00	5.3gal (20L), 12-15/32 x 19-11/16
9994-725	FLB32512SLV0A00	6.6gal (25L), 12-15/32 x 23-27/32
9994-735	FLB33012S0LVA00	8gal (30L), 15-1/8 x 19-1/2
7014040	FLB34012SLV0A00	10.6gal (40L), 15-1/8 x 24-7/16
9994-755	FLB36012SLV0A00	15.9gal (60L), 16-19/32 x 28-5/32
7014080	FLB38012SLV0A00	21.1gal (80L), 16- 19/32x 35- 21/32

COMPACT WATER HEATER



- 7-3/32" W x 20-15/32" D x 15-3/4" H
- 1200W
- 316 stainless steel
- Compact and easy to install
- 110V



PART NO.	MFG#	DESCRIPTION
9994-715	FLBX1612SLV0A00	4.2 gal. (16L)

Thermostatic Mixing Valve Kit



- Simple to install kit to regulate water temperature before it even leaves the tank

PART NO.	MFG#	DESCRIPTION
7014099	FLKMT0000000A00	Kit

Adapter Fitting - Quick Heater to NPT



- Required to convert 1/2" BSP threads on Quick water heaters to 1/2" NPT.

PART NO.	MFG#	DESCRIPTION
9994-771	FVSLR12MF30NA00	Model - mnrc12mf30ng

REPLACEMENT PARTS for quick water heater

PART NO.	MFG#	DESCRIPTION
9994-780	FVSLTB152700A00	Replacement thermostat
9994-782	FVSLRSB12110A00	Replacement heating element
9994-783	FVSLVS126B00A00	Pressure relief valve

20 GALLON WATER HEATER



- Front Heat Exchanger
- 4-Way mounting
- 1500W element, 120v-60Hz

PART NO.	MFG#	DESCRIPTION
9921-265	11870	18-7/8" W x 29-3/4" H x 20-3/4" D
9921-269	02858	Heating element

WATER HEATERS

These water heaters feature aluminium tanks and hold down brackets, dual wall heat exchangers, and ignition protection with your choice of marine galvanized or stainless steel exteriors.



All Seaward water heaters come with rear heat exchangers except 7014018 which comes with front heat exchanger.

Available capacities are 6, 11, or 20 gallon models. Rated for 120V. UL/CE approved. Can also be hooked up on the engine. 120V/15A .

PART NO.	DESCRIPTION	SIZE
7014005	6 Gal. Galv.	13"W x 19"D x 13"H
7014006	6 Gal. S/S	13"W x 19"D x 13"H
7014010	11 Gal. Galv.	16"W x 22"D x 16"H
7014011	11 Gal. S/S	16"W x 22"D x 16"H
7014018	20 Gal. S/S	20-1/4"W x 20-1/4"D x 27"H

Multi-Outlet Water Pressure Systems

Features smooth flow, hot and cold mix at showers and minimum cycling at high or low demand.





HOLDING TANK SYSTEMS

ODOUR FREE, PREMIUM QUALITY PERFORMANCE



Dimensions:

- 28 Gal. 19.5"H x 19.0"W x 30.0"L
- 40 Gal. 20.0"H x 21.0"W x 35.0"L

Designed for virtually any type III MSD system, they use top mounted fittings and diptube discharge plumbing to prevent potential leaks.

Multiple discharge outlets eliminate the need for complex plumbing and extra discharge line connections.

These corrosion-proof, leak-proof and odour-proof high density polyethylene tanks include a T-series discharge pump, a DTM04 four-level tank monitoring system, a vent filter and a tank saver relief valve, all pre-plumbed and pre-tested. They are easy to install with no solvent bond connections required.

Inlet and Discharge Plumbing: 1.5" ID Sanitation Hose
Vent Plumbing: 5/8" ID Sanitation Hose
Note: Filter should be changed every season. ISO/USCG Compliant.

PART NO.	MFG#	DESCRIPTION
7015328	322012812	28 Gal., 12V, 6A
7015329	322012824	28 Gal., 24V, 3A
7015341	322014024	40 Gal., 24V, 3A
7920067	309311004	Vent Filter
7920072	317301200	Pump, T12, 12VDC
7920073	317302400	Pump, T24, 24VDC

WATER AND HOLDING TANKS

food GRADE



These water/holding tanks are constructed and designed to meet both water and holding applications. All tanks are constructed from polyethylene making it strong and durable.

The openings are all standard sizes and easily adapt to any vessel. These tanks have all female NPT openings consisting of, two 1-1/2" fill, one 1/2" vent, and one 1/2" supply. All of the openings are located on one end of the tank.

- Fitting kits are not included
- Complies with FDA regulations CFR 177.1520 Meets Coast Guard standards

PART NO.	GAL	DESCRIPTION
7015206	6	16"L x 12"W x 8"H
7015209	9	17"L x 14"W x 10"H
7015213	13	24"L x 10"W x 14"H
9921-275	15	25"L x 11"W x 15"H
7015220	20	30"L x 16"W x 10"H
7015235	35	36"L x 15"W x 16"H
7015255	55	54-1/2"L x 13"W x 20"H

TANK WATCH 1 HOLDING TANK ALERT SYSTEM 12/24V



Highly reliable micro float switch activates a red warning light when tank is full. No electrical components come in contact with waste-no messy probes to clean. Installs easily on any rigid tank material. Operates on 12/24VDC. **Includes micro float switch, panel, & gasket.**

PART NO.	MFG#	DESCRIPTION
980040	313002311	Holding Tank Alert System

FRESH WATER TANKS – FLEXIBLE



*Approximate dimensions when filled

- Reliable, high resistance flexible water tanks
- Light and form-fitting, Used where installation of arigid tank is impossible due to the shape of the boat or difficult access
- Double envelope construction makes maintenance simple; inner chamber (bladder) can be easily removed from the outer envelope for cleaning or examination
- Supplied with 1-1/2" inlet fitting and 1/2" outlet valve

TANK PART NO.	MFG#	GAL	L.	DIMENSIONS* LxWxH IN.	BLADDER PART NO.	MFG#
9990-133	70963	13	50	30 x 30 x 10	**9990-591**	70964
9990-134	70965	27	100	44 x 30 x 10	**9990-592**	70958
9990-130	70955	40	150	59 x 30 x 10	**9990-593**	70960
9990-131	70956	53	200	77 x 50 x 10	**9990-594**	70961
9990-132	70957	32	120	Triangular48 x 43 x 10	**9990-595**	71031
9990-596	19265			1-1/2" inlet &1/2" outlet spare fittings		

ALL PURPOSE TANK



- This new universal tank is suitable for diesel, fresh water or waste water
- Made of thick walled high grade linear polythene, which is both rust free and less prone to condensation compared with a metal tank
- The contents level can be seen from outside for easy checking
- Supplied with labels which are used to specify the tank contents (diesel, fresh water or waste water)
- Supplied without fittings and therefore these can be installed wherever you choose

PART NO.	MFG#	GAL	L.	DIMENSIONS* LxWxH IN.
9991-447	ATANK042	11	42	18 x 14 x 11-3/8
9991-412	ATANK061	16	61	26 x 14 x 11-3/8
9991-413	ATANK088	23.25	88	31-1/2 x 15-3/4 x 13
9991-414	ATANK110	29	110	47 x 14 x 11-3/8
9991-417	ATANK215	57	215	39-1/2 x 15-3/4 x 23-5/8



Float Sensor for Waste Water Tanks

- Arm length adjustable from 7-7/8" to 16-1/3"

PART NO.	MFG#	DESCRIPTION
9991-390	WWSENSORA	12/24V

90° Extraction Pipes

- 1-1/2" hose nipple; for grey and black waste water tanks

PART NO.	MFG#	DESCRIPTION
9991-439	WTS78038B	30-11/16"



90° Hose Connections for Rigid Tanks

PART NO.	MFG#	DESCRIPTION
9991-423	RT13B	½"
9991-424	RT16B	⅝"
9991-425	RT19B	¾"
9991-426	RT25B	1"
9991-428	RT38B	1-½"

WASTE WATER TANKS BULKHEAD MOUNTED



- Installed components include: suction pipe with 1-1/2" angled hose connector, 1-1/2" angled hose connection for discharge, inspection cover, 3/4" angled hose connection for tank ventilation
- Odour impermeable polythene; contents level can be seen from outside



CONNECTION KIT FOR WASTE WATER TANKS (SOLD SEPARATLY)

- Kit includes 2 inspection lid

PART NO.	MFG#	GAL	L.	DIMENSIONS* LxWxH IN.
9991-420	WW60W	16	60	17.3 x 13.8 x 26.2
9991-421	WW80W	22	80	22.4 x 13.8 x 26.2
9991-418	BTKIT	Connection Kit (Sold Separatly)		

FLEXIBLE WASTE WATER TANKS

- Odour tight flexible tanks for grey and black waste



- Flexible tanks assume the shape of the space where they are placed; easily and quickly installed in places normally difficult to reach
- Right angle nipples for inlet fitting (1-1/2") and outlet fitting (5/8")
- **Triple layer construction:** wear resistant layer, reinforcement layer and taste-free/odour tight layer

*Approximate dimensions when filled

PART NO.	MFG#	GAL	L.	DIMENSIONS* LxWxH IN.
9991-514	TANKV70	18-1/2	70	30.5 x 30.5 x 10.5
9991-515	TANKV100	26-1/2	100	31 x 39.4 x 10.5
9991-516	TANKV160	42-1/2	160	31 x 56 x 10.5
9991-517	REPSETOT	Repair kit		

GREY WATER TANK



- Designed to be used as collection tank for waste water from showers, sinks, etc.
- 3/4", 1" and 1 ½" inlet ports
- 3/4" and 1" outlet ports
- Includes an Ultima Switch for automatic operation and is easy to connect to any 12V/24V pump up to 20 amp
- The tank is prepared for Viking Power 16, with pre-drilled holes for the pump

PART NO.	MFG#	DESCRIPTION
9921-113	09-13384	8" H x 12" W x 15" L

SEE 9922-03 OR 9922-034 PUMP

For the most up to date pricing, please visit maritimemarinesupply.ca/price

ECO HOLDING TANK VENT FILTER

DOMETIC



- Universal vent filter used for new installations or as replacement
- New design channels gases thru charcoal media making it more effective at odor elimination
- Includes mounting bracket and adapters to fit sealand and dometic vent filters
- Comes with hose adapters for 5/8", 3/ 1" and 1-1/2" hose I.D.
- Replace filter annually for best results
- Replacement Cartridge

PART NO.	MFG#	DESCRIPTION
7920067	309311004	Holding Tank Vent Filter

MARINE HOLDING TANK VENT FILTER

CAMCO



- Filter contains granular activated carbon (GAC) for maximum odor control.
- Installs easily to your boat's vent hose.
- Includes: A filter, mounting bracket and fittings for standard garden hose connections,
- 3/4" and 5/8" barbed hose connections.

PART NO.	MFG#	DESCRIPTION
7920130	50190	Bracket Dimensions: 12-1/8"L x 2-3/4"D

NO-SMELL FILTERS FOR TOILET WASTE TANKS

vetus



- Sizes shown indicate connectors for breather hose

PART NO.	MFG#	DESCRIPTION
9991-440	NSF16S	Small, 5⁄8"
9991-442	NSF16	5⁄8"
9991-443	NSF19	3⁄4"
9991-444	NSF25	1"
9991-445	NSF38	1-1⁄2"

The changeable filter element should be replaced once a year.

PART NO.	MFG#	DESCRIPTION
9991-441	NSF16FES	Spare filter element, small
9991-446	NSF16FE	Spare filter element, large

INLINE NON-RETURN VALVES

SPXFLOW Johnson Pump



- Maintains prime in suction or discharge

PART NO.	MFG#	DESCRIPTION
9921-115	09-24792	1" and 1-½"
9921-116	09-24818	¾" and 1-¼"

LOCKABLE "Y" SELECTOR VALVE

JABSCO



Lockable selector lever. Ports can be rotated so discharge plumbing can be routed away in parallel, at 90° in opposite directions, or either up or down without disassembly. Self-cleaning design provides easy operation. **Supplied with 1-1/2" ports and extra 1" straight inlet port.**

PART NO.	MFG#	DESCRIPTION
7557149	45490-1000	1-1/2"

Y VALVE

SPXFLOW Johnson Pump



- Allows waste to be pumped directly into holding tank or diverted to another discharge
- Includes 2 rotating 1-1/2" fittings and one each of 1" and 1-1/2" straight fittings

PART NO.	MFG#	DESCRIPTION
9921-110	81-47238-01	1" and 1-1⁄2"

UNIVERSALINSPECTIONPORT

vetus



- Large inspection port for (bio)diesel fuel, fresh water and waste water tanks has a flange-in-ring design which makes installing the port very easy in tanks constructed from most common materials.
- Dimension Ø120 mm / 159 mm hole
- Suitable for G.R.P., stainless steel and plastic tanks with different wall thicknesses

PART NO.	MFG#	DESCRIPTION
9991-880	ILT120B	Universal

90° HOSE CONNECTIONS

vetus



Connections for Rigid Tanks

PART NO.	MFG#	DESCRIPTION
9991-423	RT13B	1⁄2"
9991-424	RT16B	5⁄8"
9991-425	RT19B	3⁄4"
9991-426	RT25B	1"
9991-428	RT38B	1-1⁄2

Connections for Flexible Tanks

PART NO.	MFG#	DESCRIPTION
9991-429	FT13B	1⁄2"
9991-430	FT16B	5⁄8"
9991-431	FT19B	3⁄4"
9991-432	FT25B	1"
9991-434	FT38B	1-1⁄2"

TANK CONNECTION KIT

vetus



- Inspection lid, one 1-1/2" and two 5/8" right angle connections, 2 mounting straps, and T-joint

PART NO.	MFG#	DESCRIPTION
9991-454	WTKIT	Connection kit
9991-455	WTIKIT	Inspection lid only

WATER & HOLDING TANK ACCESSORIES

todd Marine Products



Fitting Relocation Kits enable a boater to plug up existing threaded fitting openings and to custom position the new fitting openings anywhere on the tank. **Instructions included.**

PART NO.	MFG#	DESCRIPTION
7015110	90-2219	Holding Tank Relocation Kit
7015010	90-2218	Water Tank Relocation Kit

VENT LOOPS



7920150



7920075

Moulded of rugged nylon. Smooth inside for maximum flow through. Prevents siphoning of water into your boat. Fits marine sanitation hose. **For use with toilets mounted below water line.**

PART NO.	MFG#	DESCRIPTION
7920075	**3101**	3/4" with 1/4" Vent (no check valve)
7920150	**3132**	1-1/2" with 5/8" Vent (check valve)

VENT LOOPS





Cast Bronze vented loops available in 2 sizes.

PART NO.	MFG#	DESCRIPTION
9924-170	00VL75	3/4"
9924-160	00VL150	1-1/2"

VENTED LOOPS



- To prevent siphoning on toilet installations below waterline
- 3/4" fits standard toilet intake; 1-1/2" fits standard toilet discharge

PART NO.	MFG#	DESCRIPTION
9921-108	81-47237-02	Vented loop, 1"
9921-109	81-47237-03	Vented loop, 1 1/2"

ANTI-SIPHON DEVICE WITH VALVE



- Virtually maintenance free
- Can be easliy dismantled by hand for cleaning
- Suitable for 1/2", 3/4", 1", and 1-1/4" ID hose

PART NO.	MFG#	DESCRIPTION
9991-985	ASDV	Grey

AIR BREATHER VENTS



- Self contained; requires periodic maintenance to prevent clogging
- Suitable for 1/2", 3/4", 1", and 1-1/4" ID hoses
- Prevents cooling water being siphoned into stopped engine, if cooling water injection point is less than 6" above or below waterline

PART NO.	MFG#	DESCRIPTION
9991-435	AIRVENTV	With internal valve
9991-436	AIRVENTH	With hose, external valve



WINTERSAFE -50F DUAL PURPOSE BOAT/RV ANTIFREEZE



Safe for all engines, non-toxic propylene glycol formula. Provides protection down to -50°F (-46°C). Contains corrosion inhibitors that protect all engine components and seals. Most effective way to protect all marine engines & water systems from freeze-up during winter storage.

Not made with recycled materials.

- Safe for all engines and water systems.
- Non-toxic product.
- Safe for Copper, Brass and plastic, rubber and solder
- Ethanol-Free
- Corrosion inhibitors to protect engine components & seals.

PART NO.	MFG#	DESCRIPTION
5222000	31200	1 Gallon
5222055	312G55	55 Gallon Drum

ANTIFREEZE -100 NON-TOXIC



WINTERSAFE

The Ultimate in extreme cold weather and corrosion protection for all engines and drinking water systems. Premium additive prevents corrosion of aluminum, copper, brass or solder and will not harm rubber, plastic, seals or hose materials.

The 3X-dyed blue-green colour provides excellent blow-through visibility. Non-toxic USP-grade ingredients containing no alcohols. Ready-to-use or may be diluted – please follow label directions for dilution ratios.

Provides burst protection to -100°F (-73°C) and freeze protection within a range of -58°F to -63°F (-50°C to -52°C). Used in boats, RVs, vacation homes, pools.

PART NO.	MFG#	DESCRIPTION
5222001	31500PK	1 Gallon
5222056	315G55PK	55 Gallon Drum

QUICK-TURN PERMANENT BY-PASS KIT





Save on antifreeze when you winterize with this easily installed water heater by-pass kit. Sturdy, brass backflow resister and 100% shut-off valve lets you bypass the water heater with a single turn.

PART NO.	MFG#	DESCRIPTION
7013999	35983	Quick Turn Bypass Kit

BLOW-OUT PLUG



Completely clear your water lines with blow-out plugs. Screw the plug into the city water inlet, open all drains and faucets, attach and activate air pump until all lines are clear.

PART NO.	MFG#	DESCRIPTION
7013995	36153	Brass Blow-out Plug

MARINE DESCALING FLUID



- Removes scale and deposits from all marine engines
- Will not damage engine seals, gaskets or rubber impellers
- Pick between Ready to Use or Concentrate, 1 Concentrate to 4 parts water.

PART NO.	MFG#	DESCRIPTION
5491195	084000C	Premixed Ready to use, Gallon
5491196	083900C	Concentrated, Gallon

INDUSTRIAL WATER HOSE ASSEMBLIES



Industrial grade water hose assemblies have machined HEX brass ends. Green and Black assemblies have EPDM cover and tube with high tensile spiral synthetic yarn reinforcement. They are best suited for applications requiring maximum flexibility. Blue assembly has uniquely blended PVC compounds to enhance cold weather flexibility and give this hose the look/feel of a comparable rubber hose. Outer layer is non-marking and it is ozone and atmosphere resistant.

Green: 1/2" ID, 200 PSI
Black: 5/8" ID, 200 PSI
Blue: 5/8" ID, 250 PSI

PART NO.	MFG#	DESCRIPTION
3957002	WHGL8GRN-50H	1/2" x 50', Green
3957004	WHGL8GRN-100H	1/2" x 100' Green
3957012	WH10BLK-50H	5/8" x 50', Black
3957013	WH10BLK-75H	5/8" x 75', Black
3957014	WH10BLK-100H	5/8" x 100', Black
3957023	WH10BLU-75H	5/8" x 75, Blue

NEW

BLUE PYTHON WATER HOSE KIT



This hose combines top resistance with a clever expanding design, up to 3 times its original length with water on, depending on the pressure exerted. Withstands high pressure in marinas, up to 10 bar.

Comes complete with a male/male connector, a universal 1/2" and 3/4" tap connector and an 8-way adjustable spray nozzle.

Max. length: 22-1/2 meters
Length when retracted: 7-1/2 meters

PART NO.	MFG#	DESCRIPTION
9990-970	2500080	Stretching Water Hose w/ Nozzle

MARINE DRINKING WATER HOSE



- Extra flexible construction holds no memory, making it easier to position and store
- Nickel-plated 5/8" machined fittings & stainless strain reliefs on each hose end
- Drinking water safe with a lead-free, BPA-free and phthalate-free formulation

PART NO.	MFG#	DESCRIPTION
3957432	22594	25ft Water Hose
3957433	22596	50ft Water Hose

DRINKING WATER HOSE



Super heavy duty hoses are reinforced for maximum kink resistance. Especially useful when hooked with a Y-valve to your main faucet. Made of FDA approved materials; drinking water safe.

PART NO.	MFG#	DESCRIPTION
3957430	22783	25' x 5/8" Drinking Water Hose
3957431	22793	50' x 5/8" Drinking Water Hose

DRINKING WATER HOSE

The EvoFlex2 hose is manufactured to be drinking water safe boasting a lead-free, BPA-free, and phthalate-free formulation. It is extra flexible with a tough polyester outer fabric that helps maintain the hose's shape and protect it from breaks, cracks and leaks.



- 5/8-inch internal diameter (ID).
- Reliable aluminum fittings with molded strain reliefs.
- UV stabilized.
- Keeps water pleasant to drink.
- Compact for simple storage.
- Includes a storage bag.
- Standard garden hose thread

PART NO.	MFG#	DESCRIPTION
3957440	22577	Drinking Water Hose, 25'
3957441	22579	Drinking Water Hose, 50'

ADJUSTABLE WATER NOZZLE



This In-Line Water Nozzle has a Zinc body with an Adjustable Brass tip. It has an insulating soft rubber grip for comfort and easy handling.

PART NO.	MFG#	DESCRIPTION
6914167	GHTN-RG	6", Adjustable Nozzle

HAND LEVER NOZZLE



- On/off hand lever flow control adjustable spray pattern
- Soft rubber comfort grip
- Fits any standard hose

PART NO.	MFG#	DESCRIPTION
9951-331	41987	Hand Lever Spray Nozzle

ADJUSTABLE WATER NOZZLE



This Pistol Grip Water Nozzle has a zinc body with an adjustable Brass Spray Nozzle. The pull rod and nut are also Brass and the Chrome plated steel lever has a soft rubber coating. It also has an insulting soft rubber hand grip for comfort and easy handling.

PART NO.	MFG#	DESCRIPTION
6914165	GHN-BN	5-1/2" Water Nozzle

INDUSTRIAL WATER NOZZLE



This Industrial Pistol Grip Water Nozzle has a Zinc body with a chrome plated steel lever and a brass pull rod and nut. It has a threaded front for accessories with a removable thread protector. It sprays from a fine mist to a heavy stream.

PART NO.	MFG#	DESCRIPTION
6914163	GHN	5-1/2", Nozzle

HOSE HANGER





This handy little Hose Hanger attaches in-line between your water hose and your spray nozzle. It easily hooks over your 1" rail for convenient access.

PART NO.	MFG#	DESCRIPTION
3957434	20191	Hose Hanger

QUICK DISCONNECT COUPLER



Hose End
6914185



Nozzle End
6914186

These Brass water hose Quick Disconnect Couplers make it easy to join your water nozzle with your water supply.

PART NO.	MFG#	DESCRIPTION
6914185	QD-WHCF	Coupler
6914186	QD-WHNM	Nipple

WATER HOSE COUPLING



6914180



6914181

These Water Hose Couplings come with shut-off valves for easy flow control.

PART NO.	MFG#	DESCRIPTION
6914180	199-WV	In-Line Coupling w/Valve
6914181	202-WV	"Y" Coupling w/Valves

SEAPEX FLEXIBLE PIPING

1/2" ID, 15mm OD flexible piping is produced from high-performance, cross linked polyethylene material. Seapex piping is the only marine grade piping product that is NSF listed, FDA recognized and available in multiple colours for ease of water line identification.

Seapex provides the reliability of metal without corrosion and gains the flexibility of plastic with abrasion resistance. Seapex piping cutter is recommended for best results when cutting.

Operation Pressure: Vacuum to 160 PSI
Temperature Range: Max. 100 PSI at 180°F
Maximum: 160 PSI at 73°F
Minimum Burst Pressure: 215 PSI at 180°F, 480 PSI at 73°F
Standard Coil: 250'

food GRADE



PART NO.	DESCRIPTION
7015504	1/2" ID 15mm OD Red Piping 50FT
7015509	1/2" ID 15mm OD Blue Piping 50FT
7015505	1/2" ID 15mm OD Red Piping 250FT
7015510	1/2" ID 15mm OD Blue Piping 250FT

NEPTUNE PIPE CONNECTORS

Manufactured from high performance plastics and metals the 1/2" flow size connectors are designed for use specifically with Seapex flexible pipe, plastic, brass, copper, and stainless tubing. They are used as a leak free connection with hot, cold, marine, and RV water systems. A leak free connection is made by simply pushing the Seapex piping into the fitting. An o-ring inside the connector seals on the outside of the piping while allowing the piping to rotate under full pressure. The connectors are intended to be used with potable water, beverage, fresh water, salt water, grey, and raw water. Neptune connectors are rated for pressures up to 100 PSI and temperatures of -40°F to +180°F.

SEAPEX PIPING CUTTER



"The right tool for the job". The Seapex cutter is designed for proper cuts to the Seapex piping. This is very important for installing and maintaining a well sealed trouble free system.

PART NO.	DESCRIPTION
7015500	New Style Replacement Blade
7015501	Cutter

INLINE SHUT-OFF VALVE



Shut-off Valve for 15mm OD flexible piping.

PART NO.	DESCRIPTION
7015525	Plastic Shut-Off Valve

COLLET COVER



For 15mm OD Fittings

PART NO.	DESCRIPTION
7015506	Plastic Red Collet Cover
7015511	Plastic Blue Collet Cover
7015515	C-Locking Clip
7015516	O-Ring 15mm

MALE CONNECTOR



Male Connector for 15mm OD flexible piping.

PART NO.	DESCRIPTION
7015568	Plastic Male 1/2" NPT Connector
7015562	Brass Male 1/2" NPT Connector

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

FOOT MOUNT ELBOW



Foot Mount Elbow for 15mm OD flexible piping x 1/2" pipe thread. Great for shower head mount.

PART NO.	DESCRIPTION
7015546	Plastic Elbow

HOSE BARB



Hose Barb for 15mm OD x 3/8" flexible piping.

PART NO.	DESCRIPTION
7015567	Hose Barb

STEM ELBOW



Stem Elbow for 15mm OD flexible piping.

PART NO.	DESCRIPTION
7015544	Stem Elbow

MALE STEM CHECK VALVE



Brass Male Stem Check Valve for 15mm OD Stem x 1/2" NPT.

PART NO.	DESCRIPTION
7015526	Check Valve

PIPE CLIP



These Pipe Clips are designed to hold flexible piping firmly in place. They can be anchored individually or interlocked for a very tight arrangement.

They can be anchored with screws through the base or they can be inserted into a clip rail (screws not included).

PART NO.	DESCRIPTION
7015520	Pipe Clip, 1/2" 15mm

FEMALE SWIVEL ELBOW



Female Swivel Elbow for 15mm OD x 1/2" UST & 3/4".

UST is Universal Straight Thread that fits NPT, BSP and any other 1/2" thread.

PART NO.	DESCRIPTION
7015548	Swivel Elbow 1/2"
7015549	Swivel Elbow 3/4"

UNION TEE



Union Tee for 15mm OD flexible piping.

PART NO.	DESCRIPTION
7015541	Plastic Tee

UNION



Union for 15mm OD flexible piping.

PART NO.	DESCRIPTION
7015542	Plastic Union

MALE ELBOW



Male Elbow for 15mm OD x 1/2" NPT flexible piping.

PART NO.	DESCRIPTION
7015545	Male Elbow

UNION STEM CHECK VALVE



15mm OD Union Stem Check Valve.

PART NO.	DESCRIPTION
7015527	Brass Valve

FEMALE SWIVEL CONNECTOR



Female Swivel Connector for 15mm OD x 1/2" UST.

UST is Universal Straight Thread that fits NPT, BSP and any other 1/2" thread.

PART NO.	DESCRIPTION
7015570	Female Swivel

END PLUG



End Plug for 15mm OD flexible piping.

PART NO.	DESCRIPTION
7015528	Plastic End Plug

SeaTech®

A Watts Water Technologies Company

UNION ELBOW



Union Elbow for 15mm OD flexible piping.

PART NO.	DESCRIPTION
7015543	Plastic Union

HOSE BARB



Hose Barb for 15mm OD x 1/2" flexible piping.

PART NO.	DESCRIPTION
7015566	Hose Barb

BRASS MALE STEM



Male Stem for 15mm OD flexible piping.

PART NO.	DESCRIPTION
7015561	Brass 1/2" NPT

FEMALE SWIVEL CONNECTOR



Female Swivel Connector for 15mm OD x 3/4" UST.

UST is Universal Straight Thread that fits NPT, BSP and garden hose thread.

PART NO.	DESCRIPTION
7015571	Female Swivel

FLOW BEND MOUNT



Flow Bend Mount available for 15mm OD and 22mm OD flexible piping.

PART NO.	DESCRIPTION
7015507	15mm

For the most up to date pricing, please visit maritimemarinesupply.ca/price

JABSCO

a xylem brand

Introducing the award winning Quiet Flush E2 Marine Toilet

This innovative toilet has been designed to solve some of your biggest marine waste challenges. With simplified installation, ease of serviceability and sleek touch sensor control, you get a whole new level of convenience and comfort on the water.

EASY 2 INSTALL — **Left, right, and rear discharge options for flexibility**

EASY 2 OPERATE — **Simple operation with a touch sensor control panel**

EASY 2 SERVICE — **Quick release system provides easy access**





xylem.com/jabsco

Scan to view full details and video.

DELUXE FLUSH ELECTRIC TOILET



Vertical Back



Angled Back

Extremely compact design yet still provides household comfort with its regular size seat. **Two models are available.** The angled back version yields a minimal footprint and makes it easy to mount against a sloping surface. The vertical back version allows for snug fitting against a straight bulkhead. Both are carefully contoured to conceal the flush pump as well as the plumbing and wiring. This virtually silent system comes with a remote, self priming PAR-MAX pump and has a choice of leaving the bowl wet or dry after use. These toilets feature a multifunction "one touch" control pad offering 4 rinse and flush options, using as little as 1.5L. Can use salt or fresh water to flush.

Connections: 3/4" inlet hose, 1" discharge hose
Dimensions: 17-1/2" high, 14-3/4" wide, 17-3/4" long

JABSCO

"One-Touch" Control Pad

The Jabsco controller is supplied a standard surface mount unit with a clean white bezel.



PART NO.	MFG#	DESCRIPTION
7920112	58220-3012	12V Angled Back
7920113	58240-3012	12V Vertical Back
7920124	58220-3024	24V Angled Back
7920125	58240-3024	24V Vertical Back

ELECTRIC TOILET

JABSCO



The electric toilet is equipped with a dual function pump which eliminates having to mess with hand pumps and dry bowl valves. With the simple push of a button, the self-priming flush pump rinses the bowl as the macerator and high capacity scavenger pump grinds up waste and pumps it out. Included with the toilet is a heavy duty push-button switch and 1" to 1-1/2" hose adapter for the discharge hose. **Inlet:** 3/4", **Outlet:** 1".

Compact bowl size, along with the luxury of electric flushing, is ideal where space is at a premium.

- Hygienic pure white vitreous china bowl for ease of cleaning.
- Stylized, luxury wooden seat and cover with tough baked enamel coating.
- Stainless steel and bronze fastenings for reliable salt water service.
- Flushing pump self-priming up to 4' (1.2m) vertical lift.
- May be mounted 3' (1m) below the waterline.
- Equally suitable for overboard or holding tank discharge.
- Built-in backflow preventer.
- Complies with USCG 183.410 and ISO 8846 MARINE (Ignition Protection).

Compact Bowl 14"W x 17-3/4"D x 13-1/4"

Household Bowl 14-7/8"W x 19-1/8"D x 14-1/2"

PART NO.	MFG#	DESCRIPTION
7920012	37010-3092	Compact Bowl, 12V
7920024	37010-3094	Compact Bowl, 24V
9924-012	37010-4092	Household Bowl, 12V
9924-013	37010-4094	Household Bowl, 24V

REPLACEMENT PARTS

Repair Kit Includes: Joker Valve, Wear Plate with O-Ring, Gasket Fiber Washers, O-Ring Bowl/Seal, Base Gasket Seal and Retainer Flexible Impeller



7920101



2116305

PART NO.	MFG#	DESCRIPTION
7920101	37040-0000	Repair Kit
2116305	6303-0003-P	Impeller

Macerator Kit Includes: Macerator housing, centrifugal impeller, motor (motor cover not included), flexible impeller set screw, O-ring, sealing sleeve, screws, washers, wearplate kit, gasket, body, seal & retainer, slinger, chopper plate.



7920020 / 7920021



7920013 / 7920025

PART NO.	MFG#	DESCRIPTION
7920020	37041-0010	12V Macerator kit
7920021	37041-0011	24V Macerator kit
7920013	37064-0000	12V Motor Only
7920025	37065-0000	24V Motor Only
9924-037	37006-0000	Macerator Impeller
7920005	29097-1000	Seat Kit, Compact Bowl
9924-107	29127-1000	Seat Kit, Household Bowl

LITE FLUSH ELECTRIC TOILETS





- 15-7/8" W x 14-3/4" H
- Designed to instantly retrofit Jabsco manual toilets
- Uses the same footprint, fixing points and hose attachments
- The self-contained rinse and flush pump system is energy efficient

PART NO.	MFG#	DESCRIPTION
9922-499	58500-1012	12V, with control panel

COMPASS ELECTRIC TOILET



The narrow footprint and smart back of the Compass toilet gives maximum space and maximum flexibility wherever it is installed on board. It can go straight to wall or even further towards the hull thanks to the cut away.

- Compact toilet with a small footprint
- Easy to control the water consumption
- Macerator is incorporated
- Raw water solenoid kit (sold separately) required for installation, see below

Short 14-1/2"H, 14-1/2"W, 19"D

Tall 17-1/2"H, 14-1/2"W, 19"D

Raw Water Flushing





PART NO.	MFG#	DESCRIPTION
9924-121	T-COM012PW/E/NA	Short Toilet, 12V
9924-122	T-COM024PW/E/TC	Short Toilet, 24V
9924-123	T-COM012NW/E/NA	Tall Toilet, 12V
9924-125	T-COM024NW/E/NA	Tall Toilet, 24V
7920259	T- PF.P28	Raw Water Kit, 12/24V, with Pump
7920257	T-PF.P130	Raw Water Kit, 12V, No Pump

FRESH AND RAW WATER KITS FOR EASYFIT TOILETS



7920256-7920257. Kits includes harness, solenoid, switch and mounting hardware. Choose either fresh or raw water as well as voltage to complete your new installation. **Pump not included.**



7920259. The advantage of this Easy-Fit Raw Water Kit is that it prevents overuse of on-board fresh water resources. **Pump included.** Can be set up to run along side a fresh water system with additional hardware (not supplied).

PART NO.	MFG#	DESCRIPTION
7920256	T-PF.P129	Fresh Water Kit, 24V, No Pump
7920257	T-PF.P130	Raw Water Kit, 12V, No Pump
7920259	T- PF.P28	Raw Water Kit, 12V, with Pump



Tecma is an original Italian brand that provides well-designed and totally-reliable marine macerator toilets and bidets. Decades of experience and centuries of national traditions have lifted the brand to the top of its trade.

Some design features are patented and Tecma products have won numerous international design awards.

AQUA T ELECTRIC MARINE TOILETS

SPXFLOW Johnson Pump



- Hygienic, easy-to-clean vitreous china bowl and exterior surfaces
- Low water consumption (2-2.5 L/flush) makes the most of holding tank capacity
- Corrosion resistant materials throughout
- Automatic back-flow prevention

Compact Dimensions 13-5/8" W x 17" D x 15-3/8" H

Comfort Dimensions 14-5/8" W x 19-11/16" D x 14-13/16" H

PART NO.	MFG#	DESCRIPTION
9924-024	80-47435-01	12V, compact
9924-132	80-47436-01	12V, comfort

Replacement Parts

PART NO.	MFG#	DESCRIPTION
9924-077	81-47446-01	Base
9924-078	81-47447-01	Macerator
9924-079	81-47448-01	Pump
9924-090	81-47449-01	Motor,12V
9924-102	81-47451-01	Gasket kit

AQUA T SILENT ELECTRIC MARINE TOILETS

SPXFLOW Johnson Pump



- White vitreous porcelain with corrosion resistant parts throughout
- Compact, quiet, robust and easy to clean
- Water inlet and outlet takes place in two distinct steps: first the bowl is filled with clear water, and then waste is flushed, leaving the bowl empty and clean, with no liquids
- Designed with automatic back-flow prevention

Compact Dimensions 13-1/2" W x 17" D x 13" H

Comfort Dimensions 14-3/8"W x 19-5/16"D x 15-5/32"H

PART NO.	MFG#	DESCRIPTION
9924-049	80-47231-01	12V, compact
9924-133	80-47232-01	12V, comfort

Replacement Parts

PART NO.	MFG#	DESCRIPTION
9924-054	81-47247-01	Base
9924-055	81-47248-01	Motor, 12V
9924-038	81-47248-02	Motor, 24V

Waste-ing Away

Waste Retention or Overboard Discharge

OPTION 1



Discharge waste through a Y-valve directly into a non-restricted area or to a holding tank when within the 3-mile limit using the toilets own pump and an anti-syphon loop.

OPTION 2



Collect waste in an on-board holding tank so that it can be discharged later when you are in un-restricted waters using an electric or manual pump.

OPTION 3



Collect waste in an on-board holding tank for discharge later to a Shore Station using a dockside suction pump or portable utility pump.

OPTION 4



A combination of Option 2 and 3 to give you the flexibility of discharging waste wherever most convenient and without risk to the environment.



Now available in both **Compact and Regular sized bowls,** these toilets feature; Hygienic pure white vitreous china bowls with crevice free contours and smooth mouldings for ease of cleaning.

Automatic vacuum breaker and an angled pump housing with a long stroke for easier pumping and ease of installation. Twist 'n' Lock safety handle and flush control lever. A powerful, self-priming pump for above or below waterline installation that is also reversible mounting for choice of right or left handled installation.

Fittings: Connections for 3/4" (19mm) ID inlet hose
1-1/2" (38mm) ID outlet hose

Size: *Regular:* 18-1/2"W x 19"D x 13-3/4"H
Compact: 17-3/4W x 16"D x 13-1/2"H

PART NO.	MFG#	DESCRIPTION
7920000	29120-5000	Regular Bowl Toilet
7920001	29090-5000	Compact Bowl Toilet

REPLACEMENT PARTS

Service Kits Include: Cap (x2), base valve gasket, seal housing assembly, top valve seat, top valve gasket, ring (flush lever), screw (flush lever), buffer screw (valve cover), o-ring (piston), screw (pump cylinder), joker valve, and valve spring.







7920002



7920019

PART NO.	MFG#	REPLACEMENT PARTS
7920005	29097-1000	3, Seat, lid and hinge set, compact bowl
9924-107	29127-1000	3, Seat, lid and hinge set, household bowl
9924-091	29035-1000	4-Hose
9924-092	58107-1000	5 & 6, Intake seal and elbow
7920007	29041-1000	7-Toilet base, plug, O-ring assembly
9924-093	29028-1000	8-Plug and O-ring, screw (up to '02)
7920016	29043-0000	16-Base Valve Gasket
9924-096	29044-3000	18-Seal housing assembly (from '08)
7920015	29042-0000	21-Top Valve Gasket
9924-085	29046-3000	29-Piston, rod, O-ring assembly
9924-086	29091-1000	32-Discharge flange
9908092	29092-1000	33-Joker valve
9924-088	29029-1000	34-Discharge elbow
9924-098	29094-3000	Valve cover assembly kit
9924-099	29051-2000	Pump cylinder assembly kit
9924-100	29047-0000	Base to Bowl mounting kit
7920019	29045-3000	Service kit for models from '08
7920004	29098-1000	Hinge kit (compact toilet)
7920018	29045-2000	Service kit for 29090-2000 (from '98)
7920002	29045-0000	Service kit for 29090-2000 (up to '97)
7920006	29040-3000	Complete pump assembly
9921-083	29044-2000	Pump seal assembly



7920018



7920006



7920005

AQUA T - MANUAL MARINE TOILETS

SPXFLOW
Johnson Pump

Made from white vitreous porcelain, and with corrosion resistant parts throughout, the Johnson Pump AquaT Marine Toilet is quiet, robust and easy-to-clean. These toilets are equipped with soft closing, durable and hygienic plastic seats. The hand-powered piston pump can be mounted for either left-hand or right-hand use and is equipped with a brass bushing to prevent annoying leakage at the handle.



7920230

Inlet: 3/4"
Outlet: 1-1/2"



7920232

Features:

- Whisper quiet operation, self-priming pump
- Hygienic, easy-to-clean vitreous china bowl and exterior surfaces
- Low water consumption (2-2.5L/flush) makes the most of holding tank capacity
- Versatile plumbing connection options, automatic back-flow prevention
- Designed for virtually any onboard mounting position
- May be installed above or below the waterline
- Suitable for OEM or replacement installation, corrosion-resistant materials throughout



	A	B	C
Compact	14.0"/355mm	16.1"/410mm	17.9"/455mm
Comfort	13.6"/345mm	18.5"/470mm	18.3"/465mm

PART NO.	MFG#	DESCRIPTION
7920230	80-47229-01	Compact Bowl, Round Seat
7920232	80-47230-01	Comfort Bowl, Oval Seat
7920235	81-47239-01	Pump



Replacement Parts

	PART NO.	MFG#	DESCRIPTION
1	**9924-052**	81-47241-04	Compact Toilet seat, plastic
3	**9924-057**	81-47246-01	Intake elbow
4	**9924-053**	81-47242-01	Gasket kit
5	**9924-058**	81-47246-02	Outlet elbow
6	**9924-059**	81-47243-01	Plastic base
7	**9924-071**	81-47267-01	Hinge
8	**9924-349**	81-47268-01	Base gasket kit
9	**9924-072**	81-47269-01	Flush Handle Kit
10	**9924-073**	81-47244-01	Handle Kit
11	**7920235**	81-47239-01	Manual pump assembly

AQUA T SUPER COMPACT MARINE TOILET

SPXFLOW
Johnson Pump



- Smallest and lightest in our AquaT™ marine toilet range
- Reversible pump mounting on manual model, left to right
- Soft close plastic seat on white vitreous porcelain
- Low water consumption. 2,5 l/flush
- Versatile plumbing connection options
- Built-in check valve
- Corrosion resistant materials throughout

PART NO.	MFG#	DESCRIPTION
9924-124	80-47625-01	18" W x 12-1/4" H x 16" D

For the most up to date pricing, please visit maritimemarinesupply.ca/price

FOOT PEDAL CONTROL FLUSH TOILET

GROCO® Quality Marine Products Since 1918



- 3/4" inlet, 1-1/2" discharge
- 16" W x 19" D x 14-3/4" H
- All bronze construction; foot pedal control
- Heavy duty toilet with 3" diameter pump and household size china bowl that can be installed above or below water line
- Includes gaskets, springs, seals, O-rings, joker and ball valve

PART NO.	MFG#	DESCRIPTION
9924-040	K-H	Model KH

- Kit includes: gaskets, spring assembly, check ball, seals, joker valve, piston rings, O ring

PART NO.	MFG#	DESCRIPTION
9924-050	K REGULAR	Service kit

FOOT PEDAL GRAVITY DISCHARGE TOILET 510+ REPLACEMENT PARTS

DOMETIC OUTDOOR

The Dometic 510+ foot-pedal toilet provides the ultimate water-conserving, yet powerful flush using less than 1 pint (0.10 gal./0.39L) of water. Designed to install directly above a holding tank, 500 series toilets feature a patented flush mechanism that creates an airtight seal between the head compartment and the bad smells of the holding tank. The elongated seat and deep bowl provide the most home-like comfort available in pedal-flush toilets. This standard height model is bone colour. **Designed to mount over a 2 bolt 3" closet flange which is ordered separately.** Water connection is 1/2" MPT.



MFG# 302651003



7920060



7920055



7920056



7920050

Replacement Parts Only



7920052



7920053

Dometic 500 series marine toilets provide ultra low-flush water conservation and trouble-free performance while providing all the comforts of a household toilet. Easy pedal operation enables hands-free flushing.

PART NO.	DESCRIPTION
7920050	2 & 4 Bolt, Floor Flange–3" Spigot
7920052	2 & 4 Bolt, Floor Flange–3" Socket
7920053	Up to 2006, Floor Flange Seal
7920055	Up to 2006, Vacuum Breaker
7920056	Up to 2006, (Ball, Shaft, Cartridge)
7920060	Spring Cartridge Kit

DOMETIC 500H SERIES GRAVITY-FLUSH TOILET

DOMETIC OUTDOOR

The Dometic 500H Series foot-pedal toilets provide the ultimate water-conserving, yet powerful flush using less than 1 pint (0.10 gal./0.39 l) of water. Designed to install directly above a holding tank, 500H Series toilets feature a patented flush mechanism that creates an airtight seal between the head compartment and the bad smells of the holding tank.



FEATURES & BENEFITS:

- Low water consumption: less than one pint (0.10 gal./0.39 l) per flush
- Pedal flush requires no electric power
- Elongated enameled wood seat and residential style deep bowl for enhanced comfort
- Anti-splash rim keeps water in bowl while underway
- Proven in thousands of marine applications
- Integral vacuum breaker protects water supply



7920059



7920064



7920066

PART NO.	MFG#	DESCRIPTION
7920044	302651001	White, 20-1/2"d x 18-3/4"h x 15-1/4"w
7920059	385311462	Kit, Replacement Seal
7920064	385314349	Kit, Water Valve
7920066	385316906	Kit, Vacuum Breaker

VIKING POWER 16 WASTE PUMP

SPXFLOW Johnson Pump



- Comes with 1" hose, 3/4" hose, and 1/2" NPT port connectors for ease of installation
- flow capacity 4.2 GPM Self-priming to 9.8'
- Ideal for tight spaces; motor can be rotated to several positions to save space
- Non-choke valves mean no in-line filter is required, and the pump can run dry, or handle a mixture of air and water

PART NO.	MFG#	DESCRIPTION
9922-033	10-13350-03	12V
9922-034	10-13350-04	24V

VIKING POWER 32 WASTE PUMP

SPXFLOW Johnson Pump



- 360° rotating pump head, 1-1/2" barbed ports
- Open flow capacity 8.5 GPM
- Self-priming to 8.2'
- Can pump unmacerated sewage to holding tank or transfer it to septic tank. also handles a mixture of air and water easily
- Includes crank for manual handling

PART NO.	MFG#	DESCRIPTION
9922-290	10-13373-03	12V
9922-291	10-13373-04	24V

MACERATOR PUMP

SPXFLOW Johnson Pump



This Macerator Pump has a phenol plastic body with a thermoplastic polyester housing and built-in thermal protection. The shaft is stainless steel.
Inlet Connection: 1-1/2" **Outlet Connection:** 1"
Capacity: 10 GPM (37L/min)

- Kit includes 4 fibre washers, gasket, impeller, body and seal

PART NO.	MFG#	DESCRIPTION
7921055	10-24453-01	12VDC, 15A
9922-037	10-24453-02	24VDC, 8A
7751052	09-1052S-9	Impeller
2812366	09-45595	Service Kit

T-SERIES DISCHARGE/MACERATOR PUMP

Seaflo



Runs dry without harm.

- Unlike impeller-type pumps, unique bellows pump can run dry without damage.
- Draws only 6A at 12VDC.
- Self-priming up to 10'. (3.3 meters) of water.
- Handles up to 270 gallons (1022L) per hour.

Size: 12-3/4"L x 7-1/2"H x 7-1/4"W

PART NO.	MFG#	DESCRIPTION
7920072	317301200	12V
7920073	317302400	24V
7920061	385310076	S/T Pump Duck Bill

RUN-DRY MACERATOR PUMP

JABSCO



7921052
Service Kit

Run-dry protection detects the absence of fluid then shuts off pump before impeller is damaged. Flow rate to 12 GPM. **Self priming to 4'. Vertical Lift, Inlet 1-1/2" Hose Barb or 1-1/2" NPT, Discharge 1" Hose Barb. Service Kit Includes:** Gasket, o-ring, impeller and seal.

PART NO.	MFG#	DESCRIPTION
7921050	18590-2092	12V
7921051	18590-2094	24V
7921052	18598-1000	Service Kit
2116305	6303-0003-P	Impeller

WASTE PUMP

JABSCO



Flexible installation - head rotates 360° and revolves around motor joint so ports can be set at any desired angle.

These motors are suitable for intermittent duty and should not be run for more than 30 minutes continuously. Robust Single Diaphragm Design with flexible installation and no filter required. Compact and simple design.
Features:

- Self-priming to 3m (10'). Dry running capability
- Rubber grommets provided to absorb vibration
- Quiet running, Corrosion-resistant parts
- 1-1/2" ports

Flow Rate: 5 GPM (19 lpm)
Head: 10' (3m)
12V - 8A (Requires 10A Fuse)
24V - 2.5A (Requires 5A Fuse)
Complies with USCG 183.410 ISO 8846 Marine (ignition protection). Built to ISO 15083 Specification. Meets BSEN 50081 (Electro-magnetic compatibility).

PART NO.	MFG#	DESCRIPTION
7921060	50890-1000	12VDC Waste Pump
7921062	50890-1100	24VDC Waste Pump

MACERATOR PUMP

PENTAIR SHURFLO



This Shurflo Macerator Pump was designed specifically for sanitation waste and fish box evacuations. It features a premium impeller design with run-dry capability and includes a seamless shell motor with o-ring sealed end bells and a sealed manual turn key. It has a unique dual blade and housing construction to ensure a problem free pumping, providing superior performance in harsh marine environments. **1 Year Warranty.**

Thermally protected and ignition protected.

Operating Power: 17A at 12VDC Max.
Flow Rate: 13 GPM (49LPM)
Port Sizes: 1-1/2" Barb/1-1/2" NPT Inlet; 1" Barb Outlet
Dimensions: 10.6"L x 4.9"W (269 x 125mm)

PART NO.	MFG#	DESCRIPTION
7921058	3200-001	Macerator Pump

NEW

MACERATOR PUMP

SEAFLO



These SeaFlo Macerator Pumps have a fully sealed motor consisting of o-ring sealed end bells, sealed bearings and a hard durable powder coating to prevent corrosion occurring both internally and externally. The SEAFLO 01-Series macerator pump is the ideal for the emptying of marine holding tanks, fish boxes and livewell receptacles.

- Sealed motor.
- Easy reach knob in case of clogs.
- Run Dry for short periods of time.
- Powerful 4-blade design reduces clogging.
- Thermally Protected
- Ignition Protected

Self Priming to 4 ft. vertical lift.
Port Sizes : 1-1/2" NPT and 1" Hose Barb

PART NO.	MFG#	DESCRIPTION
7921065	SFMP1-120-01	Macerator Pump, 12 GPM, 12 Vdc

972 PORTABLE TOILETS 2.8 GAL

DOMETIC





Easy push button opereation

FULL-SIZE PORTABLE TOILET WITH PUSH-BUTTON FLUSH
Powerful flushing at the touch of a button without constant pumping or batteries sets the SaniPottie 972 Portable Toilet apart from the rest. Contemporary styling complements modern boat designs. Prismatic tank level indicator allows easy tank level monitoring and its high-strength ABS construction withstands harsh environments; giving a smooth, easy-to-clean finish. Available in tan or gray colours.

Model #972. **12-1/2"H x 13-1/8"W x 15-1/4"D**

PART NO.	MODEL #	DESCRIPTION
7920096	972	Grey, 2.8 Gallons no Brackets

974 MSD PORTABLE OR PERMANTENT TOILETS 2.6 GAL

DOMETIC



Rear View



Easy Monitoring



Brackets included

FULL-SIZE PORTABLE TOILET WITH PUSH-BUTTON FLUSH
Powerful flushing at the touch of a button without constant pumping or batteries sets the SaniPottie 974MSD Portable Toilet apart from the rest. Contemporary styling complements modern boat designs. Prismatic tank level indicator allows easy tank level monitoring and its high-strength ABS construction withstands harsh environments; giving a smooth, easy-to-clean finish. Includes brackets for secure installation to floor. Available in tan or gray colours. The MSD series can be portable and/or permanently installed. It includes mounting bracket, discharge and vent fittings for permanent installation (Type III MSD).

Model #974 MSD 2.6 gal. capacity. **12-1/2"H x 13-1/8"W x 15-1/4"D**

PART NO.	MFG#	DESCRIPTION
7920040	301197406	Grey, 2.6 Gal w/Brackets

975 PORTABLE TOILETS 5.0 GAL

DOMETIC





Easy push button opereation

FULL-SIZE PORTABLE TOILET WITH PUSH-BUTTON FLUSH
Powerful flushing at the touch of a button without constant pumping or batteries sets the SaniPottie 975 Portable Toilet apart from the rest. Contemporary styling complements modern boat designs. Prismatic tank level indicator allows easy tank level monitoring and its high-strength ABS construction withstands harsh environments; giving a smooth, easy-to-clean finish. Includes brackets for secure installation to floor. Available in tan or gray colours.

Model #975. **15-1/4"H x 13-1/8"W x 15-1/4"D**

PART NO.	MODEL #	DESCRIPTION
7920094	301097506	Grey, 5.0 Gallons w/Brackets

975 MSD PORTABLE OR PERMANTENT TOILETS 5.0 GAL

DOMETIC





Easy Monitoring



Rear View



Brackets included

FULL-SIZE PORTABLE TOILET WITH PUSH-BUTTON FLUSH
Powerful flushing at the touch of a button without constant pumping or batteries sets the SaniPottie 975MSD Portable Toilet apart from the rest. Contemporary styling complements modern boat designs. Prismatic tank level indicator allows easy tank level monitoring and its high-strength ABS construction withstands harsh environments; giving a smooth, easy-to-clean finish. Includes brackets for secure installation to floor. Available in tan or gray colours. The MSD series can be portable and/or permanently installed. It includes mounting bracket, discharge and vent fittings for permanent installation (Type III MSD).

Model #975 MSD 5.0 Gal. capacity. **15-1/4"H x 13-1/8"W x 15-1/4"D**

PART NO.	MFG#	DESCRIPTION
7920042	301197506	Grey, 5.0 Gal w/Brackets

962 PORTABLE TOILET 2.5 GAL

DOMETIC



- Simple, self-contained and adult-sized SaniPottie 962 Portable Toilet provides boaters with convenience and user-friendly performance
- The bellows-style flush delivers a bowl-clearing rinse every time
- Durable, easy-to-clean construction and secure locking side latches ensure a reliable performance for a long time
- 2.5 gal. (9.5 L) waste tank capacity
- 2.6 gal. (9.8 L) freshwater tank
- Dimensions: 12-1/2"H x 14-1/2"W x 16-1/2"D

PART NO.	MFG#	DESCRIPTION
7920098	301096202	Parchment, 2.5 Gal.
7920099	301096206	Platinum, 2.5 Gal.

PORTA-POTTI 565E ELECTRIC

THETFORD Marine



Porta Potti 565e is a top-of-the-line portable toilet, known throughout the world and recognized for its modern design and build quality.
Ready to use in RVs, boats, vans, trucks, camping, and for healthcare. Easy to use and clean, it comes with a 4-gallon fresh water tank and 5.5-gallon waste water tank, easy to separate and to maneuver. Integrated carrying handle and rotating pour out spout, the wastewater tank can be easily emptied and cleaned. 4-gallon fresh water tank comes with a tank level indicator and battery-powered flush, both hidden behind the seat of the portable toilet, and averages 56 flushes per tank.
3 year warranty.







PART NO.	MFG#	DESCRIPTION
7920209	92306	Porta-Potti 565
7920210	9241507	Porta-Potti 565 Bracket

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

PORTA-POTTI 2.6 GAL.

THETFORD Marine



- Refreshed, modern appearance
- Industry-leading performance
- Exclusive, rotating Pour-Out Spout
- More-ergonomic Carrying Handle
- Standard Lid Latch
- 3-year warranty

Average flushes: 27
Available with bellows, piston flush and MSD.

MSD version of toilet connects to dockside or overboard discharge fittings to satisfy requirements for a permanently installed Marine Sanitation Device. Includes MSD fittings.

Piston Flush



Caution: Do not use stiff brushes or homemade products to clean or lubricate the valve and seal, as these will damage the seals and surfaces, causing odors to escape from holding tanks. Thetford recommends using Aqua-Clean and toilet seal lubricants.

Bellows Flush

10L (2.65 gal) Dimensions: 12-15/16" H x 13-7/16" W x 15 D
12L (3.17 gal) Dimensions: 13" H x 15" W x 16-13/16" D
21L (5.55 gal) Dimensions: 16-15/16" H x 15" W x 16-13/16" D





7920206
Short



7920205
Long

These tooled MSD fittings are used to connect your permanently mounted Thetford Porta Potti® to a vacuum evacuation system.
7920205 Fits 9924-114
7920206 Fits 7920200 and 7920201

PART NO.	MFG#	DESCRIPTION
7920200	92861	10L 2.65 gal.Bellows Flush Toilet
7920201	92828	10L 2.65 gal. Piston Flush Toilet
9924-113	92814	12L 3.17 gal. Piston Flush
9924-114	92820	21L 5.55 gal. Piston Flush
7920205	40157	Long MSD Pumpout Kit
7920206	40158	Short MSD Pumpout Kit

VISA MARINE MSD PORTABLE POTTY



- These 2-section Portable Flush Toilets are of a strong, durable construction with a smooth High-Gloss Finish for easy cleaning
- Leak-Proof, Odor-Proof seal with a 90° rotating pump-out fitting and a bi-directional piston pump rinse
- Includes a Waste Level Indicator and Quick Release Separation Latch(es) for the Fresh Water & Waste Holding Tanks

PART NO.	MFG#	DESCRIPTION
7920102	DEF319	18L, 16-5/16"H x 14-1/2"W x 14-1/2"D

PORTA POTTI CARRYING BAG

THETFORD Marine



- Offers a clean and convenient way to move and store portable toilets
- Made of strong polyester fabric and come with a durable zipper
- For easy carrying, the bag comes with two handles

PART NO.	MFG#	DESCRIPTION
9924-127	299902	Small, 13"H x 17"W x 17"D
9924-126	299901	Large, 17-¾"H x 17-¾"W x 17-¾"D

SEALAND 2-PLY ULTRA TOILET TISSUE

DOMETIC



Specially made to work in low water use toilets. Zipper seal bag helps keep tissue dry and clean. Soft 2-ply sheets, 500 sheets per roll. Breaks up quickly, prevents clogs. **Biodegradable.**

PART NO.	MFG#	DESCRIPTION
7920034	379441205	4 PK.

SEALAND 2 PLY ULTRA DISSOLVING TOILET TISSUE

DOMETIC



- Breaks up quickly for improved toilet system flow
- 4 Roll pack, 500 x 2 ply Sheets per roll
- 100% Recycled fibers
- Contains no perfumes or dyes

PART NO.	MFG#	DESCRIPTION
7920033	379441206	4Pk

TOILET TISSUE AQUASOFT

THETFORD





Thetford Corp 4 Pack RV/Marine Toilet Tissue is recommended for marine sanitation systems. It is snowy white, soft and gentle and dissolves quickly. **100% biodegradable.**

PART NO.	MFG#	DESCRIPTION
7920037	40276	1-Ply, 350 sheets/roll
7920038	40278	2-Ply, 396 sheets/roll

TISSUE DIGESTER

THETFORD



- Prevents tissue buildup in black water tank and drain lines or relieves a tissue-clogged line
- 100% biodegradable liquid

PART NO.	MFG#	DESCRIPTION
9924-068	15844	19oz

DRAIN VALVE LUBRICANT

THETFORD



- 100% biodegradable liquid lubricates holding tank systems and drain valves from the inside
- Restores easy valve operation in both grey and black water tanks

PART NO.	MFG#	DESCRIPTION
9924-069	24451	24oz bottle

HOLDING TANK CLEANER & SHOCK TREATMENT

Captain PHAB



Cleans and treats the ENTIRE sanitary system by thoroughly removing encrusted and clinging solids that contain bacteria, the source of smelly odours. A special deodorizer neutralizes any smells that remain in porous plastic walls and liners. Stains and odours in toilet bowls are quickly removed. Seals remain unaffected.

PART NO.	MFG#	DESCRIPTION
5492155	369	Hold Tank Shock Treat 1L

TANK BLASTER HOLDING TANK CLEANER

THETFORD



Tank Blaster Holding Tank Cleaner uses an active enzymatic blend to blast crud and attack tissue, waste, and grease. Special additives tackle hard water deposits on sensors. Micro-foam action improves surface contact to vertical tank walls. Tank Blaster is formulated safe for RV and marine tanks, plumbing, seals and surfaces.

PART NO.	MFG#	DESCRIPTION
7920390	96527	Holding Tank Cleaner 4-Pack

BLUE GRANULAR TANK TREATMENT



Canada's leading granular formula for waste holding tanks. Long term eco-odour control is made easy with instant and time release agents. Developed for airlines & the military this product is ideal for marine & RV use. This product also contains a lubricant to protect shafts and seals. One ounce per gallon.

PART NO.	MFG#	DESCRIPTION
7920076	4070	Blue Granular, 400g

PURGE TANK CLEANER



Purge Tank Cleaner completely removes organic slime from fresh water tanks, the source of recurring bad tastes. It ensures good tasting water, ice cubes and beverages with no after taste whatsoever. Eliminates "rotten egg" smell from hot water heaters. It is also a quick spot deodorizing of gray and black water tanks and is very effective on a wide variety of stains and odours. Includes measuring scoop. 450g.

PART NO.	MFG#	DESCRIPTION
5492170	228	Purge Tank Cleaner

CAN-AD HOLDING TANK TREATMENT



Completely eliminates tank odours without killing the natural biological process and without masking odours with perfumes. It prevents clogging by breaking down waste and tissue and by lubricating valves. Great for all holding tanks, gray water tanks and septic tanks as it is 100% biodegradable and completely safe for the environment.

PART NO.	MFG#	DESCRIPTION
5492150	367	Can-Ad Liquid, 1L
5492152	365	Can-Ad Dry, 1L

MARINE HOLDING TANK TREATMENT



Marine Holding Tank Treatment decomposes waste into odourless by-products and prevents recurrence of foul odours. It's effective against organic waste, proteins, cellulose (tissue), oils and greases and has a lime fresh fragrance.

PART NO.	MFG#	DESCRIPTION
5492165	360	Hold Tank Treatment, 1L

INSTANT FRESH TOILET TREATMENT



This lemon scented toilet treatment for holding tanks is biodegradable, no formaldehyde. It is non-staining and self lubricating for drain valves. One ounce treats five gallons.

PART NO.	MFG#	DESCRIPTION
5491340	071716C	Toilet Treatment 16 oz.

AQUA-MAX SPRING SHOWERS TOSS IN



- Quick-acting formula in a convenient water soluable package
- Simply toss in the toilet and flush!
- Advanced enzymes accelerate waste digestion to prevent clogging
- One 1.5-oz packet treats a 40-gallon holding tank

PART NO.	MFG#	DESCRIPTION
5492181	96631	Resealable 16 Pack

HOLDING TANK DEODORANT



- Designed to break down solid waste and tissue paper to keep tank clog free
- Only 4 ounces of concentrated liquid deodorant will treat a 40 gallon holding tank
- 100% biodegradable liquid
- Contains no formaldehyde

PART NO.	MFG#	DESCRIPTION
7920080	379700029	8 oz. Bottle, 4 pk.

MAX CONTROL – NATURAL



MAX Control - Natural eliminates odors and breaks down waste in your marine holding tanks using a highly effective proprietary enzyme/bacteria formula that starts working quickly. It is environmentally safe, enhances septic systems and also complies with strict regulations.



- Enzymes/Bacteria break down waste solids.
- Has a light, appealing fragrance for open systems.
- Helps keep tank sensors clean and unobstructed.
- Works in black or gray water tanks.
- No Formaldehyde or Bronopol.

PART NO.	MFG#	DESCRIPTION
7920105	9620000729	4 oz., 6 Pk.
7920106	9620000728	32 oz.
7920107	9620000722	1 Gl.
7920108	9620000730	Drop-in-Pods, 12 Pk.

NEW

HOLDING TANK TREATMENT



Camco's TST PRO Holding Tank Treatment Drop-INs use a new bio-enzymatic formulation to provide superior waste digestion to manage both black and grey water tank needs.

- Refreshing pine scent

PART NO.	MFG#	DESCRIPTION
7920081	41772	Holding Tank Treatment, 10 pk.

AQUA-MAX SPRING SHOWERS SCENT LIQUID



- Enzyme-based holding tank treatment
- Breaks down waste and eliminates offensive odors
- Bottles with child-resistant caps
- Comes in 6 pack of 8oz, 32-oz, or 64-oz
- Easy dosing system: 8-oz of AquaMAX treats a 40-gallon holding tank

PART NO.	MFG#	DESCRIPTION
5492177	96634	6 Pack 8-oz Spring Showers Liquid
5492179	96635	32-oz Spring Showers Liquid
5492178	96636	64-oz Spring Showers Liquid

SUPER ENZO



- Formulated to accelerate organic biodegradation of black and grey water substances
- Digests and liquefies residues from tanks

PART NO.	MFG#	DESCRIPTION
9960-687	53019	650ml

ADVANCED HOLDING TANK TREATMENT



Advanced Holding Tank Treatment is unscented and contains no dyes. It is an instant deodorizer and it decomposes and liquefies organic waste, Oils, greases and cellulose (tissue). It is non-toxic, non-polluting and completely compatible with septic systems. Well suited for grease traps and gray water systems.

PART NO.	MFG#	DESCRIPTION
5492160	362	Advanced Tank Treatment

STAIN & ODOUR REMOVER



Converts stubborn odours and stains completely into odourless non-toxic gases. It is a water-based product that biodegrades rapidly and has a pleasant scent. Removes oils, greases, beverage stains, urine, blood or smoke from carpets, closets, counter tops, curtains, cushions, drains, refrigerators, fish and bait boxes.

PART NO.	MFG#	DESCRIPTION
5492125	240	670mL

ODOUR STOP



Odour Stop is odourless, water based and biodegradable. Captures odours in seconds for indefinite relief. It is used as an air or surface spray and does not require rinsing. Works on smoke, pet happenings, moth balls, human waste, skunk, petroleum fuels and much more. 935mL.

PART NO.	MFG#	DESCRIPTION
5492120	298	Odour Stop 935ml

MOULD & MILDEW STAIN REMOVER



This ready to use water based mould & mildew stain remover is odourless and completely biodegradable. It contains no chlorine avoiding fabric or surface damage. This product will completely remove black mildew spots from fabrics and hard surfaces. It is also effective against many other types of stains.

PART NO.	MFG#	DESCRIPTION
5492100	250	935mL

BALBRIGGAN WIPING RAGS



PART NO.	MFG#	DESCRIPTION
5220000	25BLSRAGS	25 lbs, Mixed Colours
5220001	5220001	25 lbs, All White

MILDEW REMOVER



- Removes mildew stains on contact without heavy scrubbing
- Use on headliners, vinyl covers, cushions, etc.
- Safe for use on fiberglass, painted surfaces, rubber, plastic and vinyl headliners, bolsters and upholstery

PART NO.	MFG#	DESCRIPTION
5491330	085616PC	22 oz. (650 ml.)
5491331	085600C	Gallon

MAGIC SPONGE



5491236



5491235



Magic Sponge instantly erases dirt, grime, scuff marks, streaks and stains from vinyl, plastic and fiberglass. Ideal for walls, appliances, baseboards, showers, tubs and tiles.

PART NO.	MFG#	DESCRIPTION
5491235	041018	18 Pack Display
5491236	041008	XL, 8 Pack Display

ULTIMATEMAGICSPONGE



- Instantly erases dirt, grime, scuff marks and streaks
- Removes scuffs and stains from vinyl, plastic and fiberglass
- Sold each

PART NO.	MFG#	DESCRIPTION
9960-194	5491235	Sponge

DRINKING WATER FRESHENER



Drinking Water Freshener completely gets rid of musty, mouldy, plastic and anti-freeze tastes and leaves no detectable after taste. For use in both hot and cold water systems using plastic, fiberglass or metal tanks. Makes stored water taste sparkling fresh and clean. Contains no Chlorine. 225g.

PART NO.	MFG#	DESCRIPTION
5492175	641	Drinking Water Freshener

FRESH WATER TANK SANITIZER KIT



This Fresh Water Sanitizer Kit is an easy-to-use 2-part (detergent + sanitizer) system designed specifically to sanitize hard non-porous surfaces of water holding tanks in RVs, trailers, campers and boats. This sanitizer kit is effective even in hard water and will not leave grit or soap scum. Not a drinking water additive. 1 oz. treats 4 gallons.

PART NO.	MFG#	DESCRIPTION
5492176	36662	Tank Sanitizer Kit (2 x 24 oz.)

AQUA FRESH TANK FRESHENER



- Fresh-tasting, odor free drinking water
- For use in fiberglass, plastic or metal tanks
- Contains 8 x 2oz packets

PART NO.	MFG#	DESCRIPTION
9960-666	830	Freshener

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

360/500/800 GPH BILGE PUMPS



These pumps offer quality features while keeping size and cost to a minimum. These Rule pumps are unmatched in pumping power and longevity.
Use 3/4" discharge outlet.
360/500 Dimensions: 2-7/8" Base x 3-7/8"H
800 Dimensions: 2-7/8" Base x 4-3/8"H

PART NO.	MFG#	DESCRIPTION
5412030	24DA	12V 360gph
5412050	25DA	12V 500gph
5412080	20DA	12V 800gph

360GPH PUMP AND SWITCH COMBO



Outstanding quality and value. Economically priced and designed for small boats. Now with a Rule-A-Matic Float Switch for a value added package.
3/4" Discharge hose
Dimensions: 2-7/8" Base x 3-7/8"H

PART NO.	MFG#	DESCRIPTION
5412001	24DA-35A	360gph w/Switch

500GPH PUMP AND SWITCH COMBO



Outstanding quality and value. Economically priced and designed for small boats. Now with a Rule-A-Matic Float Switch for a value added package.
3/4" Discharge hose
Dimensions: 2-7/8" Base x 3-7/8"H

PART NO.	MFG#	DESCRIPTION
5412003	25DA-35A	500gph w/Switch

1100 GPH BILGE PUMP



Submersible, ignition protected. Built-in thermal cut-off provides added protection for pump and vessel. Stainless steel shaft.
Uses 1" or 1-1/8" hose discharge hose.
Dimensions: 2-7/8" Base x 4-3/8"H

PART NO.	MFG#	DESCRIPTION
5412112	27DA	12V 1100gph
9922-568	27DA-24	24V 1100gph

JOKER VALVES



Non-return joker valves for the new generation bilge pumps from Rule. These valves help control the back flow of water meaning less water in the bilge, less pump cycling. **Fits:** 500, 800, and 1100 Rule pumps

PART NO.	MFG#	DESCRIPTION
5412095	1221R	3/4" Joker Valve
5412096	1222R	1" Joker Valve
5412097	1223R	1-1/8" Joker Valve



COMPUTERIZED BILGE PUMPS 500 & 1100 GPH



500 GPH
3/4" Outlet

800 GPH
3/4" Outlet

1100 GPH
1-1/8" Outlet

No float switches in the bilge to worry about. A self-contained micro computer automatically checks the bilge every few minutes. If water is present, the computerized pump will automatically run until the water is gone, then shut off.
500 Dimensions: 2-7/8" Base x 3-7/8"H. Uses 3/4" discharge hose.
800 Dimensions: Base 2-7⁄8" x 4-3/8" H W or Uses 3/4" discharge hose.
1100 Dimensions: 2-7/8" Base x 4-3/8"H. Uses 1" or 1-1/8" discharge hose.

PART NO.	MFG#	DESCRIPTION
5412051	25SA	12V 500 GPH
9922-579	20SA	12V 800 GPH
5412111	27SA	12V 1100 GPH

900 GPH BILGE PUMP LOW PROFILE SERIES



5412092

5412090

Rule's LoPro Series Bilge Pumps are only 2.4" high. The LP900S model features two automated modes. The first one engages the pump when the water level reaches 2" or 1.3" (user choice); and the second one checks for water by briefly turning on the pump every 2.5 minutes. The LP900D model uses a traditional float and/or panel switch for operation. The entire body swivels up to 180°, making the pump extremely easy to install.

Port Configuration: Straight 3/4", 1", 1-1/8" and 3/4" 90°
Dimensions: LLP900D, 7.6"L x 2.4"H x 2.4" W
LP900S, 9.3"L x 2.4"H x 2.4"W

PART NO.	MFG#	DESCRIPTION
5412090	LP900D	12VDC at 4A, No Switch
5412092	LP900S	w/ Automated Modes

RULEMATE NEXT GENERATION BILGE PUMPS

The new RuleMate bilge pumps operate using an internal level sensor. When water reaches 2" (5cm), the pump will automatically activate, removing water from the bilge. When the water level reaches 3/8" (0.9cm) the pump will turn off until the water level rises again. Bilges are not always clean and free from debris. If the level sensor becomes fouled by debris or contaminated water, Rule Mate's unique back up feature will prevent the pump from entering a run-on condition, protecting the battery while maintaining automatic operation.

Our new designs include:

- Higher Flow — optimized impeller to provide up to 10% more flow at the same amperage
- Auto Sense Intelligence — integral water level sensor controls the pump automatically
- Back Up Feature — prevents continuous running if sensor is fouled by debris, pump reverts to 2.5-minute cycle mode
- Smaller Footprint — new RuleMate is 2/3 the size of existing model
- Built-In Thermal Cut-Off (TCO) — provides added protection for pump & vessel
- Back Flow Prevention — reduces the amount of water left over in the bilge, reducing odour and helping keep your bilge cleaner
- Hidden Air Vents in the Body — helps prevent air locking in challenging plumbing installations and helps with the check valve
- Threaded Discharge — easier installation, easier maintence
- Ignition protected
- 3-year warranty

Dimensions: 4.4"H x 3.5"W x 2.9"D
112 x 88 x 73 mm





FEATURING "PUMP CHECK" BUTTON TO ENSURE PROPER FUNCTION

PART NO.	MFG#	DESCRIPTION	PORT
5412105	RM500B	500 GPH 12V 1.8A	3/4"
5412107	RM800B	800 GPH 12V 3.0A	3/4"
5412110	RM1100B	1100 GPH 12V 3.8A	1"
9922-608	RM1100B-24	1100 GPH 24V 3.8A	1"

RULEMATE 1500/2000 GPH PUMPS

No float switch required. Solid-state water sensing technology that eliminates the need for a separate float switch. When water enters the bilge and reaches a certain height, 2-3/4" (70mm), a sensor turns the pump on. After the water is pumped out, another sensor shuts the pump off. The sensors' unique "field effect" technology is ecofriendly because they only sense the dielectric constant of water.

FEATURES AND BENEFITS

• All-in-one pump and switch — no float switch required. • Pump turns on when water level rises and shuts off when water is removed. • Will not pump oil — straight motor oil that enters the bilge will not turn the pump on. • Snap-off strainer for easy cleaning. • Anti-fouling impeller. • Limited three-year warranty.

1500 GPH RULE-MATE



12V 4.8A

Dimensions:
8"L x 4.5"W x 6"H

PART NO.	MFG#	DESCRIPTION
5412115	RM1500A	12V 1500 GPH

2000 GPH RULE-MATE



12V 8.4A 24V 4A

Dimensions:
8"L x 4.5"W x 6"H

PART NO.	MFG#	DESCRIPTION
5412205	RM2000A	12V
5412206	RM2000A-24	24V

For the most up to date pricing, please visit maritimemarinesupply.ca/price

Rule Quick Reference Guide

Standard bilge pumps

Capacity GPH (LPH)	Model No.	Volts	Fuse Size	Amps @12 v	Amps @13.6 v	Replace. Strainer	Height in. (mm)	Width in. (mm)	Hose Dia. In. (mm)	Panel Switches	Float Switches
360 (1363)	24DA	12DC	4	2.1	2.4	1231R	3 7/8 (99)	2 7/8 (74)	3/4 (19)	41, 43, 45, 49	35A, 37A, 40A
500 (1893)	25DA-6*	12DC	4	1.6	1.8	1231R	3 7/8 (99)	2 7/8 (74)	3/4 (19)	41, 43, 45, 49	35A, 37A, 40A
500 (1893)	25DA	12DC	4	1.6	1.8	1231R	3 7/8 (99)	2 7/8 (74)	3/4 (19)	41, 43, 45, 49	35A, 37A, 40A
500 (1893)	25DA-24	24DC	3	1.0 @ 24V	1.2 @ 27.2V	1231R	3 7/8 (99)	2 7/8 (74)	3/4 (19)	42, 44, 45, 49	35A, 37A, 40A
800 (3028)	20DA	12DC	7.5	3.4	4.3	1232R	4 3/8 (111)	2 7/8 (74)	3/4 (19)	41, 43, 45, 49	35A, 37A, 40A
800 (3028)	20DA-24	24DC	4	1.7 @ 24V	2.0 @ 27.2V	1232R	4 3/8 (111)	2 7/8 (74)	3/4 (19)	42, 44, 45, 49	35A, 37A, 40A
900 (3407)	LP900D	12DC	7.5	4	5	1230R	2.4 (61)	8.9 (226)	Multiple	41, 43, 45, 49	35A, 37A, 40A
1100 (4164)	27DA	12DC	7.5	3.7	4.7	1232R	4 3/8 (111)	2 7/8 (74)	1.0 (25) & 1 1/8 (29)	41, 43, 45, 49	35A, 37A, 40A
1100 (4164)	27DA-6*	12DC	7.5	3.7	4.7	1232R	4 3/8 (111)	2 7/8 (74)	1.0 (25) & 1 1/8 (29)	41, 43, 45, 49	35A, 37A, 40A
1100 (4164)	27DA-24	24DC	4	1.9 @ 24V	2.2 @ 27.2V	1232R	4 3/8 (111)	2 7/8 (74)	1.0 (25) & 1 1/8 (29)	42, 44, 45, 49	35A, 37A, 40A
1500 (5678)	02	12DC	10	4.8	7	278	6 (152)	4 1/4 (108)	1 1/8 (29)	41, 43, 45, 49	35A, 37A, 40A
1500 (5678)	02-6*	12DC	10	4.8	7	278	6 (152)	4 1/4 (108)	1 1/8 (29)	41, 43, 45, 49	35A, 37A, 40A
1500 (5678)	04 (Gold)	12DC	10	4.8	7	278	6 (152)	4 1/4 (108)	1 1/8 (29)	41, 43, 45, 49	35A, 37A, 40A
1500 (5678)	03	24DC	4	2.3 @ 24V	3.5 @ 27.2 V	278	6 (152)	4 1/4 (108)	1 1/8 (29)	42, 44, 45, 49	35A, 37A, 40A
2000 (7571)	10	12DC	15	8.4	12	278	6 (152)	4 1/4 (108)	1 1/8 (29)	41, 43, 45, 49	37A, 40A
2000 (7571)	10-6UL (UL Listed)	12DC	15	8.4	12	278	6 (152)	4 1/4 (108)	1 1/8 (29)	41, 43, 45, 49	37A, 40A
2000 (7571)	09 (Gold)	12DC	15	8.4	12	278	6 (152)	4 1/4 (108)	1 1/8 (29)	41, 43, 45, 49	37A, 40A
2000 (7571)	12	24DC	7.5	4.0 @ 24V	6.0 @ 27.2V	278	6 (152)	4 1/4 (108)	1 1/8 (29)	42, 44, 45, 49	37A, 40A
2000 (7571)	11	32DC	7.5	3.1 @ V32V	5.0 @ 36.3V	278	6 (152)	4 1/4 (108)	1 1/8 (29)	42, 44, 45, 49	37A, 40A
3700 (14010)	14A	12DC	25	15.5	20	279	7 1/4 (184)	4 7/8 (124)	1 1/2 (38)	41, 43, 45, 49	37A, 40A
3700 (14010)	14A-6UL (UL Listed)	12DC	25	15.5	20	279	7 1/4 (184)	4 7/8 (124)	1 1/2 (38)	41, 43, 45, 49	37A, 40A
3700 (14010)	13A (Gold)	12DC	25	15.5	20	279	7 1/4 (184)	4 7/8 (124)	1 1/2 (38)	41, 43, 45, 49	37A, 40A
3700 (14010)	16A	24DC	15	6.9 @ 24V	10 @ 27.2V	279	7 1/4 (184)	4 7/8 (124)	1 1/2 (38)	42, 44, 45, 49	37A, 40A
3700 (14010)	15A	32DC	7.5	5.0 @ 32V	7.5 @ 36.3V	279	7 1/4 (184)	4 7/8 (124)	2 (51)	42, 44, 45, 49	37A, 40A
4000 (15140)	56D	12DC	25	15.5	20	279	7 1/4 (184)	4 7/8 (124)	2 (51)	41, 43, 45, 49	37A, 40A
4000 (15140)	56D-24	24DC	15	6.9 @ 24V	10 @ 27.2V	279	7 1/4 (184)	4 7/8 (124)	2 (51)	42, 44, 45, 49	37A, 40A

*6' wire leads

rule xylem

PE 902-566-1220 NS 902-928-1900

Float switch specifications

Model Number	Model Name	Volts (DC)	Max Amps	Wire Guage	Size (H x L x W) in. (mm)
35A	Rule- A-Matic	12-24	14A (12V), 7A (24V)	16 AWG	2 1/4 x 5 x 1 3/4 (57 x 127 x 58)
35FA	Rule- A-Matic	12-24	14A (12V), 7A (24V)	16 AWG	2 1/4x 5 x 1 3/4 (57 x 127 x 58)
37A	Super Switch	12-24-32	20A (12V), 10A (24V), 6.5A (32V)	14 AWG	2 1/4 x 5 x 2 (57 x 127 x 51)
37FA	Super Switch	12-24-32	20A (12V), 10A (24V), 6.5A (32V)	14 AWG	2 1/4 x 5 x 2 (57 x 127 x 51)
40A	Rule-A-Matic Plus	12-24-32	20A (12V), 10A (24V), 6.5A (32V)	14 AWG	3 x 5 3/8 x 2 1/2 (76 x 137 x 64)
40FA	Rule-A-Matic Plus	12-24-32	20A (12V), 10A (24V), 6.5A (32V)	14 AWG	3 x 5 3/8 x 2 1/2 (76 x 137 x 64)
39	ECO-Switch	12	20A	14 AWG	1 7/8 x 6 x 2 3/4 (48 x 152 x 70)
39-24	ECO-Switch	24	10A	14 AWG	1 7/8 x 6 x 2 3/4 (48 x 152 x 70)

Rule-Mate Automatic Bilge Pumps

Level sense pumps - pumps turn on at approximately 2"

Capacity GPH (LPH)	Model No.	Volts	Fuse Size	Amps @12 v	Amps @13.6 v	Replacement Strainer	Height in. (mm)	Width in. (mm)	Hose Dia. in. (mm)	Panel Switches
500 (1893)	RM500B	12DC	4	1.8	2.4	1232R	4.4 (114)	6 (152)	3/4 (19)	41, 43, 45
500 (1893)	RM500B-24	24DC	2	1.0 @ 24V	1.2 @ 27.2V	1232R	4.4 (114)	6 (152)	3/4 (19)	42, 44, 45
800 (3028)	RM800B	12DC	5	3.0	3.7	1232R	4.4 (114)	6 (152)	3/4 (19)	41, 43, 45
800 (3028)	RM800B-24	24DC	4	1.6 @ 24V	2.0 @ 27.2V	1232R	4.4 (114)	6 (152)	3/4 (19)	42, 44, 45
1100 (4164)	RM1100B	12DC	7.5	3.8	4.8	1232R	4.4 (114)	6 (152)	1 (25) and (29)	41, 43, 45
1100 (4164)	RM1100B-24	24DC	4	2.1 @ 24V	2.5 @ 27.2V	1232R	4.4 (114)	6 (152)	1 (25) and 1 1/8 (29)	42, 44, 45
1500 (5678)	RM1500A	12DC	10	4.8	7	286	6 (152)	7.25 (185)	1 1/8 (29)	41, 43, 45
2000 (7571)	RM2000A	12DC	15	12	12	286	6 (152)	7.25 (185)	1 1/8 (29)	41, 43, 45
2000 (7571)	RM2000A-24	24DC	7.5	4.0@24V	6.0@27.2V	286	6 (152)	7.25 (185)	1 1/8 (29)	42, 44, 45
900 (3407)	LP900S	12DC	7.5	4	5	1230R	2.4 (60)	2.4 (60)	Multiple	41, 43, 45

Automatic Bilge Pumps

Pumps cycle every 2.5 minutes - typically keeps water level below 1"

Capacity GPH (LPH)	Model No.	Volts	Fuse Size	Amps @12 v	Amps @13.6 v	Replace. Strainer	Height in. (mm)	Width in. (mm)	Hose Dia. in. (mm)	Panel Switches
500 (1893)	25SA	12DC	4	1.6	1.8	1231R	4.1 (104)	2.9 (73)	3/4 (19)	41, 43, 45
500 (1893)	25SA-6 (6' wires)	12DC	4	1.6	1.8	1231R	4.1 (104)	2.9 (73)	3/4 (19)	41, 43, 45
500 (1893)	25SA-6WC (20 sec. cycle for PWCs)	12DC	4	1.6	1.8	1231R	4.1 (104)	2.9 (73)	3/4 (19)	41, 43, 45
500 (1893)	25SA-24	24DC	3	1.0 @ 24V	1.2 @ 27.2V	1231R	4.1 (104)	2.9 (73)	3/4 (19)	42, 44, 45
800 (3028)	20SA	12DC	7.5	3.4	4.3	1232R	4.7 (119)	2.9 (73)	3/4 (19)	41, 43, 45
1100 (4164)	27SA	12DC	7.5	3.7	4.7	1232R	4.7 (119)	2.9 (73)	1 (25) & 1 1/8 (29)	41, 43, 45
1100 (4164)	27SA-24	24DC	4	1.9 @ 24V	2.2 @ 24V	1232R	4.7 (119)	2.9 (73)	1 (25) & 1 1/8 (29)	42, 44, 45
1500 (5678)	51S	12DC	10	5	7	286	7.75 (197)	4.75 (121)	1 1/8 (29)	41, 43, 45
2000 (7571)	53S	12DC	15	8.4	12	278	7.75 (197)	4.75 (121)	1 1/8 (29)	41, 43, 45
3700 (14010)	55S	12DC	25	15.5	20	279	8.25 (209.5)	4.9 (124)	1 1/2 (38)	41, 43, 45
4000 (15140)	56S	12DC	25	15.5	20	279	9.25 (235)	4.9 (124)	2 (51)	41, 43, 45

Panel switches

Part No.	Description	Volts (DC)	Max Amps (DC)	Size (W x H) in. (mm)
41	3-way lighted	12	20	3 1/4 x 2 (83 x 51)
42	3-way lighted	24-32	10 (24V), 6.5 (32V)	3 1/4 x 2 (83 x 51)
45	3-way	12-24-32	20 (12V), 10 (24V), 6.5 (32V)	2 1/4 x 2 (57 x 51)
43	3-way rocker lighted	12	20	2 7/8 x 2 3/8 (73 x 60)
44	3-way rocker lighted	24	10	2 7/8 x 2 3/8 (73 x 60)
49	2-way	12-24-32	20 (12V), 10 (24V), 6.5 (32V)	2 1/4 x 2 (57 x 51)

Hose barb fittings & check valves

Description	Part No.
360/500 3/4" Barbed Port	1200R
360/500 3/4" Barbed Port 90 Degree	1201R
360/500 1" Barbed Port	1202R
800/1100 3/4" Barbed Port 90 Degree	1203R
800/1100 3/4" Barbed Port	1204R
800/1100 1" Barbed Port 90 Degree	1205R
800/1100 1" Barbed Port	1206R
800/1100 1-1/8" Barbed Port 90 Degree	1207R
800/1100 1-1/8" Barbed Port	1208R
360/500 3/4" Check Valve	1220R
800/1100 3/4" Check Valve	1221R
800/1100 1" Check Valve	1222R
800/1100 1-1/8" Check Valve	1223R



© 2025 Xylem Inc. or its a iliate. All rights reserved. Rule is a trademark of Xylem or one of its subsidiaries. 950-0006 Rev D 08/2025

For the most up to date pricing, please visit maritimemarinesupply.ca/price

1500 GPH PUMP



The Rule 1500 heavy duty bilge pump continues to offer more pumping capacity and more exclusive design features than any comparable competitive pump. This unit is fully submersible and has an easy clean snap lock strainer with silent and vibration free operation. Anti-airlock protection, compact and efficient long life motor with ignition protection. No burn-out when run dry. Rust and corrosion protection. Used by leading boat builders worldwide.

1-1/8" Discharge

Dimensions: 4-1/4" Diameter base, 6"H

PART NO.	MFG#	DESCRIPTION
5412150	02	12V at 4.8A
5412152	03	24V at 2.3A
5412202	278	Bottom Strainer

2000 GPH PUMP



Engineered to commercial standards. The heavy duty Rule 2000 GPH pump is the largest selling high capacity submersible bilge pump in the world. Compact, efficient, maintenance free. Ignition protected

- Double Insulated motor
- No burnout when run dry
- Anti-airlock feature
- Hose size 1-1/8"

Dimensions: 4-1/4" Diameter base, 6"H

PART NO.	MFG#	DESCRIPTION
5412200	10	12V at 8.4A
5424200	12	24V at 4.0A
5412202	278	Bottom Strainer



Solid Choices
for Marine Enivronment
JABSCO FLEXIBLE IMPELLER & ROTARY LOBE PUMPS
JABSCO®
rule®

3700 GPH PUMP



3700 GPH Pump. Heavy duty construction for both commercial and pleasure boat use. Ignition protected, double insulated. Permanently lubricated "Ball Bearing" motor. Water cooled motor for longer life. No burn-out when run dry.
Uses 1-1/2" hose.

Dimensions: 5" Dia. base, 7-1/2"H

PART NO.	MFG#	DESCRIPTION
5412370	14A	12V at 15.5A
5424370	16A	24V at 6.9A
5412372	279	Bottom Strainer

RULE AUTOMATIC 3700

This fully automatic high capacity bilge pump turns the pump impeller every 2-1/2 minutes for approximately one second. If water is detected the pump will continue to run then automatically stop when water is no longer detected.



Features:

- Rust and corrosion protected
- Anti-airlock protection
- Able to run dry without motor burn-out
- Marine grade sealed wiring
- Easy to clean, snap-lock strainer base
- Stainless steel shaft
- Ignition protected
- CE and ISO 8849 certification
- 3-year limited warranty

Discharge Port: 1-1/2"

Operating Voltage: 12 Vdc, 15.5 Amps
Dimensions: 8-1/4"H x 4-7/8" Dia.

PART NO.	MFG#	DESCRIPTION
9922-458	55S	12V, 15.5Amps

DRY BILGE PUMP



- Effective method of removing almost all of the water in your bilge leaving 1⁄8" or less
- Runs dry without damaging the pump
- 360° rotation of the pump head and ports gives installation flexibility
- Specifications:
- Self-priming to 9.5' (suction)
- Head 10' (3 m)
- Up to 4.0 GPM flow rate
- Connections for 3⁄4" hose barbs
- Included:
- 3⁄4", plastic, 90° thru-hull fitting included
- Control Panel Switch, 2" x 2"

PART NO.	MFG#	DESCRIPTION
5412010	DB412	12VDC

NEW

BILGE PUMPS, AUTO WITH ELECTRONIC SENSING

SEAFLO



SEAFLO Automatic Bilge Pumps with Electronic Sensing activate the impeller every 2-1/2 minutes for approximately 0.5 second. If water is present, the pump will sense resistance and will continue to run until all water is removed. A vented impeller housing prevents the pump from becoming airlocked.

- No float switch required.
- Submersible and ignition protected.
- Stainless-steel motor shaft.
- Includes check valve to prevent water back flow
- Exclusive moisture tight seals.
- CE, RoHS, ISO 8846, ISO8849 standards

Comes with 1 meter long, 18 AWG marine grade silicon blocked, tin coated pigtail.

Port Size 800 GPH: 3/4" (19mm) 1-1/8" (29mm) Hose Barb Fitting
Port Size 1100 GPH: 1" (25mm) 1 1/8" (29mm) Hose Barb Fitting

PART NO.	MFG#	DESCRIPTION
5412309	SFBP1-G800-13B	800 GPH, 12 Vdc
5412311	SFBP1-G1100-13B	1100 GPH, 12 Vdc

NEW

BILGE PUMPS, AUTO

SEAFLO



Seaflo Automatic Submersible Bilge Pump is an All-in-One pump & float switch. No additional float switch is required. Pump turns on when water level rises & shuts off when water is removed.

- No float switch required
- Will not pump oil.
  straight motor oil will not turn the pump on
- Snap-off strainer for easy cleaning.
- Anti-fouling impeller.

Comes with 1 meter long, 18 AWG marine grade silicon blocked, tin coated pigtail..

Port Size 750 GPH: 3/4" (19mm) Hose Barb
Port Size 1100 GPH: 1-1/8" 29mm) Hose Barb

PART NO.	MFG#	DESCRIPTION
5412313	SFBP1-G750-06	750 GPH, 12 Vdc
5412315	SFBP1-G1100-06	1100 GPH, 12 Vdc

NEW

BILGE PUMPS, STANDARD

SEAFLO



These Standard SEAFLO Submersible non-automatic Bilge Pumps are activated by a traditional panel or float switch.

They include Anti-Airlock protection and exclusive moisture tight seals

- Requires manual and/or float switch.
- Snap-Lock strainer base for easy maintenance.
- ubmersible and Ignition Protected.
- Stainless steel shaft.
- Anti-Airlock protection.
- CE, RoHS, ISO 8846, ISO 8849 standards.

Comes with 1 meter long, 18 AWG marine grade silicon blocked, tin coated pigtail
Port Size 500 GPH: 3/4" Hose Barb
Port Size 750 GPH: 3/4" (19mm) 1-1/8" (29mm) Hose Barb
Port Size 1100 GPH: 1 1/8" (29mm) Hose Barb

PART NO.	MFG#	DESCRIPTION
5413450	SFBP1-G500-01	500 GPH, 12Vdc
5412301	SFBP1-G750-01	750 GPH, 12 Vdc
5412303	SFBP1-G1100-01	1100 GPH, 12 Vdc

NEW

BILGE PUMPS, CARTRIDGE

SEAFLO



These Cartridge style SEAFLO Submersible non-automatic Bilge Pumps are activated by a traditional panel or float switch. They include Anti-Airlock protection and exclusive moisture tight seals

- Includes check valve to prevent water back flow.
- Requires manual and/or float switch.
- Snap-Lock strainer base for easy maintenance.
- Submersible and ignition protected.
- Stainless-steel motor shaft.
- Anti-Airlock protection.
- CE, RoHS, ISO 8846, ISO8849 standards

Comes with 1 meter long, 18 AWG marine grade silicon blocked, tin coated pigtail.

Port Size 800 GPH: 3/4" (19mm) 1-1/8" (29mm) Hose Barb Fitting
Port Size 1100 GPH: 1" (25mm) 1 1/8" (29mm) Hose Barb Fitting

PART NO.	MFG#	DESCRIPTION
5412305	SFBP1-G800-13A	800 GPH, 12 Vdc
5412307	SFBP1-G1100-13A	1100 GPH, 12 Vdc

For the most up to date pricing, please visit maritimemarinesupply.ca/price

TSUNAMI STANDARD BILGE PUMPS

The MK2 Bilge Pumps have exterior mounting feet that eliminates the need for brackets. Free-flowing water around motor housing keeps the motor cooled and extends motor life. Wire length for all models is 29" (735 mm).

- Patented X-AirTM Impeller: Prevents air locking so that the pump will not run dry and burn out.
- Flexible Outlets: 90° rotatable elbow outlet allows users to install the pump anywhere in a full 360° orientation.
- Tricuspid Check Valve: Helps prevent the water from backflowing through the pump.
- Approvals: NMMA ; CE

T500 GPH MK2 BILGE PUMP



3/4" & 1" Hose Barb

PART NO.	MFG#	DESCRIPTION
5413052	5606-7	T500 GPH
5413053	5620-6	Repl. Motor, 12 Vdc

T800 GPH MK2 BILGE PUMP



3/4" & 1" Hose Barb

PART NO.	MFG#	DESCRIPTION
5413082	5608-7	T800 GPH
5413083	5622-6	Repl. Motor, 12 Vdc

T1200 GPH MK2 BILGE PUMP



1" & 1-1/8" Hose Barb

PART NO.	MFG#	DESCRIPTION
5413128	5612-7	T1200 GPH
5413129	5624-6	Repl. Motor, 12 Vdc

AUTOMATIC BILGE PUMPS

Attwood introduces the Sahara Mk2 the ONLY automatic bilge pump that eliminates air locks. A patented X-Air™ Impeller forces air bubbles trapped in the hose and underside of the pump out of the pipework, so that the pump will not run dry and burn out.

PART NO.	MFG#	DESCRIPTION
5413260	5505-7	12 Vdc, 500 Gph., 3/4" & 1" Hose Barb
5413261	5508-7	12 Vdc, 800 Gph., 3/4" & 1" Hose Barb
5413262	5512-7	12 Vdc, 1200 Gph., 1" & 1-1/8" Hose Barb



Patented X-Air™ Impeller

- Includes straight outlet, washer and non-return valve.
- No hose removal required to replace the cartridge.
- Ignition Protection.
- CE Approved.
- Rated IP68

ATTWOOD HEAVY-DUTY BILGE PUMPS

These heavy-duty bilge pumps withstand extreme usage cycles by using the highest quality bearings, brushes, alloys and magnets for unsurpassed durability and efficiency. These pumps also have a unique shaft and motor compartment that reduces wear and significantly extends pump life. **3 Year Warranty**

1700 GPH BILGE PUMP, 12V



Rotating outlet provides for an improved hose installation

Port Size 1-1/8"

PART NO.	MFG#	DESCRIPTION
5413270	4730-4	12V, 5.7A

2000 GPH BILGE PUMP, 12V



Advanced resin composition resists engine oil, aggressive detergents, hose plasticisers

Port Size 1-1/8"

PART NO.	MFG#	DESCRIPTION
5413275	4760-4	12V, 6.6A

2000 GPH BILGE PUMP, 24V



Anti-Airlock nozzle

Port Size 1-1/8"

PART NO.	MFG#	DESCRIPTION
5413276	4770-4	24V, 3.5A

NEW

BILGE PUMP



Robust ABS Construction: Provides durability and resistance to harsh marine conditions.

Extended Wiring: Equipped with a 1-meter wire for flexible installation.

Voltage: 12V

PART NO.	MFG#	DESCRIPTION
5471400	18036-02	12V, 500 GPH
5471401	18036-03	12V, 750 GPH
5471402	18036-04	12V, 1100 GPH

NEW

AUTOMATIC BILGE PUMP



Automatic Operation: Equipped with an internal float switch, the pump activates automatically when water levels rise, providing hands-free bilge management.

Robust ABS Construction: Provides durability and re-sistance to harsh marine conditions.

Extended Wiring: Equipped with a 1-meter wire for flexible installation.

Voltage: 12V

PART NO.	MFG#	DESCRIPTION
5471403	18039-01	12V, 500 GPH
5471404	18039-02	12V, 750 GPH
5471405	18039-03	12V, 1100 GPH

PE 902-566-1220 NS 902-928-1900

CARTRIDGE BILGE PUMPS

SPXFLOW › Johnson Pump



These compact pumps have all-in-one motor/impeller cartridges with a Stainless Steel shaft.

They are water cooled providing long service intervals. 500 GPH, 750 GPH, and 1000 GPH pumps come with easy-to-install straight and 90° smooth elbow Dura-Port discharge adapters that eliminate stress cracking caused by over-tightened hose clamps.

- Removable check valve.
- No tools required.
- 1250 PGH pump has sturdy 1-1/8" ports.
- Requires float switch.

PART NO.	MFG#	DESCRIPTION
9922-101	32903	1000 Gph, 12 Vdc, 3/4" output w/Adapters
5412125	42123	1250 Gph, 12 Vdc, 1-1/8" output, no Adapters

REPLACEMENT CARTRIDGE FOR ALL CARTRIDGE BILGE PUMPS

PART NO.	MFG#	DESCRIPTION
9922-079	28552	500 Gph Replacement Cartridge
9922-080	28572	750 Gph Replacement Cartridge
9922-081	28512	1000/1250 Gph Replacement Cartridge

HEAVY DUTY BILGE PUMPS

SPXFLOW › Johnson Pump



1600 **2200** **4000**

Designed to meet and exceed the tough demands of commercial and recreational duty. These pumps have a liquid cooled, 12-pole motor with double ball bearings for extended service life.

The 2200 motor is sealed off by a mechanical seal design while the 1600 model has a lip seal. The 4000 features a robust motor design with a mechanical shaft seal. Designed and tested to maximize head and flow.

The pump bodies are made of high impact ABS plastic and have unique threaded ports providing a choice of connections. A removable check valve is included.

	1600	2200	4000
Capacity 1m Head	1550 GPH	1900 GPH	2600 GPH
Capacity Straight	1600 GPH	2060 GPH	4000 GPH
Connection Ports	1-1/8" or 1-1/4"	1-1/8" or 1-1/4"	1-1/2" & 2"

ISO 8849 Marine and CE standards.

PART NO.	MFG#	DESCRIPTION
5412160	16004-00	1600 GPH 12VDC, 7A
5424160	16084-00	1600 GPH 24VDC, 3.5A
5412220	22004	2060 GPH 12VDC, 7.5A
5412405	40004	4000 GPH 12VDC, 15A
5424400	40084	4000 GPH 24VDC, 7.5A

CARTRIDGE DUO COMBOS

SPXFLOW › Johnson Pump



9922-222 **9922-191 9922-193 9922-194** **9922-196 9921-122**

- 3/4" hose - The 1250 GPH Pumps have a 1-1/8" hose port
- Includes 90° and straight, 3/4" Dura-Port discharge ports and removable check valve - The 1250 GPH Pumps do not include the Adapters.

CARTRIDGE DUO WITH ELECTRO SWITCH

- Cartridge bilge pump with Float switch

PART NO.	MFG#	DESCRIPTION	Port	Adapter
9922-222	05503-00	500 GPH–12V, 2.5 Amps	3/4"	YES
9921-122	06203-00	1250 GPH–12V, 3 Amps	1-1/8"	NO

* Does not include Dura-Port connections

CARTRIDGE DUO WITH ULTIMA SWITCH

- Cartridge bilge pump with Ultima switch

PART NO.	MFG#	DESCRIPTION	Port	Adapter
9922-191	07503-00	500 GPH – 12V, 2.5 Amps	3/4"	YES
9922-193	07703-00	750 GPH – 12V, 3 Amps	3/4"	YES
9922-194	07903-00	1000 GPH – 12V, 3.2 Amps	3/4"	YES
9922-196*	08203-00	1250 GPH – 12V, 3 Amps	1-1/8"	NO

* Does not include Dura-Port connections

1600 BILGE COMBO

SPXFLOW › Johnson Pump



- 12-Pole motor with double ball bearings
- Pre-wired with automatic float switch (Ultima or Electro)
- Optional and removable check valve included
- 1-1/8" & 1-1/4" hose adapters included

PART NO.	MFG#	DESCRIPTION
9921-125	01604-00	With electro switch
9921-126	01674-001	With ultima switch

2200 BILGE COMBO

SPXFLOW › Johnson Pump



- Heavy-Duty, high-performance liquid cooled pump
- Exceeds the tough demands of commercial and recreational duty
- 16-Pole motor with double ball bearings
- Pre-wired with automatic float switch (Ultima or Electro)
- Optional and removable check valve included
- 1-1⁄8" & 1-1/4" hose adapters included
- 3 year warranty

PART NO.	MFG#	DESCRIPTION
9921-120	02204-00	With electro switch
9921-121	02274-001	With ultima switch

For the most up to date pricing, please visit maritimemarinesupply.ca/price

AQUA VOID SERIES CARTRIDGE PUMPS

SPXFLOW Johnson Pump

The Aqua Void Cartridge Pumps are made with a durable Thermoplastic housing and have a Quick Change removable motor cartridge. Designed with single-handed access the pump body is easy to install or remove from an innovative reinforced click-in basket that simplifies installation, cleaning, or inspection. A Quick-Change Motor Connection provides a Quick and Hassle-Free Cartridge Motor Change or Capacity Upgrade with no cutting and splicing of wires

All Aqua Void Pumps feature:

- Heightened Efficiency and Increased Flow Rate with a High Flow Impeller Design.
- Water-cooled motor for long service intervals.
- Compact, all-in-one motor/impeller unit with 316 Stainless Steel shaft.
- Easy-to-install Dura-Port discharge ports eliminates stress cracking caused by over-tightened hose clamps
- Meets the international standard, ISO 8849 marine
- Limited 3-Year Warranty
- No tools needed the pump casing remains attached to both the boat and the hoses.

AQUA VOID BILGE PUMPS



The Aqua Void Bilge Pump requires either an automatic bilge pump switch, an electronic float switch or the Ultima Switch for automatic operation.

Replacement Cartridge



- Includes both a straight and a 90° smooth dura-port and a removable check valve.
- Outlet Size: 3/4”

PART NO.	MFG#	DESCRIPTION
5412065	10-13626-01	Bilge Pump, 12 Vdc, 500 Gph
5412066	10-13626-05	Bilge Pump, 12 Vdc, 800 Gph
5412071	09-36336-01	Aqua Void, Replacement Cartridge, 500 Gph
5412072	09-36336-06	Aqua Void, Replacement Cartridge, 800 Gph
5451206	26014	Automatic Bilge Pump Switch
5450034	36152	Electronic Bilge Pump Float Switch
5450027	36303	Ultima Bilge Pump Switch

AQUA VOID ULTIMA COMBO BILGE PUMPS



The Aqua Void Ultima Bilge Pump has non-clogging electronic Ultima switch that will automatically activate and deactivate

Replacement Cartridge



- Includes both a straight and a 90° smooth dura-port and a removable check valve.
- Outlet Size: 3/4

PART NO.	MFG#	DESCRIPTION
5412067	10-13635-01	Aqua Void, Ultima, Combo, 12 Vdc, 500 Gph
5412068	10-13636-01	Aqua Void, Ultima, Combo, 12 Vdc, 800 Gph
5412071	09-36336-01	Aqua Void, Replacement Cartridge, 500 Gph
5412072	09-36336-06	Aqua Void, Replacement Cartridge, 800 Gph
5450027	36303	Ultima Bilge Pump Switch

AQUA VOID AUTOMATIC BILGE PUMPS



Replacement Cartridge



The Aqua Void Automatic Bilge Pump has an auto-sensing motor cartridge that detects the presence of water using resistance. The pump automatically activates when water is detected, eliminating the need for an external switch.

- Includes both a straight and a 90° smooth dura-port and a removable check valve.
- Outlet Size: 3/4”

PART NO.	MFG#	DESCRIPTION
5412073	10-13626-03	Aqua Void, Automatic, 12 Vdc, 500 Gph
5412074	10-13626-07	Aqua Void, Automatic, 12 Vdc, 800 Gph
5412076	09-36336-04	Aqua Void, Replacement Cartridge, Auto, 500
5412077	09-36336-10	Aqua Void, Replacement Cartridge, Auto, 800

AQUA VOID ELECTRO BILGE PUMPS



Replacement Cartridge



The Aqua Void Electro Bilge Pump has a non-clogging electro-magnetic float switch for automatic operation. The switch reacts to the level of water present in the bilge and automatically activates and deactivates the pump.

- Includes both a straight and a 90° smooth dura-port and a removable check valve.
- Outlet Size: 3/4

PART NO.	MFG#	DESCRIPTION
5412069	10-13637-01	Aqua Void, Electro, Combo, 12 Vdc, 500 Gph
5412070	10-13637-02	Aqua Void, Electro, Combo, 12 Vdc, 800 Gph
5412071	09-36336-01	Aqua Void, Replacement Cartridge, 500 Gph
5412072	09-36336-06	Aqua Void, Replacement Cartridge, 800 Gph
5450034	36152	Electronic Bilge Pump Float Switch



Johnson Pump®
SPXFLOW

JOHNSON PUMP, THE TRUSTED NAME IN THE MARINE INDUSTRY

For the most up to date pricing, please visit maritimemarinesupply.ca/price

PROLINE BILGE PUMP



- Reliability, efficiency, power, are the benefits of Pro-line bilge pumps
- Motors with high-energy magnets increase speed, efficient design for less power draw
- 4-3⁄8" high, rugged construction, tough impeller, heavy-duty 16-gauge wire leads, and soldered connectors
- A quick release that lets you remove the entire unit for easy debris removal

- 500 and 750 Comes with 3/4" duraport connectors, straight and 90 deg.
- 1000 Comes with 1 1⁄8" straight connector

PART NO.	MFG#	DESCRIPTION
9922-450	22502	500 GPH Proline Dura Port
9922-451	22702	750 GPH Proline Dura Port
9922-452	22102	1000 GPH Proline Dura Port

LOW BOY BILGE PUMPS



- Perfect for vessels with bilge pump mounted below inboard or I/O, designed for easy install and removal in tight areas
- Includes 90° and straight, 3/4" Dura-Port discharge ports and removable check valve

PART NO.	MFG#	DESCRIPTION
9922-027	33703	750 GPH, 12V, 3 Amps
9922-028	33103	1250 GPH, 12V, 3 Amps

400 GPH BILGE PUMP - 12V



- Capacity straight (13.6V/27V): 30 l/min. - 475 GPH
- Voltage: 12 V DC, Amperage: 2.5A
- Fuse Size: 3 A
- Connection: 3/4"
- Max height: 100mm - 4"
- CE-Approved

PART NO.	MFG#	DESCRIPTION
9922-029	JP-21405	400 GPH – 12V, 2 Amp

ULTIMA BILGE PUMP



Compact and reliable Ultima Bilge Pumps have a built-in switch and Dura-Port discharge ports to eliminate stress cracking caused by over-tightened hose clamps. The pumps include both a straight and a 90° smooth elbow and a removable check valve. They are reverse wire protected.

PART NO.	MFG#	DESCRIPTION
5412155	32-47258-003	12VDC, 600 GPH, 3/4"
9922-296	32-47259-003	12VDC, 800 GPH, 3/4"
5412156	32-47260-003	12VDC, 1000 GPH, 3/4"
5412157	32-47261-002	12VDC, 1250 GPH, 1-1/8" & 1-1/4"

750 GPH AUTOMATIC BILGE PUMP



This Seaflo 750GPH Automatic Submersible Bilge Pump is an all-in-one pump & built-in magnetic float switch, (no external float switch required). It can be wired to turn on manually and when the water level rises. A quick change design allows replacement in seconds without disconnecting hoses.

- 12Vdc, 3 Amps
- Totally Submersible
- Stainless Steel Shaft
- Ignition Protected
- Run Dry Safe
- Water Cooled Motor



- **Outlet:** 3/4" (19 mm) Hose Barb

PART NO.	MFG#	DESCRIPTION
5413476	SFBP1-G750-11	750 GPH, Automatic, 12 Vdc

NEW

DRY BILGE SYSTEM



The SEAFLO Secondary Dry Bilge System removes all still water left by the primary bilge pump from the lowest part of your bilge. The system is activated either by the easy-to-use programmable timer, or manually by a toggle switch.

- Self-priming up to 25 feet.
- High absorption suction base ensures a dry bilge.
- Automatic Programmable Timer / Manual control.
- Quick-connect fittings for simple plumbing installation.
- Ignition Protected- ISO 8846 Marine / SAE J1171 Marine.

Includes:
1x High-Absorption Suction Base.
1x In-Line Strainer.
1x Automatic-Off-Manual 3-Way Switch.
1x 25' Coil of 5/16" Suction Hose
3x Spare Sponges for Suction Base.
Comprehensive User Manual with Wiring Diagram.

PART NO.	MFG#	DESCRIPTION
5412319	SFDBS2.0-01	Secondary Bilge System, 12 Vdc
5412320	SFDBS2.0-02	Secondary Bilge System, 24 Vdc

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

RULE-A-MATIC SWITCH



- Includes a removable base for easy cleaning and servicing
- Mercury free snap switch tested to over one million cycles and marine grade "blocked" wire
- Dimensions: 4-1/2" x 1-1/2" x 2"

PART NO.	MFG#	DESCRIPTION
5450036	35FA	Float Switch

SUPER SWITCH



- 5 year warranty
- Non-mercury SuperSwitch is designed for the toughest applications
- Larger float for increased buoyancy
- Removable base for easy servicing
- Snap switch design capable of handling pumps drawing up to 20 amps
- Dimensions: 5" x 2" x 2"

PART NO.	MFG#	DESCRIPTION
5450038	37FA	Switch, up to 32V

RULE-A-MATIC PLUS FLOAT SWITCH



- Incorporates an impact resistant cover to combat against debris and jamming
- Wire leads are located on top of the switch to keep them out of water
- Two tiers of water slots and the foam filled float help prevent clogging and water-logging
- Can be used for pumps up to 20 Amps

PART NO.	MFG#	DESCRIPTION
5450040	40FA	Rule-A-Matic Plus

RULE ECO SWITCH



- Ecologically sound non-mercury automatic bilge pump switch
- As water rises in the bilge, air is forced up the tube attached to the switch; the air pressure activates the switch and controls the pump

PART NO.	MFG#	DESCRIPTION
5450025	39	12VDC
5450026	39-24	24VDC

HIGH WATER BILGE ALARM



- Float switch and in-dash gauge that featuresboth visual and audible alarms
- Allows an unmanned compartment to beconstantly monitored; for additional compartments, add Rule-A-Matic Plus switch

PART NO.	MFG#	DESCRIPTION
5450035	33ALA	12V
5450044	32ALA	24V
5450043	31ALA	32V

ULTIMA SWITCH



- Highly reliable and environmentally friendly, with no moving parts and no mercury
- Two detectors activate the pump when water level reaches 2" and turn it off at 1⁄2"
- Hermetically sealed, watertight housing; not affected by oil, fuel or debris
- Attaches directly to all Johnson pumps and can be used as a stand alone switch for any other 12 or 24 VDC bilge pump up to 20 Amp draw

PART NO.	MFG#	DESCRIPTION
5450027	36303	12/24VDC

AUTO BILGE PUMP FLOAT SWITCH



- Mercury free switch attaches to any Johnson bilge pump or can be mounted remotely
- When water exceeds acceptable level, a rolling steel ball activates micro switch
- Maximum current rating 15 Amp
- Can be used in 12, 24 or 32 VDC systems

PART NO.	MFG#	DESCRIPTION
5451206	26014	Automatic Bilge Switch

ELECTRONIC FLOAT SWITCH



- Solid-state electronics and an enclosed float area that keeps debris out
- Switch activates pump at 2" water level and deactivates pump at 3/4" water level.
- Activation Method: Electro-magnetic float
- Capacity: 15A
- Dimensions: 3" L x 1-1/2" W x 3-1/4" H
- Warranty: 3 years

PART NO.	MFG#	DESCRIPTION
5450034	36152	12VDC, 15A
9860601	36252	24VDC, 8A

SIDE MOUNT BILGE PUMP BRACKET



- Suitable for cartridge and cartridge duo

PART NO.	MFG#	DESCRIPTION
9922-229	10605-00	Side mount bracket

For the most up to date pricing, please visit maritimemarinesupply.ca/price

NEW

LIGHT DUTY FLOAT SWITCH

SEAFLO



- Compact design, easy installation.
- Up to 10 million switching times.
- Turns on when water level is more than 2-1/4" (55mm)
- Turns off when water level is 1-1/8" (30 mm) or less.
- Fresh and salt water only.
- Mercury free.
- Wire Lead is 1 m long, 16 AWG.

PART NO.	MFG#	DESCRIPTION
5412317	SFBS-15-02	15 Amp max., 12 / 24 / 32 Vdc

NEW

HEAVY DUTY FLOAT SWITH

SEAFLO



- Larger float and drive structure for better stability.
- Compact design, easy installation.
- Turns on when water level is more than 1-3/4" (50mm)
- Turns off when water level is 1" (25 mm) or less.
- Fresh and salt water only.
- Mercury free.
- Wire Lead is 1 m long, 14 AWG.

PART NO.	MFG#	DESCRIPTION
5412318	SFBS-25-03A	25 Amp max., 12 / 24 / 32 Vdc

AUTOMATIC FLOAT SWITCH

attwood



Rated at 12A for 12V or 6A for 24V. Compact low profile design mounts on any surface from horizontal to a 24° angle. Reliable and affordable mechanical switch that activates pump motor at 2" water level. Internal cover dampens bilge sloshing to reduce pump cycling, and prevents debris interference. Float switch mounts directly into the rear slots of the V-series pump bracket. **Features a convenient test knob to test pump operation. Includes 3' hook up wire.**

PART NO.	MFG#	DESCRIPTION
5413000	4202-7	12/24VDC

AUTOMATIC BILGE SWITCH

attwood



Electronic Sensing technology detects bilge water levels and trigger pump activation while protecting your pump from continuous cycling caused by splashing bilge water.

Free of moving parts that can jam up, break or wear out. Can be mounted on the floor of the bilge, directly to a stringer wall or alongside the pump basket without any added components or brackets. Directly compatible with all competitive products. **5 Year Warranty**

PART NO.	MFG#	DESCRIPTION
5413005	4801-7	12V 15A, White

BILGE PUMP CONTROL KIT

GROCO



- Air pressure trapped under molded neoprene bell switches pump on/off as needed; compatible with any bilge pump
- Includes 3 feet of tubing for easy installation

PART NO.	MFG#	DESCRIPTION
9922-069	AS-100	Kit

BILGE WATER LEVEL WARNING SYSTEM

aqualarm



9860601

9860212

Automatically warns of high bilge water levels at all times. Dockside or at sea!

- No false alarms; detector uses unique anti-splash tube
- Loud, 100 dB bell alarm
- Not disabled by bilge oil and sludge
- Reliable, economical protection
- Available for 12, 24 or 32V systems
- installation instructions supplied
- Both items are needed complete system

PART NO.	MFG#	DESCRIPTION
9860212	20100	12V Bell
9860601	20120	Bilge Detector

AQUALARM AUTO-BILGE PUMP SWITCH AND ALARM SYSTEM

aqualarm



Monitors for rising bilge water. Zero current drain while monitoring, but immediately upon sensing bilge water the 30A switch turns on the bilge pump, and it empties the bilge, If pump cannot empty the bilge in 2 mins, a signal is sent to the panel-mounted red light and optional bell. Dirt, oil or grease will not foul the detector. Never needs cleaning. **12VDC. LIFETIME WARRANTY.**

PART NO.	MFG#	DESCRIPTION
9860602	20035	2" x 2" x 1-1/2"

NON-RETURN VALVE

PLASTIMO



- Prevents back flow into bilges: mounted as close as possible to the strainer, the non-return valve locks up the water in the hose
- 1" or 1-1/2" (25 or 38 mm) straight outlet

PART NO.	MFG#	DESCRIPTION
9990-135	42797	1" or 1-1⁄2"

BILGE STRAINER W/ NON-RETURN VALVE

SPXFLOW
Johnson Pump



- Designed to prevent bilge debris blocking the inlet suction line
- Maintain prime in the suction line
- Easy to maintain and clean without any tools
- Supplied with two connections that allow for hose sizes 3/4", 1", 1-1/4", and 1-1/2"

PART NO.	MFG#	DESCRIPTION
9922-441	09-24794	Easy to maintain

3-WAY PANEL SWITCH (STANDARD)



The "MANUAL" position has Rule's famous "fail-safe" spring return "off" so you can't leave your pump running by accident. **Good for any pump, any voltage.** Black stainless steel panel.

Rating: 12 / 24 / 32 Vdc

PART NO.	MFG#	DESCRIPTION
5450045	45	3-Way Switch

ON/OFF PANEL SWITCH



For any manually operated bilge pump system. Attractive black stainless steel panel highlights your control panel. Simple on or off positions provide fingertip control.

Rating: 12 / 24 / 32 Vdc

PART NO.	MFG#	DESCRIPTION
5450049	49	On/Off Switch

3 WAY BILGE PUMP PANELS



- Stainless steel panel, red indicator light and fuse holder complete with switch; controls any pump equipped with automatic switch
- Automatic, off or manual positions; spring return off from manual position

PART NO.	MFG#	DESCRIPTION
9922-070	41	12V
9922-071	42	24V and 32V

3-WAY PANEL SWITCH (DELUXE)



This design features a black plastic panel: It has a built in fuse holder and an internally lighted rocker switch with 3 positions (automated, off, or manual) with the Rule "fail-safe" spring return to "off" from the "manual" position.

PART NO.	MFG#	DESCRIPTION
5451243	43	12V Switch
5452442	44	24/32V Switch

3-WAY BILGE PUMP CONTROL



This 3-Way Bilge Pump Control switches provide full control of your bilge. A simple push of the button gives you manual or automatic bilge pumping.

The automatic feature operates in combination with an automatic bilge switch or an electronic float switch. Matte black finish with integrated fuse holder & indicator light.

Size: 2.99"W x 2.17"H x 1.57"D (73 x 60 x 40mm)

PART NO.	MFG#	DESCRIPTION
5451200	82044	12VDC,
5451201	82044-24V	24VDC

WATERPROOF BILGE PUMP SWITCH





Black aluminium face plate. 3 way auto-off-manual waterproof switch with spring return from manual position. 12V, 15A

PART NO.	MFG#	DESCRIPTION
5451235	10299-H	Horizontal
5451236	10299-V	Vertical

BILGE ALERT WITH SENSOR



With digital technology that uses micro-electrical fields, this sealed fluid detector is never in contact with water and will not corrode or be affected by oil or debris.

Bilge Alert detects water and sends a signal (3 seconds delay) to the alarm conveniently mounted on a panel. A three way rocker switch allows the alarm to be tested, turned off or be armed.

PART NO.	MFG#	DESCRIPTION
5450029	72303	12VDC

NEW

BILGE PUMP WATER ALARM PANEL WITH SWITCH



This Bilge Pump Water Alarm Panel with Switch provides both an audible and visual means of warning that the water level in your bilge is above your bilge pump float switch level. There is no need for a separate bilge pump switch, as the control switch selects between the automatic and manual function (momentary on).

- Input : 12 Vdc with a 20A Fuse holder.
- Constructed of injection molded ABS.
- Installs with gasket and four RH fasteners (included).

PART NO.	MFG#	DESCRIPTION
5450060	423037-3	Bilge Pump Alarm Panel

For the most up to date pricing, please visit maritimemarinesupply.ca/price

BILGE PUMP 3 WAY SWITCH PANEL







- Use with any bilge pump switch to run your pump automatically or manually with a three way AUTO/OFF/MAN Rocker Switch
- Heavy Duty 30 amp switch
- Multi-voltage works on 12, 24, 32 volt

PART NO.	MFG#	DESCRIPTION
9922-540	71006-02	2 pump, 4" H x 3" W
9922-541	71006-03	3 pump, 6" H x 3" W
9922-542	71006-04	4 pump, 4" H x 6" W

WATER-RESISTANT BILGE PANELS







- Provide consolidated control and circuit protection for up to four bilge pumps
- Pre-wired for easy installation
- (ON)-OFF-ON Contura Switches with LEDs embedded in all switches
- IP66 when mounted with gasket in place

Specifications:

- Operating Voltage: 12 / 24VDC
- Switch Rating: 20A @ 12VDC,15A @ 24VDC
- Circuit Breaker Rating: 15A
- Fuse Holder Rating: 20A Max. (15A AGC fuses included), Panel Cumulative Rating: 45A

PART NO.	MFG#	DESCRIPTION
9933-222	8263-BSS	1 Pump, 2-1/4"W x 3-3/4"H x 3"D
9831470	8664-BSS	2 Pumps, 3 5/16"W x 3-3/4"H x 3"D
9831471	8665-BSS	3 Pumps, 5-1/4"W x 3-3/4"H x 3"D
9831472	8666-BSS	4 Pumps, 5-1/4"W x 3-3/4"H x 3"D

MULTI-COMPARTMENT BILGE WARNING PANEL



- Boat Bilge Alarm that shows which compartment has a high water condition by activating a Red Warning Light and a loud panel mounted Piezo Buzzer.

PART NO.	MFG#	DESCRIPTION
9922-543	20360	12V, 2 compartment
9922-544	20361	12V, 3 compartment
9922-545	20362	12V, 4 compartment
9922-546	20363	12V, 5 compartment
9922-547	20369	24V, 4 compartment
9922-548	20370	24V, 5 compartment
9922-549	20365	24V, 6 compartment

3-WAY BILGE SWITCH



- Auto-Off-Manual switch w/spring return from manual position
- IP67

PART NO.	MFG#	DESCRIPTION
9922-428	10196-12	12VDC

3-WAY BILGE SWITCH WITH ALARM



- Auto-Off-Manual switch w/spring return from manual position
- IP67
- Incorporated bilge level alarm

PART NO.	MFG#	DESCRIPTION
9922-429	10295	12VDC

BILGE ALERT





- Easy to mount 1" x 2-1/2" x 3/16" thick sensor
- Patented Mirus field effect cell produces micro-electrical field that detects disruptions caused by water and fluids
- Detector cells are totally sealed, never in contact with the water, will not corrode and are not affected by oil or foreign debris
- When activated, sensor triggers a 100 dB piezo alarm and an LED light on the panel

PART NO.	MFG#	DESCRIPTION
9922-375	72303-001	12VDC

RULE LIVEWELL PUMP SERIES



Angled Thru-Hull



Straight Seacock

These Rule Livewell Pumps can withstand the pressures from the intake scoops of todays more powerful high-speed watercrafts keeping bait and catch alive.



Straight Thru-Hull



Motor Cartridge

- High efficiency pump design for optimal bait health.
- Simple one hand 'twist & click' motor cartridge removal/replacement.
- Inlets for angled thru-hull, straight thru-hull, and seacock installations.
- Secondary inlet port for washdown pump connection.
- Advanced anti-airlock protection.

	800 Gph	1100 Gph
Inlet Size:	3/4" NPT Thread	3/4" NPT Thread
Discharge Size:	3/4" Hose Barb	1-1/8" Hose Barb
Voltage:	12 Vdc	12 Vdc
Amp Draw:	4.1 Amps @ 12Vdc	4.7 Amps @12Vdc

PART NO.	MFG#	DESCRIPTION
		800 gph
5461256	603C	Livewell Pump, Angled, 800 Gph
5461252	603FC	Livewell Pump, Straight, 800 Gph
5461254	603STC	Livewell Pump, Thru Hull, 800 Gph
5461258	66DR	Replacement Motor, 800 Gph
		1100 gph
5461257	605C	Livewell Pump, Angled, 1100 Gph
5461253	605FC	Livewell Pump, Straight, 1100 Gph
5461255	605STC	Livewell Pump, Thru-Hull, 1100 Gph
5461259	67DR	Replacement Motor, 1100 Gph

TOURNAMENT SERIES LIVEWELL PUMP



- 1" female NPT inlet, 1-1/8" hose barb outlet
- Silent running and vibrationless, designed to eliminate airlocks during operation
- Robust construction with solid bronze base and heavy duty, long life motor

PART NO.	MFG#	DESCRIPTION
5461250	209B	1600 GPH

NEW

LIVEWELL DUAL PORT CARTRIDGE PUMPS

SEAFLO

Built for the serious angler SeaFlo Livewell pumps fill your tank with clean, oxygenated water to keep your catch fresh. The cartridge design allows you to access the motor and the impeller without the need to re-plumb your system. Pumps offer a choice of straight or 90 degree ports, nut and washers to suit your installation requirements.

- Housing can be rotated 360 deg. to allow positioning of the discharge outlet.
- Discharge nozzle can be rotated 360 degrees for optimal installation.
- Second port fitting for optional washdown pump.
- Quick one hand "push button" motor cartridge removal system.
- Includes removable discharge straight and elbow fittings.
- Can connect directly to the drain valve.
- CE, RoHS, ISO 8846, ISO 8849 standards.
- Anti-Airlock protection
- Port Sizes 800: 3/4" (19mm) 1 1/8" (29mm)
- Port Sizes 1100: 1" (25mm) 1 1/8" (29mm)



PART NO.	MFG#	DESCRIPTION
5461295	SFBP1-G800-13D	Straight, Short, 800 GPH, 12 Vdc
5461297	SFBP1-G1100-13D	Straight, Short, 1100 GPH, 12 Vdc
5461287	SFBP1-G800-13C	Straight, Long, 800 GPH, 12 Vdc
5461289	SFBP1-G1100-13C	Straight, Long, 1100 GPH, 12 Vdc
5461291	SFBP1-G800-13E	Angled, 800 GPH, 12 Vdc
5461293	SFBP1-G1100-13E	Angled, 1100 GPH, 12 Vdc

NEW

SEAFLO

LIVEWELL-BAITWELL AERATOR PUMPS



These SeaFlo Livewell – Baitwell Aerator Pumps have water cooled housings and positive snap motors with cartridge locking mechanisms.

- Easy clean snap-lock strainer bases.
- 3/4" thread allows for multiple connection options.
- Extended long nozzle to accept 3 hose clamps.

Both pump units and the replacement cartridge include :
1x 90 deg threaded 3/4" hose-to-barb connector.
1x Straight threaded 3/4" hose-to-barb connector

Flow: 800 gph
Leads: 18 AWG, 1 m long Leads
Voltage: 12 Vdc

PART NO.	MFG#	DESCRIPTION
5461285	SFBP1-G800-04	Straight, 800 GPH, 12 Vdc
5461286	SFBP1-G800-05	Angled, 800 GPH, 12 Vdc
5461299	SFBP1-G800-03	Replacement Cartridge

For the most up to date pricing, please visit maritimemarinesupply.ca/price

AQUA VOID O2 CARTRIDGE AERATOR PUMPS

SPXFLOW Johnson Pump

- Aqua O2 Cartridge Aerator Pumps feature a unique 360° pump rotation for mounting flexibility.
- Aqua O2 Cartridge Aerator Pumps include a 3/4 NPSM thru-hull inlet that can be used as straight or 90°.
- Aqua O2 Cartridge Twin Port Aerator Pump only includes a 3/4 NPT seacock inlet.



PART NO.	MFG#	DESCRIPTION
5412081	10-13649-01	Twinport, Flex-Mount, 500
5412083	10-13650-01	Twinport, Flex-Mount, 800
5412082	10-13642-01	O2, Flexmount, 500 Gph
5412084	10-13643-01	O2, Flex-Mount, 800 Gph
5412071	09-36336-01	Replacement Cartridge, 500
5412072	09-36336-06	Replacement Cartridge, 800

PRO SERIES AERATOR/ LIVEWELL PUMPS

SPXFLOW Johnson Pump



- 1" female NPT inlet, 1-1⁄8" hose barb outlet
- Dual port capability, mega torque motor, double ball bearings, quiet running design

PART NO.	MFG#	DESCRIPTION
9922-023	16004B	1600 GPH – 12V, 7 Amps
9922-024	16004B-24	1600 GPH – 24V, 3.5 Amps

SPXFLOW Johnson Pump®

NEW

HEAVY DUTY LIVEWELL CENTRIFUGAL PUMP

SPXFLOW Johnson Pump



The 4003 series Johnson Pump is a heavy-duty Livewell/General Purpose centrifugal pump designed and built to deliver high quantities of water to keep bait and catch alive. While ideal for livewells, its general-purpose design is suitable for other pumping requirements.

- Motor is not waperproof and should not be submerged in water.
- The pump is not automatic and requires manual activation

Capacity: 4000 GPH (252 liters per minute).
Hose Connection: 1 1/2" full hose barb.
Motor: Heavy-duty with stainless steel reinforcement

PART NO.	MFG#	DESCRIPTION
5412130	32-4003-01	Livewell Pump, 4000 GPH, 12 Vdc
5412131	32-4003-02	Livewell Pump, 4000 GPH, 24 Vdc

TWIN PORT AERATOR/ LIVEWELL PUMPS

SPXFLOW Johnson Pump



- 3⁄4" tapered inlet with high pressure inlet seal connects directly to seacock
- Upper 3⁄4" outlet port accepts straight or 90° Dura-Port, provides continuous flow to livewell; lower outlet connects to washdown pump through 1⁄2" or 3⁄4" ports
- The convenience of one intake for both livewell and raw water washdown pump
- 1250 GPH Model has 1-1⁄8" Port - not dual port

PART NO.	MFG#	DESCRIPTION
9922-333	48903	1000 GPH
9922-334	48103	1250 GPH

REPLACEMENT FOR ALL CARTRIDGE BILGE PUMPS

PART NO.	MFG#	DESCRIPTION
9922-079	28552	500 Gph Replacement Cartridge
9922-080	28572	750 Gph Replacement Cartridge
9922-081	28512	1000/1250 Gph Replacement Cartridge

AERATOR PUMPS

attwood®



The Tsunami MK2 Aerator Pumps offer easy to install options and do not require any sealant. Replacement motor cartridges make servicing or replacing simple and faster.

- Both 90° and straight outlets are included.
- Watertight seals and waterproof wiring
- Voltage 12 Vdc

PART NO.	MFG#	GPH	A	B	C
5413350	5640-4	500	6-3/4" (172mm)	3-1/2"(88mm)	3/4" NPS
5413380	5650-4	800	7-1/2" (188mm)	3-1/2"	3/4" NPS
5413051	4620-6	500	Replacement Cartridge		
5413081	5622-6	800	Replacement Cartridge		

PIRANHA LIVEWELL PUMPS



These Shurflo Piranha Livewell Pumps have a tough, high density nylon housing and a heavy duty water-cooled motor to provide the highest level of reliability. A patented anti-airlock feature allows the pump to clear trapped air. Removable cartridge for easy cleaning. Submersible. **2 Year Warranty.** Ignition protected ISO 8846.

	800 GPH	1100 GPH
Operating Power	4.5A at 12VDC	4.5A at 12VDC
Port Sizes	3/4" NPT (19mm) Inlet 3/4" Barb (19mm) Outlet	3/4" NPT (19mm) Inlet 1-1/8" Barb (29mm) Outlet
Dimensions	6.5"H x 3.75"D 165 x 95mm	

PART NO.	MFG#	DESCRIPTION
5461276	357-113-10	Livewell, Piranha 800 GPH
5461278	357-103-10	Livewell, Piranha 1100 GPH

PIRANHA BALLAST PUMP



This Shurflo Piranha Ballast Pump has a tough, high density nylon housing and a heavy duty water-cooled motor to provide the highest level of reliability. A patented anti-airlock feature allows the pump to clear trapped air. Removable cartridge for easy cleaning. Submersible.
2 Year Warranty. Ignition protected ISO 8846.
Operating Power: 4.5A at 12VDC
Flow Rate: 1100 GPH (4163 LPH)
Port Sizes: 3/4" NPT Inlet; 1-1/8" Barb Outlet
Dimensions: 5.6"H x 3.7"D (142 x 94mm)

PART NO.	MFG#	DESCRIPTION
2812396	357-106-10	Ballast Pump, 1100 GPH

HIGH FLOW LIVEWELL PUMP



This Heavy Duty High Flow Shurflo 1500 GPH Livewell Pump has a tough, high density nylon housing and a heavy duty water-cooled motor to provide the highest level of reliability. A patented anti-airlock feature allows the pump to clear trapped air. Designed for large livewell applications. Submersible.
2 Year Warranty. Ignition Protected ISO 8846.

Operating Power: 8A at 12VDC
Flow Rate: 1500 GPH (5678 LPH)
Port Sizes: 1" NPT Inlet; 1-18" Barb Outlet
Dimensions: 8.3"H x 6.2"D (210 x 157mm)

PART NO.	MFG#	DESCRIPTION
5461280	358-001-10	Livewell, High Flow, 1500 GPH

BAIT SENTRY LIVEWELL PUMPS



The Bait Sentry Livewell Pumps are designed with a magnetic drive technology to eliminate unnecessary failures. They have a patented anti-airlock feature that allows the pumps to clear trapped air. Includes dual ports for easy connection.
3 Year Warranty. Ignition Protected ISO 8846.

Flow Rate	Max. Power	Port Sizes	Dimensions	Ideal Tank Size
800 GPH	4.0A at 12VDC	3/4" NPT Inlet 3/4" Barb Outlet	7.85"L x 4.93"D	40 Gal.
1100 GPH	4.2A at 12VDC	3/4" NPT Inlet 1-1/8" Barb Outlet	200 x 125mm	60 Gal.

PART NO.	MFG#	DESCRIPTION
5461270	1700-011-030	Bait Sentry Pump, 800 GPH
5461272	1700-021-030	Bait Sentry Pump, 1100 GPH

PRO BAITMASTER II HD LIVEWELL PUMP



This Shurflo Pro Baitmaster II Heavy Duty and Splash Proof Livewell/ Washdown Pump is excellent for livewell or washdown applications in harsh marine environments.

The seamless motor shell and sealed switch protects the pump from splashed liquids. It is self-priming and can run dry without damage. Ideal or tank size up to 35 gallons. **2 Year Warranty.** Thermally protected. Ignition protected.
Operating Power: 8A at 12VDC **Flow Rate:** 4.0 GPM (15.1 LPM)
Shut-Off Pressure: 45 PSI (3.1 bar) **Port Sizes:** 1/2" NPSM (adapters are included)
Dimensions: 10"L x 5.0"W x 4.75"H (254 x 127 x 120mm)
Includes: 1 x 50 mesh strainer (connects directly to the pump inlet port), 2 x 3/4" hose barb straight swivel fittings, and 1 x garden hose fitting (M).

PART NO.	MFG#	DESCRIPTION
2812390	4648-153-E07	Pro Baitmaster II

AUTOMATIC AERATOR CONTROL



Provides a source of oxygen-rich water to your livewell automatically. Features a solid-state timer with adjustable off times to adjust to varying conditions. Easily adaptable to existing systems.

Requires a 3" diameter round hole or a 2-1/2" square hole for mounting. Front panel is 3-1/4 x 3-1/4 and requires only 3" behind panel. Fully potted to be waterproof. **Rated:** 10A. Time is adjustable from 1 minute to 10 minutes.

PART NO.	MFG#	DESCRIPTION
5450050	AAC-1-DP	Auto. Aerator Control

OXYGENATOR SPRAY HEAD VALVE



For use with 3/4" hose.

PART NO.	DESCRIPTION
5461247	Spray Valve

STAINLESS STEEL WIRE MESH STRAINERS



Protects pumps from debris or bait fish. Formed wire mesh with moulded PVC threaded base will allow you to thread on to most any aerator pump.

PART NO.	DESCRIPTION
7514160	3/4"–14 Thread

BILGE PUMP HOSE ADAPTER



Adapts 1-1/2" outlet to 1-1/8" hose.

PART NO.	DESCRIPTION
5461267	Adapter

LIVEWELL FILL VALVE



The Shurflo Livewell Fill Valve creates an energized environment that 'keeps your bait alive'. The full port fittings (3/4" or 1-1/8") assure the amount of flow required is achieved and maintained.
The adjustable flow valve allows you to adjust the water flow to your desired amount. **3 Year Warranty.**

Includes both 3/4" and 1-1/8" Full Port Fittings.

PART NO.	DESCRIPTION
5461248	Fill Valve

90° RIGID PIPE ADAPTERS



Snaps onto discharge port. Opposite end is female pipe threaded. Plastic will not rust or discolour.
Adapts 1-1/8" to 1" NPT.

PART NO.	DESCRIPTION
5450118	Adapter

For the most up to date pricing, please visit maritimemarinesupply.ca/price

MANUAL BILGE PUMPS WITH TELESCOPIC HANDLE







- UV, impact and weather resistant, compact pump
- 90° outlet positions that allow installation where space is limited or access difficult
- Outlet swivels through 360°, adapting to pump position relative to strainer and thru-hull

PART NO.	MFG#	DESCRIPTION
9990-136	39539	1" hose, 0.9 L per cycle
9990-137	39541	1-1/2" hose, 1 L per cycle
9990-590	40681	Spare diaphragm
9990-483	40676	Replacement inlet valve
9990-484	40677	Replacement outlet valve

DIAPHRAGM BILGE PUMPS





- Rugged corrosion, electrolysis and fuel resistant construction
- High capacity output with the convenience of many mounting positions
- Self priming, leak free with quick-release inspection cover for added safety

PART NO.	MFG#	DESCRIPTION
9990-139	11724	Double action, 1.3L/stroke
9990-440	16217	Replacement diaphragm
9990-771	16213	Replacement valves
9990-588	16702	Handle stowage clips

Thru-Deck Kit

PART NO.	MFG#	DESCRIPTION
9990-589	14263	Kit

HAND PUMP



This Nylon Hand Pump can move as much as 15 GPM.

The input and output are stepped to accept 1" and 1-1/2" hose.

PART NO.	MFG#	DESCRIPTION
5471450	18515	Nylon Hand Pump

AMAZON UNIVERSAL HAND DIAPHRAGM PUMP



- Excellent solids handling capability
- Quick release clamp ring gives quick access for blockage clearance
- Incl: 360° swivel push-fit elbow for flexible installation, connections for 1-1/2" hose, detachable handle

PART NO.	MFG#	DESCRIPTION
9921-990	29270-0000	1320 GPH flow rate
Replacement Parts		
9921-991	29279-0000	Amazon universal thru-deck kit
9921-992	29266-1000	Addition push-fit 90° elbow
Service Kits - includes 1 diaphragm, 1 outlet valve, 1 inlet valve, 1 inlet port, 3 screws, 1 washer		
9921-993	29276-1000	Amazon service kit

MANUAL BILGE PUMP

5471452

5471454



Pump Diameter: 5-3/8"
Inlet/Outlet: 1-1/4"
Performance: Up to 720 GPH (45 LPM)

Ideal for confined spaces on small to medium-sized boats. They are lightweight, sturdy and have easy lever action for fast pumping. A removable clamping ring provides easy maintenance and head rotation.
Pump Body: Glass-filled Polypropylene
Diaphragm: EPDM
Fasteners: Stainless Steel

PART NO.	MFG#	DESCRIPTION
5471452	SFDHP-G720-01	Pump, Plastic Handle
5471454	SFDHA-G720-01	Pump, Aluminum Handle

HAND PUMPS



Large
- Comes with 1m hose
- 25" (64 cm) stroke

Small
- Self-priming and easy to maintain
- Fits 1" hose; hose not supplied

PART NO.	MFG#	DESCRIPTION
9990-442	27076	Large, 1 L per stroke, includes Hose
9990-140	14089	Small, 0.5 L per rstroke, without Hose

HAND PUMP



These Seaflo manual bilge pumps are lightweight, sturdy, easily portable and they provide fast action pumping. There are no fittings required.

They come with 39" (1m) of Flex Hose.
Pump Body: Polypropylene
Valve: EPDM

Inlet/Outlet: 1" (25.4mm)
Capacity:
- *25"* - 8 GPM (31.5 LPM) / 45 strokes/min.

PART NO.	MFG#	DESCRIPTION
5472543	SFPH-H1100-01/02	Hand Pump, 25"

BECKSON HAND PUMPS



"Thirsty Mate" hand pump is all plastic and will not rust. Pump is self-priming with removable foot valve. **24" x 1-1/2" pump body with 24" of discharge hose.**

5472540



Sturdy plastic construction. **Pump body approximately 24" x 1-3/4".** Delivers approximately 10 Gals/min..

5472520

PART NO.	MFG#	DESCRIPTION
5472520	124P	Pump Only
5472540	224PF	Hand Pump & Hose
9922-199	230PF	32" hand Pump and Hose

HEAVY DUTY BARREL PUMP



- Cast iron rotary pump produces 6 gal at 60 turns per minute, after priming
- Buna N gaskets, 2" IPS male adapter

PART NO.	MFG#	DESCRIPTION
9922-181	P-56-0005 A	Weight 14 lbs.

BARREL PUMP



- Corrosion resistant, precision molded from engineering grade thermoplastics with stainless steel fittings
- Capacity 1 quart per stroke; double acting; self priming to 15 ft.
- 1" NPT suction, 3/4" NPT discharge
- Suitable for water, gasoline, diesel fuel, lubricating oil, anti-freeze, solvents, farm chemicals and more
- Siphon breaker to drain quickly; can be padlocked to deter theft

PART NO.	MFG#	DESCRIPTION
9922-180	59-0002 HPN	Barrel Pump

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

BECKSON HOSE END CAP



Sturdy grey plastic cap threads onto 1-1/4" hose to finish end.

PART NO.	MFG#	DESCRIPTION
5472522	ER-1-1/4	Cap for 1-1/4" Hose

RUBBER BUCKET WITH LOOP



- Rubber bucket with aluminum looped handle

PART NO.	MFG#	DESCRIPTION
9990-210	71656	Bucket, 2.9 gal. (11 L)

COLLAPSABLE BUCKET



- SS handle, zippered cover
- Coated and sealed acrylic fabric

PART NO.	MFG#	DESCRIPTION
9990-501	182510	SS handle

IN-LINE CHECK VALVES



Plastic In-Line Check Valve to prevent water back-flow.

PART NO.	MFG#	DESCRIPTION
7557010	29295-1000	1"
7557012	ILS-1200-DP	1-1/8" (not Jabsco)
7557000	29295-1010	1-1/2"
9923-252	29295-1011	3/4"

BYPASS BILGE PUMP CONNECTOR



- Allows connection of a hand pump and an electric centrifugal pump on a single water circuit — a major time/labour saving asset for boat builders
- Straight/elbow fittings with o-rings, snap in easily, and snap off quickly to remove debris or replace valves if necessary

PART NO.	MFG#	DESCRIPTION
9990-443	53060	Bypass for pump

GENERAL PURPOSE PUMP 3800/3700 GPH



Designed for use as a washdown pump and/or to circulate water to your livewell tank(s). Heavy duty construction for use on commercial or pleasure boats. Because it is a centrifugal pump, it must be located below the water line to ensure prime. Uses 1-1/2" hose.

12V-Amp Draw 15.5A, Fuse Size 25A
24V-Amp Draw 6.9A, Fuse Size 15A
Height: 5-1/4"H x 8-1/2"W (133 x216mm)
Weight: 5.75 lbs. (2.6 kg)

PART NO.	MFG #	GPH	VOLTS
5412380	17A	3800	12
5412382	18A	3700	24

RULE 1800 UTILITY PUMP

High Performance 110V Utility Pump



The Rule 1800 GPH Utility Pump is designed to remove water from hard to reach spaces like basements, garages, pools, boats, and many other utility applications.

This high performance pump features a powerful permanently lubricated, double insulated motor that only consumes 100W, a snap-off strainer for easy cleaning and a rust and corrosion proof stainless steel shaft. Just plug it in.

Included are a permanently attached 8' long power cord, a garden hose adapter and a 90° elbow adapter for 1" NPT pipe. The discharge connection is for a 1-1/8" ID Hose. The AutoShut off version features computerized automation eliminates need for a float switch.

PART NO.	MFG#	DESCRIPTION
5412210	A53D	110V Pump
9921-030	A53S-24	110V Pump with Auto Shut Off

MARINE/UTILITY IN-LINE SUBMERSIBLE PUMP



In-Line submersible centrifugal pumps have a high capacity rating for both fresh/seawater and diesel applications. Delivering 14 PSI these pumps can pump up to 32' straight up. The slim body makes those hard to get bilge areas easier to access.

Available with kit option consisting of adjustable on/off spray nozzle, 13' cable and battery clips, along with a 13' layflat hose.

- Fresh/Seawater & Diesel applications
- Robust, slim-line with continuous duty
- **Length:** 6-1/2" (165mm) **Diameter:** 1-1/2" (38mm)
- GPH 200/280 12-24V Models (2.5–4.5A) 1/2" Outlet
- GPH 500 12-24V Models (3–6A) 3/4" Outlet

PART NO.	MFG#	DESCRIPTION
9921-912	IL200P	200 GPH 12V
9921-915	IL200K	200 GPH 12V Kit
5461200	IL280P	280 GPH 12V
5461202	IL280P-24	280 GPH 24V
5461201	IL280PK	280 GPH 12V Kit
5461203	IL280PK-24	280 GPH 24V Kit
5461210	IL500P	500 GPH 12V
5461211	IL500PK	500 GPH 12V Kit
5461213	IL500PK-24	500 GPH 24V Kit

EVACUATOR UTILITY PUMP

The Rule Evacuator high volume utility pump is ideal for fast evacuation of water from marine and non-marine applications. Two 4,000 GPH (15,141 LPH) pumps in tandem provide a great alternative to gas-powered pumps for dewatering flooded areas.





Discharge Port: 3" Barbed
Power Inpu: 12 Vdc
Lead Length: 7 feet

Requieres a 25A fuse for each pump

PART NO.	MFG#	DESCRIPTION
5412211	7700D	Evacuator Pump, 12 Vdc, 7700 Gph

NEW

BALLAST PUMP

SEAFLO



This general purpose SEAFLO Ballast Pump is a positive displacement pump capable of operating in either direction. Can be used for draining bilge water, sewage water or washing down a deck.

- Robust sealed motor design.
- Stainless Steel Shaft.
- Thermally Protected Motor.
- Self-priming up to 3 m (10 ft) vertical lift

PART NO.	MFG#	DESCRIPTION
2812350	SFSP1-080-003-01	8 GPM, 1/2" FNPT Ports, 12 Vdc

NEW

BALLAST PUMP

SEAFLO



These SeaFlo Ballast Pumps are specifically designed for quick filling
or emptying of ballast tanks.

They can pump fresh or seawater, and their sturdy design provides a highly efficient output, suitable for intermittent use.



A built-in thermal overload function automatically resets after cooling.

- Reversible pump both fills and empties ballast tanks.
- Self-priming to 6.5 ft. (2m)
- Improved impeller designed for run dry for short duration.

PART NO.	MFG#	DESCRIPTION
2812351	SFSP1-050-003-01	13.5 GPM, 1/2" MNPT Ports, 12 Vdc
2812352	SFSP1-113-009-02	30 GPM, 1-1/2" MNPT Ports, 12 Vdc









SPXFLOW

Johnson Pump®









NEW

HEAVY-DUTY WASHDOWN PUMP KIT

SEAFLO

This SeaFlo Heavy-Duty Washdown Pump is an excellent choice for cleaning boats, fish boxes, anchor wells, dinghies, and more. This pump has an on-demand switch that automatically turns the pump on when you squeeze the spray gun handle.



Includes:
(1) Heavy-Duty Washdown Pump
(1) Trigger Spray Nozzle w/ Quick Connect
(1) 25' Coiled Hose (UV Protected, 1/2")
(1) Quick Hose Disconnect Fitting
(1) 50 Mesh Inlet Strainer
(2) 1/2" Barbed Fittings

- High pressure gets rid of stubborn debris.
- Suitable for fresh and saltwater applications

PART NO.	MFG#	DESCRIPTION
2712035	SFWP1-055-070-55	5.5 GPM, 70 PSI, 12 Vdc

BLASTER II WASHDOWN PUMPS

PENTAIR SHURFLO



This Shurflo Blaster II Washdown Pump is designed with a unique over-moulded single-piece diaphragm, assuring long life and top performance in all marine washdown applications. This Blaster II washdown automatic on-demand pump is thermally protected and can run dry without damage. **2 Year Warranty.**

Operating Power: 7.5A at 12VDC
Flow Rate: 3.5 GPM (13.2 LPM)
Shut-Off Pressure: 45 PSI (3.1 BAR)
Port Sizes: 1/2" NPSM (adapters are included)
Dimensions: 9.5"L x 4.9"W x 4.1"H (229 x 124 x 104mm)
Ignition protected, sealed switch.

PART NO.	MFG#	DESCRIPTION
2711900	4238-121-E07	Blaster II, 3.5 GPM

PRO BLASTER II WASHDOWN PUMPS

PENTAIR SHURFLO



Delivers superior performance with a powerful consistent spray pattern whether blasting away the grime on your deck, fish box scaling or anchor chain cleaning.

They are built to withstand the tough marine environment with an electro-coated motor, O-ring seals and fully sealed wire entries. Thermally protected. **2 Year Warranty.** Ignition Protected, sealed switch. **Includes:** 1 x inlet strainer, 2 x 3/4" hose barb fittings, 1 x 3/4" garden hose fitting (M), and1 x nozzle.

	DELUXE	ULTIMATE
Operating Power	10A at 12VDC	14A at 12VDC
Flow Rate	4.0 GPM (15.1 LPM)	5.0 GPM (18.9 LPM)
Shut-Off Pressure	60 PSI (4.1 bar)	
Port Sizes	1/2" NPSM	
Dimensions	10"L x 5"W x 4.75"H 254 x 127 x 120mm	

PART NO.	MFG#	DESCRIPTION
2711905	4248-153-E09	Deluxe, 4.0 GPM
2711910	4258-153-E09	Ultimate, 5.0 GPM

HOTSHOT HEAVY DUTY WASHDOWN PUMP

JABSCO



Coil hose included on select models only

- Wider diameter motor, a powder coated shell, a cast aluminum end bells and a lower housing to improve pressure capability
- Sealed switch and co-molded diaphragm that eliminates leak paths, extending the life of the pump by up to 50%
- 2 x 3⁄4" straight quick-connect hose barb port fittings
- Self-priming and runs dry without damage
- Ergonomically designed spray nozzle provides powerful and accurate fire power with every shot
- Kit includes spray nozzle, fittings, inlet strainer and a 25' coil hose (on select models only)

PART NO.	MFG#	DESCRIPTION
2712020	Q401J-118N-4A	4 GPM, 60 PSI, 12V Kit (hose included)
2712018	Q402J-118N-3A	4 GPM, 60 PSI, 24V Kit (no hose included)
7200793	P501J-119N-3A	5 GPM, 70 PSI, 12V Kit (no hose included)
2712021	P501J-119N-4A	5 GPM, 70PSI, 12V Kit (hose Included)
2712026	P601J-219N-4A	6 GPM, 70 PSI, 12V Kit (hose included)
2712028	P602J-219N-3A	6 GPM, 70 PSI, 24V Kit (no hose included)

PUMP INLET STRAINERS

JABSCO



- Keeps debris from entering water system pump
- Stainless steel 40 mesh screen and a threaded cover to make cleaning quick and easy

PART NO.	MFG#	DESCRIPTION
7503050	46400-0002	½" Hose barb ports
7503075	46400-0000	¾" Hose barb ports
9922-372	46400-0004	½" Male threaded QEST ports

PLUG IN PORTS

JABSCO

2 Ports per kit, will fit all Flojet and Jabsco Pumps.
Except 3/4" Garden Hose Port



PART NO.	MFG#	DESCRIPTION
7200706	1877K-3211S	3/4" Garden Hose, Single pc.
7200707	1877K-3222S	3/4" Hose, pair
7200708	1877K-2222S	1/2" Hose, pair
7200709	1877K-2222E	90° for 1/2" Hose, pair
7200710	1877K-2242S	1/2" Male NPT, pair
7200712	1877K-3322S	3/4" Hose, for 6 GPM, pair
7200713	1877K-3311S	3/4" Garden Hose, for 6GPM

AQUA JET WASHDOWN KITS

SPXFLOW Johnson Pump



Makes it easy to add a 70 psi washdown pump to any boat! Whisper quiet operation and High pressure makes clean up fast and easy

Kits include

- Spray nozzle
- Inlet strainer
- 1/2" BSP and NPT hose connections
- Bulkhead fitting with valve
- 25' of coiled washdown hose

Optional Panel



- 12V
- On/Off

PART NO.	MFG#	DESCRIPTION
9921-127	JP-64535	3.5GPM, 12v
9922-216	64534	5 GPH 12v
983425	82024	Optional Panel Switch 12v On/Off
9921-117	10615-00	Hose coil, 25'
9921-118	61155	Hose nozzle, plastic
9922-513	09-47277-02	3.5 GPM pressure switch
9922-518	09-46781-02	5 GPM pressure switch
7503002	09-24653-02-CN	Replacement strainer

AQUA JET WASHDOWN PUMP KIT

SPXFLOW Johnson Pump



These quiet and pulsation-free Aqua Jet five-chamber diaphragm wash down pumps provide a perfect wash down solution. An integrated pressure switch turns pump on and off automatically when the spray nozzle is opened and closed.

- Self-priming
- Up to 5 bar (73 psi) pressure
- Dry running without damage
- Quick disconnect fitting

Kit Includes :
Trigger Spray Pistol, PUMP Protector inlet strainer and hose connections for 1/2" hose. Both BSP and NPT connections also included.

PART NO.	MFG#	DESCRIPTION
9921-204	10-24728-04	3.5 GPM Kit, 12 Vdc
9922-513	09-47277-02	Replacement Pressure Switch, 70 psi
2712070	10-13407-07	5.2 GPM Kit, 12 Vdc
9922-205	10-13407-08	5.2 GPM Kit, 24 Vdc
9922-518	09-46781-02	Replacement Pressure Switch, 70 psi
9921-118	61155	Hose Nozzle
7503002	09-24653-02-CN	Replacement Strainer

INDUSTRIAL WATER HOSE ASSEMBLIES

Fairview



Industrial grade water hose assemblies have machined HEX brass ends.
Green and Black assemblies have EPDM cover and tube with high tensile spiral synthetic yarn reinforcement. They are best suited for applications requiring maximum flexibility. Blue assembly has uniquely blended PVC compounds to enhance cold weather flexibility and give this hose the look/feel of a comparable rubber hose. Outer layer is non-marking and it is ozone and atmosphere resistant.
Green: 1/2" ID, 200 PSI
Black: 5/8" ID, 200 PSI
Blue: 5/8" ID, 250 PSI

PART NO.	MFG#	DESCRIPTION
3957002	WHGL8GRN-50H	1/2" x 50', Green
3957004	WHGL8GRN-100H	1/2" x 100' Green
3957012	WH10BLK-50H	5/8" x 50', Black
3957013	WH10BLK-75H	5/8" x 75', Black
3957014	WH10BLK-100H	5/8" x 100', Black
3957023	WH10BLU-75H	5/8" x 75, Blue

NEW

BLUE PYTHON WATER HOSE KIT

PLASTIMO



This hose combines top resistance with a clever expanding design, up to 3 times its original length with water on, depending on the pressure exerted. Withstands high pressure in marinas, up to 10 bar.

Comes complete with a male/male connector, a universal 1/2" and 3/4" tap connector and an 8-way adjustable spray nozzle. Max. length: 22-1/2 meters
Length when retracted: 7-1/2 meters

PART NO.	MFG#	DESCRIPTION
9990-970	2500080	Stretching Water Hose w/ Nozzle

HAND LEVER NOZZLE

CAMCO



- On/off hand lever flow control adjustable spray pattern
- Soft rubber comfort grip
- Fits any standard hose

PART NO.	MFG#	DESCRIPTION
9951-331	41987	Hand Lever Spray Nozzle

ADJUSTABLE WATER NOZZLE

Fairview



This Pistol Grip Water Nozzle has a zinc body with an adjustable Brass Spray Nozzle. The pull rod and nut are also Brass and the Chrome plated steel lever has a soft rubber coating. It also has an insulting soft rubber hand grip for comfort and easy handling.

PART NO.	MFG#	DESCRIPTION
6914165	GHN-BN	5-1/2" Water Nozzle

INDUSTRIAL WATER NOZZLE

Fairview



This Industrial Pistol Grip Water Nozzle has a Zinc body with a chrome plated steel lever and a brass pull rod and nut. It has a threaded front for accessories with a removable thread protector. It sprays from a fine mist to a heavy stream.

PART NO.	MFG#	DESCRIPTION
6914163	GHN	5-1/2", Nozzle

For the most up to date pricing, please visit maritimemarinesupply.ca/price

PRESSURE REGULATOR



- Reduces unregulated city water pressures that can run as high as 125psi down to a safe 45 psi—automatically
- Features built-in backflow preventer
- Built-in port strainer is easily cleanable
- GHT Inlet, Female Garden Hose Thread.
- Snap-in Outlet fittings included :
  - 1/2" Male NPT
  - 1/2" Male Hose Barb

PART NO.	MFG#	DESCRIPTION
9922-498	10196-12	Flush Mount, Chrome

WASHDOWN OUTLET FITTINGS



- Allows connect and disconnect of washdown hose with pump under full pressure
- Accepts 3/4" garden hose; 1/2" NPT inlets

Save yourself the hassle of turning on the washdown pump at the panel

PART NO.	MFG#	DESCRIPTION
9922-337	JP-61121	Single Washdown Outlet

CIRCULATING PUMP
MAGNETIC DRIVEN

These magnetically driven circulating pumps do not have a shaft seal allowing them to pump water and coolants under hostile operating conditions with no leaks. These circulating pumps are designed for continuous operation and are ideal for live fish tanks, heating and cooling systems, faucets and shower systems.





12VDC
7010100 - CM10P7 - 3/4"
7010102 - CM30P7 - 5/8"



24VDC
7010101 - CM30P7 - 3/4"
7010103 - CM30P7 - 5/8"

- **Dry Running:** 30 minutes max.
- **Liquid Temp:** -40°C – 100°C
- **Coolant Mix:** 60% Glycol/Water max.
- **System Pressure:** 2.5 bar/35 PSI max.
- **Pump Body/Impeller:** PPA Thermoplastic
- **Shaft:** Stainless Steel
- **Suitable for:** Fresh & Salt Water
- **Dimensions:** 7"L x 2.7" Dia. (177 x 68mm)
- **Rating:** IP67

PART NO.	MFG#	DESCRIPTION
7010100	10-24487-03	12VDC, 3/4", 5.0 GPM (18.5 LPM)
7010101	10-24504-04	24VDC, 3/4", 6.9 GPM (26.0 LPM)
7010102	10-24488-03	12VDC, 5/8", 5.3 GPM (20.0 LPM)
7010103	10-24503-04	24VDC, 5/8", 5.3 GPM (20.0 LPM)

WATER PUPPY



2812360
- Capacity 378 GPH
- Self-priming from 2' - 4'
- Ports have 1/2" internal pipe thread and 1" external hose barb; includes two adapters for garden hose
- Cast bronze body with reusable o-ring end cover seal
- High speed, long life ball bearing motor and increased flow

9921-151/152
- Capacity 468 GPH

PART NO.	MFG#	DESCRIPTION
2812360	18660-0123	12V Pump
2116303	6303-0001-P	Impeller
2116305	6303-0003-P	Oil Resistant Impeller
9921-151	18670-0123	12V, 468 GPH
9921-152	18670-0943	24V, 468 GPH
9921-095	91002-0010	Cam Screw

MAXI PUPPY 3000



Jabsco Maxi Puppy 3000 can be mounted on any flat surface. Fit the pump in a dry, well ventilated position where there is full access for service. If installed in a vertical position the motor must be above the pump head.

Secure 1" ID hose either direct to the discharge ports or to 1/2" BSP male threaded fittings using stainless steel hose clamps.

Flow Rate: 720 GPH (12 GPM) **Self-priming:** Up to 8' (2.4m)

12V - 21A (Requires 25A Fuse) 24V - 11A (Requires 15A Fuse)
ISO 8846 Marine (ignition protection). ISO 8849 Marine (bilge pump standard).

PART NO.	MFG#	DESCRIPTION
2812368	23610-3003	12VDC Maxi Puppy
2812369	23610-3103	24VDC Maxi Puppy
2116305	6303-0003-P	Replacement Nitrile Impeller

JABSCO CYCLONE CIRCULATION PUMP



- Maximum flow 1560 GPH
- 6" L x 6-1/2" W x 5" H
- Low pressure, high efficiency, robust stainless steel body and anti-clogging design impeller
- Typical applications include hot and cold water systems, livewell systems and liquid transfer
- 3/4" NPT ports

PART NO.	MFG#	DESCRIPTION
2812375	50840-0012	12V
2812376	50840-0024	24V

FLEXIBLE IMPELLER UTILITY PUMP

SPXFLOW Johnson Pump



- Ports accept 3/8" NPT fittings
- Ignition and thermal protected motors can be run continuously; great for bilge pumping, deck washing, oil and diesel refueling and many more uses

Dimensions: 6.7"L x 4.4"W x 3.22"H (170 x 113 x 82mm)
Weight: 4.5 lbs. (2 kg)

PART NO.	MFG#	DESCRIPTION
2812365	10-24516-03	12VDC, 21L/min
7751077	09-1077B-9	Impeller, Nitrile, 6 Blades
9921-377	09-843S-9	Impeller, Nitrile, 8 Blades

FLEXIBLE IMPELLER UTILITY PUMP

SPXFLOW Johnson Pump



These pumps are perfect for bilge pumping, deck wash, water circulation, oil and diesel refueling at dockside service, etc. These motors are heavy duty to provide long service life even under heavy use.

Port Size: 1/2" NPT or 1" Hose
Dimensions: 8"L x 4.72"W x 3.54"H, **Weight:** 6.6 lbs.
Capacity: 48L/Min (12.5 GPM)
Service Kit includes : Impeller, Seal, Gasket O-Ring and Cover Screws

PART NO.	MFG#	DESCRIPTION
2812370	10-24689-03	12VDC, 48L/Min
2812371	10-24689-04	24VDC, 48L/Min
2116305	6303-0003-P	Replacement Nitrile Impeller
9922-150	09-824P-9	Impeller, Nitrile, 6 Blades
9922-139	09-46600	Service Kit

GROCO FLO-MASTER VANE PUMPS

GROCO Quality Marine Products Since 1918



- Capacity 420 GPH
- Ports threaded for 1/2" NPT or garden hose
- Rigid vanes do not flex, providing more positive pressure and flow; eliminates wear and damage problems of flexible impeller pumps
- Pumps water, diesel fuel or crankcase oil

PART NO.	MFG#	DESCRIPTION
2106012	SPO-60-N 12V	12V Flo-Master Pump
2106024	SPO-60-N 24V	24V Flo-Master Pump
2106104	SP-99	Vane Blades (set of 4)
9921-133	SP-98/SP-99-A *SHIP TOGETHER*	Rotor and Vane Kit

*Parts supplied in kit ship together

GROCO CIRCULATING PUMP

GROCO Quality Marine Products Since 1918



- 3/4" NPT inlet, 1/2" NPT or garden hose outlet
- Ignition protected, continuous duty face type sealed motor, shaft, use for livewell, diesel fuel transfer, hot/cold water circulation, shower pan pumpout and low pressure washdown

Kit Includes seal, seal assembly, snap ring and gasket

PART NO.	MFG#	DESCRIPTION
2106212	CP-20 12V	12V
2106224	CP-20 24V	24V
9922-244	CP-55	Impeller and Set Screw
9922-243	P-2	Service Kit

DIESEL TRANSFER PUMP

MARCO



- Compact self-priming electric pumps with bronze gears for transferring of liquids
- Pump body in nickel-plated brass and stainless steel shaft. Main applications: transfer of diesel fuel, antifreeze

PART NO.	MFG#	DESCRIPTION
9931-829	164-000-12	4 GPM, 12V, 3/8" NPT
9931-840	164-000-13	4 GPM, 24V, 3/8" NPT
9931-841	164-060-12	7 GPM, 12V, 1/2" NPT
9931-842	164-060-013	7 GPM, 24V, 1/2" NPT

WATER TRANSFER PUMP

MARCO



- Self-priming electric pump with special impeller for prolonged service, suitable for fresh and salt water, for intermittent use
- Internal brush holder, with EMI filter included, protects the electric motor from corrosion especially in sea environment

PART NO.	MFG#	DESCRIPTION
9931-820	162-004-12	7.4 GPM, 12V, 3/8" BSP and 3/4" barb.
9931-821	162-004-13	7.4 GPM, 24V, 3/8" BSP and 3/4" barb.
9931-835	163 001 00	Repl Impeller
9931-822	162-006-12	12 GPM, 12V, 1/2" BSP and 1" barb.
9931-823	162-006-13	12 GPM, 24V, 1/2" BSP and 1" barb
9931-836	163 000 00	Repl Impeller

VANE PUMP - ON/OFF SWITCH

MARCO



- Self priming vane pump suitable for diesel, oil & anti-freeze
- Includes a sealed on/off switch and integrated bypass
- Switchable side or top 25mm ports

PART NO.	MFG#	DESCRIPTION
9931-832	M166-028-12	12V, 11.9GPM

For the most up to date pricing, please visit maritimemarinesupply.ca/price

PELA FLUID EXTRACTOR PUMPS

Pela offers a complete line of pumps to meet all your needs, from small to big jobs. The most common application is oil changing. All you need to do is pump the unit 10 to 20 times in a row to create a powerful vacuum. Then watch the old oil get sucked out of the engine and into the container. Pela's quick, easy and clean process eliminates the need to remove drain plugs or tilt equipment. In areas that are confined or inaccessible, Pela Oil Extractors are the solution!

2.5L CAPACITY PUMP



Height: 25"
Cylindrical Dia: 6.25"
Tubes: 3/16" & 1/4" OD, Length 47" ea.
Extension Tube: Length 39"

6.0L CAPACITY PUMP



Height: 25-1/2"
Cylindrical Dia: 8.35"
Tubes: 3/16" & 1/4" OD, Length 61" ea.
Extension Tube: Length 61"

6.5L CAPACITY PUMP



Dia: 7"
Tube: 3/16" OD, Length 43";
Clear Section 3/8" OD, Length 39"

14L CAPACITY PUMP



Dia: 9"
Tube: 3/16" OD, Length 43";
Clear Section 3/8" OD, Length 39"

PART NO.	MFG#	DESCRIPTION
7200092	PL-2000	2.5L./2.64 qt
7200094	PL-6000	6.0L./6.34 qt
7200096	PL-650	6.5L./6.87 qt
7200098	PL-14K	14.0L./14.8 qt

HAND OIL PUMP



Brass and neoprene, inlet and outlet tube.
Tube Sizes:

- 1 x Discharge 12mm
- 1 x Suction 8mm
- 1 x Suction 6mm

PART NO.	MFG#	DESCRIPTION
7200101	18533	Hand Oil Pump

ENGINE OIL CHANGE PUMPS



- 1-1⁄8" Diameter x 7" L cylinder
- Soft copper tube bends to suit dipstick hole
- Mounting brackets supplied for permanent installation to oil sump drain plug hole

PART NO.	MFG#	DESCRIPTION
9922-134	WS280C w/WS280/13	Chrome
9922-136	WS280B w/WS280/13	Brass
9919-057	SKIT280/14	Service kit
9919-058	SKIT28/16	Service kit (2014 and newer)

MOELLER FLUID EXTRACTORS



- No power required
- Dual Action vacuum pump
- Extracts warm or cold oil
- No-mess design includes tethered cap and easy-pour spout
- Manual pressure relief valve prevents burps and spills
- Automatic shut-off float eliminates overflow
- **Not for use with Gasoline**

PART NO.	MFG#	DESCRIPTION
9944-353	035330	5L
9944-354	035340	7L
9944-355	035360	15L

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

OIL/WATER/DIESEL HAND PUMP



This utility pump is made entirely of tough marine plastic. It will not rust or corrode, is non-sparking for safety, and requires no priming to start pumping action.

Includes: Special intake tubes to remove oil from I/O engines.

Intake tubes 1/4" and 1/2". 12-3/4"L x 1-1/2" Dia.

PART NO.	MFG#	DESCRIPTION
7200110	212PC	Oil/Fuel/Water Hand Pump

HANDYMATE OIL CHANGE PUMP



Pumps crank case oil from engines equipped with a threaded fitting on the top of the dipstick tube. Threaded adapter fits standard male garden hose couplers.

Large pump body and long pump stroke pumps out crankcase oil quickly. Made entirely of tough marine plastic. Self priming, 1-1/2" pump body .

Supplied with red discharge tube. Length: 12-3/4" (32.4cm)

PART NO.	MFG#	DESCRIPTION
7200105	212PGA	Oil Change Pump

HANDY MATE UTILITY PUMPS



- Oil Change/Water Pump Kit - **Not for hot oil.**
- 1-1/2" Dia. x 16" L
- Pumps 10 oz. per stroke; requires no priming to start pumping action
- Tough marine plastic will not rust or corrode, is non-sparking for safety - Kit includes:
- Two intake tubes, 1/2" x 36" L and 1/4" x 36" L with adapter
- Flexible hose for water discharge, 1-1/4" x 24" L
- Discharge tube for oil, 1-1/4" x 10" L

PART NO.	MFG#	DESCRIPTION
9922-197	216PC	Utility Pump KIT

LOWER UNIT PUMP



- Quart size pump for outboard lower units, power trim and tilt units
- Fits outboard stern drives with 3/8-16 threaded screws
- Johnson / Evinrude, Mercury / Mariner and Suzuki; 25 HP and larger
- Yamaha 8 HP and larger

PART NO.	MFG#	DESCRIPTION
9970-344	042905	Quart size pump

NEW

UNIVERSAL LOWER UNIT PUMP



- its all quart bottles
- Extra threaded adapter for 1 1/2" neck quart and gallon bottles
- Includes 3 engine adapters for most outboards of stern drives
- Not for transfer of fuel or gasoline

PART NO.	MFG#	DESCRIPTION
7915298	053725-10	Pump Kit

FUNNEL – 2 IN 1



- Can be used as a transmission funnel or flex spout detaches to be used as regular funnel.
- Supplied with 1" stainless steel screen-filter
- Top diameter: 6-1⁄2"
- Spout diameter: 11⁄16" (funnel only), 1⁄2" (flex spout)
- Overall length 7" (funnel only), 15" (w/ flex spout)

PART NO.	MFG#	DESCRIPTION
9943-014	TT1-238	1 quart capacity

FUEL FILTER FUNNELS



- Heavy duty, fast flow, re-usable filter in a funnel that separates damaging free water and contaminants from gasoline, diesel, heating oil and kerosene

PART NO.	MFG#	DESCRIPTION
9943-166	RFF1C	6" H x 3-1⁄2" diameter, 2.7 U.S. GPM
9943-167	RFF3C	9" H x 5-1⁄2" diameter, 3.9 U.S. GPM
9943-168	RFF8C	10" H x 8-1⁄2" diameter, 5 U.S. GPM

OIL CHANGE KITS

SPXFLOW Johnson Pump



- Gear pump with PTFE pump body and gears for reduced wear, integrated quick reversing switch, 3-1⁄2 gallon bucket, heat resistant hose and wire leads

PART NO.	MFG#	DESCRIPTION
9921-106	65000	12V

JABSCO PORTABLE OIL CHANGE PUMPS

JABSCO

ExtractS up to 50 weight oil through the engine's dip stick tube, usually in less than five minutes. With a powerful suction pump and a 14 Qt bucket, two V8 engines can be serviced in just one trip. These **12VDC systems include 8' long battery leads with alligator clips and heat resistant Teflon suction tube.**



7200116 **7200115**

Porta-Quick Reversible impeller pump controlled by a built-in switch.

Economy Oil resistant Geolast diaphragm w/oil resistant Viton valves & a built in ON/OFF switch.

PART NO.	MFG#	DESCRIPTION
7200115	17850-1012	12-3/8"D x 12-3/8'H, 3.5 lbs.
7200116	17800-2000	13-1/2"D x 13-5/8'H, 9 lbs.
2119200	9200-0023-P	Repl. Nitrile Impeller kit
2119201	9200-0023-24	Nitrile Impeller Only

GEAR PUMP WITH OIL CHANGE KIT

SPXFLOW Johnson Pump



- PTFE pump body and gears for reduced wear
- Includes 1/4" and 5/16" (6 and 8 mm) extraction tubes
- Wiring includes battery clamps
- 2 GPM; self priming to 2 feet
- 8 Amp fuse size

PART NO.	MFG#	DESCRIPTION
9922-374	80-47508-01	12V

PREMIUM ELECTRIC OIL PUMP

SEADOG LINE



This portable, lightweight Premium Electric Oil Pump is easy to use and transport. The self-priming 12V pump attaches to battery terminals with alligator clips and drains oil through the dipstick tube on outboards and sterndrives.

Power Rating: 60W at 12VDC **Maximum Run Time:** 30 minutes
Includes: 48" inlet hose, 80" outlet hose, clamps
Oil flow rate: 0.84 quarts/min at 140°F (0.8 liters/min at 60°C)
Diesel flow rate: 1.9 quarts/min at 75°F (1.8 liters/min at 23°C)

NOT intended for commercial use. NOT suitable for pumping out transmission oil, water, or flammable liquids.

PART NO.	MFG#	DESCRIPTION
7200113	501072-3	Oil Pump, 12VDC

REVERSIBLE OIL CHANGE PUMP

JABSCO



The Jabsco Oil Change Pump is designed to be installed near a vessel's engine and permanently plumbed to the engine's oil pan. The pump can be used to remove old oil from the engine, then with the integral reversing switch, the flow direction can be changed to pump a measured amount of new oil back into the engine.

The connection to the engine should be controlled by the 3/8" ball valve (provided) to guard against accidental oil discharge. **Flow rate:** 6.3 gallons/min (24 Litres/min) **Self-priming:** Dry up to 4' (1.2 meters)

PART NO.	MFG#	DESCRIPTION
7200012	17830-0012	12VDC
7200024	17830-0024	24VDC
2119201	9200-0023-24	Impeller

ELECTRIC DRILL OIL CHANGE PUMP

JABSCO



Versatile means of transferring fluid almost anywhere an electric drill with a 1/4" to 3/8" chuck can be operated. Pumps up to 3.5 GPM, self priming up to 3'. **Weight:** 0.5 lb

- 1/2" hose and a 3/4" threaded Garden hose,
- 3' of 1/2" hose
- 1/4" x 40" Probe for changing oil through a dipstick tube.

PART NO.	MFG#	DESCRIPTION
7200118	17215-0000	Drill Pump
2117255	17255-0003-P	Repl. Nitrile Impeller

DIESEL TRANSFER PUMP



Self-priming electric pumps of small dimensions with bronze gears for transferring of liquids

Pump body in nickel-plated brass and stainless steel shaft. Main applications: transfer of diesel fuel, antifreeze

PART NO.	MFG#	DESCRIPTION
9931-829	164-000-12	4 GPM, 12V, 3⁄8" BSP
9931-840	164-000-13	4 GPM, 24V, 3⁄8" BSP
9931-841	164-060-12	7 GPM, 12V, 1⁄2" BSP
9931-842	164-060-013	7 GPM, 24V, 1⁄2" BSP

OIL TRANSFER PUMP



Self-priming electric pumps with helical bronze gears for transferring lubricating oils and viscous liquids.

Nickel-plated brass body and stainless steel shaft. Particularly suitable for draining engine sumps and for engine lubricating operations

PART NO.	MFG#	DESCRIPTION
9931-844	164-220-12	1 GPM, 12V, 3⁄8" BSP
9931-845	164-220-13	1 GPM, 24V, 3⁄8" BSP
9931-846	164-080-12	2 GPM, 12V, 1⁄2" BSP
9931-847	164-080-13	2 GPM, 24V, 1⁄2" BSP

TRANSFER PUMP, LOW RPM W/ REVERSE SWITCH



Marco-model UP3/OIL-R, gear pump, integrated Forward-Off-Reverse switch, nickel plated brass body, bronze gears, Stainless Steel shaft. For engine oil change, diesel transfer and refueling, oils, fresh water, and glycol antifreeze. Lower rpm for engine oil change applications. Heavy duty ball bearing design, motors are iso 8849 marine (bilge standard),IP67 rated.

- Low RPM: 1.45 gallons per/min
- Self-priming 3.5 ft
- PSI: 29
- 3/8" Thread ports. (Hose barbs included)
- Amp draw: 5 Amps @ 12v (integrated 7.5 Amp fuse)
  3 Amps @ 24v (integrated 4 Amp fuse)

PART NO.	MFG#	DESCRIPTION
9931-830	M164-022-12	Low RPM, 12V, 3/8" BSP - UP3/OIL-R
9931-960	M164-022-13	Low RPM, 24V, 3/8" BSP-UP3/OIL-R

TRANSFER PUMP, HIGH RPM W/REVERSE SWITCH



Marco- Model UP3-R, Gear Pump, Integrated Forward-Off-Reverse switch, nickel plated brass body, bronze gears, Stainless Steel shaft.

For Diesel transfer and refueling, light weight oils, fresh water and glycol antifreeze. Heavy duty ball bearing design, motors are ISO 8849 marine (bilge standard), IP67 rated.

- High RPM: 4.0 gallons per/min
- Self-priming 5 ft
- PSI: 29
- 3/8" BSP Thread. (Hose barbs included)
- Amp draw: 6 Amps @ 12v (integrated 7.5 Amp fuse)
  3 Amps @ 24v (integrated 4 Amp fuse)

PART NO.	MFG#	DESCRIPTION
9931-831	M164-008-12	High speed, 3⁄8" BSP - UP3/R

REVERSIBLE ELECTRIC GEAR PUMP



- Suitable for oil and diesel
- 2.6GPM, self-priming upto 5 feet
- Integrated Smart Keypad to reverse flow direction and fine tune flow rate
- 12/24 VDC, 3⁄8" BSP or 1⁄2" hose fittings

PART NO.	MFG#	DESCRIPTION
9931-947	M164-095-15	Oil/diesel, 12/24V

DIESEL TRANSFER PUMP - KIT



- Marco VP45 DC diesel transfer pumps are portable, but may also be tank and barrel mounted. Their reliability and pumping power ensure trouble free fluid transfer even when AC power sources aren't available. VP45 pumps and kits are rated for continuous duty and are tested for 1,500 hours.
- Delivers up to 11.9 GPM (45 LPM). Shrouded in a protective metal carrying case with handle and on/off switch. Brush holder with EMI filter.
- Kit includes battery clips, gas station style manual dispensing nozzle, intake filter, 6.5 ft priming hose and 13 ft of delivery hose. For pumping diesel fuel only, not suitable for gasoline.

PART NO.	MFG#	DESCRIPTION
9931-843	166-024-12	12 GPM, 12V

For the most up to date pricing, please visit maritimemarinesupply.ca/price

OIL CHANGE SYSTEM AND FUEL PUMPS

A complete line of oil change systems and pumps for your boats, specialty vehicles, agricultural equipment, and trucks. Also for stand-by generators. REVERSO's simple designs and rugged motors make these a trouble free accessory built to withstand the harshest environments. Reverso's use of a powerful pump transfers oil quickly and cleanly between engine and waste container. The reversing feature allows the user to pump fresh oil back into the engine. Oil changes become the simple matter of flicking a switch.
Compatible for diesel, oil, or water.

OP-7 DIESEL/OIL/WATER TRANSFER SYSTEM



Specifications:

- **Flow Rate:** up to 7.4 GPM / 28 LPM
- **Ports:** 3/8" BSPP, comes with 3/4" male garden hose fittings
- **Self-priming:** 5' / 1.5m (wet)
- **Amp. Draw:** 8A / 12V, 4A / 24V
- **Work Pressure:** up to 15 PSI / 1 bar (max.)
- **Rated:** IP67
- **Dimensions:** 7.57" (192mm) x 5.16" (131mm) x 3.5" (89mm)
- **Weight:** 3.7 lbs. / 1.7 kg

Repair Kit Includes: 1 x Impeller, 1 x Top plate, 1 x O-ring, 3 x Screws
Rebuild Kit Includes:

- 1 x Impeller
- 1 x Top plate
- 1 x O-ring
- 3 x Screws
- 1 x Ball bearing
- 1 x Lip seal
- 1x Brush holder with integrated 12V or 24V switch
- 4 x Anti-vibration mounts

PART NO.	MFG#	DESCRIPTION
7200122	33-2300-01-1-2-1	OP-7 12V Pump
7200123	33-2300-02-1-2-1	OP-7 24V Pump
7200175	38-2410	OP-7 Impeller for Diesel, Oil, Water
7200176	38-2420	OP-7 Repair Kit
7200171	38-0370	OP-6 Diesel Impeller
7200174	38-0371	OP-6 Impeller, Gasket & Seal Kit
7200170	38-2314	OP-6 Impeller, Diesel, Oil & Water

MULTI-PORT SYSTEM



- Powerful gear pump
- Full flow valves
- Internal fuse (slow burn)
- Built-in wire connector
- Built-in switch guard
- Easily changed impeller
- Mounting plate
- Compact size (703) 9.5" x 10.5"
- Diesel transfer pump (impeller change required)
- 1.5-3.0 GPM

PART NO.	MFG#	DESCRIPTION
7200141	42-2353	24V Pump/Manifold

REVERSO VALVE MANIFOLD



This valve manifold allows one pump to drain or fill from 2 connections (e.g. engine oil, transmission fluid). Each port can be closed by its valve to ensure filling/draining of proper fluid. Three pre-drilled mounting holes for easy mounting anywhere. 3/16" mounting fasteners required. Includes 6 labels.
Dimensions: 6-1/2" x 5-1/4"
1/2" NPT valves and 1/2" hose barb.

PART NO.	MFG#	DESCRIPTION
7200162	07-0583-01	Valve Manifold

NEW CORDLESS BUCKET PUMP



The Cordless Bucket Gear Pump is an efficient and safe fluid transfer system.

The portable and compact reversible gear pump design can easily sit on the lid of a 5-gallon bucket

- Time saver for DIY users and service technicians.
- Moves oil, diesel, antifreeze, or water.
- Convenient, Portable, Cordless.
- Compatible with Milwaukee M18 battery pack.
  - Battery and Bucket are not included.
- Flow Rate : 1.5 GPM, Hose Length : 3 ft.

PART NO.	MFG#	DESCRIPTION
7200018	27-2203	Reversable Gear Pump, 12 Vdc.

PORTABLE OIL CHANGE SYSTEM



- 3 GPM gear pump with bronze gears & S/S shafts
- Easy connect port oil change system
- Connects directly to most dipstick tubes
- Handy carry & hanging bracket
- 6' marine grade wire with battery clips
- Dripless storage of hoses
- Ideal for gas & diesel engine service

PART NO.	MFG#	DESCRIPTION
7200130	27-2179	12V Pump

OIL EXTRACTION TUBES



Kit includes 3 tubes for drawing oil from various size dipstick tubes. 5/16" x 31" and 1/4" x 36" tube for insertion into dipstick tube. 1/2" x 5" tube for installation with clamp over dipstick tube.
Brass adapter to thread into pump is included.

PART NO.	MFG#	DESCRIPTION
7200161	33-2279	Tube Kit

JABSCO IMPELLERS

Jabsco – The Original Impeller

Jabsco flexible impellers are subjected to rigorous quality processes to ensure reliable, efficient and long lasting performance.





Guide to Impellers Table Information





P Pin Drive

K Key Drive

SF Single Flat Drive

DF Double Flat Drive

D Ding Drive

S Spline Drive

PART NO.	MFG#	DIAMETER	WIDTH	SHAFT DIA. IN./MM	DRIVE	BLADE
2114750	14750-0003-P	1-1/4"	15/32"	5/16"	SF	8
9921-045	4528-0001-P	1-9/16"	3/4"	3/8"	P	6
9921-038	22405-0001-P	1-9/16"	3/4"	12mm	P	6
9921-144	9200-0023-P	1-19/32"	3/4"	5/16"	SF	10
2116303	6303-0001-P	2"	7/8"	5/16"	SF	6
2116305	6303-0003-P	2"	7/8"	5/16"	SF	6
9921-013	5616-0001-P	2"	7/8"	1/2"	D	6
† 2116304	6303-0001-24	2"	7/8"	5/16"	SF	6
9921-050	4568-0001-P	2-1/4"	1-1/4"	5/8"	K	12
9921-060	1210-0001-P	2-1/4"	1-1/4"	5/8"	S	12
9921-039	13554-0001-P	2-1/4"	1-7/8"	5/8"	S	12
*** 2111210**	1210-0001-P	2-1/4"	1-1/4"	5/8"	S	12
† 2111211	1210-0001-24	2-1/4"	1-1/4"	5/8"	S	12
*** 2114568**	4568-0003-P	2-1/4"	1-1/4"	5/8"	K	12
*** 2118838**	18838-0001-P	2-7/16"	1-1/4"	5/8"	K	12
9921-044	18948-0001-P	2-9/16"	1-5/8"	5/8"	K	12
2114598	4598-0001-P	2-9/16"	2"	5/8"	K	8
9921-035	920-0001-P	2-9/16"	2"	5/8"	S	8
2110920	920-0003-P	2-9/16"	2"	5/8"	S	8
2117937	17937-0001-P	2-9/16"	2"	5/8"	S	10
† 2110921	920-0003-24	2-9/16"	2"	5/8"	S	8
† 2117938	17937-0001-24	2-9/16"	2"	5/8"	S	10
2117018	17018-0001-P	2-9/16"	3"	5/8"	S	8
*** 2110215**	31130-0061-P	2-11/16"	2-11/16"	5/8"	S	10
2118958	18958-0001-P	3-1/4"	2-7/8"	20mm	K	12
2110836	836-0001-P	3 3/4	2-1/2"	1"	S	9
2117935	17935-0001-P	3-3/4"	2-1/2"	1"	S	12
2117936	17935-0001-24	3-3/4"	2-1/2"	1"	S	12
2116760	6760-0001	3-3/4"	3-1/2"	1"	S	9
7750814	17936-0001-P	3-3/4"	3-1/2"	1"	S	12
2117970	17370-0001-P	3-3/4"	3-1/2"	1"	DF	12
*** 2116761**	6760-0003-P	3-3/4"	3-3/4"	1"	S	12
2117038	17938-0001-P	3-3/4"	3-1/2"	1"	DF	12
9921-401	18786-0001-W	4-5/8"	3-1/2"	1"	DF	9

*Note: Mfg numbers ending with 3 are rated for fuel/oil
† bulk; does not contain o-ring or gasket

For the most up to date pricing, please visit maritimemarinesupply.ca/price

GLOBE RUN-DRY SELF-LUBRICATING IMPELLERS

The only impellers in the world guaranteed to run-dry for up to 15 minutes.

When performance matters, you don't want to be caught out in the water or pumping liquids with a faulty impeller. Testing has shown that Globe's Run-Dry impellers last twice as long as conventional rubber, neoprene or nitrile impellers in run-dry conditions. Have a critical marine, military or industrial application that demands minimum downtime? Use Run-Dry impellers for peace of mind.

Brandonite Tough:

Globe impellers are made of Brandonite a high-strength, elastomeric material with self-lubricating compounds for run-dry protection and improved resistance to sand and dirt to help keep you going in the most difficult conditions.

Features:

- Will not swell
- Will not shrink
- Solvent-resistant
- Self-lubricating
- Resistant to becoming brittle
- Abrasion-resistant
- Will not stick to pump housing
- Thermo-set rather than thermo-formed
- Less down-time and less costs
- Globe marine impellers will last longer

Guide to Impellers Table Information





P Pin Drive

K Key Drive

SF Single Flat Drive

DF Double Flat Drive

D Ding Drive

S Spline Drive



Globe Composite Solutions, Ltd.

Dia.	Width	Shaft	Drive	Blades	Model	Item No.
1-1/4"	15/32"	5/16"	SF	6	321	**9921-320**
1-9/16"	3/4"	5/16"	SF	6	1014	**9921-380**
1-9/16"	3/4"	3/8"	P	6	421	**9921-324**
1-9/16"	3/4"	12mm	P	6	*1112	**9921-344**
2"	7/8"	5/16"	SF	6	*025	**9921-301**
				6	†*025R	**9921-353**
2"	7/8"	1/2"	K	6	418	**9921-322**
2"	7/8"	1/2"	P	6	*6541	**9921-382**
2"	7/8"	1/2"	SF	6	815	**9921-334**
2"	7/8"	12mm	P	6	331M	**9921-321**
2-1/4"	3/4"	3/8"	SF	6	1015	**9921-383**
2-1/4"	25/32"	1/2"	K	12	*1130	**9921-350**
2-1/4"	1-1/4"	5/8"	K	12	1101	**9921-342**
2-1/4"	1-1/4"	5/8"	S	10	*616	**9921-385**
				12	*075	**9921-304**
				12	†*075R	**9921-386**
2-1/4"	1-7/8"	5/8"	S	12	*100J	**9921-387**
2-11/32"	1-19/64"	7/8"	K	6	1000	**9921-388**
2-7/16"	7/8"	5/8"	K	12	610	**9921-389**
2-7/16"	1-1/4"	5/8"	K	12	*620	**9921-328**
2-9/16"	1-5/8"	5/8"	K	12	*625	**9921-330**
2-9/16"	2"	5/8"	D	10	110SS	**9921-390**
				10	†110SSR	**9921-391**
2-9/16"	2"	5/8"	K	8	*1114	**9921-392**
				12	626	**9921-394**
2-9/16"	2"	5/8"	S	8	*100	**9921-308**
				8	†*100R	**9921-354**
				10	*110	**9921-312**
				10	†*110R	**9921-355**
2-9/16"	2"	3/4"	SF	8	*2001	**9921-396**
2-9/16"	2-11/16"	5/8"	S	10	845	**9921-397**
2-9/16"	3"	5/8"	S	8	1111	**9921-398**
3-1/4"	2-7/8"	20mm	K	12	*630	**9921-332**
3-1/4"	2-7/8"	3/4"	S	12	*270	**9921-399**
3-3/4"	2-1/2"	1"	S	9	*125	**9921-314**
				12	*1113	**9921-346**
3-3/4"	3-1/2"	1"	S	9	200	**9921-316**
				12	*1213	**9921-352**

†Globe model numbers ending with 'R' are rated fuel. *Comes with gasket and o-ring.

IMPELLER BRAND TO GLOBE QUICK REFERENCE

JABSCO

PART NO.	JABSCO	GLOBE
9921-304	01210-0001	075
9921-386	01210-0003	075R
9921-324	04528-0001-P	421
9921-392	04598-0001	1114
9921-301	06303-0001	025
9921-353	06303-0003	025R
9921-380	12977-0001	1014
9921-387	13554-0001	100J
9921-320	14787-0001B	321
9921-398	17018-0001	1111
9921-346	17935-0001	1113
9921-352	17936-0001	1213
9921-312	17937-0001	110
9921-355	17937-0003	110R
9921-396	17954-0001	2001
9921-390	17956-0001	110SS
9921-391	17956-0003	110SSR
9921-393	18327-0001P	327
9921-328	18838-0001	620
9921-330	18948-0001	625
9921-332	18958-0001	630
9921-344	22405-0001	1112
9921-322	22799-0001	418
9921-385	3085-0001	616
9921-397	31130-0061	845
9921-342	4568-0001	1101
9921-321	653-0001	331M
9921-382	673-0001-P	6541
9921-316	6760-0001	200
9921-314	836-0001	125
9921-384	8980-0001	318
9921-308	920-0001	100
9921-354	920-0003	100R



JOHNSON

PART NO.	JOHNSON	GLOBE
9921-382	09-1026B-1	6541
9921-304	09-1027B-1	075
9921-386	09-1027B-9	075R
9921-354	09-1028B-9	100R
9921-308	09-1028BT-1	100
9921-314	09-1029B-1	125
9921-328	09-701B-1	620
9921-330	09-702B-1	625
9921-332	09-704BT-1	630
9921-342	09-801B	1101
9921-316	09-802B	200
9921-316	09-806B	421
9921-344	09-808B	1112
9921-321	09-810B	331M
9921-387	09-812B	100J
9921-352	09-814B	1213
9921-346	09-819B-00	1113
9921-301	09-824P	025
9921-353	09-824P-9	025R

SHERWOOD

PART NO.	SHERWOOD	GLOBE
9921-350	10077K	1130
9921-392	10187	1114
9921-330	10615K	625
9921-394	15000K	626
9921-332	17000K	630
9921-312	18200K	110
9921-399	27000K	270
9921-389	9000K	610
9921-328	9959K	620
9921-324	9979	421

For the most up to date pricing, please visit maritimemarinesupply.ca/price

"NEW" LASTING QUALITY
IMPELLERS FROM JOHNSON PUMP

SPXFLOW
Johnson Pump

Performance

- Stable pressure delivery over time
- Ensures correct cooling flow and excellent self-priming capability
- Unique MC97 rubber compound

Marine compound 97 (Rubber compound MC97)

- Rubber compound MC97 provides maximum life, especially for applications where the end user doesn't run the engine on a regular basis
- Minimized failures due to fatigue
- Minimized swelling of the impeller



PART NO.	MFG#	Outside Diameter	Width.	Shaft Dia. In./mm	Drive	Blades	Material
7751077	09-1077B-9	1-1/4"	1/2"	1	F	6	Neoprene
7750806	09-806B-1	1-9/16"	3/4"	3/8	P	6	MC97
7750808	09-808B-1	1-9/16"	3/4"	12mm	P	6	MC97
9921-377	09-843S-9	1-3/4"	1/2"	5/16	SF	8	Nitrile
9922-150	09-824P-9	2"	7/8"	5/16	SF	6	Nitrile
7751026	09-1026B-1	2"	7/8"	1/2	P	6	MC97
7750810	09-810B-1	2"	7/8"	12mm	P	6	MC97
9924-345	09-801B	2-1/4"	1-1/4"	5/8	K	12	Neoprene
7751027	09-1027B-10	2-1/4"	1-1/4"	5/8	S	12	MC97
7750812	09-812BT-1	2-1/4"	1-7/8"	5/8	S	12	MC97
9921-370	09-701B-1	2-7/16"	1-1/4"	5/8	K	12	MC97
9921-371	09-702B-1	2-9/16"	1-5/8"	5/8	K	12	MC97
7751028	09-1028BT-1	2-9/16"	2"	5/8	S	8	MC97
7750821	09-821BT-1	2-9/16"	3-5/32"	1	S	12	Neoprene
9921-372	09-703P-1	2-5/8"	2"	5/8	SF	8	MC97
9921-373	09-704BT-1	3-1/4"	2-7/8"	20mm	K	12	MC97
9924-343	09-802B	3-3/4"	3-1/2"	1	S	9	MC97
9922-173	09-814B	3-3/4"	3-1/2"	1	S	12	Neoprene
7750820	09-820B	3-3/4"	5-1/8"	1	S	12	Neoprene

GENUINE SHERWOOD IMPELLERS

SHERWOOD



PART NO.	MFG#	Sherwood	Dia	Width	Drive
2110800	08000K-SHW	08000K	1-9/16"	3/4"	Single flat
2110277	10077K-SHW	10077K	2-1/4"	3/4"	1/2" Keyed
2110259	09959K-SHW	09959	2-7/16"	1-1/4"	5/8" Keyed
2110211	10615K-SHW	10615K	2-9/16"	1-5/8"	5/8" Keyed
2110250	15000K-SHW	15000K	2-9/16"	2"	5/8" Keyed
2110300	17000K-SHW	17000K	3-1/4"	2-7/8"	20mm keyed
2110900	09000K-SHW	09000K	2-7/16"	7/8"	5/8" Keyed
2110500	18000K-SHW	18000K	3-5/8"	4"	14-Tooth Spline
2110380	27000K-SHW	27000K	3-5/16"	2-7/8"	11-Tooth Spline
2110490	26000K-SHW	26000K	3-3/4"	3-1/8"	10-Tooth Spline
*** 2110290**	29000K-SHW	29000K	3-3/4"	4"	10-Tooth Spline
2110220	22000K-SHW	22000K	4-1/2"	4-5/16"	14Tooth Spline
2110302	30000K-SHW	30000K	4-1/2"	4-5/16"	10-Tooth Spline

*Parts on this page are aftermarket parts, not OEM (Original Equipment Manufacturer)

T-HANDLE IMPELLER PULLER

SPXFLOW Johnson Pump



Impeller not included

This T-Handle impeller puller is designed to easily remove Johnson pump impellers 09-820B while avoiding damage to the pump.

Pump Type : Johnson F95

PART NO.	MFG#	DESCRIPTION
7750801	09-36166-01	Impeller Puller for 09-820B

IMPELLER REMOVAL TOOLS

SHERWOOD



Removing larger threaded end impellers has been made swift and easy with these threaded impeller removal tools.

2110295 Hand Grip Puller for:17000A, 18000, 22000, 26000, 29000 and 30000
2110296 Hand Grip Metric Puller for: 27000 metric M16 only

PART NO.	MFG#	DESCRIPTION
2110295	25105-SHW	3/4" x 16 thread
2110296	25106-SHW	M-16 Metric

IMPELLER PULLERS

JABSCO



The easiest way to remove impellers, especially when the pump is mounted in tight and cramped conditions. 6" to 2-9/16" (40 to 65 mm) in diameter. A simple 3-stage operation easily removes the impeller and removes the risk of costly damage to the pump. Made from corrosion resistant stainless steel. Suitable for all makes of Impeller's.

PART NO.	MFG#	DESCRIPTION
9921-048	50070-0040	up to 2-1/2" dia.
9921-049	50070-0200	2-1/2" to 4-1/2" dia

S/S IMPELLER PULLER

SEA-DOG LINE QUALITY MARINE GEAR



Easier removal of flexible impellers from a pump. Tighten the side grips onto the impeller hub and turn the center screw shaft to pull the impeller out of the pump.

PART NO.	MFG#	DESCRIPTION
2110297	660040-1	2-1/4"- 2-9/16" Impellers
2110298	660020-1	3-1/16" - 5" Impellers



FOR ENGINE COOLING & GENERAL PURPOSE PUMPING

Self-priming flexible impeller pumps provide an efficient solution to most raw water pumping needs. A dry pump can lift water up to as much as 10'. Thus, a flexible impeller pump being used for engine cooling needs not be located below the water line or manually primed. An added feature of flexible impeller pumps is that they can pass fairly large solids without clogging or damaging the pump. Wearing parts are easily replaceable, and service kits are available.

3/8" PUMP

SPXFLOW Johnson Pump



Model: 10-24074-71, 10-24570-51, F4B-8
GPH: 426
Shaft Dia: 3/8"

PARTS ONLY

PART NO.	MFG#	DESCRIPTION
776010	10-24570-51	3/8" NPT, 3/8" Shaft
7750810	09-810B-1	Impeller
7705015	01-42389	Cam
7705020	01-46794-04	Cam Screw
7776044	0.2233.010	Lip Seal
7770287	01-42391	Gasket
2181183	01-42398	End Cover
7773176	0.0279.300	End Cover Screw

3/4" PUMP

SPXFLOW Johnson Pump



Model: F5B, 10-24571-51
GPH: 1500
Shaft Dia: 5/8"

PART NO.	MFG#	DESCRIPTION
776075	10-24571-51	Pump, 3/4" Ports, 5/8" Shaft
9922-054	09-46843	Service Kit
2181183	01-42398	Cover (1 req'd)
7773176	0.0279.300	Cover Screw (5 req'd)
7751027	09-1027B-10	Impeller (1 req'd)
7776045	0.2233.001	Lip Seal (1 req'd)
9112715	6-203-4N	Bearing (2 req'd)
9922-319	01-42399	Wear Plate

1" PUMP

SPXFLOW Johnson Pump



Model: F7B, 10-24572-51
GPH: 1560
Shaft Dia: 5/8"

PART NO.	MFG#	DESCRIPTION
776100	10-24572-51	1" NPT, 5/8" Shaft
210105	01-47769-1 (OLD 01-42441)	Cover (1 req'd)
2101095	01-42679	Cam (1 req'd)
2117937	17937-0001-P	Impeller (1 req'd)
210110	0.0279.301	Cover Screw (6 req'd)
7776045	0.2233.001	Lip Seal (1 req'd)
9112715	6-203-4N	Bearings (2 req'd)

1/2" PUMP

JABSCO



Model: 1673
GPH: 570 at 1750 RPM
Shaft Dia: 5/8"

PART NO.	MFG	DESCRIPTION
2101673	1673-1003	1/2" Pump
2105310	91003-0010	Cover Screws, 3-pk. (6 req'd)
2105309	18753-0133	Cover "O" Ring (1 req'd)
2105311	11836-0000	Cover (1 req'd)
9112715	6-203-4N	Bearings (2 req'd)
7751027	09-1027B-10	Impeller (1 req'd)
2105308	92700-0060	Lip Seal (1 req'd)
2160490	01-42397	Cam (1 req'd)

3/4" PUMP

JABSCO



Model: 4590
GPH: 1500 at 1750 RPM
Shaft Dia: 5/8"

PARTS ONLY

PART NO.	MFG	DESCRIPTION
2105310	91003-0010	Cover Screw, 3-pk.
2114598	4598-0001-P	Impeller
2101095	01-42679	Cam
2104597	3791-0000	Packing

1" PUMP

JABSCO



Model: 777-9001
GPH: 1400 at 1750 RPM
Shaft Dia: 5/8"

PART NO.	MFG	DESCRIPTION
2107771	777-9001	1" Pump
2192600	5204-2RS BRG	Bearing
2140913	913-0000	Bearing Inner Seal
2110434	914-0000	Bearing Outer Seal
2107772	96080-0080	Seal Assembly
7781443	01-42443	Wear Plate
2101095	01-42679	Cam
2101096	01-46794-01	Cam Screw
2117937	17937-0001-P	Impeller
2110920	920-0003-P	Oil Resistant Impeller
210105	01-47769-1 (OLD 01-42441)	End Cover
2105310	91003-0010	Cover Screws, 3-pk.

1-1/4" PUMP



Model: 6400-0004
GPH: 3720
Shaft Dia: 1"

PART NO.	MFG#	DESCRIPTION
2106400	6400-0004	1-1/4" Pump
2117935	17935-0001-P	Impeller
2156407	6407-0010	Water Seal
2712155	817-0000	Pump End Oil Seal
99080818	818-0000	Drive End Oil Seal
7780680	01-42680	Cam
2105540	91005-0040	Cam Screw
7772422	01-47771-1 (old 01-42422-1)	End Cover
9921-063	816-0000	End Cover Gasket
2105540	91005-0040	End Cover Screw
2195125	5206-2RS AMC	Pump End Bearing

1-1/2" JABSCO PUMP



With Straight Shaft.

Model: 52200-9011
GPH: 3300 at 1500 RPM
Shaft Dia: 25mm

PART NO.	MFG#	DESCRIPTION
2100150	52200-9011	1-1/2" Pump
2117935	17935-0001-P	Impeller
2712154	21849	Water Seal
7780680	01-42680	Cam
2105540	91005-0040	Cam Screw
99082705	92700-0050	Lip Seal
2195125	5206-2RS AMC	Bearing
7781423	01-42423	Wear Plate
7772422	01-47771-1 (old 01-42422-1)	End Cover
9921-063	816-0000	End Cover Gasket

PUMP 1-1/2"



Model: F8B, 10-13021-96
GPH: 3822
Shaft Dia: 1"

PART NO.		DESCRIPTION
776150	10-13021-96	1-1/2" NPT, 1" Shaft
2117935	17935-0001-P	Impeller
7780680	01-42680	Cam
2105540	91005-0040	Cam Screw
9921-063	816-0000	End Cover Gasket
7772422	01-47771-1 (old 01-42422-1)	End Cover
2712151	5900-305	End Cover Screw
7781423	01-42423	Wear Plate
7771504	6-305-4W	Bearing
7790575	09-45575	Service Kit

*Service Kit includes: Impeller, Seal, End Cover Gasket and Screws

2" PUMP



Model: F9B, 10-13026-10
GPH: 4980
Shaft Dia: 15/16"

PARTS ONLY

PART NO.	MFG#	DESCRIPTION
7750814	17936-0001-P	Impeller
7703137	01-43137	Cam
2105540	91005-0040	Cam Seal
7774118	09-0.2247.051	Seal
7772422	01-47771-1 (old 01-42422-1)	End Cover
7773179	0.0144.200	End Cover Screw
7781423	01-42423	Wear Plate
7771504	6-305-4W	Bearing
9921-063	816-0000	End Cover Gasket

2" PUMP



Model: 18370-0000
GPH: 3600 at 1500RPM
Shaft Diameter: 1"
(Straight shaft)

PART NO.	MFG#	DESCRIPTION
2100200	18370-0000	2" Pump
2105540	91005-0040	Screw, End Cover, 6 req'd.
7772423	12062-0000	End Cover
7750814	17936-0001-P	Impeller
2166988	6988-0000	Cam
2105540	91005-0040	Cam Screw
2117039	2574-0000	Wear Plate
2156408	6408-0000	Seal Assembly (Shaft)
99082701	92701-0180	Inner Bearing Seal
99080818	818-0000	Outer Bearing Seal
9921-063	816-0000	End Cover Gasket

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

IMPELLER PUMP
FOR JOHN DEERE 6068 SFM

SPXFLOW Johnson Pump



F7B-9
Model: 10-24753-01/10-24907-01, 6068 SFM John Deere
GPH: 1600 at 2000 RPM
Shaft Dia: 5/8"
Ports: 1-1/4" in, 1-1/4" out

PART NO.	MFG	DESCRIPTION
2110123	10-13599-02	Pump
2117937	17937-0001-P	Impeller
210110	0.0279.301	Cover Screw
7777130	0.0371.040	Retaining Ring
7777121	0.0370.017	Bearing Retaining Ring
7777105	0.0370.516	Retaining Clip Ring
210119	0.2172.012	O-Ring Cover
210120	01-46648-3	End Cover
210121	01-46899	Cam
210122	0.0279.033	Cam Screw
210123	01-46798-2	Wearplate
210124	01-45680	Washer
210126	0.2230.015	V-Ring
210127	01-42423	Pin
9112715	6-203-4N	Bearing
210129	09-0.2247.022	Seal

PARTS ONLY IMPELLER PUMP FOR JOHN DEERE

SHERWOOD



Model: P1711, P1719, RE45458
Fits: 300 HP
Ports: Flanged
Fits: 6076, 6081, 6125

PART NO.		DESCRIPTION
2110300	* o	Impeller
2110455	* o	Seal and Seat
2110674	* o	Lip Seal
2110851	*(2)	Bearing (2 Required)
2110845		Shaft
2110571	*	Cam
2109945	* o	Cover Gasket
2110572		Cam Screw
2110642	*	End Cover
2110641	* o	Old Type Wear Plate Pin
2110640	* o	New Type Wear Plate Pin
2110367	* o	Key
2110952	*(3)o	Retaining Ring
2110772	*(2)	Flat Washer
2109946	*	O-Ring
2110759	*	Flat Washer
2110305	o	Minor Repair Kit
2110306	*	Major Repair Kit

***Incl. in Major Repair Kit o Included in Minor Repair Kit**

WATER PORTS / FITTINGS
FOR P1700 SERIES PUMPS

SHERWOOD





2110408



2110409

Water Ports for P1700 series Sherwood pumps.

PART NO.	MFG	DESCRIPTION
2110400	21524-SHW	1-3/4", Straight
2110401	21987-SHW	1-3/4", 90°
2110402	21988-SHW	2", 45°
2110403	19236-SHW	2", 90°
2110408	21525-SHW	Water Port O-Ring
2110409	21373-SHW	Water Port Bracket

IMPELLER PUMP FOR JOHN DEERE

SPXFLOW Johnson Pump



2110122



2110120

2110122 Model: 10-24398
Fits: 220 HP New Style
Ports: 1-1/4" In, 1-1/4" Out

2110120 Model: 10-24428-01
Fits: 220 HP Old Style

PART NO.	MFG	DESCRIPTION
2110120	10-24428-01	Pump Assy. Old
2110122	10-24398-01	Pump Assy. New
2117937	17937-0001-P	Impeller
7790592	09-47426	Service Kit
2101095	01-42679	Cam
2101096	01-46794-01	Cam Screw
210105	01-47769-1 (OLD 01-42441)	End Cover
210122	0.0279.033	End Cover Screw
9112715	6-203-4N	Bearing (2)
7776045	0.2233.001	Seal
7705670	01-35670	Shaft for 2110122

WATER PUMP FOR MERCRUISER

SIERRA



Replaces: 46-862914A13

Used on many Alpha, Bravo, Scorpion models.

PART NO.	MFG	DESCRIPTION
S183160	18-3160-1	Mercruiser Pump
S183016	18-3016-1	Impeller

COMPLETE WATER PUMP FOR MERCRUISER

GLM



Replaces: 46-8M0122655

Used on many Alpha, Bravo, Scorpion models.

PART NO.	MFG	DESCRIPTION
GLM12111	12111	Mercruiser Pump without pulley

SEA WATER PUMP

SIERRA



Replaces: Mercruiser 46-72774A32
Fits: V8 Engines with V-Belt / 3 piece pump

PART NO.	MFG	DESCRIPTION
S183600	18-3600	Sea Water Pump
S183087	18-3087	Impeller

ENGINE COOLING PUMP



Model: 22040-0701S

Replaces: Man 51-26500-7026

Fits: D2676, 405HP – 850HP

This pump features the five bolt flange.

PART NO.	MFG#	DESCRIPTION
2100205	22040-0701S	Pump
7750814	17936-0001-P	Impeller
2166988	6988-0000	Cam
7772430	52239-0000	End Cover
7772431	X4020-394A	Cover O-Ring
2156408	6408-0000	Mechanical seal
2117039	2574-0000	Wear plate
99083181	3181-0000	Slinger
2712155	817-0000	Bearing lip seal
99088718	18718-0000	Retaining ring

RAW WATER PUMP
FOR VOLVO



Raw water pump model: 10-24228-01, crankshaft mounted

Replaces: Volvo #841640-6

Fits:

- 431A
- 500A/B
- 501A
- 750A
- 571A
- AQ180
- AQ200
- AQ290A
- AQ200B/C/D/F
- AQ250A
- AQ211A
- AQ225
- AQ231A/B
- AQ260
- AQ255B
- AQ260A
- AQ271A/B/C/D
- AQ280A

PART NO.	MFG#	DESCRIPTION
S183586	10-24228-1	Pump
2111210	1210-0001-P	Impeller
7776045	0.2233.001	Seal
9922-570	01-45329	Cam
9922-446	0.0279.033	Cam Screw
9922-186	0.3431.780	Bearing
9922-571	01-45312-1	End Cover
9922-572	01-46794-12	End Cover Screw
9922-538	09-45808	Service Kit

ENGINE COOLING PUMP



- Replaces 10-24930-01 , 10-24805-01 & 10-24232-1
- F6B-9, Big Block Chev
- Replaces Northern Lights 25-11030, Indmar 685001
- Crankshaft Pulley Mounted
- 1-1/4" ports

PART NO.	MFG#	DESCRIPTION
9921-183	10-24946-01	Pump Complete
7750812	09-812BT-1	Impeller
9922-575	01-45670	Cam
9922-446	0.0279.033	Cam Screw
9922-186	0.3431.780	Bearing
9922-571	01-45312-1	Seal
9922-571	01-45312-1	End Cover
9922-578	0.0141.502	End Cover Screw
9922-539	09-45825	Service Kit

IMPELLER PUMP FOR PERKINS



Model: 9700-01
Fits: 210 HP
Ports: 1" flanged

PART NO.	MFG	DESCRIPTION
2110135	9700-01	Pump Assy.
2117937	17937-0001-P	Impeller
2159700	22645-0000	Water Seal
2105310	91003-0010	End Cover Screws, 3-pk.
2101095	01-42679	Cam
2101096	01-46794-01	Cam Screw
2140913	913-0000	Oil Seal, Pump End
2192600	5204-2RS BRG	Bearing, Drive End
7781443	01-42443	Wear Plate
210105	01-47769-1 (OLD 01-42441)	End Cover

IMPELLER PUMP
FOR VOLVO



Model: F7B-9, 10-24277-3
Fits: 200 HP 41 TMD
Ports: 1-1/4" in, 1-1/4" out

PART NO.	MFG#	DESCRIPTION
2110127	10-24277-3	Pump
2117937	17937-0001-P	Impeller
7790592	09-47426	Service Kit
2101095	01-42679	Cam
2101091	01-46794-07	Cam Screw
210105	01-47769-1 (OLD 01-42441)	End Cover
2105310	91003-0010	End Cover Screws (3pk)
9112715	6-203-4N	Bearing
7776045	0.2233.001	Bearing Seal

IMPELLER PUMP FOR DETROIT

Model: 10-13095-01
Fits: 671TI, 871, 1271
Ports: 2" Flanged
(Flanges not included)

PARTS ONLY

PART NO.	MFG#	DESCRIPTION
7790582	09-45582	Service Kit
7750814	17936-0001-P	Impeller
7703137	01-43137	Cam
7705024	01-46794-02	Cam Screw
7774118	09-0.2247.051	Mechanical Seal
9921-063	816-0000	End Cover Gasket
7772422	01-47771-1 (old 01-42422-1)	End Cover
7773179	0.0144.200	End Cover Screw
7781423	01-42423	Wear Plate
7771505	0.3431.684	Bearing
7776043	0.2233.016	Bearing Seal

IMPELLER PUMP FOR DETROIT

Model: 10-13096-01
Fits: 653, 671, 853
Ports: 1-1/2" Flanged (Flanges not included)

PARTS ONLY

PART NO.	MFG#	DESCRIPTION
2117935	17935-0001-P	Impeller
7780680	01-42680	Cam
7705024	01-46794-02	Cam Screw
7774118	09-0.2247.051	Mech. Seal
7772422	01-47771-1 (old 01-42422-1)	End Cover
7773179	0.0144.200	End Cover Screw
7781423	01-42423	Wear Plate
7771505	0.3431.684	Bearing
7776043	0.2233.016	Bearing Seal

For the most up to date pricing, please visit maritimemarinesupply.ca/price

REPLACEMENT PARTS ONLY
IMPELLER PUMP FOR CUMMINS 'C' SERIES

SHERWOOD



Model: P1722C 3922589
Fits: 300, 350, 400 HP
Ports: 2" In, 1-3/4" Out

Shaft not included with 2110306.

PART NO.		DESCRIPTION
2110300	* o	Impeller
2110642	*	End Cover
2110726		Cover Screws
2109945	* o	Cover 'O' Ring
2110367	* o	Key
2110571	*	Cam
2110572		Cam Screw
2110641	* o	Wear Plate
2110454	*	Seal, Mech. 'C'
2110455	* o	Mechanical Seal
2110849		Shaft & Bearing Ass.
2110851	*(2)	Bearings
2110674	* o	Oil, Lip Seal
2110952	*(3)o	Retaining Ring
2110759	*	Flat Washer
2110772	*(2)	Flat Washer
2109946	*	O-Ring
2110305	o	Minor Repair Kit
2110304		Minor Repair Kit 'C'
2110306	*	Major Repair Kit
2110308		Major Repair Kit 'C'

***Incl. in Major Repair Kit, o Included in Minor Repair Kit**

IMPELLER PUMP
FOR CUMMINS 'C' SERIES

SHERWOOD



Model: P1730C, 3866493
Fits: 430 HP, 6 CTA 8.3L
Ports: With no Port Elbows

Shaft not Included with 2110306 major repair kit.



PART NO.		DESCRIPTION
2110129		Pump w/Gear
2110300	* o	Impeller
2110454	*	Seal, Mech. "C"
2110455	* o	Seal, Mech.
2110674	* o	Lip Seal
2110851	* (2)	Bearing
2110849		Shaft/Bearing Ass., Threaded
2110571	*	Cam
2109945	* o	Cover "O" Ring
2110572		Cam Screw
2110642	*	End Cover
2110726		End Cover Screw
2110367	* o	Key
2110952	*(3) o	Retaining Ring
2110772	*(2)	Flat Washer
2109946	*	O-Ring
2110641	* o	Wear Plate
2110759	*	Flat Washer
2110305	o	Minor Repair Kit
2110304		Minor Repair Kit "C"
2110306	*	Major Repair Kit
2110308		Major Repair Kit "C"

***Included in Major Repair Kit, o Included in Minor Repair Kit**

Please Note the Following

As of Oct. 2011, Sherwood pumps

The P1710, P1716, P1722, P1726, P1727, P1730 and P1732 have been updated and now end in "C". All pumps prior to the change have the "Old" style shaft and bearing assembly and water seal. Installing the "New" style shaft and bearing assembly and water seal in an "Old" style pump converts it to the updated style.
Shaft not included with 2112322.

IMPELLER PUMP
FOR CUMMINS 'C' SERIES

SHERWOOD



Model: P1727C, 3897194
Fits: 300, 350, 400 HP
Ports: Flanged inlet & outlet (Flanges not included).

Shaft not included with 2110306 major repair kit.



PART NO.		DESCRIPTION
2110132		Pump w/Gear
2110300	* o	Impeller
2110454	*	Seal, Mech. "C"
2110455	* o	Seal, Mech.
2110674	* o	Lip Seal
2110851	* (2)	Bearing
2110845		Stainless Steel Shaft
2110849		Threaded Shaft & Bearing
2110571	*	Cam
2109945	* o	Cover "O" Ring
2110572		Cam Screw
2110642	*	End Cover
2110726		End Cover Screw
2110367	* o	Key
2110952	* (3) o	Retaining Ring
2110772	* (2)	Flat Washer
2109946	*	O-Ring
2110641	* o	Wear Plate
2110759	*	Flat Washer
2110305	o	Minor Repair Kit
2110304		Minor Repair Kit "C"
2110306	*	Major Repair Kit
2110308		Major Repair Kit "C"

***Inc. in Major Repair Kit, o Included in Minor Repair Kit**

WATER PORTS / FITTINGS FOR
P1700 SERIES PUMPS

SHERWOOD





2110408



2110409

Water Ports for P1700 series Sherwood pumps.

PART NO.	MFG#	DESCRIPTION
2110400	21524-SHW	1-3/4", Straight
2110401	21987-SHW	1-3/4", 90°
2110402	21988-SHW	2", 45°
2110403	19236-SHW	2", 90°
2110408	21525-SHW	Water Port O-Ring
2110409	21373-SHW	Water Port Bracket

IMPELLER PUMP
FOR CUMMINS 'B' SERIES

SHERWOOD



Model: GC5, GC4, GC1, 3912962
Fits: 250 HP
Ports: 1-1/2" In, 1-1/2" Out

PART NO.		DESCRIPTION
2110125		Pump w/Gear
2110250	* o	Impeller
2109684		Impeller Housing
2110598	*	Cam
2112371	*	Cam Screw
2110332	* o	Key
2110656	*	Wear Plate
2109231	* o	"O" Ring
2110655	* o	Gasket
2110459	* o	Mechanical Seal
2110869		Shaft
85962023	* (2)	Bearings
2110414		Oil, Lip Seal
2110961		Retaining Ring
2110958	* (3) o	Retaining Ring Brass
2110959	* (2) o(2)	Retaining Ring
2110264	* o	Flat Washer
2110255	o	Minor Repair Kit
2110256	*	Major Repair Kit

***Incl. in Major Repair Kit, o Included in Minor Repair Kit**

IMPELLER PUMP
FOR CUMMINS/ONAN 'B' SERIES

SHERWOOD



Model: M71, 3907458, 3912019
Fits: 210 HP
Ports: 1-1/4" In, 1-1/4" Out

PART NO.		DESCRIPTION
2110121		Pump w/Gear
2110211	* o	Impeller
2109228		Impeller Housing
2110544	*	Cam
2112371	*	Cam Screw
2110332	* o	Key
2110656	*	Wear Plate
2109231	* o	O-Ring Housing
2110655	* o	Gasket Wear Plate
2110459	* o	Mechanical Seal
2110859		Shaft
85962023	* (2)	Bearings
2110414		Oil Lip Seal
2110961		Retaining Ring
2110958	* (3) o	Retaining Ring Brass
2110959	* (2) o(2)	Retaining Ring
2110264	* o	Flat Washer
2110212	o	Minor Repair Kit
2110213	*	Major Repair Kit

***Incl. in Major Repair Kit, o Included in Minor Repair Kit**

IMPELLER PUMP
FOR CUMMINS QSM 11

SHERWOOD



Model: G2903X
Replaces: G1814X
Fits: 580 HP
Ports: 2-1/2" Inlet, 2" Outlet (flanges not included)
1814X = 14 Spline
2903X = 10 Spline

PART NO.	MFG#	DESCRIPTION
2110134	G2903X	Pump
2110507	25044-SHW	Minor Repair Kit 2903X
2110508	25045-SHW	Major Repair Kit 2903X
2110500	18000K-SHW	Impeller for Model 1814X (14-spline)
2110290	29000K-SHW	Impeller for Model 2903X (10-spline)
2110576	24511-SHW	Mechanical Seal 2903X
2110648	19836-SHW	Wear Plate
2110649	19837-SHW	Cover 2903X/1814X
2112373	21106-SHW	Cam Liner Half 2903X/1814X
2112382	25264-SHW	Lip Seal 2903X/1814X-G2610X

IMPELLER PUMP
FOR CUMMINS QSC 8.3

SHERWOOD



Model: G2610x
Replaces: G2603x
Fits: 490 HP QSC 8.3
Ports: Flanged inlet & outlet

(Flanges not included)

PART NO.		DESCRIPTION
2110133		Pump
2110490	* o	Impeller
2110465	*	Lip Seal
2110466	* o	O-Ring (Impeller)
2110464	* o	Mechanical Seal
2110643	*	Wear Plate G2610x
2110646	* o	Wear Plate G2603x
2110645	* o	End Cover
2110575	* o	Cam G2603x
2110870		Shaft & Bearing Ass.
2110495	o	Minor Repair Kit G2603x
2110496	*	Major Repair Kit G2603x
2110510	*	Major Repair Kit G2610x

***Incl. in Major Repair Kit, o Included in Minor Repair Kit**

IMPELLER PUMP

SHERWOOD



FOR CUMMINS QSB

Model: P2708X
Fits: QSB 330-480 HP

PART NO.	MFG#	DESCRIPTION
2110128	P2708X	Pump
SPARE/REPLACEMENT PARTS		
2110872	25100-SHW	Shaft Assembly (2708-01,2708X)
2110497	24580-SHW	Minor Repair Kit (2701,2703)
2110505	25125-SHW	Minor Repair Kit (2708-1,2708X)
2110499	25126-SHW	Major Repair Kit
2110726	19626-SHW	Cap Screw
2110642	18742-SHW	End Cover
2110380	27000K-SHW	Impeller Kit
2109945	15945-SHW	O-Ring (Cover)
2110572	19714-SHW	Cam Screw
2109946	19712-SHW	Cam Screw O-Ring
2110571	18271-SHW	Cam
2110640	24162-SHW	Wear Plate w/ Pin
2110952	15952-SHW	Retainer Ring (Small)
2110454	25115-SHW	Mechanical Seal Assembly
2110872	25100-SHW	Shaft and Bearing Assembly
2110409	21373-SHW	Port Bracket
2110408	21525-SHW	Flange O-Ring

For the most up to date pricing, please visit maritimemarinesupply.ca/price

RAW WATER PUMP FOR CAT



P1732C w/o Gear **Fits:** C7/C9 Cat
Ports: Flanged(Flanges not Included)



P1710C w/o Gear **Fits:** 3116 Cat
Ports: Flanged(Flanges not Included)

PLEASE SEE NOTE

Shaft not included with 2112322
*Incl. in Major Repair Kit,
o Incl. in Minor Repair Kit, cam & wear plate in kits can also be used on the 3116

PART NO.		DESCRIPTION
2112300		3116 Pump wo/Gear
2112310		C7/C9 Pump wo/Gear
2110642	*	End Cover
2110726		Screw, End Cover 3
2109945	* o	O-Ring, Cover
2110300	* o	Impeller
2110571	*	Cam, 3116
2112370	*	Cam, C7 / C9
2110572	*	Cam Screw
2109946	*	O-Ring, Cam Screw
2110641		Wear Plate, 3116
2110640	* o	Wear Plate, C7 / C9
2110367	* o	Key
2110455	* o	Seal, Mech.
2110454		Seal, Mech. "C"
2110851	*	Bearing 2
2112380	* o	Lip Seal
2112391		Shaft Assembly "C"
2110952	* o	Retaining Ring 3
2110772	*	Washer, Flat 2
2110759	*	Washer, Flat
2112319		o Minor Repair Kit 'C'
2112322		* Major Repair Kit
2112321		* Major Repair Kit 'C'

WATER PORTS / FITTINGS FOR P1700 SERIES PUMPS



Water Ports for P1700 series Sherwood pumps.



2110408



2110409

PART NO.	MFG#	DESCRIPTION
2110400	21524-SHW	1-3/4", Straight
2110401	21987-SHW	1-3/4", 90°
2110402	21988-SHW	2", 45°
2110403	19236-SHW	2", 90°
2110408	21525-SHW	Water Port O-Ring
2110409	21373-SHW	Water Port Bracket

RAW WATER PUMP FOR CAT C15/C18

Sea Water Pump G2902X
CAT C15/18/3406E G2902X
(replaces G18082X)
Inlet port: 3-3/4"
Outlet port: 3-3/4"



Minor Kit: Impeller, 2 Quad Rings, Seal Assembly, Snap Ring, Pin, Washer, Spacer, 2 Cam Liners
Major Kit: Impeller, 2 Quad Rings, Seal Assembly, 2 Snap Rings, Lip Seal, Pin, 2 Washers, Wear Plate, Cover, Spacer, 2 Cam Liners, Nut, Key, Thrust Washer

PART NO.	MFG#	DESCRIPTION
2110139	G2902X	Pump, Raw Water
2112325	24004-SHW	Repair Kit, Minor, 18082
2112332	25147-SHW	Repair Kit, Major, 2902X
2110500	18000K-SHW	Impeller for 18082X (14-spline)
2110290	29000K-SHW	Impeller for 2902X (10-spline)
2112372	21533-SHW	Cam Liner (Half)
2112382	25264-SHW	Lip Seal
2110515	21561-SHW	Quad Ring
2110648	19836-SHW	Wear Plate

Please Note the Following

As of Oct. 2011, Sherwood pumps

P1710, P1716, P1722, P1726,
P1727, P1730 and P1732
have been updated and now end in "C". All pumps prior to the change have the "Old" style shaft and bearing assembly and water seal. Installing the "New" style shaft and bearing assembly and water seal in an "Old" style pump converts it to the updated style.
Shaft not included with 2112322.



SEA WATER PUMP
FOR CAT 3208 425 HP

SHERWOOD



P176x Pump Fits 3208
CAT 425 HP
Intake Port = 1-1/2" NPT
Outlet Port = 1-3/4"

PART NO.		DESCRIPTION
2112302		3208 425 HP Pump
2110642	*	End Cover
2110726		Screw, End Cover 3
2109945	* o	O-Ring, Cover
2110300	* o	Impeller
2110571	*	Cam, 3116
2112370	*	Cam, C7 / C9
2112371	*	Cam Screw
2109946	*	O-Ring, Cam Screw
2110641		Wear Plate, 3116
2110640	* o	Wear Plate, C7 / C9
2110367	* o	Key
2110455	* o	Seal, Mech.
2110851	*	Bearing "2 Needed"
2112392		Shaft
2112380	* o	Lip Seal
2110952	* o	Retaining Ring 3
2110772	*	Washer, Flat 2
2110759	*	Washer, Flat
2112327	*	Major Repair Kit
2112322	*	Major Repair Kit

***Incl. in Major Repair Kit, o Included in Minor Repair Kit**

RAW WATER PUMP
FOR CAT C12

SHERWOOD



Sea Water Pump G2904X
CAT C12 G2904X

(replaces G18071X)
Inlet port: 2-1/2"
Outlet port: 2"

PARTS ONLY

Major Kit: Impeller, 2 Quad Rings, Seal Assembly, 2 Snap Rings, Lip Seal, Pin, Washer, Wear Plate, Cover, Spacer, 2 Cam Liners.

PART NO.	MFG#	DESCRIPTION
2112329	25148-SHW	Repair Kit, Major, 2904X
2110500	18000K-SHW	Impeller for 18071X (14-spline)
2110290	29000K-SHW	Impeller for 2904X (10-spline)
2112373	21106-SHW	Cam Liner (Half)
2110465	25268-SHW	Lip Seal
2110515	21561-SHW	Quad Ring
2110648	19836-SHW	Wear Plate

SEA WATER PUMP

SHERWOOD



- Sea Water Pump G910P
- Kohler
- Intake port: 3/8"
- Outlet port: 3/8"
- Pressed on pulley

PART NO.	MFG#	DESCRIPTION
2110180	G910P	Sea Water Pump
2110900	09000K-SHW	Impeller
2110460	18035-SHW	Seal, Mechanical

SEA WATER PUMP

SHERWOOD



- Sea Water Pump G907P
- Kohler with Ford engines
- Intake port: 3/8"
- Outlet port: 3/8"
- Bolt on pulley

PART NO.	MFG#	DESCRIPTION
2110185	G910P	Sea Water Pump
2110900	09000K-SHW	Impeller
2110460	18035-SHW	Seal, Mechanical

SEA WATER PUMP

SHERWOOD



- Sea Water Pump G8001
- 5-7kW Kohler

PART NO.	MFG#	DESCRIPTION
2110187	G8001	Sea Water Pump

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

ELECTRIC CLUTCH PUMPS

1" JABSCO PUMP



For high capacity bilge and deckwash pumps, nothing beats an electro-magnetic clutch pump.

Also suitable as an emergency pump, They have pumping power whenever you need it at the push of a button. Pumps are available in sizes from 1" to 2", with clutches in 12, 24 or 32V. Wearing parts are easily replaceable and service kits are available.

Model: 11860 **GPH:** 1400 at 1750 RPM

Comes with 7" dia. single groove pulley for "B" belt.

Also available in 24V. Please call.

PART NO.	MFG#	DESCRIPTION
2712100	11860-0045	Pump w/12V Clutch
2105310	91003-0010	End Cover Screw, 3-pk.
210105	01-47769-1 (OLD 01-42441)	End Cover
210106	01-42445	Gasket
2117937	17937-0001-P	Impeller
7781420	7868-0000	Wear Plate
2101095	01-42679	Cam
2140913	913-0000	Bearing Seal
2107772	96080-0080	Shaft Seal
9921-009	91401-0100	Drive Key
9921-002	3180-0000	Slinger kit

1-1/2" JABSCO PUMP





Model: 50200 **GPH:** 2580 at 1500 RPM

PART NO.	MFG#	DESCRIPTION
2712150	2712150	Pump w/12V Clutch
2712174	2712174	Pump w/24V Clutch
2712149	50200-9903	1-1/2" Pump Only
2712151	5900-305	Cover Screws
7772422	01-47771-1 (old 01-42422-1)	Cover
9921-063	816-0000	Gasket
2117935	17935-0001-P	Impeller
7781423	01-42423	Wearplate
7780680	01-42680	Cam
2712154	21849	Mechanical Seal
2712155	817-0000	Bearing Seal
2712156	52201-0400	Brass Clutch Adapter
2712159	91401-0100	Key
2195125	5206-2RS AMC	Bearing

2" JABSCO PUMP



Model: 18330 **GPH:** 4980 at 1750 RPM

PART NO.		DESCRIPTION
2712200	18330-0040	Pump w/12V Clutch
2712224	2712224	Pump w/24V Clutch
2105540	91005-0040	End Cover Screw
7772422	01-47771-1 (old 01-42422-1)	End Cover
9921-063	816-0000	Gasket
7750814	17936-0001-P	Impeller
2166988	6988-0000	Cam
7781423	01-42423	Wear Plate
2712154	21849	Shaft Seal
9921-019	92600-0260	Bearing
99082701	92701-0180	Bearing Seal
9921-021	10677-0010	Shaft
9921-022	11876-0000	Clutch adapter

MOUNTING BRACKETS



8013000 8013001 8013002

PART NO.	MFG#	DESCRIPTION
8013000	8013000	Hinge Style, Painted Steel
8013001	8013001-NP	Hinge Style, Unpainted Steel
8013002	8013002	Hinge Style, Stainless Steel

REPLACEMENT COIL ONLY



Fits: 1", 1-1/2" and 2" Jabsco, Johnson electric clutch pump.

PART NO.	MFG#	DESCRIPTION
7791120	50201000	12V
7791240	50201400	24V

CLUTCH COILS FOR 1" AND 1 1/2" MODELS

PART NO.	MFG#	DESCRIPTION
9921-905	98022-0500	12V

ELECTRIC CLUTCH AND COILS



"B"=5/8 belt

Fits: 1", 1-1/2" and 2" Jabsco, Johnson electric clutch pump.

PART NO.	MFG#	DESCRIPTION
7792121	53829500	Single "B", 12V
7792124	7792124	Single "B", 24V
7792001	6-206-4W	Clutch Bearing





Solid Choices for Marine Enivronment

JABSCO FLEXIBLE IMPELLER & ROTARY LOBE PUMPS

JABSCO

a xylem brand

For the most up to date pricing, please visit maritimemarinesupply.ca/price

1" Clutch Pump

SPXFLOW
Johnson Pump®



- Bronze pump body with vacuum switch connection
- Neoprene impeller
- Stainless steel shaft and mechanical seal shaft seal
- Full or reduced cam
- Cast iron pedestal with permanently lubricated double ball bearings
- Electromagnetic clutch

- 7" Dia. Double A groove pulley

PART NO.	MFG#	NPT PORT SIZE IN.	CAPACITY GPH*	VOLTS
9922-045	10-24577-88	1	1,554	12V

*capacity @ 10 ft. head and 1,750 rpm

SPXFLOW Johnson Pump®



SPX FLOW Johnson Pump® marine brand is one of the world's leading manufacturers of pumps for marine use.

Johnson Pump® offers an extensive product range of reliable and high quality pumps to commercial and recreational boaters.

- WATER PRESSURE & WASH DOWN PUMPS
- BILGE PUMPS
- WASTE HANDLING PUMPS
- FISHING LIVEWELL PUMPS
- AERATORS
- ENGINE COOLING PUMPS
- IMPELLERS
- CIRCULATION PUMPS

50 YEARS 1968 2018 Johnson Pump®

www.spxflow.com

SPXFLOW
Johnson Pump®



7711501



7711502

- 3480 GPH
- North American or Euro Style Mounting Options.
- 9.9 KG







DIMENSIONS		PUMP MFG#	A	B	C	D	E	F	G	H
NA Style	**7711501**	10-13022-98	3-3/16"	4-1/8"	2-9/16"	1-1/6"	1"	6-5/16"	NPTF 1-1/2"	4 x Ø10.5mm
Euro Style	**7711502**	10-13022-96	4-1/2"	5-2/8"	2-9/16"	1-1/16"	1"	6-5/16"	NPTF 1-1/2"	4 x Ø10.5mm

DIMENSIONS		PUMP MFG#	J	K	L	M	N	O	P	T
NA Style	**7711501**	10-13022-98	16mm	2-3/16"	9"	2-1/2"	1-3/4"	2-3/4"	2"	10mm
Euro Style	**7711502**	10-13022-96	16mm	4-7/16"	9"	4-3/4"	1-1/2"	2-5/16"	2"	8mm

North American Mount Style

PART NO.	MFG#	DESCRIPTION
7711501	**NA**	Complete Assembly, 1-1/2" 12v Pump
771150	10-13022-98	1-1/2" Pump Only 3480 GPH
7792121	53829500	Clutch Assembly, 12V

European Mount Style

PART NO.	MFG#	DESCRIPTION
7711502	**EURO**	Complete Assembly, 1-1/2", 12V Pump
771149	10-13022-96	1-1/2" Pump Only 3480 GPH
7792121	53829500	Clutch Assembly, 12V

REPLACEMENT PARTS	1" PUMP MODEL	PART NO.	1 1/2" PUMP MODEL	PART NO.		2" PUMP MODEL	PART NO.	
Clutch, 12V	0.3454.001	**9922-287**	53829500	**7792121**		see above for 2" clutches		
Clutch coil, 12V	50201000	**7791120**	50201000	**7791120**	**7791240**	50201000	**7791120**	
Clutch coil, 24V	50201400	**7791240**	50201400	**7791240**		50201400	**7791240**	
Bearing	0.3431.780	**9922-186**	0.3431.780	**9922-186**		0.3431.780	**9922-186**	
Shaft	01-46745	**9922-285**				01-35138	**7705136**	
Service kit*	09-46868	**9922-047**	09-45575	**7790575**		09-45582	**7790582**	
Impeller	09-1028BT-1	**7751028**	09-819B-00			09-814B	**9922-173**	
Seal	09-0.2247.022	**210129**	09-0.2247.008	**7774505**		09-0.2247.051	**7774118**	
Cam	01-42679	**2101095**				01-43137	**7703137**	
Cam screw	01-46794-01	**2101096**	01-46794-02	**7705024**			——	——
End cover	01-46648-3	**9922-270**	01-47771-1 (old 01-42422-1)	**7772422**			——	——
End cover O-ring	0.2172.012	**210119**					——	——
End cover screw, ea	0.0279.301	**210110**	09-47553-107	**9922-302**		0.0144.200	**7773179**	
Wearplate	01-46798-2	**210123**	01-42423	**7781423**			——	——

SPXFLOW
Johnson Pump®

For the most up to date pricing, please visit maritimemarinesupply.ca/price

PEDESTAL MOUNTED PUMP



Centrifugal pump with S/S shaft, aluminum pedestal ready to be mounted to a drive source of your preference. With the addition of the Banjo bearing pedestal, the pump is easily adaptable to electric power. A flexible shaft coupling is used between motor and pump shaft. Pump and motor assembly can be mounted on a metal base.
Max lift 15'. Rated at 3450 RPM.

PART NO.	MFG#	DESCRIPTION
2751200	200PB	2" Pump - 190 GPM

HYDRAULIC DRIVEN PUMPS



Gresen MGG2 hydraulic motor driven pump provides a minimum 6 GPM, and a maximum 10 GPM with a minimum 200 PSI and a maximum of 2000 PSI Pump has a maximum RPM of 3600. The hydraulic motor has a built-in adjustable bypass valve. Open or closed system.
Max lift of 15'. Rated at 3450 RPM.

PART NO.	MFG#	DESCRIPTION
2750200	200PHY	2" Pump - 240 GPM
2750300	300PHY	3" Pump - 280 GPM

HONDA MOTOR DRIVEN PUMPS



Reliable Honda GX160 will supply the 2" pump with 5.5 HP to give you maximum GPM, and the Honda GX200, will supply the 3" pump with 6.5 HP to give you maximum GPM. Both of these Honda engines are 4 stroke engines with O.H.V. Pull start.

PART NO.	MFG#	DESCRIPTION
2752300	300PH-6	3" Honda 6.5HP Pump - 295 GPM

ELECTRIC PEDESTAL DRIVE PUMP



Banjo Pump completely assembled with a 5 HP heavy duty Baldor Electric Motor. A polypropylene pump head and PTFE coated internal fasteners provide corrosion resistance. A precision moulded construction with a 1" spacer and a specially designed slinger/shaft seal provide maximum motor protection and low maintenance. **Maximum lift of 15', 215 GPM at 3450 RPM.**

Ports: 2" NPT

PART NO.	MFG#	DESCRIPTION
2751400	234PPE5V	2" NPT Pump, III Phase, 220/440VAC
2751401	234PPE51	2" NPT Pump, I Phase, 230VAC

SPARE / REPLACEMENT PARTS



FITS ALL 2" AND 3" PUMPS

REF	2" PUMP	3" PUMP	DESCRIPTION
1	**2753200**	**2753300**	Seal Kit, Pump
3	**2753208**	**2753208**	Rear Bracket
4	**2753213**	**2753213**	Body "O" Ring
5	**2753202**		3 Vane Impeller
5	**2753204**		5 Vane Impeller
5		**2753304**	4 Vane Impeller
6	**2753206**		Poly Pump Volute (2" Pump)
6		**2753306**	Poly Pump Volute
7	**2753209**	**2753209**	Poly Pump Check Valve
8	**2753215**		2" Pump Body
9	**2753216**		Prime/Drain Plug for 2" Pump

POLYPROPYLENE CAM LEVER COUPLING GASKETS



These rubber gaskets are recommended for a more secure and leak resistant connection when using Banjo polypropylene couplings, adapters and fittings.

PART NO.	MFG#	DESCRIPTION
6934151	150G	Gasket 1-1/2"
6934201	200G	Gasket 2"



Typical Installation Assembly

FEMALE COUPLER X HOSE SHANK



PART NO.	SIZE
6933125	1-1/4"
6933150	1-1/2"
6933200	2"
6933300	3"

FEMALE COUPLER X MALE NPT



PART NO.	SIZE
6932150	1-1/2"
6932200	2"
6932300	3"

MALE ADAPTER X FEMALE NPT



PART NO.	SIZE
6931150	1-1/2"
6931200	2"
6931300	3"

1-1/2" 90° BULKHEAD ADAPTER



Designed to fit standard marine sanitation hose.

PART NO.	SIZE
7537151	1-1/2"

MALE ADAPTER X MALE NPT



PART NO.	SIZE
6930150	1-1/2"
6930200	2"
6930300	3"

90° FEMALE QUICK CONNECT COUPLING



PART NO.	SIZE
6934150	1-1/2"
6934200	2"

POLY BULKHEAD FITTING



Made of precision moulded polypropylene reinforced with fiberglass for additional strength. The bulkhead fitting has female pipe thread on each end. Will securely fasten to bulkheads up to 1-1/8" thick. **Sealing gasket included.**

PART NO.	MFG#	DESCRIPTION
7536050	TF050	5/8" Bulkhead; 1/2" FPT
7536075	TF075	5/8" Bulkhead; 3/4" FPT
7536100	TF100	5/8" Bulkhead; 1" FPT
7536125	TF125	3/4" Bulkhead; 1-1/4" FPT
7536150	TF150	3/4" Bulkhead; 1-1/2" FPT
7536200	TF200	3/4" Bulkhead; 2" FPT

SPOOL VALVE ASSEMBLY DIAGRAM



Banjo Pump bodies are constructed of high strength polypropylene with a rubber check valve and S/S fasteners for corrosion resistance. All pumps are self-priming and deliver higher pressure than similar brands. Because Banjo Pumps are corrosion resistant and have high chemical resistance, they are perfectly suited for both Marine and Agriculture Industries.

For the most up to date pricing, please visit maritimemarinesupply.ca/price

- Lightweight and portable, self-priming centrifugal pumps with 25 ft. maximum suction lift and built in check valve
- Self flushing volute; self lubricating shaft seal; Buna-N O-ring seals, stainless steel internal fastenings
- Complete wet end (body, volute, impeller, bracket) made of corrosion resistant, glass reinforced polyester



Gas Engine



Pedestal Mount

- Can be driven by main engine, electric motor, gas engine, etc. and long coupled to drive source or belt driven
- Cast iron pedestal with stainless steel shaft and external fastenings



Electric Motor

- Close coupled to 115/230VAC, single phase, electric motors
- Stainless external fastenings and shaft adapter; polypropylene base



Hydraulic Motor

- Stainless fastenings and shaft adapter
- Built in bypass valve with pressure gauge for flow control

PART NO.	MODEL	NPT PORT SIZE INCH	CAPACITY GPM	ENGINE/MOTOR
Gas Engine Driven Pumps – Briggs & Stratton engine				
9922-161	SE11/2PB E550	1-1/2	150	3.5 hp
9922-160	SE2RB E950	2	240	5 hp
9922-164	SE3SB E6VCP	3	280	6.5 hp
Pedestal Mounted Pumps				
9922-169	SE2HB-CSS	2	180	requires 3 hp
9922-170	SE3LB-CSS	3	280	requires 5 hp
Electric Motor Driven Pumps				
9922-649	SE2EL C2.0C	2	110	11-Phase/115/230 VAC-2 hp
9922-167	SE2CB-G1.0C	2	120	1-Phase/115/230 VAC-1 hp
9922-421	SE2HB C3.0C	2	180	1-Phase/230 VAC-3 hp
9922-650	SE2HB D3.0C	2	180	3-Phase/230/460 VAC-3 hp
9922-171	SE3LB C5.0C	3	280	1-Phase/230 VAC-5 hp
9922-651	SE3LB D5.0C	3	280	3-Phase/230/460 VAC-5 hp
Hydraulic Motor Driven Pumps – 9 GPM Gresen hydraulic motor				
9922-165	SE2JB-HYC	2 240 @ 3,450 rpm		9 GPM
9922-168	SE3LB-HYC	3 280 @ 3,450 rpm		9 GPM

REPLACE-MENT PARTS	PART NO.	1" PUMP MODEL	PART NO.	2" PUMP MODEL	MODEL	PART NO.	3" PUMP MODEL
Body	**9922-175**	P-58-1001-30B	**9922-176**		P-58-1002-30B	**9922-177**	P58-0755-30B
Volute	**9922-109**	P-58-0702-30	**9922-111**	2" Gas, Hydraulic	P58-0977-30	**9922-111**	P58-0977-30
			9922-112	2" Pedestal	P58-0954-30		
			9922-109	2" Electric	P-58-0702-30		
Bracket	**9922-115**	P58-0703-30B	**9922-115**		P58-0703-30B	**9922-115**	P58-0703-30B
Impeller	**9922-114**	P58-0704-30	**9922-116**	2" Gas, Hydraulic	P58-0975-30	**9922-116**	P58-0975-30
			9922-117	2" Pedestal	P58-0974-30		
			9922-113	2" Electric	P58-0706-30		
Check valve	**9922-119**	58-0705-71	**9922-119**		P58-0705-71	**9922-119**	P58-0705-71
Fill plug	**9922-142**	P-58-0722-31B	**9922-142**		58-0722-31B	**9922-142**	P-58-0722-31B
Drain plug	**9922-144**	P-58-0723-31B	**9922-144**		P-58-0723-31B	**9922-144**	P-58-0723-31B
Repair kit	**9922-162**	P-58-0014	**9922-162**		P-58-0014	**9922-162**	P-58-0014
Hardware kit	**9922-163**	P-58-0210	**9922-163**		P-58-0210	**9922-163**	P-58-0210
	Gresen Hydraulic Motor						
	Seal Kit for Hydraulic Motor						
Shaft Seal	**9922-368**	P58-0714-11	**9922-368**		P58-0714-11	**9922-368**	P58-0714-11
Converstion kit	**9922-369**	P58-0040	**9922-369**		P58-0040	**9922-369**	P58-0040
Body O-Ring	**9922-373**	P58-0719-71	**9922-373**		P58-0719-71	**9922-373**	P58-0719-71

- Repair kit includes Buna-N shaft seal, O-rings except body O-ring, check valve, screws for impeller, shims
- Hardware kit includes nuts and bolts for body
- Conversion kit includes all parts needed to convert pump to close coupled electric motor; does not include baseplate

QUICK CONNECT COUPLINGS

- Remove and install your hose quickly without unthreading fitting, complete with stainless steel hardware

Polypropylene — Rustproof

Type A – Male half with female pipe thread



PART NO.	MFG#	DESCRIPTION
9923-107	1" TYPE A PP CAM	1"
9922-120	1-1/2" A PP	1-1/2"
9922-118	2" A PP"	2"
9922-342	"3"" A PP"	3"

Polypropylene — Rustproof

Type B – Female half with male pipe thread



PART NO.	MFG#	DESCRIPTION
9923-118	1" B PP	1"
9922-121	1-1/2" B PP	1-1/2"
9922-122	2" B PP	2"
9922-336	"3"" B PP"	3"

Polypropylene — Rustproof

Type C – Female half with hose adapter



PART NO.	MFG#	DESCRIPTION
9923-108	1" TYPE C PP CAM	1"
9922-124	1-1/2" C PP	1-1/2"
9922-126	2" C PP	2"

Polypropylene — Rustproof

Type E – Male half with hose adapter



PART NO.	MFG#	DESCRIPTION
9923-119	1" E PP	1"
9923-120	1-1/2" E POLY	1-1/2"
9923-121	2" E POLY	2"
9923-122	"3"" E POLY"	3"

Polypropylene — Rustproof

Type F – Male half with male pipe thread



PART NO.	MFG#	DESCRIPTION
9923-126	1"TYPE F PP CAM	1"
9922-123	1-1/2" F PP	1-1/2"
9922-125	2" F PP	2"
9922-338	"3"" F PP"	3"

90° Female Quick Connect

Type C 90 deg. Female half with hose adapter



PART NO.	MFG#	DESCRIPTION
9922-127	90PPC150	1-1/2"
9922-128	90PPC200	2"

Aluminum

Type C – Female half with hose adapter



PART NO.	MFG#	DESCRIPTION
9922-147	"1-1/2"" C ALUM"	1-1/2"
9922-148	2" C ALUM	2"
9922-149	"3"" C ALUM"	3"

Aluminum

Type B – Female half with male pipe thread



PART NO.	MFG#	DESCRIPTION
9922-103	1-1/2" B ALUM	1-1/2"
9922-104	2" B ALUM	2"
9922-105	3" B ALUM	3"

Aluminum

Type E – Male half with hose adapter



PART NO.	MFG#	DESCRIPTION
9923-123	"1-1/2"" E ALUM"	1-1/2"
9923-124	2" E ALUM	2"
9923-125	"3"" E ALUM"	3"

Aluminum

Type F – Male half with male pipe thread



PART NO.	MFG#	DESCRIPTION
9922-131	1-1/2" F ALUM	1-1/2"
9922-132	2" F ALUM	2"

Aluminum

Type A – Male half with female pipe thread



PART NO.	MFG#	DESCRIPTION
9922-106	1-1/2" A ALUM	1-1/2"
9922-107	2" A ALUM	2"
9922-108	3" A ALUM	3"

Basket Intake Strainers – Polypropylene



- Excellent, economical strainer to keep debris out of your pump

PART NO.	MFG#	DESCRIPTION
9923-347	P-58-0734	1-1/2"
9923-348	P-58-0733	2"

Pipe Fittings



PART NO.	MFG#	DESCRIPTION
9922-129	839-251	2" x 1-1/2" reducing bushing
9922-145	P-58-0753 40	1-1/2" x 90° street elbow
9922-146	P-58-0752 40	2" x 90° street elbow

For the most up to date pricing, please visit maritimemarinesupply.ca/price

FEMALE PIPE THREAD HOSE ADAPTERS



PART NO.	MFG#	DESCRIPTION
9922-430	8701	1/2" x 3/4"
9922-431	8706	1" x 3/4"
9922-432	8711	1" x 1-1/4"
9922-433	8712	1" x 1-1/2"

BULKHEAD FITTINGS – POLYPROPYLENE



- Ideal for hose connections through bulkheads or tank walls
- Complete with EDPM gaskets

PART NO.	MFG#	DESCRIPTION
9922-152	P7025807DTN	1/2" x 1-5/8" OD
9922-153	P7025808DTN	3/4" x 1-5/8" OD
9922-154	P7025809DTN	1" x 2-1/4" OD
9922-155	P7025810DTN	1-1/4" x 2-1/4"
9922-156	P7025811DTN	1-1/2" x 3" OD
9922-157	P7025812DTN	2" x 3" OD

Flomax pumps are ideal for bilge, fire, washdown, fuel transfer, ballast and are particularly well suited for pumping fluids containing solids like fish gurry, sand, etc. Pumpak and drive unit are sold separately and bolted together during installation, allowing for quick and easy removal of pump for servicing. Changing the type of drive is easily accomplished by changing the drive unit — no need to replace the entire pump.

Pumpak



FLOMAX 8 Pumpaks

- 2" inlet, 2" outlet, self-priming centrifugal pump
- Flows to 140 GPM, pressures to 100' head (approx. 43 psi.)
- Weight: cast iron 38 lb.; cast bronze 41 lb.
- 12-7/8" H x 8-7/16" W x 10-1/4" D

PART NO.	MFG#	DESCRIPTION
9922-360	21327	Cast Iron
9922-361	21326	Cast Bronze
9922-490	36860	Stainless Steel

MP Flomax w/Elec. Motor

- Close coulped electric motor
- 2" NPT, cast iron Flomax, self primimg
- 3HP, 3450rpm, TEFC, single phase, 208/240VAC
- 140gpm, 100' head

PART NO.	MFG#	DESCRIPTION
9922-583	50119	Cast Iron

Standard Pedestal, 3/4" Shaft

PART NO.	MFG#	DESCRIPTION
9922-362	26142	3/4"

Hydraulic Pedestal with Parker Motor

- Hydraulic oil supply
- Max. 8 GPM @ 1500 psi

PART NO.	MFG#	DESCRIPTION
9922-248	36447	Pedestal and motor

Pumpak, stainless steel



Electric pumpak



Electric pumpak



Replacement Parts

PART NO.	MFG#	DESCRIPTION
9922-250	22292	Bronze impeller
9922-251	22293	Cast iron impeller
9922-497	22294	SS 316 impeller
9922-253	22255	Volute gasket
9922-493	28704	Volute gasket for SS (Gortex)
9922-254	22271	Bronze wear plate
9922-255	23024	Steel wear plate
9922-492	27978	SS wear plate
9922-256	22272	Standard seal kit
9922-259	22655	Lock nut
9922-494	22637	SS Lock nut
9922-257	23022 (51568)	Flapper
9922-491	37170	SS Flapper
9922-258	22286	3/4" Drive sleeve
9922-495	28810	SS 3/4" Drive sleeve
9922-275	22253	5/8" Drive sleeve
9922-276	25664	7/8" Drive sleeve
9922-277	23002	Clamp assembly
9922-525	37141	Discharge O-Ring, Viton
9922-526	34555	Housing O-Ring, Viton

Hydraulic pedestal



FLOMAX 10 Pumpaks

2" inlet, 2" outlet, self-priming centrifugal pump

- Flows to 210 GPM, pressures to 130' head (approx. 56 psi.)
- Weight: cast iron 65 lb.
- 16-3/8" H x 10-3/8" W x 11-7/8" D

PART NO.	MFG#	DESCRIPTION
9922-350	21354	Cast Iron

MP Flomax w/Elec. Motor

- Close coulped electric motor
- 2" NPT, cast iron Flomax, self primimg
- 5HP, 3450rpm, TEFC, single phase, 208/240 VAC
- 210gpm, 130' head

PART NO.	MFG#	DESCRIPTION
9922-584	38269	Cast Iron

Standard Pedestal, 1" Shaft

PART NO.	MFG#	DESCRIPTION
9922-352	26164	1"

Hydraulic Pedestal with Parker Motor

- Hydraulic oil supply
- Max. 15 GPM @ 2300 psi

PART NO.	MFG#	DESCRIPTION
9922-353	28551	Pedestal and motor

Electric Clutchpak

- 6" Dia. double groove pulley for A section belts

PART NO.	MFG#	DESCRIPTION
9922-356	28339	24V

Replacement Parts

PART NO.	MFG#	DESCRIPTION
9922-269	28544	Hydraulic motor
9922-261	23038	Cast iron impeller
9922-263	22240	Volute gasket
9922-265	22376	Steel wear plate
9922-266	22361	Standard seal kit
9922-267	51571	Flapper
9922-278	23039	Clamp assembly

FLOMAX 15 Pumpaks

3" inlet, 3" outlet, self-priming centrifical pump



- Flows to 320 GPM, pressures to 145'(approx.54psi)
- Weight: Stainless Steel 87lbs
- 17-3/8"H x 10-3/8"W x 13-7/16"D

PART NO.	MFG#	DESCRIPTION
9922-585	34793	Stainless Steel



For the most up to date pricing, please visit maritimemarinesupply.ca/price

RED MULTIPURPOSE HOSE



Multipurpose hose for weathering, air, water, heat, diluted chemicals, agriculture sprays.

Sold Per Foot

PART NO.	MFG#	ID SIZE
3909038	3/8"MULTI 150	3/8", 150PSI
3909050	1/2"MULTI 150	1/2", 150PSI
3909058	5/8"MULTI 300	5/8", 300PSI
3909075	3/4"MULTI 250	3/4", 250PSI
3909100	1"MULTI 200	1", 200PSI
3909125	1-1/4"MULTI 200	1-1/4", 200PSI
3909150	1-1/2"MULTI 150	1-1/2", 150PSI

GENERAL PURPOSE HOSE



Sold Per Foot

- Rubber/PVC blend general purpose water hose for plumbing, pumping and engine cooling

PART NO.	ID SIZE#	PSI/OD
9923-009	"5/8"" POLYAIR RD"	300PSI, 1"OD
9923-010	3/4" multi 250	250PSI, 1-3/16"OD
9923-011	1" multi 200	200PSI, 1-3/8"OD
9923-012	1-1/4" multi 200	200PSI, 1-5/8"OD
9923-013	1-1/2" multi 200	200PSI, 1-7/8"OD
9923-014	2" multi 200	200PSI, 2-1/2"OD

HEATER HOSE



- 2 spiral polyester reinforced with similar working pressure for engine coolant water, A/C and other mid-press water applications **Sold Per Foot**

PART NO.	MFG#	DESCRIPTION
9925-099	130-0580	5/8", per foot

OCEAN-FLEX MULTIPURPOSE



Sold Per Roll

- This unique marine hose can be used in several applications for both commercial and recreational vessels, including: fuel fill, fuel line, fuel vent (Gasoline and Diesel-type A1)
- Other applications include: lube oil, wet exhaust, water, bilge, coolant and sanitation, etc.

PART NO.	MFG#	ID SIZE
9925-122	321-0586	5/8" x 50'
9925-123	321-0346	3/4" x 50'
9925-124	321-1006	1" x 50'
9925-127	321-1146	1-1/4" x 50'
9925-128	321-1126	1-1/2" x 50'
9925-130	321-2006	2" x 50'
9925-132	321-2125	2-1/2" x 25'
9925-134	321-3005	3" x 25'

SILICONE HEATER HOSE



Sold Per Foot Max 4Ft

Temp Range: -54°C to 177°C (-65°F to 350°F)
Standard Length: 4' SAE J20E R3 class A.

This Silicone heater hose is made for high temperature hostile engine environments or other industrial applications where temperature is a factor.

The blue outer cover and the red inner tube is made of heat and water resistant silicone. Both inner and outer layers are joined with a single ply Polyester braid.

PART NO.	MFG#	DESCRIPTION
3949100	50118	1.0" ID x 1.4" OD
3949125	50120	1.25" ID x 1.65" OD
3949150	50122	1.5" ID x 1.9" OD
3949175	50124	1.75" ID x 2.15" OD
3949200	50126	2.0" ID x 2.4" OD
3949225	50128	2.25" ID x 2.65" OD
3949250	50130	2.5" ID x 2.9" OD

TURBO / AIR COOLER HOSE



This Turbo/Air Cooler hose has a high temp blue Silicone cover, fabric reinforcement and a black inner tube to provide the best resistance to gases and oil for extended periods of time. The perfect connection between the charger and the air cooler.

Temperature range:
as low as -70° / 500° F (-56° / 260 °C)

PART NO.	MFG#	DESCRIPTION
3860240	TS-3000	3" ID x 3.35" OD x 3' Long
3860241	TS-3500	3.5" ID x 3.85" OD x 3' Long
3860242	TS-4000	4" ID x 4.89" OD x 3' Long

PLICORD WATER DISCHARGE HOSE



Sold Per Foot

Standard 100 ft. coil.

- Soft, easily handled, single braid rubber hose for water discharge to 75 ps

PART NO.	MFG#	DESCRIPTION
9923-031	1 1/2" WATER DISCHARGE	1-1/2" ID x 1-5/8" OD

PREMIUM WATER SUCTION HOSE



- NBR rubber hose; embedded steel helical wire. **Sold Per Foot**

PART NO.	MFG#	DESCRIPTION
9925-000	"3/4"" RUBBER WATER"	3/4" ID x 1-9/64" OD
9925-001	1" RUBBER WATER	1" ID x 1-3/8" OD
9925-002	"1-1/4"" RUBBER WATE	1-1/4" ID x 1-21/32" OD
9925-003	1-1/2" RUBBER WATER	1-1/2" ID x 1-57/64" OD
9925-004	2" RUBBER WATER	2" ID x 2-13/32" OD
9925-005	2-1/2" RUBBER WATER	2-1/2" ID x 2-61/64" OD

CLEAR PVC WATER SUCTION HOSE



Sold Per Foot

- Nylon reinforced, non-collapsing, lightweight general water suction hose with clear wall to show flow (half the weight of rubber). Flexible to -9°C
- Smooth exterior, long wearing; resists abrasion and crushing

PART NO.	MFG#	DESCRIPTION
9923-032	"3/4""PVC SUCTION"	¾" ID x 1" OD
9923-037	1" PVC SUCTION	1" ID x 1- 1-1/4" OD
9923-039	1-1/4" PVC SUCTION	1-¼" ID x 1-1/2" OD
9923-025	"SPECIFY CLEAR"	1-½" ID x 1-3/4" OD
9923-026	9923-026	2" ID x 2-3/8" OD
9923-027	GP PVC SUCTION - K SERIES, 3"	3" ID x 3-1/2" OD

RUBBER WATER SUCTION HOSE
(Wire Reinforced)



Temperature Range: 200° Continuous, 250° Intermittent. Lightweight, flexible water hose. Water intake, drain lines and water circulation applications.
Sold Per Foot

PART NO.	MFG#	ID SIZE
3952075	116-250-0340	3/4"
3952100	116-250-1000	1"
3952118	116-250-1180	1-1/8"
3952125	116-250-1140	1-1/4"
3952138	116-250-1380	1-3/8"
3952150	116-250-1120	1-1/2"
3952178	116-250-1780	1-7/8"
3952200	116-250-2000	2"
3952238	116-250-2380	2-3/8"
3952300	3"HDWATER-Q	3"
3952400	4"HDWATER-Q	4"
3952800	800HDWATER	8" Sold in 10ft or 20ft peices Only

HEAVY DUTY VAC / FDA HOSE





Shields Vac Extra Heavy Duty/FDA Hose has a smooth white FDA grade PVC with vinyl helix. It is rated for full vacuum and is resistant to mild chemicals, permeation, and saltwater. This hose is primarily used for bilge pump intake and discharge, drains (sinks, shower, and scupper), livewell intake and drain, potable water tank fill, and sanitation (toilet to holding tank, intake, self draining lines vent and pump out). This hose is resistant to odour permeation. Do not use ethylene glycol based antifreeze in hose. Do not use in pressurized water systems **Sold Per Foot**

PART NO.	MFG#	ID SIZE
3955058	116-148-0580W	5/8"
3955075	116-148-0340W	3/4"

PVC SUCTION HOSE



Clear PVC suction hose reinforced to prevent collapsing.
Sold Per Foot

PART NO.	MFG	ID SIZE
3959200	116-146-2000	2"

FLEXIBLE EXHAUST HOSE



Shieldsaust - C Hose has a black synthetic rubber tube and cover reinforced with a double wire helix embedded between plies of synthetic cord. This hose is abrasion resistant and resistant to exhaust fumes, ozone, mild chemicals, antifreeze, and saltwater. Primarily used for wet exhaust connections with significant bends, engine intake and scupper lines.

Operating Temperature: -20°F to +200°F continuous, +250°F intermittent.
This hose exceeds SAEJ2006 Type R2 standards.

PART NO.	MFG#	ID SIZE	SOLD
3944075	116-254-0340	3/4"	Per Foot
3944100	116-254-1000	1"	Per Foot
3944125	116-254-1140	1-1/4"	Per Foot
3944150	116-254-1120	1-1/2"	Per Foot
3944175	116-254-1340	1-3/4"	Per Foot
3944200	116-254-2000	2"	Per Foot
3944250	116-254-2121	2-1/2"	6-1/4'

MARINE EXHAUST / WATER HOSE (NO WIRE)



This marine exhaust/water hose is constructed of black heavy walled synthetic rubber, and is reinforced with 2 or 4 piles of synthetic cord.

Sold Per 6 Foot lenth

Resistant to: engine heat, exhaust fumes, ozone, mild chemicals, antifreeze, and salt water.
Temperature range: -20°F to +200°F continuous, +200°F intermittent. Meets SAE J2006 Type R1

PART NO.	ID SIZE	OD SIZE	SOLD
3950100	1"	1-3/8"	6 Ft Length
3950125	1-1/4"	1-3/4"	6 Ft Length
3950150	1-1/2"	2"	6 Ft Length
3950175	1-3/4"	2-1/4"	6 Ft Length
3950178	1-7/8"	2-3/8"	6 Ft Length
3950200	2"	2-1/2"	6 Ft Length
3950225	2-1/4"	2-3/4"	6 Ft Length
3950250	2-1/2"	3"	6 Ft Length

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

EXHAUST HOSE



- Bending radius up to 150% of hose IDFlush and smooth inside to reduce back pressure in the engine
- Approval of Lloyd's; meet SAE J2006

Sold per foot.

PART NO.	MFG#	DESCRIPTION
9991-493	SLANG40	1-9/16" ID x 1-7/8" OD
9991-494	SLANG45	1-3/4" ID x 2" OD
9991-495	SLANG50	2" ID x 2-5/16" OD
9991-496	SLANG60	2-3/8" ID x 2-11/16" OD
9991-497	SLANG75	3" ID x 3-5/16" OD
9991-498	SLANG90	3 1/2" ID x 3-7/8"
9991-499	SLANG100	4" ID x 4-5/16" OD
9991-500	SLANG110	4-11/32" ID x 4-3/4" OD
9991-501	SLANG125	5" ID x 5-13/32" OD
9991-502	SLANG150	6" ID x 6-13/32" OD
9991-503	SLANG200	8" ID x 8-19/32" OD

MARINE EXHAUST/WATER SUCTION HOSE SOFTWALL



- 2 ply nylon fabric and special filler prevents panting, shock, vibration and wall collapse
- Softwall

Sold per foot.

PART NO.	MFG#	DESCRIPTION
9925-091	2"ME SOFT	2" ID x 2-1/2" OD
9923-035	2 3/8" ME SOFT	2-3/8" ID x 2-27/32" OD
9923-036	3" ME SOFT	3" ID x 3-9/16" OD
9923-038	"3 1/2"" ME SOFT"	3-1/2" ID x 4 1/16" OD
9923-040	4" ME SOFT	4" ID x 4-19/32" OD

MARINE EXHAUST/WATER SUCTION HOSE HARDWALL



- Helical wire reinforcement allows for tight bends without collapsing

Sold per foot.

PART NO.	MFG#	DESCRIPTION
9925-092	2"ME HARD	2" ID x 2-9/16" OD
9925-093	2-3/8"ME HARD	2-3/8" ID x 2-7/8" OD
9923-044	3" HD SUCTION	3" ID x 3-15/32" OD
9923-045	3-1/2" HD SUCTION	3-1/2" ID x 4" OD
9923-046	4" HD suction	4" ID x 4-1/2" OD
9923-047	5" HD suction	5" ID x 5-9/16" OD
9923-048	6" HD suction	6" ID x 6-17/32" OD

WET EXHAUST OVERHEAT DETECTOR



- Two terminal,non polarity, normally open detector that closes when wet exhaust temperature reaches 200°F and activates a visual and/ or audible device.
- Adjustable band that will accomodate exhaust sizes from 2in to 8in.
- 5ft of Marine Grade Tinned wire for connections.

PART NO.	MFG#	DESCRIPTION
9945-626	20250	12v, 24v, and 32v

WET EXHAUST HOSE – SOFTWALL



UP TO 5 YEAR **WARRANTY**

- 250°F continuous rating
- Premium extra heavy tube and cover withmulti-ply reinforcement resists heat, aging,exhaust and ozone
- Exceeds SAE J2006 standards.

6 1/4" foot lengths

PART NO.	MFG#	DESCRIPTION
9925-056	200-2381	2-3/8" ID x 2-7/8" OD
9925-057	200-3001	3" ID x 3-5/8" OD
9925-058	200-3121	3-1/2" ID x 4-1/8" OD
9925-059	200-4001	4" ID x 4-5/8" OD
9925-066	200-5001	5" ID x 5-5/8" OD
9925-067	200-6001	6" ID x 6-3/4" OD
9925-068	200-8001	8" ID x 8-3/4" OD

12 1/2" foot lengths

PART NO.	MFG#	DESCRIPTION
9925-010	200-2384	2-3/8" ID x 2-7/8" OD
9925-011	200-3004	3" ID x 3 5/8" OD
9925-012	200-3124	3-1/2" ID x 4-1/8" OD
9925-013	200-4004	4" ID x 4-5/8" OD

HARDWALL MARINE EXHAUST HOSE (USCG)



Temperature Range: 200° Continuous, 250° Intermittent. Heavy wall construction reinforced with wire helix embedded between tough synthetic spiral cord plies.

Excellent flexibility and bend radius, prevents panting/collapsing. Resists engine heat, exhaust fumes, ozone, mild acids, toilet effluent, salt water and abrasion. Meets SAE J2006 Type R2 and ISO 13362:2004 Type 1 Class B. **Sold Per Foot**

PART NO.	SIZE ID	SIZE OD
3951175	1-3/4"	2-1/8"
3952200	2"	2-3/8"
3951250	2-1/2"	3"
3951300	3"	3-1/2"
3951350	3-1/2"	4"
3951400	4"	4-1/2"
3951500	5"	5-3/4"
3951600	6"	7"
3951800	8"	**Sold in 10ft or 20ft pieces only**

RUBBER HUMP HOSE EXHAUST CONNECTORS



Constructed of 100% high temperature EPDM rubber. Maximum operating temperature 250°F (121°C).

PART NO.	MFG#	ID SIZE	LENGTH
3941003	116-220-3000-1	3"	5.25"
3941004	116-220-4000-1	4"	5.25"
3941005	116-220-5000-1	5"	6"
3941006	116-220-6000-1	6"	6"
3941008	116-220-8000-1	8"	8"

EPDM HUMP HOSE EXHAUST CONNECTOR HIGH TEMPERATURE



This High Temperature EPDM Hump Hose Connector has a maximum operating temperature of 250°F (120°C)

PART NO.	MFG#	ANGLE	ID SIZE
3941330	116-245-3000-1	45°	3"
3941335	116-245-3120-1	45°	3-1/2"
3941340	116-245-4000-1	45°	4"
3941345	116-245-4120-1	45°	4-1/2"
3941350	116-245-5000-1	45°	5"
3941360	116-245-6000-1	45°	6" Ribbed
3941380	116-245-8000-1	45°	8" Ribbed
3941430	116-290-3000-1	90°	3"
3941435	116-290-3120-1	90°	3-1/2"
3941440	116-290-4000-1	90°	4"
3941450	116-290-5000-1	90°	5"
3941460	116-290-6000-1	90°	6" Ribbed
3941480	116-290-8000-1	90°	8" Ribbed

SILICONE HUMP COUPLERS

SIERRA



Single Hump Double Hump

These Single and Double Hump Couplers have a blue silicone cover and are fabric reinforced. They remain stable at elevated temperatures and provide angular and longitudinal vibration absorption in wet exhaust systems. They are resistant to exhaust fumes, ozone, mild chemicals, anti-freeze, and saltwater.

Temperature ranges from -20°F to 350°F. Meets SAEJ2006 Type R1 standards.

PART NO.	MFG#	DESCRIPTION
3941107	116-272-8000	8" ID Single Hump, 8" Length
3941306	116-274-6000	6" ID Double Hump, 14" Length
3941308	116-274-8000	8" ID Double Hump, 14" Length
3941310	16-274-10000	10" ID Double Hump, 14" Length

WET EXHAUST - HUMP HOSE AND ELBOWS

Sold without clamps.



- 250°F continuous rating
- Great resistance to vibration, heat, misalignment, and engine movement
- Install over fibreglass exhaust couplings; lubricate with water or detergent if necessary and double clamp at each end with heavy duty hose clamps

UP TO 5 YEAR WARRANTY

WET EXHAUST HUMP HOSE

PART NO.	MFG#	I.D. SIZE	LENGTH	WALL THICKNESS
9925-035	THH-3	3"	5-1/4"	1/4"
9925-036	THH-35	3-½"	5-1/4"	1/4"
9925-037	THH-4	4"	5-1/4"	1/4"
9925-038	THH-5	5"	6"	1/4"
9925-039	THH-6	6"	7"	1/4"
9925-034	THH-8	8"	5"	1/4"
9925-109	THH-10	10"	6"	1/4"

WET EXHAUST HUMP ELBOWS

Sold without clamps.



- 100% molded EPDM rubber for tight bends in wet exhaust system without kinks

90°

PART NO.	MFG#	I.D. SIZE	WALL THICKNESS
9925-022	TRL-390	3"	1/4"
9925-024	TRL-3590	3-1/2"	1/4"
9925-026	TRL-490	4"	1/4"
9925-029	TRL-590	5"	1/4"
9925-031	TRL-690	6"	1/4"
9925-027	TRL-890	8"	3/8"
9925-111	TRL-1090	10"	3/8"

45°

PART NO.	MFG#	I.D. SIZE	WALL THICKNESS
9925-023	TRL-345	3"	1/4"
9925-025	TRL-3545	3-1/2"	1/4"
9925-028	TRL-445	4"	1/4"
9925-030	TRL-545	5"	1/4"
9925-032	TRL-645	6"	1/4"
9925-033	TRL-845	8"	3/8"
9925-110	TRL-1045	10"	3/8"

VHT SILICONE WET EXHAUST HUMP HOSE AND ELBOWS

- Blue very high temperature (VHT) silicone
- 350°F continuous rating

Sold without clamps.



90° 45°

VHT Wet Exhaust Hump Hose

PART NO.	MFG#	I.D. SIZE	LENGTH	WALL THICKNESS
9925-100	270V6000	6"	**7"**	1/4"
9925-101	270V8000	8"	**5"**	1/4"

VHT Wet Exhaust Elbows

PART NO.	MFG#	I.D. SIZE	ANGLE	WALL THICKNESS
9925-103	240V6000	6"	45°	1/4"
9925-104	240V8000	8"	45°	3/8"
9925-106	290V6000	6"	90°	1/4"
9925-107	290V8000	8	90°	3/8"

For the most up to date pricing, please visit maritimemarinesupply.ca/price

FUEL LINE



Universal Tygon modified vinyl fuel line is routinely used to handle gasoline, kerosene, heating oils, cutting compounds and glycol-based coolants. It resists swelling, hardening and cracking caused by hydrocarbon-based fluids. Ozone and UV light resistant.
Sold Per Foot

PART NO.	ID SIZE	OD SIZE	PRESSURE
S188150	1/8"	1/4"	50 PSI
S188151	3/16"	5/16"	35 PSI
S188152	1/4"	3/8"	30 PSI

SILVERADO 4000 TYPE B1 OUTBOARD FUEL LINE



Resistant to ethanol blended fuels. EPA and CARB compliant. THV500 barrier layer with a Nitrile jacket to prevent permeation, a polyester reinforcement and a weather/UV resistant CPE cover. Gray colour keeps the hose cooler and helps prevent vapour lock.

Not fire retardant and is for above deck primer bulb applications. **Sold in 25' and 50' boxes.**

PART NO.	MFG#	DESCRIPTION
3954034	116-337-0565	Fuel Line, 5/16", **25' box**
3954036	116-337-0566	Fuel Line, 5/16", **50' box**
3954035	116-337-0385	Fuel Line, 3/8", **25' box**
3954040	116-337-0386	Fuel Line, 3/8", **50' box**

LOW PERMEATION TYPE A1 MARINE FUEL HOSE



Low Permeation Marine Fuel Hose has a plastic barrier veneer with an NBR outer layer tube to prevent permeation. Polyester reinforced hose complies with EPA and CARB very low permeation requirements and is weather/UV resistant. Primarily used for fuel feed (gasoline up to 85% ethanol blended fuels/diesel/all bio-diesel blends).

Meets USCG Type A1–15 requirements for pleasure boats and meets SAE J1527 Type A1 – 15, ISO 7840 Type A1 and NMMA/CE Type accepted standards. Temperature range -20°F to 212°F.
Sold in 25', 50' and 250' boxes.

PART NO.	MFG#	DESCRIPTION
3954041	116-368-0385	Fuel Line, 3/8", **25' box**
3954042	116-368-0386	Fuel Line, 3/8", **50' box**
3954043	116-368-0380	Fuel Line, 3/8", **250' box**
3954051	116-368-0125	Fuel Line, 1/2", **25' box**
3954052	116-368-0126	Fuel Line, 1/2", **50' box**
3954053	116-368-0120	Fuel Line, 1/2", **250' box**

FIRE-ACOL TYPE A2 FUEL VENT HOSE



Fire-Acol Fuel Vent hose resists gasoline/alcohol blended fuel and is fire resistant. Features a weather/UV resistant NBR/PVC cover.

Primarily used for fuel vent lines (gasoline up 85% ethanol blended fuels/diesel fuels). It meets USCG Type A2 req. for pleasure boats and meets SAE J1527 Type A2, ISO 7840 Type A2 and NMMA/CE Type accepted standards. Temperature range -20°F to 160°F.
Sold in 25' and 50' boxes.

PART NO.	MFG#	DESCRIPTION
3954556	116-369-0585	Vent Hose, 5/8", **25' box**
3954557	116-369-0586	Vent Hose, 5/8", **50' box**

FUEL HOSE, TRANSLUCENT



The FuelFLEX 65 product line is made especially for intermittent use with petroleum based products. Its distinct translucent yellow colour identifies it as a fuel line, but also allows the user to monitor flow. The special PVC formulation uses a specific plasticizer that will not crack or dry out like other PVC compounds will in the presence of petroleum based products.

Dimensions: **Sold Per Foot**

- **3/8"** - ID x 1/2" OD x 1/16" Wall
- **1/2"** - ID x 5/8" OD x 1/16" Wall

This product is not A1 Rated

PART NO.	MFG#	DESCRIPTION
3954048	8365-4430	3/8"
3954049	8365-4505	1/2"

SHIELDS COMFLEX HOSE

TYPE A1 ALL-IN-ONE HOSE



Comflex is a versatile wire reinforced hose specially designed for inspected vessels. Comflex is rated for fuel, vital water and non-vital water systems on boats requiring SAE J1942 hoses.

Applications include bilge, coolant, oil and fuel systems using gasoline, gasohol, diesel, bio-diesel, wet exhaust systems, non-potable water systems, engine intake, toilet and holding tank connections.
Tube: Black Nitrile **Reinforcement:** 2 textile plies w/ dual wire helix
Cover: Black chloroprene **Temp. Range:** -20°F to +212°F **Sold Per Foot**

Specifications: SAE J1942 Code F, VW, NVW; SAE J1527 A1; SAE J2006 R2; SAE 20R2 B; SAE J20R4 B; SAE 20R5 B, SAE 30R5, ISO 7840 A1

PART NO.	MFG#	DESCRIPTION
3954058	116-321-0580	5/8" ID x 1.0" OD
3954075	116-321-0340	3/4" ID x 1.19" OD
3954100	116-321-1000	1" ID x 1.41" OD
3954125	116-321-1140	1-1/4" ID x 1.66" OD
3954150	116-321-1120	1-1/2" ID x 1.91" OD
3954200	116-321-2000	2" ID x 2.48" OD

FUEL FILL HARDWALL HOSE



High nitrile tube resists permeation of alcohol enhanced fuels. Reinforced with two spirals of high strength synthetic fabric to provide excellent bend radius.

Fill hose sizes feature helical wire imbedded between fabric plies for superior kink resistance and durability. **Type A2 resists gasoline and diesel.** Meets SAE J1527 Type A2 & ISO 7840 Type A2 NMMA/CE Type accepted. **Sold Per Foot**

PART NO.	MFG#	DESCRIPTION
3953125	1 1/4"OILSUC-Q	1-1/4" (Not TC Approved)
3953150	116-355-1120	1-1/2" TC Approved
3953200	116-350-2000	2" TC Approved

OIL RESISTANT MP HOSE



Sold Per Foot

Multipurpose hose for gas, oil, air, water, chemicals. Working pressure of 250 PSI temp rating 180°F. This hose is NOT Transport Canada approved for gasoline.

PART NO.	MFG#	ID SIZE
3907038	3/8" VERSICON	3/8"
3907050	1/2" VERSICON	1/2"
3907058	RPH-10-REEL	5/8"
3907075	3/4" VERSICON	3/4"
3907100	1" VERSICON	1"
3907125	1 1/4" VERSICON	1-1/4"
3907150	1-1/2"VERSICON	1-1/2"

CLEAR PVC TUBING (NYLON REINFORCED)



Heavy duty for hot or cold pressurized water systems. Vent and drain lines, bilge pump discharge. Heavy walled FDA approved vinyl compound, non-toxic, tasteless, odourless. Polyester braid reinforcement.

Sold Per Foot
Burst Pressure: 250 lbs.
Temperature range: 25°–150°F

PART NO.	MFG#	ID SIZE
3908025	K3150-025	1/4"
3908038	K3150-038	3/8"
3908050	K3150-050	1/2"
3908058	K3150-062	5/8"
3908075	K3150-075	3/4"
3908100	K3150-100	1"

PVC CLEAR HOSE, STANDARD NON REINFORCED



PSI rating: 45 PSI
Not for hot water or pressurized water systems. **Sold Per Foot**

PART NO.	MFG#	DESCRIPTION
3906025	116-150-0140	1/4" Clear Hose
3906050	116-150-0120	1/2" Clear Hose

CLEAR REINFORCED PVC HOSE



- Tasteless, odourless hose for hot or cold water
- Nylon braided reinforced PVC

Sold per 50' box.

PART NO.	MFG#	DESCRIPTION
9923-077	162-0126	1/2" ID x 3/4" OD
9923-078	162-0586	5/8" ID x 7/8" OD
9923-079	162-0346	3/4" ID x 1" OD

REINFORCED PVC HOT/COLD WATER HOSE



Sold Per Foot

- FDA grade tube is non-toxic, odourless and tasteless
- Made of 3-ply polyester for excellent abrasion resistance and sustained flexibility

COLD - Blue

PART NO.	MFG#	ID SIZE
9925-136	165-0380	3/8"
9925-137	165-0120	1/2"
9925-138	165-0580	5/8"
9925-139	165-0340	3/4"

HOT – Red

PART NO.	MFG#	ID SIZE
9925-112	166-0380	3/8"
9925-113	166-0120	1/2"
9925-114	166-0580	5/8"
9925-135	166-0340	3/4"

WATER HOSE



Sold Per Foot

- Transparent PVC with spiraled steel inlay
- Tasteless and non-toxic; suitable for drinking and grey water, both suction and pressure

PART NO.	MFG#	ID SIZE
9991-477	DWHOSE10B	3/8"ID x 5/8"OD
9991-478	DWHOSE12B	1/2"ID x 3/4"OD
9991-479	DWHOSE16B	5/8"ID x 7/8"OD
9991-480	DWHOSE19B	3/4"ID x 1"OD
9991-481	DWHOSE25B	1"ID x 1-1/4"OD
9991-484	DWHOSE38B	1-1/2"ID x 1-7/8"OD
9991-485	DWHOSE50B	2"ID x 2-3/8"OD

BILGE PUMP HOSE



Discharge for electric bilge pumps and hand pumps. Single layer corrugated polyethylene. **Resists oily bilge acids and sea water.** Clamping cuff every foot. **Sold Per Foot**

PART NO.	MFG#	ID SIZE
3956075	116-120-0340W	3/4"
3956118	120-1180	1-1/8"
3956124	116-120-1140W	1-1/4"
3956150	116-120-1120W	1-1/2"

HEAVY DUTY PVC BILGE PUMP HOSE



Excellent flexibility and tight bend radius. Smooth cover permits easy clamping without use of hose cuffs. Resists bilge chemicals and abrasion. Can be easily pulled through bulkheads, no corrugations. **Sold Per Foot**

PART NO.	MFG#	ID SIZE
3959118	116-149-1180	1-1/8"
3959150	116-149-1120	1-1/2"

FLEXIBLE WIRE REINFORCED BILGE HOSE



Coated flexible wire construction to avoid collapse or distortion. Light grey colour, ideal for pumps, water systems and vacuum lines.
Working pressure: Negative 12 PSI, Positive 26 PSI **Sold Per Foot**

PART NO.	MFG#	ID SIZE
3956125	FH-1-1/4	1-1/4"

HEAVY DUTY BILGE PUMP HOSE



- Helical PVC reinforcement provides excellent flexibility and bend radius for bilge pump applications

Sold Per Foot

PART NO.	MFG#	DESCRIPTION
9923-007	147-1180	1-1/8" ID x 1-3/8" OD
9923-008	147-1120	1-1/2" ID x 1-7/8" OD

For the most up to date pricing, please visit maritimemarinesupply.ca/price

XHD BILGE HOSE



- Excellent durability, flexibility & bend radius
- Bilge, live well, drain, scupper lines, etc.

Sold Per Foot

PART NO.	MFG#	ID SIZE
9924-116	149-0340	3/4"
9924-117	149-1180	1-1/8"
9924-118	149-1120	1-1/2"

STANDARD BILGE PUMP HOSE



- Corrugated plastic hose with cuff every 12 inches for ease of installation
- For manual, electric and auto bilge pumps

Sold Per Foot

PART NO.	MFG#	DESCRIPTION
9923-000	116-120-0340B	3/4" ID x 7/8" OD
9923-001	116-120-1180B	1-1/8" ID x 1 1/4" OD
9923-002	116-120-1120B	1-1/2" ID x 1 5/8" OD

VINYLVENT DUCTING HOSE



Shields Vinylvent Ducting Hose is PVC supported by an anodized wire helix. It is resistant to UV and ozone. This hose is primarily used for venting Bilge fumes. **Sold Per 50' Box**

PART NO.	MFG#	DESCRIPTION
3911302	116-402-3000	Blower Hose, 3", Black, **50' box**
3911402	116-402-4000	Blower Hose, 4", Black, **50' box**
3911403	116-400-4000W	Blower Hose, 4", White, **50' box**

VINYLVENT, EXTRA HEAVY DUTY



Shields Extra Heavy Duty Vinylvent has an extra heavy PVC wall. It is supported by a vinyl coated helical wire and is resistant to ozone, UV and corrosion. It is flame resistant and meets the UL94V standard. This hose is Primarily used for venting bilge fumes. **Sold in 50' boxes.**

PART NO.	MFG#	DESCRIPTION
3911306	116-420-3000	Vent Hose, 3", Black, **50' box**
3911406	116-420-4000	Vent Hose, 4", Black, **50' box**

POLYDUCT VENTILATION BLOWER HOSE



- Flexible, crush proof and rugged heavy duty polypropylene reinforced with flexible polypropylene helical rod
- Resistant to flex fatigue, moisture condensation, tearing and flame
- Operating temperature –40°C to 107°C. **Sold Per Foot**. Standard 50 ft. coil.

PART NO.	MFG#	DESCRIPTION
9923-130	481-3000	3" ID x 3-1/4" OD
9923-129	481-4000	4" ID x 4-1/4" OD

SANITATION HOSE



Hose Cuffs

Heavy duty corrugated PVC white in colour extremely flexible hose. Use for potable water fill, sink, bilge pump (not recommended for use below the water line). Hose cuffs sold separatley **Sold Per Foot**

PART NO.	MFG#	DESCRIPTION
3955150	116-141-1120W	1-1/2"
3955151	116-147-1120	1-1/2" Hose cuff (ea.)

SUPER PVC SANITATION HOSE



Specially compounded to have very low water absorption, and superior resistance to odour. Reinforced with a rigid vinyl helix to prevent collapsing in bends and under vacuum. Clamps without cuffs. **5" bend radius.**

Sold Per Foot

PART NO.	MFG#	DESCRIPTION
3955100	116-144-1000	Hose, 1" ID
3955155	116-144-1120	Hose, 1-1/2" ID
3900024	HAS-24	Clamp

SANITATION HOSEPLUS 38



The Tecma HosePlus is a special high-quality butyl rubber odour shield sanitation hose with a double wire steel helix reinforcement. The quality level is proven by the very low permeability level of less than 1%. That keeps bad smells in the hoses and prevents them from being spread out of the marine sanitation system. HosePlus is resistant to abrasion, ozone, sea water and marine agents.

Sold Per Foot

Inside diameter: 38mm (1.5") **Outside diameter:** 48mm (1.9")
Bending radius: 80mm (3.1")

PART NO.	MFG#	DESCRIPTION
3955156	T-901/RUB38	1-1/2" Sanitation Hose

PREMIUM SANITATION HOSE



- 2-ply sanitation hose with helical reinforcement wire that provides maximum resistance to odour and excellent flexibility; compounded to resist anti-freeze during winterization.

Sold Per Foot

PART NO.	MFG#	DESCRIPTION
9925-050	101-1006	1" ID x 1 3/8" OD, Black
9925-054	102-1006	1" ID x 1 3/8" OD, White
9925-051	101-1126	1-1/2" ID x 2 1/16" OD, Black
9925-055	102-1126	1-1/2" ID x 2 1/16" OD, White

PVC TOILET HOSE



- Extremely flexible, white corrugated heavy duty PVC that resists odour penetration
- Made especially for marine toilet application
- Use with collar

Sold Per Foot Standard 100 ft. coil.

PART NO.	MFG#	DESCRIPTION
9924-110	146-1000	1" ID x 1-1⁄8" OD

TOILET HOSE COLLARS



- Fits over corrugations in toilet hose for connecting to toilet outlet; install one on each end of discharge hose for leak-proof operation

PART NO.	MFG#	DESCRIPTION
9924-105	TOILET HOSE COLLAR, 1"	For 1" toilet hose

"NO-SMELL" SANITATION HOSE



- Recommended for biological waste, in combination with marine toilet installations
- SBR rubber with inlays of woven synthetic fabric and steel spiral

Sold Per Foot

PART NO.	MFG#	ID SIZE
9991-486	SAHOSE16	5⁄8"
9991-487	SAHOSE19	3⁄4"
9991-488	SAHOSE25	1"
9991-489	SAHOSE38	1-1⁄2"

HEAVY DUTY SANITATION HOSE



- Extra heavy duty, smooth white vinyl sanitation hose compounded to provide excellent resistance to odour permeation; hard PVC helix gives good flexibility and bend radius
- Also for critical bilge, drain, scupper and livewell
- No cuffs required
- Do not use with alcohols, anti-freeze, petro-chemicals or solvents

Sold Per Foot or Sold as 50' Box

PART NO.	MFG#	DESCRIPTION
9924-109	148-1000	1" ID x 1-1⁄4" OD, per foot
9925-052	148-1006	1" ID x 1-1⁄4" OD, 50' box
9925-053	148-1126	1-1⁄2" ID x 1-13⁄16" OD, 50' box
9924-112	148-1120	1-1⁄2" ID X 1-13⁄16 OD, per foot

DRINKING WATER HOSE



Super heavy duty hoses are reinforced for maximum kink resistance. Especially useful when hooked with a Y-valve to your main faucet. Made of FDA approved materials; drinking water safe.

PART NO.	MFG#	DESCRIPTION
3957430	22783	25' x 5/8" Drinking Water Hose
3957431	22793	50' x 5/8" Drinking Water Hose

WASH DOWN HOSE STATION



Contains 25' white 1/2" coiled poly hose and non-corrosive hose fittings and nozzles. Station includes hose base mount. UV and chemical resistant.

PART NO.	MFG#	DESCRIPTION
3957435	WDHH-25W-C-DP	Wash Station

COILED WATER HOSE



Blue coiled polyethylene tubing **comes with UV resistant plastic garden ends**. Stretches to use, coils for convenient storage.

PART NO.	MFG#	ID SIZE
3957415	EC15201BX	15'
3957425	EC25201BX	25'

COILED HOSE AND SPRAY KIT



Camco's Coiled Hose and Spray Nozzle Kit is a complete wash kit that is ideal for marine use. The coiled hose features strain relief to help prevent kinking. Included in the kit are an adjustable spray tip nozzle with thumb lever for flow control and a quick connect fitting. The quick connect fitting allows the hose to easily attach/detach from the spray tip nozzle as well as allowing the nozzle to swivel a full 360°. Comes with mesh storage bag.

PART NO.	MFG#	DESCRIPTION
3957436	41980	Hose Coil Kit, 20'
3957438	41982	Hose Coil Kit, 40'
9951-328	41983	20" hose
9951-329	41985	40" hose
9951-330	41986	Nozzle thumb lever

For the most up to date pricing, please visit maritimemarinesupply.ca/price

LAYFLAT HOSE



PVC layflat water discharge hose is reinforced with high tensile textile cord. The blue plasticized PVC is **abrasion and ozone resistant**.

Sold Per Foot

PART NO.	MFG#	ID SIZE
3913150	LF-1-1/2	1-1/2"
3913200	LF-2	2"
3913300	LF-3	3"

WHITE POLYESTER



- Extra strength and flexibility industrial grade lay-flat style hose, polyester jacket with synthetic rubber liner

PART NO.	MFG#	ID SIZE
9923-015	54307-4	1-1/2" x 25'
9923-016	54307-7	1-1/2" x 33'
9923-115	54307-8	2" x 25'
9923-116	54307-10	2" x 33'

WASHDOWN HOSE



1-1/2" white polyester with synthetic rubber liner, brass male one end, and brass female swivel the other.

Not recommended for use on rough decks.

PART NO.	MFG#	ID SIZE
3957225	1 1/2X25W/NPSH	25'
3957235	1 1/2X33W/NPSH	33'
3957250	1 1/2X50W/NPSH	50'
3957151	1 1/2"INDUSTAR	1-1/2' Hose Only (per ft)

BLACK NITRILE RUBBER



- Heavy duty fire and washdown hose, woven high tensile synthetic, lightweight flexible discharge for water and oil

PART NO.	MFG#	ID SIZE
9923-022	01DA54307-11	1-1/2" x 25'
9923-023	01DA54307-13	1-1/2" x 33'
9923-024	01DA54307-14	2" x 25'
9923-028	01DA54307-16	2" x 33'

PREMIUM WASHDOWN HOSE



1-1/2" Nitrile hose is nylon reinforced for added strength. **This long lasting hose is rated to 300 PSI and is patchable.** Brass male on one end and brass female swivel on the other.

PART NO.	MFG#	DESCRIPTION
3957325	NITRIL-1.5X25	25' Hose with Ends
3957333	NITRIL-1.5X33	33' Hose with Ends
3957299	14TW5P-1.5X100	100' Hose with Ends
3957300	NITRIL-1.5	Hose only, per Foot

INDUSTRIAL WATER HOSE ASSEMBLIES

Fairview



Industrial grade water hose assemblies have machined HEX brass ends.
Green and Black assemblies have EPDM cover and tube with high tensile spiral synthetic yarn reinforcement. They are best suited for applications requiring maximum flexibility. Blue assembly has uniquely blended PVC compounds to enhance cold weather flexibility and give this hose the look/feel of a comparable rubber hose. Outer layer is non-marking and it is ozone and atmosphere resistant. **Green:** 1/2" ID, 200 PSI **Black:** 5/8" ID, 200 PSI **Blue:** 5/8" ID, 250 PSI

PART NO.	MFG#	DESCRIPTION
3957002	WHGL8GRN-50H	1/2" x 50', **Green**
3957004	WHGL8GRN-100H	1/2" x 100' **Green**
3957012	WH10BLK-50H	5/8" x 50', **Black**
3957013	WH10BLK-75H	5/8" x 75', **Black**
3957014	WH10BLK-100H	5/8" x 100', **Black**
3957023	WH10BLU-75H	5/8" x 75', **Blue**

BRASS HOSE NOZZLE



10" Long

PART NO.	MFG#	DESCRIPTION
6914100	1TB NOZZLE	1"
6914125	1 1/4TB NO	1-1/4"
6914150	6914150	1-1/2"

PLASTIC NOZZLE



PART NO.	MFG#	DESCRIPTION
6914152	1510	1-1/2"

LEXAN FIRE HOSE NOZZLE



PART NO.	MFG#	DESCRIPTION
6914101	FNB100NPSH	1"
6914151	1575	1-1/2"
9922-151	FNB200NPSH	2"

DECK WASH SWITCH



- Black ABS contruction
- 2-Position ON-OFF switch
- LED 'ON' indicator
- IP65 waterproof rating

PART NO.	MFG#	DESCRIPTION
9922-532	10197-12	Black

WASHDOWN FAUCET



Chrome plated brass faucet.

Fasteners: 2 x #4 FH

PART NO.	MFG#	DESCRIPTION
3957520	512220-1	1/2" FIPT x 3/4" MGHT

WASHDOWN QUICK CONNECT



The Quick Connect installs easily on your boat and allows you to stow your hose out of the way. This clever design will allow you to flush mount the Quick Connect into your cockpit or bulkhead. Engages and disengages under pressure. Stainless steel deck mount fitting.

1/2" NPT female inlet
3/4" GHT male hose adapter

PART NO.	MFG#	DESCRIPTION
2712060	31911-0000	Washdown Quick Connect

WHITE SPEED-TAP



White flush mount tap complete with white lid. Rubber lid included. **Unit has automatic shut off valve.**
1/2" NPT male inlet
3/4" GHT male hose adapter

PART NO.	MFG#	DESCRIPTION
3957400	ST301	White Speed-Tap

WASHDOWN BULKHEAD FITTING



- 1/2" NPT & 3/4" hose

PART NO.	MFG#	DESCRIPTION
9921-132	09-10616	3/4" hose

HOSE QUICK CONNECT



- Connect and disconnect your garden hoses quickly and easily
- Shuts off automatically when disconnected

PART NO.	MFG#	DESCRIPTION
9922-615	20135	Solida Brass

ADJUSTABLE WATER NOZZLE



This Pistol Grip Water Nozzle has a zinc body with an adjustable brass spray nozzle. The pull rod and nut are also brass and the chrome plated steel lever has a soft rubber coating. It also has an insulting soft rubber hand grip for comfort and easy handling.

PART NO.	MFG#	DESCRIPTION
6914165	GHN-BN	5-1/2" Water Nozzle

INDUSTRIAL WATER NOZZLE



This Industrial Pistol Grip Water Nozzle has a zinc body with a chrome plated steel lever and a brass pull rod and nut. It has a threaded front for accessories with a removable thread protector. It sprays from a fine mist to a heavy stream.

PART NO.	MFG#	DESCRIPTION
6914163	GHN	5-1/2", Nozzle

ADJUSTABLE WATER NOZZLE



This in-line Water Nozzle has a zinc body with an adjustable brass tip. It has an insulating soft rubber grip for comfort and easy handling.

PART NO.	MFG#	DESCRIPTION
6914167	GHTN-RG	6", Adjustable Nozzle

QUICK DISCONNECT COUPLER



Hose End
6914185



Nozzle End
6914186

These brass water hose Quick Disconnect Couplers make it easy to join your water nozzle with your water supply.

PART NO.	MFG#	DESCRIPTION
6914185	QD-WHCF	Coupler
6914186	QD-WHNM	Nipple

WATER HOSE COUPLING



6914180



6914181

These Water Hose Couplings come with shut-off valves for easy flow control.

PART NO.	MFG#	DESCRIPTION
6914180	199-WV	In-Line Coupling w/Valve
6914181	202-WV	"Y" Coupling w/Valves

For the most up to date pricing, please visit maritimemarinesupply.ca/price

STAINLESS STEEL HOSE CLAMP DISPLAY



Merchandiser of 8 of the most popular sizes of S/S hose clamps. Clamp, screw and housing all made of non-magnetic marine grade S/S. Sizes displayed on header for easy selection and reordering.

Consists of the following:

CLAMP#	SIZE	QTY
4	7/32"–5/8"	10
8	7/16"–25/32	10
10	9/16"–1-1/16"	10
16	13/16"–1-1/2"	10
20	13/16"–1-3/4"	10
24	1-1/16"–2"	10
36	1-13/16"–2-3/4"	10
48	2-9/16"–3-1/2"	10

PART NO.	MFG#	DESCRIPTION
3900000	980049	S/S Hose Clamp Display

CONSTANT TORQUE CLAMPS



- Active clamping mechanism which compensates for compression and expansion
- Avoids re-tightening or loosening from changes in temperature

PART NO.	MFG#	DESCRIPTION
9922-720	730-1001	1" - 1 3/4" HOSE OD
9922-721	730-1121	1-3/4" - 2 5/8" HOSE OD
9922-722	730-2001	2-1/4" - 3 1/8" HODE OD
9922-723	730-2121	2-3/4" - 3 5/8" HOSE OD
9922-724	730-3001	3-1/4" - 4 1/8" HOSE OD
9922-725	730-3121	3-3/4" - 4 5/8" HOSE OD
9922-726	730-5001	5-1/4" - 6 1/8" HOSE OD
9922-728	730-6001	6-1/4" - 7 1/8" HOSE OD

HOSE CLAMPS – STAINLESS STEEL



All stainless steel including bolt.

316 Stainless Steel - Box of 10

PART NO.	MFG#	DESCRIPTION
9923-772	6706-651	3/8" – 7/8", No. 6
9923-773	6708-651	7/16" – 1", No. 8
9923-774	6710-651	1/2" – 1-1/16", No. 10
9923-775	6712-651	1/2" – 1-1/4", No. 12
9923-776	6716-651	11/16" – 1-1/2", No. 16
9923-777	6720-651	3/4" – 1-3/4", No. 20
9923-778	6724-651	1" – 2", No. 24
9923-779	6728-651	1-1/4" – 2-1/4", No. 28
9923-780	6732-651	1-1/2" – 2-1/2", No. 32
9923-781	6736-651	1-3/4" – 2-3/4", No. 36
9923-782	6740-651	2" – 3", No. 40
9923-783	6744-651	2-1/4" – 3-1/4", No. 44
9923-784	6748-651	2-1/2" – 3-1/2", No.48
9923-785	6752-651	2-3/4" – 3-3/4", No. 52
9923-786	6756-651	3" – 4", No. 56
9923-787	6764-651	2-1/2" – 4-1/2", No. 64
9923-788	6772-651	3" – 5", No. 72
9923-789	6780-651	3-1/2" – 5-1/2", No. 80
9923-790	6788-651	4" – 6", No. 88
9923-791	6796-651	4-1/2" – 6-1/2", No. 96
9923-792	6799-651	5" – 7", No. 104

301 Stainless Steel - Box of 10

PART NO.	MFG#	DESCRIPTION
9923-750	67004 0006 051	3/8" – 7/8", No. 6
9923-751	67004 0008 051	7/16" – 1", No. 8
9923-752	67004 0010 051	1/2" – 1-1/16", No. 10
9923-753	67004 0012 051	1/2" – 1-1/4", No. 12
9923-754	67004 0016 051	11/16" – 1-1/2", No. 16
9923-755	67004 0020 051	3/4" – 1-3/4", No. 20
9923-756	67004 0024 051	1" – 2", No. 24
9923-757	67004 0028 051	1-1/4" – 2-1/4", No. 28
9923-758	67004 0032 051	1-1/2" – 2-1/2", No. 32
9923-759	67004 0036 051	1-3/4" – 2-3/4", No. 36
9923-760	67004 0040 051	2" - 3", No. 40
9923-761	67004 0044 051	2-1/4" – 3-1/4", No. 44
9923-762	67004 0048 051	2-1/2" – 3-1/2", No.48
9923-763	67004 0052 051	2-3/4" – 3-3/4", No. 52
9923-764	67004 0056 051	3" – 4", No. 56
9923-765	67004 0060 051	3-1/4" – 4-1/4", No. 60
9923-766	67004 0064 051	2-1/2" – 4-1/2", No. 64
9923-767	67004-0072-051	3" – 5", No. 72
9923-768	67004 0080 051	3-1/2" – 5-1/2", No. 80
9923-769	67004 0088 051	4" – 6", No. 88
9923-770	67004 0096 051	4-1/2" – 6-1/2", No. 96
9923-771	67004 0104 051	5" – 7", No. 104

TRIDON WORM GEAR CLAMPS



Stainless steel band and housing.
Stainless steel screw.

PART NO.	MFG#	DESCRIPTION
3900004	MAH-4	7/32" to 5/8"
3900005	MAH-6	5/16" to 29/32"
3900006	HAS-6	3/8" to 7/8"
3900008	HAS-8	7/16" to 1"
3900010	HAS-10-10	9/16" to 1-1/16"
3900012	HAS-12	9/16" to 1-1/4"
3900016	HAS-16	11/16" to 1-1/2"
3900020	HAS-20	3/4" to 1-3/4"
3900024	HAS-24	1-1/16" to 2"
3900028	HAS-28	1-5/16" to 2-1/4"
3900032	HAS-32	1-9/16" to 2-1/2"
3900036	HAS-36	1-13/16" to 2-3/4"
3900040	HAS-40	2-1/16" to 3"
3900044	HAS-44	2-5/16" to 3-1/4"
3900048	HAS-48	2-9/16" to 3-1/2"
3900056	HAS-56	3-1/16" to 4"
3900060	HAS-60	3-5/16" to 4-1/4"
3900064	HAS-64	3-6/16" to 4-1/2"
3900072	HAS-72	4-1/8" to 5"
3900084	HAS-84	4-15/16" to 5-3/4"
3900088	HAS-88	4" to 6"
3900104	HAS-104	5" to 7"
3900128	HAS-128	6-1/8" to 8-1/2"
3900152	HAS-152	7" to 10"

HEAVY DUTY T-BOLT HOSE CLAMPS

BUCK ALGONQUIN MARINE HARDWARE



Stainless steel band, T-bolt and lock nut with nylon insert

Size shown refers to hose OD.

PART NO.	MFG#	HOSE OD SIZE
3/4" Wide Band		
9922-309	70STBC250	2-3/8" – 2-9/16"
9922-311	70STBC275	2-1/2" – 2-13/16"
9922-312	70STBC300	2-3/4" – 3-1/16"
9922-314	70STBC325	3" – 3-5/16"
9922-316	70STBC350	3-1/4" – 3-9/16"
9922-318	70STBC400	3-3/4" – 4-1/16"
9922-320	70STBC450	4-1/4" – 4-9/16"
9922-321	70STBC475	4-1/2" – 4-13/16"
9922-328	70STBC550	5-1/4" – 5-9/16"
9922-322	70STBC575	5-1/2" – 5-13/16"
9922-330	70STBC650	6-1/4" – 6-9/16"
9922-324	70STBC675	6-1/2" – 6-13/16"
9922-537	70STBC800	7-3/4" – 8-1/16"
9922-329	70STBC850	8-1/4" – 8-9/16"
9923-329	720-8001L	8-5/8" – 9-3/16"
9922-326	70STBC888L	8-7/16" – 9"
9922-325	70STBC900	8-3/4" – 9-1/16"
9922-727	720-10000L	10-7/16" – 11"

NON-PERFORATED CLAMPS



- All AISI 316 Stainless Steel "HD NON-PERF" Worm Gear Hose Clamp
- Band is smooth on the inside with rolled edges, eliminates hose damage with increased clamping force

Size shown refers to hose OD.

PART NO.	MFG#	HOSE OD SIZE
3/8" Wide Band		
9922-731	705-0141	5/16" – 9/16"
9922-732	705-0561	7/16" – 21/32"
9922-733	705-0381	11/32" – 25/32"
7/16" Wide Band		
9922-701	710-0121	5/8" – 15/16"
9922-700	710-0581	9/16" – 15/16"
9922-702	710-0341	7/8" – 1-1/4"
9922-703	710-1001	1-1/16" – 1-1/2"
9922-704	710-1146	1-1/4" – 1-3/4"
9922-705	710-1381	1-1/2" – 2"
9922-706	710-1121	1-3/4" – 2-1/4"
9922-707	710-2005	2" – 2-9/16"
9922-708	710-2141	2-5/16" – 3"
9922-709	710-2121	2-1/16" – 3-3/8"
9922-710	710-3001	3" – 3-3/4"
9922-711	710-3121	3-7/16" – 4-7/16"
9922-712	710-4001	4-1/8" – 5-7/16"
9922-729	710-5001	5-1/8" - 6-1/2"
9922-730	710-6001	5-7/8" - 7-1/8"

CLAMP MAKING TOOL



Not included



The clamp making tool provides a means for tightening wires around an object and then locking it in place. The tool can be used with various wire sizes which eliminate space and strength issues often encountered with screw operated worm gear type clamps.

PART NO.	MFG#	DESCRIPTION
9923-095	CLT05	Multi-purpose

STAINLESS STEEL WIRE



PART NO.	MFG#	DESCRIPTION
9923-097	CLTW22	.041" x 50'
9923-098	CLTW21	.032" x 65'

For the most up to date pricing, please visit maritimemarinesupply.ca/price

HEAVY DUTY HOSE CLAMP



Great flexibility for a perfect grip throughout the contact surface and ensures a fully leakproof system.**Applications:** marine, agricultural, diesel equipment, rubber hose, hydraulic hose, exhaust, fuel and water line, plastic hose, and more!

W4 ALL 304 STAINLESS STEEL BAND and SCREW

PART NO.	DESCRIPTION	SIZE		HOSE SIZE MM
3904019	17-19SS	0-71"	22/32" to 24/32"	17-19
3904023	20-22SS	0-71"	25/32" to 28/32"	20-22
3904025	23-25SS	0-71"	29/32" to1"	23-25
3904029	26-28SS	0-71"	1-1/32" to 1-3/32"	26-28
3904031	29-31SS	0.79"	1-5/32" to 1-7/32"	29-31
3904034	32-35SS	0.79"	1-9/32" to 1-12/32"	32-35
3904037	03013091	0.87"	1-5/16" x 1-7/16"	34-37
3904040	36-39SS	0.79"	1-13/32" to 1-17/32"	36-39
3904043	40-43SS	0.79"	1-18/32" to 1-22/32"	40-43
3904047	44-47SS	0.87"	1-23/32" to 1-27/32"	44-47
3904051	48-51SS	0.87"	1-28/32" to 2"	48-51
3904055	52-55SS	0.87"	2-2/32" to 2-5/32"	52-55
3904059	56-59SS	0.87"	2-7/32" to 2-10/32"	56-59
3904063	60-63SS	0.87"	2-11/32" to 2-15/32"	60-63
3904068	64-67SS	0.87"	2-1//32" to 2-20/32"	64-67
3904073	68-73SS	0.95"	2-22/32" to 2-28/32"	68-73
3904079	74-79SS	0.95"	2-29/32" to 3-3/32"	74-79
3904085	80-85SS	0.95"	3-5/32" to 3-10/32"	80-85
3904091	86-91SS	0.95"	3-12/32" to 3-18/32"	86-91
3904097	92-97SS	0.95"	3-20/32" to 3-26/32"	92-97
3904104	98-103SS	0.95"	3-27/32" to 4-2/32"	98-103
3904112	104-112SS	0.95"	4-3/32" to 4-12/32"	104-112
3904121	113-121SS	0.95"	4-14/32" to 4-24/32"	113-121
3904130	122-130SS	0.95"	4-25/32" to 5-1/8"	122-130
9923-701	131-139SS	1.02"	5-1/8" to 5-1/2"	131-139
3904148	03013286	1.22"	5-1/2" to 5-7/8"	140-150
9923-702	140-148SS	1.02"	5-1/2" to 5-26/32"	140-148
9923-740	149-161SS	1.02"	5-7/8" to 6-5/16"	149-161
3904174	03013307	1.22"	6-3/8" to 6-7/8"	162-174
9923-703	162-174SS	1.02"	6-3/8" to 6-27/32"	162-174
3904187	03013315	1.22"	6-7/8" to 7-3/8"	174-187
3904200	03013323	1.22"	7-3/8" to 7-7/8"	187-200
3904213	03013331	1.22"	7-7/8" to 8-3/8"	200-213
3904226	03013340	1.22"	8-3/8" to 8-7/8"	213-226
9923-741	227-239SS	1.02"	8-7/8" to 9-3/8"	227-239

CLAMP JACKET





*Clamp not included

Protects user from possible injury. Helps eliminate wear to surrounding material. Clean & finished look. Sized for 1/2" or 5/16" standard hose clamp tail. EPDM is resistant to weathering & performs well in brake fluids, acids, alkalies, ketones, oils, & greases, water, steam up to 400°F.

PART NO.	MFG#	DESCRIPTION
3899000	CJ516.2.5K	5/16" Clamp Jacket
3899100	CJ12.2.5K	1/2" Clamp Jacket

OETIKER STEPLESS EAR CLAMP KIT





The precise tongue-in-groove stepless design of these clamps provide a smooth inner band circumference for a 360° uniform seal.

The bands are narrow for concentrated seal compression. Great for shop and rigging work. This kit contains 10 ea. of the 15 most popular stainless steel sizes from 5.8–7.0mm to 37.8–41.0mm.
A fast clamping connection tool is included.

PART NO.	MFG#	DESCRIPTION
3901000	18500000	Oetiker Clamp Kit

MIKALOR S/S HOSE CLAMP

The cold-formed stamped band thread, smoothed on the underside, combined with beveled band-edges protects the hose from damage. Complies fully with the DIN 3017 norm and also with the RoHs directive EU 20032/95/EC dated 1st July 2006. For use in the marine industry, due to the corrosion resistance offered by the use of AISI-304 stainless steel.



PART NO.	DESCRIPTION	SIZE
	ASFA 9mm L-Band Worm-Drive 3/8" Wide	
3905012	8 to 12mm	5/16" to 15/32"
3905016	8 to 16mm	5/16" to 5/8"
3905022	12 to 22mm	15/32" to 27/32
3905027	16 to 27mm	5/8" to 1-1/16"
3905032	20 to 32mm	25/32" to 1-1/4"
3905040	25 to 40mm	31/32" to 1-9/16"
3905045	30 to 45mm	1-5/32" to 1-3/4"
3905050	32 to 50mm	1-1/4" to 1-15/16"
3905060	40 to 60mm	1-9/16" to 2-11/32"
3905070	50 to 70mm	1-15/16" to 2-3/4"
3905080	60 to 80mm	2-11/32" to 3-1/8"
3905090	70 to 90mm	2-3/4" to 3-17/32"
3905100	80 to 100mm	3-1/8" to 3-29/32"
3905110	90 to 110mm	3-17/32" to 4-5/16"
3905130	110 to 130mm	4-5/16" to 5-1/8"
3905140	120 to 140mm	4-23/32" to 5-1/2"
3905150	130 to 150mm	5-1/8" to 5-7/8"
	ASFA 12mm S-Band Worm-Drive 1/2" Wide	
3905232	20 to 32mm	25/32" to 1-1/4"
3905240	25 to 40mm	1" to 1-9/16"
3905250	32 to 50mm	1-1/4" to 1-15/16"
3905260	40 to 60mm	1-9/16" to 2-11/32"
3905270	50 to 70mm	1-15/16" to 2-3/4"
3905290	70 to 90mm	2-3/4" to 3-17/32"

MIKALOR S/S BAND & ZINC PLATED SCREW



Mikalor stainless steel hose clamps are the highest quality hose and exhaust clamps in the world. Their design and material specifications mean they are ideally suited to the demands of the motorsport and high performance car, bike or marine industry. The Supra clamp uses 430 stainless steel with zinc plated high tensile bolt and thread locks. Use for the toughest of hose and exhaust clamping applications.

PART NO.	DESCRIPTION	SIZE
3903019	17-19	11/16" to 3/4"
3903021	19-21	3/4" to 13/16"
3903023	21-23	13/16" to 29/32"
3903025	23-25	29/32" to 1"
3903027	25-27	1" to 1-1/16"
3903029	27-29	1-1/16" to 1-5/32"
3903031	29-31	1-5/32" to 1-7/32"
3903034	31-34	1-7/32" to 1-5/16"
3903037	34-37	1-5/16" to 1-7/16"
3903040	37-40	1-7/16" to 1-9/16"
3903043	40-43	1-9/16" to 1-11/16"
3903047	43-47	1-11/16" to 1-27/32"
3903051	47-51	1-27/32" to 2"
3903055	51-55	2" to 2-5/32"
3903059	55-59	2-5/32" to 2-5/16"
3903063	59-63	2-5/16" to 2-15/32"
3903068	63-68	2-15/32' to 2-11/16"
3903073	68-73	2-11/16" to 2-7/8"
3903079	73-79	2-7/8" to 3-3/32"
3903085	79-85	3-3/32" to 3-5/16"
3903091	85-91	3-5/16" to 3-9/16"
3903097	91-97	3-9/16" to 3-13/16"
3903104	97-104	3-13/16" to 4-3/32"
3903112	104-112	4-3/32" to 4-3/8"
3903121	112-121	4-3/8" to 4-3/4"
3903130	122-130	4-3/4" to 5-1/8"
3903140	130-140	5-1/8" to 5-1/2"
3903150	140-150	5-1/2" to 5-7/8"
3903162	150-162	5-7/8" to 6-3/8"
3903174	162-174	6-3/8" to 6-7/8"
3903187	174-187	6-7/8" to 7-3/8"
3903200	187-200	7-3/8" to 7-7/8"
3903213	200-216	7-7/8" to 8-3/8"
3903217	213-217	8-1/4 to 8-9/16
3903226	217-226	8-3/8" to 8-7/8"
3903239	226-239	8-7/8" to 9-3/8"
3903252	239-252	9-3/8" to 9-7/8"

For the most up to date pricing, please visit maritimemarinesupply.ca/price

NIPPLES



Most sizes available in brass, stainless steel, or galvanized.

1/8" NIPPLES

SIZE	BRASS PART NO.	STAINLESS STEEL PART NO.	GALVANIZED PART NO.
1/8" CLOSE	6600001		
1/8" x 2"	6600003		

1/4" NIPPLES

SIZE	BRASS PART NO.	STAINLESS STEEL PART NO.	GALVANIZED PART NO.
1/4" CLOSE	6600020	6601020	9923-855
1/4" x 1-1/2"	6600021		9923-856
1/4" x 2"	6600022	6601022	9923-859

3/8" NIPPLES

SIZE	BRASS PART NO.	STAINLESS STEEL PART NO.	GALVANIZED PART NO.
3/8" CLOSE	6600040	6601040	6602040
3/8" x 2"	9923-825	6601042	9923-865
3/8" x 3"	9923-459	6601044	6602044

1/2" NIPPLES

SIZE	BRASS PART NO.	STAINLESS STEEL PART NO.	GALVANIZED PART NO.
1/2" CLOSE	6600060	6601060	6602060
1/2" x 1-1/2"	6600061	6601061	6602061
1/2" x 2"			9923-666
1/2" x 2-1/2"	6600063	6601063	6602063
1/2" x 3"	6600064	6601064	6602064
1/2" x 4"	6600066	9923-642	9923-651
1/2" x 5"	6600068	9923-643	9923-867
1/2" x 6"	6600070	9923-644	9923-868

3/4" NIPPLES

SIZE	BRASS PART NO.	STAINLESS STEEL PART NO.	GALVANIZED PART NO.
3/4" CLOSE	6600080	6601080	6602080
3/4" x 1-1/2"	6600081	6601081	6602081
3/4" x 2"	6600082	6601082	6602082
3/4" x 2-1/2"	6600083	6601083	
3/4" x 3"	6600084	6601084	6602084
3/4" x 4"	6600086	6601086	6602086
3/4" x 5"	6600088	6601088	6602088
3/4" x 6"	6600090	6601090	6602090

1" NIPPLES

SIZE	BRASS PART NO.	STAINLESS STEEL PART NO.	GALVANIZED PART NO.
1" CLOSE	6600100	6601100	6602100
1" x 2"	6600101	6601101	6602101
1" x 2-1/2"	6600102	6601102	
1" x 3"	6600103	6601103	6602103
1" x 4"	6600105	6601105	6602105
1" x 5"	6600107	6601107	6602107
1" x 6"	6600109	6601109	6602109

1-1/4" NIPPLES

SIZE	BRASS PART NO.	STAINLESS STEEL PART NO.	GALVANIZED PART NO.
1-1/4" CLOSE	6600120	6601120	6602120
1-1/4" x 2"	6600121	6601121	6602121
1-1/4" x 2-1/2"	6600122	6601122	
1-1/4" x 3"	6600123	6601123	6602123
1-1/4" x 3-1/2"	6600124	6601124	
1-1/4" x 4"	6600125	6601125	6602125
1-1/4" x 5"	6600127	6601127	6602127
1-1/4" x 6"	6600129	6601129	6602129

1-1/2" NIPPLES

SIZE	BRASS PART NO.	STAINLESS STEEL PART NO.	GALVANIZED PART NO.
1-1/2" CLOSE	6600140	6601140	6602140
1-1/2" x 2"	6600141	6601141	6602141
1-1/2" x 3"	6600143	6601143	6602143
1-1/2" x 3-1/2"	6600144	6601144	6602144
1-1/2" x 4"	6600145	6601145	6602145
1-1/2" x 5"	9923-807		
1-1/2" x 6"	9923-470		

2" NIPPLES

SIZE	BRASS PART NO.	STAINLESS STEEL PART NO.	GALVANIZED PART NO.
2" CLOSE	6600160	6601160	6602160
2" x 2-1/2"	6600161	6601161	6602161
2" x 3"	6600162	6601162	6602162
2" x 3-1/2"	6600163	6601163	6602163
2" x 4"	6600164	6601164	6602164
2" x 5"	9923-817		
2" x 6"	9923-471		

2-1/2" NIPPLES

SIZE	BRASS PART NO.	STAINLESS STEEL PART NO.	GALVANIZED PART NO.
2-1/2" CLOSE	6600180		6602180
2-1/2" x 3"	9923-452		6602181
2-1/2" x 6"	9923-778		

3" NIPPLES

SIZE	BRASS PART NO.	STAINLESS STEEL PART NO.	GALVANIZED PART NO.
3" CLOSE	6600200	9923-189	6602200
3" x 3"	9923-455		
3" x 4"			6602203
3" x 6"	9923-458		

4" NIPPLES

SIZE	BRASS PART NO.	STAINLESS STEEL PART NO.	GALVANIZED PART NO.
4" CLOSE	9923-989	9923-997	9923-913
4" x 4"	9923-990	9923-998	9923-914
4" x 6"	9923-991	9923-999	9923-915





Most sizes available in brass, stainless steel, or galvanized.

45° ELBOWS

SIZE	BRASS PART NO.	STAINLESS STEEL PART NO.	GALVANIZED PART NO.
1/4"	9923-726	9923-694	
3/8"	6630038	9923-695	
1/2"	6630050	6631050	6632050
3/4"	6630075	6631075	6632075
1"	6630100	6631100	6632100
1-1/4"	6630125	6631125	6632125
1-1/2"	6630150	6631150	6632150
2"	6630200	6631200	6632200
2-1/2"	9923-586	9923-706	6632250
3"	9923-587		6632300
4"	9922-561		



Most sizes available in brass, stainless steel, or galvanized.

90° ELBOWS

SIZE	BRASS PART NO.	STAINLESS STEEL PART NO.	GALVANIZED PART NO.
1/4"	9923-709	6611025	9923-941
3/8"	9923-403	9923-357	
1/2"	6610050	6611050	6612050
3/4"	6610075	6611075	6612075
1"	6610100	6611100	6612100
1-1/4"	6610125	6611125	6612125
1-1/2"	6610150	6611150	6612150
2"	6610200	6611200	6612200
2-1/2"	6610250	9923-457	6612250
3"	6610300	9923-517	6612300
4"	9923-985	9923-934	9923-176



Most sizes available in brass, stainless steel, or galvanized.

90° STREET ELBOWS

SIZE	BRASS PART NO.	STAINLESS STEEL PART NO.	GALVANIZED PART NO.
1/4"	9923-725	6621025	9923-904
3/8"	6620038	6621038	9923-908
1/2"	6620050	6621050	6622050
3/4"	6620075	6621075	6622075
1"	6620100	6621100	6622100
1-1/4"	6620125	6621125	6622125
1-1/2"	6620150	6621150	6622150
2"	6620200	6621200	6622200
2-1/2"	6620250	9923-399	6622250
3"	6620300	9923-303	6622300
4"	9922-567	9923-994	9923-909



Most sizes available in brass, stainless steel, or galvanized.

TEE FITTINGS

SIZE	BRASS PART NO.	STAINLESS STEEL PART NO.	GALVANIZED PART NO.
1/4"		9923-588	
3/8"	6640038	6641038	6642038
1/2"	6640050	6641050	6642050
3/4"	6640075	6641075	6642075
1"	6640100	6641100	6642100
1-1/4"	6640125	6641125	6642125
1-1/2"	6640150	6641150	6642150
2"	6640200	6641200	6642200
2-1/2"	6640250	9923-596	6642250
3"	9923-748	9923-597	6642300
4"	9923-988	9923-995	9923-198



Most sizes available in brass, stainless steel, or galvanized.

COUPLING FITTINGS

SIZE	BRASS PART NO.	STAINLESS STEEL PART NO.	GALVANIZED PART NO.
1/8"	6650018		
1/4"	6650025	6651025	
3/8"	6650038	6651038	6652038
1/2"	6650050	6651050	6652050
3/4"	6650075	6651075	6652075
1"	6650100	6651100	6652100
1-1/4"	6650125	6651125	6652125
1-1/2"	6650150	6651150	6652150
2"	6650200	6651200	6652200
2-1/2"	6650250	6651250	6652250
3"	9923-441	6651300	6652300
4"	9923-745	9923-286	9923-169



Most sizes available in brass, stainless steel, or galvanized.

CAP FITTINGS

SIZE	BRASS PART NO.	STAINLESS STEEL PART NO.	GALVANIZED PART NO.
1/4"	6680025		
3/8"	6680038	6681038	6682038
1/2"	6680050	6681050	6682050
3/4"	6680075	6681075	6682075
1"	6680100	6681100	6682100
1-1/4"	6680125	6681125	6682125
1-1/2"	6680150	6681150	6682150
2"	6680200	6681200	6682200
2-1/2"		9923-617	6682250
3"		9923-618	6682300
4"	9923-682	9923-939	9923-175



Most sizes available as brass, stainless steel, or galvanized.

HEX BUSHINGS

SIZE	BRASS PART NO.	STAINLESS STEEL PART NO.	GALVANIZED PART NO.
1/4" x 1/8"	6660500	6661500	6662500
3/8" x 1/8"	6660501	9923-318	6662501
3/8" x 1/4"	6660502	6661502	6662502
1/2" x 1/8"	6660503	9923-328	
1/2" x 1/4"	6660504	6661504	6662504
1/2" x 3/8"	6660505	6661505	6662505
3/4" x 1/4"	6660507	9923-213	6662507
3/4" x 3/8"	6660508	6661508	6662508
3/4" x 1/2"	6660509	6661509	6662509
1" x 1/4"	6660510		9923-888
1" x 3/8"	6660511	9923-215	9923-889
1" x 1/2"	6660512	9923-216	9923-892
1" x 3/4"	6660513	6661513	6662513
1-1/4" x 1/2"	6660516	9923-217	9923-893
1-1/4" x 3/4"	6660517	6661517	6662517
1-1/4" x 1"	6660518	6661518	6662518
1-1/2" x 1/2"	6660521	6661521	
1-1/2" x 3/4"	6660522		
1-1/2" x 1"	6660523	6661523	6662523
1-1/2" x 1-1/4"	6660524	6661524	6662524
2" x 1"	6660529	9923-219	6662529
2" x 1-1/4"	6660530	6661530	6662530
2" x 1-1/2"	6660531	6661531	6662531
2-1/2" x 1-1/2"	9923-976	9923-239	6662541
2-1/2" x 2"	6660540	9923-246	6662540
3" x 1-1/2"			9923-958
3" x 2"	6660551	9923-247	6662551
3" x 2-1/2"	6660550	9923-248	6662550
4" x 2"	9923-984	9923-284	9923-168
4" x 2-1/2"	9923-983	9923-274	9923-167
4" x 3"	9923-982	9923-271	9923-166

For the most up to date pricing, please visit maritimemarinesupply.ca/price



Most sizes available as brass, stainless steel, or galvanized.

SQUARE HEAD PLUGS

SIZE	BRASS PART NO.	STAINLESS STEEL PART NO.	GALVANIZED PART NO.
1/8"	6690018		
1/4"	6690025	6691025	9923-832
3/8"	6690038	6691038	6692038
1/2"	6690050	6691050	6692050
3/4"	6690075	6691075	6692075
1"	6690100	6691100	6692100
1-1/4"	6690125	6691125	6692125
1-1/2"	6690150	6691150	6692150
2"	6690200	6691200	6692200
2-1/2"	6690250	9923-584	6692250
3"	9923-498	9923-598	6692300
4"	9923-986	9923-992	



Most sizes available in brass or galvanized.

ROUND DECK FLANGES

SIZE	BRASS PART NO.	GALVANIZED PART NO.
1/2"	7101050	7102050
3/4"		7102075
1"		7102100
1-1/4"		7102125
1-1/2"		7102150
2"		7102200



Most sizes available as brass, stainless steel, or galvanized.

REDUCING COUPLINGS

SIZE	BRASS PART NO.	STAINLESS STEEL PART NO.	GALVANIZED PART NO.
1/4" x 1/8"		9923-659	
3/8" x 1/4"		9923-668	
1/2" x 1/4"	9923-727	9923-669	9923-918
1/2" x 3/8"	6670435	6671435	6672435
3/4" x 1/4"	9923-728	9923-677	9923-927
3/4" x 3/8"	9923-729	9923-678	9923-932
3/4" x 1/2"	6670438	6671438	6672438
1" x 1/2"	6670441	6671441	6672441
1" x 3/4"	6670442	6671442	6672442
1-1/4" x 1/2"	9923-743		
1-1/4" x 3/4"	6670445	9923-686	9923-937
1-1/4" x 1"	6670446	6671446	6672446
1-1/2" x 1/2"		9923-688	
1-1/2" x 1"		9923-689	
1-1/2" x 1-1/4"	6670450	6671450	6672450
2" x 1"		9923-691	
2"x 1-1/4"		9923-692	
2" x 1-1/2"	6670454	6671454	6672454
2-1/2" x 2"	9923-345		6672458
3" x 2"	9923-746	9923-996	6672470
3" x 2-1/2"	6670466		
4" x 3"	9923-987	9923-993	

RETURN BENDS - GALVANIZED



PART NO.	MFG#	DESCRIPTION
9923-041	2-GRBE-12	1-1/4"
9923-042	2-GRBE-15	1-1/2"
9923-043	2-GRBE-20	2"

KEEL COOLER COPPER TUBING AND FITTINGS

Type "K" hard copper tubing and fittings — the only type that should be used for keel coolers.



PART NO.	MFG#	DESCRIPTION
9923-071	0711017	1" x 12'
9923-072	0711018	1-1/4" x 12'
9923-073	0711019	1-1/2" x 12'

SOLDER INLET FITTINGS – BRASS



PART NO.	MFG#	DESCRIPTION
6935126	3500021	1-1/4"
6935151	3500022	1-1/2"

90° ELBOWS



PART NO.	MFG#	DESCRIPTION
9923-091	0110116	1"
9923-092	0110132	1-1/4"
9923-093	0110159	1-1/2"

COOLER COUPLINGS



PART NO.	MFG#	DESCRIPTION
9923-086	0115185	1"
9923-087	0115207	1-1/4"
9923-088	0115223	1-1/2"

BRASS IN LINE CHECK VALVE



Brass Body & Stainless Steel inside nut.

PART NO.	DESCRIPTION
7554050	1/2"
7554075	3/4"
7554100	1"
7554125	1-1/4"
7554150	1-1/2"
7554200	2"

MALE SAE TO FEMALE PIPE



PART NO.	MFG#	DESCRIPTION
9943-132	H3269X6X6	9/16"-18 SAE x 1/4" female pipe
9943-133	H3269X8X4	3/4"-16 SAE x 1/4" female pipe
9943-130	H3269X10X8	7/8"-14 SAE x 1/2" female pipe

MALE SAE TO HOSE BARB



90° Male SAE to Hose Barb

PART NO.	MFG#	DESCRIPTION
9943-141	SHU911-010-H12	7/8"-14 SAE x 3/4" hose, straight

HOSE PILLARS – BRASS



- BSP thread

PART NO.	MFG#	DESCRIPTION
9991-868	SLP1/213	1/2"– 13 mm
9991-869	SLP1/219	1/2"– 19 mm
9991-870	SLP3/419	3/4"– 19 mm
9991-871	SLP125	1"– 25 mm
9991-872	SLP11/432	1-1/4"– 32 mm
9991-873	SLP11/238	1-1/2"– 38 mm
9991-874	SLP251	2"– 51 mm
9991-875	SLP21/260	2-1/2"– 60 mm
9991-876	SLP376	3"– 76 mm

SWING CHECK VALVE — BRASS



PART NO.	MFG#	DESCRIPTION
9922-900	08060311NL	1/2"
9922-901	08060411NL	3/4"
9922-902	08060511NL	1"
9922-903	08060611NL	1-1/4"
9922-904	08060711NL	1-1/2"
9922-905	08060811NL	2"
9922-906	08060911NL	2-1/2"
9922-907	08061011NL	3"
9922-908	08061111NL	4"

IN-LINE CHECK VALVES



PART NO.	MFG#	DESCRIPTION
9922-910	17CVSS-050	1/2"
9922-911	17CVSS-075	3/4"
9922-912	17CVSS-100	1"
9922-913	17CVSS-125	1-1/4"
9922-914	17CVSS-150	1-1/2"
9922-915	17CVSS-200	2"

FEMALE J.I.C. SWIVEL TO PUSH-ON HOSE



PART NO.	DESCRIPTION
53030404	1/4" J.I.C. x 1/4"
53030504	5/16" J.I.C. x 1/4"
53030606	3/8" J.I.C. x 3/8"
53030808	1/2" J.I.C. x 1/2"
53030810	1/2" J.I.C. x 5/8"
53031010	5/8" J.I.C. x 5/8"
53031212	3/4" J.I.C. x 3/4"

FEMALE S.A.E. SWIVEL TO PUSH-ON HOSE



PART NO.	DESCRIPTION
53040404	1/4" S.A.E. x 1/4"
53040504	5/16" S.A.E. x 1/4"
53040606	3/8" S.A.E. x 3/8"
53040806	1/2" S.A.E. x 3/8"
53040808	1/2" S.A.E. x 1/2"
53041010	5/8" S.A.E. x 5/8"
53041212	3/4" S.A.E. x 3/4"

MALE PIPE THREAD TO PUSH-ON HOSE



PART NO.	NPT / HOSE
53050204	1/8" x 1/4"
53050206	1/8" x 3/8"
53050404	1/4" x 1/4"
53050405	1/4" x 5/16"
53050406	1/4" x 3/8"
53050604	3/8" x 1/4"
53050606	3/8" x 3/8"
53050608	3/8" x 1/2"
53050806	1/2" x 3/8"
53050808	1/2" x 1/2"
53050810	1/2" x 5/8"
53050812	1/2" x 3/4"
53051212	3/4" x 3/4"

MALE PIPE THREAD TO HOSE



PART NO.	NPT / HOSE
53340205	1/8" x 5/16"
53340403	1/4" x 3/16"
53340404	1/4" x 1/4"
53340405	1/4" x 5/16"
53340406	1/4" x 3/8"
9923-567	1/4" x 1/2"
53340606	3/8" x 3/8"
9923-558	3/8" x 5/16"
53341206	3/4" x 3/8"
53341208	3/4" x 1/2"
53340608	3/8" x 1/2"
53340610	3/8" x 5/8"
53340808	1/2" x 1/2"
53340810	1/2" x 5/8"
9923-585	1/2" x 3/8"
53340812	1/2" x 3/4"
53341210	3/4" x 5/8"
53341212	3/4" x 3/4"
53341216	3/4" x 1"
53341616	1" x 1"
53341620	1" x 1-1/4"

90° PIPE TO HOSE ADAPTER



PART NO.	NPT / HOSE
53400204	1/8" x 1/4"
53400205	1/8" x 5/16"
53400404	1/4" x 1/4"
53400405	1/4" x 5/16"
53400406	1/4" x 3/8"
9943-137	1/4" x 1/2"
53400604	3/8" x 1/4"
53400606	3/8" x 3/8"
53400608	3/8" x 1/2"
53400610	3/8" x 5/8"
53400806	1/2" x 3/8"
53400808	1/2" x 1/2"
53400810	1/2" x 5/8"

BRASS S.A.E. ADAPTERS MALE PIPE THREAD TO MALE S.A.E.



PART NO.	NPT x S.A.E.
53300203	1/8" x 3/16"
53300204	1/8" x 1/4"
53300205	1/8" x 5/16"
53300206	1/8" x 3/8"
53300404	1/4" x 1/4"
53300405	1/4" x 5/16"
53300406	1/4" x 3/8"
53300408	1/4" x 1/2"
53300605	3/8" x 5/16"
53300606	3/8" x 3/8"
53300608	3/8" x 1/2"
53300610	3/8" x 5/8"
53300804	1/2" x 1/4"
53300806	1/2" x 3/8"
53300808	1/2" x 1/2"
53301212	3/4" x 3/4"

90° MALE PIPE THREAD TO MALE S.A.E.



PART NO.	NPT x S.A.E.
53310203	1/8" x 3/16"
53310204	1/8" x 1/4"
53310205	1/8" x 5/16"
53310206	1/8" x 3/8"
53310404	1/4" x 1/4"
53310406	1/4" x 3/8"
53310408	1/4" x 1/2"
53310606	3/8" x 3/8"
53310608	3/8" x 1/2"
53310610	3/8" x 5/8"
53310806	1/2" x 3/8"
53310808	1/2" x 1/2"
53310812	1/2" x 3/4"
53311212	3/4" x 3/4"

MALE S.A.E. UNION



PART NO.	DESCRIPTION
53320404	1/4"
53320505	5/16"
53320506	5/16" x 3/8"
53320606	3/8"
53320806	1/2" x 3/8"
53320808	1/2"
53320810	1/2" x 5/8"
53321010	5/8"
53321212	3/4"

TEE MALE S.A.E.



PART NO.	DESCRIPTION
533304	1/4"
533305	5/16"
533306	3/8"
533308	1/2"

PUSH-ON UNION



PART NO.	DESCRIPTION
9922-556	5/16"
530704	1/4"
530706	3/8"
530708	1/2"
530710	5/8"
530712	3/4"
9923-324	1"

HOSE BARB TEES



PART NO.	DESCRIPTION
5307104	1/4"
5307105	5/16"
5307106	3/8"
5307108	1/2"
5307112	3/4"

MALE NPT TO FEMALE NPT



PART NO.	MALE / FEMALE
53360202	1/8" x 1/8"
53360204	1/8" x 1/4"
53360404	1/4" x 1/4"
53360406	3/8" x 1/4"
53360606	3/8" x 3/8"
53360608	1/2" x 3/8"
53360808	1/2" x 1/2"

REDUCING COUPLING NPT



PART NO.	DESCRIPTION
53370204	1/4" x 1/8"
53370406	3/8" x 1/4"

90° STREET ELBOW NPT



PART NO.	DESCRIPTION
53390202	1/8"
53390404	1/4"
53390606	3/8"
53390808	1/2"

45° STREET ELBOW NPT



PART NO.	DESCRIPTION
53380202	1/8"
53380404	1/4"
53380606	3/8"
53380808	1/2"

BRASS FULL FLOW BALL VALVES WITH STEEL HANDLE



Rated at 600 PSI Designed for water, air & oil. Full flow for a non-restrictive system. Helps prevent cavitation & starvation of pumps.

PART NO.	DESCRIPTION
7552025	1/4"
7552038	3/8"
7552050	1/2"
7552075	3/4"
7552100	1"
7552125	1-1/4"
7552150	1-1/2"
7552200	2"
9923-288	2-1/2"
9923-298	3"
9922-612	4"

BRASS FULL FLOW BALL VALVES WITH STAINLESS STEEL HANDLE



Rated at 600 PSI Designed for water, air & oil. Full flow for a non-restrictive system. Helps prevent cavitation & starvation of pumps. Handle constructed with stainless steel.

PART NO.		DESCRIPTION
7558025	BV4103-B-SSH	1/4"
7558038	BV4103-C-SSH	3/8"
7558050	BV4103-D-SSH	1/2"
7558075	BV4103-E-SSH	3/4"
7558100	BV4103-H-SSH	1"
7558125	BV4103-J-SSH	1-1/4"
7558150	BV4103-K-SSH	1-1/2"
7558200	BV4103-M-SSH	2"
7558250	BV4103-N-SSH	2-1/2"
7558300	BV4103-P-SSH	3"
7558400	BV4103-S-SSH	4"
Replacement Handles		
9923-063	BV4SS-HANDLE-D-HP	1⁄2"
9923-069	BV4SS-HANDLE-E-HP	3⁄4"
9923-070	BV4SS-HANDLE-H-HP	1"
9923-074	BV4SS-HANDLE-J-HP	1-1/4"
9923-080	BV4SS-HANDLE-K-HP	1-1/2"
9923-084	BV4SS-HANDLE-M-HP	2"

HANDLES TO FIT 3 WAY BALL VALVES



Available in a variety of sizes.

PART NO.	DESCRIPTION
7559001	Handle Fits 1/2" Valve
7559011	Nut to Fit Above Handle
7559002	Handle Fits 3/4", 1" Valve
7559012	Nut to Fit Above Handle
7559003	Handle Fits 1-1/4", 1-1/2" and 2"
7559013	Nut to Fit Above Handle

BRONZE 3-WAY BALL VALVES



3-Way Valve has stainless steel handle & nut. Blow out proof stem design and adjustable packing gland. Bronze body is flanged and threaded for mounting. Reinforced PTFE seats.

PART NO.	DESCRIPTION
7559050	1/2"
7559075	3/4"
7559100	1"
7559125	1-1/4"
7559150	1-1/2"
7559200	2"

BRASS 3-WAY / L-PORT BALL VALVES WITH REDUCED PORT



Reduced L-Port End

This 3-Way L-Port valve with Reduced Port is a 2-piece forged brass construction with panel mounting holes and a steel handle.

Features :
- 2 Seat design.
- NPT ends.
- Blowout proof stem
- Chrome plated ball
- "O" Ring stem seal

PART NO.		DESCRIPTION
7557150	BV2101-K	1-1/2" Steel Handle

BRASS 3-WAY / L-PORT BALL VALVES

These 3-Way / L-Port valves have 316 Stainless Steel bodies and 304 Stainless Steel Handles. They are rated up to 1000 psi WOG (Water, Oil, Gas and air)



PART NO.		DESCRIPTION
7560150	BVSS2101-K	1-1/2" SS Handle
7560200	BVSS2101-M	2" SS Handle

STAINLESS STEEL FULL FLOW BALL VALVES



Constructed out of 316 stainless steel, this full flow valve will handle up to 1000 PSI of fuel, oil, air or water.

PART NO.	DESCRIPTION
7556025	1/4"
7556038	3/8"
7556050	1/2"
7556075	3/4"
7556100	1"
7556125	1-1/4"
7556150	1-1/2"
7556200	2"
9923-127	2-1/2"
9923-228	3"

For the most up to date pricing, please visit maritimemarinesupply.ca/price

BRONZE FULL FLOW SEA FLANGE VALVES

BUCK ALGONQUIN MARINE HARDWARE



Full flow flange valve provides an unrestricted flow for engines and pumps. Stainless Steel lever and nut with all bronze wetted metallic components. No lubrication required, PTFE seats and seals. Winterizing drain plug and bonding screw are standard.

PART NO.	SIZE	LENGTH
7555075	3/4" Flange	3.62"
7555100	1" Flange	4.25"
7555125	1-1/4" Flange	4.81"
7555150	1-1/2" Flange	5.21"
7555200	2" Flange	6.25"
7555250	2-1/2" Flange	6.87"
7555300	3" Flange	8.31"

FULL BORE BALL VALVES — NICKEL PLATED BRASS

vetus



- BSP thread

PART NO.	MFG#	DESCRIPTION
9991-851	KRAAN1/4	1/4"
9991-852	KRAAN3/8	3/8"
9991-853	KRAAN1/2	1/2"
9991-854	KRAAN3/4	3/4"
9991-855	KRAAN1	1"
9991-856	KRAAN11/4	1-1/4"
9991-857	KRAAN11/2	1-1/2"
9991-858	KRAAN2	2"
9991-859	KRAAN21/2	2-1/2"
9991-860	KRAAN3	3"

TRUE UNION PVC BALL VALVES



- Main part of the valve can be removed from the piping system and be either repaired or replaced

PART NO.	MFG#	DESCRIPTION
9923-190	0924-05	1/2"
9923-191	0924-07	3/4"
9923-192	0924-10	1"
9923-193	0924-15	1-1/2"
9923-194	0924-20	2"
9923-195	0925-25NL	2-1/2"
9923-196	0925-30NL	3"
9923-197	0925-40NL	4"

BALL VALVES – PLASTIC



PART NO.	MFG#	DESCRIPTION
9936-342	PEBVP-05	1/2"
9936-343	PEBVP-07	3/4"
9936-344	PEBVP-10	1"
9923-707	PEBVP-12	1-1/4"
9936-345	PEBVP-15	1-1/2"
9923-708	PEBVP-20	2"

BRONZE INSERT ADAPTERS

GROCO® Quality Marine Products Since 1918



Female pipe thread to hose.
Includes gasket for water tight seal

PART NO.	DESCRIPTION
7590075	3/4" Adapter
7590100	1" Adapter
7590125	1-1/4" Adapter
7590150	1-1/2" Adapter

90° SMOOTH FLOW INSERT ADAPTERS (BRONZE)

PERKO®



PART NO.	PIPE SIZE	HOSE SIZE
9923-359	1/2"	1/2"
75607591	3/4"	3/4"
75610091	1"	1"
75612591	1-1/4"	1-1/4"
75615091	1-1/2"	1-1/2"
75620091	2"	2"
75625091	2-1/2"	2-1/2"
75630091	3"	3"

90° BRONZE INSERT ADAPTERS WITH HEX

GROCO® Quality Marine Products Since 1918



PART NO.	PIPE SIZE	HOSE SIZE
9923-523	1/2"	1/2" or 5/8"
75607590	3/4"	3/4"
75610090	1"	1"
9936-353	1-1/4"	1-1/8"
75612590	1-1/4"	1-1/4"
75615090	1-1/2"	1-1/2"
75620090	2"	2"
75625090	2-1/2"	2-1/2"

BRONZE INSERT ADAPTERS



PART NO.	PIPE SIZE	HOSE SIZE
9936-352	1/2"	1/2" or 5/8"
756051	1/2"	3/4"
756074	3/4"	5/8"
756075	3/4"	3/4"
756076	3/4"	1"
756077	3/4"	1-1/8"
756100	1"	1"
756101	1"	1-1/8"
53341620	1"	1-1/4"
756124	1-1/4"	1-1/8"
756125	1-1/4"	1-1/4"
756126	1-1/4"	1-1/2"
756150	1-1/2"	1-1/2"
756151	1-1/2"	1-3/4"
756152	1-1/2"	2"
756199	2"	1-3/4"
756200	2"	2"
756250	2-1/2"	2-1/2"
756251	2-1/2"	3"
756300	3"	3"
9922-586	4"	4"

STAINLESS STEEL INSERT ADAPTERS



#316 Stainless Steel.

PART NO.	MFG#	PIPE SIZE	HOSE SIZE
9923-134	1/2" KC SS	1/2"	1/2"
755075	PTH-750-S	3/4"	3/4"
755100	PTH-1000-S	1"	1"
755125	PTH-1250-S	1-1/4"	1-1/4"
755150	PTH-1500-S	1-1/2"	1-1/2"
755200	PTH-2000-S	2"	2"
755250	PTH-2500-S	2-1/2"	2-1/2"
755300	PTH-3000-S	3"	3"
755400	70HN400	4"	4"

INSERT ADAPTERS – GALVANIZED



PART NO.	MFG#	DESCRIPTION
9911-760	GCN-050	1/2"
9911-761	GCN-075	3/4"
9911-762	GCN-100	1"
9911-763	GCN-125	1-1/4"
9922-551	GCN-150	1-1/2"
9922-552	GCN-200	2"
9922-553	GCN-250	2-1/2"
9922-554	GCN-300	3"

UNIONS – GALVANIZED



PART NO.	MFG#	DESCRIPTION
9923-513	2-GU-05	1/2"
9923-946	2-GU-07	3/4"
9923-947	2-GU-10	1"
9923-948	2-GU-12	1-1/4"
9923-949	2-GU-15	1-1/2"
9923-515	2-GU-20	2"
9923-952	2-GU-25	2-1/2"
9923-957	2-GU-30	3"

PLATED STEEL INSERT ADAPTERS



Plated steel combination nipples available in a variety of sizes.

PART NO.	PIPE SIZE	HOSE SIZE
7562075	3/4"	3/4"
7562100	1"	1"
7562125	1-1/4"	1-1/4"
7562150	1-1/2"	1-1/2"
7562200	2"	2"
7562300	3"	3"



BRONZE THRU-HULLS FOR PIPE



PART NO.	THREAD SIZE	LENGTH
753038	3/8"	2-1/4"
753050	1/2"	2-1/4"
753075	3/4"	2-1/4"
753100	1"	2-3/4"
753125	1-1/4"	3"
753150	1-1/2"	3-1/8"
753200	2"	4"
753250	2-1/2"	4"
753300	3"	5"
9922-587	4"	5-1/4"

BRONZE EXTENDED LENGTH THRU-HULLS FOR PIPE



PART NO.	THREAD SIZE	LENGTH
7530075	3/4"	5-1/2"
7530100	1"	5-1/2"
7530125	1-1/4"	5-1/2"
7530150	1-1/2"	5-1/2"
7530200	2"	5-1/2"
7530250	2-1/2"	5-1/2"

BRONZE THRU-HULLS FOR HOSE





PART NO.	HOSE	A	B	C
9922-604	1/2"	1-1/4"	1"	1-5/8"
9922-603	5/8"	1-1/4"	1"	1-7/8"
752075	3/4"	1-1/4"	1"	1-7/8"
752100	1"	1-1/4"	1"	2-1/4"
9922-601	1-1/8"	1-1/4"	1"	2-1/4"
752125	1-1/4"	1-1/4"	1"	2-5/8"
752150	1-1/2"	1-1/4"	1"	2-7/8"
752200	2"	1-1/4"	1"	3-1/4"
9923-210	2-1/2"	2-1/2"	1-1/4"	4"
752300	3"	3"	1-3/4"	4-1/2"

REPLACEMENT NUTS



Replacement thru-hull nuts

PART NO.	DESCRIPTION
7531051	1/2"
7531076	3/4"
7531101	1"
7531126	1-1/4"
7531151	1-1/2"
7531201	2"
7531251	2-1/2"
7531301	3"

BSP THRU-HULL - BRASS



PART NO.	MFG#	DESCRIPTION
9991-861	DOORB3/8	3/8" BSP thread
9991-862	DOORB1/2	1/2" BSP thread
9991-863	DOORB3/4	3/4" BSP thread
9991-864	DOORB1	1" BSP thread
9991-865	DOORB11/4	1-1/4" BSP thread
9991-866	DOORB11/2	1-1/2" BSP thread
9991-867	DOORB2	2" BSP thread

STAINLESS STEEL/BRONZE 90° THRU-HULLS FOR HOSE



Stainless steel thru-hull flange and locknut with bronze hose barb construction. Eliminates the gasket as well as the need for assembling several components. For hose connections to above waterline drains.

PART NO.	DESCRIPTION
75207590	3/4" Hose Size
75210090	1" Hose Size
75212590	1 1/4" Hose Size
9922-600	1-1/8" Hose Size
75215090	1-1/2" Hose Size

STAINLESS STEEL THRU-HULL FOR PIPE





316 Stainless Steel standard length thru-hulls with nut.

PART NO.	NPT	A	B	C
7532058	1/2"	2-1/4"	1/4"	1-3/4"
7532075	3/4"	2-1/4"	1/4"	1-3/4"
7532100	1"	2-3/4"	1/4"	2-1/4"
7532125	1-1/4"	2-3/4"	1/4"	2-1/2"
7532150	1-1/2"	3-1/8"	1/4"	2-3/4"
7532200	2"	3-3/4"	1/4"	3-1/4"
7532250	2-1/2"	3-1/2"	3/8"	4-1/2"
9923-208	3 " Straight Thread			

STAINLESS STEEL THRU-HULL FOR HOSE



316 Cast Stainless Steel with polished neck is threaded to approximately 3/16" from flange.

PART NO.	HOSE SIZE	HOSE BARB LENGTH
7522058	5/8"	1-1/16"
7522075	3/4"	1-5/8"
7522100	1"	1-3/4"
7522118	1-1/8"	1-3/4"
7522125	1-1/4"	1-7/8"
7522150	1-1/2"	1-7/8"
9923-206	2"	1-1/2"

THRU-HULL LOCK NUTS – BRONZE

BUCK ALGONQUIN MARINE HARDWARE



- Fits all bronze thru-hulls shown

PART NO.	MFG#	DESCRIPTION
7531050	00THN50	1/2"
7531075	00THN75	3/4"
7531100	00THN100	1"
7531125	00THN125	1-1/4"
7531150	00THN150	1-1/2"
7531200	00THN200	2"

MEGA FLOW THRU-HULL - 316 SS

MarineTown



- High density marine grade 316 stainless steel ensures strength and prevents corrosion
- Light weight construction allows for larger, full flow, opening

PART NO.	MFG#	DESCRIPTION
9923-956	1003771	5/8"
9923-942	1003772	3/4"
9923-944	1003773	1"
9923-186	1003774	1-1/8"
9923-187	1003776	1-1/2"
9923-188	1003777	2"

90° SHORT THRU-HULL

MarineTown



- Cast stainless steel construction.
- Ideal for limited space and can eliminate a kink in hose

PART NO.	MFG#	DESCRIPTION
9923-085	9305322	3/4"
9923-089	9305324	1"
9923-094	9305328	1-1/2"

THRU-HULL INSTALLATION TOOL

GROCO® Quality Marine Products Since 1918



Slide the thru-hull fitting, flange first, over the tool. (It will stop at the proper step.) Tie a length of string to the eye and place it into the already-cut hole in the hull of the boat.

Apply caulking to the flange of the fitting and pull the fitting through the hole and against the hull from inside the boat. Thread the string through the locknut or seacock. With the fitting pulled firmly against the hull the locknut or seacock may be screwed onto the fitting. Thru-hull fittings sizes from 1/2" through 3". **Not for removal of old thru-hull fittings.**

PART NO.	MFG#	DESCRIPTION
7530000	THT-530	Installation Tool

THRU-HULL STEP WRENCHES

BUCK ALGONQUIN MARINE HARDWARE



- Malleable iron step wrench will securely hold thru-hull in place, preventing it from spinning while the lock nut is being tightened

PART NO.	MFG#	DESCRIPTION
9923-158	3BTHW50150	Fits thru-hulls 1/2" to 1-1/2"
9923-159	3BTHW20250	Fits thru-hulls 2" to 2-1/2"

TEFLON TAPE



Made of 100% pure virgin PTFE. It may be used with pipes of any material and with any medium, including oils, solvents and the strongest alkalis, acids and other corrosive chemicals.

PART NO.	MFG#	DESCRIPTION
3270100	3467-34	1/2" x 43'
9923-268	TT34X520	3/4" x 43'
9923-269	9510575	1/2" x 44' for Diesel Application

STAINLESS STEEL THREAD SEALANT



- Thicker, higher density PTFE tape
- Can withstand temperatures of -450°F (-268°C) to +550°F (288°C)
- Nickel pigment colour added for use on all stainless steel fittings
- Prevents galling, seizing or corrosion

PART NO.	MFG#	DESCRIPTION
9922-550	TT260-SS	1/2" x 260"

BRUSH-ON THREAD SEALANT WITH TEFLON



Economical white general purpose thread sealant, Out-performs tapes and pipe dopes; resists pressure in air, oil, diesel fuel and hydraulic systems and is easily removed with hand tools. Temperature range -54°C to 150°C (-65°F to 300°F)

Applications: air condition fittings, temperature sending fittings, hydraulic fittings.

PART NO.	MFG#	DESCRIPTION
5490170	80634	Brush On Sealant 118mL

HIGH TEMPERATURE THREAD SEALANT



OEM specified. Locks and seals threaded fittings. Resists leakage, vibration loosening, moisture, hydraulic fluids and diesel fuels. Lubricates threads for easy assembly and disassembly. Won't shred or wear like Teflon tape. Parts may be repositioned up to 4 hours after application. **Temperature Range:** -65°F to 400°F (-54°C to 204°C). Contains PTFE.

PART NO.	MFG#	DESCRIPTION
5490160	59206	Thread Sealant 6mL
5490165	59234	Thread Sealant 50mL

For the most up to date pricing, please visit maritimemarinesupply.ca/price

BRITE PLATE CHROME PLASTIC THRU-HULLS FOR HOSE



Look of Stainless of plastic. Five step metal bonding process. Won't flake, chip or scratch easily. Resists sunlight, salt water, oil, gas and most common marine chemicals.

PART NO.	DESCRIPTION
7520075	Straight Thru-Hull 3/4"
7520118	Straight Thru-Hull 1-1/8"
7520150	Straight Thru-Hull 1-1/2"

BRITE PLATE CHROME PLASTIC 90 DEG THRU-HULLS FOR HOSE



Look of Stainless of plastic. Five step metal bonding process. Won't flake, chip or scratch easily. Resists sunlight, salt water, oil, gas and most common marine chemicals.

PART NO.	DESCRIPTION
75207591	90° Thru-Hull 3/4"
75211891	90° Thru-Hull 1-1/8"
75215091	90° Thru-Hull 1-1/2"

NYLON THRU HULLS FOR PIPE



Lightweight nylon thru hulls in a variety of sizes.

Colour: White

PART NO.	THREAD	HULL THICKNESS
7582075	3/4	1-1/4"
7582125	1-1/4"	2-1/2"
7582150	1-1/2"	2-1/2"
7582200	2"	2-1/2"

EXTENDED LENGTH THRU-HULLS FOR HOSE



Constructed of white nylon these extra-long thru-hulls can go thru the thickest hulls. Fittings are listed below with hose size and maximum wall thickness they can go through.

PART NO.	HOSE SIZE	HULL THICKNESS
7525074	3/4"	2-1/2"
7525117	1-1/8"	3-1/8"
7525149	1-1/2"	3-1/2"

PLASTIC THRU-HULLS FOR HOSE



Lightweight plastic thru hulls in a variety of sizes.

Colour: White

PART NO.	HOSE SIZE	HULL THICKNESS
9923-156	1/2"	1/4"
7525058	5/8"	1-1/4"
7525075	3/4"	1-1/4"
9923-305	1"	1-1/4"
7525118	1-1/8"	1-1/4"
7525150	1-1/2"	1-1/4"
7525200	2"	1-1/4"

L-HEAD THRU-HULLS



Barbed for marine hose. UV resistant, colour stabilized.

Colour: White

PART NO.	HOSE SIZE	LENGTH
7526075	3/4"	1-1/2"
7526118	1-1/8"	2"
7526150	1-1/2"	2"

MOCK THRU-HULLS



Eliminates expensive fiberglass patching and refinishing. Made of a rugged composite plastic. Installs in minutes. Includes nut.
Colour: White

PART NO.	THREAD	HULL THICKNESS
7535075	3/4"	1"
7535125	1-1/4"	1-1/2"

90° PLASTIC THRU HULLS



7525059
7525076

7525119
7525151

Can be used where clearance is limited and helps prevent kinking of hose.

PART NO.	DESCRIPTION
7525059	5/8" Hose Size
7525076	3/4" Hose Size
7525119	1-1/8" Hose Size
7525151	1-1/2" Hose Size

NYLON PIPE TO HOSE ADAPTERS



White nylon/plastic adapters in a variety of sizes

PART NO.		PIPE SIZE	HOSE SIZE
9936-317	NYLON	3/8"	3/8"
9936-300	PLATIC	1/2"	1/2"
7580050	NYLON	1/2"	1/2"
9936-302	PLATIC	1/2"	5/8"
9936-307	PLATIC	1/2"	3/4"
9936-303	PLATIC	3/4"	5/8"
7580075	NYLON	3/4"	3/4"
7580099	NYLON	3/4"	1"
7580076	NYLON	1"	3/4"
7580100	NYLON	1"	1"
7580118	NYLON	1"	1-1/8"
7580124	NYLON	1"	1-1/4"
7580127	NYLON	1-1/4"	1"
7580128	PLASTIC	1-1/4"	1-1/8"
7580125	NYLON	1-1/4"	1-1/4"
7580126	NYLON	1-1/2"	1-1/4"
7580150	NYLON	1-1/2"	1-1/2"
7580200	NYLON	2"	2"

NYLON TEES



White nylon tees in a variety of sizes

PART NO.	DESCRIPTION
7586020	3/16"
9936-330	3/8"
7586050	1/2"
9936-332	5/8"
7586075	3/4"
7586100	1"
7586125	1-1/4"
7586150	1-1/2"
7586200	2"

BRANCH TEES – PLASTIC



PART NO.	MFG#	DESCRIPTION
9936-328	33430W	3/8" x 1/2"
9936-329	33431W	3/8" x 5/8"
9936-341	33435W	1/2" x 3/4"

Y HOSE BARB – PLASTIC



PART NO.	MFG#	DESCRIPTION
9936-319	33301W	3/8" x 3/8" x 3/8"

NYLON 90° HOSE ELBOW



White nylon elbows in a variety of sizes

PART NO.	HOSE SIZE
9923-536	3/8"
9923-537	1/2"
9923-538	5/8"
7585075	3/4"
7585100	1"
7585125	1-1/4"
7585150	1-1/2"
7585200	2"

NYLON 90° INSERT ADAPTER



White nylon adapters in a variety of sizes

PART NO.	PIPE SIZE	HOSE SIZE
9936-310	1/2'	3/8"
9936-311	1/2"	1/2"
9936-312	1/2"	5/8"
9936-318	3/4"	1/2"
9936-313	3/4"	5/8"
7581075	3/4"	3/4"
7581076	3/4"	1"
7581099	1"	3/4"
7581100	1"	1"
7581125	1-1/4"	1-1/4"
7581150	1-1/2"	1-1/2"
7581200	2"	2"

NYLON HOSE UNION



White nylon adapters in a variety of sizes

PART NO.	DESCRIPTION
7584020	3/16"
9936-320	3/8"
9936-321	1/2"
7584058	5/8"
7584075	3/4"
7584100	1"
7584125	1-1/4"
7584150	1-1/2"
7584200	2"

HOSE ADAPTERS

vetus



- Synthetic material; cut off at required hose diameter

PART NO.	MFG#	DESCRIPTION
9991-504	HA1338	Stepped sizes: 1/2", 5/8", 3/4", 7/8", 1-1/8", 1-1/4", 1-1/2"
9991-505	HA3060	Stepped sizes: 1-1/4", 1-1/2", 1 3/4", 2", 2 1/4"

HEX NIPPLES – PLASTIC



PART NO.	MFG#	DESCRIPTION
9936-347	28614W	1/2"
9936-348	28615W	3/4"
9936-349	28616W	1"
9936-350	28618W	1-1/2"

REDUCER BUSHINGS – PLASTIC



PART NO.	MFG#	DESCRIPTION
9936-337	28664W	1/2" x 3/8"
9936-338	28668W	3/4" x 1/2"
9936-339	28672W	1" x 3/4"
9936-340	28679W	1 1/2" x 1"

COUPLINGS – PLASTIC



PART NO.	MFG#	DESCRIPTION
9936-326	28763W	1/2"
9936-327	28764W	3/4"
9936-308	28765W	1"
9936-309	28767W	1 1/2"
9936-336	28768W	2"

STRAIGHT THROUGH BULKHEAD ADAPTERS



Bulkhead fitting designed to reduce hose and cable chafing. Moulded of high-strength plastic for long term durability. Ideal for hose, cable or wires.
Colour: White

PART NO.	HOSE SIZE
7537058	5/8"
7537075	3/4"
7537100	1"
7537118	1-1/8"
7537125	1-1/4"
7537150	1-1/2"

For the most up to date pricing, please visit maritimemarinesupply.ca/price

BULKHEAD FITTINGS



- Ideal for hose, cable or wires
- Molded of black high strength engineering plastic for long term durability

PART NO.	MFG#	DESCRIPTION
Long – up to 1 1⁄2" bulkhead		
9922-401	7990	5⁄8"
9922-403	7960	1"
7537118	7940W	1-1⁄8"
9922-407	7920	1-1⁄4"
9922-408	7930	1-1⁄4"
Short – up to 1⁄2" bulkhead		
9922-402	7980	3⁄4"
9922-404	7970	1"
9922-406	7950	1-1⁄8"
9922-410	7910	1-1⁄2"
7537150	7900W	1-1⁄2"

THRU-HULL MANIFOLD



Innovative design generates vortex action for faster drainage. Moulded in high-impact super-tough nylon. 1-1/2" hose barb to 1-1/2" hose barb main drain.

PART NO.	DESCRIPTION
7584540	3/4" Side Drains

BARB TO BARB HOSE ADAPTERS



Moulded of high-impact engineered plastic.

PART NO.	HOSE	ADAPTS TO
9922-434	5/8"	5/8"
7584066	5/8"	3/4"
9922-436	3/4"	3/4"
7584076	3/4"	1"
7584077	3/4"	1-1/8"
7584078	3/4"	1-1/4"
9922-439	1"	1"
7584101	1"	1-1/8"
7584102	1"	1-1/4"
7584103	1"	1-1/2"
9922-413	1-1/8"	1-1/8"
7584117	1-1/8"	1-1/4"
7584119	1-1/8"	1-1/2"
9922-415	1-1/4"	1-1/4"
7584126	1-1/4	1-1/2"
9922-417	1-1/2"	1-1/2"

BULKHEAD 90° ELBOW ADAPTERS



Designed to maintain the water-tight integrity of standard internal bulkheads. Made of high impact, marine grade composites for long-term durability. Designed to fit standard marine sanitation hose.
Colour: Black

PART NO.	DESCRIPTION
7537059	5/8"
7537076	3/4"
7537101	1"
7537119	1-1/8"
7537151	1-1/2"

PLASTIC WATER STRAINER & BRACKET



Bracket sold separately



PART NO.	DESCRIPTION
7511050	1/2" Strainer
7511075	3/4" Strainer
7511100	1" Strainer
7511125	1-1/4" Strainer
7511150	1-1/2" Strainer
7511051	"O" Ring for 1/2" & 3/4" Bowl
7511129	"O" Ring for 1", 1-1/4" & 1-1/2" Bowl
7511052	S/S Screen for 1/2" & 3/4"
7511127	Stainless Steel Screen for 1"
7511130	Stainless Steel Screen for 1-1/4"
7511157	Stainless Steel Screen for 1-1/2"
7511053	Plastic Bowl for 1/2" & 3/4"
7511128	Plastic Bowl for 1", 1-1/4" & 1-1/2"
7511076	3/4" Bracket
7511101	1" Bracket
7511126	1-1/4" Bracket
7511151	1-1/2" Bracket

BRONZE RAW WATER STRAINER



- Low profile, 6" Dia. x 4 1⁄2" H
- Inlet and outlet for either 1-1⁄4" or 1-1⁄2" hose, tapped NPT 3/4"

PART NO.	MFG#	DESCRIPTION
9922-234	00LPWS125S	Raw Water Strainer

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

COOLING WATER STRAINERS

- Transparent cover for inspecting the filter without dismantling
- Cleaning the filter is quick and easy



TYPE 330



TYPE 140

Item No.	MFG#	Pipe Size inch	Input GPM
Type 330			
9991-661	FTR330/13	1/2	6
9992-662	FTR330/16	5/8	9
9991-663	FTR330/19	3/4	13
9991-664	FTR330/25	1	24
9991-665	FTR330/32	1-1/4	38
9991-666	FTR330/38	1-1/2	52
Type 140			
9991-658	FTR140/13	1/2	6
9991-659	FTR140/16	5/8	9
9991-660	FTR140/19	3/4	13

Replacement O-Rings and Covers

PART NO.	MFG#	DESCRIPTION
9991-886	FTR3301	For Type 330
9992-262	WF09	For Type 150
9991-888	FTR14001	For Type 1405
9991-889	FTR13201	For Type 1320

TYPE FTR470 WATER STRAINERS



- The cover of the water strainer is transparent, allowing easy inspection for blockages
- Remove cover by simply unscrewing a single central knob
- The strainer can be easily mounted using the separate wall bracket and can be rotated 360° to align the hose connections
- The polished stainless steel mounting bracket clamps it securely in place

PART NO.	MFG#	DESCRIPTION
9992-256	FTR470/13	1/2"
9992-257	FTR470/16	5/8"
9992-258	FTR470/19	3/4"
9992-259	FTR470/25	1"
9992-260	FTR470/32	1-1/4"
9992-261	FTR470/38	1-1/2"

HEAVY DUTY COOLING WATER STRAINER



- Easy inspection without dismantling
- New easily removable metal cover
- Robust and durable filter housing made from NAVIDURIN®
- 1-1/2"hose connections
- Tested up to a maximum of 8 bar, so suitable for use below the waterline



PART NO.	MFG#	DESCRIPTION
9991-162	FTR33038M	Cooling Water Stainer

SS RAW WATER STRAINER

All Arctic Steel strainers are cast with duplex 2205 stainless steel to provide an exceptional level of corrosion resistance. These strainers undergo an electro-polishing process that further enhances resistance to corrosion by removing surface contaminants and exposing a rich, chromium film. The strainer body is cast as one piece, eliminating susceptibility to corrosion through welds. The offset inlet/outlet design generates a swirling action that quickly sifts air while maximizing the used surface area of the basket.

- NPT Threads
- ABS plastic basket
- Clear top secured by 5x SS wingnuts for easy access





9922-625 for 3" model only

PART NO.	MFG#	DESCRIPTION
9922-589	70WS-SISO-150-C	1-1/2"
9922-609	70WS-SISO-200-C	2"
9922-610	70WS-SISO-250-C	2-1/2"
9922-611	70WS-SISO-300-C	3"
9922-588	70WS-SISO-400-C	4"
9922-625	70WS-SISO-300-011-2	3" 316 SS Replacement Element

Replacement baskets available by special order.

For the most up to date pricing, please visit maritimemarinesupply.ca/price

GROCO WATER STRAINER



Features: No tie rods, no leaks under pressure or vacuum and a quick and easy mounting system which allow removal of strainer without tools. Monel or Poly basket, Buna-N O-ring seals, strainer cap between strainer head and sight glass. Screw-on strainer cap allows easy no-tool maintenance.

- Female pipe thread ports
- Mounting hardware included

GROCO

PART NO.	MFG#	PORT SIZE	BASKET TYPE	BASKET DIA.	BASKET LENGTH
9922-218	ARG-500-S	1/2" NPT	Monel	2"	5-1/4"
757075	ARG-750-P	3/4" NPT	Poly	2"	7-1/4"
9922-219	ARG-750-S	3/4" NPT	Monel	2"	7-1/4"
757100	ARG-1000-P	1" NPT	Poly	2-1/2"	7-1/2"
9922-224	ARG-1000-S	1" NPT	Monel	2-1/2"	7-1/4"
757125	ARG-1250-P	1-1/4" NPT	Poly	2-1/2"	9-1/2"
9922-220	ARG-1250-S	1-1/4" NPT	Monel	2-1/2"	9-1/2"
757149	ARG-1500-P	1-1/2" NPT	Poly	3"	10-1/2"
757150	ARG-1500-S	1-1/2" NPT	Monel	3"	10-1/2"
757199	ARG-2000-P	2" NPT	Poly	3"	12-1/2"
757200	ARG-2000-S	2" NPT	Monel	3"	12-1/2"
757249	ARG-2500-P	2-1/2" NPT	Poly	3"	15-1/2"
757250	ARG-2500	2-1/2" NPT	Monel	3"	15-1/2"
757299	ARG-3000-P	3" NPT	Poly	3"	18-1/4"
757300	ARG-3000	3" NPT	Monel	3"	18-1/4"

SIGHT GLASS

Durable one-piece molded sight glass



PART#	DESCRIPTION
9921-994	Sight Glass, 1/2"
9922-274	Sight Glass, 3/4"
757102	Sight Glass, 1"
757127	Sight Glass, 1-1/4"
757152	Sight Glass, 1-1/2"
757202	Sight Glass, 2"
757252	Sight Glass, 2-1/2"
757302	Sight Glass, 3"
757129	Sight Glass O-Ring, 1", 1-1/4"
757204	Sight Glass O-Ring, 1-1/2" to 3

POLY BASKET



Replacement Poly Baskets are made of corrosion-resistant polyethylene and have an improved handle design for easier use

PART#	DESCRIPTION	BASKET LENGTH
9921-996	Poly Basket, 1/2"	5.2"
757078	Poly Basket, 3/4"	7.2"
757103	Poly Basket, 1"	7.5"
757128	Poly Basket, 1-1/4"	9.4"
757158	Poly Basket, 1-1/2"	10.6"
757208	Poly Basket, 2"	12.4"
757258	Poly Basket, 2-1/2"	15.4"
757308	Poly Basket, 3"	18.3"

MONEL BASKET



Replacement Monel Raw Water Strainer Baskets are made of high-strength, corrosion-resistant Monel and have an improved handle design for easier use.

PART#	MFG#	DESCRIPTION
9921-995	BS-1	Monel Basket, 1/2"
9922-204	BM-2	Monel Basket, 3/4"
9922-209	BM-3	Monel Basket, 1"
757126	BM-5	Monel Basket, 1-1/4"
757151	BM-7	Monel Basket, 1-1/2"
757201	BM-8	Monel Basket, 2"
757251	BM-11	Monel Basket, 2-1/2"
757301	BM-15	Monel Basket, 3"

DRAIN PLUGS



5/16" Thread Before 2001



1/2" Thread After 2001

ARG Drain plug with O-ring

PART NO.	DESCRIPTION
757001	Drain Plug with O-ring Old Style
757002	O-ring Old Style 1" & 1-1/4"
757003	Drain Plug with O-ring New Style

GASKET AND WASHER KIT



Contain:

- Cap O-Ring
- sight glass O-Ring
- washer
- drain plug gasket.

PART#	DESCRIPTION
9922-206	Gasket & Washer Kit, 3/4"
9922-207	Gasket & Washer Kit, 1" & 1-1/4"
9922-208	Gasket & Washer Kit, 1-1/2" 2", 2-1/2" & 3"

PLASTIC COVER, NEW STYLE



New Style, After Sept 1, 2001 o-rings not included with cover

PART NO.	DESCRIPTION
9922-480	Fits 1/2" & 3/4" NPT Strainers
757133	Fits 1" & 1-1/4" NPT Strainers
757206	Fits 1-1/2", 2", 2-1/2" & 3" NPT Strainers
757081	O-ring New Style 1/2" & 3/4"
757131	O-ring New Style 1" & 1-1/4"
757207	O-ring New Style 1-1/2" 2", 2-1/2" & 3"

BRASS COVER, OLD STYLE

757132



New Style, after Sept 1, 2001 o-rings not included with cover.

757203



Old style Before Sept. 1, 2001

PART NO.	DESCRIPTION
757132	Fits 1" & 1-1/4" NPT Strainers
757203	Old Style Fits 1-1/2", 2", 2-1/2" & 3" NPT Strainers
757130	O-ring Old Style 1" & 1-1/4"
757205	O-ring Old Style 1-1/2" 2", 2-1/2" & 3"

PE 902-566-1220 NS 902-928-1900

OVAL BRONZE INTAKE STRAINERS



PART NO.	MFG#	DESCRIPTION
9923-335	SC-1000-L	5-¼" x 3 ½" Fits ½" – 1" Thru-Hulls
9923-336	00SS600	6-¾" x 4-½" Fits 1 ¼" – 1 ½" Thru-Hulls
9923-337	0066DP4PLB	8-½" x 5-¾" Fits 2" Thru-Hulls
9923-338	00SS1100	7-3/8" x 10-1/2" Fits 3" Thru-Hulls

BRONZE INTAKE STRAINER, WITH NUT



Bronze Intake Strainers available in a variety of sizes. Requires #10 screws



PART NO.	THREAD	A	B	C	D
754050	1/2"	2.20"	1.05"	3.28"	2.55"
754075	3/4"	2.20"	1.05"	4.00"	3.05"
754100	1"	2.85"	1.05"	4.00"	3.05"
754125	1-1/4"	2.90"	1.20"	4.30"	3.35"
754150	1-1/2"	3.15"	1.30"	4.83"	3.50"
754200	2"	3.60"	1.50"	5.75"	4.00"

NAVY BRASS BILGE PUMP STRAINER



PART NO.	DESCRIPTION	BASE
7501150	1-1/2" PT	3-1/2" x 5"
7501200	2" PT	3-1/2" x 5"

HINGED STRAINERS



- Easy access to your thru-hull by loosening a single screw

PART NO.	MFG#	DESCRIPTION
9923-230	RSC-1000	3-1/2" Diameter
9923-231	RSC-2000	5" Diameter

PERFORMATED RECTANGULAR STRAINERS



Brass with S/S Grill

PART NO.	DESCRIPTION
7510650	6-1/2" x 4" ID
7511000	10" x 5-3/4" ID
7510651	S/S Grill for 7510650
7511001	S/S Grill for 7511000
7510652	S/S Screws for Grill

HULL STRAINER WITH SERVICE HATCH



Conventional wedge strainer with rear hatch provides easy service to your thru-hull underneath. Strainer provides fine primary filtration and positive pressure while underway for raw water inlets to main engines, generators, etc. The stainless steel screen is easily replaceable.

PART NO.	DESCRIPTION
7510530	4-1/2" x 10-1/4"
7510540	6" x 15-1/2"

BRONZE ROUND STRAINER



Round strainer to prevent thru-hulls from ingesting sea-water debris. Pick the diameter of the strainer according to your thru-hull (pipe thread or hose) size.

PART NO.	DIAMETER	DESCRIPTION
9923-330	4"	Bronze Round Strainer
751400	4"	Fits up to 1" Thru Hulls
751500	5"	Fits up to 1-1/4" Thru Hulls
751600	6"	Fits up to 2-1/2" Thru Hulls
751800	8"	Fits up to 3" Thru Hulls

INLET STRAINERS



Keeps debris and particles from entering your Flojet pump. In-line strainer allows for easy installation.

PART NO.	DESCRIPTION
7503050	1/2"
7503075	3/4"

BILGE STRAINERS



Prevents bilge debris from entering and choking pump suction hose or blocking pump. Robust black plastic construction with non return drain valve.

PART NO.	DESCRIPTION	BASE
7514100	Fits 1" Hose	2-3/4" x 5-1/4"
7514150	Fits 1-1/2" Hose	2-3/4" x 5-1/4"

POLYETHYLENE INTAKE STRAINERS



Keeps your pump from clogging.

PART NO.	DESCRIPTION	BASE
7512150	1-1/2"	5"
7512200	2"	5"
7512300	3"	7-1/8"

For the most up to date pricing, please visit maritimemarinesupply.ca/price

ACCESS HATCHES

Developed by the Plastimo's research and development team, a range of hatches which combines easy installation for the boatbuilder and optimised space for the yachtsman.
Construction in high grade ASA for durability and resistance:

- Impervious to UV
- Excellent mechanical resistance, enhanced by the honeycomb structure inside the hatch
- Walkable: resists 130 kg load with no distortion at all
- Opening through 180°
- Deck or wall mount
- EPDM rubber gasket for perfect watertightness
- Supplied with a set of 2 hinges allowing different installation alternatives: classic articulated hinge opening through 180°, or specific hinge making the hatch removable











Plastimo meets the needs of boatbuilders and retro-fit yards

With two sets of hinges supplied as a standard feature, the Plastimo hatch offers two mounting alternatives according to the installation environment:

- Enough height available: hatch opening through 180°
- Limited height, not enough to open up: hatch can slide horizontally and be removed.

Easy maintenance: should the hatch be replaced, all you need to do is unclip the hatch. No need to remove or replace the deck frame (saving lots of labour time and watertightness operations).



PART NO.	MFG#	COLOUR	A X B INCHES	C	D	E	F
Square							
9990-619	62112	White	14-3/4" x 14-3/4"	11-3/8"	11-3/8"	12"	12"
9990-617	64802	**Black**	14-3/4" x 14-3/4"	11-3/8"	11-3/8"	12"	12"
9990-643	64786	Grey	14-3/4" x 14-3/4"	11-3/8"	11-3/8"	12"	12"
Rectangular							
9990-623	62104	White	10-5/8"x 14-3/4"	7-3/8"	11-3/8"	7-3/4"	12"
9990-639	64806	**Black**	10-5/8"x 14-3/4"	7-3/8"	11-3/8"	7-3/4"	12"
9990-651	64790	Grey	10-5/8"x 14-3/4"	7-3/8"	11-3/8"	7-3/4"	12"
9990-627	62108	White	14" x 24"	10-3/4"	20-5/8"	11-1/2"	21"
9990-640	64810	**Black**	14" x 24"	10-3/4"	20-5/8"	11-1/2"	21"
9990-653	64794	Grey	14" x 24"	10-3/4"	20-5/8"	11-1/2"	21"
9990-631	62116	White	18" x 20"	14-3/4"	16-7/8"	15-1/2"	17-1/2"
9990-642	64814	**Black**	18" x 20"	14-3/4"	16-7/8"	15-1/2"	17-1/2"
9990-655	64798	Grey	18" x 20"	1- 3/4"	16-7/8"	15-1/2"	17-1/2"

LOCKING KIT

- Converts your access hatch into a locking hatch



PART NO.	MFG#	DESCRIPTION
9990-722	65388	White
9990-723	65389	Black
9990-724	65390	Grey

INNOVATIVE SERIES HATCHES



- Sarlon resin for lifetime durability and UV resistance; in-laid gasket seal
- Door opens past 180° to maximize open access
- See hatch tubs below

PART NO.	MFG#	Cutout Size in.	OD Size in.	COLOUR
9952-272	520-065	7-1/4 x 17-1/4	9 x 19	White
9952-276	520-105	9-1/4 x 13-1/4	11 x 15	White
9952-284	520-205	11-1/4 x 15-1/4	13 x 17	White
9952-277	520-305	11-1/4 x 21-1/4	13 x 23	White
9952-278	520-725	14-1/4 x 16-1/4	16 x 18	White
9952-286	520-101	9-1/4 x 13-1/4	11 x 15	Off-white
9952-287	520-203	11-1/4 x 15-1/4	13 x 17	Off-white

HATCH TUBS





- Drop-in tub offers convenient storage
- Easily removed for access or maintenance

PART NO.	MFG#	DESCRIPTION
9952-282	560-796	11" x 15" OD x 9" deep
9952-283	560-799	13" x 17" OD x 11"deep

LOW PROFILE INSPECTION HATCHES





Watertight hatch with "T" handle locking for easy operation. High impact polycarbonate non-skid surface and is acetone resistant. Extra heavy duty construction with stainless steel hinge pin. Requires #10 Mounting Screws

HATCH DIMENSIONS

	ID	CUT OUT
A	7" x 11"	8-3-16" x 12-3/16"
B	8-1/2" x 11-3/8"	10-3/4" x 12-15/16"
C	9-3/4" x 19-1/2"	12-1/8" x 21-1/8"
D	14" x 16"	16-1/4" x 17-5/8"

PART NO.	MFG#	COLOUR	LID O.D
A**9952-230**	G8711--22	Off White	10-1/4 x 14-1/4"
A **9952-232**	G8711--11	Black	10-1/4 x 14-1/4"
B **7260315**	G8812--22	Off White	12-1/2" x 15-1/2"
B **7260316**	G8812--11	Black	12-1/2" x 15-1/2"
C **7260323**	G81020-22	Off White	13-3/4" x 23-1/2"
C **7260324**	G81020-11	Black	13-3/4" x 23-1/2"
D **7260317**	G81618-22	Off White	18-1/8 x 20-3/16"
D **7260318**	G81618-11	Black	18-1/8 x 20-3/16"





At Bomar, Quality Is An Open & Shut Case

LEWMAR®

A Lippert Components Company







As the global leader in the production of sail and powerboat hatches, Lewmar offers an extensive range of solutions, producing over 200,000 hatches and portlights a year. Whether your requirement is a sleek opening port or a robust offshore access hatch, Lewmar has the solution.

Modern trends have led to larger openings and more customized shapes which naturally allow designers to create a signature look and feel to their products.

FLAT BASE OCEAN HATCH

LEWMAR

The Lewmar flat base boat hatch offers a high-profile design that includes an acrylic bonded lens, which greatly reduces water infiltration when the hatch is open. It's also made with high-quality materials for durability and longevity.



DIMENSIONS	O.D. (L x W)	Cut Out (L x W)
7201406	22-5/8" x 22-5/8"	19-3/4" x 19 x 3/4"
7201408	27-15/16" x 27-15/16"	24-1/2" x 24-1/2"

PART NO.	MFG#	DESCRIPTION
7201406	39660050	Square, Size 60
7201408	39670050	Square, Size 70

LOW PROFILE HATCHES

LEWMAR

The low profile hatch has soft styling and sleek looks. They are ideal for use on power craft. Smaller ventilation hatches are suitable for any deck location on sailboats and the larger hatches can even be used as foredeck hatches on smaller to mid-size yachts. The hatch also features Lewmar's unique sealing system allowing easy acrylic or gasket replacement.

- Lens : Smoke Grey, Acrylic

SQUARE ROUND RECTANGULAR



DIMENSIONS	O.D. (L x W)	Cut Out (L x W)
7201410	13" x 13"	10-1/4" x 10-1/4"
7201413	19-5/16" x 19-5/16"	16-9/16" x 16-9/16"
7201416	17-5/8" x 22-11/16"	14-13/16 x 19-15/16"
7201415	22-11/16" x 22-11/16"	19-15/16" x 19-15/16"
7201412	23-1/8" Diameter	20-3/8" Diameter
7201411	10-11/16" x 16-7/16"	7-15/16 x 13-11/16"
7201414	18-3/16" x 22-11/16"	15-7/16" x 19-15/16"

PART NO.	MFG#	DESCRIPTION
7201410	39910030	Square, Size 10
7201413	39940030	Square, Size 40
7201416	39950030	Square, Size 50
7201415	39960030	Square, Size 60
7201412	39922030	Round, Size 22
7201411	39920030	Rectangular, Size 20
7201414	39954030	Rectangular, Size 54

FLANGE BASE OCEAN HATCH

LEWMAR

The Lewmar flange base boat hatch offers a classic style and rugged construction. Made with an anodized aluminum frame, it is durable and withstands the elements.



- Lens: Smoke Grey, Acrylic

PART NO.	O.D. (L x W)	Cut Out (L x W)
7201404	15-3/8" x 20-1/2"	12-7/8" x 18"
7201405	20-1/16" x 20-1/16"	17-3/8" x 17-3/8"
7201407	22-5/8" x 22-5/8"	19-15/16" x 19-15/16"
7201409	27-5/16" x 27-5/16"	24-11/16" x 24-11/16"

PART NO.	MFG#	DESCRIPTION
7201404	39630070	Rectangular, Size 30
7201405	39644070	Square, Size 44
7201407	39660070	Square, Size 60
7201409	39670070	Square, Size 70

MEDIUM PROFILE HATCH

LEWMAR



The Medium Profile Hatch blends ruggedness with the smooth, modern lines of the Low Profile Hatch. They are Ideal as a foredeck hatch on larger offshore yachts, the Medium Profile has thicker acrylic and deeper frame sections for greater strength and durability. It features Lewmar's unique sealing system, allowing for easy acrylic or gasket replacement.

Lens : Smoke Grey, Acrylic

DIMENSIONS	O.D. (L x W)	Cut Out (L x W)
7201422	20-3/16" x 20-3/16"	17-3/8" x 17 x 3/8"
7201423	22-3/4" x 22-3/4"	19-15/16" x 19-15/16"

PART NO.	MFG#	DESCRIPTION
7201422	39944020	Hatch, SZ44
7201423	39960020	Hatch, SZ60

STANDARD OPENING PORTLIGHT

LEWMAR

This boat portlight is tough, made with an anodized aluminum frame with a smoke gray acrylic lens. The ABS plastic interior includes an insect screen. They are CE approved for deck, coach roof, cockpit and transom installations.



Max. Hull Thickness : 1-3/8" (34 mm)

DIMENSIONS	O.D. (L x W)	Cut Out (L x W)
7201400	14-7/16" x 7-1/2"	13-5/8" x 6-3/4"
7201401	17-11/16" x 7-1/2"	16-7/8" x 6-3/4"
7201402	25-7/16" x 7-1/2"	24-11/16" x 6-3/4"

PART NO.	MFG#	DESCRIPTION
7201400	393120200	Size 1, Smoke/Silver White Trim
7201401	393320200	Size 3,Smoke/Silver White Trim
7201402	393420200	Size 4, Smoke/Silver White Trim

STAINLESS STEEL OPENING PORTLIGHT

LEWMAR



With its highly polished stainless outer frame, the Stainless Portlight will really shine on your boat. The handles and hinge system were designed to leave the lens clear of obstructions, giving it an uncluttered view and a clean, modern look.

Max. Hull Thickness : 1-3/8" (34 mm)

DIMENSIONS	O.D. (L x W)	Cut Out (L x W)
7201403	17-13/16" x 7-11/16"	Template included

PART NO.	MFG#	DESCRIPTION
7201403	393820862	Size 8 Elliptical, Chrome Trim

For the most up to date pricing, please visit maritimemarinesupply.ca/price

REPLACEMENT BONDED HANDLE KITS

LEWMAR



Small handle kits to replace the bonded handles fitted to the small Lewmar Hatches

PART NO.	MFG#	DESCRIPTION
7201434	360255099	Handle Kit for Bonded Handle, Left
7201452	360256099	Handle Kit for Bonded Handle, Right

HANDLE KIT FOR OCEAN HATCH

LEWMAR



Complete handle kit pair for Lewmar hatches sizes 18 upwards

Grey kit contains parts for both Low and Medium Profile hatches, and Ocean and Coastline hatches.

PART NO.	MFG#	DESCRIPTION
7201444	361680990	Grey, Low and Medium Profile Hatch

HATCH CATCH BLOCK ASSEMBLY

LEWMAR



The Lewmar Hatch Catch Block Spare Assembly is the part that a hatch dog seats into when the dog is closed. This block fits the out of production hatches in the Ocean, Coastline, and Rollstop series.

Fits the following out of production series of Lewmar hatches:
Ocean series: 00, 10, 20, 30, 40, 44, 50, 54, 60, 65, 66 (H.Rassy), 70, 75 & 77
Coastline series: 00, 03, 05, 10, 18, 20, 21, 22, 30, 40, 41, 44, 50, 54, 60, 61, 65 & 70 Rollstop series: 00, 10, 20, 30, 40, 50, 60, 65 & 70

PART NO.	MFG#	DESCRIPTION
7201433	360060990	Hatch Catch Block Assembly, Grey

LARGE FRICTION LEVER KIT

LEWMAR



The friction lever on a Lewmar hatch is the device that uses friction to hold a hatch in place when it is open. This Replacement Friction Lever Kit is designed to be used on Lewmar's larger Ocean and Coastline hatches.

Features:
Replacement large friction lever kit
Size: Large, Length: 3-5/8"
Applications: Ocean Hatch sizes 44, 50, 54, 60, 65 & 70 and Coastline hatch sizes 65 & 70

PART NO.	MFG#	DESCRIPTION
7201435	360273990	Large Friction Lever Kit

FRICTION LEVER SPARE KIT

LEWMAR



The friction lever on a Lewmar hatch is the device that uses friction to hold a hatch in place when it is open. This Replacement Friction Lever Kit is designed to be used on Lewmar's Low and medium profile Lewmar hatches.

Features:
Replacement large friction lever kit
Applications: Low & medium profile Hatches
Includes: Gasket adhesive

PART NO.	MFG#	DESCRIPTION
7201440	360917990	Friction Lever Kit

TRIM KIT

LEWMAR



Trim kits provide an easy and stylish way of finishing a hatch installation inside the cabin. The Trimkits come complete with a flyscreen to prevent mosquitoes entering the boat.

PART NO.	MFG#	DESCRIPTION
7201451	367410252	Trim Kit

FLYSCREEN HINGE WHITE RETRO KIT

LEWMAR



Makes it easier to access the handles when the flyscreen is in place. Just undo two tabs and the flyscreen will hinge down and not fall out. The flyscreen can still be removed and stowed separately. Kit includes all tabs, screws, screw cap etc.

PART NO.	MFG#	DESCRIPTION
7201442	361196992	Flyscreen Hinge White Retro Kit

PORTLIGHT CLIP FLYSCREENS

LEWMAR

Lewmar Standard Portlight Clip Flyscreen, available in various sizes.



PART NO.	MFG#	DESCRIPTION
7201445	367302936	Size 0
7201446	367312936	Size 1
7201447	367322936	Size 2
7201448	367332936	Size 3
7201449	367342936	Size 4
7201450	367352936	Size 5

ALLOY FRICTION HINGE KIT

LEWMAR



The Lewmar Hatch Hinge Repair Kit contains replacement parts for Lewmar's Low and Medium Profile hatches.

Features:
Hatch hinge repair kit
Applications: Lewmar low and medium profile hatches Size 70 and 77 medium profile hatches require (2) kits Package repairs (2) hinges

PART NO.	MFG#	DESCRIPTION
7201443	361263999	Alloy Friction Hinge Kit

NEW

HATCH SEALS

LEWMAR

Lewmar has a unique sealing system designed to hold and seal an acrylic pane into a hatch frame. This system provides a precise fit and seal helping to extend the life and functionality of the Lewmar marine Hatches.

LOW PROFILE HATCH SEALS

LEWMAR



Features:

- Includes gasket and installation instructions
- No adhesive is required.
- Petroleum jelly may help installation.

PART NO.	MFG#	SIZE
7201438	360863999	Size 10 Hatch Seal
7201439	360867999	Size 40 Hatch Seal
7201460	360869999	Size 44 Hatch Seal
7201461	360870999	Size 50 Hatch Seal
7201462	360872999	Size 60 Hatch Seal
7201463	360876999	Round Hatch Size 22 Seal

OCEAN HATCH SEALS

LEWMAR



Features:

- Includes gasket and installation instructions
- No adhesive is required.
- Petroleum jelly may help installation.

PART NO.	MFG#	SIZE
7201441	360961999	Size 44 Hatch Seal
7201480	360963999	Size 54 Hatch Seal

MEDIUM PROFILE HATCH SEALS

LEWMAR



Features:

- Includes gasket and installation instructions
- No adhesive is required.
- Petroleum jelly may help installation.

PART NO.	MFG#	SIZE
7201470	360371999	Size 10 Hatch Seal
7201471	360373999	Size 30 Hatch Seal
7201472	360374999	Size 40 Hatch Seal
7201473	360381999	Size 44 Hatch Seal
7201474	360376999	Size 60 Hatch Seal
7201475	360379999	Size 70 Hatch Seal

LEWMAR®



STANDARD PORTLIGHT SEAL

LEWMAR



This Portlight Replacement Seal provides a watertight seal and stops leaks on Lewmar opening ports (produced from 1997 to present).

Features:

- Standard replacement portlight seal
- Designed for use on Lewmar opening ports (produced from 1997 to present)
- Supplied as a complete loop
- Measure port outside frame dimensions

PART NO.	MFG#	DESCRIPTION
7201436	360759999	Standard Portlight Seal, Size 1
7201437	360762999	Standard Portlight Seal, Size 4

REPLACEMENT ACRYLIC LENS

LEWMAR

Lewmar Standard Old Portlight replacement Acrylic Lens (pre-1997) is crafted for durability and performance.



- Acrylic Lens only.
- Handles, Hinges and Seal are not included

PART NO.	MFG#	DESCRIPTION
7201431	360015099	Smoke Grey, Lens Only, Size 0
7201432	360017099	Smoke Grey, Lens Only, Size 2

NEW

STRAIGHT JOINING INSERTS

LEWMAR

Replacement Lewmar Joining Inserts fasten two halves of a hatch frame together, providing structural integrity. They allow for a seamless installation when replacing a seal or repairing the frame.



- Repair or replace a damaged frame joint.
- Fits Low / Medium Profile, and Pilot hatches

PART NO.	MFG#	DESCRIPTION
7201453	360925999	Joining Insert Kit

NEW

HINGE CAPS

LEWMAR

Lewmar hatch Hinge Caps are protective plastic covers for the adjustable hinges on Lewmar low and medium profile hatches. They are designed to prevent dirt, dust, and weather from entering the hinge mechanism, which contains jack screws used to adjust the hatch's friction for a secure fit.



- Provides a clean, protected hinge.
- Ensures proper function of the hatch stay.
- Fits Low and Medium Profile Hatches

PART NO.	MFG#	DESCRIPTION
7201454	36102799	Replacement Hinge Caps, 10 pk.

ACCESS HATCHES

SEAFLO



These economy Access Hatches are manufactured with anti-aging and anti-UV ABS material. They have corrosion free synthetic fittings and durable rubber seals. These hatches open to 180°.
Colour: White



PART NO.	MFG#	EXTERNAL	INTERNAL
7260301	SFRE1-243-607-01	9.5" x 23.9"	6.6" x 20.7"
7260304	SFRE1-270-375-01	10.6" x 14.75"	7.5" x 11.4"
7260307	SFRE1-370-375-01	14.5" x 14.75"	11.6" x 11.6"
7260309	SFRE1-353-606-01	13.9" x 23.8"	10.95" x 20.6"
7260311	SFRE1-460-510-01	18.1" x 20"	15.0" x 17.1"
7260314	SFRE1-315-440-01	12.4" x 17.3"	9.4" x 14.0"

WHITE RECTANGULAR INSPECTION HATCHES

Beckson®



Provides a Watertight Seal and reinforced cover with diamond non-skid surface. UV resistant with invisible fasteners when cover is closed. A Low 1/2" Profile hatch with one hand lever opening. **Requires #10 mounting screws.**

Dimensions	ID	CUT OUT
7260300	6" x 20-1/2"	6-3/4" x 20-7/8"
7260305	7-1/4" x 11-1/4"	8" x 12"
7260310	10-1/2" x 20-3/8"	11-11/32" x 21"
7260306	11-1/8" x 11-1/4"	11-3/4" x 11-3/4"
7260312	14-5/8" x 17"	15-3/8" x 17-3/8"

PART NO.	MFG#	HATCH SIZE O.D.
7260300	HT1024-AW	9-1/2" x 23-7/8"
7260305	HT1115AW	10-3/4" x 14-3/4"
7260310	HT1424-W	14" x 24"
7260306	HT1515AW	14-5/8" x 14-3/4"
7260312	HT1821AW	18-1/8" x 20-1/2"



WATERTIGHT HATCHES

- Fast Acting - Lift the flush handle, make a quarter turn and lift. That's all it takes. The dogging mechanism and linked handle do the work smoothly in just a second.
- Low maintenance “no warp” design with double edged gaskets, made of corrosion resistant aluminum, stainless steel and delrin
- Designed to seal to 30-foot intermittent head, the double-sealing gasket actually seals tighter under pressure

SQUARE HATCHES

FREEMAN MARINE EQUIPMENT, INC.



- Aluminum lift-out cover and mounting ring
- Also available with hinged covers.

PART NO.	MFG#	DESC
9952-008	2422-0002	20" x 20"
9952-012	2424-0002	24" x 24"
9952-013	2426-0006	30" x 30"

ROUND HATCHES

FREEMAN MARINE EQUIPMENT, INC.



- Aluminum lift-out cover and mounting ring
- Also available in 30" and 36" and with hinged covers.

PART NO.	MFG#	DESCRIPTION
9952-004	2402-0002	12" Dia
9952-015	2403-0002	15" Dia
9952-020	2404-0002	18" Dia
9952-025	2406-0002	20" Dia
9952-030	2411-0002	24" Dia

REPLACEMENT HANDLE PARTS

FREEMAN MARINE EQUIPMENT, INC.



- Includes installation hardware

PART NO.	MFG#	DESCRIPTION
9952-040	0031-2064	Aluminum
9952-031	0031-2058	Handle seal kit

OVAL HATCHES

FREEMAN MARINE EQUIPMENT, INC.



PART NO.	MFG#	DESC
• Aluminum cover and aluminum mounting ring		
9952-005	2431-0002	12" x 18" with lift-out cover
9952-006	2471-0002	12" x 18" with hinged cover
9952-010	2433-0002	15" x 24" with lift-out cover
9952-011	2473-0002	15" x 24" with hinged cover
• Aluminum cover and steel mounting ring		
9952-009	2433-0003	15"X 24" with lift-out cover

REPLACEMENT DOG-ARMS

FREEMAN MARINE EQUIPMENT, INC.



PART NO.	MFG#	DESCRIPTION
9952-037	0211-2004	15" x 24" oval
9952-032	0211-2003	15" round
9952-033	0211-2005	18" round
9952-034	0211-2008	20" round
9952-035	0211-2012	24" round
9952-038	0211-2013	24" x 24" square
9952-039	0212-2013	30" x 30" square

PRE-CUT NEOPRENE GASKETS

FREEMAN MARINE EQUIPMENT, INC.



- Pre-Cut compression gasket.
- For Freeman round and oval hatches



- Pre-Cut Knife Edge gasket
- For Freeman square hatches

PART NO.	MFG#	DESCRIPTION
9952-082	9801-2004	15" round
9952-083	9802-2006	18" round
9952-084	9801-2007	20" round
9952-086	9801-2009	24" round
9952-087	9801-2003	12" x 18" oval
9952-088	9801-2005	15" x 24" oval
9952-085	0631-9801	Freeman rnd/ovl hatch gasket, per foot
9952-071	9813-2002	20” x 20” square
9952-072	9813-2004	24” x 24” square
9952-073	9813-2005	30” x 30” square
9952-074	0631-9813	Freeman sq. hatch gasket, per foot

For the most up to date pricing, please visit maritimemarinesupply.ca/price

ANCHOR WATERTIGHT HATCHES





7200632



- Specially treated corrosion resistant 1/4" thick marine grade aluminum hatch cover
- Anti-slip surface
- Watertight flush mounting design
- Corrosion resistant stainless steel frame & locking mechanism
- Easy opening & locking system
- Marine grade aluminum has a tensile strength of 42,000 PSI
- Any size or design can be custom ordered to your own specifications.

PART NO.	OPENING	CUT OUT
7200630	10" x 10"	12-1/4" x 12-1/4"
7200634	14" x 22"	16-1/4" x 24-1/4"
7200636	22" x 22"	24-1/4" x 24-1/4"
7200638	18" x 28"	20-1/4" x 30-1/4"
7200646	22" x 28"	24-1/4" x 30-1/4"
7200648	22" x 34"	24-1/4" x 36-1/4"
7200650	22" x 46"	24-1/4" x 48-1/4"
7200632	T-Wrench, 3/4" Socket x 24" Long Stainless Steel	
7200681	New StyleDouble Peak Gasket (per foot)	

QUICK RELEASE ROUND STYLE HATCH



INCITE Round Hatches come with an anodized aluminum cover and frame.

They are cut and formed before a pro-grade protection is applied to ensure that the critical bolt holes and edges get anodized.

- Gasket Material is mounted on the cover and provides a watertight flush mount design.
- Stainless Steel compression latches.
- No wrench needed to operate.
- 6" Clear Opening, 7-3/8" Cut-Out, 8-1/2" Over Deck Flange
- 10" Clear Opening, 10-1/2" Cut-Out, 11-3/4" Over Deck Flange

PART NO.	MFG#	DESCRIPTION
7200607	INCITE-7QR	6" Quick Release
7200609	INCITE-10QR	10" Quick Release

THE QUICK RELEASE HATCH







7200658



- 1/4 turn single bolt mechanism provides quick and easy access
- The drain gutter integrated to the frame gives more strength and helps evacuate water
- Adjustable locks, allowing more pressure on the gasket as needed
- All moving parts are replaceable, saving on replacement cost
- The available inside handle kit allows you to use the hatch as an emergency exit and increases the safety on board (sold separately)

PART NO.	OPENING	CUT OUT
7200660	10" x 10"	12-1/4" x 12-1/4"
7200661	14" x 22"	16-1/4" x 24-1/4"
7200663	22" x 22"	24-1/4" x 24-1/4"
7200665	22" x 34"	24-1/4" x 36-1/4"
7200666	22" x 46"	24-1/4" x 48-1/4"
7200658	T-Wrench, 1-1/2" Socket x 18" Long, Stainless Steel	
7200681	New StyleDouble Peak Gasket (per foot)	



FLUSH WATERTIGHT SOLID HATCH



Outside Diameter of Deck Flange: 21-3/4" x 30-1/2".

PART NO.	OPENING	CUT OUT
7200624	15" x 24"	17-3/4" x 26-3/4"

10" CAST ALUMINIUM



Quality constructed cast aluminum Deck Plate Requires #10 Mounting Screws

- **ID:** 9-1/4"
- **OD:** 12-1/2"
- **Cutout Size:** 10-1/4"

PART NO.	DESCRIPTION
7200610	10" Deck Plate
7200606	Replacement "T" Handle

FLUSH WATERTIGHT SOLID HATCHES



7200618



7200626



7200600

- Cast Almag with S/S Handle
- Watertight to 30' Head
- 4 Dog sealing system
- Grease fittings to ensure smooth action of handle
- Watertight lip gasket
- Special seal keeps out water around seal shaft

PART NO.	OPENING	CUT OUT
7200618	18"	21"
7200626	24" x 24"	26-3/4" x 26-3/4"
7200600	Neoprene Gasket (sold per foot)	

DIAMOND SEA-GLAZE ALUMINUM DOOR

This double panel (Dutch) door is weather tight with gasketed seams, tightening dogs, stainless steel hinges and insulated double-skinned framed construction.

Photo shows a Left Hand door with the hinges on the "Outside", Left Side. These marine doors open "Outwards" only.



Door comes complete with window, lockset, 2 sets of keys and floating key ring. Framed and pre-hung door is hinged from the left side when viewing from "Outside" your vessel.

Cut out size is 28"W x 66"H. Other sizes can be ordered.



PART NO.	DESCRIPTION	
7200900	Aluminum Dbl. Panel (Dutch) Door	**Please call**

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

900 SERIES DECK HATCHES

- Low profile, snag-free design
- Tensioners on all dog bolts; stainless steel hardware with replaceable gasket
- Frame and cover injection molded black, strong polycarbonate with pebble grain lens







Hatch

PART NO.	MFG#	Hatch Opening in.	Cutout Size in.	Deck Flange OD in.
9952-044	G966---1100	16-1/2 x 16-1/2	16-7/8 x 16-7/8	18-7/8 x 18-7/8
7200519	G995---1100	19-1/2 x 19-1/2	19-3/4 x 19-3/4	21-7/8 x 21-7/8

Trim Ring

PART NO.	MFG#
9952-046	GT966--1
9952-047	GT995--1

LOW PROFILE EXTRUDED HATCHES

BOMAR



The low profile extruded hatch has a heavy duty aluminum frame and acrylic top. Heavy duty hinges and quick acting, adjustable tie down lugs for easy locking. Only 1" high above deck.

PART NO.	OPENING	CUT OUT
7200514	13" x 13"	14-1/8" x 14-1/8"
9952-225	Screen	13" x 13"
9952-215	Trim Ring, White	13" x 13""
7200549	19-1/8" x 19-1/8"	20-1/4" x 20-1/4"
7200551	Screen	19-3/8" x 19-3/8"
7200552	Trim Ring, Black	19-3/8" x 19-3/8"
7200556	Trim Ring, White	19-3/8" x 19-3/8"
7200559	24" x 24"	25-1/8" x 25-1/8"
7200561	Screen	24" x 24"
7200562	Trim Ring, White	24" x 24"

NIBO DECK HATCHES

BOMAR



A heavy duty extruded hatch bent into an attractive modern shape. Silver anodized aluminium. Tough acrylic top. Heavy duty hinges and tough arm hold open hatch. 1-3/4" above the deck.

PART NO.	OPENING	CUT OUT
7200550	19-1/8" x 19-1/8"	20-3/16" x 20-3/16"
7200551	Screen for 7200550	19-3/8" x 19-3/8"
7200552	Trim Ring, Black	19-3/8" x 19-3/8"
7200556	Trim Ring, White	19-3/8" x 19-3/8"
7200560	24" x 24"	25-1/16" x 25-1/16"
7200561	Screen for 7200560	24" x 24"
7200562	Trim Ring	24" x 24"
7200553	Repl Handle	Left Old Style
7200554	Repl Handle	Right Old Style
7200555	Repl Handle	Outside/Inside
7200555	Repl Handle	Outside/Inside

ESCAPE HATCHES

HMG



- UV Stable Plastic Resin, Chemical Resistant
- 1/4" Temper Glass
- Matching Trim Ring, features external Handles for Emergency Escape
- CE Certified

	O.D	CUT OUT
9952-288	19-1/2" x 19-1/2"	17 X 1"
9952-290	22-1/2" x 22-1/2"	20 X 2"

PART NO.	MFG#	DESCRIPTION
9952-288	592-1616-05-02GL-05	I.D. 16" x 16", White Resin
9952-289	595-1616-SCN-09	Screen, 16" x 16"
9952-290	592-1919-05-02GL-05	I.D. 19" x 19", White Resin
9952-291	595-1919-SCN-09	Screen, 19" x 19"

NIBO DECK HATCHES HANDLES

BOMAR





Occasionally a hatch dog gets damaged which can make the hatch difficult to use or render it inoperable. This Replacement Hatch Dog fits Bomar's Nibo Low Profile Extruded Hatches. These hatch dogs are Sold Each (left or right side).

Details

- Latch fits Nibo Low Profile Extruded Hatches (2009-present)
- Sold each

Hatch sold separately

PART NO.	MFG#	DESCRIPTION
7200557	P2000-18-L-KIT	Replacement, Left, New Style 2007+
7200558	P2000-18-R-KIT	Replacement, Right, New Style 2007+

HATCH ADJUSTER



Made of chrome plated brass, this hatch adjuster with easy to use knob extends from 12-3/4" to 20-3/8".

PART NO.	MFG#	DESCRIPTION
7200500	62505	Hatch Adjuster

HATCH COVER



- Hatch covers prevent the deterioration and crazing of hatch acrylic and can provide a blind for the night
- Waterproof, mildew and UV resistant Ripstop
- Stretch border with elastic straps for a neat fit
- Secure with shock cord and toggle around the rim

PART NO.	MFG#	DESCRIPTION
99BP802	BP0802	13" x 13" max
99BP804	BP0804	19-11/16" x 19 11/16" max
99BP805	P3805	22-13/16" x 22 13/16" max
99BP806	BP0806	27-1/2" x 27 1/2" max

DECK HATCHES

- Anodized aluminum, satin finish frames and 3/8" thick “dark smoke” coloured acrylic
- Open from inside or out; shut watertight or with a small ventilation gap; internal lock ensures hatch cannot be opened from outside



Magnus

- **CE classified A1** – designed for ocean use and can be fitted in any part of deck or hull
- 35.6 mm (1.4") low profile
- Friction hinges keep hatch open in any position without stays
- Opens through 180° with virtually no obstructions



Altus

- **CE classified A2 –** designed for ocean use and
  can be fitted on deck
- 21 mm (13/16") low profile
- Stylish, easy to operate hatch adjusters

MAGNUS SERIES HATCHES				OPTIONAL SCREEN & FLANGE
PART NO.	MFG#	Cutout Size in.	Overall Size in.	PART NO.
9991-944	MAG2626SL	10-1/4 x 10-1/4	13-3/32	**9991-932**
9991-943	MAG4242SL	16 -5/8 x 16-5/8	19-1/2	**9991-938**
9991-942	MAG4747SL	18-1/2 x 18-1/2	20-1/2	**9991-933**
9991-941	MAG5151SL	20 x 20	23	**9991-939**
9991-940	MAG6363SL	24-3/4 x 24-3/4	27-5/8	**9991-934**
ALTUS SERIES HATCHES				
PART NO.	MFG#	Cutout Size in	Overall Size in.	PART NO.
9991-966	ALTR420SL	16-7/16 round	19-3/8	**9991-957**
9991-948	ALT4242SL	16-5/8 x 16-5/8	19-1/2	**9991-938**
9991-949	ALTR520SL	18-1/2 round	23-5/16	**9991-956**
9991-947	ALT4747SL	18-1/2 x 18-1/2	20-1/2	**9991-933**
9991-946	ALT5151SL	20 x 20	23	**9991-939**
9991-945	ALT6363SL	24-3/4 x 24-3/4	27-5/8	**9991-934**

VETUS strongly advises against using MAGNUS hatches as an AI escape hatch in the underside of a multihull. Due to the flexible nature of these type of vessels, water tightness cannot be guaranteed unless the hatch is installed on a flat and inflexible structure.



PORTHOLES

SEAFLO





7200505

Dimensions:
I.D. 12-1/2" 5"
O.D. 15-3/4" 7-7/8"

These Seaflo Portholes are made of anti-aging and anti-ultraviolet ABS material with cast and polished 316 stainless steel accessories. These portholes with easy "click-In" construction have corrosion free synthetic fittings and durable rubber seals. The tempered glass is 4mm thick.

7200501

Dimensions:
I.D. 7-3/4"
O.D. 10-3/8"

7200503

Dimensions:
I.D. 12-3/4" 5-1/8"
O.D. 16-1/8" 8-5/8"

PART NO.	MFG#	MODEL
7200501	SFPP1-02	Porthole, Round, White
7200503	SFPP1-03	Porthole, Oval, White
7200505	SFPP1-04	Porthole, Rectangular, White

FLAGSHIP ELLIPTICAL PORTLIGHT

BOMAR



This Flagship Series moulded portlight has a patented design that includes a beveled exterior to shed water and a deep spigoted drain area.

It has an exterior stainless steel trim ring with no visible screws, a large viewing area with a smoked lens complete with screen, and adjustable quick dogs.
CE approved.
Dimensions: 7-7/8" x 16-5/8" **Cut Out:** 6-7/8" x 15-5/8"
Minimum hull thickness is 1/4". Maximum hull thickness is 1-3/8".

PART NO.	MFG#	DESCRIPTION
7200570	G619---18SS	Port Window, Blk, w/SS Ring

SELF-DRAIN OPENING PORTS

Beckson



Designed with an angled drainage spigot, eliminating the hassle of making angled cuts in the hull. Port opens to the inside. Requires #10 Mounting Screws. Comes with screens and exterior trim rings.

PART NO.	MFG#	DESCRIPTION
7200535	PO512-WC-10	White, 5-5/8" x 12-3/8" x 1"
7200540	PO714-WC-10	White, 7-1/2" x 14-3/8" x 1"
9952-062	PO512-BC-10	Black, 5-5/8" x 12-3/8"
9952-063	PO714-BC-10	Black, 7-1/2" x 14-3/8"

NON-OPENING PORT

Beckson



Beckson Clear non-opening port. Made of tough ABS with white trim.

Colour: White
Requires: #10 Mounting Screws.

PART NO.	MFG#	DESCRIPTION
9952-070	PF512-WC-20	5-5/8" x 12-3/8
7200530	PF714-WC-20	7-1/2" x 14-3/8"

8" ROUND OPENING PORT

Beckson



Beckson self drain opening ports are made of ABS with neoprene gasket and stainless steel hardware. Clear lens. Requires #10 Mounting Screws.

ID	CUT OUT	OD
8"	8-1/2"	10-3/4"

PART NO.	MFG#	DESCRIPTION
7200538	PO8RD-WC-20	Opening Port

CLEAR FIXED PORTS

Beckson



Constructed of white ABS. Clear lens.



ID	CUT OUT	OD
6"	6-1/2"	8-1/8"
8"	8-3/8"	10"

PART NO.	SIZE	DESCRIPTION
7200526	6"	White Fixed Port
7200528	8"	White Fixed Port

WEATHERSEAL





7928950



7928955



These Weatherseals are made of medium closed cell density durable and flexible sponge rubber with a heavy duty self-adhesive backing. They provide excellent resistance to water absorption, sunlight and extreme temperatures.

They prevent leaks and reduce rattling by absorbing shock and vibrations. Excellent for sealing doors, live wells, instrument covers, and electronic boxes.

Sold in 10' lengths.

PART NO.	MFG#	DESCRIPTION
7928950	V30-0109B10-1	5/8"W x 3/8"H x 10'L
7928955	V30-0113B10-1	3/8"W x 1/8"H x 10'L

HATCH TAPE



Taco Metals Hatch Tape is a medium density closed cell foam tape with a self adhesive backing. It is used to tightly seal hatches and prevent vibration. Use this tape to provide an anti-rattle seal and keep your boat's cabin quiet and prolong hatch life.

PART NO.	MFG#	DESCRIPTION
7928902	V30-0744B8-2	1/8"T x 3/4"W x 8'L
7928904	V30-0748B8-2	1/4"T x 3/4"W x 8'L

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

FLEX TRIM







Flexible Vinyl (PVC) Trim designed to cover the raw, unfinished edges of sheet materials like fiberglass, metal, glass or Plexiglas. Internal aluminum clips that have gripping tongues so you just push it on the edge & it stays in place. Give your project a beautiful finished look.

PART NO.	MFG#	COLOUR	A	B
7928500	V30-1005B25-1	Black	9/16"	5/32"
7928502	V30-1005W25-1	White	9/16"	5/32"
7928510	V30-1008B25-1	Black	1/2"	1/4"
7928512	V30-1008W25-1	White	1/2"	1/4"
7928520	V30-1312B25-1	Black	5/8"	3/8"
7928522	V30-1312W25-1	White	5/8"	3/8"
7928530	V30-1316B25-1	Black	19/32"	1/2"
7928532	V30-1316W25-1	White	19/32"	1/2"





LENCO HATCH LIFT



Designed and built to meet the harsh demands of the marine industry using non-corrosive materials with an inline motor design that will deliver over 500 lbs (226.79 kg) of force.

A clutchless ball screw drive mechanism never binds because they spin freely when the hatch is fully opened or closed eliminating limit switches and burned out motors and the lifts will not drift allowing them to run in sync on dual lift applications.

These lifts come with 2' long leads terminated with waterproof plug and play Deutsch connectors.

Power Requirements: 10A at 12V
Extension Harness: 6852230 and 6852235
CE Certified and ABYC compliant.

PART NO.	MFG#	DESCRIPTION
7022012	20768-001	24" - 36", 12" Stroke*
7022016	20774-001	29" - 45", 16" Stroke*
7022020	20778-001	33" - 53", 20" Stroke*
7022024	20782-001	37" - 61", 24" Stroke*

* Pin-to-Pin Retracted/Extended, Overall Stroke

HATCH LIFT SINGLE ROCKER SWITCH



Single Rocker Switch for hatch lifts with two 30" (76.2cm) non-terminated power leads.

PART NO.	MFG#	DESCRIPTION
7022100	15096-001	Single Hatch Lift
7022105	15098-001	Dual Hatch Lift

HATCH SLIDE BRACKET



During emergencies such as a power failure, the Lenco optional stainless steel non-locking slide bracket for hatch lifts will allow you to pull the hatch open a minimum of 5" (12.7cm) in order to remove bolt for access.

PART NO.	MFG#	DESCRIPTION
7022099	70381-001	Hatch Lift Sliding Bracket



STAINLESS STEEL GAS SPRINGS



Gas Springs provide an effective, compact, lightweight and inexpensive method of providing controlled lift assist in applications where devices need to be moved, rotated, and/or held in place.

Performance is considered to be smoother and more desirable than traditional mechanical spring mechanisms. Rod and Casing are made of 316 Stainless Steel and the inside contains environmentally friendly Nitrogen Gas and Mineral Oil.



7020060



7020065



7020070



7020075

PART NO.	FORCE LBS.	CLOSED	EXTENDED
7020000	20	5.25"	7.5"
9952-014	20	5.5"	7.5"
7020002	30	7"	10"
7020005	40	7"	10"
9952-016	40	7"	10"
7020010	40	8.4"	12"
9952-017	24	8-5/8"	14"
7020015	40	9.5"	15"
9952-018	40	9.5"	15"
7020020	30	10.2"	17.2"
7020025	40	10.2"	17.2"
7020030	40	12"	20"
9952-021	60	10-1/4"	17"
7020035	60	12"	20"
MOUNTING BRACKETS FOR SPRINGS			
7020060	AB115SS	Mounting Bracket	
7020065	AB180SS	Mounting Bracket	
7020070	FB120SS	Mounting Bracket	
7020075	BS10-1SS	3/8" Ball, 5/16" x 18 Thread	
7020062	G-1045SS	2-1/8"L x 13/16"W x 1-1/16"H	
9952-028	G-1060SS	2"L x 1-1/4"W x 1"H	
7020063	G-1085SS	2"L x 1-3/16"W x 1-1/8"H	

SPRING HOLD-OPEN



- Constructed of formed 304SS
- Installs with four #10 RH fasteners
- Internal cable to prevent over extention

PART NO.	MFG#	DESCRIPTION
9953-606	321650-1	8-5/8" ext.
9953-607	321670-1	10-1/8" ext.

WINDSHIELD ADJUSTER



- Medium duty chrome plated brass

PART NO.	MFG#	DESCRIPTION
9951-055	62507	Adjusts from 12" to 23"

RESTRAINT STRAPS



Restraint straps are manufactured of standard stainless steel cable which is covered with black PVC.

The eye fittings on each end are stainless steel and will accept a #10 screw for mounting. This door restraint will support up to 250 lbs. Designed to be used as a stop or restraint for hatch covers, lids, doors, motor covers or hinged seat to limit movement.

PART NO.	MFG#	DESCRIPTION
7020509	DRS-9	Restraint Strap 9" S/S
7020513	DRS-1-DP	Restraint Strap 13" S/S

DECK PLATES – POLYPROPYLENE



- UV stabilized water-tight access holes with O-ring seal
- Dimensions shown are clear inside dimensions

4" Diameter

PART NO.	MFG#	DESCRIPTION
9952-130	4RAW	Pry out lid, white
9952-250	4RG	Pry out lid, grey
9952-251	4RB	Pry out lid, black
9952-140	4LAW	Twist-n-lock lid, white
9952-260	4LG	Twist-n-lock lid, grey
9952-258	4LB	Twist-n-lock lid, black

6" Diameter

PART NO.	MFG#	DESCRIPTION
9952-131	6RAW	Pry out lid, white
9952-252	6RG	Pry out lid, grey
9952-253	6RB	Pry out lid, black
9952-141	6LAW	Twist-n-lock lid, white
9952-262	6LG	Twist-n-lock lid, grey
9952-259	6LB	Twist-n-lock lid, black

8" Diameter

PART NO.	MFG#	DESCRIPTION
9952-132	8RAW	Pry out lid, white
9952-254	8RG	Pry out lid, grey
9952-255	8RB	Pry out lid, black
9952-142	8LAW	Twist-n-lock lid, white
9952-264	8LG	Twist-n-lock lid , grey
9952-261	8LB	Twist-n-lock lid , black

10" Diameter

PART NO.	MFG#	DESCRIPTION
9952-133	10RAW	Pry out lid, white
9952-256	10RG	Pry out lid, grey
9952-257	10RB	Pry out lid, black

ABS SCREW OUT DECK PLATES

Water tight, Non corroding deck plates with O-ring seals.



Requires #8 mounting screws.

PART NO.	SIZE	DESCRIPTION
7260241	4"	Beckson White
7260240	4"	Beckson Black
7260242	4"	(Imported) White
7260262	6"	Beckson White
7260260	6"	Beckson Black
7260264	6"	(Clear Lid) Beckson
7260265	6"	White (Imported) w/wtrprf bag
7260280	8"	Beckson Smooth White

ABS PRY-OUT DECK PLATES



Requires #8 mounting screws.

Features:

- Watertight
- Non-corroding
- With O-ring seal
- **Colour:** White

PART NO.	MFG#	SIZE	DESCRIPTION
9952-153	DP63-W#	6"	White, with dimples
7260263	DP61-W	6"	White, smooth surface
7260283	DP83-W#	8"	White, with dimples
9952-182	DP63-B	6"	Black, with dimples
9952-192	DP83-B	8"	Black, with dimples

OVAL DECK PLATE



White pry-out water tight lid overlaps frame. No visible mounting fasteners. Lids feature positive O-ring seal and textured diamond finish. Total UV stability ensures long life.

Outside Dimensions: 15-3/4" x 8-1/2" **Inside Dimensions:** 13-1/8" x 6-1/8"
Cut Out Dimensions: 14-1/8" x 7-1/8"

PART NO.	MFG#	DESCRIPTION
7260313	DPOVAL-6D-2-DP	Oval Deck Plate

LOCKING "T" HANDLE STYLE DECK PLATE



- Locking center
- Non-Skid surface
- "O" Ring seal
- Colour: Off White
- Requires #10 mounting screws.

PART NO.	MFG#	DESCRIPTION
7260282	G840	8" Deck Plate
7260299	G844	10" Deck Plate

DECK PLATE – POLYCARBONATE





7260295

- Locking center
- Non-Skid surface
- "O" Ring seal
- Colour: Stark White
- Requires #10 mounting screws.

PART NO.	MFG#	DESCRIPTION
9952-154	G844----W	10" Dia.
7260295	GP906-07W	Replacement "T" Handle

FLAT TOP DECK PLATES



- Low profile, made of bright white Sarlon resin for lifetime durability and UV resistance, with inlaid seal to ensure a tight seal every time
- Unique plate attachment hides fastener holes

PART NO.	MFG#	DESCRIPTION
9952-279	505-105	4"
9952-280	505-205	6"
9952-281	505-305	8"

CAST BRONZE DECK PLATES WITH KEY



Requires #10 mounting screws.

PART NO.	MFG#	DESCRIPTION
710400	00DP400	4" Key Included
710600	00DP600	6" Key Included
710800	00DP800	8" Key Included
710402	00DP400K	4" Key, fits 710400 Only
9952-209	00DP800K	6" Key, Fits 710600, 710800

SURE-SEAL VERSATUBES



Recessed PVC storage tube 12" deep with 4" white deck plate cover. Excellent water-tight protection for valuables, keys, flares, etc.

PART NO.	MFG#	DESCRIPTION
7260412	VT-12-2-DP	Sure-Seal Versatubes

DECK FILL KEY – WINCH STYLE



- Fits star/winch style deck fills common on European boats
- Available in stain-less steel and black polyamide

PART NO.	MFG#	DESCRIPTION
9990-579	105396	Polyamide
9990-654	61804	Stainless

TANK ACCESS PLATE SYSTEM

A NEW SOLUTION TO AN OLD PROBLEM...





SEABUILT Access Plate System

These easy to install plates allow for repeated access to a variety of holding tanks. Isolation from tanks by using internal and external 3/32" 70-D Buna-N gasket material eliminates any electrolysis problems and messy gasket compounds.

Tank Type	Diesel Fuel Tanks	Water & Holding
Aluminum	AL Best–SS ok	AL
Carbon Steel	AL Best–SS ok	N/A
Fiberglass	AL Best–SS ok	SS Only
Iron	AL Best–SS ok	N/A
Monel	SS Best–SS ok	SS Only
Poly	AL Best–SS ok	SS Only
S/S	SS Best–SS ok	SS Only

Cover Plates and backing Rings are 3/16" thick and made of 6061 T6 Aluminum or 304 S/S The 1-1/2" long mounting studs are 304 S/S , 5/16 – 18 thread

Tank Port Cut-out:
4" 6" 8" Diameter

Cover Plate Size:
6" 8" 10" Diameter Not for use on gasoline tanks or other highly flammable materials.

PART NO.	MFG#	DESCRIPTION
7260006	APS-6	6" Aluminum
7260008	APS-8	8" Aluminum
7260010	APS-10	10" Aluminum
7260016	APS-6S	6" Stainless Steel
7260018	APS-8S	8" Stainless Steel
7260020	APS-10S	10" Stainless Steel

DECK PLATE LANYARD



Deck plate not included.

This Deck Plate Lanyard is designed to retain deck plate lids. It fits all Sea-Dog Deck Plates. Attaches to lid with #6 RH fastener (included) and to the interior hull with a #10 RH fastener (not included).

PART NO.	MFG#	DESCRIPTION
7260200	337198-1	Deck Plate Lanyard

MARINE TUNNEL BLOWER



Flexible mount blower, operates more quietly than conventional styled blowers. Water resistant. Ignition protected.

PART NO.	MFG#	DESCRIPTION
7251126	140	12v 3" 2.9 Amp, 135CFM
7251125	240	12v 4" 4.3 Amp, 235CFM
7251127	140-24V	24V 3" 1.7 Amp, 135CFM
7251124	240-24V	24v 4" 2.4 Amp, 235CFM

FLEXMOUNT BLOWERS



High volume air intake or extraction blowers for engine room, fuel compartment, galley or heads. Slip-on 3" inlet and outlet ducting connections. Built with corrosion resistant materials throughout. Flex mounting for 360° adjustable outlet. Low current draw. 150 CFM Output.

Approximate Size: 8"L x 8-1/4"W x 9"H

PART NO.	MFG#	DESCRIPTION
7251110	36740-0000	3", 12V
7251111	36740-0010	3", 24V

HEAVY DUTY FLEXMOUNT BLOWERS



Rated at 10,000 hr. motor life for the heaviest of applications. Flex mounting for 360° adjustable outlet. 4" slip on inlet and outlet ducting connections. Can be used as continuous air intake or extraction systems in engine rooms, fuel compartments, galleys or heads. 250 CFM output.

Approximate Size: 9"L x 9-1/2"W x 9-3/4"H

PART NO.	MFG#	DESCRIPTION
7251112	35770-0092	4", 12V
7251113	35770-0094	4", 24V

INLINE BLOWER



- 140 cu.ft./min
- Suitable for 3" blower hose
- Ignition protected and complies with ISO 9097 Marine Standard

PART NO.	MFG#	DESCRIPTION
9991-524	TWINLINEA	12V, 3"

IN-LINE BILGE PUMP BLOWER



- Made from high quality ABS plastic
- Five blades makes for quiet, highly efficient, and reliable operation

PART NO.	MFG#	DESCRIPTION
9921-123	66302	3", 12V, 158 cu. ft./min
9921-124	66402	4", 12V, 240 cu. ft./min

YELLOWTAIL IN-LINE BLOWERS



Shurflo has developed a unique nylon fan that includes 6 blades to ensure high performance and efficient ventilation. Installation of the Yellowtail Blower is made easy with extended barbs and a slotted mounting bracket. **3 Year Warranty.** Ignition Protected ISO 9097, USCG 183.410 Compliant. NMMA and ABYC accepted.

Size	Max. Power	Overall Dimensions	Flow Rate
3"	3.7A at 12VDC	5.1"L x 5.5"W x 3.8"D (130 x 140 x 96mm)	120 CFM
4"	5.2A at 12VDC	5.1"L x 6.4"W x 4.8"D (130 x 162 x 122mm)	220 CFM

PART NO.	MFG#	DESCRIPTION
7251128	277-3110	Blower, 3"
7251129	277-4110	Blower, 4"

7" EXTRACTION VENTILATORS



- Suitable for bulkhead mounting and 7" air ducting hose
- Ignition protected and complies with
- ISO 9097 Marine Standards
- 430 cu.ft./min

PART NO.	MFG#	DESCRIPTION
9991-521	VENT178B2	12V
9991-522	VENT178B4	24V

NEW

IN-LINE BLOWER

Designed for efficient, high output operation, these blowers feature exclusive front and rear shaft seals and corrosion resistant motor housings for long life



- Built-in mounting feet / vertical or horizontal installation.
- Very low current draw / high volume air flow.
- Five blade fan maximizes airflow and efficiency.
- Sealed motor shaft for moisture protection / long life.
- Corrosion resistant ABS plastic housing
- Meets or exceeds ISO 8846 certification

PART NO.	MFG#	DESCRIPTION
7251116	SFIB1-145-03	In-Line Blower, 3", 145 cfm, 12Vdc
7251118	SFIB1-235-04	In-Line Blower, 4", 235 cfm, 12Vdc

NEW

TURBO SERIES II BILGE BLOWER

attwood





	A	B	C	D
7251130	3-5/8"	4-1/2"	5-1/16"	3"
7251131	4-17/32"	5-1/2"	6-1/16"	4"

The improved Turbo series is quieter and has a re-engineered housing that resists deformation during installation and prevents blade to housing interference.

- The patented in-line design provides ventilation for engine compartments, galleys, bilges, and heads
- System airflow exceeds old-style in-line blowers by as much as 25%
- Draws up to 40% fewer amps, making our Turbo blowers up to four times more efficient than competitive blowers
- Marine ignition protected

PART NO.	MFG#	DESCRIPTION
7251130	1733-4	Blower, 3" I.D., 12V, 145 CFM
7251131	1749-4	Blower, 4" I.D., 12V, 230 CFM

VINYLVENT, EXTRA HEAVY DUTY

SHIELDS Marine Hose



Shields Extra Heavy Duty Vinylvent has an extra heavy PVC wall. It is supported by a vinyl coated helical wire and is resistant to Ozone, UV and corrosion.

It is flame resistant and meets the UL94V standard. This hose is Primarily used for venting bilge fumes.



Sold in 50' boxes.

PART NO.	MFG#	DESCRIPTION
3911306	116-420-3000	Vent Hose, 3", Black, 50' box
3911406	116-420-4000	Vent Hose, 4", Black, 50' box

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

VENTILATION (BLOWER) HOSE



- Corrugated wire reinforced PVC hose for air transfer in bilges or other spaces
- Will not support flame

PART NO.	MFG#	DESCRIPTION
9924-119	400-3006	White, 3" ID, 50 ft box
9924-120	400-4006	White, 4" ID, 50 ft box

POLYDUCT VENTILATION BLOWER HOSE



- Flexible, crush proof and rugged heavy duty polypropylene reinforced with flexible polypropylene helical rod
- Resistant to flex fatigue, moisture condensation, tearing and flame
- Operating temperature –40°C to 107°C

SOLD per foot. Standard 50' coil.

PART NO.	MFG#	DESCRIPTION
9923-130	481-3000	3" ID x 3-1/4" OD
9923-129	481-4000	4" ID x 4-1/4" OD
9923-128	481-7000	7" ID x 7-1/4" OD

VENTILATION (BLOWER) HOSE

HEATER CRAFT



- Corrugated wire reinforced PVC hose for air transfer in bilges or other spaces
- Will not support flame

Sold Per Foot

PART NO.	MFG#	DESCRIPTION	SOLD
9953-431	H501-2	2" Venthose	Per Ft.

VINYLVENT DUCTING HOSE

SHIELDS Marine Hose



Shields Vinylvent Ducting Hose is PVC supported by an anodized wire helix. It is resistant to UV and Ozone. This hose is primarily used for venting Bilge fumes.

PART NO.	MFG#	DESCRIPTION
3911302	116-402-3000	Blower Hose, 3", Black, **50' box**
3911402	116-402-4000	Blower Hose, 4", Black, **50' box**
3911403	116-400-4000W	Blower Hose, 4", White, **50' box**

UFO DECK VENTILATORS STAINLESS STEEL



9991-525



9991-526

- Ensures permanent ventilation and can be used with Vetus electric extraction ventilators 9991-528 and 9991-529
- High gloss 316 polished stainless steel, low profile covers are rain and splash proof
- 7-7/8" (200 mm) OD x 1.2" (30 mm) H
- Integral stainless steel mushroom ventilator comes with mosquito screen and finishing ring

PART NO.	MFG#	DESCRIPTION
9991-525	UFO2	Closable
9991-526	UFO	Fixed

UFO ACCESSORIES - ELECTRIC EXTRACTION VENTILATORS



- Two speed ventilators designed for boat cabins, toilets and saloons; ideal for heat extraction near refrigerators
- Can be installed on ceiling or wall
- Quiet, long life computer motor rated for not less than 50,000 hours
- Extremely low energy consumption rating of only 0.19 Amp at 12V; .011 Amp at 24V

PART NO.	MFG#	DESCRIPTION
9991-528	FAN12	12V
9991-529	FAN24	24V

MUSHROOM VENTS



Provides passive ventilation for your cabin by reducing stagnant air, mould and mildew without opening a hatch. Fully adjustable with a manual knob. The translucent center provides additional light down below. An O-ring and gasket prevent water ingress. A trim piece is provided for through deck installations.

Constructed of injection moulded nylon with a nylon or formed 304 stainless steel cover.
Dimensions: A: 8", **B:** 1-3/4", **C:** 4", **D:** 5"
4" hole required.
Includes all necessary hardware for installation.



PART NO.	MFG#	DESCRIPTION
7251427	727520-3	Mushroom Vent, S/S
7251428	727525-3	Mushroom Vent, Dark Grey

SOLAR POWER VENTS



Stainless steel solar power ventilator uses sunlight to operate the fan. Waterproof surface mount. 6 mounting holes. Installs with #10 pan head screws.

Overall Dia.: 8-1/2" x 2-3/4" Deep
Cut Out: 4-5/8"

PART NO.	MFG#	DESCRIPTION
7251421	13025	Solar Power Vent
7251423	13027	Solar Power Vent w/Battery

MUSHROOM VENTILATORS STAINLESS STEEL



- Polished high gloss 316 stainless steel, complete with mosquito screen and counter flange

PART NO.	MFG#	DESCRIPTION
9991-530	PORTOS1	3-11/32" opening
9991-531	ATHOS1	4-13/16" opening
9991-532	DARTAGN1	5-25/32" opening

COWL VENTILATORS – SILICONE

9992-264



9992-265

9992-266



9992-263



Type S – Fixed plastic ring

- Silicone rubber with hard plastic ring nuts and mating deck flanges
- Will not discolour in UV light

PART NO.	MFG#	DESCRIPTION
9992-263	TRAMON	3" opening
9992-264	LIBEC	3" opening
9992-265	CHINOOK	4" opening
9992-266	SAMOEN	5" opening

COWL VENTILATORS – PVC



Type S – Fixed plastic ring

- Flexible PVC vent that is screwed directly to the deck or dorade box with fasteners

PART NO.	MFG#	DESCRIPTION
9991-538	TRAMONS	3" opening

PVC FLEXIBLE VENT



White PVC with Red interior, complete with deck plate & cover.

4" deck opening.

PART NO.	MFG#	DESCRIPTION
7251415	13596	PVC Flexible Vent

304 STAINLESS STEEL COWL VENTILATOR

White interior.



PART NO.	MFG#	DESCRIPTION
7251416	13597-01	3" Ventilator
7251417	13598-01	Base for 3" Ventilator
7251418	13597-02	4" Ventilator
7251419	13598-02	Base for 4" Ventilator

COWL VENTILATORS

- Deck plate and watertight sealing cover
- Resistance to UV-rays
- Easy mounting



PART NO.	MFG#	DESCRIPTION
9990-118	16924	4-3/4" W x 9" H x 3" dia.
9990-120	16926	5-1/2" W x 9-1/4" H x 3-1/2" dia.
9990-116	16922	6-3/4" W x 3-1/2" H x 3" dia.
9990-117	16923	7-1/2" W x 6" H x 3-1/2" dia.
9990-125	17628	7-7/8" W x 11 7/8" H x 4-11/16" dia.

COWL VENTILATORS WITH DORADE BOX



- Continuous ventilation
- No water entry
- Manual closing by simple finger pressure
- Soft PVC vent and ABS dorade: both UV protected

PART NO.	MFG#	DESCRIPTION
9990-537	47821	3" opening, 6-5/16" H
9990-539	47825	4" opening, 8-1/4" H
9990-540	47827	4" opening, 11-5/8" H

SYNTHETIC DORADE BOX



- Drains off any water entering the ventilator
- Can be closed entirely using the incorporated SS mushroom ventilator, which also includes a mosquito screen
- Comes with SS or plastic male deck rings

PART NO.	MFG#	DESCRIPTION
9992-267	DJBOX	For 3" cowl vents
9992-268	TBOX	For 4" cowl vents
9992-269	YBOX	For 5" cowl vents

STREAMLINED DORADE BOX



- Shock and UV resistant polyamide
- Opening and shut off system operated from the cabin, to allow air in and out
- Prevents accidental water intrusion

PART NO.	MFG#	DESCRIPTION
9990-127	51637	3-1/2" cutout diameter (90 mm)
9990-516	54027	SS Dorade Protector

S/S LOUVERED VENTILATOR



These durable S/S louvered ventilators are 1" thick.

PART NO.	MFG#	DESCRIPTION
9952-117	13583	3 Louvers, 8”L x 4-1/4”W
7251409	13584	4 Louvers, 8”L x 4-1/2”W
7251410	13588	7 Louvers, 14-7/8”L x 3”W
7251411	13581	10 Louvers, 20-1/2”L x 3”W
9952-119	13582	10 Louvers, 20-1/2”L x 4-1/2”W

VENT BASE BOX AND LOUVERS



Stainless Steel dual outlets for 3" hose. Base 12-1/2" x 4-1/2".



4-1/2" x 12-7/8"

PART NO.	MFG#	DESCRIPTION
7251413	13531	Vent Base Box
7251412	13585	5 Louver, 12-7/8”L x 4-1/2”W

STAINLESS STEEL LOUVERED VENT



Suitable for installation on any flat or most contoured hulls. Constructed of all-welded 304 stainless steel with a polished finish. **Install with #6 screws.**

Dimensions:

- **Vent:** 16-7/8"W x 3"H x 1/16"D **Opening Required:** 2-1/16" x 15-15/16"

PART NO.	MFG#	DESCRIPTION
7251440	1499-5	Vent, Stainless Steel

VENTILATORS



Made of UV stabilized ABS, the 5-louvered ventilators measure 13-1/4" x 4-3/4" (335mm x 120mm).

The 6-louvered ventilators measure 17-7/8" x 3-1/2" (454mm x 89mm).

PART NO.	MFG#	DESCRIPTION
7251433	13545-WH	5-Louvered, White
7251434	13545-BK	5-Louvered, Black
7251435	13546-WH	6-Louvered, White
7251436	13546-BK	6-Louvered, Black

FLUSH LOUVERED VENT



Canted louvers deflect rain and spray and help conceal the collector box. Installs flush to hull. Drain slots to prevent water accumulation. Black vent is ABS plastic, white vent is ASA plastic. **Install with #8 screws.**

Dimensions:

- **Vents:** 17-9/16"W x 2-3/4"H x 1/4"D **Opening required:** 2" x 15-1/4"

PART NO.	MFG#	DESCRIPTION
7251431	1423-5	Vent, Black
7251432	1425-5	Vent, White

ROUND AIR SUCTION VENT





- Stainless steel grid and synthetic housing
- Sufficient combustion air for 16 hp engine
- Adjustable, watertight hose connector acts as a dorade box

PART NO.	MFG#	DESCRIPTION
9991-710	ERV110A	4-3⁄32" ID

ROUND LOUVERED VENT – STAINLESS STEEL



- 304 stamped stainless steel

PART NO.	MFG#	DESCRIPTION
9952-114	13505	5"

REMOVABLE ROUND VENTS



Easy, quick opening designed to be installed with a marine adhesive/ sealant. Expandable barbs to provide a secure tight fit. Made from durable marine grade composites. Ideal for lockers, engine compartments, etc. Available in black and white.

PART NO.	MFG#	DESCRIPTION
7252623	8445	Black 4"
7252624	8445W	White 4"
7252625	8465	Black 6"
7252626	8465W	White 6"
7252627	8475	Black 8"
7252628	8475W	White 8"

FLUSH THRU VENT





Injection Moulded ABS
A 2-13/16", **B** 2-3/4"
Diameter, **C** 3-5/8"
Overall,
Fasteners: 4 x #8 FH

Cut Out up to 3". Used with Hose vent elbow 7251490.

PART NO.	MFG#	DESCRIPTION
7251492	337326	Black
7251493	337316	White

HOSE VENT ELBOW



Uses Flush through vents 7251492, and 7251493 above



Injection Moulded ABS.
A 2-3/4" , **B** 3" Hose Size, **C** 2-13/16", **D** 3-5/8"

PART NO.	MFG#	DESCRIPTION
7251490	337350	Elbow, ABS

HOSE THRU VENT





Injection Moulded ABS
3" Size: **A** 2-13/16", **B** 2-7/8", **C** 3-5/8" **Fasteners:** 4 x #8 FH
4" Size: **A** 3-9/16", **B** 3" , **C** 4-15/16" **Fasteners:** 4 x #8 FH

PART NO.	MFG#	DESCRIPTION
7251450	337325	3" Hose, Black
7251451	337425	4" Hose, Black
7251452	337315	3" Hose, White
7251453	337415	4" Hose, White

COWL VENTILATOR



Cowl vents provide fresh air below decks by trapping air that comes across the top deck and then forcing it down below to your boat's cabin or interior. Stamped 304 stainless steel construction with black plastic base. Designed for use with 3" or 4" ventilation hose. Installs with four #8 or #10 FH fasteners (not included).

Dimensions:
5-5/16"W x 6"L x 2-1/4"H

PART NO.	MFG#	DESCRIPTION
7251425	331320-1	Cowl Ventilator

SHELL VENTILATOR STAINLESS STEEL



- Ideal for engine room ventilation, Scirocco can be installed horizontally or vertically directly on to hull or superstructure
- Comes with a plastic base plate, water guard and 3" hose connection

PART NO.	MFG#	DESCRIPTION
9991-533	SCIROCCO	6 square inch free flow area

3" COWL VENT



- 3" blower hose threads into neck; no clamps required

PART NO.	MFG#	DESCRIPTION
9952-090	1312DP0CHR	Chrome plated zinc with plastic base

CLAM SHELL VENTILATOR – CHROME PLATED BRASS



- Base4"x33⁄4";opening21⁄2"W x 1 5⁄8" H

PART NO.	MFG#	DESCRIPTION
9952-108	0339DP0CHR	Chrome

CLAM SHELL VENT





304 Stamped Stainless Steel Clam Shell Ventilators

PART NO.	MFG#	SIZE
7251408	13520	1-5/8”L x 1-3/4”W
9952-054	13521	2-1/2”L x 2-1/8”W
9952-102	13528-S	6-13/16”L x 5-7/8”W x 2-3/8”H
9952-103	13528-L	7-5/8”L x 6-7/8”W x 2-13/16”H

MIDGET CLAM SHELL VENT (RETAIL PACKAGED)



S/S Vent provides a splash-proof opening through transoms, cabin sides, etc. Great for routing cables and wires or for covering thru-hull openings to shield from water spray.

Pre-drilled for three #6 RH fasteners (not included).

PART NO.	MFG#	DESCRIPTION
7251414	331360-1	1-5/8"L x 1-3/4"W x 1/2"H, 1-pk.

LOUVERED VENT



7252610

7252509

Stainless Steel Polished to a mirror finish.

PART NO.	MFG#	DESCRIPTION
9952-101	13573	2-1/2”W x 5”H
9952-105	13571	4-1/2”W x 5”H
7252610	13578	10"W x 6"H
7252509	13572	5"W x 9"H

LOCKER VENT



Oval surface mount, stamped S/S with 6 mounting holes. #8 Flat head screws required.

PART NO.	MFG#	DESCRIPTION
7252502	331620	Locker Vent, Stainless Steel

BUTTERFLY VENTS



Stainless Steel butterfly vent, manually adjustable.

Dimensions: 5" diameter

PART NO.	MFG#	DESCRIPTION
9952-104	13500-01	4” Diameter
7252505	13508	5”D w/Side Knob
9952-106	13500-02	5”D w/Center Knob

BRONZE SCUPPERS



Cover Only



Solid Bronze scupper with spin out cap. Available in 2", 3" and 4".

PART NO.	MFG#	DESCRIPTION
7102013	4000100	2" x 1" Deep, Complete
7103013	4000120	3" x 3/4" Deep, Complete
7104013	4000130	4" x 5/8" Deep, Complete
7102011	4000101	2" Cover Only
7103011	4000121	3" Cover Only
7104011	4000131	4" Cover Only

FIBREGLASS SCUPPER



- Rugged fibreglass construction, complete with weighted flapper door to prevent back flow
- 3" dia. x 3" long boss; flange angle 90°

PART NO.	MFG#	DESCRIPTION
9974-002	1200134	3" White

TELESCOPING SCUPPER



This tough plastic scupper affords maximum cockpit drainage. Exclusive L-Head drainage. 5° angle further enhances drainage. Backup lid allows unrestricted flow for extremely wide transoms, components can be connected with a hose.

PART NO.	MFG#	DESCRIPTION
7102015	6152W	2" x 6" White

LARGE RECTANGULAR SCUPPER



For decks above the waterline, this large rectangular opening scupper offers maximum drainage for larger boats. It allows water and debris to quickly and easily drain away.

PART NO.	MFG#	DESCRIPTION
7102017	LRS-2-DP	Fits 2 x 5-1/2" Hole, White

SEA SCUPPER



- Automatically seals and drains self-bailing cockpits
- Clear housing allows quick visual inspection for fouling
- Fits over drain holes up to 3" dia.
- 4-1/2" dia. x 3-1/4" H

PART NO.	MFG#	DESCRIPTION
9952-148	SS3C	Fits drain holes up to 3"

FLOW-MAX BALL SCUPPER



- Replaces flapper type scuppers and drains that wear out prematurely
- Twist-off feature allows easy clearing of debris
- Clear plastic construction with stainless steel lock screw

PART NO.	MFG#	DESCRIPTION
9974-004	FMS-1-0-DP	1-1⁄8" drain

2" GARBOARD DRAIN



Low profile, threaded assembly. Low profile gives flush mount. **Mounts with #12 flat head screws.**

PART NO.	MFG#	DESCRIPTION
710200	4000160	2" Bronze Complete
710201	4000161	2" Bronze Plug Only

1" BRONZE DRAIN PLUG



Requires #10 mounting screws.

PART NO.	MFG#	DESCRIPTION
710100	00DP100	Drain Complete
710101	BBSW50	Wrench Only
710102	00DP100P	Plug Only

GARBOARD DRAIN (RETAIL PACKAGED)



Machined bronze garboard drain, 1/2" NPT tapered thread plug. 2" diameter flange OD with three countersunk holes for #10 screws for installation. Plug has a square top for use with a socket wrench.
Fasteners not included.

PART NO.	MFG#	DESCRIPTION
710051	520040-1	1/2" NPT x 2" Flange, 1-pk.

1/2" BRASS DRAIN PLUG



Brass garboard plug has a 2" flange with 1/2" square head plug. **Requires three #8 flat head screws.**

PART NO.	MFG#	DESCRIPTION
710050	40093	1/2" Drain Plug Assembly

316 S/S DRAIN PLUG



316 Stainless Steel construction.
Size: 50mm x 38mm

PART NO.	MFG#	DESCRIPTION
7101015	80097	S/S Drain Plug

For the most up to date pricing, please visit maritimemarinesupply.ca/price

DRAIN PLUG



Chrome Plated Brass base with nylon plug.

Size: 1" Dia x 2"L

PART NO.	MFG#	DESCRIPTION
7101012	40094	Drain Plug

GARDBOARD DRAIN PLUG, SS



- Captive plug prevents plug from being lost
- Constructed of cast 316SS
- Requires #8 fasteners, 1-1/8" cutout

PART NO.	MFG#	DESCRIPTION
9974-003	520065-1	Oval base
9974-009	520060-1	Round base
9974-014	520068	Replacement plug

DRAIN PLUG



- 3/4" diameter one-piece plastic threaded plug with threaded mounting flange
- Designed for personal water craft, small power or sail boats, or pontoon boats

PART NO.	MFG#	DESCRIPTION
9974-035	O-4220	Drain Plug

1" DRAIN PLUG



Screw-type drain plug with self-cleaning thread design, O-ring & super strength center retaining legs to prevent loss of plug while draining. Ideal for transom of PWC, small boats, fish wells, coolers etc.

Hole Cut Out: 1" **Flange Size:** 1-1/4" x 2"

PART NO.	MFG#	DESCRIPTION
7101010	DP10-B	1" Drain Plug

DRAIN PLUG



- For transom installation, baitwells, ice chests, tanks, etc.
- Constructed of UV resistant injection molded nylon
- 1" cutout, 2x #10 fasteners

PART NO.	MFG#	DESCRIPTION
9974-018	520010-1	Nylon Flanged Plug Assembly
9974-019	520020-1	Brass Flanged Plug Assembly
9974-017	520021	Replacement Plug Only

DRAIN PLUGS (RETAIL PACKAGED)



Twist and Snap-handle drain plugs provide an easy installation and a leak proof seal. Made of durable stamped Brass and rubber for corrosion and vibration resistance.

PART NO.	MFG#	DESCRIPTION
7101045	520070-1	Snap Handle, 1", 1-pk.
7101046	520071-1	Snap Handle 1" w/Chain, 1-pk.
7101047	520080-1	T-Handle, 1", 1-pk.

DRAIN PLUGS



Fully adjustable allows extra tight fit. Brass with neoprene seal.

PART NO.	MFG#	DESCRIPTION
7101033	40096	1" T-Handle , Brass
9971-195	520085-1	1" T-Handle, S/S
7101032	40095	1" Snap Top, Brass
9971-194	520075-1	1" Snap Top, S/S
7101034	40095-CH	1" Snap Top w/ Chain, Brass
7101042	520082-1	1-1/4" T-Handle, Brass
9974-042	40096-01	1-1/4" T-Handle, Brass
7101035	520072-1	1-1/4" Snap Top Brass
9974-041	40095-01	1-1/4" Snap Handle, Brass

BAITWELL PLUG



- Cam action for easy instal and leak proof seal
- Constructed of durable stamped brass and nitrile rubber

PART NO.	MFG#	DESCRIPTION
9974-015	520094	3/4"
9974-016	520093	5/8"

DECK & BAITWELL PLUGS



With a neoprene body, these Moeller Innovations plugs provide a leak-proof, non-slip seal featuring stainless steel plates and adjustable brass cam snaps.

PART NO.	MFG#	DESCRIPTION
7101023	053065-10	Drain Plug 1/2" ID (2 Pack)
7101124	053070-10	Drain Plug 5/8" ID (2 Pack)
7101026	053075-10	Drain Plug 3/4" ID (2 Pack)

BAILER PLUGS



These Moeller 1" Brass Snap-Tite and Turn-Tite Bailer Plugs have been the industry benchmark for many years. They are known for their durability and ease of use, these plugs provide boaters with a lasting seal on the water.

PART NO.	MFG#	DESCRIPTION
7101040	029000-50	Snap-Tite Bucket, 50 Pcs.
7101041	020899-50	Turn-Tite Bucket, 50 Pcs.

EMERGENCY GARBOARD DRAIN PLUG



This Emergency Garboard Drain Plug is a temporary replacement for a lost garboard plug. It has an attached key ring for placing it in a safe convenient location. Made of injection moulded nylon.

Fits most 1/2" NPT threaded drains.
Dimensions: A: 1/2" NPT, **B:** 1-9/16"

PART NO.	MFG#	DESCRIPTION
7101005	520059	Emergency Garboard Drain Plug

DRAIN TUBE (RETAIL PACKAGED)





Formed brass tube is flanged 90° on one end for use as a drain for transom, motorwell, livewell or baitwell applications. For use with brass or stainless-steel drain plugs.

PART NO.	MFG#	DESCRIPTION
7101038	520230-1	1" x 2-7/8", Brass, 1-pk.

DRAIN TUBE



For Motorwell, Livewell, Bait-well and transom applications.

PART NO.	MFG#	DESCRIPTION
7101030	021003-225D	1" x 2-1/4" Drain Tube
7101031	40091	1" x 3" Drain Tube
7101036	520430	1-1/4" x 2-7/8", Brass
7101037	021003-400D	1" x 4" Brass Drain Tube

ADJUSTABLE PLASTIC DRAIN TUBES



For motorwell, livewell, baitwell and transom applications. Fits 1" diameter opening. Ring snap-locks in place for tight leak proof seal.
3/4" to 2-1/2" Long.

PART NO.	MFG#	DESCRIPTION
7101029	020300-10	Adjustable Plastic Drain Tubes

FLANGING TOOL



Flanging Tool for 1" OD drain tubes with a 4.25" maximum length.

PART NO.	MFG#	DESCRIPTION
7101049	020700-00	Flanging Tool

1/2" PLUGMATE WRENCH



This Garboard Wrench has multiple deck keys and will also fit Garboard "T" style plugs. Includes one 1/2" replacement plug stored in handle.

PART NO.	MFG#	DESCRIPTION
7101099	520045-1	Plugmate Wrench

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

PRIVACY LOCK

PERKO



This contemporary stylish lock set features a chrome plated zinc alloy construction with a Left In or Right Out latch type for door thicknesses of 3/4" or 1". It locks from the inside by turning a button and has an outside safety unlock. The overall height is 5-1/4". Comes with two keys.

PART NO.	MFG#	DESCRIPTION
7202611	0730003LIC	Fits 1" Thick Door

PERKO RIM LATCH SET

PERKO



Chrome plated zinc. Sliding lock button. For door thickness 5/8" to 1-3/8". Requires #6 mounting screws.
Case Dimensions:
2-1/8" x 1-3/4"
Escutcheon Dimensions:
4-3/8" x 1-1/4"

PART NO.	MFG#	DESCRIPTION
7202600	1028DP0CHR	Rim Latch Set, Reverse Bevel
7202601	0928DP0CHR	Rim Latch Set, Regular Bevel

DOOR HANDLE LATCH – LOCKING

SEADOG LINE



This Locking Door Handle Latch is highly polished for a modern, sleek look. It features open from outside deadbolt with cylinder lock mechanism. Includes strike plate, mounting template and two keys. For doors 3/4"–1-1/2" thick. Latch and strike plate install with 4 x #8 FH fasteners (not included).

Constructed of investment cast 316 stainless steel.
Dimensions:

- **A:** 4-1/8", **B:** 3-9/16", **C:** 3/4" to 1-1/2", **D:** 5-1/4"

PART NO.	MFG#	DESCRIPTION
7202603	221615-1	Door Handle, Locking
9953-628	221610-1	Door Handle, Non-Locking

LATCH SETS RIM LOCK SET

PERKO



- Chrome plated, complete as shown
- With box strike, locked by dead bolt from inside, or key from outside
- For doors 5/8" to 1-3/8" thick
- Case size 3-7/8" x 2"

PART NO.	MFG#	DESCRIPTION
9951-110	0918DP0CHR	Model 918

LATCH SETS MORTISE LOCK SET

PERKO



- Chrome plated, complete as shown
- Locked by dead bolt from inside or key from outside
- For doors 1" to 1-3/8" thick
- Case size 2-3/4" x 2"

PART NO.	MFG#	DESCRIPTION
9951-100	0927DP0CHR	Model 927

LATCH SETS MORTISE LOCK SET

PERKO



- **Chrome plated, complete as shown**
- No keys; locked by dead bolt from inside only
- For doors 1" to 1-3/8" thick
- Case size 2-1/4" x 1-3/16"
- #6 Flat head screw

PART NO.	MFG#	DESCRIPTION
9951-105	0960DP0CHR	Model 960

PERKO®

DEPENDABLE QUALITY PRODUCTS.

PE 902-566-1220 NS 902-928-1900

PUSH BUTTON RIM LATCHES



- Plastic housing, with flat and 90° strike plates
- Installs in doors 5/8" to 7/8" thick; rosette installation requires 1" dia. hole

PART NO.	MFG#	DESCRIPTION
7206561	224300-1	Chrome plated brass
7206565	224312-1	Polished Chrome/plastic
9972-231	224301-1	Polished brass

PUSH BUTTON CABINET LATCH



- 316 SS cabinet latches function as both a latch and handle
- Positive action locking function prevents cabinets from opening while in motion
- 3/4" hole to bore for installation

PART NO.	MFG#	DESCRIPTION
9951-317	225420-1	Rectangle

CUPBOARD CATCH



Heavy chrome plated. Spring loaded cupboard catch. **Uses #6 screws.**

PART NO.	MFG#	DESCRIPTION
7206540	1102DP1CHR	1-1/2" x 1-7/8"

DOOR LATCH – SPRING LOADED



- 316 Stainless Steel
- High-tech appearance with no visual mounting screws
- Self-latching with low friction nylon slide
- Screw size #8

PART NO.	MFG#	DESCRIPTION
9951-140	9021213	4"

CUPBOARD BOLT



Chrome plated zinc cupboard bolt is great for lockers, cupboards, etc. Black plastic slide and knob. **Uses #6 screws.**

PART NO.	MFG#	DESCRIPTION
7206543	1101DP0CHR	Cupboard Bolt

ELBOW CATCHES (RETAIL PACKAGED)



A: 1-1/8"
B: 1-5/16"



This Elbow Catch is ideal for wood and metal cabinet doors where no frame is present between the doors. Made of chrome plated brass. **Catches install with #6 FH fasteners (not included).**

PART NO.	MFG#	DESCRIPTION
7202542	222330-1	Elbow Catch, 1-pk.

ELBOW CATCH



Chrome plated brass. **Uses #6 screws.**

PART NO.	MFG#	DESCRIPTION
7202541	50042-CP	Elbow Catch

ELBOW CATCH



- Chrome plated brass
- #4 Flat head screws

PART NO.	MFG#	DESCRIPTION
9951-051	8421053	1-3⁄16" x 5⁄8"

STUD CATCHES (RETAIL PACKAGED)



Ideal for applications that require repeated disengagement. The design affords no direct contact between the stud and panel surfaces preventing damage and wear.

Spring-loaded balls allow for easy adjustment of the holding strength of each catch to accommodate different door sizes. The strike can be positioned to enter from the front or from either side.
Installs with #4 or #6 FH fasteners (not included).

PART NO.	MFG#	DESCRIPTION
7202547	222841-1	1-11/16"L x 5/16"W, 2-pk.
7202549	222843-1	2-5/16"L x 7/16"W, 2-pk.

DOOR LATCH



Polished brass casing. Stainless balls with stainless springs. **Uses #6 screws**

PART NO.	MFG#	DESCRIPTION
7202546	50090	1-3/4"L x 5/16"W
7202548	50092	2-3/8"L x 7/16"W

For the most up to date pricing, please visit maritimemarinesupply.ca/price

DOOR BUTTON



- Black plastic knob, bronze spring
- 1-3/4" dia.
- Countersunk for #6 screws

PART NO.	MFG#	DESCRIPTION
9951-045	1216DP0CHR	Chrome plated

DOOR BUTTON



Highly polished chrome plated brass. Spring loaded knob has nylon buttons on underside to prevent scratching. Will not rattle. **Uses #6 screws.**

PART NO.	MFG#	DESCRIPTION
7206541	222360-1	1-3/4" Diameter Door Button

S/S CUSHIONED DOOR STOP AND CATCH



Holds the door securely against the rubber stop reducing rattles which are common with most door hooks. The spring loaded latch allows for quick and easy release. Investment Cast 316 Stainless. **Fastener:** #6 FH

PART NO.	MFG#	DESCRIPTION
7202558	221715-1	4" S/S Door Keeper

CUSHIONED DOOR HOLDER



Chrome plated brass with stainless steel spring on catch, and rubber cushioned.

Requires #6 flat head screws.

PART NO.	MFG#	DESCRIPTION
7202555	221710-1	Cushioned Door Holder

DOOR STOP CATCH



- 316 Stainless Steel
- Automatic latch features rubber bumper stop
- Screw size #6

PART NO.	MFG#	DESCRIPTION
9951-312	9021217	2-3/8"

HD BUTTON DOOR LATCH





- 7202615: Door can be opened and locked securely by pushing the button and rotating the handle 45°
- 7202616: Door can be opened and locked securely by pushing the button and rotating the handle 90°
- Works on both right and left hand transom or diving doors
- Handle 7-5/16"L, base 2-7/8"L, 1-9/16" W

PART NO.	MFG#	DESCRIPTION
7202615	0607568	w/Flush Strike
7202616	0907766	w/Surface Strike

DOOR CATCH



- Chrome plated arrow has 15/8" base, 1 3/4" projection
- Stainless steel spring clip
- Countersunk for #4 screws

PART NO.	MFG#	DESCRIPTION
9951-054	1065DP0CHR	Chrome

MAGNETIC LATCH



This Magnetic Latch uses powerful magnetic attraction to hold lids and doors securely closed. The magnets are encased in plastic to resist rust and corrosion.

PART NO.	DESCRIPTION
7202560	Latch, Magnetic

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

DOOR CATCH



Black plastic. Requires #4 RH screws.

Catch Dimensions: 1-3/8" x 7/8"
Stud Dimensions: 1-1/8" x 3/8"

PART NO.	MFG#	DESCRIPTION
7202552	0559DP	Door Catch (pair)

DOOR HOLDER



Gemlux stainless steel.

Stud: 1-1/8"L
Catch: 7/8"L

PART NO.	MFG#	DESCRIPTION
7202550	1336	Door Holder

DOOR BUMPER PADS



- 3/4"diameter; takes #8 screws

PART NO.	MFG#	DESCRIPTION
9951-107	324390-1	Black, pair
9951-109	324391-1	Clear, pair

LOCKABLE LATCH



Gemlux stainless steel.

Requires 6 x #12 fasteners (not included).

PART NO.	MFG#	DESCRIPTION
7207540	1628	4" Latch

GATE LATCH



This Sea-Dog Gate Latch is designed to be used with 1-1/4" square tubing. Ideal for pontoon gates. Constructed of corrosion-resistant investment cast 316 stainless steel. Installs with 1/4" through bolt (not included).
A: 1-1/4" **B:** 1-1/4" **C:** 2-1/2"

PART NO.	MFG#	DESCRIPTION
7202650	221880-1	Single Gate Latch

PONTOON REPLACEMENT LATCH



This durable lock set is a complete replacement kit for your pontoon's gate latch. The universal sizing fits square frames of 1", 1-1/8" and 1-1/4" on both left and right hinged gates. Includes mounting hardware for quick and easy installation.

PART NO.	MFG#	DESCRIPTION
7207560	11404-6	Replacement Latch Kit

ANTI-RATTLE DOOR KEEPER



- Chrome plated brass
- #10 Flat head screws

PART NO.	MFG#	DESCRIPTION
9951-040	50056	Chrome

ANTI-RATTLE FASTENER



Chrome plated brass. **Uses #6 screws.**

PART NO.	MFG#	DESCRIPTION
7206545	50057-CP	4" x 1-1/8"

OVER CENTER LATCH



- 316 Stainless Steel
- Heavy duty cast construction with strong holding power
- Designed to fit various applications for a tight seal on any compartment lid
- Off-center strike can be rotated to achieve desired catch tension

PART NO.	MFG#	DESCRIPTION
9972-034	9907881	3-1/4", #8 Flat head screw

CAM OVER LATCH



- 316 Stainless Steel
- Elongated wire loop is tensioned when latched
- Easy installation and superior performance
- Screw size #8

PART NO.	MFG#	DESCRIPTION
9951-168	9121590	3-11⁄16"

For the most up to date pricing, please visit maritimemarinesupply.ca/price

TRANSOM DOOR LATCH - SS



- Polished 316SS, 6-1/4" L handle
- Mounted with #10 screws, 2-1/2" centers

PART NO.	MFG#	DESCRIPTION
9972-002	70TDLS625	L handle

LARGE TRIPLE COAT HANGER



Highly-polished chrome plated brass. Uses #6 screws. Sold individually.

PART NO.	MFG#	DESCRIPTION
7205530	671520	Large Triple Coat Hook
9951-185	671525	Triple Coat Hook, Brass

SMALL SINGLE COAT HOOKS



- Takes #6 screws
- 2-1/16" height

PART NO.	MFG#	DESCRIPTION
9951-175	671500	Chrome
9951-176	671505	Brass

DOUBLE COAT HOOK



Made of chrome plated brass, this double hook is suited for both commercial and pleasure boats. **Mounts with #6 screws.**



PART NO.	MFG#	DESCRIPTION
7205535	671510	Double Coat Hook
9951-178	671515	Double Coat Hook, Brass

COAT HOOK





Cast 316 Stainless Steel
Fasteners: 2 x #8 FH (included)

PART NO.	MFG#	DESCRIPTION
7205536	671491-1	Single
7205537	671492-1	Double

COAT HOOK



- Chrome plated zinc , 3" projection

PART NO.	MFG#	DESCRIPTION
9951-029	0975DP2CHR	Chrome

DOOR HOOKS – CHROME PLATED BRONZE



- Countersunk for #6 screws

PART NO.	MFG#	DESCRIPTION
9951-030	0956DP4CHR	3"
9951-031	0956DP6CHR	4"
9951-032	0956DP8CHR	6"

DOOR HOOK – ECONOMY



- 316 Stainless Steel base and stainless steel 304 hook provide better quality
- Screw size #8

PART NO.	MFG#	DESCRIPTION
9951-197	9021397	2-11/16"
9951-198	9021398	3-7/16"
9951-199	9021399	4-11/16"

CABIN HOOK



- 316 stainless steel
- Double swivel design
- Second strike included to keep door open
- Screw size #8

PART NO.	MFG#	DESCRIPTION
9951-026	9707455	4"

DOOR HOOKS



Chrome plated brass. **Uses #6 screws.**

PART NO.	MFG#	DESCRIPTION
7210552	50025-CP	2-1/2"
7210553	50026-CP	3"
7210554	7210554	4"
9951-268	50025-BP	3", Bronze
9951-269	50026-BP	4", Bronze

DOOR HOOK (RETAIL PACKAGED)



Constructed of chrome plated cast brass this hook and eye style cabin door hook is ideal for use on doors, gates, cabinets and shutters. This hook allows for additional security on doors and cabinets to lock in closed or open positions. **Simply surface mount with four #6 FH fasteners (not included).**

PART NO.	MFG#	DESCRIPTION
7210556	222112-1	Door Hook, 2-5/16"
7210557	222113-1	Door Hook, 2-3/4"

DOOR HOOK



4" stainless steel cabin hook

PART NO.	MFG#	DESCRIPTION
7210564	50031	Door Hook

BOTTLE OPENER



Investment Cast 316 Stainless

Fasteners: 2 x #6 FH

PART NO.	MFG#	DESCRIPTION
7263800	588450-1	Bottle Opener



HEAVY DUTY BARREL BOLT (RETAIL PACKAGED)



Cast 316 stainless steel for superior corrosion resistance and durability. In vertical use, notch in barrel holds bolt in locked position. Installs easily. **Countersunk for #8 FH fasteners (not included).**

PART NO.	MFG#	DESCRIPTION
7210532	221243-1	3-1/16"L x 1-1/2"W
9975-059	221244-1	4-1/4"L x 1-1/2"W
9972-050	221255-1	6-1/2"L x 1-3/4"W

BARREL BOLT



- Extruded brass chrome plated
- #6 screws

PART NO.	MFG#	DESCRIPTION
9972-051	222503-1	3-1/2" x 3/8"

BARREL BOLT (RETAIL PACKAGED)



Chrome plated extruded brass this surface mounted barrel bolt provides additional security. In vertical use, notch in barrel holds bolt in locked position. **Installs with six #6 FH fasteners (not included).**

PART NO.	MFG#	DESCRIPTION
7209533	222502-1	2-1/2"L x 1"W

BARREL BOLTS



Chrome plated bronze. 3/8" diameter bolt. Includes Friction Pad to eliminate rattle and provide smooth operation. Uses #6 screws.

PART NO.	MFG#	DESCRIPTION
7210541	0947DP1CHR	3-7/16" x 1-7/16"
7210542	0947DP2CHR	4-5/16" x 1-7/16"
7210543	0947DP3CHR	5-1/4" x 1-7/16"

BARREL BOLTS



- 2-3/4" x 1-1/8" #4 screws

PART NO.	MFG#	DESCRIPTION
9951-035	50003-CP	Chrome plated
9951-265	50003-BP	Brass

BARREL BOLTS



Durable 316 stainless steel barrel bolts.

PART NO.	MFG#	DESCRIPTION
7210530	85026	3"
7210531	85027	3-3/4"

BARREL BOLTS



316 Cast Stainless Steel with plastic friction block to minimize vibration.

Requires #6 Fasteners.

PART NO.	MFG#	DESCRIPTION
7210535	1486	5" x 1"

BARREL BOLTS



PART NO.	MFG#	DESCRIPTION
7209531	50001-CP	3" x 1"
7209532	50002-CP	4" x 1"

BARREL BOLT – HEAVY DUTY



- 316 Stainless Steel
- Supplied with bushing to eliminate rattle and provide smooth operation
- Screw size #6

PART NO.	MFG#	DESCRIPTION
9951-194	8731444	3-1⁄2"
9951-195	8731446	4-3⁄8"

BARREL BOLT – DELUXE



- 316 Stainless Steel Cover & Nylon Body
- Knob can be positioned to keep the door open
- Spring slide assures constant engagement
- Snap cover to conceal installation fasteners, Screw size #8

PART NO.	MFG#	DESCRIPTION
9951-193	0407121	2-5⁄8"

316 STAINLESS STEEL GRAB RAILS



- Heavy duty 316L highly polished stainless steel
- 0.065" thick wall
- 6 standard sizes in 1-1/4" tubing, custom sizes on demand
- 3/16" x 3" round base plates with Anchor Hatches logo
- No scratching & turning inside fittings

PART NO.	MFG#	DESCRIPTION
7903212	17000	Grab rail 1-1/4" Tubing x 12"
7903224	17001	Grab rail 1-1/4" Tubing x 24"
7903236	17002	Grab rail 1-1/4" Tubing x 36"
7903248	17003	Grab rail 1-1/4" Tubing x 48"
7903260	17004	Grab rail 1-1/4" Tubing x 60"
7903272	17005	Grab rail 1-1/4" Tubing x 72"

STUD MOUNT HAND RAIL



- Designed to provide a sleek, smooth handrail with no visible mounting hardware.
- Constructed of corrosion-resistant formed 304 Stainless Steel

Tube OD: 3/4"
Studs: 5/16”-18 x 15/16” Long
Fastener: 5/16”-18 Nut (not included)



PART NO.	MFG#	A	B	C	D
9951-200	254112	12"	10-3/4"	2"	1-1/4"
7903219	254118	18-1/2"	16-3/4"	2"	1-1/4"
9951-202	254124	24"	22-1/2"	2"	1-1/4"

FORMED END HANDRAILS STAINLESS STEEL



- Surface mount; Mounting hardware not included
- Installs with 2 x 5/16" FH fasteners

PART NO.	MFG#	DESCRIPTION
9951-203	254312	12"
9951-204	254318	18"
9951-205	254324	24"

HANDRAILS – TEAK



- Bases 2 5⁄8" L
- Centre to centre of base 10"

PART NO.	MFG#	DESCRIPTION
		One Loop Version
9951-252	60101	13" L x 2-3⁄8" H x 1-1⁄16" D
		2 Loops Version
9951-253	60102	23" L x 2-3⁄8" H x 1-1⁄16" D
		3 Loops Version
9951-254	60104	33" L x 2-3⁄8" H x 1-1⁄16" D
		4 Loops Version
9951-255	60106	43" L x 2-3⁄8" H x 1-1⁄16" D
		5 Loops Version
9951-256	60108	53" L x 2-3⁄8" H x 1-1⁄16" D
		6 Loops Version
9951-257	60110	63" L x 2-3⁄8" H x 1-1⁄16" D
		7 Loops Version
9951-258	60112	73" L x 2-3⁄8" H x 1-1⁄16" D

GRAB RAIL, S/S, WITH SANTOPRENE GRIP



These stainless steel grab rails have a Santoprene rubber grip for offering a sure hold. **1/4"–20 studs required for mounting (not included).**

PART NO.	MFG#	DESCRIPTION
7903205	GRB0101	Undermount, 9"
7903206	GRB0201	Topmount, 9"

LIFTING HANDLE



Chrome plated zinc.
5-3/4" long x 1-3/4" wide

PART NO.	MFG#	DESCRIPTION
7211535	222350	5-3/4"

LIFT HANDLE (RETAIL PACKAGED)





Made of investment cast 316 stainless steel.
A: 5-3/4" **B:** 2-5/8" **C:** 1-1/4"

PART NO.	MFG#	DESCRIPTION
7211538	221275-1	Handle, 1-pk.

For the most up to date pricing, please visit maritimemarinesupply.ca/price

MIGHTY GRIP HANDLES



Extra-large, rugged construction. No need to paint them–and the aluminium casting means no rusting, ever!

Use them on your boat, tool box, truck, camper-anywhere you need a good, firm grip. **Sold in pairs.**

PART NO.	MFG#	DESCRIPTION
7211537	1840054	7-1/2"

VINYL GRAB HANDLES



Built-in fastener cover system. This one-piece design eliminates the problem of loose caps. Strong polypropylene inner core with a moulded vinyl cover withstands harsh marine environments. Installs with two #12 fasteners. Hole pattern is on 7-1/2" centers.

PART NO.	MFG#	DESCRIPTION
7211530	2050-1	White
7211531	2054-1	Black

LIFT HANDLE – CHROME PLATED ZINC



- Countersunk for #10 screws

PART NO.	MFG#	DESCRIPTION
9972-052	224260-1	5-7/8" x 2"

CABINET HANDLES



- 4" Handless requiered 2 #8 flat head screws
- 6" Handless requiered 2 #10 flat head screws

PART NO.	MFG#	DESCRIPTION
	#8 Flat head screw	
9983-722	222345-1	4", Chromed Brass
9983-723	222346-1	4", Brass
	#10 Flat head screw	
9983-724	222348-1	6", Chromed Brass
9983-725	222349-1	6", Brass

FLUSH PULL



- Black plastic flange
- Spring loaded; mounts horizontally or vertically
- 3-1/4" x 3/4"
- Countersunk for #8 screws

PART NO.	MFG#	DESCRIPTION
9972-256	1221DP0CHR	Chrome plated

GRAB HANDLE – STAINLESS STEEL



- 316 Stainless Steel
- Heavy duty grab handle
- Screw size #14

PART NO.	MFG#	DESCRIPTION
9951-263	8812205	6"

SUCTION CUP HANDLE



Portable, Suction Cup Handle mounts easily in any direction on any non-porous surface leaving no marks or damage. No holes, screws, or tools required.

For use above or below the waterline. Constructed of non-corrosive injection moulded nylon and Nitrile-Buna rubber.



Designed to assist grip, not to leverage full body weight.
Dimensions: A: 5-7/8", **B:** 5/8", **C:** 4"

PART NO.	MFG#	DESCRIPTION
7211540	490050-1	Suction Cup Handle

FLUSH SPRING LOADED LIFT HANDLE



Stamped stainless steel. **Uses #6 screws.**

PART NO.	MFG#	DESCRIPTION
7201542	1259	3" x 2-3/16"

FLUSH HATCH LIFTER – STAINLESS STEEL



- 316 stainless steel
- Countersunk for #6 screws



- Light duty stamped stainless steel

PART NO.	MFG#	DESCRIPTION
7201541	80261	2-1/4" W x 3" L x 3/8" D
9972-261	51003	Stamped Stainless Version 2-1/4" x 3"

RING PULL - CHROME PLATED BRASS



- Swivel Hasp – Heavy Duty
- 316 Stainless Steel
- Swivel locking eye
- Accepts padlock up to 8mm shackle
- Screw size #6

PART NO.	MFG#	DESCRIPTION
9972-000	222400	1-3/4" x 1-1/2" #6 Screw
9972-001	222410	2-1/2" x 2" #8 S crew

FLUSH PULL – STAINLESS STEEL



- 316 Stainless Steel
- Flush hatch pull
- Pop out design
- Screw size #8

PART NO.	MFG#	DESCRIPTION
9951-207	9507480	3-1/4" x 13⁄16" x 7⁄16"

TWO-FINGER LIFT PULL



316 Cast stainless steel spring loaded lift pull is non-locking.
2" Cut out for mounting.

PART NO.	MFG#	DESCRIPTION
7201550	1266-2	Two-Finger Lift Pull

RING PULL





Stainless steel construction.
Uses #6 screws.

7201543 7201544

PART NO.	MFG#	DESCRIPTION
7201543	80262	1-1/2" x 1-7/8"
7201544	35031	2-1/2" x 1-3/4"

RING PULL



- 2-3/8" diameter, 316SS

PART NO.	MFG#	DESCRIPTION
9951-128	51021-S6	#6 Flat head screw

RECTANGULAR FLANGE FLUSH HATCH DOG



For Securely "Dogging" (fastening) Deck Hatches with no rattles when "Dogged" down. Made of Chrome Plated Bronze with Stainless Steel lock nuts and has O-Ring seals for water resistance.

- Max. Hatch Thickness: 2"
- Cam Bar Adjustment: 1-1/4" to 2"
- Dimensions Face Plate: 3-13/16" x 3"
- Screw Size: #8

PART NO.	MFG#	DESCRIPTION
7201552	0777002CHR	3" Hatch Dog w/Flush Strike

SLAM LATCH



This Slam Latch has a push-to-close functionality and are activated by the shutting or slamming of a door. This latch features a recessed, rattle-free, spring loaded T-handle for quick access.

- Constructed of corrosion resistant investment cast 316 stainless steel.
- Cut out size, 1-1/2" Diameter.
- Latch O.D. is 1-3/4" Round
- Includes hardware to mount latch.

Keeper hardware not included.

PART NO.	MFG#	DESCRIPTION
7202565	221961	Slam Latch

LIFT HANDLE – GRAND SERIES



- 316 Stainless Steel
- New full handle and flush design
- Features a spring loaded handle for silent operation
- Hidden screw and watertight design
- 1" installation hole is required

PART NO.	MFG#	DESCRIPTION
9972-021	1007861	Screw size #6

HATCH COVER PULL



Stamped 304 Stainless, 1-15/16" long with a 1-1/4" round base.

PART NO.	MFG#	DESCRIPTION
7201549	221842-1	Pull & Rubber Gasket Set

DRAWER PULLS – TEAK



Come in package of two, with mounting screws Recess Mount

PART NO.	MFG#	DESCRIPTION
9951-229	60124-A	Oblong 4-1⁄16" L x 1⁄2" D
9951-230	60127-A	Round 1-3⁄8" Dia. x 3⁄8" D
9951-233	60135-A	Rectangular 3-1⁄4" L x 1⁄2" D
9951-236	60142-A	Large rectangular 4-1⁄2" L x 1⁄2" D

DRAWER KNOBS – TEAK



- Package of two with mounting screws included

PART NO.	MFG#	DESCRIPTION
9951-228	60120-A	2" diameter round
9951-231	60130-A	1 1⁄8" square
9951-232	60131-A	2-3⁄4" L rectangular.

FLUSH DOOR PULL

PERKO



- 3-3/4" x 1-3/4" x 7/16" deep
- Countersunk for #6 screws

PART NO.	MFG#	DESCRIPTION
9972-257	1110DP0CHR	Flush Door Pull

DRAWER PULL

PERKO



- 3-7/16" overall width
- Countersunk for #6 screws

PART NO.	MFG#	DESCRIPTION
9972-266	0958DP0CHR	Chrome plated

DRAWER KNOB

SEADOGLINE



Constructed of highly polished chrome plated brass.

Thread is M6–1.00mm.

PART NO.	MFG#	DESCRIPTION
7206542	224350-1	7/8" Diameter Drawer Knob

FOLDING STEP



Chrome plated brass.
Step size: 2" x 3-1/4"
Base size: 4-1/4" x 1-3/4"

PART NO.	MFG#	DESCRIPTION
7903295	35033	Folding Step

MARINE PADLOCKS

Marine Town



- Brass body and stainless steel latch

PART NO.	MFG#	DESCRIPTION
9951-120	2230000	1-3/16
9951-122	2250000	2"

COMBINATION KEY BOX LOCK

SEADOGLINE



This large capacity Combination Key Box Lock fits multiple keys and is great for dock boxes and entry doors. The hinged side opening door is permanently attached to prevent loss.

Hang the lock box on a door, fence, railing, or anywhere it can be securely locked. The programmable combination is preset to open on 0-0-0-0 and has thousands of personalized combination code options. Constructed of powder coated steel with a hardened steel shackle for extra security. Combination reset instructions included.

Dimensions:

- **A:** 1-5/8", **B:** 2-1/2", **C:** 5/16", **D:** 5-3/16"

Interior Dimensions: 4-1/2"L x 1-1/2"D x 7/8"

PART NO.	MFG#	DESCRIPTION
7207629	222009-1	Lock Box

BANSHEE ALARM PADLOCK



Protect your boat, trailer and property with this weatherproof alarm-equipped padlock. When tampered with the 110 decibel alarm "screams like a Banshee" warding off potential thieves. Can be de-activated for trailering.

PART NO.	MFG#	DESCRIPTION
7207628	LB-TLRLCK-DP	Padlock, Alarm

SWIVEL HASP – HEAVY DUTY

Marine Town



- Swivel Hasp – Heavy Duty
- 316 Stainless Steel
- Swivel locking eye
- Accepts padlock up to 8mm shackle
- Screw size #6

PART NO.	MFG#	DESCRIPTION
9951-196	3408514	3”

HEAVY DUTY SLIDE HASP

SEADOGLINE



Weight: 0.92 lbs
Requires 1/4" FH

PART NO.	MFG#	DESCRIPTION
7207546	221140	Single Hasp

HEAVY DUTY HASP



Extremely heavy cast with highly polished chrome. Padlock hole 1/2" in diameter. **Overall Length (open):** 5-7/8" **Uses #8 screws.**

PART NO.	MFG#	DESCRIPTION
7207545	222150-1	4-1/4" x 1-5/8"

STAINLESS STEEL SWIVEL HASPS



Stainless Steel. Uses #6 screws. Padlock hole 5/16" in diameter.

PART NO.	MFG#	DESCRIPTION
7207544	50074	3"

STAINLESS STEEL SWIVEL HASP (RETAIL PACKAGED)





Accepts padlocks with a 5/16" bail or less. Installs with eight #8 FH (not included). For added security, all mounting screws are concealed when hasp is closed.

PART NO.	MFG#	DESCRIPTION
7207547	221130-1	2-11/16"L x 1-1/16"W, 1-pk.

HASPS – CHROME PLATED BRASS



PART NO.	MFG#	DESCRIPTION
9951-024	50019-CP	4" x 1" closed size
9951-025	50071	2-3/4" x 1" closed size

DOOR HASPS – BRASS



PART NO.	MFG#	DESCRIPTION
9951-310	50018-BP	3" closed
9951-311	50019-BP	4" closed

LOCKABLE HASP







Stainless steel and chrome plated brass. 2 keys. **Uses #8 screws.**

PART NO.	MFG#	DESCRIPTION
7208543	8610612	Locking Hasp

So, What's the Difference?

Why two types of Stainless?

18-8:

300 series stainless steel having approximately (not exactly) 18% chromium and 8% nickel. The term "18-8" is used interchangeably to characterize fittings made of 302, 302HQ, 303, 304, 305, 384, XM7, and other variables of these grades with close chemical compositions. There is little overall difference in corrosion resistance among the "18-8" types, but slight differences in chemical composition do make certain grades more resistant than others against particular chemicals or atmospheres. "18-8" has superior corrosion resistance to 400 series stainless, is generally nonmagnetic, and is hardenable only by cold working.

316:

For severe environments. Of course, there are many industrial processes that require a higher level of resistance to corrosion than Type 304 can offer. For these applications, Type 316 is the answer.

Type 316 is also austenitic, non-magnetic, and thermally nonhardenable stainless steel like Type 304. The carbon content is held to 0.08% maximum, while the nickel content is increased slightly. What distinguishes Type 316 from Type 304 is the addition of molybdenum up to a maximum of 3%.

Molybdenum increases the corrosion resistance of this chromium-nickel alloy to withstand attack by many industrial chemicals and solvents, and, in particular, inhibits pitting caused by chlorides. As such, molybdenum is one of the single most useful alloying additives in the fight against corrosion.

By virtue of the molybdenum addition, Type 316 can withstand corrosive attack by sodium and calcium brines, hypochlorite solutions, phosphoric acid and sulfite liquors/sulfurous acids. Type 316 is the main stainless used in the marine environment, with the exception of fasteners and other items where strength and wear resistance are needed, then Type 304 (18-8) is typically used.

STERN EYE - HEAVY DUTY



This Heavy Duty Stern Eye is for use as a tie-down point on your boat's stern. Backing plates provide added rigidity. Machined 304 stainless steel. **Includes adjustable finish nuts.**

Dimensions:

- **A:** 5/8"–13, **B:** 7", **C:** 1-1/4", **D:** 10-3/16", **E:** 1-15/16", **F:** 3-3/4", **G:** 2-3/4" **Maximum hull thickness:** 6"



PART NO.	MFG#	DESCRIPTION
7912210	080098	Stern Eye, HD 5/8" x 10"

U-BOLTS STAINLESS STEEL



Multipurpose Stainless Steel U-Bolts includesplates and nuts.

PART NO.	MFG#	DESCRIPTION
7912206	53551	3/8" x 5" (3-1/4" Threaded)
7912207	72817	3/8" x 7" (5-1/4" Threaded)
7912208	53558	1/2" x 5-1/2" (3-1/4" Threaded)

DELUXE BOW EYES



- Stainless Steel 304
- Welded and polished face plate to reduce potential rust
- Upgraded quality appearance

PART NO.	MFG#	DESCRIPTION
9951-208	9026293	3/8" x 2-1/2" L
9951-209	9026313	1/2" x 4-1/2" L
9951-259	9026316	5/8" x 5-1/2" L

TWIN SHANK BOW EYE



- Zinc chrome plated head
- Chrome steel studs
- Complete with nuts and washers

PART NO.	MFG#	DESCRIPTION
9971-345	079233-1	5-1/4 OAL

U BOLTS - 18-8 STAINLESS STEEL



PART NO.	MFG#	Size	ID	Thread L	OAL
9982-099	S0351-07020	1/4"	1-1/8"	1"	2"
9982-100	S0351-07025	1/4"	1-1/2"	1-3/8"	2-3/4"
9982-101	S0351-08032	5/16"	1-3/4"	1-1/8"	2-11/16 "
9982-102	S0351-08038	5/16"	2"	1"	2-11/16 "
9982-103	S0351-08050	5/16"	2-1/2"	1"	3-3/16"
9982-104	S0351-08065	5/16"	3"	1"	3-11/16 "
9982-107	S0351-10050	3/8"	2-1/2"	1-1/4"	3-1/8"
9982-108	S0351-10065	3/8"	3"	1-1/4"	3-5/8"
9982-109	S0351-10075	3/8"	3-1/2"	1-1/4"	4-1/8"
9982-110	S0351-13090	1/2"	4"	1-1/2"	5-1/2"
9982-111	S0351-13100	1/2"	4-1/2"	1-1/2"	6"
9982-112	S0351-13125	1/2"	5-5/8"	2"	7-1/4"

DIAMOND PAD EYE



Made from highly polished 316 stainless steel for long life. **Mounts with 1/4" machine screws.**

PART NO.	MFG#	DESCRIPTION
7912249	69214	3-3/32"L x 1-15/16"W
7912250	69215	3-15/32"L x 2-3/16"W
7912251	69216	3-7/8"L x 2-3/8"W

PAD EYE – FOLD AWAY



- 316 Stainless Steel
- Strong yet compact oval base with countersunk screw holes
- Friction hinged eye stays in position
- Anti-rattle
- Screw size 1/4"

PART NO.	MFG#	DESCRIPTION
9951-337	9706385	2-3/4"

PAD EYES

316 Stainless Steel, Oblong base.



Cast
7912240



Stamped & Welded
7912235

PART NO.	MFG#	DESCRIPTION
7912240	69211	Cast , 7/8" x 3"
7912235	69206	Stamped & Welded 3/4" x 2-3/8"

PE 902-566-1220 NS 902-928-1900

EYE STRAP



316 Stainless Steel
Uses #8 and #10 screws.

PART NO.	MFG#	DESCRIPTION
7201545	88542	1-7/8"L x 3/8"H clear
7201546	85018-03	2-1/2"L x 5/8"H clear

PAD EYE - 304 SS

SEADOGLINE



PART NO.	MFG#	DESCRIPTION
9971-339	081200	5/16" x 3/8" x 1-3/8"
9971-340	081205	3/8" x 1/2" x 1-5/8"

EYE STRAP (RETAIL PACKAGED)

SEADOGLINE



Great for block attachment, controlling lead lines and creating tie down points. Made of stamped stainless steel. Installs with two #8 or #10 RH fasteners (not included).

PART NO.	MFG#	DESCRIPTION
7201560	081101-1	1/2" Clear x 1-1/8"L, 4-pk.
7201561	081102-1	5/8" Clear x 1-3/8"L, 4-pk.
7201562	081103-1	3/4" Clear x 1-3/4"L, 2-pk.
7201563	081104	1" Clear x 2-1/2"L, 1-pk.

PLATE RING – STAINLESS STEEL



- Polished stainless steel
- 3-3/16" L plate with 3/4" inside dia. eye.
- Outside ring diameter 2-1/2"
- Requies #10 flat head screw

PART NO.	MFG#	DESCRIPTION
9972-067	53597-03	S/S Plate Ring

PLATE RING – GALVANIZED



- Galvanized malleable iron
- 3/8" x 2" ring; 2-1/8" x 2-1/8" plate
- requieres 1/4" Flat head screw

PART NO.	MFG#	DESCRIPTION
9972-065	FIG 145#2	S/S Plate Ring

HINGED PAD EYE



304 Stainless Steel 5/16" diameter eye with backing plate. Requires 1/4" bolts.

Approximately: 2-1/4" x 2"

PART NO.	MFG#	DESCRIPTION
7912255	53598-02	Hinged Pad Eye

RING STAINLESS STEEL

SEADOGLINE



PART NO.	MFG#	DESCRIPTION
9971-325	191520	5/16" thick x 2" ID

S/S EYE/RING BOLTS



PART NO.	MFG#	DESCRIPTION
7912800	77108	5/16" x 2"
7912803	6-3/8X6BRSS	3/8" x 6"
7912805	6-1/2X6BRSS	1/2" x 6"
7912808	6-1/2X8BRSS	1/2" x 8"
7912812	6-3/4X10BRSS	3/4" x 10"

RING BOLTS 304 STAINLESS STEEL

MarineTown



PART NO.	MFG#	DESC.
9972-030	S319-063590	1/4" x 3-3/4"
9972-031	S319-0845100	5/16" x 4-5/16"
9972-032	S319-1050100	3/8" x 5-1/8"
9972-033	S319-1260180	1/2" x 6-1/4"

SHOULDERED RING BOLTS GALVANIZED



PART NO.	MFG#	DESCRIPTION
9972-056	6-1/2X6BGR	1/2" x 6"
9972-060	6-3/4X10BGR	3/4" x 10"

For the most up to date pricing, please visit maritimemarinesupply.ca/price

SHOULDERED EYE BOLTS 316 SS



316 Stainless Steel

PART NO.	MFG#	DESCRIPTION
9972-025	9107623	6 mm x 2-3⁄8"
9972-026	9107629	8 mm x 3-1⁄8"
9972-027	9107635	10 mm x 4"
9972-028	9107639	12 mm x 4-3⁄4"

EYE BOLTS WITH SHOULDER





Sea-Dog eye bolts with shoulder are designed to take inline loads. Shouldered eyebolts can handle limited side loading. **Threads are metric; washer and nut are included.** Made of machined stainless steel. **Sold 1 per pack.**

Note: 7912842 has a usable length of 3-15/16" although only 3-1/4" of the shaft is threaded. 7912844 has a usable length of 6-5/16" although only 3-1/4" of the shaft is threaded.

Part No.	A	B	C	D	E	Breaking Strength
7912830	6-1mm	2-3/16"	1/2"	1-1/8"	1"	3,000 lbs.
7912832	6-1mm	3-3/8"	1-2"	2-5/16"	1"	3,000 lbs.
7912834	8-1.25mm	2-9/16"	9/16"	1-5/16"	1"	5,250 lbs.
7912836	8-1.25mm	4-5/16"	5/8"	3"	1"	5,250 lbs.
7912838	10-1.50mm	3-3/8"	5/8"	1-15/16"	1-3/16"	8,950 lbs.
7912840	10-1.50mm	5-3/8"	5/8"	3-15/16"	1-3/16"	8,950 lbs.
7912842	12-1.75mm	5-1/2"	3/4"	3-15/16"	1-3/16"	10,100 lbs.
7912844	12-1.75mm	7-7/8"	3/4"	6-5/16"	1-3/16"	10,100 lbs.

PART NO.	MFG#	DESCRIPTION
7912830	080463-1	Eyebolt, 6mm x 1-1/8"
7912832	080466-1	Eyebolt, 6mm x 2-5/16"
7912834	080483-1	Eyebolt, 8mm x 1-5/16"
7912836	080488-1	Eyebolt, 8mm x 3"
7912838	080495-1	Eyebolt, 10mm x 1-15/16"
7912840	080499-1	Eyebolt, 10mm x 3-15/16"
7912842	080504-1	Eyebolt, 12mm x 3-15/16"
7912844	080506-1	Eyebolt, 12mm x 6-15/16"

SHOULDERED EYE BOLTS GALVANIZED



Galvanized. Shouldered.

PART NO.	MFG#	DESCRIPTION
7913242	29711020	1/4" x 2"
7913244	29711040	1/4" x 4"
7913252	29712022	5/16" x 2-1/4"
7913262	29713025	3/8" x 2-1/2"
7913264	29713045	3/8" x 4-1/2"
7913283	29714032	1/2" x 3-1/4"
7913286	29714060	1/2" x 6"
7913294	6-5/8X4GS	5/8" x 4"
8060112	6-3/4X41/2GS	3/4" x 4-1/2"
8060115	6-1X6GS	1" x 6"

EYE BOLTS



18-8 Stainless Steel

PART NO.	MFG#	DESCRIPTION
9982-165	S0310-05050	3⁄16" x 2"
9982-166	S0310-07050	1⁄4" x 2"
9982-167	S0310-07075	1⁄4" x 3"
9982-168	S0310-07100	1⁄4" x 4"
9982-169	S0310-08100	5⁄16" x 4"
9982-170	5198-114	5⁄16" x 5"
9982-171	S0310-10100	3⁄8" x 4"
9982-172	S0310-10125	3⁄8" x 5"
9982-173	S0310-10150	3⁄8" x 6"
9982-174	5198-121	3⁄8" x 8"

LAG SCREWS



18-8 Stainless Steel

PART NO.	MFG#	DESCRIPTION
9982-095	S0327-07075	1⁄4" x 3-1⁄4"
9982-096	S0327-07100	1⁄4" x 5"
9982-097	S0327-08100	5⁄16" x 4"
9982-098	S0327-10065	3⁄8" x 4-1⁄2"

SCREW EYE LAG SCREWS



- Stainless Steel 18-8

PART NO.	MFG#	DESCRIPTION
9983-718	5198-053	3⁄16" x 1-1⁄2"
9983-719	5198-055	1⁄4" x 2"
9983-720	5198-057	5⁄16" x 2-1⁄2"

HEAVY DUTY STAINLESS STEEL HINGES

BUCK ALGONQUIN MARINE HARDWARE





For any application where a rugged hinge is necessary. Sold individually. 316 Stainless Steel.

7212224 7212225

PART NO.	MFG#	DESCRIPTION
7212224	70SSH4X6	4" x 6" Hinge
7212225	70SSH5X8	5" x 8" Hinge

ROUNDED CORNER STAINLESS STEEL HINGE





316 Cast stainless steel. Sold individually.

7212223 7212229

PART NO.	MFG#	DESCRIPTION
7212223	WH10300	4" x 4"
7212229	162402	5" x 5" x .167" Thick

BUTT HINGES WITH BEARINGS

SEADOGLINE



7212232 7212233 7212234

Designed for applications where extra strength and corrosion resistance are required, these butt hinges feature silent movement and no rattle due to integral nylon bearings. Commercial screw hole pattern. Investment Cast 316 Stainless. **Thickness:** 1/8" Requires 1/4" FH. Sold individually.

PART NO.	MFG#	DESCRIPTION
7212222	205242	Butt Hinge, 3" x 3"
7212232	205243	Butt Hinge, 3" x 4"
7212233	205244	Butt Hinge, 4" x 4"
7212234	205246	Butt Hinge, 5" x 5"

HEAVY DUTY STAINLESS STEEL BUTT HINGES





Uses #10 screws. Sold individually.

PART NO.	MFG#	DESCRIPTION
7212335	30109	2" x 2"
9951-087	80182-01	1-1/2" x 1-1/2"

LIGHT DUTY S/S BUTT HINGES



7212226 7212227 7212228

Uses #8 screws. 304 Stainless Steel Sold individually.

PART NO.	MFG#	DESCRIPTION
9951-009	52595	1-1/2" x 2"
7212226	52597	2" x 2"
7212227	52598	3" x 2"
7212228	52599	3" x 3"

BUTT HINGE (RETAIL PACKAGED)

SEADOGLINE



retail Packaging

These Stainless Steel butt hinges are designed for a flush installation. **Installs with four #8 FH fasteners (not included).** Made of stamped stainless steel.

PART NO.	MFG#	DESCRIPTION
7212250	201072-1	2" x 2", 2-pk.
7212252	201080-1	2" x 3", 2-pk.
7212253	201081-1	3" x 3", 2-pk.

BUTT HINGES – MEDIUM DUTY

Marine Town



- 1/8" thick polished 316 stainless steel

PART NO.	MFG#	DESCRIPTION
9951-130	8936621	1-1/2" x 1-1/2", takes #8 screws
9951-131	8936622	2" x 2", takes #8 screws
9951-132	8936613	3-1/4" x 4", takes #12 screws

FRICTION HINGES

Marine Town



- 316 Stainless Steel
- Provides constant torque throughout the entire range of motion
- Holds door open at any desired angle without torque adjustment
- Ideal for light-weight doors, such as overhead door, baitwell lid, glove box, interior door, anchor locker, electronic panel, etc.
- Silicon caulking on cover is required
- #8 Flat head screws

PART NO.	MFG#	DESCRIPTION
9972-022	0319221-A	1-1/2" x 1-1/2"
9972-024	0319227-A	1-1/2" x 2-1/4"
9972-029	0319223-A	3" x 1-9/16"

HINGES – MEDIUM DUTY



- 1/8" thick polished 316 stainless steel

PART NO.	MFG#	DESCRIPTION
9951-135	8936635	1-1/2" x 3" , #8 screws
9951-136	8936636	1-1/2" x 4" , #8 screws

HINGES – HEAVY DUTY



- 3/16" thick polished 316 stainless steel

PART NO.	MFG#	DESCRIPTION
9951-093	80183-01	1-1/2" x 3" , #10 screws
9951-094	80183-02	1-1/2" x 4" , #10 screws

DOOR HINGES – MEDIUM DUTY



- 1/8" thick polished 316 stainless steel

PART NO.	MFG#	DESCRIPTION
9951-133	8936631	1-1/2" x 2-1/4", #8 screws
9951-134	8936632	1-1/2" x 3", #8 screws

STAINLESS STEEL HINGE



7212325 **7212330**

316 stainless steel hinges. Sold individually.

PART NO.	MFG#	DESCRIPTION
7212325	30112	2-1/4" x 1-1/2"
7212330	30113	3" x 1-1/2"

DOOR HINGE



Stamped 304 Stainless
Thickness: 1.5mm
Weight: 0.14 lbs/pair
Requires #8 FH.
Sold in pairs.

PART NO.	MFG#	DESCRIPTION
7212200	201030-1	Door Hinge, Pair

FLUSH DOOR HINGE



Stamped 304 Stainless
Thickness: 1/16"
Requires #8 FH. Sold in pairs.



PART NO.	MFG#	DESCRIPTION
7212201	201535-1	Flush Door Hinge, Pair

ROUND SIDE DOOR HINGE – SHORT



Stamped 304 Stainless
Thickness: 1/16"
Weight: 0.24 lbs/pair
Requires #8 FH.
Sold in pairs.

PART NO.	MFG#	DESCRIPTION
7212210	201700-1	Side Door Hinge, Pair

DOOR HINGE, SHORT SIDE



Short one-side door hinges are made of stamped 304 stainless steel.
Thickness: 1/16"
Uses #10 FH Screws.
Sold in Pairs.

PART NO.	MFG#	DESCRIPTION
7212212	201750-1	Door Hinges (Pair) 2-1/4" x 6"

FLUSH TWO PIN HINGE–LONG



Stamped 304 Stainless **Thickness:** 1/16"
Requires #6 FH. Sold in pairs.

PART NO.	MFG#	DESCRIPTION
7212205	201550-1	Two Pin Hinge, Pair

DOOR HINGES – LIGHT DUTY



- 1/16" thick polished stainless steel
- Countersunk for #6 screws

PART NO.	MFG#	DESCRIPTION
9951-041	52548	1-7/16" W x 2-3/8" L
9951-019	52549	1-7/16" W x 3" L
9951-042	52550	1-7/16" W x 3-13/16"

PE 902-566-1220 NS 902-928-1900

STAINLESS STEEL STRAP HINGE



316 Cast stainless steel hinge. Sold individually.

PART NO.	MFG#	DESCRIPTION
7212305	119901	5.25" x 1.06"

STRAP HINGES – MEDIUM DUTY



- 1⁄8" thick polished 316 stainless steel
- Countersunk for #8 screws

PART NO.	MFG#	DESCRIPTION
9951-144	8936641	1" x 4"
9951-145	8936643	1-1⁄8" x 6"

ROUND SIDE HINGES - MEDIUM DUTY



- 1⁄8" thick polished 316 stainless steel
- Countersunk for #8 screws

PART NO.	MFG#	DESCRIPTION
9951-141	8936646	1-1⁄2" x 4-1⁄2"

HEAVY DUTY STAINLESS STEEL STRAP HINGES



Uses #10 Screws. 316 Stainless Steel Sold individually.

PART NO.	MFG#	DESCRIPTION
7212304	30110	4" x 1"
7212306	30111	6" x 1-1/8"

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

TAKE-APART HINGE

Left - 7212215 **Right - 7212216**



Investment Cast 316 Stainless
Thickness: 3/16" **Weight:** 0.90 lbs/pair Requires #10 FH.
Sold in pairs.

PART NO.	MFG#	DESCRIPTION
7212215	205270-1	Take Apart Hinge, Left, Pair
7212216	205275-1	Take Apart Hinge, Right, Pair

SEPARATING HINGE



- Indispensable for applications requiring periodic removal of a locker door, access cover, storage compartment, hatch cover, etc.
- #8 Flat head screws

PART NO.	MFG#	DESCRIPTION
9951-023	MW 180X	Separating hinge

FLAT HINGES OFFSET



Designed to be mounted on the back surface of a door with a 3/8" offset mortised into the edge. Stamped 304 Stainless.
Thickness: 1/16"
Requires #6 RH. **Sold in pairs.**

PART NO.	MFG#	DESCRIPTION
7212653	201914-1	Cupboard Hinges, pair

CUPBOARD HINGES



Flat hinges are all heavy gauge brass construction. Highly polished chrome.
Thickness: 1/16"
Uses #6 screws.
Sold in pairs.

PART NO.	MFG#	DESCRIPTION
7212652	201954-1	2-3/4" x 2-1/8"

SOFT CLOSE CONCEALED CABINET HINGE



- Designed to keep the hinge out of sight when the door is closed
- Silent and smooth closure
- Corrosion resistant stamped 304 stainless steel.
- Installs with four #8 FH fasteners (not included)

PART NO.	MFG#	DESCRIPTION
7212654	201964	4-9⁄16" overall length

CUPBOARD DOOR HINGE



9951-191

- 304 Stainless, #10 fasteners
- 2-9⁄16" H x 1-7⁄8" L



9951-192

- 2-9⁄16" L x 2-1⁄4" H
- 5⁄16" offset

PART NO.	MFG#	DESCRIPTION
9951-191	52567	Flush
9951-192	52568	Offset

OFFSET HINGES – LIGHT DUTY



- 1⁄16" thick polished 316 stainless steel
- Countersunk for #8 screws

PART NO.	MFG#	DESCRIPTION
9951-004	52577	1⁄4" x 1-7⁄16"
9951-005	52576	1-3⁄8" x 1-7⁄16"

SHORT SIDE OFF-SET HINGE



Stainless Steel. Sold individually.

PART NO.	MFG#	DESCRIPTION
7212340	30095	2-1/4" x 1-1/2"

OFFSET BUTT HINGE



Stamped 304 Stainless

Thickness: 1/16"
Weight: 0.18 lbs/pair
Requires #8 FH. Sold in pairs.

PART NO.	MFG#	DESCRIPTION
7212207	201590-1	Butt Hinge, Pair

OFFSET HINGES – MEDIUM DUTY



- 1⁄8" thick polished 316 stainless steel
- Countersunk for #8 screws

PART NO.	MFG#	DESCRIPTION
9951-138	8936639	1-1/2" x 2"
9951-139	8936640	1-1/2" x 2-1/2"

T-HINGES 316 stainless steel **Sold in pairs.**



	7212665	7212667
A	4"	6"
B	1-1/2"	1-3/4"
C	2-1/2"	4-1/4"
D	2-3/8"	3-1/8"
E	1/8"	1/8"

This highly decorative and functional T-Hinge is flush-mounted (not recessed) and can be used on doors, cabinets, dock boxes, ice chests, etc. It is constructed of corrosion-resistant investment cast 316 stainless steel.

7212665 installs with 7 x #8 FH fasteners, 7212666 installs with 7 x #10 FH fasteners (not included). **Sold in pairs.**

PART NO.	MFG#	DESCRIPTION
7212665	205705-1	T-Hinge, 4", 316 S/S, Sold in pairs
7212667	205710-1	T-Hinge, 6", 316 S/S, Sold in pairs

T-HINGES 316 STAINLESS STEEL, BULK



SOLD AS EACH

- Hybrid combination between a butt and strap hinge
- The highly decorative and functional hinge is flush mounted
- Constructed of investment cast 316SS
- Installs with seven #8 or #10 FH fasteners

PART NO.	MFG#	DESCRIPTION
9953-608	205705	4"L x 2 ⁄8W, #8 FH
9953-609	205710	6"L x 3-3 ⁄8"W, #10 FH

LIFT GATE PONTOON HINGES



- Aluminum pontoon lift gate hinge
- Nylon washers provide quiet movement and smooth operation
- 2-1/2" W x 2-3/4" T, #10 fastener

PART NO.	MFG#	DESCRIPTION
9951-318	207730-1	Left Hinges
9951-319	207735-1	Right Hinges

OFFSET HINGE - HEAVY DUTY



- 1⁄16" thick polished 304 stainless steel
- Countersunk for #8 screws
- 1 1⁄4" offset

PART NO.	MFG#	DESCRIPTION
9951-043	201730	Hinge, 1-7⁄8" W x 5-1⁄4" L

HATCH HINGES

2-1/2"



316 stainless steel with removable pin so that hatches can be completely removed without removing hinges.

Bolt Size: 5/16" x 18
Requires 8 x #10 screws.
Sold individually.

PART NO.	TYPE	DESCRIPTION
7212345	Bulk	Hinges, 2-3/4" x 2-1/2"

HATCH HINGE WITH REMOVABLE PIN



2-3/4"

- SS
- 2-7/8" Long, Open width 2-/4"
- Reqyures #10 Flat head screws

PART NO.	MFG#	DESCRIPTION
9952-137	85025	Hatch Hinge with removable pin

NYLON HINGES

1-3/4"

1-1/2"



7212241

3"

1-1/2"



7212242

6"

1-1/2"



7212244

4"

1-1/2"



7212243

Marine hinges that will not rust, pit, corrode or deteriorate in the marine environment. Moulded of high grade marine plastics with monel hinge pin. Components are interchangeable to provide custom installations of hatches, doors, engine or instrument covers. 270° operation allows hinges to rest with no strain in fully opened position.
Colour: Black Uses #8 screws.
Sold in pairs.

PART NO.	MFG#	DESCRIPTION
7212241	HGAP11-B1	1-3/4" x 1-1/2"
7212242	HGAP22-B1	3" x 1-1/2"
7212243	HGAP33-B1	4" x 1-1/2"
7212244	HGAP44-B1	6" x 1-1/2"

NYLON HINGES

2-3/8"

1-7/16"



- Corrosion-proof Nylon
- Smooth operation
- Hinge back has bedding compound recess
- Design can handle heavy-duty applications

Uses #8 FH screws.
Sold individually.

PART NO.	MFG#	DESCRIPTION
7212230	4040	Hinges, 2-3/8" x 1-7/16"

PIANO HINGES



These 304 Stainless Steel Continuous Hinges, also known as "Piano" Hinges, provide uniform strength, smooth pivot action throughout the entire length, and accurate alignment for easy installation. Continuous hinges can be easily cut to the exact length required. Mounting holes are drilled on 2" centers with no stagger and knuckles are 1/2" in length.
Requires #6 mounting screws.

PART NO.	MFG#	DESCRIPTION
7212190	1419E02SS	1-1/2"W x 72"L
7212195	1419G03SS	2"W x 72"L

For the most up to date pricing, please visit maritimemarinesupply.ca/price

TABLE BRACKETS – STAINLESS STEEL



- 2 wall brackets and 2 table brackets
- 3-3/8" W x 2-1/8" H
- Takes #10 flat head screws

PART NO.	MFG#	DESCRIPTION
9951-126	221320-1	Brackets sold Per pair

FOLDING TABLE BRACKETS – ECONOMY



- Sold per each
- 304 Stainless Steel
- 12" L x 6-1/2" H x 1/2" (closed)

PART NO.	MFG#	DESCRIPTION
9953-604	54016	Folding Bracket

FOLDING TABLE BRACKETS – STAINLESS STEEL



- Stamped 304 Stainless
- 11-11/16" deep when open; 15/16" when folded
- Takes #12 pan head screws
- 500 lbs load limit

PART NO.	MFG#	DESCRIPTION
9953-605	221355	Folding Bracket, Pair

90° ANGLE BRACKETS – STAINLESS STEEL

- Stamped 304 Stainless
- 9/16" W
- #8 FH fasteners



PART NO.	MFG#	DESCRIPTION
9971-326	221305	1-1⁄2" x 1-1⁄2"
9971-327	221310	2-3⁄8" x 2-3⁄8"
9971-328	221315	3" x 3"

PELICAN HOOKS STAINLESS STEEL





This Pelican Hook features a hinged link that can be quickly secured or released by a sliding ring. Capable of being released under load, these hooks are used as a removable fastener in lifeline applications where a gate is required. The eye allows the line to be spliced directly to the hook or attached by way of a turnbuckle fork. Constructed of investment cast 316 stainless steel.
Dimensions: A: 4", **B:** 1/2", **C:** 3/8", **D:** 3/4"

PART NO.	MFG#	DESCRIPTION
7912270	189785-1	Retail Packaged
9971-333	189785	Each Bulk

MOORING HOOK



- Easy for attaching and retrieving mooring lines from buoy
- Safety working load: 395 kg/ 870 lbs.

PART NO.	MFG#	DESCRIPTION
9972-017	0508366	4-1/4"L X 2-1/2"W

SNAP HOOK (RETAIL PACKAGED)







These Snap Hooks feature a key-lock connection for added security. For use with ropes, chains, straps and small diameter cable. Made of formed 316 stainless steel.

PART NO.	MFG#	DESCRIPTION
7912116	151060-1	2-3/8" (B) x 3/8" (D), 1-pk.
7912117	151080-1	3-1/8" (B) x 7/16" (D), 1-pk.
7912118	151100-1	4" (B) x 5/8" (D), 1-pk.

STAINLESS STEEL SNAP HOOK



316 Stainless Steel

PART NO.	DESCRIPTION
7912110	3/16"
7912111	1/4"
7912112	5/16"
7912113	3/8"
9971-418	1/2"

STAINLESS STEEL RIGGING SNAP HOOK WITH EYE



316 Stainless Steel

PART NO.	DESCRIPTION
7912120	3/16"
7912121	1/4"
9971-402	5/16"
7912123	3/8"
7912124	7/16"
9971-404	1/2"

S/S SWIVEL EYE BOLT SNAP



PART NO.	EYE DIA.	LENGTH
7912101	5/8"	3-1/4"
7912102	3/4"	3-3/4"
7912103	7/8"	4-1/4"

SWIVEL EYE SNAP HOOKS STAINLESS STEEL



PART NO.	MFG#	DESCRIPTION
9971-018	S251-0000	1/2" Dia. x 2-7/16"L
9971-019	S251-0001	5/8" Dia. x 3-1/4"L
9971-020	S251-0002	3/4" Dia. x 3-3/4"L
9971-021	S251-0003	7/8" Dia. x 4-7/16"L

SWIVEL EYE SNAP HOOKS BRONZE



PART NO.	MFG#	DESCRIPTION
9971-012	8430401	5/8" Dia. x 3-1/4"L, No. 1
9971-014	8430402	3/4" Dia. x 3-3/4"L, No. 2
9971-016	8430403	7/8" Dia. x 5"L, No. 3

FAST EYE SNAP HOOKS 316 STAINLESS STEEL



- Includes latch and spring

PART NO.	MFG#	DESCRIPTION
9971-405	85009-01	5/8" hook opening
9971-406	85009-02	3/4" hook opening

SWIVEL HOOKS



- Painted carbon steel, complete with stainless steel safety latch

PART NO.	MFG#	DESCRIPTION
9971-410	29280010	3/4 T
9971-411	2928 0011	1 T
9971-412	2928 0015	1-1/2T
9971-413	2928 0020	2 T

S-HOOK- 304 SS



PART NO.	MFG#	DESCRIPTION
9971-337	S0178-0005	3/16" x 1.90"
9971-338	S0178-0006	1/4" x 2-1/4"

CABLE CLAMP - CHROME PLATED ZINC



PART NO.	MFG#	DESCRIPTION
9971-341	091852	3/16"
9971-342	195210	Lashing Hook



EYE & JAW SWIVEL (RETAIL PACKAGED)





Made of hot dipped galvanized stamped steel.





Made of investment cast 316 stainless steel.



Reduces knotting, twisting and relieve stress and are ideal for anchor to chain connections where the swivel action allows the anchor to rotate freely and dig in to set more quickly. Not load rated. **Sold 1 per pack.**

PART NO.	MFG#	SIZE	A	B	C	D
Hot Dipped Galvanized Stamped Steel						
7913525	181208-1	5/16"	3-13/16"	7/8"	1/2"	7/8"
7913526	181210-1	3/8"	4-9/16"	7/8"	5/8"	1"
7913528	181212-1	1/2"	6"	1-7/16"	3/4"	1-1/4"
316 Stainless Steel						
7913624	182206-1	1/4"	2-9/16"	9/16"	1/2"	7/16"
7913625	182208-1	5/16"	3-11/16"	13/16"	5/8"	9/16"
7913626	182210-1	3/8"	4-5/8"	15/16"	3/4"	7/8"
7913628	182212-1	1/2"	6"	1-3/16"	1"	1-1/8"

JAW & JAW SWIVEL (RETAIL PACKAGED)







These Jaw & Jaw Swivels reduce knotting, twisting and relieve stress. They are designed to accept the shank of an anchor on one end and mooring chain on the other. Body is made of investment cast 316 stainless steel. Pins are made of 304 stainless steel. Cast swivels are not load rated.
Sold 1 per pack.

PART NO.	MFG#	SIZE	A	B	C
7913644	182306-1	1/4"	2-9/16"	1/2"	1/2"
7913645	182308-1	5/16"	3-11/16"	5/8"	5/8"
7913648	182312-1	1/2"	6"	1"	1-1/16"

STAINLESS STEEL SWIVELS

316 Stainless Steel



PART NO.	DESCRIPTION
9971-105	3/16"
9971-106	1/4"
7913605	5/16"
7913606	3/8"
7913608	1/2"
7913612	5/8"
7913613	3/4"

SWIVELS, JAW & JAW STAINLESS STEEL



PART NO.	MFG#	DESCRIPTION
9971-329	182306	1/4"
9971-330	182308	5/16"
9971-331	182310	3/8"
9971-332	182312	1/2"

GALVANIZED SWIVELS

Galvanized. Eye and eye.



PART NO.	DESCRIPTION
7913506	3/8"
7913508	1/2"
7913510	5/8"
7913512	3/4"

SHACKLES HOT DIP GALVANIZED

All weights are 'Safe Working Loads'.



Anchor



Chain

All Titan Marine Shackles have a Hot Dip Galvanized coating on both the shackle & pin for premium corrosion resistance. They are proof tested and load rated and are easily identifiable by the yellow coloured pin. The working Load limit, size and Titan Logo are stamped on every shackle.

Titan Marine Shackles meet or exceed the current RR-C-271 Type IV Grade A specifications.

PART NO.	MFG#	DESCRIPTION
7913120	10319050	Anchor, 1/4", 1100 lbs.
7913121	10319051	Anchor, 5/16", 1650 lbs.
7913122	10319052	Anchor, 3/8", 2200 lbs.
7913123	10319053	Anchor, 7/16", 3300 lbs.
7913124	10319054	Anchor, 1/2", 4400 lbs.
7913125	10319055	Anchor, 5/8", 7150 lbs.
7913126	10319056	Anchor, 3/4", 10450 lbs.
7913127	10319057	Anchor, 7/8", 14300 lbs.
7913128	10319058	Anchor, 1", 18700 lbs.
7913130	10319062	Chain, 1/4", 1100 lbs.
7913131	10319063	Chain, 5/16", 1650 lbs.
7913132	10319064	Chain, 3/8", 2200 lbs.
7913133	10319065	Chain, 7/16", 3300 lbs.
7913134	10319066	Chain, 1/2", 4400 lbs.
7913135	10319067	Chain, 5/8", 7150 lbs.
7913136	10319068	Chain, 3/4", 10450 lbs.
7913137	10319069	Chain, 7/8", 14300 lbs.
7913138	10319070	Chain, 1", 18700 lbs.

HIGH STRENGTH SHACKLES
HOT DIP GALVANIZED



Anchor

Hot Dip Galvanized coating on both the shackle & pin for premium corrosion resistance. Proof tested and load rated and are easily identifiable by the bold black coloured pin. The working Load limit, size and Titan Logo are stamped on every shackle. The breaking strength exceeds that of the high test G4 chain.



Titan Marine High Strength Shackles are more than 30% stronger than standard Grade A shackles and they meet or exceed the current RR-C-271 Type IV Grade B Specifications.

Chain

PART NO.	MFG#	DESCRIPTION
7913142	10319610	Anchor, 3/8", 4400 lbs.
7913143	10319611	Anchor, 7/16", 5720 lbs.
7913144	10319612	Anchor, 1/2", 7260 lbs.
7913145	10319613	Anchor, 5/8", 11000 lbs.
7913146	10319614	Anchor, 3/4", 15400 lbs.
7913147	10319615	Anchor, 7/8", 20900 lbs.
7913148	10319616	Anchor, 1", 27500 lbs.
7913152	10319620	Chain, 3/8", 4400 lbs.
7913153	10319621	Chain, 7/16", 5720 lbs.
7913154	10319622	Chain, 1/2", 7260 lbs.
7913155	10319623	Chain, 5/8", 11000 lbs.
7913156	10319624	Chain, 3/4", 15400 lbs.
7913157	10319625	Chain, 7/8", 20900 lbs.
7913158	10319626	Chain, 1", 27500 lbs.

All weights are 'Safe Working Loads'.

LOAD RATED SHACKLES

- Manufactured to Federal Specification RR-C271D, Type IVA, Grade A, Class 2
- Exceeds ASME B30.26
- High tensile forged steel – grade 6
- Hot dip galvanized powder coated pin



PART NO.	MFG#	DESCRIPTION
9971-000	70302971	1/4", 1000 lbs.
9971-001	70303425	5⁄16", 1500 lbs.
9971-002	70303433	3⁄8", 2000 lbs.
9971-003	70302682	7⁄16", 3000 lbs.
9971-004	70302237	1/2", 4000 lbs.
9971-005	70446792	5⁄8", 6500 lbs.
9971-006	70451396	3/4", 9500 lbs.

STAINLESS STEEL SHACKLES

Stainless Steel. Forged Bow Shackles with captive pins.



PART NO.	DESCRIPTION
7912015	3/16"
7912016	1/4"
7912018	5/16"
7912020	3/8"
9971-479	7/16"
7912022	1/2"
9971-481	5/8"
9971-482	3/4"

GALVANIZED SHACKLES



Galvanized. Commercial, not graded.

PART NO.	DESCRIPTION
7913103	3/16"
7913104	1/4"
7913105	5/16"
7913106	3/8"
7913107	7/16"
7913108	1/2"
7913110	5/8"
7913112	3/4"

STAINLESS STEEL SHACKLE



Stainless Steel. Forged U-shackles with removable pins.

PART NO.	DESCRIPTION
7912004	1/4"
7912006	3/8"
7912008	1/2"

D-SHACKLE (RETAIL PACKAGED)







Straight sides with a U-shape rounded end, Designed for rigging applications with bi-directional loads. Made of investment cast 316 stainless steel. Cast shackles are not load rated.

PART NO.	MFG#	DESCRIPTION
7912003	147006-1	13/16" (C) x 1/2" (B), 1-pk.
7912005	147010-1	1-3/8" (C) x 13/16" (B), 1-pk.

QUICK LINKS

316 Stainless Steel



PART NO.	DESCRIPTION
7913003	3/16"
7913004	1/4"
7913005	5/16"
7913006	3/8"
7913008	1/2"

THIMBLES



Galvanized.

PART NO.	DESCRIPTION
9971-052	1/4"
9971-053	5/16"
7913533	3/8"
7913534	1/2"
7913535	5/8"
7913536	3/4"
7913537	1"

THIMBLES



304 Stainless Steel

PART NO.	DESCRIPTION
9971-452	1⁄4"
9971-453	5⁄16"
9971-454	3⁄8"
9971-456	1⁄2"
9971-457	5⁄8"
9971-458	3⁄4"

WIRE ROPE CLIPS



Galvanized.

PART NO.	DESCRIPTION
7913552	1/8"
7913553	3/16"
7913554	1/4"
7913555	5/16"
7913556	3/8"
9971-030	7/16"
7913558	1/2"
9971-032	3/4"

WIRE ROPE CLIPS 304 STAINLESS STEEL



PART NO.	MFG#	DESCRIPTION
9971-425	WIREROPECLIP,1/8"SS	1⁄8"
9971-426	WIREROPECLIP,3/16SS	3⁄16"
9971-427	WIREROPECLIP,1/4SS	1⁄4"
9971-428	WIREROPECLIP,5/16SS	5⁄16"
9971-429	WIREROPECLIP,3/8SS	3⁄8"
9971-430	WIREROPECLIP,7/16SS	7⁄16"
9971-431	WIREROPECLIP,1/2SS	1⁄2"

ROPE BLOCKS



7204712 7204722 9971-214 9971-216

- Stainless Steel Blocks with 5/8" groove.
- Handles ropes up to 1/2"
- Recommended Working Load 3500Lbs. (1500 Kg.)

PART NO.	MFG#	DESCRIPTION
7204712	S314-200	Single 2"
7204722	S315-200	Double 2"
9971-214	S314A-200	Single 2" w/Bottom Eye
9971-216	S315A-200	Double 2", w/Bottom Eye

SINGLE & DOUBLE ROPE WOOD BLOCK



Quality wooden block with stainless steel roller pin & bronze bushing in roller. Galvanized hook has stainless steel latch.

PART NO.	DESCRIPTION	ROPE SIZE
7204613	Single 3", SWL 500 lbs.	3/8"
7204614	Single 4", SWL 1000 lbs.	1/2"
7204615	Single 5", SWL 1200 lbs.	5/8"
9971-202	Single 6", SWL 1800 lbs.	3/4"
7204623	Double 3", SWL 800 lbs.	3/8"
7204624	Double 4", SWL 1400 lbs.	1/2"
7204625	Double 5", SWL 1800 lbs.	5/8"
9971-212	Double 6", SWL 2500 lbs.	3/4"

GALVANIZED TURNBUCKLES

These turnbuckles are made with forged carbon steel and then hot dipped galvanized.



Jaw & Jaw



Eye & Jaw



Eye & Hook

PART NO.	DESCRIPTION
7913413	3/8" x 6" Jaw & Jaw
7913414	1/2" x 6" Jaw & Jaw
7913415	5/8" x 6" Jaw & Jaw
7913433	3/8" x 6" Eye & Jaw
7913434	1/2" x 6" Eye & Jaw
9971-286	3/8" x 6" Eye & Hook, Galv.
9971-288	1/2" x 6" Eye & Hook, Galv.

STAINLESS STEEL TURNBUCKLE





These closed body turnbuckles with forked ends and locking rings are made of 316 stainless steel ideal for architectural and marine applications in and around salt water and salt air environments.

PART NO.	MFG#	A	D	H	L1	L2
7913450	80080-01	6.5	5	10	130	190
7913452	80080-02	7.5	6	10	150	220
7913454	80080-03	11	8	11	165	240
7913456	80080-04	12	9	14	190	280
7913458	80080-05	14	12	20	245	360
7913460	80080-06	15	12	22	270	390
7913462	80080-07	17	16	26	310	450
7913464	80080-08	20	19	30	360	510
7913466	80080-09	30	22	46.5	472	653
7913468	80080-10	30	25	49	520	750

OPEN TURNBUCKLES



Galvanized

PART NO.	MFG#	DESCRIPTION
9971-286	TURNBUCKLE,3/8X6E&H,GALV	3⁄8" x 6" eye & hook
9971-288	TURNBUCKLE,1/2X6E&H,GALV	1⁄2" x 6" eye & hook

OPEN TURNBUCKLES



Stainless Steel

PART NO.	MFG#	DESCRIPTION
9971-253	292510161S	1⁄4" x 4", jaw & jaw
9971-254	292510241S	3⁄8" x 6", jaw & jaw
9971-255	292510321S	1⁄2" x 6", jaw & jaw

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

PIVOTING DAVITS

Complete with blocks, hooks and rope



- **Sold in pairs**
- Easy flush mount installation
- Swivelling arms fold for space-saving storage when not in useSingle sheave



9990-394

- Tube diameter 1 1⁄2" (4 cm)
- Includes two blocks, two hooks and two 3m ropes
- Single sheave

9990-395

- Tube diameter 2.4" (6 cm)
- Includes four blocks, four hooks and four 3m ropes
- Double sheave

PART NO.	MFG#	DESCRIPTION
9990-394	36182	220 lbs. (100 kg) max.
9990-395	36183	353 lbs. (160 kg) max.

CLOSED TURNBUCKLES



Stainless Steel - Jaw & Jaw

- **Opens 4-3⁄4" - 7", BS 1,980 lbs.**

PART NO.	MFG#	DESCRIPTION
9971-320	185505	3⁄16" x 3-3⁄16"

- **Opens 5-1⁄2" - 8-3⁄8", BS 2,860 lbs.**

PART NO.	MFG#	DESCRIPTION
9971-321	185506	3⁄16" x 3-3⁄16"

- **Opens 6-3⁄8" - 9-3⁄4", BS 5,500 lbs.**

PART NO.	MFG#	DESCRIPTION
9971-322	185508	3⁄16" x 3-3⁄16"

- **Opens 7-7⁄8" - 11-3⁄4", BS 7,700 lbs.**

PART NO.	MFG#	DESCRIPTION
9971-323	185510	3⁄16" x 3-3⁄16"

- **Opens 9-5⁄8" - 14-1⁄2", BS 12,000 lbs.**

PART NO.	MFG#	DESCRIPTION
9971-324	185512	3⁄16" x 3-3⁄16"

BOLLARD – 316 STAINLESS STEEL



- 4-13⁄16" W x 6" L base x 6-3⁄4" H; 3" Dia.
- Maximum safe working load 3,970 lbs.

PART NO.	MFG#	DESCRIPTION
9991-820	ACHIL150	Bollard with base

STAINLESS STEEL BOLLARD



4-Bolt Mount Bollard is 6-1/2" high with a 4-1/2" x 6" Base.

PART NO.	MFG#	DESCRIPTION
7203700	56506	Stainless Steel Bollard

MOORING STAPLES 316 STAINLESS STEEL



Rugged mooring staples made of 3/4" or 1" high quality 316 S/S stock. Docking or mooring lines cannot slip off or become entangled in the closed eye of the staple. Supplied with washers and nuts.

PART NO.	DIAMETER	A	B	C
7204078	3/4"	9-1/2"	6-3/4"	7"
7204103	1"	9"	6"	9"

MOORING STAPLES – 304 STAINLESS STEEL



- Install on deck or transom for tying up boat
- Unlike cleats, lines or gear will not catch
- Supplied with nuts and washers

PART NO.	MFG#	DESCRIPTION
9972-293	72-293	8-1⁄2" wide, 1" Dia., 8-1⁄2"W x 10-1⁄2"D

S/S HAWSE PIPE WITH BAR



Overall Dimensions:
9-1/4"L x 5-1/4"W x 1"H
Inside Dim.: 7"L x 3"W

PART NO.	MFG#	DESCRIPTION
7203900	0706678	S/S Hawse Pipe w/Bar
9972-324	70HPS3	S/S Hawse Pipe, No Bar

S/S HAWSE PIPE



Overall Dimensions:
6-1/4"L x 2-7/8"W x 1-1/2"H
Inside Dim: 4"L x 2"W

PART NO.	MFG#	DESCRIPTION
7203800	80002	S/S Hawse Pipe





FLAT-TOP CLEATS







Designed to last a lifetime – These Flat-Top Cleats are the original folding cleat. With only one moving part, there are no springs, drain tubes, cups, or buttons to go bad. Flat-Top Cleats use a very simple and unique design to ensure strength and optimum function for you.

Flat-Top Cleats are made of high grade polished 316 stainless steel and properly installed, they are the strongest, and most durable flush mounted cleats available.

Each cleat comes with a template to ensure a neat, clean installation



	A	B	C	D	E	F	LINE SIZE
	INCHES						
7204304	4-1/2	3/4	1/8	5/8	5-1/2	2-1/2	1/4"
7204306	6	1-1/4	1/8	3/4	7-1/2	3-1/4	3/8" - 1/2"
7204308	8	1-1/2	3/16	3/4	9-1/2	3-3/4	5/8" - 3/4"
7204310	10	1-4/5	3/16	3/4	11-1/2	4	5/8" - 3/4"
7204311	10	2-1/8	1/4	1-3/8	12-1/2	5-3/16	1"

PART NO.	MFG#	DESCRIPTION
7204304	450	Cleat, Flat-Top, 4.5"
7204306	600	Cleat, Flat-Top, 6"
7204308	800	Cleat, Flat-Top, 8"
7204310	1000	Cleat, Flat-Top, 10"
7204311	1100	Cleat, Flat-Top, 10", HD
7204318	800/BP	Back Plate, 8" Cleat
7204320	1000/BP	Back Plate, 10" Cleat
7204321	1100/BP	Back Plate, 10" Cleat, HD

FOLDING CLEATS

SEADOGLINE



Folding Stud Mount Cleat folds down for flush appearance. Investment Cast 316 Stainless.



PART NO.	A	B	C	D	E	F
7204530	6-7/16"	4-1/2"	2-1/8"	1/2"	1-11/16"	2-11/16"
7204531	8-5/16"	6"	2-3/4"	3/4"	1-3/4"	4-1/2"
7204532	11"	8"	3-5/8"	7/8"	2-3/16"	5-7/16"

PULL UP FLUSH CLEATS WITH DRAIN



316 S/S cleat mount flush on deck and are pulled up when needed. Recesses into a self draining stainless steel housing with 1/4" bronze hose barb. 4-1/2" and 6" cleats mount with #10 fasteners

PART NO.	CLEAT	FLANGE	DEPTH
7204534	4-1/2"	1-1/2" x 5"	4"
7204536	6"	2" x 7"	6"

FOLDING CLEATS – 316 STAINLESS STEEL

MarineTown



- Designed for easy installation; folds for flush profile when not in use
- Smooth edges avoid rope cutting or foot injury

PART NO.	MFG#	DESCRIPTION
9972-078	9806466	6"
9972-079	9806468	8"

HEAVY DUTY SHIP OR DOCK CLEATS – GALVANIZED



- Galvanized gray iron

PART NO.	MFG#	DESCRIPTION
9972-094	CLEAT,DOCK,8",GALV	8"
9972-095	CLEAT,DOCK,10"GALV	10"
9972-096	CLEAT,DOCK,12"GALV	12"

STANDARD S/S CLEAT



316 Stainless steel.

PART NO.	MFG#	DESCRIPTION
7204504	80036-04	4"
7204506	80036-06	6"
7204508	80036-08	8"
7204510	80036-10	10"
7204512	80036-12	12"

STAINLESS STEEL CLEATS



Uses two threaded base holes in bottom of cleat for securing. 304 SS

PART NO.	MFG#	SIZE	DESCRIPTION
7204556	57550-01	6"	5/16" Threaded Holes
7204558	57550-02	8"	3/8" Threaded Holes
7204559	57550-03	10"	3/8" Threaded Holes
7204560	57550-04	12"	7/16" Threaded Holes

CLEATS – 316 STAINLESS STEEL



- High gloss polished stainless steel, tapped on the underside so that fastenings are concealed under the deck

PART NO.	MFG#	DESCRIPTION
9991-819	TAURUS02	7-1/2"
9991-906	TAURUS03	10"

STAINLESS STEEL CLEAT



- 316 Stainless steel flat top cleat, hollow base.

PART NO.	MFG#	DESCRIPTION
7204548	80041-08	8" Stainless Steel Cleat

OPEN BASE CLEAT



Chrome plated zinc alloy with a black plastic base. Includes 12-24 stainless studs, nuts and washers
Studs measure: 1-1/2"
Overall length: 4-1/2"
For up to 3/8" rope.

PART NO.	MFG#	DESCRIPTION
7204495	1316001CHR	Cleat Base

HEAVY DUTY S/S CLEATS

Cast 316 Stainless.



PART NO.	A	B	C	D	FASTENER
7204518	8"	2"	3-5/16"	1-3/4"	1/4" FH
7204520	10"	2-3/8"	3-3/4"	1-7/8"	5/16" FH
7204522	12"	2-13/16"	4-13/16"	2-1/2"	5/16" FH
7204525	15"	3-3/4"	4-7/8"	2-9/16"	1/2" FH

HEAVY DUTY GALVANIZED CLEATS



PART NO.	DESCRIPTION
7204104	4" x 0.88" Deep, #12 Hex Bolt
9972-073	5" x 1" Deep, #12 Hex Bolt
7204106	6" x 1.09" Deep, 1/4" Hex Bolt
7204108	8" x 1.56" Deep, 5/16" Hex Bolt
7204110	10" x 1.93" Deep, 3/8" Hex Bolt
7204112	12" x 2.38" Deep, 3/8" Hex Bolt
7204114	14" x 2.63" Deep, 1/2" Hex Bolt

ALUMINUM CLEATS





Open base cleats feature a die-cast aluminum construction. Large base distributes heavy loads evenly. Designed for use on docks or aluminum vessels. **Countersunk for 1/4" or 5/16" FH fasteners (not included).**

PART NO.	MFG#	DESCRIPTION
7204180	046108	Cleat, Aluminum 8"
7204181	046110	Cleat, Aluminum 10"

ALUMINUM CLEAT, WELDABLE



This large Sand Cast Aluminum Cleat has a weldable base for permanent installations. Designed for use on aluminum vessels.

A: 10"
B: 1-3/4"
C: 11/16"
D: 2-7/8"



PART NO.	MFG#	DESCRIPTION
7204190	046210	Cleat, Weldable Base

NYLON CLEAT



Black nylon cleat 6" for 7/16" rope 1/4" flat head bolts.

PART NO.	MFG#	DESCRIPTION
7204206	7421B	Nylon Cleat

HEAVY DUTY STREAMLINED BOLLARD



This Heavy Duty Streamlined Bollard comes complete with backing plate and two 1/2" nuts. Investment cast 316 stainless.

Weight: 5 lbs.
Length: 10"

PART NO.	MFG#	DESCRIPTION
7203702	061125	10" Streamlined Bollard

HORN BOLLARDS



316 Stainless Steel

PART NO.	DESCRIPTION
7204570	7-3/4" Base
7204572	10" Base
7204574	14" Base

HEAVY DUTY CHOCK



Investment Cast 316 Stainless 2lb HD Chock

PART NO.	MFG#	DESCRIPTION
7203542	060323	7-1/4" HD Chock

BOW CHOCKS



316 Stainless steel.
Sold as Pairs.

PART NO.	MFG#	DESCRIPTION
7203533	060040-1	4-1/2" - 1/2" opening
7203536	060043-1	6" - 1" opening

STRAIGHT CHOCK



Sold as Each. 316 Stainless steel.

PART NO.	MFG#	DESCRIPTION
7203540	060210-1	6"

STAINLESS STEEL CHOCKS



316 Stainless steel.
Sold as Pairs.

PART NO.	MFG#	DESCRIPTION
7203534	80015	4-1/2" - 1/2" opening
7203535	80016	6" - 1" opening

STRAIGHT CHOCK – STAINLESS STEEL



316 Stainless Steel.
Sold as each

PART NO.	MFG#	DESCRIPTION
9972-156	80025	6"

For the most up to date pricing, please visit maritimemarinesupply.ca/price

DECK HINGE WITH PIN



- 316 Stainless Steel

PART NO.	MFG#	DESCRIPTION
9951-146	80177	7/8 x 2"

DECK HINGE WITH SCREW



- 316 Stainless Steel

PART NO.	MFG#	DESCRIPTION
9951-143	80170	7/8 x 2"

DECK HINGE – ANGLE BASE WITH SCREW



- 316 Stainless Steel

PART NO.	MFG#	DESCRIPTION
9951-147	80173	7/8 x 2"

DECK HINGE WITH SCREW



- 316 Stainless Steel
- Heavy Duty

PART NO.	MFG#	DESCRIPTION
9951-186	80171	7/8 x 2"

DECK HINGE – CONCAVE WITH PIN



- 316 Stainless Steel

PART NO.	MFG#	DESCRIPTION
9951-148	80178	7/8 x 2"

DECK HINGE STANDARD BASE



316 Stainless Steel
Screw size: 1/4"-20

PART NO.	DESCRIPTION
7902206	7/8 x 2"

DECK HINGE ANGLE BASE



316 Stainless Steel
Screw size: 1/4" (6mm)

PART NO.	DESCRIPTION
7902201	7/8 x 2"

DECK HINGE WITH REMOVABLE PIN



316 Stainless Steel
Pin size: 1/4"-20

PART NO.	DESCRIPTION
7902200	7/8 x 2"

DECK HINGE CONCAVE BASE



316 Stainless Steel
Screw size: 1/4"-20
Concave Base.

PART NO.	DESCRIPTION
7902202	7/8 x 2"

DECK HINGE ADJUSTABLE ANGLE



316 Stainless Steel
Screw size: 1/4"-20

PART NO.	DESCRIPTION
7902204	1-7/8 x 2-3/4"

DECK HINGE STANDARD BASE



Large deck hinge.
Nylon. Off-white.
1/4" stainless steel screw.

PART NO.	DESCRIPTION
7902315	Lg Deck Hinge

DECK HINGE LARGE DECK HINGED/ANGLED



Nylon. Off-white.
1/4" stainless steel screw.

PART NO.	DESCRIPTION
7902316	Lg Hinge, Angled

DECK HINGE – SIDE MOUNT



- 316 Stainless Steel

PART NO.	MFG#	DESCRIPTION
9951-149	80174	7/8 x 2"

DECK HINGE SIDE MOUNTED



316 Stainless Steel.
Screw size: 1/4"-20

PART NO.	DESCRIPTION
7902203	7/8 x 2"

DECK HINGE – HD SIDE MOUNT



- 316 Stainless Steel

PART NO.	MFG#	DESCRIPTION
9951-155	80175	1-7/8 x 2-3/4"

DECK HINGE H/D PLATE



316 Stainless Steel
Screw size: 1/4"

PART NO.	DESCRIPTION
7902205	1 x 2-3/4"

DECK HINGE SIDE BASE



Side base hinge.
Nylon. Off-white.
1/4" stainless steel screw.

PART NO.	DESCRIPTION
7902320	Side Base Hinge

TOP CAP



- 316 Stainless Steel

PART NO.	MFG#	DESCRIPTION
9952-127	80150-02	7/8"
9951-096	80150-03	1"

TOP CAP – HEAVY DUTY



- 316 Stainless Steel

PART NO.	MFG#	DESCRIPTION
9952-128	80153	1"

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

TOP CAP W/HUMP



316 Stainless Steel
Two set screws
Made for 1/4" (6mm) Pin Size

PART NO.	MFG#	DESCRIPTION
7902000	38074	7/8"
7902100	38075	1"

INSIDE EYE END



316 Stainless Steel
Made for 1/4" (6mm) Pin Size.
Fits 7/8" tubing.

PART NO.	MFG#	DESCRIPTION
7902050	8631420	7/8"
9952-135	8631421	1"

OUTSIDE EYE END



Nylon. Off-white.
Stainless Steel Set Screw.

PART NO.	MFG#	DESCRIPTION
7902305	7419N	7/8"

INSIDE EYE END



Nylon. Off-white.

PART NO.	MFG#	DESCRIPTION
7902301	7417N	7/8"

HINGED JAW SLIDE





Durable and corrosion resistant with a set screw on the back allows you to quickly and easily adjust the placement of these slides where they are needed. Made of investment cast 316 stainless steel.

PART NO.	MFG#	DESCRIPTION
7902208	270166-1	7/8" Rail, 1-pk.
7902209	270167-1	1" Rail, 1-pk.

JAW SLIDE



316 Stainless Steel
Screw Size: 1/4"-20

PART NO.	MFG#	DESCRIPTION
7902005	38081	7/8"
7902105	38082	1"

JAW SLIDE, HEAVY DUTY



- Fits 1" tube
- 316 Stainless Steel

PART NO.	MFG#	DESCRIPTION
9951-187	80154	1"

JAW SLIDE



- 316 Stainless Steel

PART NO.	MFG#	DESCRIPTION
9971-257	80152-02	7/8"
9971-259	80152-03	1"

JAW SLIDE BALL STYLE TOP CAP



- 30° side travel and 190° forward & aft movement
- Ball is mounted in a nylon bushing for silent operation

PART NO.	MFG#	DESCRIPTION
9972-011	9114709	7/8"
9972-013	9114710	1"

JAW SLIDE



Nylon. Off-white.
1/4" stainless steel screw.

PART NO.	DESCRIPTION
7902310	7/8"

JAW SLIDES



These Jaw Slides are made with Injection Moulded Nylon for 1" x 1" Square Tubing, Pin Size 3/16".

PART NO.	MFG#	DESCRIPTION
7902355	273560-1	Black, Pair
7902356	273561-1	White, Pair

TOP FITTINGS



Injection Moulded Nylon
Square Tube Top Insert
Flange: 1" Square
Body: 7/8" Square **Pin:** 1/4"
Investment Cast 316 Stainless
Square Tube Top Insert
Flange: 1-1/4" Square
Body: 1" Square **Pin:** 1/4"

PART NO.	MFG#	DESCRIPTION
7902350	273580-1	Nylon, Black, Pair
7902351	273581-1	Nylon, White, Pair
7902360	270191-1	Stainless Steel, Single

HEAD SCREW



304 Stainless threaded shafts with Nylon thumb cap.

PART NO.	MFG#	DESCRIPTION
7902260	273298-1	1/4" – 20, 7/8", Blk, Pair
7902261	273299-1	1/4" – 20, 7/8", Wht, Pair
7902263	273309-1	1/4" – 20, 1/2", Wht, Pair

TOP FITTINGS REPLACEMENT PARTS



7902240 7902241 7902243 7902242 7902246

PART NO.	MFG#	DESCRIPTION	LENGHT
7902240	0P27001	Top Fitting Screw	5/8"
7902241	0P27003	Top Fitting Screw	1-1/8"
7902242	0P27004	Top Fitting Screw	7/8"
7902243	0P27006	Top Fitting Screw	3/4"
7902246	0P27005	Top Fitting Bolt	3/4"

QUICK RELEASE PIN W/ DROP CAM & SPRING



316 Stainless Steel.

PART NO.	DESCRIPTION
7902253	1/4" x 3/4"
7902254	1/4" x 1"

QUICK RELEASE PIN



316 Stainless Steel.

PART NO.	DESCRIPTION
7902250	1/4" x 2-1/8"
7902251	1/4" x 7/8"
7902252	1/4" x 1.3"

QUICK RELEASE PIN FOR DECK HINGE



- 316 Stainless Steel

PART NO.	MFG#	DESCRIPTION
9952-129	P80177-01	Stainless

BIMINI STRAPS (RETAIL PACKAGED)





Made from nylon webbed straps with a corrosion resistant stainless snap hook. Used to replace lost or damaged bimini top straps.

PART NO.	MFG#	DESCRIPTION
7902394	298172-1	1"W x 8'L, Black, 2-pk.

SPRING SNAP





Investment Cast 316 Stainless
A- 2-3/16", B-1/4", C-1-1/8", D-5/16" **Weight:** 0.03 lbs

PART NO.	MFG#	DESCRIPTION
7902398	139896-1	Spring Snap

SEADOG® LINE QUALITY MARINE GEAR

STAINLESS STEEL TUBING



Sold in 10' & 20' lengths only.

PART NO.	SIZE	GRADE
7903200	7/8"	316 SS
7903124	1"	316 SS

Quality Polished Tubing. .065" wall Standard length 20'

Ordered and priced per foot.









90° ROUND BASE



316 Stainless Steel.

1" base uses 1/4" flat head machine screws; 7/8" base uses 3/16" hardware.

PART NO.	DESCRIPTION
7903114	1"
7903014	7/8"

90° RECTANGULAR BASE



316 Stainless Steel. 1" base uses 1/4" flat head machine screws; 7/8" base uses 3/16" hardware.

PART NO.	DESCRIPTION
7903112	1"
7903012	7/8"

60° ROUND BASE



316 Stainless Steel.

1" base uses 1/4" flat head machine screws; 7/8" base uses 3/16" hardware.

PART NO.	DESCRIPTION
7903102	1"
7903002	7/8"

60° RECTANGULAR BASE



316 Stainless Steel. 1" base uses 1/4" flat head machine screws; 7/8" base uses 3/16" hardware.

PART NO.	DESCRIPTION
7903113	1"
7903013	7/8"

45° RECTANGULAR BASE



316 Stainless Steel. 1" base uses 1/4" flat head machine screws; 7/8" base uses 3/16" hardware.

PART NO.	DESCRIPTION
7903108	1"
7903008	7/8"

45° ROUND BASE



316 Stainless Steel.

1" base uses 1/4" flat head machine screws; 7/8" base uses 3/16" hardware.

PART NO.	DESCRIPTION
7903109	1"
7903009	7/8"

45° RAIL BASES - 316SS ROUND BASE



316 Stainless Steel.

PART NO.	MFG#	DESCRIPTION
9950-044	280450	7/8", round base
9950-045	280451	1", round base
9950-046	281450	7/8", rectangular base
9950-047	281451	1", rectangular base

45° RAIL BASES - 316SS RECTANGULAR BASE



316 Stainless Steel.

PART NO.	MFG#	DESCRIPTION
9950-047	281451	1", rectangular base
9950-046	281450	7/8", rectangular base

ROUND BASE FOR WELDING


90°


60°

316 stainless steel. Base: 3-1/8" Diameter
Drilled for 1/4" C.S. screws.

PART NO.	DESCRIPTION
7903162	60° 1" Round Base
7903164	90° 1" Round Base

RECTANGULAR BASE S/S HAND RAIL FITTINGS



316 Stainless Steel. 1" base uses 1/4" flat head machine screws; 7/8" base uses 3/16" hardware.

PART NO.	DESCRIPTION
7903110	End 1", 60°
7903107	Center 1"
7903010	End 7/8", 60°
7903007	Center 7/8"

120° END BASES



316 Stainless Steel.

PART NO.	MFG#	DESCRIPTION
9951-066	80127-01	7/8", 120°
9951-065	80127-02	1", 120°

CENTER STRAIGHT



316 Stainless Steel. 1" base uses 1/4" flat head machine screws; 7/8" base uses 3/16" hardware.

PART NO.	DESCRIPTION
7903111	1" Straight

CENTER ANGLED



316 Stainless Steel.

PART NO.	DESCRIPTION
7903106	1"
7903006	7/8"

316 STAINLESS STEEL TEE


90°


60°

316 Stainless Steel.

PART NO.	DESCRIPTION
7903103	90° 1"
7903104	60° 1"
7903003	90° 7/8"
7903004	60° 7/8"

90° ELBOW



316 Stainless Steel with set screws.

PART NO.	DESCRIPTION
7903115	1"
7903015	7/8"

BOW RAIL FITTING



316 Stainless Steel. Fits 1" tubing.

PART NO.	DESCRIPTION
7903118	110°, 1"
7903116	125°, 1"

110° BOW FORM - 316SS

SEA-DOG LINE



PART NO.	MFG#	DESCRIPTION
9972-200	295110	7/8"
9972-201	295111	1"

FLAGPOLE FOR BOW FORM - 304SS

SEA-DOG LINE



Fits most bow forms with 1/2" diameter flagpole mounting holes. Comes complete with split rings for easy flag attachment. Fits in Sea-Dog® Bow Forms (295110 - 295140). Max speed 10 MPH.

PART NO.	MFG#	DESCRIPTION
9972-203	328110-1	17" long x 1/2" dia.

For the most up to date pricing, please visit maritimemarinesupply.ca/price

3-WAY CORNER



316 Stainless Steel.

PART NO.	DESCRIPTION
7903117	1"
7903017	7/8"

4 WAY CORNER



316 Stainless Steel.

PART NO.	MFG#	DESCRIPTION
9950-049	293131	1"

4 WAY TEE



316 Stainless Steel.

PART NO.	MFG#	DESCRIPTION
9950-048	293141	1"

END MOUNT RAIL BASE - 316SS



- Accepts 1" OD tubing drilled and countersunk for 3/16" machine screw
- Base 4-3/4"L x 1-1/2"W; overall length 6-3/4"
- 1" clearance under rail

PART NO.	MFG#	DESCRIPTION
9951-089	80121-02	1", 90°

END CAP



316 Stainless Steel.

PART NO.	DESCRIPTION
7903120	1"
7903020	7/8"

RAIL FITTING SET SCREW



304 Stainless. 1/4"-28 x 3/16" Cone Point Hex Drive.

PART NO.	DESCRIPTION
7902300	Set Screw
9984-001	Set Screw, Flat

BULLET ENDS - 316SS



PART NO.	MFG#	DESCRIPTION
9951-101	288290	7/8"
9951-103	288291	1"



COTTER/CLEVIS KIT



DESC	SIZE	QTY
Clevis Pin	3/16" x 1"	2
Clevis Pin	1/4" x 1"	2
Clevis Pin	5/16" x 1-1/2"	2
Clevis Pin	1/2" x 1-1/4"	2
Cotter Pin	3/32" x 1"	6
Cotter Pin	1/8" x 1-1/4"	6
Cotter Pin	5/32" x 1-1/2"	6
Cotter Ring	3/4"	8
Cotter Ring	1"	8

PART NO.	MFG#	DESCRIPTION
8800165	MK-851	Cotter/Clevis Kit

COTTER RING & CLEVIS KIT



DESC	SIZE	QTY
Clevis pin	3/16 x 1"	2
Clevis pin	1/4 x 1"	2
Clevis pin	5/16 x 1"	2
Clevis pin	3/32 x 1"	10
Cotter Ring	3/4 x 1"	10

PART NO.	MFG#	DESCRIPTION
8800164	MK-850	Cotter & Clevis

COTTER PIN & RING KIT



DESC	SIZE	QTY
Cotter Pin	1/6" x 1"	12
Cotter Pin	3/32" x 2"	8
Cotter Pin	1/8" x 2"	8
Cotter Ring	7/16"	12
Cotter Ring	5/8"	12
Cotter Ring	3/4"	8

PART NO.	MFG#	DESCRIPTION
8800104	HP104	Cotter Kit

WASHER KIT



DESC	SIZE	QTY
Finishing Washer	#8	24
Finishing Washer	#10	24
Finishing Washer	1/4"	24
Flat Washer	#8	24
Flat Washer	#10	24
Flat Washer	1/4"	24

PART NO.	MFG#	DESCRIPTION
8800103	HP103	Washer Kit

LOCK NUT / LOCK WASHER KIT



DESC	SIZE	QTY
Lock Washer	#8	24
Lock Washer	#10	24
Lock Washer	1/4"	24
Hex Nut	#8	24
Hex Nut	#10	24
Hex Nut	1/4"	24

PART NO.	MFG#	DESCRIPTION
8800105	HP105	Lock Nut Kit

CLEVIS PINS



Stainless Steel Clevis Pins.

PART NO.	SHANK	LENGTH	CLEAR	PK.
8800202	3/16"	21/32"	1/2"	2
8800204	3/16"	5/8"	1/2"	2
8800205	3/16"	3/4"	39/64"	2
8800206	3/16"	1"	55/64"	2
8800207	3/16"	1-1/4"	1-1/16"	2
8800208	3/16"	1-29/32"	1-3/4"	2
8800210	1/4"	19/32"	7/16"	2
8800211	1/4"	1/2"	23/64"	2
8800213	1/4"	3/4"	39/64"	2
8800214	1/4"	29/32"	3/4"	2
8800215	1/4"	31/32"	13/16"	2
8800216	1/4"	1"	55/64"	2
8800217	1/4"	1-5/32"	1"	2
8800218	1/4"	1-1/4"	1-7/64"	2
8800219	5/16"	3/4"	9/16"	2
8800220	5/16"	13/16"	9/16"	2
8800223	5/16"	1"	3/4"	1
8800224	5/16"	1-1/4"	1"	1
8800225	5/16"	1-1/2"	1-1/4"	1

COTTER RINGS



Stainless Steel Cotter Rings.

PART NO.	MFG#	DESCRIPTION
8800190	361011	Fits 3/16" Clevis, 8 Pk.
8800191	361021	Fits 1/4" Clevis, 6 Pk.
8800192	361031	Fits 5/16" Clevis, 4 Pk.
8800193	361041	Fits 3/8" Clevis, 4 Pk.
8800194	361051	Fits 1/2" Clevis, 4 Pk.
8800195	361061	Fits 5/8" Clevis, 4 Pk.
8800196	361071	Fits 3/4" Clevis, 2 Pk.

S/S COTTER PIN PACK



This 84 piece handy stainless steel cotter pin pack includes the following:

DESCRIPTION	SIZE	QTY
Cotter Pin	1/16" x 3/4"	12
Cotter Pin	1/16" x 1"	12
Cotter Pin	1/16" x 1-1/2"	12
Cotter Pin	3/32" x 3/4"	10
Cotter Pin	3/32" x 1"	10
Cotter Pin	3/32" x 1-1/2"	10
Cotter Pin	1/8" x 1"	6
Cotter Pin	1/8" x 1-1/2"	6
Cotter Pin	1/8" x 2"	6

PART NO.	MFG#	DESCRIPTION
8800167	970001	Cotter Pin Pack

For the most up to date pricing, please visit maritimemarinesupply.ca/price

SMALL COMBINATION FASTENER KIT



Kit contains a wide variety of Phillips Oval Self Tapping Screws, Phillips Oval Head Machine Screws, Hex Nuts & Flat Washers. Total of 192 pieces. Packed in a durable plastic case.

PART NO.	MFG#	DESCRIPTION
8800134	WMMK9	Sm. Fastener Kit

MACHINE SCREW KIT–PAN HEAD



DESCRIPTION	SIZE	QTY
Machine Screw	1/4-20 x 1"	6
Machine Screw	1/4-20 x 1.5"	6
Machine Screw	1/4-20 x 2"	6
Finishing Washer	1/4"	18
Hex Nut	1/4-20	18

PART NO.	MFG#	DESCRIPTION
8800106	HP106	Pan Head Kit

SELF TAPPING SCREW KIT–OVAL HEAD



DESCRIPTION	SIZE	QTY
Self Tapping Screw	6 x 1"	12
Self Tapping Screw	8 x 3/4"	12
Self Tapping Screw	8 x 1-1/4"	12
Self Tapping Screw	10 x 1-1/2"	12
Self Tapping Screw	12 x 2"	8

PART NO.	MFG#	DESCRIPTION
8800102	HP102	Oval Head Kit

O-RING MINI KIT



This Kit contains 30 High Quality O-Rings of assorted sizes.



PART NO.	MFG#	DESCRIPTION
8800155	970070	O-Ring Mini Kit

STAINLESS STEEL HITCH PIN KIT

High Quality durable S/S Hitch Pins. Available in various sizes as listed below.





PART NO.	MFG#	P	L	QTY
8800170	500021	3/16"	1"	2
8800171	500011	1/8"	19/32"	2
8800173	500031	1/4"	1-3/16"	2
8800176	500051	1/4"	1-5/8"	2
8800177	500061	1/4"	2-5/16"	2
8800178	500041	3/8"	1-9/16"	2

SELF TAPPING SCREW KIT–PAN HEAD



DESCRIPTION	SIZE	QTY
Self Tapping Screw	6 x 1"	12
Self Tapping Screw	8 x 3/4"	12
Self Tapping Screw	8 x 1-1/4"	12
Self Tapping Screw	10 x 1-1/2"	12
Self Tapping Screw	12 x 2"	8

PART NO.	MFG#	DESCRIPTION
8800101	HP101	Pan Head Kit



NYLON CABLE CLAMP KIT



SIZE	QTY
3/16"	6
1/4"	6
5/16"	6
1/2"	6

PART NO.	MFG#	DESCRIPTION
8800108	970225	Nylon Cable Clamp Kit

DELUXE HANDI-PACK REPAIR KIT



DESCRIPTION	SIZE	QTY
Oval Self Tapping	6 x 3/4"	8
Oval Self Tapping	8 x 1"	8
Pan Self Tapping	8 x 3/4"	8
Flat Self Tapping	6 x 3/4"	8
Flat Self Tapping	8 x 1"	8
Oval Machine	8-32 x 3/4"	8
Oval Machine	10-24 x 1"	8
Flat Machine	6-32 x 3/4"	8
Flat Machine	8-32 x 1"	8
Slotted Oval Wood	4 x 1/2"	8
Slotted Oval Wood	8 x 1"	8
Hex Nut	6-32	8
Hex Nut	8-32	16
Hex Nut	10-24	8
Finish Washer	#6	8
Finish Washer	#8	16
Finish Washer	#10	8

Contains 152 of the most commonly used repair and replacement stainless steel fasteners. Ideal for every boater.

PART NO.	MFG#	DESCRIPTION
8800145	MK900	Deluxe Handi-Pack

LARGE COMBINATION FASTENER KIT



A deluxe assortment of larger size Phillips Oval Head Self Tapping Screws, Phillips Head Oval Machine Screws, Hex Nuts and Flat Washers. Total of 264 pieces. Packed in a durable plastic case.

PART NO.	MFG#	DESCRIPTION
8800135	WMMK10	Lg. Combo Fastener Kit

BOSUN'S KIT



Contains 16 different sizes of the most popular oval head and self tapping screws. Sizes range from 12 x2 " to 12 x 2". Total 408 pieces. Well packed in a durable plastic case.

PART NO.	MFG#	DESCRIPTION
8800130	WMMK1	Bosun's Kit

MATE'S KIT



Contains 30 types of the most popular marine fasteners. A combination kit consisting of Phillips Self Tapping and Machine Screws, Hex Nuts, Flats, Finish and Lock Washers. Total of 840 pieces. Packed in durable plastic case.

PART NO.	MFG#	DESCRIPTION
8800131	WMMK2	Mate's Kit

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

ELECTRICAL CONNECTOR KIT



A comprehensive electrical kit consisting of 18 different electrical connectors, including ring terminals, fork terminals, solder-less splices, wire nuts, wire disconnects and trailer tap-in splices. There is a total of 326 pieces and is packed in a durable plastic case.

PART NO.	MFG#	DESCRIPTION
8800120	WMMK5	Electrical Connector Kit

EXTEND-A-SNAP





Extend-A-Snaps help to avoid shrinkage of canvas covers while gaining 3/4", per side, on the cover. Package of 4.

PART NO.	MFG#	DESCRIPTION
8800152	560261	4 pk Extend-A-Snap

BOAT COVER REPAIR KIT



Kit Contains:

- Canvas Tool
- Snap Extenders
- Screw Studs
- Buttons
- Sockets
- Screw Studs

PART NO.	MFG#	DESCRIPTION
8800153	561014	Boat Cover Repair Kit

CANVAS FASTENER KIT



Made of nickel-plated brass.

DESCRIPTION	SIZE	QTY
Stud, Wood Screw	#8-5/8"	6
Snap Cap		10
Snap Socket		10
Snap Stud		10
Snap Eyelet		10
Snap Tool		1

PART NO.	MFG#	DESCRIPTION
8800107	HP107	Canvas Fastener

CANVAS FASTENER KIT



DESCRIPTION	SIZE	QTY
Stud Screw	#8-5/8"	20
Cap		20
Socket		20
Stud		20
Eyelet		20
Snap Tool & Die		1

PART NO.	MFG#	DESCRIPTION
8800148	MK-802	Canvas Fastener Kit

CANVAS FASTENER AND TOOL KIT



DESCRIPTION	SIZE	QTY
Snap Button	11/64" Barrel	36
Socket		36
Barrel Eyelet	1/4"	24
Eyelet Stud		24
Stud	#8-3/8"	12
Stud	#8-5/8"	12
Steel Punch		1
Moulded Lexan Base		1

PART NO.	MFG#	DESCRIPTION
8800149	970145	Canvas Fastener Kit

TWIST FASTENER KIT



Convenient kit is great Idea to keep aboard for all repairs.

DESCRIPTION	QTY
Stud Swivel	5
Eyelet	10
Washer	10
2 Prong Swivel	10
Plate	10

PART NO.	MFG#	DESCRIPTION
8800147	MK-800	Twist Fastener Kit

CANVAS SNAP TOOL KIT



Convenient kit is great for small Canvas Snap repairs. All parts in this kit are made from Nickel Plated Brass.

DESCRIPTION	QTY
Snap Cap 11/64 Barrel	18
Socket	18
1/4" Barrel Eyelet	18
Stud	18
Canvas Pliers Tool	1

PART NO.	MFG#	DESCRIPTION
8800146	970162	Canvas Snap Tool Kit

BOAT COVER REPAIR KIT



Everything you need to repair your cover snaps all in one kit

DESCRIPTION	SIZE	QTY
Snap Cap	1/4"	25
Socket	1/4"	25
Eyelet	1/4"	25
Stud	1/4"	25
Phillips Snap Screw	#8 x 5/8"	25
Vise Grip Pliers		1
Snap Tool & Die		1
Anvil for Snap Eyelet		1
Anvil for 24 Line Snap		1
Clincher for Snap Eyelet		**1**
Clincher for 24 Line Snap		**1**

PART NO.	MFG#	DESCRIPTION
8800154	970164EA	Canvas Repair Kit

CANVAS SNAP TOOL



Aluminum/Steel This Canvas Snap Tool Kit includes a die wrench and three removable dies for various snap caps and studs.

PART NO.	MFG#	DESCRIPTION
8800156	299190-1	Snap Tool Kit

CANVAS PUNCH TOOL



Punches 6 hole sizes 5/64" – 3/16".

PART NO.	MFG#	DESCRIPTION
8800150	990690	Canvas Punch Tool

CANVAS PLIERS



Canvas pliers tool specialty constructed for canvas snaps.

PART NO.	MFG#	DESCRIPTION
8800151	990691	Canvas Pliers Tool

SNAP CAP MANUAL TOOL



- Use to set snap caps and studs on canvas awnings, dodgers, etc.
- Requires a hammer to use

PART NO.	MFG#	DESCRIPTION
9971-193	299120-1	Base and punch

CANVAS SNAP STUD



7902560 **7902562** **7902564** **7902566**

Nickel Plated Brass. Standard canvas snap studs with Sheet Metal Screws. **Sold 6 per Package.**

PART NO.	MFG#	DESCRIPTION
7902560	299111-1	Stud, #8 x 3/8" SMS
7902562	299112-1	Stud, #8 x 5/8" SMS
7902564	299113-1	Stud, #10 x 5/8" SMS
7902566	299114-1	Stud, #8 x 1/2" SMS-ST

WINDSHIELD CANVAS CLIPS



7902580 **7902582** **7902585**

This black nylon hook style windshield clip has a moulded male snap stud at the bottom for attaching a canvas boat cover to the windshield.

These Stainless Steel Windshield Clips slide or snap onto your boat's windscreen frame allowing your canvas boat cover to be snapped onto them.

PART NO.	MFG#	DESCRIPTION
7902580	299124-1	3/4" S/S Channel, 4 pack
7902582	299125-1	7/8" S/S Channel, 4 pack
7902585	273670-1	Clip, Nylon, Black, 2 pack

TURN BUCKLE SNAPS



7902570 **7902572** **7902574** **7902576**

Nickle plated brass, convenient twist-lock turn buckles for securing canvas to wood or other pieces of canvas. **Sold 2 per Package.**

PART NO.	MFG#	DESCRIPTION
7902570	299117-1	2 Prong Clinch & Back Plate
7902572	299118-1	Eyelet & Washer
7902574	299116-1	2 Screw Base
7902576	299119-1	#7 x 5/8" Brass Wood Screw

DURABLE TYPE CANVAS FASTENERS



SS stud **Socket** + **Button** **Eyelet** + **Stud**

- For canvas to surface, and canvas to canvas fastenings
- Nickel plated brass (stainless steel studs)

PART NO.	MFG#	DESCRIPTION
9980-020	0869000STS	SS stud canvas to surface, ea
9980-021	0901000NKL	Stud, ea
9980-022	0898000NKL	Socket, ea
9980-023	0896000NKL	Button, ea
9980-024	0907000NKL	Eyelet, ea

CURTAIN FASTENERS



Flanged stud **Eyelet** **Washer**

- For canvas to surface fastening
- Nickel plated brass

PART NO.	MFG#	DESCRIPTION
9980-030	0994000NKL	Flanged stud, ea
9980-031	0996000NKL	Eyelet, ea
9980-032	0997000NKL	Washer, ea

For the most up to date pricing, please visit maritimemarinesupply.ca/price

ANNULAR RING NAILS
304 STAINLESS STEEL



- Large, flat head and diamond point
- Large surface under head to provide excellent bearing
- Annular ring barbed threads for maximum holding power

1 lb. Box

PART NO.	MFG#	Length in.	Gauge	Box Qty
9985-299	S3SACN1	1-1/8	14	547
9985-296	S4ABN1	1-1/2	14	413
9985-297	S5LACN1	1-3/4	14	354
9985-300	S4ACN1	1-1/2	12	228
9985-301	S5ACN1	1 3/4	12	193
9985-302	S6LACN1	2	12	175
9985-303	S8ACN1	2-1/2	10	94

5 lb. Box

PART NO.	MFG#	Length in.	Gauge	Box Qty
9985-319	S3SACN5	1-1/8	14	2735
9985-316	S4ABN5	1-1/2	14	2066
9985-317	S5LACN5	1-3/4	14	1770
9985-320	S4ACN5	1-1/2	12	1140
9985-321	S5ACN5	1-3/4	12	965
9985-322	S6LACN5	2	12	870
9985-323	S8ACN5	2-1/2	10	470

25 lb. Pail

PART NO.	MFG#	Length in.	Gauge	Box Qty
9985-329	S3SACNB	1-1/8	14	13,675
9985-352	S4ABNB	1-1/2	14	10,325
9985-353	S5LACNB	1-3/4	14	8,850
9985-354	S4ACNB	1-1/2	12	5700
9985-355	S5ACNB	1-3/4	12	4825
9985-356	S6LACNB	2	12	4375
9985-358	S8ACNB	2-1/2	10	2350

FINISHING NAILS 1 LB. BOX



- 304 stainless steel
- Brad head, smooth shank, diamond point

PART NO.	MFG#	Length in.	Gauge	Box Qty
9985-340	S3FN1	1-1/4	15	649
9985-341	S4FN1	1-1/2	14	434
9985-342	S6FN1	2	13	247
9985-343	S8FN1	2-1/2	12	146

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

RIVET HAND TOOL



- Jam free front end design, shorter nose housing to fit your back pocket
- 30:1 mechanical advantage
- Aluminum casting and vanadium steel rivet retaining handle for one handed operation
- Complete with wrench and nose pieces for 3⁄32", 1⁄8", 5⁄32" and 3⁄16" rivets

PART NO.	MFG#	DESCRIPTION
9982-400	PS15-CS	Aluminum casting

POP STAINLESS STEEL RIVETS



Sold as each.

- Open end rivets with domed head
- 300 series stainless steel body and mandrel

PART NO.	MFG#	DESCRIPTION
		1/8" Diameter
9982-404	0156175	1/16" – 1/8" grip
9982-408	0156177	3/16" – 1/4" grip
		5/32" Diameter
9982-412	0156184	1/4" – 3/8" grip
		3/16" Diameter
9982-414	0156187	1/4" – 3/8" grip
9982-416	0156189	3/8" – 1/2" grip

GALVANIZED FLAT WASHERS



Sold as each.

PART NO.	MFG#	DESCRIPTION
8880104	203-025-0000	1/4"
8880105	**203-031-0000**	5/16"
8880106	**203-037-0000**	3/8"
8880108	**203-050-0000**	1/2"
9981-356	**203-062-0000**	5/8"
9981-357	**203-075-0000**	3/4"

GALVANIZED HEX NUTS



Sold as each.

PART NO.	MFG#	DESCRIPTION
8881004	109-025-0000	1/4"
8881005	**109-031-0000**	5/16"
8881006	**109-037-0000**	3/8"
8881008	**109-050-0000**	1/2"
9981-306	**109-062-0000**	5/8"
9981-307	**109-075-0000**	3/4"

WING NUT 18.8 S/S



Sold as each.

PART NO.	MFG#	DESCRIPTION
9982-600	WN0102418	3/16"
881404	**5038-014**	1/4"
881405	**5038-016**	5/16"
881406	**5038-018**	3/8"
881408	**5038-022**	1/2"

PE 902-566-1220 NS 902-928-1900

HEX NUTS 18.8 S/S



PART NO.	MFG	DESC	QTY
8810008	5035-008	8–32	100
881003	86289	3/16"	100
8810010	5035-011	10–32	100
8810012	5035-012	12–24	100
881004	86290	1/4"	100
881005	86288	5/16"	100
881006	5026-018	3/8"	100
8810071	5026-020	7/16"	1
8810081	HN0501318	1/2"	1
8810101	5026-024	5/8"	1
8810121	5026-026	3/4"	1
8810161	5026-030	1"	1

HEX NUTS, 316 S/S



Sold as each.

PART NO.	MFG	DESCRIPTION
881503	HN0103231MS	10–32
8815012	HN01224316MS	12–24
881504	HN0252031	1/4"
881505	HN0311831	5/16"
881506	HN0371631	3/8"
881507	HN0431431	7/16"
881508	HN0501331	1/2"
88910101	5226-024	5/8"
88910121	5226-026	3/4"
88910161	HN1000831	1"

HEX NUTS 18.8 S/S



Sold as each.

PART NO.	MFG#	DESCRIPTION
9983-552	HN0102418MS	3⁄16
9983-553	HN0252018	1⁄4
9983-554	HN0311818	5⁄16
9983-555	HN0371618	3⁄8
9983-556	HN0431418	7⁄16
9983-559	HN0621118	5⁄8
9983-561	HN0751018	3⁄4
9983-562	HN1000818	1

LOCK NUTS, NYLON INSERT 316 S/S



Sold as each.

PART NO.	MFG	DESCRIPTION
881603	LN0102431	3/16"–24
881604	LN0252031	1/4"–20
881605	LN0311831	5/16"–18
881606	LN0371631	3/8"–16
881607	LN0431431	7/16"–14
881608	LN0501331	1/2"–13

NYLON INSERT NUTS 18.8 S/S



Sold as each.

PART NO.	MFG#	DESC	QTY
881103	5034-010	3/16"	1
881104	LN0252018	1/4"	1
881105	86185	5/16"	1
881106	86186	3/8"	1
881107	86187	7/16"	1
881108	86188	1/2"	1
881110	LN0621118	5/8"	1
881112	LN0751018	3/4"	1

HEX NUT FINE THREAD 18.8 S/S



Sold as each.

PART NO.	MFG#	DESCRIPTION
881205	5027-016	5/16" -24
881206	5027-018	3/8" - 24
881207	5027-020	7/16" - 20
881208	5027-022	1/2" - 20
881210	11881-1	5/8" - 18

FENDER WASHERS, 18.8 S/S



Sold as each.

PART NO.	MFG#	DESCRIPTION
880303	FW010BS100FEND18	#10 x 1"O.D.
880304	FW025BS125FEND18	#1/4 x 1-1/4" O.D.
880305	FW031BS150FEND18	#5/16 x 1-1/2" O.D.
880306	FW037BS150FEND18	#3/8 x 1-1/2" O.D.
880308	FW050BS200FEND31	#1/2 x 2" O.D.

FLAT WASHERS 18.8 S/S



PART NO.	MFG#	DESC	QTY
8801008	5055-208	#8	100
8801012	5055-212	#12	100
880103	5055-210	3/16"	100
880104	5055-214	1/4"	100
880105	F05387	5/16"	100
880106	F05388	3/8"	100
6880107	F05389	7/16"	100
880108	5055-222	1/2"	100
8801101	5055-224	5/8"	1
8801121	5055-226	3/4"	1
8801161	5055-230	1"	1

FLAT WASHERS 18.8 S/S



Sold as each.

PART NO.	MFG#	DESCRIPTION
9983-573	FW025BS06204518	1⁄4
9983-574	FW031BS07504518	5⁄16
9983-575	FW037BS08704518	3⁄8
9983-576	FW043BS1120618	7⁄16
9983-577	FW050BS12506218	1⁄2
9983-579	FW062BS15007818	5⁄8
9983-581	FW075BS17510918	3⁄4
9983-582	FW100BS20018	1

FLAT WASHERS, 316 S/S



Sold as each.

PART NO.	DESCRIPTION
8801103	#10 x 0.437" OD
8801104	1/4" x 5/8" OD
8801105	5/16" x 3/4" OD
8801106	3/8" x 7/8" OD
8801107	7/16" x 1-1/8" OD
8801108	1/2" x 1-1/4" OD
9982-549	5/8" - 1-1/2" OD
88901121	3/4" 1-3/4" OD
88901161	1" x 2" OD

LOCK WASHERS, 18.8 S/S



PART NO.	DESCRIPTION	QTY
8802008	# 8	100
8802012	# 12	100
880203	3/16"	100
880204	1/4"	100
880205	5/16"	100
880206	3/8"	100
880207	7/16"	100
880208	1/2"	100

LOCK WASHERS, 18.8 S/S



Sold as each.

PART NO.	DESCRIPTION
9983-592	3⁄16"
9983-593	1⁄4"
9983-594	5⁄16"
9983-595	3⁄8"
9983-596	7⁄16"
9983-597	1⁄2"
8802101	5/8"
8802121	3/4"

LOCK WASHERS 18-8 S/S METRIC



Sold as each.

PART NO.	DESCRIPTION
9982-384	6mm
9982-385	8mm
9982-386	10mm
9982-387	12mm

LOCK WASHERS 316 STAINLESS STEEL



Sold as each.

PART NO.	DESCRIPTION
9982-560	3/16"
9982-562	1/4"
9982-564	5/16"
9982-566	3/8"
9982-568	1/2"

S/S COTTER PIN



Sold as each.

PART NO.	DESCRIPTION
7602011	1/16" x 3/4"
7602012	1/16" x 1-1/2"
7602021	1/8" x 1"
7602022	1/8" x 2"
7602023	1/8" x 3"
7602032	3/16" x 2"
7602033	3/16" x 3"
7602043	1/4" x 3"

SET SCREWS



Stainless steel socket head set screws, Coarse thread.

Sold as each.

PART NO.	DIAMETER	LENGTH
88240404	1/4"	1/4"
88240408	1/4"	1/2"
88240506	5/16"	3/8"
88240508	5/16"	1/2"
88240606	3/8"	3/8"
88240608	3/8"	1/2"

S/S FINISHING WASHERS



Sold as each.

PART NO.	DESC
880408	#8
880410	#10
880412	1/4"

T-NUTS 18-8 STAINLESS STEEL



Sold as each.

PART NO.	DESCRIPTION
9982-340	1⁄4" - 20
9982-341	5⁄16" - 18

18.8 S/S ACORN NUTS



Sold as each.

PART NO.	DESCRIPTION
8891203	10" -24"
8891204	1/4" - 20"
8891205	5/16' - 18"
8891206	3/8" - 16"
8891208	1/2" - 13"

METRIC ACORN NUTS 18-8 STAINLESS STEEL



Sold as each.

PART NO.	DESCRIPTION
9982-373	6mm
9982-374	8mm
9982-375	10mm
9982-376	12mm

PE 902-566-1220 NS 902-928-1900

METRIC FLAT WASHERS 18-8 STAINLESS STEEL



Sold as each.

PART NO.	DESCRIPTION
9982-380	6mm
9982-381	8mm
9982-382	10mm
9982-383	12mm

METRIC HEX NUTS 18-8 STAINLESS STEEL



Sold as each.

PART NO.	MFG#	DESCRIPTION
9982-369	MHN06A2	6mm
9982-370	MHN08A2	8mm
9982-371	MHN10A2	10mm
9982-372	MHN12A2	12mm

METRIC FULL THREAD HEX HEAD BOLTS 18-8 Stainless Steel



Sold as each.

PART NO.	DESCRIPTION
9982-342	6 x 18mm
9982-343	6 x 25mm
9982-344	6 x 30mm
9982-345	6 x 40mm
9982-350	6 x 50mm
9982-351	8 x 20mm
9982-352	8 x 25mm
9982-353	8 x 30mm
9982-354	8 x 40mm
9982-355	8 x 50mm
9982-356	10 x 20mm
9982-357	10 x 25mm
9982-358	10 x 30mm
9982-359	10 x 40mm
9982-360	10 x 60mm
9982-365	12 x 30mm
9982-366	12 x 40mm
9982-367	12 x 50mm
9982-368	12 x 75mm

HANGER BOLTS - BRONZE

Sold as each.



PART NO.	MFG#	DESCRIPTION
99C85-051	940 – 050 – 0400	1/2 x 4
99C85-050	940 – 050 – 0500	1/2 x 5
99C85-052	940 – 050 – 0600	1/2 x 6
99C85-060	940 – 062 – 0500	5/8 x 5
99C85-062	940 – 062 – 0600	5/8 x 6
99C85-065	940 – 075 – 0800	3/4 x 8

FLAT HEAD WOOD SCREWS SILICON BRONZE



- Square socket drive

Sold as each.

PART NO.	DESCRIPTIION
9985-100	#6 x 3/4"
9985-101	#6 x 1"
9985-102	#6 x 1-1/4"
9985-103	#6 x 1-1/2"
9985-104	#8 x 3/4"
9985-105	#8 x 1"
9985-106	#8 x 1-1/4"
9985-107	#8 x 1-1/2"
9985-108	#8 x 1- 3/4"
9985-110	#10 x 1"
9985-111	#10 x 1/4"
9985-112	#10 x 1/2"
9985-113	#10 x 1-3/4"
9985-114	#10 x 2"
9985-116	#12 x 1"
9985-117	#12 x 1- 1-4"
9985-118	#12 x 1- 1/2"
9985-119	#12 x 1- 3/4"
9985-120	#12 x 2"
9985-121	#12 x 2-1/2"
9985-122	#14 x 1-1/2"
9985-123	#14 x 1-3/4"
9985-124	#14 x 2"
9985-125	#14 x 2-1-2"
9985-126	#14 x 3"

ROUND HEAD CARRIAGE BOLTS SILICON BRONZE



Sold as each.

PART NO.	DESCRIPTION
9985-200	1/4 x 1-½
9985-201	1/4 x 2
9985-228	1/4 x 2-½
9985-202	1/4 x 3
9985-229	1/4 x 3-½
9985-203	1/4 x 4
9985-204	5 /16 x 2
9985-204	5 /16 x 2
9985-206	5 /16 x 3
9985-208	5 /16 x 4
9985-209	5/16 x 5
9985-210	5 /16 x 6
9985-211	3/8 x 2
9985-212	3/8 x 2-½
9985-213	3/8 x 3
9985-214	⅜ x 3-½
9985-215	3/8 x 4
9985-216	3/8x 5
9985-217	3/8x 6
9985-219	3/8x 8
9985-220	1/ 2 x 2-½
9985-221	1/ 2 x 3
9985-222	1/ 2 x 3
9985-223	1/ 2 x 4
9985-224	1/2 x 5
9985-227	1/ 2 x 8

HEX NUTS SILICON BRONZE



Sold as each.

PART NO.	DESCRIPTION
9985-250	1/4
9985-251	5/16
6905110	3/8
9985-074	1/2
9985-076	5/8
9985-078	3/4

For the most up to date pricing, please visit maritimemarinesupply.ca/price

FLAT WASHERS SILICON BRONZE



Sold as each.

PART NO.	DESCRIPTION
9985-260	1/4
9985-261	5/16
9985-262	3/8
9985-263	1/2

S/S FLAT HEAD SELF TAPPING SCREWS





Square drive head.

PACKAGE OF 100

PART NO.	DESCRIPTION
8870608	#6 x 1/2"
8870612	#6 x 3/4"
8870616	#6 x 1"
8870808	#8 x 1/2"
8870812	#8 x 3/4"
8870816	#8 x 1"
8870820	#8 x 1-1/4"
8870824	#8 x 1-1/2"
8870832	#8 x 2"
8871008	#10 x 1/2"
8871012	#10 x 3/4"
8871016	#10 x 1"
8871020	#10 x 1-1/4"
8871024	#10 x 1-1/2"
8871032	#10 x 2"
8871048	#10 x 3"
8871216	#12 x 1"
8871220	#12 x 1-1/4"
8871224	#12 x 1-1/2"
8871228	#12 x 1-3/4"
8871232	#12 x 2"
8871248	#12 x 3"
8871420	#14 x 1-1/4"
8871424	#14 x 1-1/2"
8871432	#14 x 2"

LAG SCREWS 18-8 S/S



Sold as each.

PART NO.	DESCRIPTION
9983-699	1/4 x 1"
9983-700	1/4 x 1-1/4"
9983-510	1/4 x 1-1/2"
9983-512	1/4 x 2"
9983-701	1/4 x 3"
9983-702	1/4 x 4"
9983-703	1/4 x 5"
9983-704	5/16 x 1"
9983-705	5/16 x 1-1/2"
9983-520	5/16 x 2"
9983-522	5/16 x 3"
9983-706	5/16 x 4"
9983-707	5/16 x 5"
9983-708	5/16 x 6"
9983-709	3/8 x 1-1/2"
9983-530	3/8 x 2"
9983-532	3/8 x 3"
9983-534	3/8 x 4"
9983-538	3/8 x 5"
9983-540	3/8 x 6"
9983-710	1/2 x 2"
9983-711	1/2 x 2-1/2"
9983-712	1/2 x 3"
9983-536	1/2 x 4"
9983-713	1/2 x 5"

S/S LAG SCREW



Sold as each.

PART NO.	DESCRIPTION
88520424	1/4 x 1-1/2"
88520432	1/4 x 2"
88520532	5/16 x 2"
88520540	5/16 x 2-1/2"
88520548	5/16 x 3"
88520632	3/8 x 2"
88520640	3/8 x 2-1/2"
88520648	3/8 x 3"
88520664	3/8 x 4"
88520840	1/2 x 2-1/2"
88520848	1/2 x 3"
88520864	1/2 x 4"

S/S THREADED ROD



18.8 Stainless Steel

PART NO.	DIAMETER	LENGTH
885003	3/16"	3'
885004	1/4"	3'
885005	5/16"	3'
885006	3/8"	3'
885007	7/16"	3'
885008	1/2"	3'
9983-990	1/2"	6'
885010	5/8"	3'
885012	3/4"	3'
9983-991	5/8"	6'
9983-992	3/4"	6'

COUPLING NUT



18.8 Stainless Steel

Sold as each.

PART NO.	DESCRIPTION
9982-390	1/4"
9982-391	5/16"
9982-392	3/8"
9982-393	1/2"
9982-394	5/8"
9982-395	3/4"

SHEET METAL SCREW, OVAL HEAD

PHILLIPS DRIVE GRADE 316 TYPE A POINT STAINLESS STEEL





Sold as each.
Multiples of 10 Only.

PART NO.	DESCRIPTION
8900608	#6 x 1/2"
8900612	#6 x 3/4"
8900616	#6 x 1"
8900808	#8 x 1/2"
8900812	#8 x 3/4"
8900816	#8 x 1"
8900820	#8 x 1-1/4"
8900824	#8 x 1-1/2"
8900832	#8 x 2"
8901012	#10 x 3/4"
8901016	#10 x 1"
8901020	#10 x 1-1/4"
8901024	#10 x 1-1/2"
8901032	#10 x 2"
8901216	#12 x 1"
8901220	#12 x 1-1/4"
8901224	#12 x 1-1/2"
8901232	#12 x 2"

PE 902-566-1220 NS 902-928-1900

18.8 S/S PAN HEAD SELF TAPPING SCREWS





Square drive head.

PACKAGE OF 100

PART NO.	SIZE
8860608	#6 x 1/2"
8860612	#6 x 3/4"
8860806	#8 x 3/8"
8860808	#8 x 1/2"
8860812	#8 x 3/4"
8860816	#8 x 1"
8860820	#8 x 1-1/4"
8860824	#8 x 1-1/2"
8860828	#8 x 1-3/4"
8860832	#8 x 2"
8861008	#10 x 1/2"
8861012	#10 x 3/4"
8861016	#10 x 1"
8861020	#10 x 1-1/4"
8861024	#10 x 1-1/2"
8861032	#10 x 2"
8861048	#10 x 3"
8861212	#12 x 3/4"
8861216	#12 x 1"
8861220	#12 x 1-1/4"
8861224	#12 x 1-1/2"
8861232	#12 x 2"
8861412	#14 x 3/4"
8861416	#14 x 1"
8861420	#14 x 1-1/4"
8861424	#14 x 1-1/2"
8861432	#14 x 2"

GALVANIZED LAG SCREW



Sold as each.

PART NO.	DESCRIPTION
88522432	1/4 x 2"
88522448	1/4 x 3"
88522532	5/16 x 2"
88522548	5/16 x 3"
88522564	5/16 x 4"
88522580	5/16 x 5"
88522632	3/8 x 2"
88522648	3/8 x 3"
88522664	3/8 x 4"
88522680	3/8 x 5"
88522696	3/8 x 6"
88522698	3/8 x 8"
88522848	1/2 x 3"
88522864	1/2 x 4"
88522880	1/2 x 5"
88522896	1/2 x 6"
88522897	1/2 x 7"
88522898	1/2 x 8"

GALVANIZED CARRIAGE BOLTS



Sold as each.

PART NO.	DESCRIPTION
88222432	1/4" x 2"
88222448	1/4" x 3"
88222464	1/4" x 4"
88222480	1/4" x 5"
88222532	5/16" x 2"
88222540	5/16" x 2-1/2"
88222548	5/16" x 3"
88222556	5/16" x 3-1/2"
88222564	5/16" x 4"
88222572	5/16" x 4-1/2"
88222580	5/16" x 5"
88222596	5/16" x 6"
88222632	3/8" x 2"
88222640	3/8" x 2-1/2"
88222648	3/8" x 3"
88222656	3/8" x 3-1/2"
88222664	3/8" x 4"
88222672	3/8" x 4-1/2"
88222680	3/8" x 5"
88222688	3/8" x 5-1/2"
88222696	3/8" x 6"
88222697	3/8" x 7"
88222698	3/8" x 8"
88222699	3/8" x 9"
88222700	3/8" x 10"
88222702	3/8" x 12"
9981-133	1/2" x 2-1/2"
88222848	1/2" x 3"
88222864	1/2" x 4"
88222880	1/2" x 5"
88222896	1/2" x 6"
88222897	1/2" x 7"
88222898	1/2" x 8"
88222899	1/2" x 9"
88222900	1/2" x 10"
88222902	1/2" x 12"
88222903	1/2" x 13"
88222904	1/2" x 14"

HEX HEAD BOLTS GALVANIZED



Sold as each.

PART NO.	DESCRIPTION
9982-080	3/8 x 3"
9982-081	3/8 x 4"
9982-082	3/8 x 5"
9982-083	3/8 x 6"
9982-084	3/8 x 7"
9982-085	3/8 x 8"
9982-086	1/2 x 3"
9982-087	1/2 x 4"
9982-088	1/2 x 5"
9982-089	1/2 x 6"
9982-090	1/2 x 7"
9982-091	1/2 x 8"
9982-092	1/2 x 10"
9982-000	5/8 x 2"
9982-001	5/8 x 2-1/2"
9982-002	5/8 x 3"
9982-003	5/8 x 4"
9982-004	5/8 x 5"
9982-005	5/8 x 6"
9982-006	5/8 x 7"
9982-007	5/8 x 8"
9982-008	5/8 x 9"
9982-009	5/8 x 10"

FLAT HEAD WOOD SCREWS
18-8 STAINLESS STEEL



Package of 100



Box of 1000



PART NO.	SIZE
9984-154	# 6 x 3/4"
9984-159	# 6 x 1"
9984-160	# 6 x 1-1/4"
9984-161	# 6 x 1-1/2"
9984-158	# 8 x 1"
9984-162	#8 x 1-1/4"
9984-155	# 8 x 1-1/2"
9984-156	#8 x 1-3/4"
9984-157	#8 x 2"
9984-164	# 8 x 2-1/4"
9984-165	#8 x 2-1/2"
9984-191	#8 x 2-3/4"
9984-097	# 8 x 3"
9984-167	#10 x 1"
9984-163	#10 x 1-1/4"
9984-166	#10 x 1-1/2"
9984-170	#10 x 1-3/4"
9984-169	#10 x 2"
9984-168	#10 x 2-1/4"
9984-172	#10 x 2-1/2"
9984-179	#10 x 2-3/4"
9984-176	#10 x 3"
9984-180	#12 x 1"
9984-181	#12 x 1-1/4"
9984-182	#12 x 1-1/2"
9984-171	#12 x 1-3/4"
9984-174	#12 x 2"
9984-173	#12 x 2-1/2"
9984-177	#12 x 3"
9984-183	#14 x 2"
9984-175	#14 x 2-1/4"
9984-178	#14 x 2-1/2"
9984-184	#14 x 2-3/4"
9984-185	#14 x 3"
9984-186	#14 x 3-1/2"

PART NO.	SIZE
9984-100	#6 x 3/4"
9984-120	#6 x 1"
9984-121	#6 x 1-1/4"
9984-122	# 6 x 1-1/2"
9984-101	#8 x 1"
9984-102	#8 x 1-1/4"
9984-112	#8 x 1-1/2"
9984-113	# 8 x 1-3/4"
9984-114	#8 x 2"
9984-123	# 8 x 2-1/4"
9984-124	# 8 x 2-1/2"
9984-099	#8 x 2-3/4"
9984-098	# 8 x 3"
9984-125	#10 x 1"
9984-103	#10 x 1-1/4"
9984-104	#10 x 1-1/2"
9984-105	#10 x 1-3/4"
9984-115	#10 x 2"
9984-126	#10 x 2-1/4"
9984-117	#10 x 2-1/2"
9984-127	#10 x 2-3/4"
9984-118	# 10 x 3"
9984-128	#12 x 1"
9984-129	#12 x 1-1/4"
9984-130	#12 x 1-1/2"
9984-106	#12 x 1-3/4"
9984-107	#12 x 2"
9984-116	#12 x 2-1/2"
9984-119	#12 x 3"
9984-131	#14 x 2"
9984-108	#14 x 2-1/4"
9984-109	#14 x 2-1/2"
9984-132	#14 x 2-3/4"
9984-133	#14 x 3"
9984-134	#14 x 3-1/2"



Hex Head Self Drilling Screws 410H Stainless Steel

Sold as each.

PART NO.	SIZE
9984-247	#8 x 3/4"
9984-248	#8 x 1"
9984-249	#10 x 3/4"
9984-250	#10 x 1"
9983-665	#12 x 3/4"
9983-666	#12 x 1"
9983-667	#12 x 1-1/4"
9983-668	#12 x 1-1/2"
9982-335	#14 x 3/4"
9982-336	#14 x 1"
9982-337	#14 x 1-1/4"
9982-338	#14 x 1-1/2"



Pan Head Self Drilling Screws 410H Stainless Steel

Sold as each.

PART NO.	SIZE
9984-251	#8 x 3/4"
9984-252	#8 x 1"
9984-262	#8 x 1-1/4"
9984-263	#8 x 1-1/2"
9984-253	#10 x 3/4"
9984-254	#10 x 1"
9984-264	#10 x 1-1/4"
9984-265	#10 x 1-1/2"
9984-266	#12 x 3/4"
9984-267	#12 x 1"
9984-268	#14 x 3/4"
9984-269	#14 x 1"
9984-270	#14 x 1-1/4"
9984-271	#14 x 1-1/2"
9984-272	#14 x 2"



Flat Head Tapping Screws 18-8 Stainless Steel

Sold as each.

- Square socket drive

PART NO.	SIZE
9984-190	# 6 x 1/2"
9984-194	#8 x 1/2"
9984-195	#8 x 3/4"
9984-196	#8 x 1"
9984-255	#8 x 1-1/4"
9984-256	#8 x 1-1/2"
9984-257	# 8 x 2"
9984-198	#10 x 3/4"
9984-199	#10 x 1"
9984-200	#10 x 1-1/4"
9984-201	#10 x 1-1/2"
9984-197	#10 x 1-3/4"
9984-259	#10 x 2"
9984-260	#10 x 2-1/2"
9984-193	#10 x 3"
9984-203	#12 x 1"
9984-192	#12 x 1-1/4"
9984-202	#12 x 1-1/2"
9984-204	# 12 x 2"
9984-205	#12 x 2-1/2"
9984-206	#12 x 3"
9984-207	#14 x 1"
9984-208	#14 x 1-1/4"
9984-209	#14 x 1-1/2"
9984-211	#14 x 2"
9984-213	#14 x 3"



Hex Head Machine Bolts 316 Stainless Steel

Sold as each.

PART NO.	SIZE
9982-200	1/4 x 1"
9982-201	1/4 x 1-1/2"
9982-202	1/4 x 2"
9982-203	1/4 x 2-1/2"
9982-204	1/4 x 3"
9982-205	1/4 x 3-1/2"
9982-206	5/16 x 1"
9982-207	5/16 x 1-1/2"
9982-208	5/16 x 2"
9982-209	5/16 x 2-1/2"
9982-210	5/16 x 3"
9982-211	5/16 x 3-1/2"
9982-226	5/16 x 4"
9982-227	5/16 x 4-1/2"
9982-212	3/8 x 1"
9982-213	3/8 x 1-1/2"
9982-214	3/8 x 2"
9982-215	3/8 x 2-1/2"
9982-216	3/8 x 3"
9982-217	3/8 x 3-1/2"
9982-218	1/2 x 1-1/2"
9982-220	1/2 x 2"
9982-221	1/2 x 2-1/2"
9982-222	1/2 x 3"
9982-223	1/2 x 3-1/2"
9982-224	½ x 4"
9982-229	3/4 x 5"
9982-230	5/8 x 4-1/2"



Pan Head Tapping Screws 18-8 Stainless Steel

Sold as each.

- Square socket drive

PART NO.	SIZE
9983-670	#6 x 3/8"
9984-210	#6 x 1/2"
9983-671	#8 x 3/8"
9984-214	#8 x 1/2"
9984-215	#8 x 3/4"
9984-216	#8 x 1"
9984-217	#8 x 1-1/2"
9984-223	#8 x 1-3/4"
9984-224	#8 x 2"
9984-261	#10 x 1/2"
9984-218	#10 x 3/4"
9984-219	#10 x 1"
9984-220	#10 x 1-1/4"
9984-221	#10 x 1-1/2"
9984-225	#10 x 1-3/4"
9984-226	#10 x 2"
9984-227	#10 x 2-1/2"
9984-228	#10 x 3"
9982-339	#12 x 3/4"
9984-229	#12 x 1"
9984-212	#12 x 1-1/4"
9984-222	#12 x 1-1/2"
9984-230	#12 x 2"
9984-231	#12 x 3"
9984-232	#14 x 1"
9984-237	#14 x 1-1/2"
9984-238	#14 x 2"
9984-239	#14 x 2-1/2"
9984-241	#14 x 3"



Allen Head Cap Screw - SS

Sold as each.

PART NO.	SIZE
9983-681	8-32 x 3/4"
9983-682	8-32 x 1"
9983-683	8-32 x 1-1/2"
9983-684	10-24 x 3/4"
9983-685	10-24 x 1"
9983-686	10-24 x 1-1/2"
9983-687	1/4-20 x 3/4"
9983-688	1/4-20 x 1"
9983-689	1/4-20 x 1-1/2"
9983-690	1/4-20 x 2"
9983-691	5/16-18 x 3/4"
9983-692	5/16-18 x 1"
9983-693	5/16-18 x 1-1/2"
9983-694	5/16-18 x 2"
9983-695	3/8-16 x 3/4"
9983-696	3/8-16 x 1"
9983-697	3/8-16 x 1-1/2"
9983-698	3/8-16 x 2"



18.8 S/S MACHINE BOLTS HEX HEAD Sold as each.

PART NO.	SIZE
9983-199	1/4 x 1/2"
88200412	1/4 x 3/4"
88200416	1/4 x 1"
88200420	1/4 x 1-1/4"
88200424	1/4 x 1-1/2"
88200432	1/4 x 2"
9983-208	1/4 x 2-1/2"
88200448	1/4 x 3"
9983-209	1/4 x 3-1/2"
88200512	5/16 x 3/4"
88200516	5/16 x 1"
88200520	5/16 x 1-1/4"
88200524	5/16 x 1-1/2"
88200528	5/16 x 1-3/4"
88200532	5/16 x 2"
88200540	5/16 x 2-1/2"
9983-230	5/16 x 2-3/4"
88200548	5/16 x 3"
88200552	5/16 x 3-1/4"
88200556	5/16 x 3-1/2"
9983-232	5/16 x 3-3/4"
88200564	5/16 x 4"
9983-233	5/16 x 4-1/2"
88200612	3/8 x 3/4"
88200616	3/8 x 1"
88200620	3/8 x 1-1/4"
88200624	3/8" x 1-1/2"
88200632	3/8" x 2"
88200636	3/8 x 2-1/4"
88200640	3/8 x 2-1/2"
88200648	3/8 x 3"
88200656	3/8 x 3-1/2"
88200664	3/8 x 4"
88200672	3/8 x 4-1/2"
88200680	3/8 x 5"
88200696	3/8 x 6"
88200716	7/16 x 1"
88200720	7/16 x 1-1/4"
88200724	7/16 x 1-1/2"
88200732	7/16 x 2"
88200740	7/16 x 2-1/2"
88200748	7/16 x 3"
88200764	7/16 x 4"
88200780	7/16 x 5"
88200816	1/2 x 1"
88200820	1/2 x 1-1/4"
88200824	1/2 x 1-1/2"
88200828	1/2 x 1-3/4"
88200832	1/2 x 2"
88200840	1/2 x 2-1/2"
88200848	1/2 x 3"
88200856	1/2 x 3-1/2"
88200864	1/2 x 4"
88200872	1/2 x 4-1/2"
88200880	1/2 x 5"
88200888	1/2 x 5-1/2"
88200896	1/2 x 6"
88200898	1/2 x 8"
88201024	5/8 x 1-1/2"
88201032	5/8 x 2"
88201040	5/8 x 2-1/2"
88201048	5/8 x 3"
88201056	5/8 x 3-1/2"
88201064	5/8 x 4"
88201080	5/8 x 5"
88201096	5/8 x 6"
88201248	3/4 x 3"
88201264	3/4 x 4"



18.8 S/S MACHINE SCREWS FLAT HEAD

Sold as each.

PART NO.	SIZE
88308012	8-32 x 3/4"
88308016	8-32 x 1"
88308020	8-32 x 1-1/4"
88308024	8-32 x 1-1/2"
88308032	8-32 x 2"
88300312	10-24 x 3/4"
88300316	10-24 x 1"
88300320	10-24 x 1-1/4"
88300324	10-24 x 1-1/2"
88300332	10-24 x 2"
88300348	10-24 x 3"
88301012	10-32 x 3/4"
88301016	10-32 x 1"
88301024	10-32 x 1-1/2"
88301032	10-32 x 2"
88300416	1/4 x 1"
88300424	1/4 x 1-1/2"
88300432	1/4 x 2"
88300448	1/4 x 3"
88300464	1/4 x 4"
9983-430	5/16 x 1"
88300520	5/16 x 1-1/4"
88300524	5/16 x 1-1/2"
88300532	5/16 x 2"
88300548	5/16 x 3"
88300616	3/8 x 1"
88300617	3/8 x 1-1/2"
88300618	3/8 x 2"
88300619	3/8 x 2-1/2"
88300620	3/8 x 3"



18.8 S/S MACHINE SCREWS PAN HEAD Sold as each.

PART NO.	SIZE
88318012	8-32 x 3/4"
88318016	8-32 x 1"
88318020	8-32 x 1-1/4"
88318024	8-32 x 1-1/2"
88318032	8-32 x 2"
88310312	10-24 x 3/4"
88310316	10-24 x 1"
88310320	10-24 x 1-1/4"
88310324	10-24 x 1-1/2"
88310332	10-24 x 2"
88310348	10-24 x 3"
88310308	10-32 x 1/2"
88311012	10-32 x 3/4"
88311016	10-32 x 1"
88311020	10-32 x 1-1/4"
88311024	10-32 x 1-1/2"
88311032	10-32 x 2"
88310416	1/4 x 1"
88310420	1/4 x 1-1/4"
88310424	1/4 x 1-1/2"
88310432	1/4 x 2"
88310448	1/4 x 3"
88310516	5/16 x 1"
88310524	5/16 x 1-1/2"
88310532	5/16 x 2"

S/S CARRIAGE BOLTS

Sold as each.



18.8 S/S #	SIZE	316 S/S #
88220416	1/4 x 1"	
88220424	1/4 x 1-1/2"	
88220432	1/4 x 2"	
88220440	1/4 x 2-1/2"	
88220448	1/4 x 3"	
88220464	1/4 x 4"	
88220520	5/16 x 1-1/4"	
88220524	5/16 x 1-1/2"	
88220532	5/16 x 2"	
88220528	5/16 x 2-1/2"	88220539
88220548	5/16 x 3"	88220547
88220564	5/16 x 4"	
88220624	3/8 x 1-1/2"	88220623
88220632	3/8 x 2"	
88220640	3/8 x 2-1/2"	88220641
88220648	3/8 x 3"	88220647
88220656	3/8 x 3-1/2"	
88220664	3/8 x 4"	88220663
88220680	3/8 x 5"	
88220696	3/8 x 6"	88220695
88220880	1/2 x 5"	88220879
88220896	1/2 x 6"	

18.8 S/S MACHINE SCREWS FLAT HEAD SOCKET



Sold as each.

PART NO.	SIZE
88300832	1/2 x 2"

Round Head Machine Screws 316 Stainless Steel

- Phillips

Sold as each.



PART NO.	SIZE
9982-316	3/16" x 1"
9982-318	3/16" x 1-1/2"
9982-320	3/16" x 2"
9982-322	3/16" x 3"
9982-324	1/4" x 1"
9982-326	1/4" x 1-1/2"
9982-328	1/4" x 2"
9982-330	1/4" x 3"

ANTI-SEIZESILVER

Permatex



- Refined blend of aluminum, copper and graphite lubricants
- Salt corrosion and moisture resistant, ideal for marine use

Applications: Spark plugs, threads, wheel studs, U-bolts, spring bolts, etc

PART NO.	MFG#	DESCRIPTION
5210055	76763	Silver Grade Anti Seize 113g
5210056	76767	Silver Grade Anti Seize 454g

BLUE REMOVABLE STRENGTH THREADLOCKER

Permatex



OEM specified, removable strength, general purpose threadlocker designed for fasteners 1/4" to 3/4" (6mm to 20mm) Protects threads from corrosion, prevents vibration loosening. Removable with hand tools and normal effort.

Temperature Range: -54°C to 150°C (-65°F to 300°F) USA Mil-Spec (S-46163A) Type II, Grade N.

PART NO.	MFG#	DESCRIPTION
5210060	24209	6mL Tube
9960-051	24210	10mL Tube
5210061	24215	10g Gel Twist
5210062	24242	36mL Bottle

PROFESSIONAL DVOM

SIERRA



This state of the art Professional Digital Volt Ohm Meter has full AutoRange features with a large 4 digit LCD display with selectable analog bar graph. This meter also has a Tachometer function with induction pick-up. Dwell time can be displayed in degrees or in percent.

- AC/DC Voltage: Up to 600VAC/DC Current: Up to 10A
- Tachometer Range: 30 to 20000 RPM
- Dwell Measurements: 0° to 360°
- Duty Cycle: 0 to 100%

PART NO.	MFG#	DESCRIPTION
S189909	18-9909	Digital Volt Ohm Meter

SMARTACH TACHOMETER

SIERRA



This SmarTach Tachometer measures the RPM for any engine equipped with an alternator. There is no complicated set up, simply connect to the battery.

The SmarTach will measure from 200 to 9999 RPM and Is not affected by engine vibrations.

PART NO.	MFG#	DESCRIPTION
S189913	18-9913	Tachometer

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

OXYGEN SENSOR TESTER AND SIMULATOR

SIERRA



This Oxygen Sensor Tester and Simulator displays sensor signal output in Real Time on an LED bar graph. A two digit LED alphanumeric display shows the sensor output cross count per second.

This instrument will simulate the sensors rich and lean outputs and will automatically detect common wire misconnections.

Compatible with Zirconium, Titanium and Air/Fuel ratio sensors.

PART NO.	MFG#	DESCRIPTION
S189910	18-9910	Oxygen Sensor Tester and Simulator



MINI CLAMP MULTIMETER



- Compact multimeter allows accurate measurement of AC and DC current without circuit disruption
- Easy to read large digital display with data hold shows auto range from 0.01 to 400 Amps and 0.001 to 600 Volts
- Auto power off for battery protection

PART NO.	MFG#	DESCRIPTION
3270035	8110-BSS	Mini Multimeter

AC/DC CLAMP METER

These AC/DC Clamp MultiMeters are operated by one rotary switch with resulting readings shown on a large 4 digit LCD display. These meters feature a one-touch auto zero button and a Peak / Data hold button.

Manual probe leads included.



Resolution:
- S189905 - 0.001A
- S189908 - 0.1A

PART NO.	MFG#	DESCRIPTION
S189905	18-9905	Clamp Meter Up To 100A AC/DC
S189908	18-9908	Clamp Meter Up To 600A AC/DC

FAULT FINDER



Track and trace open and short circuits, broken wires and current leaks. No wire piercing is required; this non-contact system will trace hidden wires inside bundles, harnesses, conduits and/or behind panels.

A variable audio/visual signal will provide fast and intuitive feedback on circuit/wire proximity. Adjustable sensitivity for all tracing situations. The Transmitter has auto polarity. Compatible with 6 to 42VDC circuits.

Includes: 1 x Transmitter, 1 x Receiver, 1x Set of Fuse Block Adapters (1 x Mini, 1 x ATO, 1 x Maxi), 1 x Cordless Circuit Tester, 1 x Hard padded Carry /Storage Case, and 1 x User's Manual.

PART NO.	MFG#	DESCRIPTION
S189904	18-9904	Fault Finder System
S189906	18-9906	Replacement Cordless Circuit Tester
S189907	18-9907	Replacement Fuse Socket Connectors

8-FUNCTION DIGITAL MULTIMETER



- Auto ranging capability
- Clear LCD display with buzzer
- Protective cover, with test lead hanging groove
- Continuity 3, Diode Test 3

Requires 2 x AAA batteries (not included).

PART NO.	MFG#	DESCRIPTION
3270040	703072	Multimeter, 8 Function

12-FUNCTION DIGITAL MULTIMETER



- Determines the resolution based on the application
- High voltage warning
- Auto power off functionality to save battery life
- Continuity 3, Diode Test 3, NCV 3

Requires 2 x AAA batteries (not included).

PART NO.	MFG#	DESCRIPTION
3270041	703073	Multimeter, 12-Function

12-FUNCTION SNAP-AROUND MULTIMETER



- Easy to read backlit OLED screen
- Non-contact AC voltage testing
- Reads both pure sine wave and modified sine wave electrical circuits
- Flashlight for use in dark compartments
- Continuity 3, Diode Test 3, NCV 3

Requires 3 x AAA batteries (not included).

PART NO.	MFG#	DESCRIPTION
3270044	703079	12-Function, Clamp on Multimeter

12VDC SYSTEM TESTER



Here is a quick and easy to use hand held test meter. Just clip on the ground lead, hold the meter in one hand and the positive probe in the other. The compact lightweight design has 6 easy to read LED indicators for "At-a-Glance" testing of batteries, on-board chargers, alternator / regulator outputs and electrical circuits. **12VDC only.**

PART NO.	MFG#	DESCRIPTION
3270036	87710	Tester

STERN DRIVE JACK

Perfect for shop and yard use with hydraulic jack for ease of use, even with one operator



4 pneumatic wheels allow for easy movement throughout the shop and yard. Allows for easy and safe removal and installation of stern drives 3-axis adjustment for proper alignment and configuration. Heavy duty 500 lb lifting capacity

Provides you a safe, trouble-free, one man job when pulling any drive. Four pneumatic wheels allow for easy movement in the shop. Reinforced brake pedals, 3 Axis adjustment

PART NO.	MFG#	DESCRIPTION
5999050	CMJACKV2	Stern Drive Jack

POCKET SIZED TORCH



This refillable handy pocket sized torch features a Piezo Electronic Ignition System. It is windproof and will easily fit into any first aid, survival or tool kit.

Fuel Type: Butane **Max. Temp:** 1300°C (2400°F)

PART NO.	MFG#	DESCRIPTION
3270050	8254-31	Pocket Torch

MICRO-JET TORCH



Piezo Electronic Ignition System with a safety locking switch. It is windproof and will easily fit into any first aid, survival or tool kit. It requires a CF-30 or similar type lighter as a fuel cell. One Fuel cell included.

Burning Time: ≈20 min/cell **Fuel Type:** Butane
Max. Temperature: 1300°C (2400°F)

PART NO.	MFG#	DESCRIPTION
3270051	8244-31	Torch

4 IN 1 BUTANE TORCH



Refillable Butane torch can deliver heat to 1300°C. It can be used as a heating torch, a soldering iron, a dryer or for heating shrink tubing by changing the included tips. It is equipped with a push button igniter and a variable flame control.

Fuel Cell Fuel Type: Refillable Butane
Max. Temperature: 1300°C (2400°F)

PART NO.	MFG#	DESCRIPTION
3270052	8257-31	Torch, 4 in 1

BUTANE PRO TORCH



- Provides up to 90 minutes of run time on each filling
- Flame temperature up to 1300ºC (2500ºF)
- Adjustable air flow control valve
- Includes removable base for added flexibility

Burning Time: ≈90 min/cell**Fuel Type:** Butane
Max. Temperature: 1300°C (2400°F)

PART NO.	MFG#	DESCRIPTION
3270055	703060	Refillable Pro Torch

PRO-QUALITY HOT AIR GUN



This Truly Portable Hi-Output/ Hi-Temperature Hot Air Gun uses a standard 16.4 oz./465g propane cylinder for maximum performance when tackling those bigger jobs! It has automatic ignition and includes multiple task nozzles.

Output Temperature: 450°-550°C (842°-1022°F) Propane cylinder not included.

PART NO.	MFG#	DESCRIPTION
3270054	8258-31	Propane Hot Air Gun

TWO SETTING HEAT GUN



This light weight Two Setting Heat Gun is great for heat shrink tubing and connectors. It will stand on end for hands free operation. 6.5' cord

Includes 3 nozzles and carrying case.

Low Setting: 572°F, 10 CFM
High Setting: 1,000°F, 17 CFM
Operating Power: 120VAC

PART NO.	MFG#	DESCRIPTION
3270053	703023	Heat Gun

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

RAPID SHRINK 100 HEAT TOOL



100,000 BTU

(nozzle not included with extension)

This heat tool kit puts out 100,000 BTUs and comes with complete certification. Kit includes heat tool, 25' hose, adjustable regulator, training CD & carrying case. Lightweight to get the job done quickly. **Optional 3' extension also available.**

PART NO.	MFG#	DESCRIPTION
7923002	DS-RS100	Heat Tool
7923001	DS-RS-EXT	3' Extension (nozzle not incl'd.)

Visit the Exterior Section of the catalogue for full lineup of ShrinkWrap and accessories

SHRINKFAST 200 HEAT TOOL



(heat tool / nozzle not included with extension)

200,000 BTU

The Shrinkfast 200 is a durable, propane powered heat tool that puts out up to 200,000 BTUs at 22 lbs. of gas pressure. Kit includes heat tool, 25' of hose, adjustable regulator, wrench for tightening fittings, and a high quality metal storage case. Includes 1 year warranty. Optional extensions are available in 2', 4', 6' sizes.

PART NO.	MFG#	DESCRIPTION
7923010	DS-SHFAST998	Heat Tool
9960-542	DS-998-CLIP	Belt Clip
7923012	DS-SHFAST998-2	2' Extension (nozzle not incl'd.)
7923014	DS-SHFAST998-4	4' Extension (nozzle not incl'd.)
7923016	DS-SHFAST998-6	6' Extension (nozzle not incl'd.)



DELCO EST DISTRIBUTOR TIMING TOOL



For engines equipped with Delco EST that cannot be placed in base timing mode with a diagnostic tool

PART NO.	MFG#	DESCRIPTION
S185516	18-5516	Timing Tool

GIMBAL BEARING INSTALLER TOOL



For: Mercruiser, OMC, and Volvo. Use With: 18-4442 Engine Alignment Tool. Interchangeable with: Mallory 9-79825

PART NO.	MFG#	DESCRIPTION
S1879825	18-79825	Gimball Bearing Installer Tool

INTERMEDIATE SHIFT CABLE SNAKE



Use to easily remove and install intermediate shift cables in Mercury drives

PART NO.	MFG#	DESCRIPTION
S189879	18-9879	Shift Cable Snake

SHIFT CABLE SOCKET



Installs and removes shift cables on MC-I, R-MR, Alpha One, Alpha One/Gen II drive units. Use With: 18-2190 Shift Cable (No Support Tube)
18-2190E Shift Cable (No Support Tube)

Interchangeable with: GLM 90110 Mercruiser Stern Drive 91-12037

PART NO.	MFG#	DESCRIPTION
S189806E	18-9806E	Shift Cable Socket

GIMBAL BEARING PULLER



The Sierra Gimbal Bearing Puller is designed to easily remove the gimbal bearing from transom assemblies through even pressure applied across the bell housing in normal conditions and in some cases where the bearing is seized.

For: Mercruiser, OMC and Volvo

PART NO.	MFG#	DESCRIPTION
S1879820	18-79820-2	Gimbal Bearing Puller

ENGINE ALIGNMENT TOOL



Used to verify engine alignment on all MC-I, R-MR, Alpha One and Alpha One/Gen II. Interchangeable with: GLM 90050 Mallory 9-79800 Mercruiser Stern Drive 91-57797A3, 91-37384,91-48247, 91-8M0067546,91-57797A2, 91-57797A1

PART NO.	MFG#	DESCRIPTION
S184442	18-4442	Alignment Tool

SPANNER NUT WRENCH



Removes and installs drive shaft bearing retainer MC-I, R-MR, Blackhawk, all Bravo and all Alpha drive units

Interchangeable with:

- GLM 90100
- Mallory 9-79801
- Mercruiser Stern Drive 91-17256, 91-36235

PART NO.	MFG#	DESCRIPTION
S189803	18-9803	Spanner Wrench

TAPERED INSERT TOOL



Installs tapered insert retainer into water inlet hose on all Bravo drive units. Interchangeable with: Mercury Marine 91-43579

PART NO.	MFG#	DESCRIPTION
S189844	18-9844	Tapered Insert Tool

HINGE PIN TOOL



Removes and installs hinge pins from all Mercury Marine drive units. Interchangeable with: GLM 90200 , Mallory 9-79805 Mercury Marine 91-78310

PART NO.	MFG#	DESCRIPTION
S189861	18-9861	Hinge Pin Tool

BELLOWS EXPANDER TOOL



Installs exhaust bellows on MC-I, R-MR, Alpha One, Bravo One and Two and Blackhawk drive units

Interchangeable with: Mallory 9-79811 Mercury Marine 91-45497A1

PART NO.	MFG#	DESCRIPTION
S189847	18-9847	Bellows Expander Tool

ROPE CUTTER



7243000

1100° Fahrenheit (600° Celsius)
50 Watt

7243003

1000° Fahrenheit (500° Celsius)
30 Watt

These rope cutter easily cuts and heat seals nylon, polyester, polypropylene, and Dacron cordage and webbing. The replaceable blade heats up in 10 seconds and includes brass bristle cleaning brush and T-handle Allen wrench for installing the replaceable blade. Powder coated steel.

Dimensions for both units:
A: 2-1/4", **B:** 3-1/8", **C:** 4-13/16", **D:** 4-13/16"
Power Requirement: 120VAC at 30W
ETL certified #5002516.



PART NO.	MFG#	DESCRIPTION
7243000	300090-3	Rope Knife
7243003	300092-3	Bench Top Rope Cutter
7243001	300091-1	Knife Blades

DELUXE HAND HELD ROPE CUTTER



This Deluxe Hand Held Rope Cutter easily cuts and heat seals nylon, polyester, polypropylene and Dacron cordage and webbing.

Certification: ETL listed

Replaceable blade heats to 1100° Fahrenheit (600° Celsius) in less than 10 seconds. The cutter has a heavy duty grounded power cord for 120VAC. Kit includes: Brass bristle cleaning brush T-handle Allen wrench Carrying case

PART NO.	MFG#	DESCRIPTION
7243002	300095-3	Rope Cutter

QUICK CHANGE BIT KIT



Includes most popular Robertson and Phillips drive bits in 2", 3", and 4" lengths. Magnetic quick change chuck with high strength alnico magnet holds bit and screw.

PART NO.	MFG#	DESCRIPTION
8800010	300095-3	Quick Change Bit Kit

SQUARE RECESS BITS



These bits offer the best combination of hardness and toughness to provide a long lasting tool. 2" Long. Sold as each.

PART NO.	MFG#	DESCRIPTION
8800020	B140-321	#1 Point x 2"
9983-672	B140-341	#1 Point x 4"
9983-675	B140-361	#1 Point x 6"
8800021	B140-322	#2 Point x 2"
9983-673	B140-342	#2 Point x 4"
9983-679	B140-397	#2 Point x 10"
8800023	B140-323	#3 Point x 2"
9983-674	B140-343	#3 Point x 4"
9983-677	B140-363	#3 Point x 6"

SQUARE RECESS BITS



PART NO.	MFG#	DESCRIPTION
9922-460	B222-360	1/4", 1-5/8" L
9922-461	B222-365	5/16", 1-5/8" L
9922-462	B222-366	3/8", 1-5/8" L
9922-463	B222-370	1/4", 2-9/16" L
9922-464	B222-375	5/16", 2-9/16" L
9922-465	B222-376	3/8", 2-9/16" L

INSULATED SCREWDRIVER SET



- 7 piece Screwdriver Set
- Insulated to 1000 Volts
- storage/carrying case
- Kit includes:
- (1) 1/8" x 3" Slotted
- (1) #0 x 3" Phillips
- (1) 7/32" x 5" Slotted
- (1) #1 x 3" Phillips
- (1) 1/4" x 6" Slotted
- (1) #2 x 4" Phillips
- (1) Test probe

PART NO.	MFG#	DESCRIPTION
3270075	711000	Kit

ADJUSTABLE WRENCH



This cast 17-4ph grade stainless steel adjustable wrench is made to last a lifetime under any conditions. Includes, 1/4" hex head and bottle opener. Cast 17-4ph Stainless.

PART NO.	MFG#	DESCRIPTION
3270060	563255-1	Adjustable Wrench

For the most up to date pricing, please visit maritimemarinesupply.ca/price

MULTI-TOOL



This handy Multi-Tool is made from 304 stainless steel. It includes needle nose pliers, cutters, scissors, various screw drivers, a bottle opener, a file and a saw. Carrying case included.

PART NO.	MFG#	DESCRIPTION
3270061	563151-1	Multi-Tool

14 IN 1 MULTI-TOOL – LED130



Length: 3", blade: 2". Contains: spring-loaded pliers head with wire cutter, knife blade, saw blade, Phillips (1) and flathead (3) screwdriver tips, bottle opener, wire stripper, awl, file with nail pick, can-opener, plus keyring (foldable)

PART NO.	MFG#	DESCRIPTION
9970-044	30171	3CR13 steel

SAFE WOOD MULTI TOOL



- 1 Plain 1 Serrated blade, saw,
- plier, file, spike, bottle/ can
- opener and flat screwdriver.
- 4” folded length, 6-5/16” when unfolded, 2-3/16” blade
- Rigid, nylon sheave with belt loop.

PART NO.	MFG#	DESCRIPTION
9970-045	67426	Multi Tool

S/S BRISTLE UTILITY BRUSH W/SCRAPER



This utility brush is made of hard wood and 1-1/8" S/S bristles. It has a steel scraper. Block size is 10" x 1-1/8".

PART NO.	MFG#	DESCRIPTION
5491500	040058	S/S Brush

S/S BRISTLE CLEANING BRUSH



Made for the big jobs this long handled brush has 13/16" S/S bristles and has a block size of 14" x 1-1/8".

PART NO.	MFG#	DESCRIPTION
5491501	040059	S/S Utility Brush

RIVET HAND TOOL



- Jam free front end design, shorter nose housing to fit your back pocket
- Aluminum casting and vanadium steel rivet retaining handle for one handed operation
- Complete with wrench and nose pieces for 3⁄32", 1⁄8", 5⁄32" and 3⁄16" rivets

PART NO.	MFG#	DESCRIPTION
9982-400	PS15-CS	30:1 mechanical advantage

POP STAINLESS STEEL RIVETS



- Open end rivets with domed head
- 300 series stainless steel body and mandrel

Sold as each.

1/8" Diameter

PART NO.	MFG#	DESCRIPTION
9982-404	0156175	1⁄16" – 1⁄8" grip
9982-406	0156176	1⁄8" – 3⁄16" grip
9982-408	0156177	3⁄16" – 1⁄4" grip



Sold as each.

5/32" Diameter

PART NO.	MFG#	DESCRIPTION
9982-412	0156184	1⁄4" – 3⁄8" grip



Sold as each.

3/16" Diameter

PART NO.	MFG#	DESCRIPTION
9982-414	0156187	1⁄4" – 3⁄8" grip
9982-416	0156189	3⁄8" – 1⁄2" grip

PE 902-566-1220 NS 902-928-1900

CANVAS SNAP TOOL



Aluminum/Steel This Canvas Snap Tool Kit includes a die wrench and three removable dies for various snap caps and studs.

PART NO.	MFG#	DESCRIPTION
8800156	299190-1	Snap Tool Kit

BASE AND PUNCH



- Use to set snap caps and studs on canvas awnings, dodgers, etc.
- Requires a hammer to use

PART NO.	MFG#	DESCRIPTION
9971-193	299120-1	Base and punch

CANVAS PLIERS



Canvas pliers tool specially constructed for canvas snaps.

PART NO.	MFG#	DESCRIPTION
8800151	990691	Canvas Pliers Tool

CANVAS PUNCH TOOL



Punches 6 hole sizes 5/64" – 3/16".

PART NO.	MFG#	DESCRIPTION
8800150	990691	Canvas Punch Tool

NEEDLE NOSE PLIERS, WIRE STRIPPER AND CRIMPER



- Handy multi-tool includes needle nose pliers, cutters, wire strippers and crimper.
- Constructed of corrosion resistant powder coated steel

PART NO.	MFG#	DESCRIPTION
3270032	563152-1	8-1/2" Long

LONG NOSE PLIERS



- Made of Chrome Vanadium
- Ideal for use in tight places
- Insulated to 1000 Volts)

PART NO.	MFG#	DESCRIPTION
3270070	710010	Length: 6" (15.2 cm)

COMBINATION PLIERS



- Made of Chrome Vanadium
- Combines both jaws and wire cutter
- Insulated to 1000 Volts

PART NO.	MFG#	DESCRIPTION
3270071	710020	Length: 7" (17.8 cm)

DIAGONAL CUTTER



- Made of Chrome Vanadium
- Makes good clean cuts through wire or cable ties
- Insulated to 1000 Volts

PART NO.	MFG#	DESCRIPTION
3270073	710040	Length: 6" (15.2 cm)

BENT NOSE PLIERS



- Made of Chrome Vanadium
- Ideal for use in tight places
- Insulated to 1000 Volts

PART NO.	MFG#	DESCRIPTION
3270072	710030	Length: 6" (15.2 cm)

PINCH-OFF PLIERS



Shuts off flow through hoses such as but not limited to vacuum, fuel and coolant lines. Will pinch-off rubber hoses up to 1-1/2" OD

Features heavy duty pivoting jaws to ensure parallel pinching and a ratchet mechanism to hold the pivoting jaws tightly in place.

PART NO.	MFG#	DESCRIPTION
S189898	18-9898	Pinch-Off Pliers

For the most up to date pricing, please visit maritimemarinesupply.ca/price

IMPELLER REMOVAL TOOLS



Removing larger threaded end impellers has been made swift and easy with these threaded impeller removal tools.

2110295 Hand Grip Puller for:17000A, 18000, 22000, 26000, 29000 and 30000
2110296 Hand Grip Metric Puller for: 27000 metric M16 only

PART NO.	MFG#	DESC
2110295	25105-SHW	3/4" x 16
2110296	25106-SHW	M-16 Metric

IMPELLER PULLER



Easier removal of flexible impellers from a pump. Tighten the side grips onto the impeller hub and turn the center screw shaft to pull the impeller out of the pump.

PART NO.	MFG#	DESC
2110297	660040-1	2-1/4"- 2-9/16" Impellers
2110298	660020-1	3-1/16" - 5" Impellers
9921-048	50070-0040	For Impellers up to 2-1/2" dia
9921-049	50070-0200	2-9/16" - 4-5/8" dia

FLUSH RITE MOTOR FLUSHER



Flush contaminants from your lower unit and cooling systems. Quickly removes salt and mineral build up with a simple flush that slips over side water inlets on most inboard and outboard lower units. Installs in seconds using a garden hose.

PART NO.	MFG#	DESCRIPTION
5999000	099076-00	Flush Rite Motor Flusher

VOLVO MOTOR FLUSHING CUP



This Volvo round cup motor flusher is easy to use and does not require any tools. Fits 200, 250, 270, 280 and 290 lower units.

PART NO.	MFG#	DESCRIPTION
5999002	099080-00	Flushing Cup, Volvo

ENGINE FLUSHERS



- For all lower units with dual side water inlets

PART NO.	MFG#	DESCRIPTION
9970-237	099082-00	Dual feed

MOTOR FLUSHER FOR SLOTTED WATER INTAKES



Fits Inboards, performance ski boats and all boats with a tear drop shaped slotted thru hull water intake! The Stainless Steel "T" fitting slides into the intake slot in either direction for a quick fit. The flusher is supported with a 360° plastic support ring ensuring a tight fit to the bottom of the boat.

PART NO.	MFG#	DESCRIPTION
5999001	099085-00	Motor Flusher

ENGINE FLUSHERS



- For all lower units with dual side water inlets

PART NO.	MFG#	DESCRIPTION
9970-258	099077-00	Universal rectangular cup

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

LEVER ACTION GREASE GUN



Heavy duty lever action grease gun is engineered to maximize pressure with consistent flow of grease. Corrosion resistant with flexible nozzle available for hard to reach fittings. For use with 14 oz. grease cartridges.

PART NO.	MFG#	DESCRIPTION
5210805	028714	Grease Gun 14oz.
5210806	028703C	Grease Gun Ext. Hose

LOWER UNIT QUART PUMP



- Adapter fits Yamaha, Nissan, Tohatsu & Honda Lower Units (2-50 hp)

9960-895

- Lower Unit Quart Pump fits standard quart plastic bottles and flexible hose to get to hard-to-reach fill plugs
- Metal threaded fitting fits Mercruiser, OMC, Evinrude, Johnson, Honda (70-90hp), Volvo, Force and Gamefisher lower units

PART NO.	MFG#	DESCRIPTION
9960-894	027410	Pump w/8mm Adapter
9960-895	028401	8mm Adapter

GEAR OIL PUMP ADAPTERS



S189794 **S189795**

Ideal for "do-it-yourself" owners. Quart size is perfect for most marine drives and includes lube fitting for domestic lower units with flexible fill line.

PART NO.	MFG#	DESCRIPTION
S189794	18-9794	Adpt. Nissan,Yam,Hon., Toh.
S189795	18-9795	Adapter For Suzuki

GEARCASE FILLER



Translucent plastic container allows you to check tank oil level. Sturdy tear-drop design resists tipping over. Includes the check valve venting system. The check valve on the vent allows you to remove the filler nozzle without losing any appreciable amount of lubricant. Includes 551-33°CV E-Z Fill and 551-33HA.

Filler adapter fits: Bravo and Verado lower units.



551-334B

PART NO.	MFG#	DESCRIPTION
S1899524	18-99524	Gearcase Filler
S1899536	18-99536	Gearcase Filler Adapter

GREASE FILLER ADAPTER



Fits: OMC and Volvo Dual Prop

Interchangeable with: Mallory 9-81006

PART NO.	MFG#	DESCRIPTION
S1881006	18-81006	Grease Filler Adapter

GEAR LUBE PUMP



S189649

This Universal Gear Lube Pump is for use with standard and wide mouth bottles. Adapters are included for most outboards and sterndrives.
Included Adapters

- 3/8" Fits outboards Johnson/Evinrude, Mercury/Mariner Fits sterndrives OMC, OMC Cobra, OMCSX Cobra, Mercruiser, Speedmaster and Volvo Penta SX.
- M8 Fits Suzuki 4 stroke and Honda
- M10 Fits Yamaha, Honda, Mercury 4 stroke, Nissan and Tohatsu

PART NO.	MFG#	DESCRIPTION
S189779	18-9779	Universal Gear Lube Pump
S189649	18-9649	1-1/2" Wide Mouth Adapter

OIL DRIP GUARD



This molded reusable plastic oil drip guard will capture a side mounted oil filter for a seamless & clean removal. It will also help prevent any remaining oil from dripping into the lower cowl.

For use on: Mercury F25hp and F30hp 4-stroke outboards and Mercury F40 through F60hp 4-stroke outboards

PART NO.	MFG#	DESCRIPTION
92-92100	92-92100	Oil Drip Guard

LOWER UNIT FILL/DRAIN KIT



S182446

Lower Unit Fill/Drain Kits come with all the necessary components to convert your existing drive unit. Two fittings that permanently replace the upper vent plug and lower drain plug in your Mercury or Evinrude/Johnson outboard or stern drive lower unit. Perform quick no mess condition checks to ensure the lubricant has not become contaminated. It also allows a cleaner means to purge and replace the existing lubricant without the inherent risk of spills.



S182447

Features:

- Stainless steel construction to withstand the harsh marine environment
- All-in-one tool fits onto your keychain, no other tool required
- Magnet secures metal particles that could potentially harm the lower unit, Debris cap to prevent blockage at the plug

PART NO.	MFG#	DESCRIPTION
S182446	18-2446	Outboard (Johnson/Evinrude & Mercury)
S182447	18-2447	Stern Drive (Stern Drive Gearcase)

PLASTIC FUNNELS



Made from tough, high-density polyethylene plastic and are available in a variety of sizes, shapes and configurations that are ideal for all Marine uses.

PART NO.	MFG#	DESCRIPTION
7915206	03590	Combo Pack 4", 6", 8"

FUNNEL – 2 IN 1



- Can be used as a transmission funnel or flex spout detaches to be used as regular funnel.
- Supplied with 1" stainless steel screen-filter
- Top diameter: 6-1⁄2"
- Spout diameter: 11⁄16" (funnel only), 1⁄2" (flex spout)
- Overall length 7" (funnel only), 15" (w/flex spout)

PART NO.	MFG#	DESCRIPTION
9943-014	TT1-238	1 quart capacity

FUEL FILTER FUNNELS



- Heavy duty, fast flow, re-usable filter in a funnel that separates damaging free water and contaminants from gasoline, diesel, heating oil and kerosene

PART NO.	MFG#	DESCRIPTION
9943-166	RFF1C	6" H x 3-½" diameter, 2.7 U.S. GPM
9943-167	RFF3C	9" H x 5-½" diameter, 3.9 U.S. GPM
9943-168	RFF8C	10" H x 8-½" diameter, 5 U.S. GPM

PROP WRENCH KIT



This Prop Wrench is made of a durable composite material and comes with multiple sockets to fit from 17/32" to 1-1/4" .

PART NO.	MFG#	DESCRIPTION
6214999	11370-7	Prop Wrench

LOWER UNIT PUMP



- Quart size pump for outboard lower units, power trim and tilt units
- Fits outboard stern drives with 3/8-16 threaded screws
- Johnson / Evinrude, Mercury / Mariner and Suzuki; 25 HP and larger
- Yamaha 8 HP and larger

PART NO.	MFG#	DESCRIPTION
9970-344	042905	Pump

NEW

UNIVERSAL LOWER UNIT PUMP



- its all quart bottles
- Extra threaded adapter for 1 1/2" neck quart and gallon bottles
- Includes 3 engine adapters for most outboards of stern drives
- Not for transfer of fuel or gasoline

PART NO.	MFG#	DESCRIPTION
7915298	053725-10	Pump Kit

OIL FILTER WRENCH



- Swivel handle for use in confined areas
- Oversized handle for maximum torque

PART NO.	MFG#	DESCRIPTION
5210810	028901	2-13/16" to 3-5/32"
5210812	028902	3-1/2" to 3-7/8"
9960-898	028908	2-3/4" to 4"

FILTER BOWL WRENCH



- Used to remove all metal and see-thru spin-on bowls that feature external ribs with little effort
- The wrench is made of a corrosion proof, high-impact, high-strength engineered polymer

PART NO.	MFG#	DESCRIPTION
9943-199	RK 22628	Filter Wrench

WIRE STRIPPER/CRIMPER



Economical tool, with flat black finish, for crimping non-insulated terminals. Cuts and strips 22-10 AWG wire.

PART NO.	MFG#	DESCRIPTION
3270003	429940-1	Stripper/Crimper

DELUXE WIRE STRIPPER/CRIMPER



High quality tool with cushion grip handles and five various sized wire cutters. Crimps insulated, non-insulated and ignition terminals. Cuts and strips 22-10 AWG wire.

PART NO.	MFG#	DESCRIPTION
3270004	300-11	Stripper/Crimper

MULTI CRIMP CUT STRIP TOOL, 4-IN-1



Four different tools in one compact, and convenient package. Perfect for jobs in tight spaces.

- Pliers Nose - Pulling, gripping, twisting
- Stripper - wire from 12-20 AWG
- Cutter - Make cuts below the pivot of the tool
- Crimper - Crimps 12-20 AWG Non-insulated, and insulated terminals

PART NO.	MFG#	DESCRIPTION
3270010	370-11	Mini, 4-in-1

CUT/STRIP/CRIMP MULTI-TOOL



Length: 8.6" (20.3cm)

- Precision ground cutters and stripping station
- Crimps 22 AWG to 10 AWG
- Strips insulation from 22 AWG to 10

PART NO.	MFG#	DESCRIPTION
3270012	702007	Multi-Tool,

CUT/STRIP TOOL



Length: 6.6" (16.7cm)

- Precision ground cutter and stripping station
- Strips wire from 24 AWG to 10 AWG

PART NO.	MFG#	DESCRIPTION
3270013	702008	Cut Strip Tool

AUTO WIRE STRIPPER & CRIMPER TOOL



- This wire strip crimp tool has an automatic jaw-load wire stripper that self-adjusts to strip wire
- Strips 26-10 AWG stranded wire
- Crimps 22-10 AWG insulated terminals

PART NO.	MFG#	DESCRIPTION
3270021	702033	Stripper/Crimper

MULTI-FUNCTION WIRE STRIPPER & CRIMPER



- Three tools in one. It strips, crimps, and cuts 24-10 gauge wire
- Constructed of powder coated steel

PART NO.	MFG#	DESCRIPTION
3270031	429940-1	8" long

VINYL ELECTRICAL TERMINAL & PLIERS KIT



This 31 Piece Solderless Vinyl Electrical Terminal & Pliers Kit includes:

- 5 x 22-18 AWG Butt Connector
- 5 x 16-14 AWG Butt Connector
- 5 x 22-18 AWG #10 Ring Tongue
- 5 x 16-14 AWG #10 Ring Tongue
- 5 x 22-18 AWG #10 Spade
- 5 x 16-14 AWG #10 Spade Terminal
- 1 x Terminal Crimping & Wire Stripping Pliers

PART NO.	MFG#	DESCRIPTION
8800121	970165	Pliers & terminal kit

UNIVERSAL WIRE STRIPPER



Length: 5.7" (14.5cm)

- Compact design perfect for use in tight spaces
- Strips without damage or marking of conductors
- Strips and cuts wire from 20 AWG to 10 AWG (0.05-5.0mm2)

PART NO.	MFG#	DESCRIPTION
3270018	702032	Wire Strippper

AUTOMATIC WIRE STRIPPER



Length: 6.3" (16cm)

- Compact design perfect for use in tight spaces
- Strips without damage or marking of conductors
- Strips and cuts wire from 20 AWG to 10 AWG (0.05-5.0mm2)

PART NO.	MFG#	DESCRIPTION
3270019	702031	Wire Stripper

AUTO WIRE STRIPPER TOOL



Wire stripper automatically adjusts to wire sizes from 24–12 AWG without damaging or marking the conductors. Built-in wire stop adjusts the length of the strip from 3/8"–1/2".
Constructed of reinforced polyimide.

PART NO.	MFG#	DESCRIPTION
3270014	702030	Auto Wire Stripper

CAMÉLÉON CRIMP & STRIP TOOL KIT



Includes a sturdy case, 3 dies, slots for more dies, a wire stripping tool & an 8.7" ratchet crimp tool body.

The Caméléon crimper adapts perfectly with any PICO Caméléon dies. The easy change technology allows the dies to be changed rapidly without the need of any other tool.

Dies included are

- A for Insulated Connectors (10-22 AWG)
- A1 for Heat Shink Connectors (8-22 AWG)
- B for NonInsulated Connectors (8-20 AWG)

PART NO.	MFG#	DESCRIPTION
3269999	410-91	Crimp & Strip Kit

SINGLE CRIMP RATCHET TOOL



Length: 10.25" (260mm)
Weight: 1.3 lbs (0.6 Kg)

4 colour-coded cavities for different size wires & must be fully closed before opening to insure a proper crimp. lever releases the jaws mid-cycle in the event of an incorrectly placed terminal. Crimps Vinyl/ Nylon terminals & connectors. Crimps 22–8 AWG wire.

PART NO.	MFG#	DESCRIPTION
3270026	703010	Single Crimp Tool

DOUBLE CRIMP RATCHET TOOL



Length: 10.25" (260mm)
Weight: 1.3 lbs (0.6 Kg)

4 colour-coded cavities for different size wires and must be fully closed before opening to insure a proper crimp. A lever releases the jaws mid-cycle in the event of an incorrectly placed terminal. Crimps Vinyl and Nylon terminals and connectors. Crimps 26–10 AWG wire.

PART NO.	MFG#	DESCRIPTION
3270027	703030	Double Crimp Tool

ANGLED RATCHETING CRIMPER

Double: 26–10 AWG Nylon and Vinyl Terminals **Length:** 9.5" (24cm)



3270028



3270029

- Ratcheting Crimpers
- For crimping terminals
- Angled head design is ideal for use in tight spaces
- Self-releasing mechanism ensures a proper crimp
- 22 to 8 AWG

PART NO.	MFG#	DESCRIPTION
3270028	703015	Wire Crimper, Single Ratcheting
3270029	703035	Wire Crimper, Double Ratcheting

HEX LUG & TERMINAL CRIMPER



Length: 24.4" (62cm)

- Uses revolving dies to create a hex style crimp

PART NO.	MFG#	DESCRIPTION
3270023	703040	8 AWG to 4/0 Crimper
9934-311	703050	6 AWG to 1/0 Crimper

PREMIUM HEAT SHRINK CRIMPER



Premium Heat Shrink Crimper tool is designed for use with heat shrink terminals. This high end, single ratchet crimper strips and crimps wire from 22–10 gauge. Ratchet action ensures correct crimping pressure. Powder coated/stainless steel.

PART NO.	MFG#	DESCRIPTION
3270011	429920-1	Crimper

EXTRA HEAVY DUTY CRIMP TOOL



This crimp tool has a convenient wire cutter at nose. It will easily crimp insulated and non-insulated terminals, gauges 22–10 AWG.
Length: 9-3/4" (25cm)

PART NO.	MFG#	DESCRIPTION
3270005	365-11	H/D Crimp Tool

WIRE CUTTER

D-SPLICER



- Easily cuts through wire rope up to 3/16”
- Blades are made from High Carbon Steel and have special modified angles ensuring a long lasting clean cut
- Handle suitable for left and right handed users

PART NO.	MFG#	DESCRIPTION
9998-209	180007	W-18 Wire Cutters

CABLE CUTTERS

PICO



These heavy duty copper cable cutting tools are made of high quality steel. They are 8" long (20cm) with cushion grip handles. Will not cut steel.

PART NO.	MFG#	DESCRIPTION
3240100	650-11	20 Ga. – 1/0

WIRE AND CABLE CUTTER

ANCOR MARINE GRADE™ PRODUCTS



- Steel forged blades
- Contoured cushion grips

Length: 9.25" (235mm)
Weight: 1.1 lb. (0.5 kg)

PART NO.	MFG#	DESCRIPTION
3270009	703005	Cutter

HD CABLE CUTTER

ANCOR MARINE GRADE™ PRODUCTS



Steel forged blades easily cut copper wire and cable up to 350MCM—that's two sizes **larger** than 4/0 AWG battery cable! Handles are fiberglass with thermoplastic rubber grips. **Length:** 17.5" (444mm) **Weight:** 2.9 lbs. (1.3 kg)

PART NO.	MFG#	DESCRIPTION
3270007	703006	HD Cable Cutter

WIRE CUTTER, 28-1 AWG, 7” HANDLE

PICO



7” Wire Cutter for 28-1 AWG cuts up to 1 AWG cable, spring loaded return with safety latch for added protection. 7” rubberized comfort grip handles.

PART NO.	MFG#	DESCRIPTION
3270033	653-31	Wire Cutters, 7” 28-1Awg

GLASS SCRAPER



This Glass Scraper is made of metal and is retractable. Replacement blades have a single edge.

PART NO.	MFG#	DESCRIPTION
8926940	RS300	Glass Scraper
8926941	RS-2-B	Blades, 5-pk.

CUTTER, LARGE PLASTIC



This Large Plastic Cutter has a locking mechanism with an 8 point (18mm) snap-off blade. Cutter includes 1 blade.

PART NO.	MFG#	DESCRIPTION
8926900	80048	Cutter, Large
8926905	D83275	HD Blades, 10-pk.

DELUXE CUTTER, LARGE



Stainless steel track and plastic auto lock body. Includes one snap off 7 point blade in the Rack and two spare blades in the storage compartment.

PART NO.	MFG#	DESCRIPTION
8926910	1111773	Deluxe Cutter, Large
8926905	D83275	HD Blades, 10-pk.

HEAVY DUTY CUTTER

OLFA

Heavy Duty OLFA utility knives have a ratchet-lock mechanism with 8 point (18mm) snap-off micro-honed blades for superior sharpness and edge retention. They include one blade in the track and two replacement blades. The OLFA 2 has an Anti-Slip rubber pad inlay in handle.



OLFA 1 8926920



OLFA 2 8926922

Replacement Blades 8926925
8926926



PART NO.	MFG#	DESCRIPTION
8926920	L-1	OLFA 1 Knife,
8926922	L-2	OLFA 2 Knife, with Anti-Slip Grip
8926925	LB10-B	Blades, 10-pk.
8926926	LB50-B	Blades, 50-pk.

CABLE TIE TOOL

PICO



This tool is lightweight and economical. Will fit into your pocket. Installer controlled tension and cut off offers speed and efficiency.

PART NO.	MFG#	DESCRIPTION
3252400	801-31	Cable Tie Tool

For the most up to date pricing, please visit maritimemarinesupply.ca/price

MINI FISH TAPE



- Ideal for non-conduit installations
- Use for short electrical runs

PART NO.	MFG#	DESCRIPTION
3270017	703112	Fish Tape

HEAVY DUTY CANVAS & UPHOLSTERY SCISSORS



304 Stainless Steel
Injection Moulded Nylon

Fine serrated blade and adjustable blade tension ensures effortless cutting. Ideal for all heavy duty cutting of Rubber, Vinyl, Leather, Cording, Upholstery, Canvas and most Plastics. Stainless steel shears with comfortable soft cushion grip reduces fatigue.

PART NO.	MFG#	DESCRIPTION
8800159	563320-1	Scissors, HD, S/S

FIBREGLASS SHEARS



- Industrial grade tool designed specifically for cutting fibreglass and carbon fabrics, manufactured for continuous duty and intense production use

PART NO.	MFG#	DESCRIPTION
9964-202	210LRKMSB-BLU-10"	10"

SERRATED FIBERGLASS SCISSORS

These Stainless Steel Scissors have a serrated blade on one side to hold fiberglass in place with less effort and a standard cutting blade on the other side that can be sharpened or honed.



The handles have comfortable rubberized grips to provide optimum control and reduce fatigue. Can safely be cleaned with acetone.

PART NO.	MFG#	DESCRIPTION
8927390	SCI CG 08 MD	8", Medium Duty
8927392	SCI CG 10 MD	10", Medium Duty
8927394	SCI CG 12 HD	12", Heavy Duty

MULTIPURPOSE CUTTER



This Powder Coated Steel Multipurpose Cutter is great for rope and plastic tubing. Includes two spare utility blades

PART NO.	MFG#	DESCRIPTION
8800158	563310-1	Cutter

HEAVY DUTY WIRE SCISSORS



Length: 5.9" (15cm)

- Corrosion resistant stainless steel blades
- Cut wire up to 6 AWG
- Includes safety holster with belt clip

PART NO.	MFG#	DESCRIPTION
3270000	703007	Wire Scissors, HD

SEAPEX PIPING CUTTER



"The right tool for the job". The Seapex cutter is designed for proper cuts to the Seapex piping. This is very important for installing and maintaining a well sealed trouble free system.

PART NO.	MFG#	DESCRIPTION
7015501	1158-1522	Cutter
7015500	1161-1522	New Style Repl. Blade

CLAMP MAKING TOOL



- Complete with 8' .041 stainless steel wire
- Clamp anything any size, any shape, anywhere with this multi-purpose tool
- Making clamps from wire is quick and easy

PART NO.	MFG#	DESCRIPTION
9923-095	CLT05	Clamp Tool
9923-097	CLTW22	50' 0f .041 SS wire
9923-098	CLTW21	65' 0f .032 SS wire

FLANGING TOOL



Flanging Tool for 1" OD drain tubes with a 4.25" maximum length.

PART NO.	MFG#	DESCRIPTION
7101049	020700-00	Flanging Tool

THRU-HULL INSTALLATION TOOL



Slide the thru-hull fitting, flange first, over the tool. (It will stop at the proper step.) Tie a length of string to the eye and place it into the hole. Apply caulking to the flange pull the fitting through the hole. Thread the string through the locknut or seacock.Thru-hull fittings sizes from 1/2" through 3".
Not for removal of old thru-hull fittings.

PART NO.	MFG#	DESCRIPTION
7530000	THT-530	Thru-Hull Tool

1/2" PLUGMATE WRENCH



- Wrench will fit most standard and "T" style garboard plugs
- Has various deck plate keys and a shackle key
- Includes spare replacement 1/2" drain plug

PART NO.	MFG#	DESCRIPTION
7101099	520045-1	Plugmate Wrench

DECK PLATE KEY – UNIVERSAL



Handy, pocket-sized tool for multiple applications: all deck plate caps – slotted, raised lug, spaced hole, and winch handle. Also has common hose clamp hex slots, shackle key, screwdriver, and bottle opener.

PART NO.	MFG#	DESCRIPTION
9972-318	54020	Universal

SNAP TOOL MULTI KEY



- Deck plate key fits most caps
- Snap/un-snap canvas snaps
- Other uses: Hex wrench, zipper puller, screwdriver, cutting tool, scraper etc.
- 4-1/2" L x 2-3/4" W
- Stamped 304SS

PART NO.	MFG#	DESCRIPTION
3270062	382	Snap Tool, Multi-key

THRU-HULL STEP WRENCHES



- Malleable iron step wrench will securely hold thru-hull in place, preventing it from spinning while the lock nut is being tightened

PART NO.	MFG#	DESCRIPTION
9923-158	3BTHW50150	Fits thru-hulls 1/2" to 1-1/2"
9923-159	3BTHW20250	Fits thru-hulls 2" to 2-1/2"

CAULK GUN PRO



Composite construction , rotating barrel, Super-fine bead control with extra long clean-out with EZ clean surface. 40% lighter than models with similar features yet still contractor Heavy Duty.

PART NO.	MFG#	DESCRIPTION
5490098	GP2000	Caulk Gun Pro

3M PROFESSIONAL CAULKING GUN



This 3M caulking gun is designed for the professional.

PART NO.	MFG#	DESCRIPTION
5490101	7100037242	Caulking Gun

FLEX-PACK HEAVY DUTY APPLICATOR GUN



A fully enclosed, all metal, rod driven, friction feed applicator gun. **For use with 3M flex packs up to 450mL.**

PART NO.	MFG#	DESCRIPTION
5490100	7000120436	Applicator Gun

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

3M FILE BELT SANDER — AIR POWERED

Max. RPM: 17000
Weight: <2.0 lbs.
Length: 18"
Belt Speed: 4100 SFPM



Narrow profile File Belt Sander was created for sanding or grinding in tight areas. The entire housing is rotatable, enabling the operator to turn and rotate the sander and the belt for finishing in hard-to-reach areas. The sander's light weight is balanced throughout the unit.

PART NO.	MFG#	DESCRIPTION
8929110	7100110952	File Belt Sander

SCOTCH-BRITE DURABLE FLEX BELT



Aggressive and long lasting non-woven belt for deburring, finishing, blending, and cleaning. Reinforced low-stretch backing offers good flexibility and great edge durability. Excellent for portable belt tools.

PART NO.	MFG#	DESCRIPTION
8928200	7100010673	1/2" x 18" Fine
8928201	7100010674	1/2" x 18" Medium
8928202	7000028556	1/2" x 18" Coarse

3M CUBITRON II FILE BELT



Long lasting 3M Cubitron II File Belts have precision ceramic triangular grains that are resin bonded for heat resistance to a cloth backing material for faster, smoother performance and longer life.

PART NO.	MFG#	GRADE	DESCRIPTION	QTY
8928205	7100033184	36	1/2" x 18"	10
8928206	7100033186	80	1/2" x 18"	10

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

3M PISTOL GRIP DISC SANDER — AIR POWERED

Designed specifically for surface preparation processes and light duty finishing jobs. Powerful and fast, this .45 horsepower disc sander operates at up to 18,000 RPM, ideal for paint stripping and weld cleanup. A moulded pistol-grip handle and a weight of less than 1-1/2 lbs, make it an excellent tool for working in tight spaces. It accepts 2- and 3- inch 3M Cubitron II Fiber Roloc discs.



Includes: 1 x 2" Pad & 1 x 3" Pad

PART NO.	MFG#	DESCRIPTION
8929106	7100110951	Grinder / Sander

3M CLEAN & STRIP DISCS 2"



8928764 **8928765** **8928766**

Roloc Clean & Strip XT Pro Disc Details

- Quickly removes rust, paint, mill scale, and coatings from metal
- High-strength fibre resists chunking and performs well on edges
- High conformability provides a larger contact patch for faster removal rates
- Silicon carbide mineral cuts aggressively and leaves a fine finish
- Resists loading for consistent cutting action
- High speed rating, low vibration, and low spark
- 3M Roloc Attachment System makes disc changes easy
- Requires use of 3M Roloc Backup Pad (sold separately)

Roloc Clean & Strip XT Pro Extra Cut Disc

- Quickly removes heavy rust, thick paint, corrosion, and cleans welds
- Aluminum oxide mineral aggressively removes top layer and cleans to the bare metal underneath
- High conformability provides a larger contact patch for faster removal rates
- High-strength fibre resists chunking and performs well on edges
- Resists loading for consistent cutting action
- High speed rating and low vibration
- 3M Roloc Attachment System makes disc changes easy
- Requires use of 3M Roloc Backup Pad (sold separately)

Requires 3M Roloc Backup Pad (sold separately)

PART NO.	MFG#	DESCRIPTION
8928765	7100175521	Stripping Disc, Roloc 2"
8928766	7100179815	Stripping Disc Extra Cut, Roloc 2"
8928764	7100329867	Roloc Backup Pad 2"

3M CUBITRON II ROLOC FIBER DISC



These 3M Cubitron II Roloc Fiber Discs offer outstanding performance for medium to high pressure grinding applications when a smaller sized disc is needed.

PART NO.	MFG#	GRADE	DESCRIPTION	QTY
8928695	7100033187	36+	2" ROLOC	15
8928696	7100033189	80+	2" ROLOC	15
8928700	7100033190	36+	3" ROLOC	15
8928701	7100033192	80+	3" ROLOC	15

3M CUT-OFF WHEEL TOOL AIR POWERED

This 3M Cut-Off Tool is designed to optimize the performance of the 3M Cubitron II Cut-Off Wheels. The 0.70 HP motor is strong enough for cutting through marine substrates including Aluminum, Steel and some High Strength Steels. The tool's composite body and small size make it comfortable and easy to handle with minimum effort.



Thread Size: 1/4"–28
Max. RPM: 20000
Weight: <2.0 lbs.
Length: 7.3"

PART NO.	MFG#	DESCRIPTION
8929108	7100110997	Cut-Off Tool

3M CUBITRON II CUT-OFF WHEELS





Outstanding cutting performance using precision-shaped grains for ultra-fast and cool cutting action. The grains wear evenly and optimize removal of heavy stock metals and fiberglass.

PART NO.	MFG#	DESCRIPTION	QTY
8928760	710003258	3" x 1/16" x 3/8"	5
8928761	7100333672	3" x 1/25" x 3/8"	5

3M RANDOM ORBITAL SANDER
AIR POWERED

Air-powered dual action palm sanders that rotate the abrasive disc pad in two simultaneous overlapping oval patterns producing a random scratch and swirl free surface ready for paint or varnish. A lightweight and comfortable Aluminum housing with a smooth running 0.28 HP motor provides a professional finish on wood, metal, fiberglass and composite materials.

Max. RPM: 12000 **Orbit Dia.:** 5-16" **Air Flow:** 17 scfm.



8929102 Non-Vacuum

Includes:
1 x Stikit Pad
1 x Wrench
1 x Air Tool Lubricant Sample

8929104 Self-Generated Vacuum

Includes: 1 x Hookit Pad
1 x 3M Clean Sanding Filter Bag
1 x Filter Bag Adapter
1 x Hose Seal
1 x Wrench
1 x Air Tool Lubricant Sample

PART NO.	MFG#	DESCRIPTION
8929102	7000118605	6" Stickit Orbital Sander, Non Vacuum
8929104	7100138346	6" Hookit Orbital Sander, Vacuum

NEW

6" PNEUMATIC RANDOM ORBITAL SANDER



Combines durable, lightweight construction around a powerful precision-balanced motor for professional performance and a swirl-free finish — great for high-production industrial environments where dust extraction is not required.

PART NO.	MFG#	DESCRIPTION
8929120	7100258651	Orbital Sander, 6 in

3M CLEAN SANDING FILTER BAG



Used to collect sanding dust from Random Orbital Sanders with Self-Generated Vacuum. Improves operator ease of use by eliminating the need for a vacuum hose. HEPA rated.

Requires 3M Filter Bag Adapter to attach bag to sander.

PART NO.	MFG#	DESCRIPTION
8928999	20452	Filter Bag Large



NEW

3M CLEAN SANDING SYSTEM

The 3M™ Clean Sanding System is a complete sanding solution for efficiently moving through your essential surface preparation and finishing work. The system includes our dust extractor, pneumatic and/or electric random orbital sanders, mobile workstation, wide selection of quality abrasives, and personal protective equipment.



DUST EXTRACTOR 45 LITER, 120V, PLUG TYPE B, L CLASS

8928450



- Lightweight, compact unit with strong dust extraction power
- Helps shops boost efficiency by helping to reduce rework and cleanup time
- Compatible with pneumatic or electric sanders
- Tech-friendly design including auto on/off, antistatic hose, rubber wheels and brake locks

ELECTRIC RANDOM ORBITAL SANDER 50 MM (6 IN), 5 MM (3/16) ORBIT, 120V, PLUG TYPE B, VACUUM READY

8928455



- Variable speed adjustment lets you choose the speed for your task
- Multi-hole back-up pad and shroud for effective dust extraction
- Helps to improve the performance of 3M Abrasives
- Brushless motor requires less maintenance, no brushes to replace

ANTISTATIC ELECTRIC HOSE, 5 M

8928455



- Adjustable airflow collar at the tool end of the hose allows user to adjust suction
- Use with electric sanders or sanding blocks
- Quick connection between tools and the 3M dust extractor
- 5-m length to allow free movement around the workpiece

DUST EXTRACTOR FILTER BAG, 5 FILTER BAGS PER PACK

8928455



- Fits both 30-liter and 45-liter models of 3M Dust Extractors
- Durable non-woven material traps and holds dirt and dust
- Plastic cap easily seals full bags to help prevent leaks during disposal
- The flexible bag design helps optimize bag expansion in the extractor

DUST EXTRACTOR FILTER, 2 FILTERS PER PACK

8928455



- Two pack of panel-style filters for 30-liter and 45-liter dust extractors
- Durable polyester filter material is accordion-folded to help maximize surface area in a small footprint
- Flexible seal helps to prevent dust from returning to your work area and keep it away from the extractor's motor

CLEAN SANDING SYSTEM WORKSTATION

8928455



- Holds one 3M 45-liter Clean Sanding System Dust Extractor
- Four repositionable tool and hose holders (two of each) let technicians customize the cart for their needs
- The two-shelf locking storage cabinet can keep abrasives and materials in easy reach
- Four smooth-rolling rubber wheels, including two locking swivel castersEquipped with convenient cart handle

CLEAN SANDING SYSTEM WORKSTATION EXTENSION

8928456



- Workstation Extension expands the storage and organization capabilities of the 3M™ Clean Sanding System
- The all-steel three-panel extension provides additional mounting positions for the Workstation's hose hooks and tool holders
- Kit includes: three-panel extension, 5 Long Double Hooks, 5 Long Single Straight Hooks and 5 Short hooks

DUST FREE HOSE EXTENSION KIT

8928457



- Adapts common shop tools to large-hose dust evacuation systems
- 6 m (20 ft) whip hose increases reach in the shop
- Adapters fit a range of systems, maximizing their use
- Helps abrasives resist loading for longer abrasive life and better value

PART NO.	MFG#	DESCRIPTION
8928450	7100335304	Dust Extractor 45 Liter, 120V
8928451	7100335305	Orbital Sander, 5 mm Orbit, 120V
8928452	7100247475	Antistatic Electric Hose, 5 m
8928453	7100249076	Dust Extractor Filter Bag, 5 Pack
8928454	7100249077	Dust Extractor Filter, 2 Pack
8928455	7100247665	Clean Sanding System Workstation
8928456	7100247666	Workstation Extension
8928457	7100007820	Dust Free Hose Extension Kit, 6 m

3M CUBITRON II CLEAN SANDING HOOKIT DISCS



These 3M Cubitron II Clean Sanding Hookit Discs feature triangular shaped ceramic mineral grains that are electrostatically oriented to form sharp peaks, each acting like individual cutting tools that slice through material 30% faster than premium abrasives. The triangular peaks wear evenly providing a more uniform finish.

PART NO.	MFG#	GRADE	DESCRIPTION	QTY
8928246	7000118613		Backup Pad 6"	1
8928730	7100073549	P40		25
8928732	7100147539	P80		50
8928734	7100155360	P120		50
8928735	7100155357	P180		50
8928737	7100155285	P220		50
8928592	7100330921	P500		50
8928598	7100329899	P1000		50
8928599	7100322547	P220	Replacement Pad, 6"	

3M HOOKIT PURPLE CLEAN HOOKIT
SANDING DISC (6" DISC SIZE)



With the revolutionary Clean Sanding multi-hole pattern technology you will experience improved cut rates and extended disc life with or without a tool vacuum system. Use for fine featheredging, last final sanding step before priming, or prepping before blending. **6" Discs**
Requires backing pad 8928246

PART NO.	MFG#	GRADE	DESCRIPTION	QTY
8928736	7100155304	P150	Sanding Disc	50
8928587	7100138558	P240	Sanding Disc	50
8928588	7100141496	P320	Sanding Disc	50
8928589	7100141502	P400	Sanding Disc	50
8928600	7100330799	P600	Sanding Disc	50
8928601	7100330728	P800	Sanding Disc	50
8928245	7000028239		Soft Foam Interface Pad	1
8928246	7000118613		Backing Pad	1

3M TRIZACT HOOKIT DISC





Patterned, precise mineral structures give Trizact abrasives the combination of fast cut and consistent finish every time. Use P1000 foam blending discs for scuff sanding. Use P1500 clearcoat sanding discs for leveling dust nibs and sanding of mismatched orange peel. Use P3000 foam disc for removing P1200-P1500 grade sand scratches.

PART NO.	MFG#	GRADE	DESCRIPTION	QTY
8928245	7000028239		6", Soft Interface Pad	1
8928246	7000118613		6", Backup Pad	1
8928552	7100324143	P1500	6" Clear Coat Disc	25
8928556	7100311882	P3000	6" Foam Finishing Disc	15

CLEAN SANDING HOOKIT DISC
3M CUBITRON II



These Cubitron II Clean Sanding Discs are fast acting and long lasting. The Multi-Hole pattern is designed for excellent dust extraction.

PART NO.	MFG#	GRADE	DESCRIPTION	QTY
8928629	7100073547	40+	8" Disc	25
8928630	7100155305	80+	8" Disc	25

For the most up to date pricing, please visit maritimemarinesupply.ca/price

3M PURPLE FINISHING FILM HOOKIT





These 3M Purple Finishing Films level 'orange peel' imperfections, dust nibs and paint runs with high performance Aluminum Oxide grit that cuts fast, lasts a long time, resists loading and leaves a consistent finish.

PART NO.	MFG#	GRADE	DESCRIPTION	QTY
8928604	7100122780	P1200	6" Finishing Disc	50
8928245	7000028239		6", Interface Pad	1

NEW

HOOKIT GOLD ABRASIVE DISC NO HOLE, 6" DISC



Gold Abrasive Discs are used for sanding on collision repair substrates like paint, primer, metal and composites. It is a paper-backed disc with high-quality minerals for a long-lasting cut and has a load-resistance coating to help reduce clogging and extend the abrasive life .

The Hookit system features hook-and-loop attachment for easy, reusable application. With 3M Hookit Gold Abrasive Discs, you can achieve a uniform consistent finish, making it a valuable addition to any repair toolkit.

PART NO.	MFG#	GRADE	QTY
8928740	7100363741	P40	50
8928741	7100364184	P80	50
8928742	7100363822	P120	50
8928743	7100363576	P150	50
8928744	7100364203	P180	50
8928745	7100363631	P220	50
8928746	7100363632	P240	50
8928747	7100363560	P320	50
8928748	7100363607	P400	50
8928749	7100364213	P500	50
8928750	7100364204	P600	50
8928751	7100363397	P800	50

3M CUBITRON II, ABRASIVE FIBER DISC



3M Cubitron II Fiber Discs are designed with 3M precision triangular shaped ceramic grains with super sharp points to cut exceptionally faster with less grinding pressure than conventional abrasives. The triangular shaped ceramic grains wear more evenly and run cooler which significantly increases disc life, up to 5 times longer, requiring fewer disc changes and increasing productivity.

PART NO.	MFG#	GRADE	DESCRIPTION	QTY
8928720	7100033183	36+	5" Disc	5
8928721	7100033181	60+	5" Disc	5
8928722	7100033182	80+	5" Disc	5
8928620	7100033178	36+	7" Disc	5

3M CUBITRON II HOOKIT
CLEAN SANDING SHEET ROLL



These sheet rolls feature our unique kiss-cut scoring technology which enables users to be cleanly and easily converted into multiple sheet-lengths. For max dust removal, 3M has added hundreds of small holes which have been purposely arranged in a chevron formation.

The triangular-shaped ceramic grains of Cubitron II are electrostatically oriented to form sharp peaks, each acting like an individual cutting tool that slices through paint and body filler, wearing evenly, and providing long life.

PART NO.	MFG#	GRADE	WIDTH	LENGTH
8928579	7100086671	40	70mm	8m
8928572	7100150711	80	70mm	12m
8928574	7100155338	120	70mm	12m
8928580	7100155364	180	70mm	12m
8928581	7100155366	220	70mm	12m
8928690	7100086415	40	115mm	12m
8928691	7100155367	80	115mm	12m
8928693	34464	120	115mm	12m
8928694	34460	180	115mm	12m
8928688	7100138562	240	115mm	12m
8928689	7100141493	320	115mm	12m

3M™ WETORDRY™ ABRASIVE SHEET



- Convenient sheet can be used wet or dry on paint, primer, gel coat and metal
- Waterproof backing supports wet applications for decreased loading and a faster cut
- Silicon carbide mineral is our fastest-cutting abrasive for a superior finish
- 5-1/2" x 9"
- Sold in boxes of 50

PART NO.	MFG#	DESCRIPTION
9960-879	7000042501	1000 grit
8928306	7000028330	1200 grit
9960-881	7000028329	1500 grit
9960-882	7000028328	2000 grit

3M HOOKIT SANDING BLOCK KIT



Top seven most popular blocks were designed and manufactured to provide users with comfortable and easy to use tools for their everyday applications. You can use these products with the 3M Purple Clean Sand Sheet Roll to efficiently complete your repair.

Kit contains:

- 1 x Block, 7/8" x 1-3/8" x 10-3/4"
- 1 x Block, 1-1/2" x 2-5/8" x 5-1/4"
- 1 x Block, 1-1/2" x 2-5/8" x 10-3/4"
- 1 x Block Round, 1-1/4" x 10-3/4
- 1 x Block Teardrop, 2-1/8" x 10-3/4"
- 2 x Block, 5/8" x 2-1/2" x 5-3/8"

PART NO.	MFG#	DESCRIPTION
8928222	7000045510	Sanding Block Kit

SCOTCHBRITE HAND PADS



- 6" x 9" Sheets
- For scuffing before applying paints and primers
- Excellent for final finishing and light cleaning
- Conformable web; fine silicon carbide

PART NO.	MFG#	DESCRIPTION
9960-085	7000121088	General Purpose, Maroon (Sold Each)
9960-087	7000121089	Ultra Fine, Grey (Sold Each)

NEW 3M SCOTCH-BRITE FINE PADS



Combines ultra flexibility with effective cutting action and precise hand control to accomplish tough cleaning jobs or produce fine finishing results.

PART NO.	MFG#	DESCRIPTION
8928226	7000136588	Grey, Ultra Fine, 9" x 4-1/2" (24 pc.)
8928227	7000136587	Maroon, Very Fine, 9" x 4-1/2" (24 pc.)

3M SCOTCH-BRITE HEAVY DUTY PAD



A non-woven, three-dimensional product to be used for the following applications; varnish stripping, bottom paint scuffing and stripping, rust removal and heavy clean up.
Colour: Tan

PART NO.	MFG#	DESCRIPTION
8928225	7440	Heavy Duty Pad (Sold Each)

3M SCOTCH-BRITE GENERAL PURPOSE PAD



For scuffing before applying paint and paint primers. Also may be used in cleaning upholstery and chrome. Can be rinsed and used over and over again.
Colour: Maroon

PART NO.	MFG#	DESCRIPTION
8928220	7000000728	General Purpose Pad (20 per Box)



MIRKA DUST-FREE SANDING KIT/PNEUMATIC

If you already have a suitable air compressor, this starter kit includes all the other equipment you need for efficient dust-free sanding including Mirka's ergonomic PROS pneumatic sander, HEPA dust extractor with automatic switch, and dust extraction hose with integrated air line.



6" PROS Pneumatic Random Orbital Sander/ MRP-625CV

- Ergonomic air sander has a large 6 inch pad and dust extraction port for clean and efficient sanding
- Wide dust collection port with Abranet mesh abrasives provides very effective dust capture



12' Dust Extraction Hose/MV412HA

- 1-1/4" x 12' vacuum hose including attached air supply



Pneumatic On/Off Module/MV-912-PB

- 1-1/4" x 12' vacuum hose including attached air supply

Dust Extractor 1230 HEPA PC/MV-912



- High performance motor and turbine 4psi vacuum and 1200 g/ min air flow
- Holds 8gal, includes automatic electrical start and adjustable suction
- Flat top with space for storage and large wheels for better maneuverability
- Hose and cable storage for more comfortable transportation
- 19"L x 16"W x 24"T, 22lbs, 23' elec, cord

PART NO.	MFG#	DESCRIPTION
8928400	MCA-PROSKIT-625	6" Dust-Free Sanding Kit

ABRANET 6" ABRASIVE DISCS



- The multi-functional and classic Abranet® combines high performance and a longer lifespan than traditional abrasives.
- Mesh design provides a truly universal hole pattern so it will work with any hook and loop system wthno alignment of holes needed.
- Further, the mesh abrasive results in a dust-free sanding experience, faster sanding, and a better surface finish. Resists clogging and loading, and can be cleaned if necessary
- Aluminum oxide bonded to a polyamide mesh

PART NO.	MFG#	DESCRIPTION
8928410	9A-241-080	50pk, 80 grit
8928411	9A-241-100	50pk, 100 grit
8928412	9A-241-120	50pk, 120 grit
8928413	9A-241-150	50pk, 150 grit
8928414	9A-241-180	50pk, 180 grit
8928415	9A-241-220	50pk, 220 grit
8928417	9A-241-320	50pk, 320 grit
8928418	9A-241-400	50pk, 400 grit
8928429	9A-241-AP	35pk, 5 EA 80/120/180/240/320/400/600

MIRKA DUST-FREE SANDING KIT/ELECTRIC

Kit includes equipment for efficient dust-free sanding in nearly any applications. Get started with a selection of Mirka's Abranet mesh abrasives, EROS electric sander, HEPA dust extractor, hose and tool case.



6" DEROS Direct Electric Random Orbital Sander / MID65020CAUS

- Palm lever throttle offers comfortable use for sanding speeds between 4,000 and 10,000 rpm
- Backing pad has a central air inlet resulting in improved air flow extracting dust away from the centre of the tool even faster



13' Dust Extraction Hose

- 1" to 1-1/4" 13' tapered vacuum hose with sleeve to attach the power cord

Storage T-LOC Systainer Case/MIN6532011



- A sturdy storage solution keeps tools and equipment organized in one place attaches to Mirka dust extractor using the included fastening system

Includes Abranet Mesh 4 boxes of 50 6" discs, 1 of 80, 120, 150, and 180 grit



Dust Extractor 1230 HEPA PC/MV-912



- High performance motor and turbine 4psi vacuum and 1200 g/ min air flow
- Holds 8gal, includes automatic electrical start and adjustable suction
- Flat top with space for storage and large wheels for better maneuverability
- Hose and cable storage for more comfortable transportation
- 19"L x 16"W x 24"T, 22lbs, 23' elec, cord

PART NO.	MFG#	DESCRIPTION
8928401	MCA-RIDEROS-6	6" Elec Dust Free Sanding Kit

ACE HD 6" ABRASIVE DISCS



- Abranet Ace HD for dust-free sanding is durable and tough with ceramic grains
- Strong net structure resists high wear and tear and is ideal for heavy-duty applications
- Mesh design allows sanding dust to be drawn through the entire disc mesh, maximizing dust recovery as it resists loading, increasing abrasive efficiency and reducing disc wear
- Coarse grit range makes this ideal for aggressive stock removal featuring exceptional resistance to edge wear

PART NO.	MFG#	DESCRIPTION
8928430	AH-241-040	25pk, 40 grit
8928431	AH-241-060	25pk, 60 grit
8928432	AH-241-080	25pk, 80 grit

NEW

REUSABLE RESPIRATOR



- Quick latch drop-down mechanism allows for easy on and off for moving in and out of contaminated areas.
- Reusable respirator designed for tough and dirty work environments.
- Silicone face seal helps provide comfortand stability with a soft but firm seal
- Cool Flow Valve allows for easy breathing and helps reduce warm and moist exhaled breath from inside the respirator
- Adjustable head cradle and straps offer a personalized fit
- Exhalation valve cover helps direct exhaled breath and moisture downward

PART NO.	MFG#	DESCRIPTION
8928107	7000128237	Small
8928108	7000128238	Medium
8928109	7000128240	Large

7500 SERIES RESPIRATORS



- Half face piece respirator made of advanced silicon material to provide maximum comfort
- Exhalation valve makes breathing easier and also helps reduce heat and moisture inside the mask
- Unique harness design allows the user to wear the respirator in either the traditional or 'drop down' mode

PART NO.	MFG#	DESCRIPTION
8928110	7100134948	Small 7500 Series Respirator
8928111	7000002162	Medium 7500 Series Respirator
8928112	7100134949	Large 7500 Series Respirator

HALF-FACE MASKS



- Cartridges and filters are simply twisted on or off for easy replacement, allowing repeated use
- Easy to clean and supplied with a storage bag
- NIOSH/MSHA approved

PART NO.	MFG#	DESCRIPTION
9963-071	7000001933	Medium
9963-074	7000001934	Large
9963-061	7000002050	Replacement Gasket

3M 6000 FULL FACE RESPIRATOR





8928126 Repl. Lens

8928125 Lens Cover

- Soft and lightweight face piece material with easily adjustable straps provides maximum comfort
- Low maintenance; require only a quick cleaning between uses
- No retainers or extra parts required to attach filters, cartridges or dual airlines
- NIOSH approved

PART NO.	MFG#	DESCRIPTION
8928121	7000002030	Medium Respirator
8928122	7000002037	Large Respirator
8928125	7100138628	Lens Cover, Single
8928126	7000002036	6000 Srs Lens Assembly
9963-061	7000002050	Replacement Gasket

3M ULTIMATE FX FULL FACEPIECE



- Silicone full facepiece design offers comfort, durability, and ease of cleaning.
- Large lens provide a wide field of view for excellent visibility.
- 3M™ Cool Flow™ Exhalation Valve for cooler, drier comfort
- Passive speaking diaphragm enhances communications.
- Scotchgard protection paint and stain resistant lens cause some liquids to bead up so they can be wiped off easily.
- Full facepiece respirators are an industry-trusted tool from a variety of 3M Respirators - compatible with 3M Supplied Air Respirator assemblies.
- NIOSH Approved

PART NO.	MFG#	DESCRIPTION
8928140	7000002284	Medium
8928141	7100001847	Large
8928142	7000029958	Lens Cover

FACESHIELD TUFFMASTER



3M Tuffmaster Faceshield helps provide additional high impact protection to the face and eyes. An adjustable 13 position ratchet cam-lock and a five position crown strap helps hold the faceshield in place. The clear Polycarbonate lens is replaceable. Meets the requirements of ANSI Z87.1-1989.

Protective eyewear should be worn under faceshields at all times (sold separately).

PART NO.	MFG#	DESCRIPTION
8928198	7000127244	Faceshield
8928199	7000002339	Replacement Lens

3M DUST/MIST RESPIRATORS



- lightweight, easy-breathing respirator used when sanding cured paint, fibreglass, and fairing compounds; recommended for use up to 10 x PEL or applicable OSHA limits, whichever is lower
- NIOSH/MSHA approved

PART NO.	MFG#	DESCRIPTION
8928100	7100006272	Dust/Mist Respirator (pkg. of 20)

3M DUST/MIST RESPIRATOR



Recommended for grinding, sanding, sawing in either oil or non-oil environments. NIOSH certified. **Minimum 95% filter efficiency.** Conformable "M" nose clip, face seal ring and 3M Cool Flow exhalation valve to reduce heat and moisture inside the respirator. Excellent for use with eyeglasses.

PART NO.	MFG#	DESCRIPTION
8928105	7000002047	Dust/Mist Respirator (pkg. of 10)

COOL FLOW FACE MASK



- Low profile, 3 panel respirator that conforms to a wide range of face sizes
- Cool flow valve reduces breathing resistance for increased comfort
- Recommended for sanding wood, fibreglass, epoxies & bottom paints

PART NO.	MFG#	DESCRIPTION
9963-063	9211-PLUS*	Face mask

3M ORGANIC VAPOUR CARTRIDGES



- This cartridge can be used with the 6000 and 7500 series respirators.
- NIOSH approved for organic vapours such as encountered in fiberglass use.
- **Does not filter dust/mist.**
- **Used with Dust/Mist Pre-Filtre 8928135**

PART NO.	MFG#	DESCRIPTION
8928130	6001	Organic Vapour Cartridge (pkg of 2)

3M DUST/MIST PRE-FILTER



Filter Retainer

These filters can be used with above vapour cartridges to provide dust/mist protection. These are placed over the vapour cartridge using the retainers purchased separately.
2 of each required.

PART NO.	MFG#	DESCRIPTION
8928135	5N11	Pre-Filter, each
8928136	**501**	Retainer, each
9963-111	02008	Pre-Filter, Box of 10

3M PARTICULATE FILTER



These 3M™ Particulate Filters have specially designed carbon layers to help provide relief against nuisance levels of organic vapors. They are well suited for a wide range of oil and non-oil based particulate contaminants from sprays and can be used as a prefilter for certain chemical exposures.
Use with NIOSH-approved 3M™ Half and Full Facepiece Reusable Respirator 6000, 6500, 7500, 7800S or FF-400 Series; or the 3M™ Scott™ AV-3000 SureSeal or AV-3000 HT

- Bayonet-style connection.
- Resists abrasion and wetting.
- flame and water resistant.
- Rated : NIOSH P100

PART NO.	MFG#	DESCRIPTION
8928132	7000029657	Particulate Filter, 2 Pk.

DUST/MIST FILTER



- provides protection against dust and mist only
- 1 pair required per mask
- twists simply onto facemask
- can be used alone if vapor protection is not required

PART NO.	MFG#	DESCRIPTION
9963-072	7000002058	Dust/Mist Filter

DISPOSABLEHALFMASK



- Priced to be disposable, but can easily be used upto 30 times
- N95 Complete, Suitable for: lacquer & enamel paints, dusts, and oil mists

PART NO.	MFG#	DESCRIPTION
9963-227	15R4SM20DN5ZAM	S/M
9963-228	15R4ML20DN5ZAM	M/L

FULL FACEPIECE RESPIRATOR



- One size fits most users, provides a balanced low-pressure positive seal
- Quick release shielded buckles allow fast easy removal
- 5 point head harness provides an even, comfortable fit with no slippage
- Inner mask reduces CO2 build up
- Anti-Fog hard coated lens simplifies maintenance and extends product life
- Metal speech diaphragm enables clear, high quality communications

PART NO.	MFG#	DESCRIPTION
9963-240	15RF130M00	Filters sold separately



Replacement Parts

PART NO.	MFG#	DESCRIPTION
9963-241	15A1307086	Lens
9963-242	15A1307096	Lens covers

Filtration

PART NO.	MFG#	DESCRIPTION
9963-243	15F158T20B100	Organic repl
9963-244	15F158DN5B100	Particulate repl
9963-245	15F14881	Retainer each
9963-246	15F158T20DN5HAM	Organic/particulate pack

DISPOSABLE RESPIRATOR



- Foam nose cushion and adjustable nose clip
- No staples, straps are electro-sonically sealed to the facepiece
- Crushed resistant shell will not collapse in hot, humid conditions

PART NO.	MFG#	DESCRIPTION
9963-229	15DAD5N95B240	N95
9963-230	15DAD5N95VB120	N95/w/valve

SECUREFIT SAFETY GLASSES



Self-adjusting feature eliminates need to stock multiple frame sizes at work sites. Scotchgard anti-fog lens coating helps keep lenses free of moisture in hot & humid conditions. Anti-scratch coated polycarbonate lenses absorb 99.9% of UVA & UVB.

Meets CSA Z94.3-2007 requirements and high impact requirements of ANSI Z87.1-2003.

PART NO.	MFG#	DESCRIPTION
8928191	7100090435	Safety Glasses

PRIVO ANTI-FOG SAFETY GLASSES



Euro style bridges & comfort with soft tips and temples, a gentle nose bridge, & a sturdy polycarbonate lens. Meets requirements of CSA Z94.3-2007 and the High Impact Requirements of ANSI Z87.1-2003. Polycarbonate lens absorbs 99.9% UV.

PART NO.	MFG#	DESCRIPTION
8928180	7000127535	Black, w/Clear Lens

VIRTUA CCS ANTI-FOG SAFETY GLASSES



Removable Foam Gasket with air vents and Anti Fog Clear Lens. These safety glasses provide a comfortable protective seal that helps limit eye exposure to nuisance dust while you focus on the job at hand.

Virtua CCS eyewear includes the Corded Earplug Control System (CCS) that helps keep eyewear and earplugs attached, untangled and ready to use (earplugs sold separately).

PART NO.	MFG#	DESCRIPTION
8928182	7000128259	CCS Safety Glasses

SENTINEL SAFETY GLASSES



- Super lightweight wraparound design for men and women
- Features rubberized temple tips and integrated nosepiece
- Fits comfortably with half mask respirators

PART NO.	MFG#	DESCRIPTION
9963-231	12E90801	Clear
9963-232	12E90806	Clear, Anti-Fog
9963-233	12E90803	Amber
9963-234	12E90804	Blue Mirror

CITATION SAFETY GLASSES



- Super lightweight wraparound design
- Combines a sleek appearance with rugged durability
- Impact and scratch resistant polycarbonate lens

PART NO.	MFG#	DESCRIPTION
9963-235	12E93201	Clear
9963-236	12E93202	Blue
9963-237	12E93704	Blue Mirror

GLOVES, DISPOSABLE NITRILE

STRONGWEAR



Made of 100% Nitrile that does not promote allergic reactions. They have extraordinary strength and puncture resistance while maintaining tactile sensitivity. They will fit either hand, have a beaded cuff and a textured surface, they are comfortable and flexible. **100/pkg.**

PART NO.	MFG#	DESCRIPTION
7229160	SWDGN-P-S	Small, Purple, 5 Mil

THICKSTER 14 MIL. LATEX DISPOSABLE GLOVES



These strong and flexible Thickster Powder Free Latex disposable gloves are made of 14 mil thick latex and have a beaded cuff for easy donning and are textured for a superior grip.

12" long for added protection.

PART NO.	MFG#	DESCRIPTION
7229104	6603-20	L, Box of 50 gloves
7229105	6604-20	XL, Box of 50 gloves

POWDERED DISPOSABLE LATEX GLOVES - 100/BOX

WIPECO INDUSTRIES



- 4mil powdered latex disposable glove with a rolled cuff
- Good puncture resistance
- Lightly textured for better grip

PART NO.	MFG#	DESCRIPTION
9960-830	DL100-M	M, Box of 100
9960-831	DL100-L	L, Box of 100
9960-832	DL100-XL	XL, Box of 100

DISPOSABLE NITRILE GLOVES - 100/ BOX

WIPECO INDUSTRIES



- Powder-free black 6mil nitrile
- Excellent oil and grease resistance
- Great cut and puncture resistance
- Lightly textured for better grip

PART NO.	MFG#	DESC
9960-836	DN106-M	M, Box of 100
9960-837	DN106-L	L, Box of 100
9960-838	DN106-XL	XL, Box of 100

DISPOSABLE PROTECTIVE COVERALLS

KLEENGUARD

Kleenguard A40 Liquid and Particle Protection Coveralls with hood are a great addition when offering your team comfortable protective clothing.

Made of breathable, microporous film to keep out debris, non-hazardous liquid chemicals and dry particulates. Suits feature a two-way zipper in the front, and elastic wrists and ankles. These coveralls with hood pass NFPA 99 for antistatic materials.







PART NO.	MFG#	DESCRIPTION
8928035	1012181	Medium
8928036	1012182	Large
8928037	1012183	X-Large
8928038	1012184	XX-Large
8928039	1012185	XXX-Large

SPRAY SOCK



Made of soft comfortable cotton knit material this hood-type sock fits snugly over the head. Use any place where dust, over spray, fallout will get in hair, ears, or clothing. Three-way stretch knit material allows for full face, eyes and nose or eyes only exposure while the head and neck remain protected and cool.

- One size fits all
- **Weight:** 0.25 lbs

PART NO.	MFG#	DESCRIPTION
8928010	32001	Spray Sock Cotton

SMS DISPOSABLE COVERALLS

- SMS barrier fabric is a unique tri-laminate construction that offers a high tensile strength and toughness that is also soft, drapable, and easy to work with.
- Excellent barrier protection while keeping the worker cool and comfortable
- A fluid and particulate barrier to protect the worker without sacrificing mobility and comfort
- Strong and durable, yet offer outstanding comfort, breathability, softness, and wearability
- Lightweight and resistant to tears and punctures



PART NO.	MFG#	DESCRIPTION
9964-109	CMP50127W-M	M
9964-110	CMP50127W-L	L
9964-111	CMP50127W-XL	XL
9964-112	CMP50127W-2XL	2XL
9964-113	CMP50127W-3XL	3XL

EAR PLUGS



- Earplugs are easy to roll down for quick and easy fitting
- Soft polyurethane foam is hypoallergenic
- Noise Reduction Rating (NRR) 29 dB, CSA Class AL

PART NO.	MFG#	DESCRIPTION
8928150	7100099847	Ear Plugs (Sold as Pair)

EAR PLUGS, PUSH-IN



- A gentle push is all it takes to insert
- Tapered-cone shape and smooth, soft foam provide in-ear comfort and hearing protection
- Noise Reduction Rating 31 dB. CSA Class AL

PART NO.	MFG#	DESCRIPTION
9960-196	318-4000	Pair

CORDED PUSH-IN EARPLUGS



Corded foam earplugs provide all-day hearing comfort, convenience and protection. Constructed of 3M E-A-Rform foam, these earplugs feature a no roll-down design and a blue stem for a quick and easy fit.

Noise Reduction Rating (NRR)* 28 dB. CSA Class AL.

PART NO.	MFG#	DESCRIPTION
8928152	7000052745	Ear Plug Push-Ins

EARBAND



- Inner-aural hearing protector
- Gel like pods are super-soft and ultra comfortable in the ear
- Band is worn under the chin and features molded finger grips

PART NO.	MFG#	DESCRIPTION
9963-239	762299	Contra-Band

BLACKHAWK EARMUFF



- Three-position ear pieces
- Patented Soft-Seal™ ear cushions
- Lightweight and comfortable

PART NO.	MFG#	DESCRIPTION
9963-238	772700	Earmuffs

PELTOR EARMUFFS



The 3M Peltor non-electric earmuffs include a single push button that "muffles" and attenuates noise to a safe level so that individuals can function long term with less danger.

The headband style earmuffs have ear cups containing liquid and are covered with foam-filled comfort cushions for long wear and optimum seal.

PART NO.	MFG#	DESCRIPTION
8928160	7000009669	Earmuffs

For the most up to date pricing, please visit maritimemarinesupply.ca/price

105 Epoxy Resin is the base material on which all West System 105 System epoxy compounds are built. The resin is a clear, pale yellow, low-viscosity liquid epoxy resin. Formulated for use with West System hardeners, it can be cured in a wide temperature range to form a high-strength solid with excellent moisture resistance. 105 Resin is formulated without volatile solvents and does not shrink after curing. It has a relatively high flash point and no strong solvent odour. 105 Resin is designed specifically to wet out and bond with wood fiber, fiberglass, reinforcing fabrics and a variety of metals when mixed at the proper ratio with a West System hardener. An excellent adhesive, 105 mixtures will bridge gaps and fill voids when modified with West System fillers and can be sanded and shaped when cured. With roller applications, it has excellent thin-film characteristics to flow out and self-level without "fish-eyeing." 105 Resin/207 Hardener mixtures cure clear so you can achieve a natural finish when coating with varnish.

105 EPOXY RESIN







PART NO.	MFG#	DESCRIPTION
8960100	C105-A	1 Quart
8960101	C105-B	.98 Gal.
8960104	C105-C	4.35 Gal.

COATING QUANTITY

PACKAGE SIZE / QUANTITY			COATING COVERAGE	
RESIN QUANTITY	HARDENER QUANTITY	MIXED QUANTITY	SATURATION COAT POROUS SURFACES	BUILDUP COATS NON-POROUS SURFACES
105-A 1 qt (.94L) 2.40 lb	205-A or 206-A .43 pt (.20L).47 lb	1.2 qt (1.15L) 2.87 lb	90-105ft² (8.5-10m²)	120–135ft² (11-12.5m²)
	207-A or 209-A .66 pt (.31L).70lb	1.3 qt (1.26L) 3.1 lb	90-105ft² (9-10m²)	120-135ft² (11-13m²)
105-B .98 gal (3.74L) 9.50 lb	205-B or 206-B .86 qt (.81L)1.86 lb	1.2 gal (4.55L) 11.36 lb	350-405ft² (32-37m²)	462–520ft² (43-48m²)
	207-B or 209-B 1.32 qt (1.24L)2.75 lb	1.3 gal (4.98L) 12.25 lb	370-430ft² (35-40m²)	490-550ft² (45-50m²)
105-C 4.35 gal (16.46L) 41.82 lb	205-C or 206-C .94 gal (3.58L)8.20 lb	5.29 gal (20L) 50.02 lb	1530-1785ft² (142-165m²)	2040-2300ft² (190-213m²)
	207-C or 209-C 1.45 gal (5.49L)12.0 lb	5.8 gal (21.9L) 53.82 lb	1675-1955ft² (155-180m²)	2235-2520ft² (207-233m²)



205 FAST HARDENER



205 Fast Hardener is a medium-viscosity epoxy curing agent. It is used in a majority of situations, at lower temperatures and to produce a rapid cure that develops its physical properties quickly at room temperature.
Not intended for clear coating.

Pot Life at 72°F (22°C): 9 to 12 minutes
Cure to a solid state: 6 to 8 hours
Cure to maximum strength: 1 to 4 days
Minimum recommended temperature: 40°F (4°C)
Mixing Ratio: 5:1

PART NO.	MFG#	DESCRIPTION
8960220	C205-A	.43 Pint
8960221	C205-B	.86 Quart
8960222	C205-C	.94 Gal.

206 SLOW HARDENER



206 Slow Hardener is a low-viscosity epoxy curing agent for use when extended working and cure time is needed or to provide adequate working time at higher temperatures.
Not intended for clear coating.

Pot life at 72°F (22°C): 20 to 25 minutes
Cure to a solid state: 10 to 15 hours
Cure to maximum strength: 1 to 4 days
Minimum recommended temperature: 60°F (16°C)
Mixing Ratio: 5:1

PART NO.	MFG#	DESCRIPTION
8960200	C206-A	.43 Pint
8960201	C206-B	.86 Quart
8960202	C206-C	.94 Gal.

209 EXTRA SLOW HARDENER



209 Extra Slow Hardener is formulated for extremely warm and/or humid conditions or when extended working time is desired at room temperature. Provides approximately twice the working time of 206 Slow Hardener. Forms a clear, amber-coloured solid with good physical properties and moisture resistance for bonding and coating applications.
Not intended for clear coating.

Pot life at 72°F (22°C): 40 to 50 minutes
Cure to a solid state: 20 to 24 hours
Cure to maximum strength: 4 to 9 days
Minimum recommended temperature: 70°F (21°C)
Mixing Ratio: 3:1

PART NO.	MFG#	DESCRIPTION
8960210	C209-SA	.66 Pint
8960211	C209-SB	1.32 Quart

SPECIAL CLEAR COATING HARDENER



207 Special Clear Hardener was developed for coating and fiberglass cloth application where an exceptionally clear, moisture-resistant, natural wood finish is desired. 207 Hardener will not blush or turn cloudy in humid conditions. Thin film applications roll out and tip off smoothly, requiring less sanding in preparation for finish coatings. Three coats or more can be applied in one day without additional surface preparation. The final coating can be sanded the following day. Can be used as a structural adhesive for gluing and laminating. Has excellent compatibility with paints & varnishes. An ultraviolet inhibitor helps provide a long lasting finish when used with quality UV varnish.
105/207 cures clear and colourless.

Pot life at 72°F (22°C): 20 to 26 minutes
Cure to a solid state: 10 to 15 hours
Cure to maximum strength: 4 to 7 days
Minimum recommended temperature: 60°F (16°C)
Mixing Ratio: 3:1

PART NO.	MFG#	DESCRIPTION
8960240	C207-SA	.66 Pint
8960241	C207-SB	1.32 Quart

For the most up to date pricing, please visit maritimemarinesupply.ca/price

MINI PUMP SET



Designed for convenient and accurate metering of all Group Size A, B and C West System resin and hardeners. Mounts directly on the resin and hardener containers and eliminates mess involved with measuring by weight or volume. Calibrated to deliver the proper working ratio with one full pump stroke of resin for each one full pump stroke of hardener.

Mini Pump Set Includes:

- 1 x 105 Resin Pump
- 1 x 205/206 Hardener Pump (5:1 ratio)
- 1 x 207/209 Hardener Pump (3:1 ratio)
- 1 x Set of Adapters for various size containers

PART NO.	MFG#	DESCRIPTION
8960050	300	Mini Pump Set For A, B, C

RESIN/HARDENER PACK



This Resin/Hardener kit consists of six individual packets. Each pre-measured packet contains 16g of 105 Resin and 3.2g of 205 Fast Hardener (19.2g or 0.56 fl oz of mixed epoxy).

PART NO.	MFG#	DESCRIPTION
8960506	101-T	Resin/Hardener 6 pkgs

G/5 FIVE-MINUTE ADHESIVE



An easy to use, fast curing epoxy system for quick repairs, tooling, and general bonding. May be used in spot applications to hold parts in position while standard epoxy bonds cure. Bonds to wood, fiberglass, and metals. One-to-one mixture, no pumps are required.

PART NO.	MFG#	DESCRIPTION
8960540	C865-4	1/2 pint
8960542	C865-16	2 pints

HANDY REPAIR PACK



Everything you need to complete small repairs around the boat, shop, or home. The handy repair pack contains two West System 105 Epoxy resin/205 Fast Hardeners packets, and enough adhesive filler to complete a variety of coating and bonding operations. Also included are a 2" x 10" piece of 9 oz. fiberglass tape (useful for patching, reinforcing or abrasion resistance), an application brush, mixing stick, pipe cleaner, two cleaning pads, and complete instructions. The components can be mixed in a disposable package.

PART NO.	MFG#	DESCRIPTION
8960500	101	Handy Repair Package

FIBERGLASS REPAIR KIT



This fiberglass kit contains:

- 250g of 105 Resin, 50g of 205 Hardener
- 2 pairs of Gloves
- 3 Mixing pots, 2 Brushes,2 Syringes
- 1m 450g/m² of 125mm wide biaxial glass tape
- 1m 175g/m² of 75mm wide woven glass tape
- 1m of 100mm peel ply tape
- 1 tub of 402 Milled Glass Fiber Filler
- 1 tub of 409 Microsphere Blend
- 1 Reusable Mixing Stick
- Instructions

PART NO.	MFG#	DESCRIPTION
8960550	C105-K	Fiberglass Repair Kit

G/FLEX 650 LIQUID EPOXY



G/flex 650 Liquid Epoxy works for plastic, fiberglass, ceramics, metals, damp and difficult-to-bond hardwoods including tropical woods. Can be used to wet-out fiberglass tapes and fabrics and can be modified with West System fillers and additives.

Great for sealing leaking seams and rivets and for patching holes and cracks.

PART NO.	MFG#	DESCRIPTION
8960520	C650-8	118mL Resin/118mL Hardener
8960522	C650-32	473mL Resin/473mL Hardener

G/FLEX 655 EPOXY PASTE

G/flex 655 Plastic friendly Epoxy Paste is ideal for repairing small craft made from HDPE, LDPE, ABS, PVC or polycarbonate plastic.



8960545



8960535



Great for repairing holes, cracks and delaminating substrates.

PART NO.	MFG#	DESCRIPTION
8960535	C655-2QT	946mL Resin/946mL Hardener
8960545	C655-8	125mL Resin/125mL Hardener
8960536	C655-2G	3.78L Resin/3.78L Hardener

G/FLEX THICKENED EPOXY ADHESIVE



Great on plastics including HDPE, LDPE, ABS, PVC, Polycarbonate, and Hypalon. Easy-to-use syringe to dispense small quantities of epoxy Viscosity is similar to gel toothpaste—won't run or sag

PART NO.	MFG#	DESCRIPTION
8960532	655-1	G/Flex Thickened Epoxy .84fl oz

SIX 10 ADHESIVE



Six10 thickened epoxy adhesive combines the strength and reliability of a two-part West System brand epoxy with point-and-shoot convenience. The self-metering coaxial cartridge dispenses a gap-filling structural epoxy that bonds tenaciously to wood, metals, fiberglass and concrete. The tube comes with a static mixer that lets you lay down a bead of thickened epoxy with any standard caulking gun.

Working time: 42 min at 72°F, cures to a solid in 5-6 hours

PART NO.	MFG#	DESCRIPTION
8960510	C610	Six10 Adhesive 190mL
8960511	600-2	Tip Mixer 2pk
8960512	600-12	Tip Mixer 12pk

MICROFIBERS



This Microfiber is a fine fiber blend and is used as a thickening additive with resin/hardener to create a multi-purpose adhesive, especially for bonding wood. Epoxy thickened with Microfibers has good gap-filling qualities while retaining excellent wetting/penetrating capability.

Colour: Off-White

PART NO.	MFG#	DESCRIPTION
8960600	403-9	6 oz Package
8960602	403-28	20 oz Package

HIGH-DENSITY FILLER



404 High-Density filler is a thickening additive developed for maximum physical properties in hardware bonding where high-cyclic loads are anticipated. It can also be used for filleting and gap filling where maximum strength is necessary.

Colour: Off-White

PART NO.	MFG#	DESCRIPTION
8960605	C404-15	15.2 oz package
8960606	C404-45	43 oz package

FILLETING BLEND



This strong, wood-toned filler is good for use in glue joints and fillets on naturally finished wood. It mixes easily with epoxy and lets you create fillets that are smooth and require little sanding. Its colour is a consistent brown, so 405 can be used to modify the shade of other WEST SYSTEM fillers.

PART NO.	MFG#	DESCRIPTION
8960610	405	8 oz Package

COLLOIDAL SILICA



Colour: Off-White

Colloidal Silica is a thickening additive used to control the viscosity of the epoxy and prevent epoxy runoff in vertical and overhead joints. Colloidal Silica is a very strong filler that creates a smooth mixture, ideal for general bonding and filleting. It is also West Systems most versatile filler. Often used in combination with other fillers, it can be used to improve strength, abrasion resistance, and consistency of fairing compounds, resulting in a tougher, smoother surface.

PART NO.	MFG#	DESCRIPTION
8960615	406-2	1.7 oz Package
8960616	406-7	5.5 oz Package

LOW DENSITY FILLER



407 Low-Density filler is blended micro balloon-based filler used to make fairing putties that are easy to sand or carve. Reasonably strong on a strength-to-weight basis. Cures to a dark red/brown colour.

PART NO.	MFG#	DESCRIPTION
8960620	407-5	Low Density Filler 4oz
8960622	407-15	Low Density Filler 12oz

MICROLIGHT



Microlight is the ideal low-density filler for creating a light, easily-worked fairing compound especially suited for fairing large areas. Microlight mixes with greater ease than low-density filler or microballoons and is approximately 30% easier to sand. It feathers to a fine edge and is also more economical for large fairing jobs. Not recommended under dark paint or other surfaces subject to high temperatures.

Colour: Light Tan

PART NO.	MFG#	DESCRIPTION
8960625	C410-2	2 oz Package
8960626	C410-7	5.5 oz Package

ALUMINUM POWDER



Aluminum Powder will increase the hardness and abrasion resistance of the coated surface and improve its moisture resistance. This product provides limited protection from ultraviolet light in areas that will not be protected with other coatings and can be used as a base for subsequent painting.

Colour: Metallic Grey

PART NO.	MFG#	DESCRIPTION
8960630	420-36	36 oz Package

BARRIER COAT ADDITIVE



A propriety blend designed to improve cured epoxy's moisture-exclusion effectiveness. This product is used as a barrier coating additive to help prevent gelcoat blistering in polyester fiberglass boat hulls. It also increases the epoxy's abrasion resistance.

Colour: Light Grey

PART NO.	MFG#	DESCRIPTION
8960640	422-16	16 oz Package

GRAPHITE POWDER



Graphite Powder is a fine black powder that can be mixed with West System epoxy to produce a low-friction exterior coating with increased scuff resistance and durability. Epoxy/graphite is commonly used as a low-load, low-speed bearing surface, and a coating on rudders and centerboards or on the bottom of racing crafts that are dry sailed.

Colour: Black

PART NO.	MFG#	DESCRIPTION
8960645	423	12 oz Package

For the most up to date pricing, please visit maritimemarinesupply.ca/price

ALUMINUM BOAT REPAIR KIT

Repair the most common problem with aluminum boats and canoes - leaking seams and rivets - with the Aluminum Boat Repair Kit.

C650-K Aluminum boat repair kit contains: 118mL G/flex 650-A Resin, 118mL G/flex 650-B Hardener, 406 Adhesive Filler, 2 reusable mixing sticks, 2 x 12cc syringes, 2 mixing cups, 2 pairs disposable neoprene gloves and complete handling and repair instructions.



PART NO.	MFG#	DESCRIPTION
8960525	C650-K	Aluminum Repair Kit, 8 oz.

PLASTIC BOAT REPAIR KIT

Repair splits, cracks and small holes in plastic canoes, kayaks and other small boats made from HDPE, LDPE, ABS, PVC or polycarbonate plastic with the contents of this kit.

C655-K Plastic boat repair kit contains: 125mL G/flex 655-A Resin, 125mL G/flex 655-B Hardener, 2 reusable mixing sticks/applicators, 2 pairs disposable neoprene gloves, mixing palettes and complete handling and repair instructions.



PART NO.	MFG#	DESCRIPTION
8960530	C655-K	Plastic Boat Repair Kit, 8.4 oz.

GLASS TAPE



Versatile West System 9oz. woven fabric tapes are ideal for reinforcing chines, hull/deck corners and similar structural applications.

When bonded with West System epoxy, they provide additional tensile strength to resist hairline crack development and abrasion.

PART NO.	MFG#	DESCRIPTION
8961030	729-10	Glass Tape 2" x 10'
8961032	729	Glass Tape 2" x 150'
8961035	731	Glass Tape 3" x 150'
8961040	732-10	Glass Tape 4" x 10'
8961045	732	Glass Tape 4" x 150'
8961060	733	Glass Tape 6" x 150'

BIAXIAL TAPE



15 oz. non-woven E glass fabric. Two layers at a 45 fiber orientation are held together by a light stitching.

Flat, non-crimped fibers yield reduced print-through and higher stiffness than woven fabrics. Biaxial tape is ideal for repairs, tabbing and reinforcing.

PART NO.	MFG#	DESCRIPTION
8961020	727-10	4" x 10'
8961022	727-20	4" x 60'

RELEASE FABRIC



A tough, finely woven nylon fabric treated with a release agent. Used to separate the absorber, breather & vacuum bag from the laminate in vacuum bag operations.

Excess epoxy bleeds through & is peeled from the cured laminate along with the Release Fabric. It is also used in lay-up applications to allow more squeegee pressure & protect the lay-up from contamination.

Peels easily & leaves a smooth textured surface, ready for bonding or finishing. Not for post-cure temps over 120°F (49°C).

PART NO.	MFG#	DESCRIPTION
8962000	879-18	Release Fabric 60" x 9"
8962005	879-10	Release Fabric 60" x 10yds

GLASS FABRIC



Fabrics are ideal for building composite laminates and repairing fiberglass structures.

May also be used to provide an abrasion-resistant covering for wooden structures. When wet-out, the 4 and 6 oz. fabrics become transparent, allowing a clear, natural wood finish. May be painted or varnished.

PART NO.	MFG#	DESCRIPTION
8961200	740-10	4 oz.- 50" wide x 10 yd
8961202	740-20	4 oz.- 50" wide x 20 yd
8961210	742-10	6 oz.- 60" wide x 10 yd
8961212	742-20	6 oz.- 60" wide x 20 yd
8961220	745-30	12 oz.- 30" wide x 30"

BIAXIAL FABRIC



Improved stiffness without added weight or laminate thickness for high performance structural laminates. Reduced fabric print-through. These versatile fabrics have been used in a wide array of composite applications, including boat hulls and bridge decks. By concentrating reinforcement in each direction it is considered the reinforcement of choice for mechanical performance.

737 Biaxial fabric:
17 oz non-woven E-glass fabric.
Two layers, +/-45° fiber orientation.
For composites, repairs and reinforcing.
Achieves high fiber-to-resin ratio with hand wet-out. 50" wide x 20 yd roll

PART NO.	MFG#	DESCRIPTION
8961100	737-20	50"x 20yd

BREATHER FABRIC



Breather Fabric is a lightweight, polyester blanket that provides excellent air passage within the vacuum envelope while it absorbs excess epoxy.

PART NO.	MFG#	DESCRIPTION
8962100	881-10	45" x 10yds

PIGMENTS



Epoxy-based liquid colourants used to tint the epoxy mixture to provide an even colour base for the final finish system.

The coloured surfaces also tend to highlight flaws and imperfections. Cured, pigmented epoxy surfaces are not a final finish surface, but require an additional paint or UV filter coating for ultraviolet protection.

Colour: Grey & White

PART NO.	MFG#	DESCRIPTION
8960652	503-8	Grey Pigment 4 fl oz

FLEXIBLE PLASTIC SPREADERS



These flexible, reusable 3-1/2" x 6" double-edged spreaders are constructed for flow coating, fairing, filling, and applying fabrics.

PART NO.	MFG#	DESCRIPTION
8960085	808-2	2 Pack
8960086	808-12	12 Pack

NOTCHED SPREADER



Stiff 4"x 4" plastic spreaders have 1/8", 3/16", and 1/4" notches on three sides for quickly applying thickened epoxy at a constant rate over large areas. Thin straight edge is ideal for applying layers of reinforcing fabrics.

PART NO.	MFG#	DESCRIPTION
8960087	809	Notched Spreader

POLY MIXING POTS



Cured epoxy pops out of these heavy-duty, reusable plastic mixing pots with ease. Convenient batch sizes for most projects.

PART NO.	MFG#	DESCRIPTION
8960075	805	16oz Poly Mixing Pots
8960076	806	32oz Poly Mixing Pots

REUSABLE MIXING STICKS



A practical mixing, application, filleting, and cleaning tool. Squared, bevelled end reaches mixing pot corners for thorough mixing and blending in fillers and for cleaning up excess epoxy.

Use rounded end to shape 3/8" radius fillets. Cured epoxy pops off easily and can be reused many times. 3/4"W x 5-1/2".

PART NO.	MFG#	DESCRIPTION
8960070	804-8	8pk Mixing Sticks
8960071	804-60	60pk Mixing Sticks

GLUE BRUSH



Handy, disposable, 1/2" x 6" glue application brushes with a metal handle. These brushes are useful in a wide variety of small bonding and coating applications.Package of 12.

PART NO.	MFG#	DESCRIPTION
8960065	803-12	Glue Brushes 12pk

SYRINGES



Reusable syringes that can be loaded with epoxy mixture for injecting into tight spots. These syringes are ideal for hardware bonding and small repairs. Holds 12cc (about .04 fl oz).

PART NO.	MFG#	DESCRIPTION
8960080	807-2	2pk Syringes
8960081	807-12	12pk Syringes

FILLABLE CAULKING TUBES



For use with a standard caulking gun. Can be refilled several times, before epoxy begins to cure and again after cured epoxy is popped out.

PART NO.	MFG#	DESCRIPTION
8960090	810-2	2-pk Fillable Caulking Tube

For the most up to date pricing, please visit maritimemarinesupply.ca/price

VACUUM BAGGING KIT

A complete starter kit for room temperature repairs and small laminating projects up to 13 square feet.



The Vacuum generator develops over 20" Hg (mercury) of vacuum (10 PSI) at .4 SCFM and is designed to run off of conventional shop air compressors delivering at least 65 PSI at 3.5 SCFM continuously.

Some item specifications may vary.

Kit includes:

- Venturi vacuum generator w/ silencer
- Vacuum cups (3)
- 0-30Hg Vacuum gauge
- Release fabric (15sq ft)
- Vacuum bag film (15sq ft)
- Kit instructions
- 1/4" ID Vacuum tubing (10')
- Junction "T" barbs (2)
- Breather fabric (15ft²)
- Vacuum bag sealant (25')
- 002-150 vacuum bagging techniques

PART NO.	MFG#	DESCRIPTION
8962300	885	Vacuum Bagging Kit

VACUUM BAG FILM



Clear, heat-stabilized, modified nylon resin film. Can be used at temperatures up to 350°F (176°C) for typical composite cure cycle times. A tough, stretchable film for high vacuum pressures.

PART NO.	MFG#	DESCRIPTION
8962200	882-20	60" x 20yds

VACUUM BAG SEALANT TAPE



Mastic tape sealant for air tight seal between vacuum bags and moulds. Easy to work around difficult angles, and patching small leaks in the vacuum system.

PART NO.	MFG#	DESCRIPTION
8962220	883	1/2" x 25' roll

ROLLER FRAME



3" caged roller frame holds 7" full-width covers and covers cut to narrower widths.

PART NO.	MFG#	DESCRIPTION
8960061	801-HD	Roller Frame

ROLLER PAN



Heavy duty, flexible plastic roller pan allows you to "pop out" epoxy after it cures so the pan can be reused. Eliminates the need for liners.

PART NO.	MFG#	DESCRIPTION
8960062	802	Roller Pan

EPOXY PUMP



- Reduce waste with this simple, inexpensive pump that assures accurate 5:1 mix ratio

PART NO.	MFG#	DESCRIPTION
8960050	300	fits A & B sized kits

WEST SYSTEM TECHNICAL GUIDES



These Epoxyworks articles are about specific boat repair, restoration or related projects. For comprehensive boat repair and restoration instruction refer to Wooden Boat Restoration & Repair, Fiberglass Boat Repair & Maintenance or Gelcoat Blisters-Diagnosis, and the Repair & Prevention.

Other advanced technical guides are the Final Fairing & Finishing guide, and the Vacuum Bagging Tech Guide all of which are published by Gougeon Brothers. For additional product information and helpful techniques refer to the West System Epoxy DVD, User Manual and Product Guide, and The Gougeon Brothers Boat Construction Manual.

PART NO.	MFG#	DESCRIPTION
8960006	002	The Gougeon Brothers Boat Construction
8960007	002-550	Fiberglass boat repair and maintenance
8960008	C002-650	Gelcoat Blisters: Diagnosis, repair & prevention
8960009	C002-740	Final Fairing & Finishing
8960010	002-970	Wood Boat Restoration & Repair
8960011	C002-150	Vacuum Bagging Techniques
8960012	C002-898	West System Epoxy DVD

S-1 EPOXY SEALER



- 2-part clear penetrating 1:1 epoxy sealer
- Ready-to-use, no thinning needed
- Long pot life and can be applied with a brush, roller or spray equipment
- Completely waterproof and suitable for use above or below the waterline
- No sanding required between coats up to 24 hours

PART NO.	MFG#	DESCRIPTION
9964-420	F1400K16	Quart Kit
9964-421	F1400K20	2x Quart Kit

SILVERTIP METLWELD



- Bonds dissimilar materials such as steel to wood, with excellent elastic properties and superior bond strength while remaining rigid
- Will bond to stainless steel, galvanized steel, aluminum, copper, glass, ceramic, neoprene rubber and most porous surfaces

PART NO.	MFG#	DESCRIPTION
9964-412	1200K10	U.S. ½ pint kit

SILVERTIP QUIKFAIR



- Cures to hand-sanding in 3 hours or machine sanding in 4 hours at 25°C (77°F)
- Lightweight, microballoon-filled, fast curing, two part epoxy fairing putty
- 2 colour coded parts with non-sagging, butter-like consistency are easily mixed to form a third colour
- Use on both fibreglass and wood-epoxy boats above or below the waterline

PART NO.	MFG#	DESCRIPTION
9964-408	1400K40	1-½ U.S. pint kit
9964-409	1400K42	1-½ Quart kit
9964-410	1400K46	1-½ Gallon kit

SILVERTIP LAMINATING EPOXY

- Mixed at a 2:1 by volume ratio, use at temperatures as low as 35ºF (2°C) with no limitations on humidity
- Medium-low viscosity, liquid epoxy resin system optimized for coating and reinforcing fabric saturation in wood composite boatbuilding
- For fibreglass, Kevlar, Dynel, graphite and bare wood, repairing fibreglass boats and for use with carbon fiber sporting goods and auto body parts
- Wets out fibreglass cloth quickly and allows for use "as is" for either coating or fibreglass work
- Working time is longer than most boatbuilding epoxies without extending cure time; nearly colourless and cures to brilliant blush-free film, even at lower temperatures and higher humidity



PART NO.	MFG#	DESCRIPTION
9964-414	0900A30	Resin, 5 gallon
9964-415	0900B28	Fast hardener, 2-1/2 gallon
9964-419	0901B28	Slow hardener, 2-1/2 gallon
9964-400	0900A24	Resin, Gallon
9964-401	0900B20	Fast hardener, 1/2 gallon
9964-402	0901B20	Slow hardener, 1/2 gallon
9964-416	3022S99	Plunger pump set

SILVERTIP GELMAGIC



- Mixed at a 2:1 by volume ratio, cures at temperatures as low as 35°F (2°C); two colour system helps determine complete mix
- Toughened, non-sagging, two component, structural epoxy adhesive for superior bonding to wood and most porous materials
- Mixed paste can be applied to vertical and overhead surfaces without running
- Unaffected by water, oil, kerosene, and many other chemicals when fully cured; will not stain wood and is immune to fungus and rot
- Also use as a high strength, gap filling, waterproof adhesive for general woodworking and architectural applications.

PART NO.	MFG#	DESCRIPTION
9964-406	1230K40	1-½ U.S. pint kit
9964-407	1230K42	1-½ Quart kit
9964-418	3661S99	Static mixers, package of 6

T-88 STRUCTURAL EPOXY ADHESIVE



- Mixed at 1:1 by volume ratio, cures at temperatures as low as 35°F (2°C)
- Hiperformance,non-brittle,2 part epoxy adhesive
- May be used without modifications in normally fitted joints, and will cure in any thickness without shrinkage with outstanding adhesion and permanence on a wide variety of materials
- Clear amber that becomes virtually invisible when varnished
- Unaffected by water, oil, kerosene, and many other chemicals when fully cured; will not stain wood and is immune to fungus and rot
- Unique in that it may be applied to damp wood, provided it is worked well into the surface

PART NO.	MFG#	DESCRIPTION
9964-411	1100K16	Quart kit

For the most up to date pricing, please visit maritimemarinesupply.ca/price

ATLANTIC EPOXY RESIN KIT



- Hardner included
- 5:1 mix ratio
- Contains no solvents
- Pot life at 25°C is approximately 17 minutes

PART NO.	MFG#	DESCRIPTION
9964-001	QUART	Quart kit
9964-002	GALLON	Gallon kit
9964-006	5 GALLON	5 Gallon kit

MARINE POLYESTER GELCOAT

Produits Chimiques Citadel



General purpose polyester gelcoats provide a UV-resistant finish coat over polyester surfaces only. It can be applied with a brush (in thin coat), spray gun (2,5 Nozzle) or a popcorn gun. For either small repairs or full surface coating. Available with or without wax.

- Include hardener

PART NO.	MFG#	DESCRIPTION
8940305	114-98-1	White, 1 Ltr.
8940310	114-98-1	White, 4 Ltr.
8940312	114-3635-1	Whisper Grey, 4 Ltr.
8940315	114-98-1	White, 5 Gl.
8940640	113-98-1	Misty White, 1 Ltr.
8940641	113-8051-1	Vivid Red, 1 Ltr.
8940642	113-3675-1	Dark Grey, 1 Ltr.
8940643	113-3630-1	Black, 1 Ltr.
8940644	113-388-1	Medium Blue, 1 Ltr.
8940645	113-6669-1	Hunter Green, 1 Ltr.

BRUSHABLE MARINE GELCOAT

Produits Chimiques Citadel



General purpose polyester gelcoats provide a UV-resistant finish coat over polyester surfaces only. It can be applied with a brush or a roller, for either small repairs or full surface coating.

- Include hardener
- Wax additive does not include

PART NO.	MFG#	DESCRIPTION
8940306	123-98-1	White, 1 Ltr.
8940311	123-98-1	White, 4 Ltr

CONCENTRATE COLOR PIGMENT

Produits Chimiques Citadel



Use to balance the color of a gelcoat already tinted

- A small amount needs to be used

PART NO.	MFG#	DESCRIPTION
8940665	13-959-22	White, 10 ml.
8940666	13-3109-22	Black, 10 ml.
8940667	13-2199-22	Blue, 10 ml.
8940668	13-8351-22	Red, 10 ml.
8940669	13-3322-21	Grey, 10 ml.
8940670	13-8200-22	Brown, 10 ml.

POLYESTER RESIN

Produits Chimiques Citadel





The resin can only be used with mat, roving, cloth and many more.

- Wax is included

PART NO.	MFG#	DESCRIPTION
8940660	ZAD1930 - 1L	Resin, 1 Ltr.
8940661	ZAD1930 - 4L	Resin, 4 Ltr.
8940662	ZAD1930 - 5G	Resin, 5 Gal.

POLYESTER WAX ADDITIVE

Produits Chimiques Citadel



This wax is a specialty additive formulated to be mixed with a wax free polyester resin or gelcoat to eliminate the tacky surface that normally remains when curing in air.

PART NO.	MFG#	DESCRIPTION
8940650	13-9119-1	Air Dry Wax Additive, 30 ml.

POLYESTER HARDENER

Produits Chimiques Citadel



The proper hardener for Citadel polyester products

PART NO.	MFG#	DESCRIPTION
8940680	DDM-9-Clear-12	12 ml.
8940681	DDM-9-Clear-50	50 ml.
8940682	DDM-9-Clear-250	250 ml.

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

FIBREGLASS REPAIR KIT



- Has everything needed for the Do-It-Yourselfer
- Fibreglass Resin, Liquid Hardener, Plastic Spreader, Fibreglass Cloth, Mixing Stick and Mixing Tray plus instructions

PART NO.	MFG#	DESCRIPTION
9960-118	7100054070	1/2 Pint
9960-119	7100054071	Quart

BONDO POLYESTER RESIN



- Can be used alone or with fibreglass tape, cloth or mat to repair damaged fibreglass
- Can also be used as a sealer on damaged and rotted wood
- Sandable in less than 2 hours. Compatible with all paints, including gel coat and marine paints

PART NO.	MFG#	DESCRIPTION
9960-111	7100054029	Pint

MARINE GRADE POLYESTER BOAT YARD RESIN



- General purpose finish resin suitable for marine construction, modification or repair
- Excellent wetability properties; good strength
- Supplied complete with catalyst

PART NO.	MFG#	DESCRIPTION
9964-100	RESIN QT + .5oz catalyst	Quart
9964-118	RESIN, GAL W/2oz CAT	Gallon
9964-119	RESIN, 5 GAL W/1 LB CAT	5 Gallons

NITRIL HIGH PERFORMANCE PLASTIC ADHESIVE



- Excellent contact adhesive dries quickly to form a high strength bond for most fabrics, foams and vinyl extrusions and sheeting
- Resists weathering, water, oil and fuel
- Check for staining before using on light coloured, flexible vinyls; not recommended for bonding polyethylene or polypropylene

PART NO.	MFG#	DESCRIPTION
9963-005	7000000797	946 mL can

GEL COAT - WITH AIR-DRY







PART NO.	MFG#	DESCRIPTION
9963-900	3050 WHITE, GAL	White 3050, gallon
9963-901	40009 GREEN, GAL	Green 40009, gallon
9963-902	50024 BLUE, GAL	Blue 50024, gallon
9963-903	80038 OFF-WHITE, GAL	Off-White 80038, gallon
9963-904	60012 RED, GAL	Red 60013, gallon
9963-905	70001 BLACK, GAL	Black 70001, gallon
9963-906	70067 GREY, GAL	Grey 70067, gallon

MIXING POTS



- High density polyethylene, sold without lid
- 3-3/8" H x 3-5/8" bottom Dia., 4-13/16" top Dia.

PART NO.	MFG#	DESCRIPTION
9964-009	02203021	500 ml

For the most up to date pricing, please visit maritimemarinesupply.ca/price

GELCOTE PASTE KITS



Here is everything that you need for larger surfaces or gouges in your Gelcote surface.
The kits include 250mL of Gelcote paste, hardener and a mixing stick. The **clear**, Gelcote paste may be tinted to match any desired colour. The white Gelcote paste is toned to closely match a boat with 2 to 10 years of exposure to the sun.

PART NO.	MFG#	DESCRIPTION
8943020	100P	250mL, Clear
8943021	100PW	250mL, White
8943022	100PB	250mL, Black

FIBERGLASS REPAIR KITS



Here is everything that you need for structural fiberglass repair. Kits include fiberglass resin, hardener, mixing sticks and fiberglass cloth.

PART NO.	MFG#	DESCRIPTION
8943062	91	1L

GELCOTE MULTICOLOUR REPAIR



Match your own colour with this Gelcote multicolour repair kit.

This kit includes 28mL (1 oz.) of clear Gelcote paste, hardener, 6 x 10mL colours (Red, Blue, Green, Yellow, White, Black), a colour matching chart, water sanding paper, mixing sticks, mylar release films and polishing compound.

PART NO.	MFG#	DESCRIPTION
8943000	100	1 oz.,

LIQUID GELCOTE KITS



Here is everything that you need for brushing or spraying fine detailed finishes.

Kits include 250mL of liquid Gelcote, hardener, mixing sticks and a brush. The **clear** Gelcote liquid may be tinted to match any desired colour. The white Gelcote liquid is toned to closely match a boat with 2 to 10 years of exposure to the sun.

PART NO.	MFG#	DESCRIPTION
8943040	100-1AD	250mL, Clear
8943041	101-1AD	250mL, White

SCRATCHED SURFACE REPAIR KIT



These kits contain 28mL (1 oz.) of Gelcote paste, hardener, mylar, a mixing stick and water sand paper. White, black, and champagne are the closest nautical matches for older boats that have been exposed to UV sunlight.

PART NO.	MFG#	DESC
8943005	101	1oz., White
8943006	101C	1oz., Champagne
8943007	101B	1oz., Black

HULL LINER

Geometric hull liner is manufactured using 14 oz. polypropylene for durability and great looks. Easy to install, long lasting material.



Silver Grey

Savana Gun

Sand

Hull liner will improve the interior looks and comfort of any boat with easy installation. Completes the look of any boat with easy installation.

Does not fray, is lighter weight, easier to clean and is manufactured to withstand the marine environment

Standard roll is 6' wide by 50 yds. long

Sold per running yard.

PART NO.	MFG#	DESCRIPTION
3030400	RGEO1584NA600	Hull Liner, Silver Grey
3030401	RGEO1586NA600	Hull Liner, Sand
3030402	SAVI-N47	Hull Liner, Savanna Gun

3M SUPER 77 SPRAY ADHESIVE



Low mist spray adhesive excellent for use on painted or unpainted metals, woods and other base materials where a high-tack, high coverage adhesive is needed to permanently attach carpeting, foams, cloth etc. Provided with standard and wide spray nozzles.

PART NO.	MFG#	DESCRIPTION
5490052	7100327999	16.7 oz. Super 77 Adhesive

3M HIGH STRENGTH ADHESIVE 90



This adhesive is the strongest and fastest drying that 3M offers. Drying in 1-2 minutes, substrates that are to be bonded can be assembled faster. Bonds polyethylene, polypropylene, and many other plastics and materials that are usually difficult. Adjustable tip allows for a 1-3" spray pattern. Approx. coverage of 220 Sq. Ft.

PART NO.	MFG#	DESCRIPTION
5490055	7000023924	24 oz. High Strength Adhesive

EPOXY FILLERS





A variety of filler shipped per bucket

Cotton Fibres

- Thickens epoxy for gap filling

PART NO.	MFG#	DESCRIPTION
9964-025	64-025	1 lb

Silica

- Increases epoxy viscosity and non-sag properties

PART NO.	MFG#	DESCRIPTION
9964-019	64-019	1/4 lb

Microballoons

- Thickens epoxy for structural fairing and filleting

PART NO.	MFG#	DESCRIPTION
9964-024	64-124	¾ lb. low density, red

HARDENER CATALYST DISPENSER





Graduations from5 to 100 cc.
Graduations from 2.5 to 35 cc.

More accurate than graduated cylinder styles.

PART NO.	MFG#	DESCRIPTION
8940460	MEK-100032	100cc – 1 liter bottle
8940455	MEK-035016	35cc – 0.5 liter bottle

ACETONE





- For cleaning and thinning when working with polyester resin

PART NO.	MFG#	DESCRIPTION
8940106	F1ACE	Quart
8940111	F4ACE	Gallon
8940116	F20ACE	5 gallons (20 L)

NEW

PLATINUM PLUS FILLER



This two-component filler is used to repair dents, dings, gouges and other cosmetic imperfections.

3M Platinum™ filler repairs these blemishes with the added convenience of being stain-free and tack-free. Fast curing properties allow for sanding in approximately 15 to 20 minutes.

PART NO.	MFG#	DESCRIPTION
8928053	7000001498	Gallon

MARINE BLISTER AND REPAIR FILLER



- 2 component vinylester reinforced filler formulated with short strand fibreglass for blister and other semi-structural repairs, above and below the waterline
- Designed to reduce future osmotic blister damage in repaired areas of fibreglass hulls, decks, etc.

PART NO.	MFG#	DESCRIPTION
9960-046	7000142632	Quart

MARINE PREMIUM FILLER



A water resistant Vinyl-Ester filler designed for fiberglass repair work above and/or below the waterline. Ideal for repairing decks, hulls, and other fiberglass components.

Can also be used to treat gelcoat blister damage. Easy to sand formula designed with 3M Scotchlite Glass Bubbles. Premixed, easy to spread and dries in 30 minutes at 77°F. **Work time:** 10 minutes **Sand time:** 30 minutes

PART NO.	MFG#	DESCRIPTION
8940421	7000142637	Quart, 862g
8940422	7000142638	Gallon, 3.54 kg

WATERTITE EPOXY FILLER YAV135



A two part fast drying epoxy compound for filling holes and repairing scratches in gelcoat and fiberglass.

Recommended to fill gelcoat blister below the waterline. It can be applied to a thickness of 3/4" without sagging and is easy to spread and sand.

PART NO.	MFG#	DESCRIPTION
8940552	YAV135KIT/500CA	Watertite Epoxy Filler 500mL
8940553	YAV135KIT/LCA	Watertite Epoxy Filler 1L

NEW

PLATINUM PLUS GLAZE



Body filler to fill pinholes and low filled areas. It may be applied on properly prepared steel, aluminium, galvanized, SMC, fiberglass, and OEM paint surfaces. Very smooth to apply and can be sanded within 15 minutes.

Use with the supplied peroxide hardener to achieve best results

PART NO.	MFG#	DESCRIPTION
8928054	7000045509	887 ml

REPAIR TAPE



- Fuses only to itself when applied under tension
- Creates a permanent airtight and watertight seal

PART NO.	MFG#	DESCRIPTION
9923-055	341010	Black
9923-057	343010	Clear
9923-059	347010	White

BUTYL CAULKING TAPE



- Prevents and reduce costly water damage
- Easy to use in tape form
- Used to seal out dirt, dust, moisture and water

PART NO.	MFG#	DESCRIPTION
9954-419	RE20760	3/4" x 20', Grey

BALBRIGGAN WIPING RAGS



Balbriggan 100% cotton wiping rags are made of the same material as white T-shirts. They will not scratch surfaces–they are soft and tough enough for use on any material. Great for furniture, marine, and auto body application.

PART NO.	MFG#	DESCRIPTION
5220000	25BLSRAGS	25 lbs, Mixed Cotton Colours
5220001	5220001	25 lbs, All White Cotton

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

3M PROTECTION MATERIAL



This 3M Protection Material is a specially engineered covering material that protects walls, floors and working surfaces. It is a non-woven material with an adhesive backing to keep it securely in place. It applies easily and is removed without residue. 3M White Dirt Trap Protection Material is designed specially to trap dust, dirt, paint particles and other airborne contaminants. 3M Blue Liquid Trap Protection Material is designed specially to protect surfaces from the damaging effects of liquids, oils and solvents while also trapping dirt. Resists UV rays – can be used outdoors for up to two weeks. **Dimensions:** Rolls are 28" x 300' (71cm x 92m)

PART NO.	MFG#	DESCRIPTION
3270900	7000000528	Dirt Protection, White
3270910	7100169496	Liquid Protection, Blue

PAINTERS FILM SHEETING

Paint Sundry Atlantic



Super strength high density clear plastic measures 9' x 400' x 0.31 mil and has dozens of uses for shop and home. Stronger than regular drop cloths this multi-purpose Film can cover and protect boats and equipment and it can be cut to size to protect against over spray and spills.

PART NO.	MFG#	DESCRIPTION
3270990	305-00	Painters Film, 400' x 9'

PLASTIC OVERSPRAY SHEETING



3M Overspray Protective Sheeting is a paintable, high-density, tear-resistant and translucent film designed for critical edge masking as well as protection from paint overspray.

Two sizes available to protect all sizes of boats.

PART NO.	MFG#	DESCRIPTION
3270997	7000000350	12' x 400'
3270999	7000120043	20' x 250'

DELUXE TACK RAGS



These Deluxe Tack Rags are a premium tack rag used before final primer and just before painting to remove the lightest dust or dirt from what would otherwise be considered a clean, ready to paint surface.

PART NO.	MFG#	DESCRIPTION
8950910	O73009/1EAAL	Deluxe Tack Rags, 4-Pk.

NEW

TACK CLOTH



This helps to remove loose sand dust and trash particles from surfaces before priming and paint application.

A light tack on the smooth cloth surface lets technicians remove dust, lint and dirt with only a light application. This cloth gives you a clean surface that will help enhance the quality of the paint job.

PART NO.	MFG#	DESCRIPTION
8928051	7100152962	Tack Cloth, 18" x 36"

NEW

WELDING AND SPARK DEFLECTION PAPER



This flame-retardant paper comes with adhesive backing for easy application to vertical surfaces.

The adhesive makes it simple to position and remove the paper as needed. The same paper can be used for numerous placements as needs change during a project.

PART NO.	MFG#	DESCRIPTION
8925055	7000045694	Deflection Paper, 24 in. x 150 ft.

NEW

DISPOSABLE PAPER MIXING BOARD



These 10 x 13-inch paper sheets are nonporous and won't react with solvents common in many body fillers.

This means no contamination of the filler. When mixing is done, simply tear the sheet off for a fresh mixing surface to save clean up time.

PART NO.	MFG#	DESCRIPTION
8928052	7100144396	Disposable Mixing Board

3M SCOTCHBLOK MASKING PAPER









Blocks solvents used in today's gelcoats and paints from soaking through and contaminating underlying surfaces. It also protects against dust contamination from paper fibers. It's a thin paper that conforms and attaches to a wide range of shapes.

Details

- Masking paper manufactured specifically for marine/automotive aftermarket applications
- Polycoated backing to prevent solvent bleed-through
- Thin paper provides excellent conformability
- Unique paper holds up well under wet sanding conditions
- Distinctive gold color makes paper easy to find
- Withstands bake cycles up to 107°C (225°F) for up to 30 minutes

PART NO.	MFG#	DESCRIPTION
3270260	7000051821	3M Masking Paper, 12" x 180'
3270261	7000126012	3M Masking Paper, 18" x 180'

For the most up to date pricing, please visit maritimemarinesupply.ca/price

BRISTLE ROLLERS

Quick-Release designed for easy cleaning.



These special rollers are used when conventional finned rollers are not effective at removing the air in a particular laminate. Bristle rollers work well in knitted/unidirectional fibers where air pockets can form. Both roller styles are mounted on strong 1/4" frames and have a ferrule reinforced plastic handle that accepts extensions. Also good in skin coats and mould construction.

PART NO.	DESCRIPTION	LENGTH
8927312	3/4"	3"
8927314	3/4"	6"

BRISTLE ROLLER REFILLS



Quality Bristle Roller Refills With plugs.

PART NO.	DESCRIPTION	LENGTH
8927302	3/4"	3"

DELUXE ROLLERS



"Stake-Loc" permanent thrust collar has a reduced clearance for less resin contamination than competitors. Strong, galvanized steel frames with undersize handle bore for tight fit with non-slip surface on our exclusive plastic handle. All handles are steel ferrule reinforced and accept standard threaded extension handles. Traditional deep fin, straight groove design.

PART NO.	DESCRIPTION	LENGTH
8927105	1/2"	3"
8927107	1/2"	6"
8927109	3/4"	3"
8927111	3/4"	6"
8927112	1"	3"
8927114	1"	6"

RIBBED ROLLER - ALUMINUM



- Thin, parallel fins with deep grooves are straight across the width of the head and provide excellent air relief for nearly all applications

PART NO.	MFG#	DESCRIPTION
9964-256	522A050300	1/2" x 3"
9964-254	522A075300	3/4" x 3"
9964-255	522A100300	1" x 3"
8927115	522A200600	2" x 6"

LAMINATING ROLLER SLEEVE



This Laminating Roller Sleeve is manufactured from aircraft grade aluminum. It is precision machined and made to fit standard paint roller cages.

PART NO.	MFG#	DESCRIPTION
8927220	820PR200600	Laminating Sleeve, 2" x 6"

RADIUS AND CORNER ROLLERS



Designed for concave surfaces and fillets where flat rollers are not effective. All radius and corner rollers come with strong steel frames and ferrule reinforced handles that accept extension handles. All of these rollers are machined with the deepest fins possible for efficient air relief and excellent lay up properties. Plastic handle and aluminum rollers.

PART NO.	DESCRIPTION	LENGTH	RADIUS
8927121	1"	1-1/2"	2"
8927124	1-5/8"	3"	3-1/2"

SPECIAL APPLICATION ROLLERS



These panel rollers are specifically for large panels and flat surfaces. Heavy-duty 2" solid roller head.

Features:

- Plastic handle, aluminum roller.
- U-shaped frame supports the roller on both ends.
- Ferrule reinforced plastic handles that accept extensions.
- Increased weight results in reduced roll-out labour.

PART NO.	DESCRIPTION	LENGTH
8927203	2"	12"

PADDLE WHEEL ROLLERS



This European innovation has its place worldwide because of its excellent air relief and cleaning properties. An alternative to bristle and bubble buster.

Features:

- Plastic handle, aluminum roller.
- Deluxe design for life.
- Extruded aluminum. Popular 3/4" diameter.
- Easy to clean. "Stake-Loc" design.

PART NO.	DESCRIPTION	LENGTH
8927211	3/4"	3"
8927212	3/4"	4-1/2"
8927213	3/4"	6"

ECONOMY ROLLERS



Features:

- Steel retention screws for long life, easy disassembly and fast cleaning.
- Strong, galvanized steel frames.
- Plastic handles textured for non-slip grip and easy cleaning.
- Plastic rollers.
- Excellent value in an inexpensive roller.

PART NO.	DESCRIPTION	LENGTH
8927402	1/2"	3"

CORNER ROLLERS



- Corner / Radius Rollers, also known as fillet rollers, are unique in size and match a specific inside corner radius.
- Deep, thin fins in the roller head allow quick air releasei n the curves, or tight areas.
- Polypropylene handle is rough-textured for a no-slip grip. It is steel reinforced and threaded to accept extenders for longer areas

PART NO.	MFG#	DESCRIPTION
8927126	540ACR3	2" Dia. x 3/8" W x 3/16" Radius
8927132	540ACR4	2" Dia. x 1/2" W x 1/4" Radius

FIBERGLASS SHEARS



- Industrial grade tool designed specifically for cutting fibreglass and carbon fabrics, manufactured for continuous duty and intense production use

PART NO.	MFG#	DESCRIPTION
9964-202	210LRKMSB-BLU-10"	10"

FIBERGLASS REPAIR TAPE



- Flexible mat allows for easy repairs to contoured surfaces
- Interlocking strands of fibreglass allows for bridging holes and gaps in larger repairs

PART NO.	MFG#	DESCRIPTION
9960-143	7000125028	4" x 6'

FIBERGLASS REPAIR CLOTH



- Flexible mat allows for easy repairs to contoured surfaces
- Interlocking strands of fibreglass allows for bridging holes and gaps in larger repairs

PART NO.	MFG#	DESCRIPTION
9960-144	7000120014	8 sq/ft

FIBERGLASS REPAIR MAT



- Recommended when additional strength is required on more severe repairs
- Flexible mat allows for easy repairs to contoured surface

PART NO.	MFG#	DESCRIPTION
9960-147	7100347560	8 sq/ft

FIBERGLASS MAT



100% fiberglass mat for use in repairing or fabricating fiberglass products. Packaged in clear polybags or full roll. **1-1/2 oz./yd² – 50" wide.**

PART NO.	DESCRIPTION
8940509	50"W x 6 yrds L, 1-1/2 oz/yd²
8940508	50"W x 10 yrds L, 1-1/2 oz/yd²
8940510	1 yrd (36"x36") in a Polybag, 1-1/2 oz/yd²
8940512	Roll 50"W x ~100 yrds L, 1-1/2 oz/yd²
8940531	Roll 38"W x ~115 yrds L, 1 oz/yd² 39kg
8940532	Roll 38"W x ~90 yrds L, 1-1/2 oz/yd² 39kg

WOVEN ROVING



A very heavy fiberglass fabric for extra strength and weight.
24 oz. per square yard

PART NO.	DESCRIPTION
8940523	50" x 3 yards
8940524	50" x 6 yards
8940525	50" x 10 yards
8940520	1 yd x 40" in Polybag
8940522	Roll 50"W x 48 yrds L, 24oz/yd²
9964-221	Roll 38"W x ~90 yrds L, 24oz/yd²

FIBERGLASS CLOTH



6 oz/yd2 **9.4 oz/yd2** **15.3 oz/yd2**

The finest quality fiberglass cloth available for use with polyester and epoxy resins and gelcoats. Packaged in clear polybags or full rolls.

PART NO.	DESCRIPTION
8940514	50"W x 3 yrds L, 6 oz/yd2
8940518	50"W x 6 yrds L, 6 oz/yd2
8940519	50"W x 10 yrds L, 6 oz/yd2
8940515	50"W x 1 yrd in a Polybag, 6 oz/yd2
9964-223	Roll 60"W x ~163 yrds L, 9.4 oz/yd2
9964-224	Roll 60"W x ~109 yrds L, 15.3 oz/yd2

CLEARGLASS 4" CLOTH TAPE



The finest quality fiberglass cloth woven in narrow widths with non-ravelling edges.

9 oz 4" x 50 yds

PART NO.	MFG#	DESCRIPTION
9964-206	818850	4"W x ~50 yrds L, 9 oz/yd2

For the most up to date pricing, please visit maritimemarinesupply.ca/price

FAST WELD EPOXY PUTTY



- Hardens in 20 min. to plug or seal practically anything, even underwater
- Excellent for rebuilding parts or as an all purpose adhesive for metals, wood, glass, masonry, ceramics, and many plastics

PART NO.	MFG#	DESCRIPTION
9963-030	PUTTYSTICK, FASTWELD	1⁄2 oz. (14 gm)

FASTWOOD PUTTY



- For permanent wood repairs
- Within 15 minutes becomes part of the wood and can be drilled, nailed, sanded or sawed
- Can be painted or stained; no shrinkage or pulling away

PART NO.	MFG#	DESCRIPTION
9963-031	PUTTYSTICK, FASTWOOD	.35 oz (10 gm)

EPOXY PUTTY STICKS



Hand-mixable, fast-setting, epoxy polymer compound. Pre-measured portions of activator and base throughout. Suitable for interior or exterior use, it is resistant to chemicals, water, and temperature extremes. It will not shrink, rot or pull away. The unused portion stays fresh for future use when saved in its original container.

EASY AS 1, 2, 3



1. Cut off required amount



2. Mix compound together fully



3. Apply patch

PRODUCT	APPLICATION	WORK LIFE**	FUNCT. CURE
Aqua Mend	Under Water	25 mins.	60 mins.
Quick Aluminum	Metals	5 mins.	60 mins.
Quick Plastic*	Plastics, PVC/ABS, Vinyl	20 mins.	2-3 hrs.
Quick Wood	Wood, Glass, Masonry	15 mins.	60 mins.
Quick Titanium	High Temp. (40-260°C)	1.5-2 hrs.	8 hrs.
Fast Steel	Steel and Metal Repairs	3-5 mins.	60 mins.

*Does not adhere to polyethylene, polypropylene & some other plastics. When unsure of product type, an adhesion test will confirm suitability. **Work life at 24°C(75°F).

PART NO.	DESCRIPTION	COLOUR
8940290	AquaMend	Off-White
8940291	Quick Aluminum	Aluminum
8940292	Quick Plastic	Off-White
8940293	Quick Wood	Teak
8940294	Quick Titanium	Golden Brown
8940295	Fast Steel	Steel Grey

EPOXY ALUMINUM PUTTY STICK



- Makes permanent and emergency repairs on aluminum boats, outdrives, fuel and water tanks and other aluminum parts
- Easy to use; just hand knead for 1 minute and apply to damaged area
- Can be sanded, drilled and tapped

PART NO.	MFG#	DESCRIPTION
9963-033	087004C	113g

SPLASH ZONE EPOXY COMPOUND



- Emergency putty repair seals, fills, patches or builds metals, wood, concrete, fibreglass and steel, above or below the waterline
- Can be used to repair boat hulls, buoys, seawalls and docks
- May be painted; not UV protected

PART NO.	MFG#	DESCRIPTION
9961-122	A-788G	2 gallon kit

CAULKING COTTON



- High quality for caulking seams in wooden boats
- Works best when used with Caulking Compound
- Large - 120 grain; 180 ft/lb

PART NO.	MFG#	DESCRIPTION
9964-225	CAULKING COTTON	1 lb

PLASTIC PUTTY KNIVES

Paint Sundry Atlantic



CELCON plastic spreader, solvent proof.

PART NO.	DESCRIPTION
8927030	Plastic Putty Knife, 1.5"
8927032	Plastic Putty Knife,2"
8927033	Plastic Putty Knife,3"
8927044	Plastic Putty Knife,4"
8927046	Plastic Putty Knife,6"

STIFF PUTTY KNIVES

Paint Sundry Atlantic



For scraping larger surface areas, compound, paint, adhesives, and safe to use with chemical solvents. Full tang blade to prevent blade breakage and a tapered handle.

PART NO.	DESCRIPTION
8927010	Stiff Putty Knife, 1-1/4"
8927011	Stiff Putty Knife, 1-1/2"
8927012	Stiff Putty Knife, 2"
8927013	Stiff Putty Knife, 3"
8927020	Stiff Putty Knife, 4"

FLEX PUTTY KNIVES

Paint Sundry Atlantic



Flex putty knives are designed for filling small holes and voids on all surfaces. A regular flex (as opposed to full flex) where a little more rigidity is desired. Full tang blade to prevent blade breakage and a tapered handle design making the tool easier to clean after usage.

PART NO.	DESCRIPTION
8927015	Flex Putty Knife, 1-1/2"
8927016	Flex Putty Knife, 2"
8927017	Flex Putty Knife, 3"
8927018	Flex Putty Knife, 4"

GLASSKOTER BRUSHES

Paint Sundry Atlantic



You can't buy the solvent to clean a brush at this price!

- For use with resins, antifouling, etc.
- Plain wood handle not affected by resins

100% natural white bristle. Solvent resistant wooden handle. **3/8" Thickness.**

PART NO.	MFG#	DESCRIPTION
8925100	CHIP1	1" Brush
8925200	CHIP2	2" Brush
8925300	CHIP3	3" Brush
8925400	CHIP4	4" Brush

FOX PAINT BRUSHES

Paint Sundry Atlantic



- Excellent for topside and interior paints as well as varnish

PART NO.	MFG#	DESCRIPTION
8926100	B130	30mm (1-1/4")
8926200	B150	50mm (2")
8926300	B175	75mm (3")

FOAM BRUSHES

Paint Sundry Atlantic



Designed as the ideal touch up tool. Brushes come complete with pointed edge for fine work. Sturdy wooden handle.

PART NO.	MFG#	DESCRIPTION
8927811	FB25	1" Brush
8927812	FB50	2" Brush
8927813	FB75	3" Brush
9974-118	FB100	4" Brush

3" JUNIOR ROLLER

Paint Sundry Atlantic



Excellent for quick touch ups. Disposable wire frame and 3" refill.

PART NO.	MFG#	DESCRIPTION
8927904	3TJ05H	3" Junior Roller

4" MINI ROLLER SET

Paint Sundry Atlantic



8927940

8927941



8927942



8927943

Ideal for use on small surfaces and confined areas, this handy set is good with all latex, acrylic, oil and alkyd based paints, all primers and stains. **This set includes:** a mini roller frame with a comfortable 16" plastic handle and one 1/4" thick 4" long fabric refill.

PART NO.	MFG#	DESCRIPTION
8927940	4U05H	4" Mini Roller Set
8927941	FR12U	4" Mini Frame
8927942	4U05-2	4" x 1/4" Fabric Refill (2 Pack)
8927943	4U10-2	4" x 3/8" Foam Refill (2 Pack)

3" JUNIOR ROLLER SET

Paint Sundry Atlantic



Lint Free Trim Kit – Jr Roller Micro Tray size 75mm x 5mm.

PART NO.	MFG#	DESCRIPTION
8927897	SP3TJ	Roller Set, 3" Junior

4" MINI ROLLER SETS

Paint Sundry Atlantic



Ultra Foam-With small tray and liner. 4" Round end foam. Ideal for fine finishes on all surfaces. Use with Melamine paints, semi & high gloss paints, polyurethane, primers and stains.

Ultra Rol-With small tray and liner. 4" covered end roller. Ideal on small surfaces such as closets, cupboards, eaves, fences, shelves, soffits and all confined areas. Use with All latex, acrylic, oil and alkyd paints. All primers and stains.

PART NO.	MFG#	DESCRIPTION
8927898	SP4U410SS	Roller Set, Foam
8927899	SP4U405SS	Roller Set, Fabric
8927896	TL30	Tray Liner

ROLLER FRAMES

Paint Sundry Atlantic



Cage roller frames with easy clean plastic handle.

PART NO.	MFG#	DESCRIPTION
8927922	FR44	4"
8927923	FR479	7-1/2"
8927920	FR499	9-1/2"
8927921	FR590	9-1/2" Heavy Duty

ROLLER LOCK FRAME

Paint Sundry Atlantic



This unique Roller Lock professional heavy-duty cage frame is designed to reduce refill slippage and improve contact on surfaces.
PVC handle with steel rod and cage.

PART NO.	MFG#	DESCRIPTION
8927924	FR952	Roller Lock Pro, 9-1/2"

3/8" LINT FREE REFILL

Paint Sundry Atlantic



Woven fabric composed of an assortment of select Polyester-Nylon fibers blended together to maximize paint pick-up and release. The fabric is hand woven and epoxy bonded to a PVC core.

PART NO.	MFG#	DESCRIPTION
8927903	4T10	4" Nap Roller
8927909	7T10	7-1/2" Nap Roller
8927914	9T10	3/8" x 9-1/2"

1/8" NAP ROLLER

Paint Sundry Atlantic



Solvent resistant phenolic core, 1/8" (3mm) nap. Nylon fabric.

Usage: Application of adhesives, fiberglassing and textured paint.

PART NO.	MFG#	DESCRIPTION
8927908	7NTX05	7-1/2" Nap Roller
8927910	9NTX05	9-1/2" Nap Roller

1/8" FOAM ROLLER REFILL

Paint Sundry Atlantic



These 1/8" (3mm) roller refills are constructed with a PVC core and specialty wound foam.
Usage: Great for building up multiple, thin coats of varnish on large, smooth surfaces. Not for use with lacquers or shellacs.

Our smooth foam refills are ideal for high gloss paints, urethanes and varnishes.

PART NO.	MFG#	DESCRIPTION
8927928	7WF05	7-1/2" Wound Foam Refill
8927929	9WF05	9-1/2" Wound Foam Refill

1/4" NAP ROLLER REFILL

Paint Sundry Atlantic



The PVC core, 1/4" (5mm) deluxe refill is constructed with good quality polyester fabric wound by hand and epoxy bonded. For semi-smooth surfaces and for all latex and alkyd paints.

Usage: Bilge paints where a high-gloss finish is **not** required; primers that will be sanded before applying a topcoat

PART NO.	MFG#	DESCRIPTION
8927925	7C05	7-1/2" Deluxe Roller, 1/4" Nap

3/8" NAP ROLLER REFILL

Paint Sundry Atlantic



The PVC core, 3/8" (10mm) deluxe refill is a good quality refill designed for use with all paints where a high quality finish is a secondary consideration.

Usage: Bilge paints where a high-gloss finish is **not** required. Primers that will be sanded before applying a topcoat.

PART NO.	MFG#	DESCRIPTION
8927926	7C10	7-1/2" Deluxe Roller
8927927	9C10	9-1/2" Deluxe Roller

3/8" NAP ROLLER TWIN PACK

Paint Sundry Atlantic



PVC core, 3/8" (10mm). For semi-smooth surfaces. Polyester fabric.

Usage: Bottom paints where a smooth, glossy finish is **not** required (eg. Bottomkote XXX). Expect single use only.

PART NO.	MFG#	DESCRIPTION
8927913	7D10	7-1/2" NapRoller TwinPack
8927912	9D10	9-1/2" NapRoller TwinPack

3/8" NAP ROLLERS

Paint Sundry Atlantic



PVC core 3/8". For semi-smooth surfaces. Made of polyester/nylon fabric. Great all purpose roller.

Usage: Topside paints (followed by tipping). Good for larger projects. Suitable for creating a smooth, semi-gloss finish.

PART NO.	MFG#	DESCRIPTION
8927911	9N10	9-1/2" Nap Roller

3/8" FOAM ROLLER REFILL

Paint Sundry Atlantic



For use on smooth surfaces. Foam refills are 3/8" (10mm) thick.

Usage: Recommended for high gloss paints and varnishes. Foam may deteriorate if used with solvent-based products.

PART NO.	MFG#	DESCRIPTION
8927906	7F10	7-1/2" Long Foam Refill
8927907	9F10	9-1/2" Long Foam Refill

FOAM ROLLER COVERS

WEST SYSTEM



The only roller covers recommended for epoxy application. The 7" covers can be cut for smaller coating areas and narrower roller frames.

Usage: Excellent for epoxy, epoxy-based paints and other solvent based coatings. The thin foam allows you to control film thickness, avoid drips and runs and gets a smoother coating.

PART NO.	MFG#	DESCRIPTION
8960060	800-2	2 Pack 7" Roller Covers

PAINT POURING SPOUT



- Flexible plastic fits pint, quart and gallon cans

PART NO.	MFG#	DESCRIPTION
9960-995	1210	Spout

BUDGET COMBO PACKAGE PAINT TRAY

Paint Sundry Atlantic



- Includes paint tray, roller frame and 9 1/2" wide, 10 mm (0.4") pile roller

PART NO.	MFG#	DESCRIPTION
8927900	SP9C310	Budget Combo Package

PAINT TRAYS AND LINER

Paint Sundry Atlantic



- Ladder lock legs, extra deep paint well

PART NO.	MFG#	DESCRIPTION
8927895	TR30	Plastic Tray, 7", 0.5Ltr., Black
8927901	TR90	Metal Tray, 9.5", 1 Ltr.
8927902	TR200	Plastic Tray, 9.5", 2 Ltr., Black
8927930	TL200	Plastic Tray Liner

POWDER-COATED WELDED STEEL EXTENSION HANDLES

Paint Sundry Atlantic



This Powder-Coated Welded Steel extension pole is available in two sizes. The 1" diameter handle has a durable metal threaded tip and is very light weight.

PART NO.	MFG#	DESCRIPTION
8927064	R07048	48" Powder Coated Welded Steel Extension
8927065	R07060	60" Powder Coated Welded Steel Extension

EXTENSION HANDLE

Paint Sundry Atlantic



Enables the user to increase coverage area without use of a ladder. Sturdy 5' wooden extension pole has durable threaded metal tip for long lasting use.

PART NO.	MFG#	DESCRIPTION
8927060	AC60M	60" Extension Handle

PAINT STRAINER CONES

Paint Sundry Atlantic



Economical water/solvent-resistant paper cones with finely woven mesh tips make easy task of straining paints, enamels, varnishes and lacquers. Made of dense paperboard to reduce paint bleed. **Removes unwanted lint, dried flakes, lumps, skins, and other impurities.**

PART NO.	MFG#	DESCRIPTION
8927990	XCD5	250 Pack
8927992	8927992	25 Pack

SPREADERS/SQUEEGEES



PLASTIC, 5-1/4" x 3"
White: Body putty spreader
Red: Low cost resin squeegee
Beige: Extra stiff spreader for cleaning/ mixing.

PART NO.	MFG#	DESCRIPTION
8927918	SPDW003	White
8927917	SPDR003	Red

SPREADERS

3M



- Sharp edges, flexible, durable, and easy to clean
- 1 of each, 4", 5", 6"

PART NO.	MFG#	DESCRIPTION
9960-140	7000142639	3 Pack
8928050	7000119822	Yellow, 3" x 4", Individual

HANDY PAINT PAIL

Paint Sundry Atlantic



Solvent resistant pail works with any paint or stain. Easy to clean and makes wash-ups fast and effortless. Features a magnetic brush holder, adjustable strap and paint scrapper. The liners are custom made to fit the handy paint pail and can removed for easy disposal, 6 liners per package.

PART NO.	MFG#	DESCRIPTION
8927880	2500	Handy Paint Pail
8927881	2520	Liners, 6 Pack

MULTI-MIX CONTAINERS

Paint Sundry Atlantic



Graduated, semi transparent containers are made of high density, solvent resistant, reusable and recyclable polyethylene. Great for measuring and mixing for any job from touch up to major projects, these containers are safe and convenient to use with all paints, pastes and adhesives.

PART NO.	MFG#	DESCRIPTION
8927980	2M3	1 Quart
8927981	2M6	Lid, Qt.
8927982	5M3	2-1/2 Quart
8927983	5M6	Lid, 2-1/2 Qt.
8927985	10M3	5 Quart
8927986	10M6	Lid, 5 Qt.



Throw down paint like a seasoned pro with a simple, intuitive design.



The 3M™ Performance Spray Gun was built with the industrial painter in mind.

Made from an advanced impact-resistant composite material, this spray gun is one of the lightest in the industry yet durable enough for the toughest industrial conditions. From the trigger to the body, the spray gun was optimized by kinesiologists to enhance comfort specifically for the high demands of all-day spraying.

Lightweight and Durable

One of the lightest spray guns in the industry, the impact-resistant composite body is built to withstand demanding industrial environments.

Low Maintenance and Easy

Simple, intuitive design means fewer parts to maintain or rebuild and can help achieve more consistent performance whether you're a beginner or a pro.

Replaceable Nozzles

With quick-change replaceable atomizing heads ranging from 1.1 to 2.0, it's like getting a brand new spray gun with every new nozzle.

Built for Versatility

Sprays a wide range of coatings, including, stains, primers, basecoats, topcoats, clearcoats, and adhesives — from either a pressure-fed system or with 3M™ PPS™ Series 2.0 Spray Cup System.

3M PERFORMANCE SPRAY GUN WITH PPS 2.0



Performance on a new level. Lightweight and easy to use, the 3M™ Performance Spray Gun was built for the modern painter. Capable of spraying a wide range of coatings from either a pressure-fed source or attached gravity cup, its impact-resistant composite body makes it one of the lightest spray guns available, yet it is durable enough for demanding industrial and automotive conditions. The 3M™ Performance Spray Gun 26832 kit includes a 3M™ Performance Spray Gun and an air control valve. Built for the modern painter and gives technicians a smarter way to spray. Made from an advanced impact-resistant composite material, the spray gun is one of the lightest in the industry yet durable enough for the toughest industrial conditions. From the trigger to the body, the spray gun was optimized by kinesiologists to enhance comfort specifically for the high demands of all-day spraying.

- Lightweight, impact-resistant body made from advanced composite material
- Quickly converts between pressure-fed systems and gravity-fed 3M™ PPS™ Series 2.0 Spray Cup System
- Easy-change, replaceable nozzles range from 1.1 to 2.0
- Designed for comfort
- Simple, innovative design means fewer parts to maintain or rebuild
- The 3M™ Performance Spray Gun includes a 3M™ Performance Spray Gun and an air control valve



Formulated for use on spray gun equipment to remove waterborne and solvent-based coatings from metal, plastic and composite surfaces. The asy spray application helps reduce the use of cleaning solvents and lessens cleanup time for spray gun bodies, hard paint cups, nozzles, hoses and fittings.



Atomizing Heads

Quick-change nozzles range from 1.2 to 2.0 for spraying a wide range of industrial and automotive coatings
Like-new spray performance with each new atomizing head
Use exclusively with the 3M™ Performance Spray Gun and 3M™ PPS™ Series 2.0 Spray Cup System

3M™ PPS™ Series 2.0 – Now Six Ways Better



1 Four-Point Connection
Wide spout PPS™ Series 2.0 Adapters feature a 4-point connection to the cup lid, increasing stability and confidence for hassle-free painting and cleaning. 3M has an adapter for all commonly used spray guns on the market.

2 Quarter-Turn Lid Locking System
Just a quick ¼-turn is all it takes to lock the PPS™ Series 2.0 Lid onto the cup for faster, more efficient assembly. There's no need for a separate collar – when you're finished, simply dispose of the lid and grab a new one for consistently clean painting.

3 Domed Lid Design
The PPS™ Series 2.0 Lid features a domed geometry that holds up to 3 oz of paint below the filter. Together with its built-in full-diameter filter, the lid improves flow and consistency, while reducing spitting from start to finish.

4 New Cup in Every Kit
We include a new hard cup in every PPS™ Series 2.0 Lid & Liner Kit. Start with a clean cup more often, reducing paint buildup and the time spent cleaning cups and collars. Built-in mixing ratios and fill markings eliminate the need for inserts or traditional mixing cups.

5 Access Window
Cut-out window allows you to grasp the liner through the cup, keeping it firmly in position for cleaner, easier lid removal when refilling or tinting. This window also makes it easier to quickly check paint levels.

6 Larger Sealing Plug
The PPS™ Series 2.0 Sealing Plug is designed so painters can simply fit it into the lid, turn the cup upside down and use the plug as a wide, flat, stable base for temporary sealing and protection of coatings. This method also keeps the filters wet, so you use fewer lids.

SPRAY GUN & REPLACEMENT HEADS

PART NO.	MFG#	DESCRIPTION
8929040	7100228104	Performance Spray Gun
8929041	7100206004	Perf Gravity Blue 1.2mm Atomizing Head 5 pk
8929042	7100206008	Perf Gravity Blue 1.3mm Atomizing Head 5 pk
8929043	7100205981	Perf Gravity Blue 1.4mm Atomizing Head 5 pk
8929044	7100205984	Perf Gravity Blue 1.6mm Atomizing Head 5 pk
8929045	7100206003	Perf Gravity Blue 1.8mm Atomizing Head 5 pk
8929046	7100205982	Perf Gravity Blue 2.0mm Atomizing Head 5 pk
8929047	7100207178	Perf Gravity Variety Atomizing Head 6 pk
8929032	7100148476	Spray Gun Cleaner, 426 g. (15 oz.)

PPS 2.0 CUPS, LIDS, LINERS.

PART NO.	MFG#	DESCRIPTION
8929014	7100284557	PPS 2.0 Lids and Liners 650ml 50/PK
8929015	7100297030	PPS 2.0 Lids and Liners, 850 ml, 50 PK
8929024	7100284624	PPS 2.0 Hard Cups 650ml 2/PK
8929013	7100285373	PPS 2.0 Lids and Liners 400ml 50/PK
8929023	7100284625	PPS 2.0 Hard Cups 400ml 2/PK
8929012	7100284553	PPS 2.0 Lids and Liners 200ml 50/PK
8929022	7100284626	PPS 2.0 Hard Cups 200ml 2/PK

3M MASKING TAPE



A general purpose masking tape.
Not for extended outdoor use.

SOLD EA.

PART NO.	MFG#	DESCRIPTION
3270280	7000123517	18mm x 55m (3/4" x 180')
3270282	7000148373	24mm x 55m (1" x 180')
3270283	7000123518	36mm x 55m (1-1/2" x 180')
3270281	7000123519	48mm x 55m (2" x 180')

3M SCOTCH SAFE RELEASE MASKING TAPE



2090 bright blue colour makes this tape easily identifiable as the choice for adhesive transfer resistance up to 14 days, very conformable and smooth for use in various paint and varnish masking applications.

PART NO.	MFG#	DESCRIPTION
3270275	7100185226	3/4" x 180ft

SCOTCH® PERFORMANCE MASKING TAPE 233+



A high performance tape for refinishing applications. It hugs curves and contours for easy use, and provides outstanding paint lines and adhesive transfer resistance.

- Excellent conformability/transfer resistance.
- Is resistant to bleed through.
- Has better UV resistance than traditional masking tapes.

PART NO.	MFG#	DESCRIPTION
3270285	7100006159	18 mm x 55 m (3/4" x 180 ft)
3270284	7000048804	24 mm x 55 m (1" x 180 ft)
3270287	26338	36 mm x 55 m (1-1/2" x 180 ft)
3270286	7000048805	48 mm x 5 m (2" x 180 ft)

SOLD EA.

SCOTCHBLUE™ PAINTER'S TAPE MULTI-SURFACE 2090



- Removes cleanly without adhesive transfer or surface damage for up to 14 days, even in direct sunlight
- Medium adhesion tape delivers sharp paint lines
- Blue crepe paper backing makes tape conformable and smooth for use in various paint and varnish masking applications

SOLD EA.

PART NO.	MFG#	DESC
3270275	7100185226	3/4" x 180ft
9963-082	7100186979	1" x 180ft
9963-089	7100187348	1-1/2" x 180ft

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

3M™ PRECISION MASKING TAPE



SOLD EA.

- A mint green paper masking tape made with a strong yet ultra-thin, ultra-smooth paper backing producing sharp paint lines with both solvent and waterborne paint systems
- Removes easily without tearing or adhesive transfer
- The semi-transparent backing allows the painter better visibility for colour separation
- Specially formulated adhesive to provide excellent UV resistance in outdoor applications

PART NO.	MFG#	DESC
9963-083	7000045537	3/4" x 180ft
9963-084	7000120064	1-1/2" x 180ft
9963-088	7000120065	2" x 180ft

3M VINYL TAPE 471+, 1/4"



Designed to conform well to curves and to stretch and hold, even with a radius as tight as 1.5". It follows irregular designs to deliver sharp lines. Its moderate translucence allows for alignment where complex patterns are outlined. The flexible vinyl backing is also abrasion-resistant and will protect adjacent surfaces in sanding operations. 3M Vinyl Tape provides clean removal without adhesive residue, even after a 30-minute bake cycle at 250°F (121°C). Compatible with waterborne products.

SOLD EA.

PART NO.	MFG#	DESCRIPTION
3270289	7100055835	1/4" **x 108**ft

CP 27 BLUE PAINTERS ' TAPE



- Premium grade, medium adhesion tape for interior and exterior masking
- 14-Day ShurRELEASE®, when easy, no-residue removal is a must
- Synthetic rubber-based adhesive prevents lifting and paint seepage

SOLD EA.

PART NO.	MFG#	DESCRIPTION
3270300	202871	3/4" x 180ft
3270301	202872	1" x 180ft
3270302	202879	1-1/2" x 180ft
3270303	202880	2" x 180ft

CP250 FROGTAPE MASKING



- Performance grade, medium-high adhesion masking tape
- Delivers consistent paint lines, clean removal and conformability
- Compatible with gel coats, multi-part epoxy topcoats, and antifouling bottom paints

SOLD EA.

PART NO.	MFG#	DESCRIPTION
3270304	105325	1/2" 180ft

CP 225 FROGTAPE MASKING



Performance grade, medium-high adhesion masking tape for use in temperatures up to 225F(up to 30 minutes), delivers consistent paint lines, clean removal and conformability in a range of industrial applications and environments. Gold color.

- Excellent adhesion to metal, rubber, plastic, anodized aluminum, chrome and fiberglass
- Resistant to water, salt water, various solvents and abrasives
- Compatible with gel coats, multi-part epoxy topcoats, and antifouling bottom paints for marine applications.
- Residue-free removal

SOLD BY PACK

PART NO.	MFG#	DESCRIPTION
3270325	105320	1" x 180ft (24mm x 55m) 6 pack
3270326	105546 (old 105321)	1 1/2" x 180ft (36mm x 55m) 4 pack
3270327	105322	2 " x 180ft (48mm x 55m) 3 pack

CP 250 FROGTAPE MASKING



Performance grade, medium-high adhesion masking tape for use in moderate temperatures up to 250F(up to 30 minutes), delivers consistent paint lines, clean removal and conformability in a range of industrial applications and environments. Light Blue in Color.

- Excellent adhesion to metal, rubber, plastic, anodized aluminum, chrome and fiberglass
- Resistant to water, salt water, various solvents and abrasives
- Compatible with gel coats, multi-part epoxy topcoats, and antifouling bottom paints for marine applications.
- Residue-free removal

SOLD BY PACK

PART NO.	MFG#	DESCRIPTION
3270335	105327	1" x 180ft (24mm x 55m) 6 pack
3270337	105329	2 " x 180ft (48mm x 55m) 3 pack
3270338	105330	3" x 180ft (72mm x 55m) 2 pack

FLS 325 YELLOW FINE LINE MASKING TAPE



Performance grade, low-stretch PVC fineline masking tape designed for use in transportation, marine and automotive OEM and aftermarket finishing applications. FrogTape® FLS 325 Yellow provides a tough, yet conformable, waterproof and solvent-resistant solution to deliver crisp, fineline edges without staining or ghosting.

- Waterproof and solvent-resistant
- Tough and conformable
- Crisp, fineline edge
- Can withstand high-temperature bake cycles (325 F up to 45 min)

SOLD EA.

PART NO.	MFG#	DESCRIPTION
3270339	105823	1/4" x 108ft (6mm x 33m)
3270340	105691	3/4" x 108ft (18mm x 33m)

DUCK PRO® DUCT TAPE PC9



General purpose, contractor grade cloth duct tape featuring aggressive adhesive and cold temperature performance for sealing, seaming, repairing, holding and waterproofing applications.

- Superior adhesion with quick stick power.
- Indoor and outdoor use.
- Tears easily to finish jobs with speed and ease.
- Service temperatures from 5°C to 95°C

SOLD EA.

PART NO.	MFG#	DESCRIPTION
3270320	105462	1-7/8 in x 180ft (48mm x 55m)

DUCK PRO® DUCT TAPE PC769



Clean removal duct tape designed to offer aggressive adhesion without leaving residue behind for up to 6 months on indoor and outdoor surfaces once the tape is removed. PC 769 Duck Pro® by Shurtape® is, UV-resistant and can be used for a variety of indoor and outdoor projects such as holding cords, bundling and repair projects.

- Easy to unwind and tear
- Indoor clean removal up to six months
- Waterproof backing
- UV-resistant

SOLD EA.

PART NO.	MFG#	DESCRIPTION
3270321	105458	1-7/8 in x 180ft (48mm x 55m)

T-REX® WATERPROOF TAPE



T-REX® Waterproof Tape provides tough, waterproof adhesion under wet and dry conditions. It can stretch up to 700% of its original length. It's strong enough to be applied underwater and pushed it into cracks and rough, dirty surfaces.

- Service temperatures from -56°C to 93°C
- UV-resistant formulation.

SOLD EA.

PART NO.	MFG#	DESCRIPTION
3270312	285987	4" x 5' (100mm x 1.5m)

COOSA COMPOSITES

A perfect alternative to plywood and other wood products for structural and semi-structural applications. COOSA panels are dimensionally stable, will not delaminate and are not subject to rot, mold and fungus, or insect infestation.



BLUEWATER COMPOSITE PANELS

Sold in 48" x 96" sheets.

- Ideal for structural and high stress applications such as stringers, longitudinals and other hull stiffeners, transoms, engine beds, structural bulkheads, deck and floor framing, decking, wall panels, etc.
- Reinforced with both continuous strand fibreglass and woven roving for superior strength
- Water absorption rate is 1% or less

Nautical 15 Composite Panels

- Economical, super lightweight panel of polyurethane foam reinforced with continuous strand fibreglass
- Often used for additional stiffness or support in semi-structural areas such as battery boxes, tanks, live wells, hatch covers, etc.
- 15 lb./cu. ft. composite density is approximately 61% lighter than plywood
- Sold in 48" x 96" sheets only.

PART NO.	MFG#	DESCRIPTION
9952-330	NAUTICAL 15, 1/2"	1/2" thick
9952-331	NAUTICAL 15, 3/4"	3/4" thick

Special Orders Welcome

Bluewater Composite 5 ft. x 12 ft. sheets are available by special order (minimum 10 sheets).

Bluewater 20 Panels

- 20 lb./cu. ft. composite density is approximately 45% lighter than plywood

PART NO.	MFG#	DESCRIPTION
9952-335	BLUE WATER 20, 1/2"	1/2" thick
9952-336	BLUE WATER 20, 3/4"	3/4" thick
9952-332	BLUEWATER 20, 1"	1" thick
9952-334	BLUEWATER 20, 1-1/2"	1-1/2" thick

Bluewater 26 Panels

- COOSA's strongest and stiffest panel
- 26 lb./cu. ft. composite density is approximately 30% lighter than plywood

PART NO.	MFG#	DESCRIPTION
9952-337	BLUEWATER 26, 1/2"	1/2" thick
9952-338	BLUE WATER 26, 3/4"	3/4" thick
9952-339	BLUEWATER 26, 1"	1" thick

KING STARBOARD

The Original Marine-Grade Polymer Sheet



StarBoard Panels

- Applications include hatches, doors, grab rails and handles, step and dock boxes, rod holders, countertops, chairs, tray tables, frames, trim
- Sold in 54" x 96" sheets only.

King Plastic Polymer Panels

- Maintains consistency of colour, flatness, density, thickness and structural integrity; will not rot, discolour, swell, splinter or delaminate
- With no finishing required, cost is less than most other materials
- Never needs repair or refinishing; textured matte finish on both sides helps to hide minor scratches
- Fasten with mechanical fasteners only (gluing not recommended) and provide structural support every 16 - 18"

Cannot be painted.

Special Orders Welcome

In addition to our stock selection, many other densities and thicknesses are available by special order.

King Polymer Panels cut and machine with standard woodworking tools

PART NO.	MFG#	DESCRIPTION
9952-500	432-WHI00255496	¼" thick, White
9952-501	432-WHI00505496	½" thick, White
9952-502	432-WHI00755496	¾" thick, White

KING STARBOARD POLYMER SHEETS



Taco Marine customers can count on King StarBoard Polymer Sheets when it comes to creating new accessories or replacing wood, laminates or plastic parts on boats. The polymer sheet is environmentally stabilized to withstand the harshest marine conditions. It will not warp, rot or delaminate when exposed to humidity or water. It is also easy to fabricate with standard woodworking tools and requires little or no finishing. **This product cannot be painted.**

Features and Benefits

- High density polyethylene
- UV-stabilized
- Available in full and half sheets
- Also available in cut sizes that are individually wrapped for retail merchandising
- Withstands all harsh marine environments
- Three year limited warranty
- Made in USA

PART NO.	COLOUR	DESCRIPTION
8942003	White	1/4" x 6" x 12"
8942004	White	1/4" x 12" x 27"
8942006	White	1/4" x 24" x 27"
8942014	White	1/2" x 12" x 27"
8942016	White	1/2" x 24" x 27"
8942017	Black	1/2" x 24" x 27"
8942018	White	1/2" x 24" x 54"
8942019	Black	1/2" x 24" x 54"
8942024	White	3/4" x 12" x 27"
8942025	Black	3/4" x 12" x 27"

KING STARBOARD AS (ANTI-SKID)



Close-up of diamond pattern.

Taco Marine introduces King StarBoard AS, the anti-skid marine-grade polymer decking sheet featuring a sure-grip diamond pattern made of a special high friction polyethylene to prevent slipping and promote drainage when wet.

The high density polyethylene material was developed to withstand the harshest marine conditions. It is UV-Stabilized and will not change colour. It is salt water resistant, resists most stains and chemicals, does not rot or delaminate, does not need refinishing and it cleans easily with marine-grade soaps or cleaners using fresh water. **This product cannot be painted.**

Applications Include: Bow Pulpits, Decking, Hatches, Ladder Steps, Boarding Areas, Swim Platforms, Shower Floors, Stairways and Entry Ways, Step Treads.

Passes ASTM D2047 slip resistant testing.

PART NO.	MFG#	DESCRIPTION
8942050	P14-5012WHA27-1	1/2" x 12" x 27"
8942055	P14-7512WHA27-1	3/4" x 12" x 27"

CAULK GUN BARREL



Economy steel half barrel caulking gun.

PART NO.	MFG#	DESCRIPTION
5490097	46300	Caulk Gun Barrel

CAULK GUN PRO



Composite construction , rotating barrel, Super-fine bead control with extra long clean-out with EZ clean surface. 40% lighter than models with similar features yet still contractor Heavy Duty.

PART NO.	MFG#	DESCRIPTION
5490098	GP2000	Caulk Gun Pro

3M PROFESSIONAL CAULKING GUN



This 3M caulking gun is designed for the professional.

PART NO.	MFG#	DESCRIPTION
5490101	7100037242	Caulking Gun

FLEX-PACK HEAVY DUTY APPLICATOR GUN



A fully enclosed, all metal, rod driven, friction feed applicator gun. **For use with 3M flex packs up to 450mL.**

PART NO.	MFG#	DESCRIPTION
5490100	7000120436	Applicator Gun

3M MARINE ADHESIVE SEALANT FAST CURE 4000 UV



- High quality adhesive sealant cures to form a rubbery, flexible watertight seal between mechanically fastened joints on wood, fibreglass and metal, above and below the water line
- Resistant to weathering, salt water and stresses caused by joint movement

PART NO.	MFG#	DESCRIPTION
5490122	7000142707	88mL Tube, White
5490120	7000046623	296mL Cartridge, White
5490121	7000121532	400mL Flex Pack, White

3M MARINE ADHESIVE/ SEALANT FAST CURE 4200



- Tack-free in 1–2 hours
- Fully cures in approximately 24 hours
- All-purpose polyurethane that chemically reacts with moisture to form flexible bonds to wood, fibreglass, gel coat, plastics and metals
- Paintable and sandable
- Watertight seals on joints and boat hardware, above or below the waterline
- Formulated to allow disassembly of parts

PART NO.	MFG#	DESCRIPTION
5490107	7000149601	88mL Tube, White
5490114	7100148080	296mL/10 oz. Cart, White
5490117	7000142651	296mL/10 oz. Cart, Black

3M MARINE ADHESIVE/SEALANT REGULAR CURE 5200



- Tack-free in 48 hours
- Completely cures in 5 to 7 days; no shrinkage
- Polyurethane adhesive/sealant formulated for marine use, above or below waterline, for maximum adhesion strength
- Stays flexible, with excellent resistance to weathering and salt water
- Bonds to fibreglass, wood, aluminum or plastic
- Formulated not to allow easy disassembly of parts

PART NO.	MFG#	DESCRIPTION
5490108	7000142658	White 88mL Tube
5490109	7000142659	Black 88mL Tube
5490118	7000120525	White 296mL Cartridge
5490116	7000118478	Black 296mL Cartridge

3M MARINE ADHESIVE/ SEALANT FAST CURE 5200



- Tack-free in 1 hour
- Faster curing version of Adhesive/Sealant 5200; fully cures in approximately 24 hours
- Formulated not to allow easy disassembly of parts

PART NO.	MFG#	DESCRIPTION
5490106	7000142633	White Fast Cure 88mL Tube
5490113	7000120491	White Fast Cure 296mL Cart

3M MARINE GRADE SILICONE SEALANT



- Non-yellowing, mildew resistant silicone adheres to bare and painted metal, fibreglass, glass, many plastics and abraded rubbers, and remains flexible; ideal as a gasket adhesive
- Recommended for above the water line
- Becomes track free in 20 minutes
- Fully cures in 24-48 hours.

PART NO.	MFG#	DESCRIPTION
9963-028	7000142628	88ml/3oz Tube, Clear
5490119	7000142620	296mL/10 oz Cart., Clear
9963-079	7000142629	88ml/3oz Tube, white
9963-080	7000142624	296mL/10 oz Cart.,white

3M SPECIALTY ADHESIVE REMOVER

3M Specialty Adhesive Remover is a solvent-based adhesive remover, designed to remove reactive adhesives from a variety of substrates.



Details

- Removes reactive adhesives from a variety of substrates; reactive adhesives include adhesives that require a hardener or catalyst in order for the bond to occur, such as epoxies, urethanes, and silicones
- Spray-on delivery optimizes coverage and application versatility
- Specially engineered for added ease during the removal of residue
- Strong, solvent-based formula acts fast on stubborn adhesives

PART NO.	MFG#	DESCRIPTION
5490001	7000142720	425g (15oz)

URETHANE CAULKING REMOVER



Breaks down the bond for all types of caulk and adhesives including cured polyurethane, polysulfides such as 3M 5200 and Sika. Spray it on any cured polyurethane or polysulfide sealant, and minutes later it can be easily peeled away without damaging the surface. Will not harm: Gelcoat, Clear Coat, PlexiGlass, AwlGrip, Imron.

PART NO.	MFG#	DESCRIPTION
5490000	618	8 oz (200g) Remover

SIKAFLEX CAULKING 290 DC PRO



- One part UV resistant polyurethane based joint sealing compound specially formulated for caulking joints in traditional timber marine decking
- Cures to form a flexible elastomer which can be sanded down
- Works best when used with Sika 290 DC Primer (special order).

PART NO.	MFG#	DESCRIPTION
5490085	784	Black, 20 oz., (600 ml.) Flex Pack

SIKAFLEX HIGH STRENGTH MARINE ADHESIVE & SEALANT 292i



- Tack-free in 30 - 45 minutes, Full cure in 24 hours
- Highly viscous, high strength adhesive can replace rivets, screws, welds, and other mechanical fasteners in the manufacture and repair of boats of all types
- Bonds and seals in one step

PART NO.	MFG#	DESCRIPTION
5490076	577359	300ml White 292i Adhesive/Sealant

SIKAFLEX-291 LOT



- Tack- free in 3 to 5 hours – long enough for complex tasks, short enough to stay clean
- Full cure in 3 to 5 days, ±25% flexibility
- Excellent all-purpose adhesive and sealant, for use above or below the waterline

PART NO.	MFG#	DESCRIPTION
5490073	90925	300ml White Cartridge
5490074	90927	300ml Black Cartridge

SIKAFLEX UV RESISTANT MARINE ADHESIVE & SEALANT 295 UV



- Tack-free in approx 1 hour Full cure in 1-10 days, dependent on thickness
- Specifically formulated for acrylic (Plexiglas) and polycarbonate (Lexan) windows and hatches, 209-N primer required

PART NO.	MFG#	DESCRIPTION
5490083	769	300ml White 295 UV Adhesive/Sealant
5490084	778	300ml Black 295 UV Adhesive/Sealant

SIKAFLEX-291 FAST CURE



- Tack-free in 30 to 45 minutes
- Full cure in 1 to 3 days, ideal for applications where quick turnaround is important
- ±12.5% flexibility
- Excellent sealer for many light bonding applications, for use above or below waterline

PART NO.	MFG#	DESCRIPTION
5490068	487383	70ml Black 291 Fast Cure
5490069	487381	70ml White 291 Fast Cure
5490063	90919	300ml White 291 Fast Cure
5490064	90923	300ml Black 291 Fast Cure
5490065	90921	300ml Grey 291 Fast Cure

ELASTOMERICSEALANT



- 1 part, fast skinning (10 minutes) and fast curing (24 hours) multi-purpose marine grade sealant
- Superior strength, adhesion, elongation Cures in temperatures of -28.9°C to 48.9°C and can be wet sanded and painted after curing
- Heavy duty use above or below the waterline
- Twists, bends, expands, compresses.
- Seals ports, beds hardware, stops leaks and is resistant to teak cleaners, oil, diesel fuel & salt water
- Adheres tenaciously without primers to fibreglass, glass, plastic, metal and wood

PART NO.	MFG#	DESCRIPTION
9963-120	300	295ml, White
9963-121	301	295ml, Clear
9963-122	302	295ml, Black
9963-124	320	88ml, White
9963-127	321	88ml, Clear
9963-133	322	88ml, Black
9963-143	330	30ml, White
9963-144	331	30ml, Clear
9963-145	332	30ml, Black

LIQUID ELASTOMERIC SEALANT



- Low viscosity sealant specially formulated for narrow joints where ordinary sealants cannot reach

PART NO.	MFG#	DESCRIPTION
9963-146	350	88ml, Clear

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

Keep your running gear and any other underwater metals free of marine growth and protected against corrosion with Propspeed®.





PROPSPEED®

With an ultra-slick topcoat, Propspeed is specially formulated to prevent marine growth from bonding to metal surfaces below the waterline. It is proven to **increase boat efficiency, reduce drag and save fuel and maintenance costs.**

The **Propspeed** system is best used on propellers, shafts, struts, rudders, trim tabs, keel coolers, bow and stern thrusters, pod drives, sail drives and other underwater metals. Features an exceptionally strong chemical and mechanical bond. Reduces the risk of corrosion by electrically isolating metals.

PROPSPEED APPLICATION SMALL



PART NO.	MFG#	DESCRIPTION
8920410	PSSKIT	PropSpeed, Small

PROPSPEED APPLICATION MEDIUM



PART NO.	MFG#	DESCRIPTION
8920411	PSMKIT	PropSpeed, Medium

PROPSPEED APPLICATION LARGE



PART NO.	MFG#	DESCRIPTION
8920412	PSLKIT	PropSpeed, Large

PROPSPEED APPLICATION KIT



One roller is for use with the Etching Primer and one is for use with the Clear Coat.

This PropSpeed application kit includes

- Two paint trays
- A roller handle
- Two 4" Propspeed rollersone rollers

PART NO.	MFG#	DESCRIPTION
8920422	PSAP4KIT	4" Application Kit

PROPSPEED CLEARCOAT



Propspeed Clear Coat is part of the Propspeed System, which is a non-toxic, foul release coating that promotes more speed and less fuel usage by preventing marine growth from bonding to metal surfaces below the waterline. Propspeed helps prevent fouling of propellers, shafts, struts and more to give your running gear a long-lasting, ultra-smooth surface. Features: Aluminum safe No biocide Copper free Suitable for below the waterline only

PART NO.	MFG#	DESCRIPTION
8920415	CC320	Clear Coat, 320 ml.

LIGHTSPEED



The **Lightspeed** Clear Coat system is a non-toxic topcoat which forms a super slick outer layer that marine growth cannot adhere to, keeping your lights shinning bright, all season long. Safe to use on water seals and sealants. Safe to use on polycarbonate and glass lenses

PART NO.	MFG#	DESCRIPTION
8920417	LSKIT	Lightspeed Kit

STRIPSPEED



The **Stripspeed** removal system removes Propspeed foul release coatings for reapplication. The thick consistency easily hangs on vertical and overhead surfaces. Stripspeed is non-flammable, non-caustic, DCM and NMP free. Stripspeed does not cause mechanical wear and does not create toxic dusts or debris.

- Works in 30 minutes or less.
- No mixing required

PART NO.	MFG#	DESCRIPTION
8920420	SS501	Stripspeed, 1 Ltr, Bottle
8920413	PCWIPE10	Propclean Wipe, 10 pcs.
8920414	PPWIPE10	Propprep Wipe, 10 pcs.

PROPSPEED®





The **Foul Release** Multi-Surface Coating System prevents marine growth from taking hold on multiple components and on many substrates such as outboard lower units and bracket assemblies, stabilising systems, thrusters, stabilising fins, and RIB tubes.

- Invisible, non-invasive, biocide-free protection.
- Smaller kit has enough product for a 24-inch propeller.

FOULFREE MULTISURFACE SYSTEM SMALL



PART NO.	MFG#	DESCRIPTION
8920418	FFKITMS-S	Foul Release, MultiSurface Small

FOULFREE MULTISURFACE SYSTEM MEDIUM



PART NO.	MFG#	DESCRIPTION
8920419	FFKITMS-M	Foul Release, MultiSurface Medium

FOULFREE TRANSDUCER KIT



The **Foulfree** system keeps transducers clean and operating at the top of their game for the clearest sonar images possible.
Safe to use on plastics. Will not hinder Transducer signals.

PART NO.	MFG#	DESCRIPTION
8920416	FFKIT	Foulfree, Transducer, Kit

APPLICATION GUIDE

	PropSpeed				Foul Free		
	Small	Medium	Large	Lightspeed	Transducer Kit	Small	Medium
Coverage	0.7m2 / 7.5ft2	1.7m2 / 18.3ft2	3.4m2 / 36.6ft2	0.1m2 / 1ft2	0.1m2 / 1ft2	0.5m2 / 5.4ft2	2m2 / 21.5ft2
Propclean	1pk x 1 wipes	1pk x 2 wipes	1pk x 4 wipes	- - -	Abrasive pad	1 x 60ml	1 x 240ml
Propprep	1pk x 1 wipes	1pk x 1 wipes	1pk x 2 wipes	Clean wipe	XDClean wipe	1 x Prep pad	1 x Prep pad
Etching Primer	1x 96 ml	1x 240 ml	2x 240 ml	- - -	XDPrime wipe	1 x 60ml	1 x 240ml
Hardener	1x 24 ml	1x 60 ml	2x 60 ml	- - -	- - -	- - -	- - -
Clear Coat	1x 80 ml	1x 200 ml	1x 320 ml	15 ml Tube	15 ml Tube	1 x 60ml	1 x 240ml
Stir Sticks	1	1	2	1x Brush	1x Brush	2 x Brush	2 x Brush
Colour	Gold	Gold	Gold	Clear	Clear	Clear	Clear

For the most up to date pricing, please visit maritimemarinesupply.ca/price



Introducing Micron® CSC- CA, our newest multi-seasonal bottom paint that delivers excellent protection against all types of fouling. Designed to polish away at a controlled rate, it keeps your bottom clean and can improve boat handling and performance in all waters, from fresh water to salt water.



Like you, we have a passion for boating. We provide boaters and boatyards the hull protection they deserve with over 140 years of cutting-edge science, technology and expertise. So you can expect only the best from every Interlux® yacht paint product. Our bottom paints not only protect your hull from fouling, they also protect against the spread of invasive species, safeguarding local waters and helping you enjoy boating with peace of mind.

Relentless performance and protection for every yacht, everywhere, every time.

Interlux interlux.com AkzoNobel

MICRON CSC-CA



Micron CSC-CA is a multi-season antifouling paint based on Controlled Solubility Copolymer technology. This product is designed to wear away (polish) at a controlled rate providing multi season protection with reduced paint buildup allowing for an easier reapplication and improved performance.

- Provides excellent multi-season longevity against all types of algae, weeds, barnacles, and other shell fouling.
- Apply at temperatures as low as 41°F / 5°C, improving productivity at cooler Fall / Spring temperatures.
- High Solids formulation makes it easier to achieve film thickness with a reduction in VOC.
- Allows the boat to be hauled and launched without recoating.

Method	Coverage	Build	Coats
Brush Spray	440ft²/Gal n/a	2 mils	2 (min)

PART NO.	MFG#	COLOUR	SIZE
8920140	YBM000/1QTCA	Blue	Quart
8920141	YBM002/1QTCA	Red	Quart
8920144	YBM003/1QTCA	Black	Quart
8920440	YBM000/1GLCA	Blue	Gallon
8920441	YBM002/1GLCA	Red	Gallon
8920444	YBM003/1GLCA	Black	Gallon



FIBERGLASS BOTTOMKOTE-CA



Bottomkote-CA uses ablative action to provide premium season to season protection against barnacles, zebra muscles and algae in all waters. Ideal for boatyards and boaters looking for a high solids antifouling that can be applied at lower temperatures providing more flexibility in the painting schedule.

- Flexible application schedule – as low as 41°F / 5°C
- Compatible over most antifoulings
- Suitable for power and sail, in all waters

PART NO.	MFG#	DESCRIPTION
8920193	YBM010/1QTCA	Blue, Quart
8920191	YBM012/1QTCA	Red, Quart
8920192	YBM013/1QTCA	Black, Quart
8920490	YBM010/1GLCA	Blue, Gallon
8920491	YBM012/1GLCA	Red, Gallon
8920492	YBM013/1GLCA	Black, Gallon

VC PERFORMANCE EPOXY WITH TEFLON



An extremely hard, white 2-part epoxy designed for use on bottoms of boats that do not require antifouling. It can be applied to fiberglass, epoxy, and metal surfaces. Ideal for rack stored or trailered boats and boats kept in fresh water where a non-toxic bottom finish is preferred.

Method	Coverage	Build	Coats
Brush Spray	200ft²/Gal n/a	3.5 mils	3-4

PART NO.	MFG#	COLOUR	SIZE
8920396	V127KIT/2CA	White	2 Gal

VC OFFSHORE



Antifouling commonly used for racing, sailing and performance power boats and is suitable for use in fresh and salt water. Formulated with Fluoro micro additive for a hard, smooth low friction surface that can be burnished to a very low profile. When polished, VC-OFFSHORE yields a very hard finish for maximum durability and reduced friction for increased performance.

Method	Coverage	Build	Coats
Brush Spray	300ft²/Gal n/a	2 mils	3 (min)

PART NO.	MFG#	COLOUR	SIZE
8920179	V116/1QTCA	Blue	Quart
8920183	V116/1CA	Black	Quart
8920180	V116/1CA	Blue	Gallon
8920184	V118/1CA	Black	Gallon

For the most up to date pricing, please visit maritimemarinesupply.ca/price





Introducing our next generation, premium topside system with professional level results in an easy to use one part finish.

Toplac Plus provides a best in class high gloss finish with longer lasting UV protection that is easy to apply with exceptional roller application, without the need for tipping, available in a full range of vibrant colors.

Apply over Pre Kote Plus, our improved one part undercoat and topside primer all in one, with substrate protection, an extra smooth finish, and lower VOCs.

An amazing finish has never been so easy. Experience a revolution in topside paints, from Interlux.

Relentless performance
for every yacht, everywhere, every time.

Interlux

interlux.com

AkzoNobel

PRE-KOTE PLUS



Pre-Kote Plus is a one-part Primer and Undercoat for use above the waterline with Toplac Plus, one-part finishes and deck paints, Pre-Kote Plus has lower VOCs, is easy to apply, and has improved flow and aesthetics compared to primers or undercoats alone.

Method	Coverage	Build	Coats
Brush	540ft2/Gal	2 mils	1-2
Spray	Not Supported		

PART NO.	MFG#	DESCRIPTION	
8921185	YUC000/1QTCA	White	Quart
8921186	YUC000/1GLCA	White	Gallon
8921187	YUC001/1QTCA	Blue Grey	Quart

INTERPROTECT 2000E



Mix Ratio: 3:1 by volume (as supplied)
Kit Yield: 1 qt. or 1 gallon

*A minimum of 10 mils DFT is required for a complete blister barrier.

Two-part epoxy coating to protect fiberglass hulls from water absorption which can lead to osmotic blistering. Contains millions of microscopic plates which create an overlapping barrier to stop water from entering into the fiberglass. It is also excellent for repairing damage already caused by osmotic blistering and is an excellent primer before your antifouling paint. Can be used on steel, lead, wood, fiberglass, and aluminum.

Method	Coverage	Build	Coats
Brush	240ft²/Gal	2.5 mils	n/a*
Spray	180ft²/Gal		

PART NO.	MFG#	KIT SIZE (PARTS A & B)	COLOUR
8922160	Y2000EKIT/QTCA	1 x Quart Kit	Grey
8922161	Y2000EKIT/1CA	1 x Gallon Kit	Grey
8922159	Y2002EKITQTCA	1 x Quart Kit	White
8922162	Y2002EKIT/1CA	1 x Gallon Kit	White

PRIMOCON



Anticorrosive primer for underwater metal surfaces including hulls, running gear, and lower units of outboards and stern drives. It provides an excellent barrier to reduce pitting from galvanic corrosion. For underwater aluminum use Tri-Lux II. For any other underwater metal use any (non-vinyl) antifouling paint.

Method	Coverage	Build	Coats
Brush	210ft²/Gal	n/a	3-4
Spray	170ft²/Gal		

PART NO.	MFG#	DESCRIPTION
8922170	YPA984/QTCA	Quart
8922171	YPA984/1CA	Gallon

INTERLUX FIBERGLASS SURFACE PREP

for Antifouling Applications



A Low VOC contamination/mold release agent remover used for preparing fibreglass bottoms of new boats or unpainted hulls before applying primers and/or anti-fouling paints. Removing contaminants from fibreglass is extremely important if full adhesive qualities of primers and/or antifouling paints are to be realized.

Other uses include the removal of amine blush from clear epoxy, cleaning previously painted surfaces prior to sanding before repainting topside finishes and for preparing inflatable boats for a compatible antifouling paint system.

PART NO.	MFG#	DESCRIPTION
8922142	YMA601V/QTCA	Surface Prep, Qt.

FIBERGLASS SOLVENT WASH 202



Fiberglass Solvent Wash 202 is used to remove mould release agents, wax, oil and grease from fiberglass prior to painting. **It is also an effective brush cleaner.**

PART NO.	MFG#	DESCRIPTION
8922140	Y202/QTCA	Quart, Solvent Wash

SPECIAL THINNER 216



Special Thinner 216 can be used to thin conventional bottom paints for brushing or spraying. It can also thin Brightside, yacht enamel, varnishes, micron & Tri-Lux II for spraying. A fast evaporating solvent that can be used to remove sanding residue from hull bottoms, and wiping bare aluminum clean.

PART NO.	MFG#	DESCRIPTION
8922110	Y216/QTCA	Quart, Thinner

BRUSHING LIQUID 333



Brushing Liquid 333 improves flow of enamels, varnishes and Brightside. **It also extends drying time in hot weather.**

PART NO.	MFG#	DESCRIPTION
8922103	Y333/QTCA	Quart, Brushing Liquid

BRUSHING SOLVENT 2333N



Reducing Solvent 2333N is a slow evaporating solvent for brushing and rolling Toplac Plus and Pre-Kote Plus. Used to ease application and clean equipment.

Use as requires, 10% max.

PART NO.	MFG#	DESCRIPTION
8922130	Y2333N/QTCA	Quart, Reducing Solvent

REDUCING SOLVENT 2316N



Interlux Reducing Solvent 2316N is a fast evaporating solvent to be used in specific two-part polyurethane, Perfection, Perfection Varnish, and epoxy products. Interlux 2316 is the spray thinner for all Interlux Perfection Products.

PART NO.	MFG#	DESCRIPTION
8922120	Y2316N/QTCA	Quart, Reducing Solvent

FLATTENING AGENTS



These Flattening agents are specially formulated to reduce glare when applied to decks, spars and masts when a semi-gloss, satin or matte finish is required.

One Part Flattening Agent

Flattening agent for one-part polyurethanes such as Brightside topside paint and Schooner or Goldspar varnishes.

PART NO.	MFG#	DESCRIPTION
8922145	YMA715/QTCA	Flattening Agent for 1 Part Paints

For the most up to date pricing, please visit maritimemarinesupply.ca/price

Premium Yacht Paint Solutions

Topside Finishes

Toplac® Plus



Premium High Durability Yacht Gloss Finish

Toplac Plus is a new premium gloss one-part topcoat for all substrates above the waterline. Toplac Plus offers a professional quality finish that is easy to apply with exceptional roller application, without the need for tipping. The new, advanced formula provides highly durable UV protection for longer lasting gloss and color retention over time.

- Comes in a large range of vibrant colors
- Advanced formula for superior protection, gloss, and color retention
- Use with Pre-Kote Plus for professional quality and lasting results in fewer steps

Pre-Kote Plus



Two-in-One Primer and Undercoat for One Part Finishes

Pre-Kote Plus is a one-part Primer and Undercoat, offering substrate protection and an ultra-smooth surface all in one. For use above the waterline with Interlux one-pack finishes and deck paints, Pre-Kote Plus can be applied directly to most substrates, including properly prepared metal. It has lower VOCs, is easier to apply, and has improved flow and aesthetics compared to primers or undercoats alone, making painting easier for DIY customers while providing the perfect foundation for your topcoat.

- Reduced working time with greater substrate protection
- Easy to apply by brush and roller with an extra smooth finish
- Excellent flow, leveling, and easy to sand

Snow White YLK000 (001) ○	Mediterranean White YLK184 (545) ○	Matterhorn White YLK198 (199) ○	Off White YLK192 (193) ○
Oyster White YLK194 (195) ○	Ivory YLK187 (812) ○	Cream YLK027 (027) ○	Sundown Buff 237 (YLK237) ○
Ice Blue YLK904 (904) ●	Sea Foam Green YLK256 (256) ●	Boston Whaler Blue YLK962 (962) ●	Bondi Blue YLK898 (016) ●
Lauderdale Blue YLK936 (936) ●	Sapphire Blue YLK830 (830) ●	Oxford Blue YLK993 (105) ●	Flag Blue YLK990 (992) ●
Platinum YLK151 (151) ○	Atlantic Gray YLK898 (289) ●	Anthracite Gray* YLK315 (315) ●	Jet Black YKL999 (051) ●
Yellow YLK101 (101) ○	Rochelle Red YLK299 (011) ◑	Bounty YLK292 (350) ◑	Donegal Green YLK541 (077) ●

Recommended undercoat for one-part finishes

○ White Pre-Kote Plus ● Blue/Grey Pre-Kote Plus

◑ To give extra depth of color, blend the final coat of Pre-Kote Plus 50:50 with an approved Interlux one-pack topcoat

Interdeck

An excellent slip-resistant finish with a tough polyurethane resin that protects decks against everyday wear and tear. It contains a fine aggregate and will apply easily on all substrates. Interdeck has a low sheen finish to reduce sun glare from decks.





Bilgekote®

A fast drying, durable coating formulated for application in bilge areas. Bilgekote helps prevent substrate absorption of oil, gasoline or sludge (into wood and fiberglass surfaces). Want an easy-to-clean finish? Try Bilgekote today!





Gray YMA100

White YMA102

AkzoNobel

TOPLAC PLUS



Toplac Plus is a one-part silicone alkyd premium gloss yacht enamel for all substrates above the waterline. It is easy to apply by roller without the need for tipping.

Method	Coverage	Build	Coats
Brush	12m2/Ltr	2 mils	2 (min)
Spray	Not Supported		

- Contains UV filters for increased durability.
- May be applied to any properly prepared primed surface.
- Produces a High Gloss finish.
- Excellent flow characteristics

PART NO.	MFG#	COLOUR	SIZE
8921145	YLK000/1QTCA	Snow White	Liter
8921146	YLK000/1GLCA	Snow White	4-Liter
8921147	YLK027/1QTCA	Cream	Liter
8921148	YLK101/1QTCA	Yellow	Liter
8921149	YLK151/1QTCA	Platinum	Liter
8921150	YLK184/1QTCA	White	Liter
8921151	YLK184/1GLCA	White	4-Liter
8921152	YLK187/1QTCA	Ivory	Liter
8921153	YLK192/1QTCA	Off-White	Liter
8921154	YLK194/1QTCA	Oyster white	Liter
8921155	YLK198/1QTCA	Matterhorn White	Liter
8921156	YLK292/1QTCA	Bounty	Liter
8921157	YLK299/1QTCA	Rochelle Red	Liter
8921158	YLK541/1QTCA	Donegal Green	Liter
8921159	YLK684/1QTCA	Atlantic Grey	Liter
8921160	YLK830/1QTCA	Saphire Blue	Liter
8921161	YLK898/1QTCA	Bondi Blue	Liter
8921162	YLK936/1QTCA	Lauderdale Blue	Liter
8921163	YLK990/1QTCA	Flag Blue	Liter
8921164	YLK993/1QTCA	Oxford Blue	Liter
8921165	YLK999/1QTCA	Jet Black	Liter
8921195	YLK237/1QTCA	Sundown Buff	Liter
8921196	YLK904/1QTCA	Ice Blue	Liter
8921197	YLK962/1QTCA	Boston Whaler Blue	Liter
8921198	YLK256/1QTCA	Sea Foam Green	Liter
8921199	YLK315/1QTCA	Anthracite Gray	Liter

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

INTERDECK NON-SKID FINISH



Interdeck provides an excellent, slip resistant finish with a tough polyurethane resin that protects decks against everyday wear and tear. It contains a fine aggregate and will apply easily on all substrates. **Interdeck has a low sheen finish to reduce sun glare from decks.**

Method	Coverage	Build	Coats
Brush	385ft²/Gal	2 mils	1-2
Spray	n/a		

DRY TIME CHART

Temperature			Overcoated by Interdeck		
°F	°C	Touch Dry	Min.	Max.	Dry to Walk On
41°F	5°C	5 hrs	24 hrs	4 days	4 days
59°F	15°C	4 hrs	20 hrs	3 days	3 days
73°F	23°C	3 hrs	16 hrs	2 days	2 days
95°F	35°C	2 hrs	12 hrs	1 day	1 day

PART NO.	MFG#	COLOUR	SIZE
8921190	YJB000/QTCA	White	Quart
8921192	YJF684/QTCA	Grey	Quart
8921193	YJG009/QTCA	Beige	Quart

BILGEKOTE BILGE PAINT



A fast drying, durable coating compounded for application to bilge areas. Prevents absorption of oil, gasoline or sludge into wood and fiberglass.

Method	Coverage	Build	Coats
Brush	300ft²/Gal	2 mils	2 (min)
Spray	240ft²/Gal		

DRY TIME CHART

Temperature			Overcoated by Bilgekote	
°F	°C	Touch Dry	Min.	Max.
41°F	5°C	16 hrs	36 hrs	4 days
59°F	15°C	8 hrs	24 hrs	3 days
73°F	23°C	6 hrs	16 hrs	2 days
95°F	35°C	3 hrs	12 hrs	1 day

PART NO.	MFG#	COLOUR	SIZE
8921200	YMA100/QTCA	Grey	Quart
8921201	YMA102/QTCA	White	Quart

AMERSHIELD TWO-PART POLYURETHANE



Amershield polyurethane provides an enduring lustrous finish that's flexible, resistant to impact and abrasion and will give years of corrosion protection. It can be applied directly to fiberglass, metal, aluminum, masonry and many other surfaces.

Method	Coverage	Build	Coats
Brush	450ft²/Gal	1.2 mils	1
Spray	440ft²/Gal		

Amershield provides outstanding abrasion resistance making it ideal for high wear areas, such as the deck of a boat etc. Polyurethane provides greater abrasion and impact resistance than epoxy coatings. When you need a superior coating order Amershield. **2 parts mixed total 1 gallon.**

PART NO.	MFG#	COLOUR	SIZE
8920510	AMERSHIE-W	White	Gallon
8920511	AMERSHIELD	Black	Gallon
8920515	AMERSHIEL	Pearl Grey	Gallon
8920504	65	Amercoat Thinner	Gallon

InterProtect® Primers with Micro-Plates®

InterProtect primers with Micro-Plates can be used above and below waterline and on all substrates. Micro-Plate® Technology creates an overlapping barrier to help stop water migration through the coating reducing water migration through the epoxy to the hull surface which could lead to blistering.



InterProtect® 2000E

- Fast drying, easy application
- Use as part of a no sand system
- The industry standard for more than 20 years

Gray Y2000E | White Y2002E | Gray YPA423KIT

Interlux® Wood Solutions

Cetol® Marine

Cetol Marine with Next Wave™ UV-absorbing technology is a durable translucent protective wood finish for use above the waterline on interior and exterior woods. Next Wave technology is a unique UV package of advanced Ultra Violet absorbers that provide greater protection, durability and longevity. Cetol Marine has excellent weathering properties and allows for the natural expansion and contraction of wood which prevents Cetol Marine from cracking. Cetol Marine is also micro-porous, allowing moisture to escape from the wood which will prevent blistering and flaking of the finish. Cetol Marine is an easy to apply, low maintenance alternative to wood oils and other wood treatments.

- **Cetol Marine** produces an attractive dark amber appearance on wood.
- **Cetol Marine Light** produces a lighter amber appearance on wood.
- **Cetol Marine Natural Teak** has a rich golden color on wood.
- **Cetol Marine Gloss** provides a high-gloss, hard-wearing, UV protection and is developed as a topcoat for Cetol Marine, Cetol Marine Light and Cetol Marine Natural Teak. Not for use on decks or other walkways.



Cetol Marine IVA300 | Cetol Marine Light IVA290 | Cetol Marine Natural Teak IVA316 | Cetol Marine Gloss IVA315

Schooner® Gold



This product offers a higher film build per coat that allows both professional applicator and boat owners to achieve great results faster and in fewer coats. This 'thicker' varnish will require thinning, in most conditions, to achieve optimum flow. Schooner Gold has shown to out-perform other leading brands and will offer superb longevity and durability.

Compass® Clear



Compass Clear is a highly durable one-part polyurethane gloss varnish that contains a unique combination of ultra-violet additives, HALS, surface stabilizers and antioxidants to ensure long-term gloss and clarity. Polyurethane resin adds incredible abrasion, chemical and water resistance. Superior leveling properties along with silky application allows you to achieve a professional, long lasting finish. Compass Clear is suitable for all internal and external woods, and can be applied directly to oily timber, such as teak.



International Paint LLC. 6001 Antoine Dr. Houston, TX USA 77091 Tel: (713) 682-1711 Technical Support Tel: 1-800-468-7581
Fax: (713) 684-1301 Email: InterluxTechnicalService@akzonobel.com
interlux.com

The information given in this document is not intended to be exhaustive. Any person using this product without first making further enquiries as to the suitability of the product for the intended purpose does so at their own risk and we can accept no responsibility for the performance of the product or for any loss or damage (other than death or personal injury resulting from negligence) arising out of such use. The information contained in this document is liable to modification from time to time in the light of experience and our policy of continuous development.

All trademarks mentioned in this publication are owned by, or licensed to, the AkzoNobel group of companies. © AkzoNobel 2023. Eccrex™ is a trademark of Johnson & Johnson. SKU Catalog/USA-2023

CETOL MARINE



Cetol Marine is formulated with a special alkyd resin and high quality synthetic UV-absorbing pigments which shields wood against damaging UV rays and produces an attractive dark amber appearance on wood.

Method	Coverage	Build	Coats
Brush	340ft²/Gal	n/a	3 (min)
Spray	n/a		

PART NO.	MFG.	DESCRIPTION
8920270	IVA300/QTCA	Quart
8920271	IVA300/1CA	Gallon

CETOL MARINE LIGHT



Cetol Marine Light is identical to the Cetol Marine but formulated with different pigments to produce a lighter amber appearance on wood.

Method	Coverage	Build	Coats
Brush	600ft²/Gal	n/a	3 (min)
Spray	n/a		

PART NO.	MFG.	DESCRIPTION
8920272	IVA290/QTCA	Quart

CETOL MARINE NATURAL TEAK



Cetol Marine Natural Teak is a durable, translucent, satin protective wood finish with a high quality unique UV-absorbing package and improved colour that will provide superior performance and enhance the natural beauty of wood. Cetol marine natural teak can be used for interior or exterior.

Method	Coverage	Build	Coats
Brush	400ft²/Gal	n/a	2 (min)
Spray	n/a		

PART NO.	MFG.	DESCRIPTION
8920274	IVA316/QTCA	Quart
8920275	IVA316/1CA	Gallon

CETOL MARINE GLOSS



Cetol Marine Gloss provides a high gloss, hard wearing, UV protection and an easy to clean finish and is developed as a topcoat for Cetol Marine, Cetol Marine Light and Cetol Marine Natural Teak for whenever a gloss finish is desired. Do not use on decks.

Method	Coverage	Build	Coats
Brush	400ft²/Gal	n/a	2 (min)
Spray	n/a		

PART NO.	MFG.	DESCRIPTION
8920273	IVA315/QTCA	Quart

ORIGINAL 90 VARNISH



Original 90 Varnish is a traditional spar varnish that is easy to apply with good gloss and durability. **It is recommended for various interior and topside exterior woodwork.**

Method	Coverage	Build	Coats
Brush	600ft²/Gal	1.2 mils	5 (min)
Spray	480ft²/Gal		

PART NO.	MFG#	DESCRIPTION
8920260	Y90/QTCA	Quart

COMPASS CLEAR VARNISH



Highly durable one-part polyurethane gloss varnish that contains a unique combination of ultra-violet additives, HALS and antioxidants. Incredible abrasion, chemical and water resistance. Suitable for all internal & external woods, can be applied directly to oily timber, such as teak. Provides a bright, clear, finish letting the natural colour of the wood show through.

* Sanding lightly after each coat.

Method	Coverage	Build	Coats
Brush	600ft²/Gal	1.2 mils	6*
Spray			

PART NO.	MFG#	DESCRIPTION
8920269	YVA502/QTCA	Compass Varnish, Qt.

GOLD SPAR SATIN VARNISH



Provides a rich satin sheen for interiors. Hard one-part polyurethane. **Resistant to scratches and alcohol.** Ideal for cabins, cabinets, counters and tables.

Method	Coverage	Build	Coats
Brush	525ft²/Gal	n/a	5 (min)
Spray	420ft²/Gal		

PART NO.	MFG#	DESCRIPTION
8920259	Y60/QTCA	Quart

SCHOONER VARNISH



Schooner varnish 96 combines the very best of classic varnish with the newest technology. Schooner has a classic amber finish with high UV and excellent water resistance.

Method	Coverage	Build	Coats
Brush	600ft²/Gal	2 mils	5 (min)
Spray	480ft²/Gal		

PART NO.	MFG#	DESCRIPTION
8920262	Y96/QTCA	Quart

SCHOONER GOLD



An optimized blend of UV absorbers, HALS and resins to provide a long-lasting high gloss with a traditional amber hue that enhances the colour of natural wood. Superior self-levelling qualities. Suitable for all internal and external woods.

* Sanding after every second coat.

Method	Coverage	Build	Coats
Brush	525ft²/Gal		4-6*
Spray			

PART NO.	MFG#	DESCRIPTION
8920268	YVA500/QTCA	Schooner Varnish, Qt.

For the most up to date pricing, please visit maritimemarinesupply.ca/price

ADVENTURE IS CALLING



ANSWER WITH ODYSSEY® HD

A PROVEN LONG LASTING, MULTI-SEASON ABLATIVE ANTIFOULING BOTTOM PAINT MADE TO HANDLE THE TOUGHEST MARINE ENVIRONMENTS.

ODYSSEY HD WILL NOT BUILD UP, CAN BE HAULED AND RELAUNCHED, OFFERS MORE BIOCIDE FOR BETTER PROTECTION AND CAN BE APPLIED OVER MOST COATINGS.

HD HULL / DEFENSE WARRANTY 18 MONTHS

BACKED BY 18 MONTHS OF PETTIT'S HULL DEFENSE LIMITED WARRANTY

800-221-4466
PETTITPAINT.COM

PETTIT®

ODYSSEY® MULTI-SEASON ANTI-FOULING





Odyssey® HD multi-season anti-fouling paint combines controlled polishing ablative technology with a high copper con-tent to provide a paint film strong enough to handle the tough marine environment. Odyssey HD's copolymer resins withstand hauling and relaunching without losing effectiveness

Odyssey HD provides excellent antifouling protection backed up by the industry's strongest warranty. HD (Hull Defense 18 Month Limited Warranty) offers peace of mind to any boater in every harbor. Odyssey HD offers the most dependable and trusted antifouling paint to every boater and applicator in the industry.

- High-copper ablative protection and Smooth polishing finish.
- Compatible over most bottom paints / Withstands hauling and relaunching.
- Equally effective on both power and sailboats.

Approx. Dry Times at 70°F: 1/2 hr. Touch, 3 hrs. Recoat, 6 hrs. Launch
Coverage: 475 ft2/gal. approx.
Roller: 3/8" max.

PART NO.	MFG#	DESCRIPTION
9961-570	1807	Black, Gallon
9961-572	1207	Blue, Gallon
9961-573	1607	Red, Gallon

UNEPOXY HRT ANTI-FOULING PAINT



- Uses the latest technology available to create a hybrid paint film strong enough to handle the tough marine environment without building up over time.
- Effective biocide along with film modifiers to reduce yearly build-up
- Maintains uniform color consistency, and lower weight
- Coverage 500 square feet per gallon
- Outstanding protection and affordable cost

BLUE 1211 RED 1611 BLACK 1811

PART NO.	MFG#	DESCRIPTION
9961-222	1811-G	Black - 1811, Gallon
9961-223	1811-QT	Black - 1811, Quart
9961-224	1211-G	Blue - 1211 Gallon
9961-225	1611-G	Red - 1611, Gallon

PETTIT®

CANADIAN ANTIFOULING BOTTOM PAINT COMPATIBILITY CHART





OLD ANTIFOULING	ODYSSEY® HD	UNEPOXY HRT®
Fiberglass Bottomkote® ACT, Micron® CSC, Ultima®, Horizons®, Premium HRT®	**Lightly sand** old antifouling then apply Odyssey® HD	**Lightly sand** old antifouling then apply Unepoxy HRT®
Trilux® II, Epoxycop™, Fiberglass Bottomkote®, Premium HRT®	**Sand** old antifouling then apply Odyssey® HD	**Sand** old antifouling then apply Unepoxy HRT®
Bottomkote® XXX	**Lightly sand** old antifouling then apply Odyssey® HD	**Remove** old antifouling then apply Unepoxy HRT®
VC® Offshore, Baltoplate	**Heavily sand** old antifouling then apply Odyssey® HD	**Sand** old antifouling then apply Unepoxy HRT®

Bottomkote XXX®, Fiberglass Bottomkote®, Fiberglass Bottomkote® ACT, Micron® CSC, Baltoplate, Epoxycop™, VC®, and Trilux® are registered trademarks of AkzoNobel.

For the most up to date pricing, please visit maritimemarinesupply.ca/price

EZ-POXY® MARINE POLYURETHANE PAINT

- Coverage 600 square feet per gallon; 150 square feet per quart
- Superior finish for topsides, trunk, interior, etc.
- The best enamel features in a one part formulation, high gloss and excellent abrasion resistance
- Easy to apply by brush or spray with excellent flow and hiding characteristics
- Works well on fibreglass, prepared wood, metal and previously painted surfaces
- Use Pettit Thinner 120 for brushing and Thinner 121 for spraying



	Unit	Item No.
White 3175	Qt	9961-200
	Gal	9961-170
Semi-gloss White 3106	Qt	9961-201
Electric Sapphire Blue 3227	Qt	9961-204
Bikini Blue 3229	Qt	9961-203
Seafoam Green 3333	Qt	9961-143
Ocean Blue 3248	Qt	9961-205
Hatteras Off White 3108	Qt	9961-199
	Gal	
Jade Green 3348	Qt	9961-218

	Unit	Item No.
Kelly Green 3350	Qt	9961-207
Fighting Lady Yellow 3456	Qt	9961-180
Grand Banks Beige 3520	Qt	9961-210
Fire Red 3624	Qt	9961-212
Burgundy 3626	Qt	9961-211
Platinum 3711	Qt	9961-214
Steel Gray 3720	Qt	9961-221
Black 3801	Qt	9961-215

EZ POXY

MODERN ONE-PART POLYURETHANE TOPSIDE FINISH



FIBERGLASS APPLICATION GUIDE

2-3 COATS OF **EZ POXY**

2 COATS OF **EZ PRIME**

SUBSTRATE PREP

THOROUGHLY DE-WAX THE GELCOAT. SAND THE GELCOAT THOROUGHLY WITH 120-220 GRIT SANDPAPER.



HIGH BUILD EPOXY PRIMER



- Heavy duty, two component coating that reduces water absorption in fibreglass hulls and prevents osmotic blistering
- Recommended when repairing osmotic damage or blistered hulls to prevent recurrence, or as preventive measure in new or non-blistered hulls
- High build formulation for maximum protection with fewer coats
- Also all-purpose primer for aluminum, steel and other metals
- Apply by brush, spray or roller

- Pot life 5 hours at 70°F
- Recoat in 3-18 hours; apply bottom paint within 5-8 hours
- Minimum cure before launch 72 hours

Coverage 56 square feet per quart **Coverage 225 square feet per gallon**

PART NO.	MFG#	DESCRIPTION
9961-237	4700/4701-Q	Quart
9961-238	4700/4701-G	Gallon

EZ-POXY UNDERCOATER 6149 WHITE



- Coverage 100 square feet per quart
- Used as a base coat under Easypoxy when the surface is aged, cracked, checked, pitted, or anything less than smooth
- Can be applied to fibreglass, wood and previously painted surfaces
- Dries quickly and is easy to sand
- For thinning, use Brushing Thinner 120

PART NO.	MFG#	DESCRIPTION
9961-161	6149-Q	Quart

EZ-POXY PERFORMANCE ENHANCER



- Increases gloss, hardness and longevity of Pettit solvent based topside finishes
- Increases flow out of brush strokes and roller stipple, providing a mirror-like high gloss finish
- Mix 235ml for one gallon of paint
- **DO NOT SPRAY: see Product Information Sheet**

PART NO.	MFG#	DESCRIPTION
9961-274	2018-Q	Quart

BRUSHING THINNER 120



- For use with Easypoxy, Varnish, etc.
- Also useful as a cleaner

PART NO.	MFG#	DESCRIPTION
9961-166	120	Quart

PROP COAT



- Superior underwater metal protection
- Excellent adhesion to clean metals
- 93% pure zinc in the dried film
- Fast dry formula in an easy to use aerosol spray can

PART NO.	MFG#	DESCRIPTION
9961-155	1792	454g

FLAGSHIP VARNISH 2015



- Contains almost 6 times the ultra-violet protection of 1015 Captain's varnish
- Can be built up to many coats
- **Not for use below the waterline**

The highest UV protection available in marine varnish

PART NO.	MFG#	DESCRIPTION
9961-244	2015-Q	Quart, covers 112 ft2

CAPTAIN'S VARNISH 1015



- For marine use only; outstanding gloss retention and durability with ultra-violet shield
- **Not for use below the waterline**

PART NO.	MFG#	DESCRIPTION
9961-242	1015-Q	Quart, covers 146 ft2

22018 EZ-WOOD SEALER



- Seals open wood grain providing a more uniform finish
- For all woods including teak, mahogany, oak, ash, fir, and plywood
- Prevents excessive vehicle absorption from primers, paints, or varnishes
- Excellent penetration into raw wood for improved stability and moisture resistance

PART NO.	MFG#	DESCRIPTION
9961-100	3021	235ml

For the most up to date pricing, please visit maritimemarinesupply.ca/price





TOPCOATS - AWLGRIP & AWLCRAFT 3000

BEYOND JUST GOOD LOOKING Awlgrip manufactures two different topcoats to meet the needs of a dynamic market. The Awlgrip topcoat uses a polyester urethane resin, whilst Awlcraft 3000 uses an acrylic resin. The difference is molecular size. Polyester molecules are much smaller than acrylic molecules. A given volume of polyester resin contains many more molecules than the same volume of acrylic resin. Thus the polyester has more reaction sites than the acrylic. When both are fully crosslinked, the polyester forms a tighter, tougher film. The more dense crosslinking provides a harder, more abrasion resistant film, with better chemical resistance than the acrylic film. High crosslink density yields better chemical and abrasion resistance. It also yields a rigid film. In today's marketplace there is a need for both acrylic and polyester urethane technology. Both resins will resist staining and provide long lasting gloss. Application characteristics, chemical and stain resistance, reparability, and cure times all need to be considered when choosing a urethane.

HOW THEY WORK Crosslinked, two component polyurethanes dry when the solvent evaporates. Then they are as the components react to form the urethane molecule. The more crosslinks, the more durable the final finish. But keep in mind, a longer cure time is needed for the coatings to reach this durable, final finish.
Coatings with a relatively long cure time allow the pigments to migrate toward the substrate. A resin-rich wear layer forms, much like the clear urethane film on a "no wax" floor. This resin-rich layer provides long term protection for the pigment particles, improves colour and gloss retention, and provides the deep gloss associated with high quality urethanes.

THERE'S A SYSTEMATIC APPROACH Be cautioned however! Choose the topcoat you require for your project first, then investigate the primer system to support the topcoat performance. Awlgrip offers a complete line of chemically compatible primers, fairing compounds & surfacers to support its topcoats.
Do not mix with components other than those manufactured by Awlgrip, into the Awlgrip system. Awlgrip provides detailed instructions for care and maintenance of topcoats, including mild but effective products such as Awlwash and Awlcare to help maintain the high gloss urethane topcoats. This, in fact, is the Awlgrip coating advantage - performance delivered through a complete coating system.

THIS IS A PROFESSIONAL USE PRODUCT.

Maritime Marine Supply is proud to be your Atlantic AWLGRIP distributor, and offers fully trained staff to provide the following services

- Custom Colour Mixing
- Quality Guaranteed
- Same day Shipping
- Technical Support







CONTACT MARITIME MARINE SUPPLY DIRECTLY FOR ORDERING INFO







It's Gotta be AWLGRIP

AWLGRIP

Polyester Urethane Topcoat



- High performance urethane topcoat systems.
- Recognized world-wide for 30 years.
- Full product range of coating systems for all substrates.
- Can be applied by spray or brush/roll.
- For use above the waterline only.
- Excellent colour retention and chemical resistance.
- Custom colours available.

AWLCRAFT 3000

Acrylic Urethane Topcoat



- Premium acrylic urethene topcoat.
- Superior flow-out and high gloss.
- Ease of application.
- Fast drying to reduce dust entrapment.
- For spray application only.
- For use above the waterline only.
- Custom colours available.

TOPCOAT CARE

AWLWASH

Wash Down Concentrate - 73234



An effective detergent for cleaning, yet still gentle enough for frequent use on Awlgrip and Awlcraft 3000. Awlwash has been extensively tested in Awlgrip's laboratories and in the harsh yacht environment.

- Awlwash does not contain alkalis, acids, or abrasives, and is free rinsing, which decreases drying time.
- Awlwash is 100% biodegradable and comes in a refillable, "Tip 'N Measure" container, which makes it easy to get the proper mix ration: One ounce of Awlwash per gallon of water.

PART NO.	MFG#	DESCRIPTION
8950940	O73234/1QTUS	AwlWash 1 qt
8950941	O73234/1GLUS	AwlWash 1 gal.

AWLCARE

Protective Polymer Sealer - 73240



Awlgrip developed Awlcare for customers who want to protect their painted finish and need the additional cleaning power of a hand applied product. Awlcare will help temporarily seal and restore shine to painted surfaces that have become porous due to age or mistreatment. Once a painted surface becomes porous it allows dirt to collect on the surface making the normal washing process more difficult. Regular applications of Awlcare will help seal the porosity, helping to maintain a satisfactory appearance until there is time to repaint.

- Awlcare contains no harsh abrasives and will not scratch the painted surface.
- Awlcare leaves a non-yellowing, protective polymer coating which lasts through multiple washings.
- Awlcare removes mild stains such as water spots and diesel soot and with regular applications, increases resistance to attack from acid rain and other environmental pollutants.

PART NO.	MFG#	DESCRIPTION
8950942	O73240/1PTUS	AwlCare 1 pt.
8950943	O73240/1HGUS	AwlCare 1/2 gal

Awlgrip GRIPTEX

Griptex is a white, round polymer bead that can be added to any Awlgrip or Awlcraft 2000 topcoat colour to provide a non-skid texture for deck and step areas.



Griptex can be applied by one of two methods: by sprinkling Griptex onto still tack application or topcoat, or by adding it to the topcoat to then be spray applied.
The Griptex range is available in fine (73012), coarse (73013) and extra coarse (73237). These grits can also be mixed together to create a custom, non-skid texture that fits you individual needs.

PART NO.	MFG#	DESCRIPTION
8950920	O73012/1QTAL	Griptex Fine 1 qt
8950922	O73013/1QTAL	Griptex Coarse 1 qt
8950923	O73013/1GLAL	Griptex Coarse 1 gal

AWLWOOD MA EXTERIOR CLEAR FINISH SYSTEM

Awlwood MA is an exterior clear system that is made up of a Primer and Clear Finish (available as satin or gloss). By combining the Primer and Clear together, the synergistic effect results in an outstanding performing system that adheres and bonds directly to the wood cellular structure giving extended performance and retaining the same gloss, DOI and natural appearance as first application.







Features and Benefits:

- High building, fast curing formulation allowing multiple applications per day reducing work time.
- Applicable over a wide range of temperatures and humidity by various methods so the same great result every time.
- Highly flexible throughout lifetime of system, allows natural substrate movement whilst giving excellent toughness and abrasion resistance.
- Use of the full system gives a synergistic effect resulting in extended performance retaining the same gloss, DOI and natural appearance as first application.

AWLWood MA Primer



Formulated to deeply penetrate the grain/wood, even tropical hardwoods and thus give longer lasting colour stability and improved system adhesion. Superior flexibility and unrivalled resistance to delamination at damage points and penetrates deep into the wood grain allowing the natural colour and grain of wood to shine through. High performance colourants that impregnate the wood structure to mimic the tonings of the natural wood colourants.

Primer application specifications:

Application Method	Number of Coats	Recommended Per Coat			Theoretical Coverage
		WFT	DFT	Max DFT	
Brush / Roller	1 coat (1 application)	Apply until timber saturation is achieved (once saturated, do not apply more materials)			10m²/L 407.4ft²/gal

Awlwood MA Prmer does not require thinning.

PART NO.	MFG.	DESCRIPTION
8950544	J3809	Clear Primer 1 qt.
8950545	J7809	Red Primer 1 qt.
8950546	J9809	Yellow Primer 1 qt.

AWLWood MA Finish



Features an inherently non-yellowing polymer further stabilized with high performance and UV absorbers giving long term clarity of film and excellent gloss and DOI retention. Elastomeric nature of the cured film results in excellent toughness and abrasion resistance giving amazing in-service performance. When combined with Awlwood MA Primers gives outstanding performance extending re-coat cycle times.

Finish application specifications:

Application Method	Number of Coats	Recommended Per Coat			Theoretical Coverage Per Coat (at recommended DFT)
		WFT	DFT	Max DFT	
Brush / Roller / Spray	8	3 mils (80 µm)	1.5 mils (36 µm)	2 mils (45 µm)	12m²/L 490ft²/gal

PART NO.	MFG.	DESCRIPTION
8950550	J3890	Clear Finish 1 qt.
8950555	T0201	Brush Reducer 1 qt.
8950556	T0202	Spray Reducer 1 qt.

ALEXSEAL®
Yacht Coatings

Yacht Coating System

A complete system of epoxy primers, high build surfacers and fairing compounds, as well as a linear polyester polyurethane topcoat designed for the marine environment. Whether a yacht requires full fairing or just priming and painting, the ALEXSEAL system has the best coating products for the job.

The chart below illustrates a complete fairing system for new vessel construction or major repairs.

Most repaints only require ALEXSEAL Finishing Primer and Premium Topcoat.

contact us with your project requirements.



Protective Primers/Surfacers



Fairing Compound



High Build Surfacers/Primers



Finishing Primer



Premium Topcoats

Professional Applicators

Product	Mixing Ratio	Base	Converter	Accelerator	Reducer
Protective Primers/Surfacers					
161 Protective Primer	1:1:1/2 (25%)	P1610	C1617	———	R4042
Fairing Compound					
Fairing Compund 202	1:1	P2094	C2075 C2017	Standard Fast	———
High Build Surfacers/Primers					
Super Build 302	1:1:1/2 (25%)	P3002	C3052	A4030	R3040
Spray Fair 328	1:1 (10-25%)	P3280	C3287	———	R3040
Finishing Primer					
Finish Primer 442	1:1:1/2 (6-25%)	P4420 (W) P4423 (G)	C4427	A4429	R4042
Premium Topcoats					
Premium Topcoat 501	Spray 1:1:3/4 (35%)	T Series	C5051	A5035 A5018*	R5070-F R5050-M R5030-S
	Brush 2:1:1/2 (17%)	T Series	C5012-B	A5035	R5015-B
Metallic Base Coat requires Clear 501	Spray 5:1:3 (50%)	M Series	C5051	———	R5050-M

* Rolling Additive in 4oz

Topcoat Key: F – Fast M – Medium S – Slow B – Brush



Please Note: Due to the limitations of printed reproduction, actual paint colours may not be exactly as shown.

For the most up to date pricing, please visit maritimemarinesupply.ca/price

AQUAGARD WATER-BASED BOTTOM COPPER PAINT



Environmentally preferable paints and coatings for the marine industry due to the low levels of volatile organic compounds (VOC) and heavy metals released compared to other competing products. Water-based so they're easy to apply, easy to clean-up and have NO toxic fumes.

- Ablative action repels barnacles & other growth
- Fast drying , Water Based paint rolls on easily
- Great value & outstanding results with simple soap & water clean-up
- Exceeds VOC standards, Controlled leach out, Non-toxic fumes
- Plastic containers increase shelf life, U.S. EPA approved
- For fiberglass & wooden boats
- Also great for use on inflatable boats without the use of primer!
- **Can be used on plastic & bronze transducers!**

PART NO.	MFG#	COLOUR	SIZE
8930110	10003	Blue	1 Quart
8930111	10002	Red	1 Quart
8930113	10007	Shark White	1 Quart
8930114	10001	Black	1 Quart
8930410	10103	Blue	1 Gallon
8930411	10102	Red	1 Gallon
8930413	10107	Shark White	1 Gallon
8930414	10101	Black	1 Gallon
8930810	10203	Blue	2 Gallons
8930811	10202	Red	2 Gallons
8930813	10207	Shark White	2 Gallons
8930814	10201	Black	2 Gallons

FIBREGLASS AND ALUMINUM DEWAXER/WASH 18



- Strips mold release agent from fibreglass and removes grease and wax from gel coat
- Smooth surface for paint application

PART NO.	MFG#	DESCRIPTION
9960-394	30000	Quart
9960-395	30100	Gallon

AQUAGARD 190 PRIMER



- Chemically bonds to aluminum
- Excellent resistance to corrosion and salt
- Improves adhesion of final coat
- Compatible with all other top coats
- Scientifically formulated for use with Alumi-Koat anti-fouling paints
- Exceeds VOC standards
- No toxic fumes , Water based
- Cleans up with soap and water

PART NO.	MFG#	COLOUR	SIZE
8932192	25009	Med. Grey	Quart
8932193	25109	Med. Grey	Gallon

BUOY COATING



- Chemically bonds with the buoy for highest durability
- Colourfast & UV resistant
- Oil & gas resistant, high visibility
- Low odour, long lasting
- Commercially proven, self-leveling
- Formulated safe for foam buoys
- Designed to dry quickly

Please Note: Due to the limitations of printed reproduction we are unable to accurately match exact bright and fluorescent colours.

Standard Colours

PART NO.	MFG#	DESCRIPTION
8931603	50001	Black (Quart)
8931602	50002	Red (Quart) t
8931601	50003	Blu(Quart)
8931604	50004	Green (Quart)
8931605	50013	Yellow (Quart)
8931606	50014	Bright Yellow (Quart)
8931600	50015	Whith (Quart)
8931607	50016	Orange (Quart)

Fluorescent Colours

PART NO.	MFG#	DESCRIPTION
8931140	53008	Rocket Red (Quart)
8931141	53009	Fire Orange (Quart)
8931142	53010	Pink (Quart)
8931143	53011	Signal Green (Quart)
8931144	53012	Saturn Yellow (Quart)
8931145	53013	Blue (Quart)
8931146	53020	Arc Yellow (Quart)
8931147	53019	Blaze Orange (Quart)

PVC & INFLATABLE VINYL BUOY PAINT



- Chemically bonds with buoys for highest durability
- Colourfast & UV resistant
- Oil & gas resistant, high visibility
- Superior adhesion- won't crack
- Commercially used and proven
- The choice of commercial fisherman worldwide
- Rugged durability

PART NO.	MFG#	COLOUR	SIZE
8931110	42008	Fluorescent Rocket Red	1 Quart
8931111	42009	Fluorescent Blaze Orange	1 Quart
8931112	42010	Fluorescent Aurora Pink	1 Quart
8931113	42011	Fluorescent Signal Green	1 Quart
8931114	42012	Fluorescent Saturn Yellow	1 Quart
8931115	42020	Fluorescent Arc Yellow	1 Quart
8931120	40001	Black	1 Quart
8931121	40002	Red	1 Quart
8931122	40003	Blue	1 Quart
8931123	40004	Green	1 Quart
8931124	40013	Yellow	1 Quart
8931125	40015	White	1 Quart
8931126	40016	Orange	1 Quart
8931127	41014	Bright Yellow	1 Quart
8931128	41017	Bright Red	1 Quart
8931129	41018	Bright Blue	1 Quart
8931130	41019	Bright Green	1 Quart

BUOY PAINT THINNER



- Use to clean surface before applying Flexabar Buoy Coating
- Use to thin Flexabar Buoy coating up to 10%

PART NO.	MFG#	DESCRIPTION
8931100	90000	Buoy Paint Thinner, Quart

KIWI GRIP ANTI-SLIP COATING

KiwiGrip is a water-based anti-slip acrylic polymer marine deck coating.

It is non-toxic with a very low VOC containing no solvents. KiwiGrip comes out of the pouch with a thick consistency and spreads quickly and easily with the unique proprietary roller (1 x 4" roller is supplied with each kit).





All kits come with
1 x 8920910 - 4" Roller

Coverage at 2-3mm (≈1/8") thick
1L Pouch: 20ft²

KiwiGrip pouches are less susceptible to impact damage from drops or strikes and the spout design makes it easier to pour and then reseal after use.

KiwiGrip offers a beautiful, consistent, gripping surface with a 'fine' (for pleasure boats) to 'aggressive' (for work boats) texture that can be adjusted simply by varying the application technique.

KiwiGrip is easily applicable over properly prepared wood, fiberglass, epoxy, concrete, or metal surfaces and won't wear through to expose filler materials. Cleans up with soap and water.


Cream


Blue


Grey



PART NO.	MFG#	DESCRIPTION
8920900	KG-1WP-R	White, 1L Pouch and 4" Roller
8920901	KG-1GP-R	Grey, 1L Pouch and 4" Roller
8920902	KG-1CP-R	Cream, 1L Pouch and 4" Roller
8920903	KG-1BL-PR	Blue, 1L Pouch and 4" Roller
8920910	KG10204	4" Roller
8920911	KG10209	9" Roller
8920940	KG-4WP-R	White, 4 x 1L Pouches and 4" Roller
8920941	KG-4GP-R	Grey, 4 x 1L Pouches and 4" Roller
8920942	KG-4CP-R	Cream, 4 x 1L Pouches and 4" Roller
8920943	KG-4BL-PR	Blue, 4 x 1L Pouches and 4" Roller

GRIPTEX ADDITIVE



Griptex is a white, round polymer bead that can be added to any Awlgrip or Awlcraft 2000 topcoat colour to provide a non-skid texture for deck and step areas.



Griptex can be applied by one of two methods: by sprinkling Griptex onto still tack application or topcoat, or by adding it to the topcoat to then be spray applied. The Griptex range is available in fine (73012), coarse (73013) and extra coarse (73237). These grits can also be mixed together to create a custom, non-skid texture that fits you individual needs.

PART NO.	MFG#	DESCRIPTION
8950920	O73012/1QTAL	Griptex Fine 1 qt
8950922	O73013/1QTAL	Griptex Coarse 1 qt
8950923	O73013/1GLAL	Griptex Coarse 1 gal



For the most up to date pricing, please visit maritimemarinesupply.ca/price

EPIFANES MARINE PRODUCTS



The crowning touch for brightwork or topsides paint, our marine coatings offer unparralleed beauty and unsurpassed UV protection. Enjoy the the quality that's made Epifanes paint and varnish THE choice for boat owners and boatyard pros worldwide.

EPIFANES YACHT ENAMEL

The mirror-like gloss, colour retention and intensity of this enamel surpass those of traditional enamels. Its longevity, surface hardness and flexibility prove it is the ultimate finish for wood, fiberglass, steel and aluminum.



one-component yacht coating is based on an oil modified alkyd resin formulated for interior/exterior application above the waterline in conjunction with the appropriate primers.

Epifanes Yacht Enamel has superior flow, gloss and durability, with outstanding wet edge and covering properties. It is especially made for traditional wooden boat and canoe projects.

- Resistant to both fresh and salt waters.
- Can be sanded and recoated after 24 Hrs at 65°F/18°C
- Covers approximately 110 sq. ft. / 10 m2
- Application by brush, roller or spray.

PART NO.	MFG#	DESCRIPTION
8921323	YE019.750	Black 750mL
8921325	YE029.750	Ocean Blue 750mL
8921327	YE072.750	Dark Green 750mL
8921328	YEUW.750	Ultra White 750mL
8921329	YE016.750	Bright Red 750mL
8921330	YE007.750	Bright Blue 750mL
8921331	YE215.750	Sky Blue 750mL
8921336	YE024.750	Light Oyster 750mL
8921343	YE023.750	Deep Red 750mL
8921344	YE062.750	Atlantic Green 750mL

MONO-URETHANE SINGLE PART PAINT



Epifanes high gloss, one-component paint is suitable for wood, steel, aluminum and fiberglass in conjunction with the appropriate primers. For exterior use above the waterline, topsides and interiors. Can be applied directly on thoroughly degreased and sanded fiberglass, one component primers and top coats as well as on thoroughly cured and sanded two component poly-urethane.

- Can be sanded and recoated after 24 Hrs at 65°F/18°C
- Covers approximately 118 sq. ft. / 11 m2
- This finish is not compatible with epoxy systems.
- Application by brush and/or roller.

PART NO.	MFG#	DESCRIPTION
8921245	MUW.750	White, 750 ml.
8921246	MU3129.750	Dark Blue, 750 ml.
8921247	MU3172.750	Canoe Green, 750 ml.
8921248	MU3116.750	Canoe Red, 750 ml.

POLY-URETHANE 2-PART PAINT



Epifanes high gloss, two-component, poly-urethane coating is scratch resistant and has excellent outdoor durability and weather resistance. It is easily applied by brush, roller or spray. It is suitable for application on fiberglass - steel - wood - aluminum above the waterline in conjunction with the appropriate primer, or directly on well degreased and sanded fiberglass. It is especially well suited for rolled on application to fibreglass topsides

- Can be sanded and recoated after 24 Hrs at 65°F/18°C
- Covers approximately 95 sq. ft. / 9 m2

PART NO.	MFG#	DESCRIPTION
8921230	PU800.750	White, 750 gr.
8921231	PU842.750	Orange, 750 gr.
8921232	PU850.750	Blue, 750 gr.
8921233	PU854.750	Dark Blue, 750 gr.
8921234	PU801.750	Black, 750 gr.
8921235	PU845-750	Red, 750 gr.
8921236	PU841-750	Sea Smoke, 750 gr.

MULTI-MARINE SINGLE PART PRIMER



Offers excellent adhesion to wood, fiberglass, steel, stainless steel, aluminum, galvanized metal, copper and most bare or painted substrates. It has exceptional covering capability, high build, good grain filling and corrosion prevention on steel. This Primer may act as a transition coat between MU series one-component and PU series two-component finishes and reverse.

- Can be sanded and recoated after 12 Hrs at 65°F/18°C
- Covers approximately 95 sq. ft. / 9 m2
- Application by brush, roller or spray.

PART NO.	MFG#	DESCRIPTION
8921255	MMPG.750	Grey, 750 ml.
8921256	MMPW.750	White, 750 ml.

POLY-URETHANE 2-PART PRIMER



Epifanes two-part semi gloss poly-urethane primer/undercoat provides a smooth pinhole free surface. It is quick drying, medium
filling and has excellent sandibility. It provides a perfect flow and is easily applied by brush, roller or spray.

- Recoatable:
  After 6 hours min.
  and 72 hours max. at 65°F./18°C.
- Sandable:
  After 24 hours at 65°F./18°C.
- Covers approximately 105 sq. ft. / 10 m2

PART NO.	MFG#	DESCRIPTION
8921226	PUPW.750	Primer, White, 750 gr.

THINNERS FOR SINGLE PART TOPCOATS



Epifanes slow and fast evaporating thinners for brushing/rolling and spraying single part yacht and mono-urethane topcoats, primers and varnishes. Double distilled for maximum purity. Also highly suited for degreasing wood and existing paint and varnish layers.

PART NO.	MFG#	DESCRIPTION
8920298	TPVB.1000	Brush Thinner, 1000 ml.
8920299	TPVS.1000	Spray Thinner, 1000 ml.

THINNERS FOR 2-PART POLY-URETHANE



Epifanes slow and fast evaporating thinners for brushing/rolling and spraying PU series 2-Part poly-urethane topcoats and primers.

PART NO.	MFG#	DESCRIPTION
8921227	PUTB.1000	Brush Thinner, 1000 ml.
8921228	PUTS.1000	Spray Thinner, 1000 ml.

FIBERGLASS PREP CLEANER



Epifanes Fiberglass Prep Cleaner removes all wax and oily residues on fiberglass and ensures a proper surface for sanding and coating.

PART NO.	MFG#	DESCRIPTION
8921225	FPC.1000	Prep Cleaner, 1000 ml.

TEAK O BELLO



Epifanes Teak-O-Bello is a water based coating for teak and other hardwoods. The unique, environmentally friendly formulation prevents the. wood from weathering for an extended period of time. Fast and easy to apply. Lasts longer than solvent-based teak oils and teak sealers and resists the formation of mold.

- For interior and exterior use above the waterline.
- Covers approximately 40 sq. ft. / 4m2

PART NO.	MFG#	DESCRIPTION
8920280	TOB.500	Teak-O-Bello, 500 ml.





For the most up to date pricing, please visit maritimemarinesupply.ca/price

EPIFANES CLEAR GLOSS CV1000 VARNISH



Traditional clear amber marine spar varnish, based on tung oil phenolic modified alkyd resins and maximum UV absorbers to give an ultra high gloss shine. For long lasting protection of all marine or household woods. Interior and exterior wood above the waterline. **Renowned for its high gloss retention and weather durability.**

Method	Coverage	Build	Coats
Brush	420ft²/Gal	2 mils	2-3

PART NO.	MFG#	DESCRIPTION
8920230	CV.500	500mL
8920231	CV.1000	1000mL

EPIFANES RAPIDCLEAR



A UV resistant semi-gloss clear wood finish for long-term protection and enhancement of all interior and exterior marine and household woods above the waterline. It bonds extremely well to teak and other oily woods, prevents discoloration and emphasizes the natural grain of the wood. Quick drying, excellent breathing properties, flexibility, maximum durability and longevity.
Clear, high gloss appearance.

Method	Coverage	Build	Coats
Brush	420ft²/Gal	2 mils	2-3

PART NO.	MFG#	DESCRIPTION
8920241	RCC.750	750mL

EPIFANES WOOD FINISH GLOSS



A one-component varnish alternative, specially formulated for oily woods like teak and iroco. Interior and exterior wood above the waterline. Excellent flexibility, water resistant and high build. Dries clear amber. **Does not require sanding if re-coated within 72 hours.**

Method	Coverage	Build	Coats
Brush	420ft²/Gal	2 mils	2-3

PART NO.	MFG#	DESCRIPTION
8920200	WFG.500	500mL
8920201	WFG.1000	1000mL

EPIFANES WOOD PRIMER



A one-component air-dry primer for wood, based on alkyd resin. It is for exterior and interior use on bare wood surfaces in one-component paint systems above the waterline. Excellent adhesion, build & sandability.
May be applied by brush, roll, or spray.
Colour: White
Estimated Dry Time at 65°F: 12 hours, recoatable in 24 hours.**Approximate Coverage:** 110ft²/L

PART NO.	MFG#	DESCRIPTION
8921395	WPW.750	White, 750mL

EPIFANES WOOD FINISH MATTE



A one-component varnish alternative, specially formulated for oily woods like teak and iroco wood above the waterline. Rich matte finish gives hand rubbed appearance. Good scratch and weather resistance and good UV resistance when applied over Clear Varnish or Wood Finish Gloss.

- Does not need sanding if re-coated within 72 hours.
- Dries clear amber matte (some sheen).

Method	Coverage	Build	Coats
Brush	420ft²/Gal	2 mils	2-3

PART NO.	MFG#	DESCRIPTION
8920221	WFM.1000	1000mL

EPIFANES RAPIDCOAT



Used for renewing weathered areas as a stain prior to varnish or as a full system for a quick and easy satin finish with maximum durability, UV protection and longevity. It is lightly tinted and bonds extremely well to teak and other oily woods. Preventing discolouration and emphasizing the natural grain of the wood **(no sanding required).**

Method	Coverage	Build	Coats
Brush	420ft²/Gal	2 mils	2-3

PART NO.	MFG#	DESCRIPTION
8920251	RC.750	750mL

EPIFANES RUBBED EFFECT INTERIOR VARNISH



A one-component interior varnish that dries clear. **Recommended for a satin finishing coat over several build up coats of clear varnish.** Provides maximum durability, clarity and depth on hardwood or softwood.

Method	Coverage	Build	Coats
Brush	420ft²/Gal	2 mils	2-3

PART NO.	MFG#	DESCRIPTION
8920211	RE.1000	1000mL

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

DEKS-OLJE WOOD SATURATOR



- Dries out moisture and protects against humidity
- Enhances the natural beauty of the wood while being easy to maintain, requiring no sanding or stripping
- Exterior or interior use, above and below the water line

PART NO.	MFG#	DESCRIPTION
9961-541	D1-00100	D.1, Matte, quart
9961-551	D1-00250	D.1, Matte, 2.5L

DEKS-OLJE HIGH GLOSS VARNISH



- Flexible high gloss finish that does not crack or blister
- Easy application, no sanding between coats
- Adheres best to D.1

PART NO.	MFG#	DESCRIPTION
9961-552	D2-00100	D.2, Gloss, quart
9961-553	D2-00250	D.2, Gloss, 2.5L

COMBI FILLER



Epifanes Combi Filler is an Alkyd, resin based, easy to use, one-component traditional knifing filler for use on wood above the waterline. Apply one coat of Werdol wood primer first then apply the Combi Filler in thin layers only.

PART NO.	MFG#	DESCRIPTION
8921399	CFW.T	White, 8 oz. Tube

BALBRIGGAN WIPING RAGS





- High cotton content
- Low lint, high absorbency
- 25 lb compressed bag

PART NO.	MFG#	DESCRIPTION
5220000	25BLSRAGS	25 lbs, Mixed Colours
5220001	5220001	25 lbs, All White





When Rust Bullet is applied over rusted metal it penetrates the substrate, dehydrates the rust, until reaching the metal. This allows the resin to become intertwined with the rust, then becomes part of the coating and solidifies into an armor tough coating with phenomenal adhesion.

Little to No Surface Prep
No Topcoat Required
UV, Chemical, Scratch and Chip Resistant

RUST BULLET STANDARD



- Kills rust and prevents its return
- Eco friendly, No lead, zinc,or heavy metals
- Easy to apply by brush, roller, airless and commercial sprayer
- Little to no surface prep - apply directly on rusted or clean metal
- UV and chemical resistant
- Scratch and chip resistant
- No topcoat needed, but compatible with most topcoats on the market
- Quart covers approx. 50 sq. ft. with a two coat application

PART NO.	MFG#	DESCRIPTION
9950-200	RB12	1 pint, grey
9950-201	RB13	1 quart, grey
9950-202	RB14	1 gallon, grey

RUST BULLET DURAGRADE COLOR



- Superior Corrosion Control and Protection
- Applies Directly Over Rust or Clean Metal
- Exceptional Adhesion
- Excellent Resistance to Weather and Mechanical Abuse
- Excellent Scratch, Chip, Chemical and UV Resistance
- Low in VOCs
- Covers approximately 300 square feet, per gallon, per coat.

PART NO.	MFG#	DESCRIPTION
9950-223	DGCQ	1 quart, black
9950-224	DGCG	1 gallon, black

RUST BULLET METAL JACKET



- A non-greasy, non-dirt collecting, non-tacky, dust retardant, flexible, removable film that will not crack, peel, or flake
- Temperature range of -40˚F to +175˚F
- Metal Jacket protects all metals against atmospheric rust and corrosion, salt spray, high humidity, chemical fumes, abrasive matter, fingerprinting and fingerprint corrosion
- Translucent coating allows for easy reading of identification markings stamped on parts
- Can be completely removed with most solvents when no longer needed. Dries to a transparent, amber, waxy film and can be applied by spray, dip, or brush.

PART NO.	MFG#	DESCRIPTION
9950-221	MJQ	Quart
9950-222	MJG	Gallon

PROTECTIVE COATING



- Dries to an incredibly hard finish
- Lustrous texture with a classic look
- Superior adhesion to Rust Bullet Standard
- Can be applied to painted or unpainted surfaces
- UV resistant
- Brush, Roll, or Spray On

PART NO.	MFG#	DESCRIPTION
9950-203	BSP	1 pint, gloss black
9950-204	BSQ	1 quart, gloss black
9950-205	BSG	1 gallon, gloss black

RUST BULLET SOLVENT



- Specially Formulated for thinning Rust Bullet
- Easy Clean-Up of Rust Bullet
- Flushes, Cleans and Prepares Spray Equipment
- Thinning: approximate ratio 3% to 5% by volume
- Mix ratio: 3% to 5% by volume (i.e. 1.0 to 1.5 oz. solvent per quart of coating)

PART NO.	MFG#	DESCRIPTION
9950-214	SOLVQ	1 quart
9950-215	SOLVG	1 gallon

METAL BLAST



- Easy to Use - Spray on, Rinse or Wipe off
- Dissolves Rust
- Cleans and Prepares Metal for Painting
- Properly Etches and Conditions Metal for Better Paint Adhesion
- Prevents the Formation of Flash Rust

PART NO.	MFG#	DESCRIPTION
9950-212	MB24SP	24 oz., Spray
9950-213	MBG	1 gallon

RUST BULLET FOR CONCRETE



- Strong, durable and long-lasting: Rust Bullet can handle it all!
- Resistant to oil, grease and many other chemicals, Rust Bullet's Concrete Formula is the perfect solution to messes on your concrete floors

PART NO.	MFG#	DESCRIPTION
9950-217	RBCONG	Gallon
9950-218	RBCON5G	5 Gallon

BLUE STEEL RUST CONVERTER / PRIMER



Technologically advanced water based formulations which chemically convert rust and protect steel work.
When sand or grit blasting is not possible due to cost, accessibility or environmental concerns, Blue Steel Primer works as both a paint primer and rust converter when applied to rusted steel. Easily applied by brush, deck scrubber or low pressure spray.

PART NO.	MFG#	DESCRIPTION
8930501	BSP1LTR	1L Blue Steel Primer
8930504	BSP4LTR	4L Blue Steel Primer

NOFIRE FIRE RETARDANT PAINT



- A one part non-flammable water based coating that foams and swells upon heat or flame exposure
- Provides an effective insulation and heat shield to protect the subsurface
- Nontoxic when wet, dry or exposed to heat
- Zero Flame Spread, Zero Smoke Developed
- Over 99% effective in redusing the incident of Flashover

PART NO.	MFG#	DESCRIPTION
9960-957	A18MARINE	Gallon

ENGINE PAINT



Heat and solvent resistant acrylic lacquer formulated for the extended staying power boat engines need. **Colour matched to your engine's original colour.** For use on all outboard and inboard engines and stern drives. Quick-dry formula. Oil and gasoline resistant.
12 oz. Spray Can.

PART NO.	DESCRIPTION
8920001	Mercury Phantom Black (1960-present)
8920003	Johnson White (1977-80)
8920004	Volvo Aquamatic White (1972-present)
8920005	Johnson/Evinrude Light Metallic Blue (1978-87)
8920006	Johnson/Evinrude White (1972-present)
8920007	Yamaha Metallic Blue Silver (1985-90)
8920009	Volvo I/O Grey (1989-present)
8920010	Crusader Blue

FINISHING CLEAR COAT



Finishing any paint project should include an application of Clear Coat to increase lustre and depth. For use on all outboard and inboard engines, stern drive and lower units. **Enhanced UV protection.**
12 oz. Spray Can

PART NO.	MFG#	DESCRIPTION
8920020	025519-C	Clear Coat

ZINC PRIMER



For steel and iron surfaces especially welded joints above or below the water line use **Zinc Phosphate**. Contains a high percentage (95%) of zinc, for maximum resistance against solvents and abrasion.
12 oz. Spray Can.

PART NO.	MFG#	DESCRIPTION
8920026	025802-C-1	Green Phosphate Primer
9970-315	025801-C-1	Yellow Primer

A20 PAINT MARKER





- 30% more paint for large marking jobs
- Reversible bullet / chisel tip provides more marking options
- Anti-roll cap with clip is easy to remove and replace
- Drying Time: Approx. 20 sec.

PART NO.	MFG#	DESCRIPTION
9970-048	10701	Black
9970-049	10705	White

MIGHTY MARKER PERMANENT PAINT MARKERS



These industrial-grade oil-based Permanent Paint Markers write on anything. They are suitable for indoor and outdoor use. Opaque colors retain permanence outdoors for 10 years on metal, oily metal, rubber, plastics, composites, wood, masonry, glass, anything. Waterproof and weatherproof.

- Quick drying in 30 seconds or less.
- Fade and abrasion resistant paint.
- Chemical and UV resistant.
- Paint Content: 10ml
- Stroke: 2.3mm with Bullet tip

PART NO.	MFG#	DESCRIPTION
8927410	70000116	Black
8927411	70001316	White
8927412	70001416	Yellow
8927413	70001606	6 pack, Multicolour

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

BLUE REMOVABLE STRENGTH THREADLOCKER



OEM specified, removable strength, general purpose threadlocker designed for fasteners 1/4" to 3/4" (6mm to 20mm) Protects threads from corrosion, prevents vibration loosening. Removable with hand tools and normal effort.
Temperature Range: -54°C to 150°C (-65°F to 300°F) USA Mil-Spec (S-46163A) Type II, Grade N.

PART NO.	MFG#	DESCRIPTION
5210060	24209	6mL Tube
9960-051	24210	10mL Tube
5210061	24215	10g Gel Twist
5210062	24242	36mL Bottle

HIGH STRENGTH THREADLOCKER RED



- For Heavy Duty and Severe Service
- Prevents Loosening
- Protects Threads from Corrosion
- Temp. Range: -54°C to 150°C (-65°C to 300°F)
- For Fasteners: 3/8" to 1" (10mm to 25mm)
- Conforms to: MIL-S-46163A, Type II, Grade 0

PART NO.	MFG#	DESCRIPTION
5210067	26242	High Strength, 36 ml

HIGH TEMPERATURE THREAD SEALANT



- Resists leakage, vibration loosening, moisture, hydraulic fluids and diesel fuels
- Won't shred or wear like Teflon tape

PART NO.	MFG#	DESCRIPTION
5490160	59206	Thread Sealant 6mL
5490165	59234	Thread Sealant 50mL

HIGH STRENGTH REMOVABLE THREADLOCK



- Hybrid formula combining the strength of RED with the removability of BLUE
- Can removed with hand tools without requiring heat
- Ideal for high vibration applications

PART NO.	MFG#	DESCRIPTION
5210066	25209	Orange Threadlocker 10ml

HIGH-TEMPERATURE, THREADLOCKER



Threadlocker RED adds 3,000 PSI of holding power on slip and press fit assemblies, and can replace set screws and snap rings. This high-temperature formulation is designed for high performance applications that require extreme temperature resistance.

- Temp. Range: -54°C to 232°C (-65°F to 450°F)
- For Fasteners: 3/8" to 1.5" (10mm to 38mm)

PART NO.	MFG#	DESCRIPTION
5210068	27240	Threadlocker, High-Temp, 36 ml.
5210064	27209	High Temperature, 10 ml

PERMANENT-STRENGTH TREADLOCKER



Permatex High-Strength Red Threadlocker can be applied to fasteners 3/8" to 1" (10mm to 25mm) in size before assembly.
It is designed for securing parts that must withstand heavy shock, vibration, and/or extreme chemical or environmental conditions.

PART NO.	MFG#	DESCRIPTION
5210069	26210	Threadlocker, Permanent-Strength, 10 ml.

BRUSH-ON THREAD SEALANT WITH TEFLON



White thread sealant with PTFE, for sealing less critical pipe threads, fittings, plugs & plastic fittings Provides positive seal by completely filling the leak path between threaded fittings. Remains pliable and is easily removed; resists auto and shop fluids, fuels and gases

Temperature range -54°C to 150°C (-65°F to 300°F)

PART NO.	MFG#	DESCRIPTION
5490170	80634	Brush On Sealant 118mL

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

BRUSH-ON COPPER ANTI-SEIZE



Contains a high percentage micro-fine copper flakes in a semi-synthetic grease. Prevents galling during assembly, inhibits rusting, cold welding and corrosion between assembled parts. Effective at high temps up to 982°C (1800°F) Meets or Exceeds MIL-PRF-907E

Applications: spark plug threads installed in aluminum, exhaust manifold bolts, engine bolts, oxygen sensors, knock sensors, thermostat housing bolts, etc.

PART NO.	MFG#	DESCRIPTION
5210058	75226	Anti Seize 227g

BRUSH-ON SILVER GRADE ANTI-SEIZE



- Refined blend of aluminum, copper and graphite lubricants
- Salt corrosion/moisture resistant for marine use

Temperature range: -54°C to 870°C (-65°F to 1600°F) **USA Mill-Spec A-907 (excluding aerosol).**

Applications: Spark plugs, threads, wheel studs, U-bolts, spring bolts, etc

PART NO.	MFG#	DESCRIPTION
5210055	76763	Silver Grade Anti Seize 113g
5210056	76767	Silver Grade Anti Seize 454g

5 MINUTE PLASTIC WELD EPOXY



A structural adhesive designed for general purpose bonding of a wide variety of material such as hard and soft plastics to specified surfaces. Forms a tough, durable bond to most plastics, composites, ceramics, wood in any combination. Fast curing product with gelling of mixed adhesive in 5-6 minutes and fixturing in 9-10 minutes.

PART NO.	MFG#	DESCRIPTION
5490013	84125	25mL, 0.84 fl. oz.

ULTRA BOND ADHESIVE



Ultra Bond General Purpose Adhesive is specially formulated for a variety of automotive and industrial repairs. High strength, permanent repair. Extremely flexible, dries clear.

Bonds To: Metal, Plastic, Fiberglass, Vinyl, Rubber, Wood, Glass, Fabric.

PART NO.	MFG#	DESCRIPTION
5493780	31802	Adhesive/Sealant 59mL

FAST METAL REPAIR



Metal Repair is a cure product used for filling surface imperfections and repairing gaps up to 1.5mm (0.02") in worn parts. It restores fit to prevent wear, fretting, backlash and corrosion. Temperature range -54°C to 149°C (-65°F to 300°F) Applications include refitting worn shafts and housings, repair worn keyways, repair loose set screws, refit worn couplings, form-in-place shims.

PART NO.	MFG#	DESCRIPTION
5210063	66006	Fast-Metal Repair 660, 6mL

5 MINUTE EPOXY



Versatile, easy-to-use, general purpose epoxy adhesive is two-part adhesive and filler system that eliminates the need for welding or brazing. Sets in five minutes, no clamping needed. Clear appearance. Fills gaps and will not shrink. Resistant to water and solvents. Temperature range -60°F to 180°F (-51°C to 82°C). Permanent strength up to 3400 PSI.

PART NO.	MFG#	DESCRIPTION
9960-029	84111	Epoxy, 25ml

PERMAPOXY 4 MIN MULTI-METAL EPOXY



Fast setting epoxy in an easy to use 2-part dispensing syringe. Can be drilled, machined, filed & painted. Resists most liquids including fuels and solvents. Grey appearance. Sets in 4 minutes. Permanent strength–up to 4500 PSI Temperature range -51°C to 150°C (-60°F to 300°F).

PART NO.	MFG#	DESCRIPTION
5490012	84119	25mL Carded Syringe

BLACK PLASTIC WELDER



- Forms a tough durable bond to hard and semi-flexible plastics, aluminum and fiberglass
- Can be drilled, threaded, machined or painted once cured
- Resists weather, high humidity and UV
- Sets in 5 minutes/ Cures in 10 minutes

PART NO.	MFG#	DESCRIPTION
5490015	84126	25ml Plastic Weld

VINYL & LEATHER REPAIR KIT



- Repair kit for marine vinyl upholstery
- Contains heat transfer tool, 7 colours of repair compound, clear vinyl adhesive and filler, grain pattern paper, plastic spatula, and instruction sheet with colour matching chart

PART NO.	MFG#	DESCRIPTION
9960-060	80903	Vinyl / Leather Repair Kit

HIGH TACK SPRAY-A-GASKET SEALANT



Fast drying all-purpose spray adhesive/sealant that creates a tacky paste for holding cut gaskets in place during assembly. Helps seal cuts in gaskets and resists gasoline, oil, anti-freeze, kerosene, propane, butane and axle fluids. **Temperature Range:** -54°C to 260°C (-65°F to 500°F).

Applications: Seals any rubber, cork, paper, or composite gasket or for holding sanding disks.

PART NO.	MFG#	DESCRIPTION
5493760	80546	255g Aerosol

HI-TEMP RED RTV GASKET MAKER



Sensor safe formula for high temp applications or heavy-duty use like towing & super charged engines. Replaces almost any cut gasket and resists auto & shop fluids. Waterproof seal resists cracking, shrinking and migrating. **Temperature Range:** -54°C to 343°C (-65°F to 650°F) intermittent.

Applications: valve covers, oil pans, water pumps, thermostat housings, transmission pans.

PART NO.	MFG#	DESCRIPTION
5493740	59403	Hi Temp Gasket Maker

GREY GASKET MAKER



- For two and four cycle engines
- Highly effective on irregular and uneven joint surfaces
- Withstands temperatures 350°F continuous, 400°F intermittent

PART NO.	MFG#	DESCRIPTION
9960-047	38401	80ml

ULTRA BLUE NO LEAK RTV SILICONE



Makes formed-in-place gaskets.

- Superior oil resistance
- Bonds to oil contaminated surfaces
- Non-corrosive

PART NO.	MFG#	DESCRIPTION
5493724	59603	Ultra Blue 80mL.

CLEAR RTV SILICONE ADHESIVE SEALANT



Excellent all-purpose RTV silicone adhesive/sealant that resists aging, weather and thermal cycling and will not shrink, crack or harden. Use for sealing, bonding, insulating and caulking, it is flexible, durable, tough, waterproof. Temp range -60°C to 204°C (-75°F to 400°F).USA Mil-A-46106 B.

Applications: seal and waterproof electrical connections, firewall openings, heater boxes. Seals and bonds glass, metals and plastics.

PART NO.	MFG#	DESCRIPTION
5493765	59103	80mL Tube
5493766	59113	300mL Cartridge

THE RIGHT STUFF, GASKET MAKER



- OEM specified by Chrysler, Ford, and GM.
- Sensor safe & non-corrosive
- Will not contaminate oxygen
- Make leak-proof gaskets and return equipment to service immediately
- Elastomeric "formed-in-place" material is more reliable and longer lasting than pre-cut gaskets

Temperature Range: -60°C to 260°C (-75°F to 500°F)

PART NO.	MFG#	DESCRIPTION
5493731	30874	147ml Tube
5493730	26015	212g Power Can
9960-795	30876	300ml Cartridge

REPAIR TAPE



- Fuses only to itself when applied under tension
- Creates a permanent airtight and watertight seal

PART NO.	MFG#	DESCRIPTION
9923-055	341010	Black
9923-057	343010	Clear
9923-059	347010	White

SILICONE SEALING TAPE



- Withstands salt water, UV-Rays, acids and fuels
- 600 psi tensile strngth
- Will not melt up to +500°F
- Still flexible at -60°F
- Black, non-adhesive, self-fusing

PART NO.	MFG#	DESCRIPTION
9954-424	RE6498	Black



MARINE SILICONE SEALANT



Star brite's Marine Silicone Sealant is a true 100% marine grade silicone that provides a durable, waterproof seal that will not crack, shrink or turn yellow. It retains its flexibility for excellent adhesion to fiberglass, wood, glass, metal and some plastics. It is not affected by sunlight, weathering, most chemicals or solvents. **Tack-free in less than one hour, cures completely in 24 hours.**

PART NO.	MFG#	DESCRIPTION
5490151	082102P	2.8 oz. (83mL), Clear
5490152	082103	2.8 oz. (83mL), Black
5490153	082121	10.3 oz. (305mL), White
5490154	082122	10.3 oz. (305mL), Clear
5490155	082123	10.3 oz. (305mL), Black

GLOOZIT SEALANT



5210320 **5210321** **5210322**

GLOOZIT is a is UV resistant all-purpose sealant & adhesive that, once cured, remains flexible and can withstand temperature changes and contraction of dissimilar materials.

Apply at room temperature. Recommended ambient & surface temperature of 4°C (40°F) to 32°C (90°F)
Plumber's Best Used On: PVC & ABS, copper, metal, plastic, porcelain, ceramic, countertops and glass.
Marine & RV Best Used On: Rubber, fiberglass, metal, glass, vinyl, plastic, canvas and wood.
Industrial Best Used On: Rubber, fiberglass, cement, metal, glass, vinyl, plastic, canvas and wood.

PART NO.	MFG#	DESCRIPTION
5210320	8512	Plumber's Sealant, 90mL
5210321	8612	Marine & RV Sealant, 90mL
5210322	8812	Industrial Sealant, 90mL

WHITE SNAP AND ZIPPER LUBE



You can use this non-toxic, non-staining lube on boat snaps, metal and plastic zippers to protect against corrosion. It reduces wear and friction, it prevents binding and it repels salt spray deposits. It will not wash off and protects from -65°F to +650°F.

PART NO.	MFG#	DESCRIPTION
5210132	089102P	Snap/Zipper Lube, 2oz.

ZIPPER & SNAP WAX



- For both plastic/metal: canvas boat snaps, zippers, hinges, locks, and wet suit zippers
- One application lasts up to three months
- Protects against corrosion and salt spray

PART NO.	MFG#	DESC
9960-954	435	285ml

FLUID FILM



Fluid Film is derived from wool-wax and is one of the best lubricants & corrosion control agents available. Solvent, Teflon & silicone free, it will not dry out or evaporate, it will not conduct electricity and will not cause static electricity.

Fluid Film is not water soluble; it repels & resists water washout and can be applied over dry or damp surfaces. It is great for preventing ice & snow build-up on moving parts. Fluid Film prevents steel from rusting; aluminum, magnesium, copper, tin, brass & zinc from oxidizing; chrome & bronze from pitting. Fluid Film works in extreme weather -46°C to 177°C (-50°F to 350°F). Canadian Food Inspection Agency Approved.

PART NO.	MFG#	DESCRIPTION
5210300	1450	Straw Coloured 145g
5210302	3300	Straw Coloured 333g
5210306	6300	Black 333g
5210304	3700	Straw Coloured 3.78L

HEAVY DUTY CORROSION INHIBITOR



- Long term, flexible corrosion inhibitor that protects and preserves metal surfaces, electrical connections, engine components and fasteners that are subject to salt spray and high humidity
- Also provides effective protection for steering and throttle linkages

PART NO.	MFG#	DESCRIPTION
5210110	76026	284g Corrosion Inhibitor

ULTIMATE CORROSION BLOCKER



Effective way to protect engine blocks, nuts & bolts, trim & tilt rams, trailers, anchors, chain and many other metal surfaces from corrosion. It is safe to use on all marine metal surfaces and it will not harm painted surfaces or wiring. Simply spray directly onto surface and allow to dry.

PART NO.	MFG#	DESCRIPTION
5490590	095422C	22 oz.

TEF-GEL ANTI-SEIZE CORROSION ELIMINATOR



- Anti-corrosion and anti-seize paste to eliminate seizing, rust, galvanic corrosion and blistering of metals
- Stops corrosion when using stainless fasteners in aluminum or other dissimilar metals
- Prevents galling of stainless bolts and nuts
- Any metal components assembled w/Tef-Gel can be disassembled with ease
- Completely waterproof when properly applied; will not break down in salt water or detergents

PART NO.	MFG#	DESCRIPTION
9923-503	TG-01	1oz. syringe

ZINC MATE INSTANT GALVANIZER



Zinc-rich galvanized coating protects metal surfaces against salt water corrosion and harsh elements. Protects base metal through sacrificial action. Fights rust creepage. Protects like "Hot Dip" galvanizing.
Colour: Matte Grey

PART NO.	MFG#	DESCRIPTION
5210030	73054	370g Instant Galvanizer

SEAGUARD ZINC SPRAY



Zinc-rich galvanized coating that contains 96% zinc by weight and applies a flexible layer that adjusts itself to the metal structure. Can be used above or below waterline & has a very fast dry time that can require only 2 coats depending on application. Aerosol can and has unlimited shelf life. **Colour:** Grey

PART NO.	MFG#	DESCRIPTION
5209900	SGMSPRAY500Z	Zinc Spray, Seaguard 500mL

GUMOUT WHITE LITHIUM GREASE



- Protects against rust and makes surfaces friction-free
- Withstands moisture and high temperature

PART NO.	MFG#	DESCRIPTION
9960-177	29222	300g

WHITE LITHIUM GREASE



Long-lasting lubrication with excellent water & heat resistance, corrosion protection & film strength. Gives superior performance in any weather or temperature. Ideal for all metal to metal lubrication. Lubricates gear shift mechanisms, steering parts, hinges, latches, and more.

PART NO.	MFG#	DESCRIPTION
5210120	14200	284g White Lithium Grease

WHITE PTEF LUBE



This special PTEF formula will not wash off and is great to use on zippers, winches, etc. This ultimate lubricant exceeds performance of normal grease and is non-toxic, non-staining and protects from -65°F to +650°F.

PART NO.	MFG#	DESCRIPTION
5210133	085504N	PTEF Lube, 4oz.

6-56 MULTI-PURPOSE LUBRICANT



- Versatile petroleum based compound that forms a clear, thin film
- Cleans, lubricates and displaces moisture to protect against wear and corrosion

PART NO.	MFG#	DESCRIPTION
5210025	76007	312g Multi-Purpose Lubricant

BREAKTHRU FAST PENETRATING OIL



BreakThru is a heavy duty, fast penetrating oil that frees frozen or rusted parts fast. This environmentally friendly product contains no silicone or Teflon and is used in a wide variety of industries, including marine, auto, truck, farm, shop, and home.
Safe to use in food plants in Canada.

PART NO.	MFG#	DESCRIPTION
5210312	C10	370 g

GUMOUT PENETRATING OIL



- Penetrates rust, scale, paint, varnish, carbon or gum

PART NO.	MFG#	DESCRIPTION
5210024	29219	340g Gumout

FREEZE OFF PENETRATING SOLVENT



- Unique penetrant uses freeze shock action to freeze, penetrate, and loosen rusted and corroded mechanisms

PART NO.	MFG#	DESCRIPTION
5210028	75222	Freeze Off 326g.

HEAVY DUTY SILICONE



Non-staining, non-corrosive. Clear, odourless & water resistant. Perfect lubricant for metal, rubber, nylon, and wood. Restores, protects and preserves rubber. For use on canvas, rubber, leather and wood. Anything else that squeaks or sticks.

PART NO.	MFG#	DESCRIPTION
5210115	75074	213g Heavy Duty Silicone

BATTERY CLEANER WITH ACID INDICATOR



Neutralizes acid spills, salts and corrosion. Cleans battery surface, connectors, terminals and carriers. Reduces voltage leakage due to contaminants. Assures maximum battery current flow. **Eliminates energy loss with regular maintenance.**

- Instantly detects leaks and neutralizes acid
- Removes corrosion by-products; simply spray on and rinse off

PART NO.	MFG#	DESCRIPTION
5210050	75097	312g Battery Cleaner

BATTERY TERMINAL PROTECTOR



- Provides a lead free soft protective coating on battery terminals

PART NO.	MFG#	DESCRIPTION
5210105	75046	213g Battery Terminal Protectant

BATTERY EQUALIZER



Water-based non-acidic used to top up cells. Takes sulphation off lead plates and puts it back into sulphuric acid. 1 500mL bottle treats 5 car batteries and is added every 5 years. For use in all batteries in cars, trucks, boats, RVs, ATVs etc. Reduces Terminal Corrosion.

- Increases Power, Doubles New Battery Life
- Reduces Gassing Improving Safety
- Extends Storage & Reduces Charge Time by 25%
- Strengthens Lead Plates

PART NO.	MFG#	DESCRIPTION
5210140	4826	Battery Equalizer 500mL

BATTERY CLEANER



Permatex Battery Cleaner works in just three minutes, allowing you to simply spray it on and wash corrosion off. Penetrates and removes corrosion, dirty and grime instantly. Cleans all types of storage batteries and attachments in emergency power supply systems

PART NO.	MFG#	DESCRIPTION
5210106	30344	949ml

For the most up to date pricing, please visit maritimemarinesupply.ca/price

BRAKLEEN PRO-SERIES CHLORINATED



The original brake parts cleaner. Strongest Formula to quickly & effective remove grease, brake dust, brake fluids, oils, & other contaminants from brake parts, lining, pads.

Applications

ABS, disc, drum, brake cylinders, brake drums, brake linings, brake shoes, calipers, clutch discs, disc brake pads, discs. Safe for use on all brake systems including: Springs & Wedge brakes

PART NO.	MFG#	DESCRIPTION
5210072	75089PS	822g

CRC NON-CHLORINATED BRAKLEEN



Powerful non-chlorinated formula meets new low-VOC regulations. CRC PowerJet® Nozzle provides a powerful spray that blasts away contaminants like grease, oil, and dirt from brake part components. Fast-drying formula leaves no residue.

Applications

ABS, disc, drum brake cylinders, brake drums, brake linings, brake shoes, calipers, clutch discs, disc brake pads, discs. Safe for use on all brake systems including: springs & wedge brakes.

PART NO.	MFG#	DESCRIPTION
5210073	1754922	Brakleen, Low VOC, 396g.

CRC PARTS CLEANER & DEGREASER



This Parts Cleaner Degreaser has a power jet nozzle that will blast through the toughest deposits and buildup of oil, dirt, varnish, grease, and grime to clean metal engine and trailer parts up to 14X faster than other products.

- Leaves no residue.
- Dries fast.
- Meets new VOC regulations.
- Meets SAEJ2784 and ASTMD1353

PART NO.	MFG#	DESCRIPTION
5210021	71863	Parts Cleaner & Degreaser, 396g.

ENGINE DEGREASER



A heavy duty cleaner–degreaser to be used on most metal surfaces. Easy to use Spray On–Rinse Off. Removes grease and grime. Leaves no residue.

PART NO.	MFG#	DESCRIPTION
5210020	75025	425g Engine Degreaser

SPRAY NINE GREZ-OFF HEAVY-DUTY DEGREASER



- Cuts through heavy grease, oil and grime quickly on engines, trailers, machinery, tools, etc.
- Effective, safe, biodegradable, VOC compliant, non-flammable and non-combustible
- Leaves a pleasant citrus fragrance

PART NO.	MFG#	DESCRIPTION
5490920	C12532	1 Qt., (946 ml.)
9960-254	C12501	1 Gl., (3.78 Ltrs.)

AIM DEGREASER



Biodegradable degreaser concentrate used to remove deposits of oil, grease, dirt, soot and smoke from engines, equipment, machinery, floors and walls.

Dilutes as follows:

- 10:1 for HD cleaning
- 40:1 for medium cleaning
- 100:1 for light cleaning

PART NO.	MFG#	DESCRIPTION
5490829	AIMSPRAY650ML	650mL
5490830	AIM4L	4L
5490831	AIM20L	20L

SPRAY NINE GREZ-OFF ENGINE DEGREASER



Features foaming action that quickly dissolves and removes grease, oil and dirt from all types of equipment. The formulation contains no petroleum distillates and cleans iron, steel, aluminum, magnesium, copper and is not harmful to metal, rubber, plastic or concrete. Rinses off easily with water

PART NO.	MFG#	DESCRIPTION
5490922	C12550	425g

SPRAY NINE MARINE CLEANER/DEGREASER/DISINFECTANT

Biodegradable



- Cleans, disinfects and deodourizes, removes grease, dust, dirt, algae, smoke, soot, finger prints, etcKills bacteria and eliminates odours in just 45 seconds and leaves a mild, pleasant fragrance
- Safe for use on boats, RVs, PWCs, inflatables, refrigerators, coolers, awnings, bait wells, vinyl and carpet

PART NO.	MFG#	DESCRIPTION
5490910	215	32 oz., (946 ml.)
9960-251	C26804	1 Gl., (3.78 Ltrs)

CITRASOL GENERAL PURPOSE CLEANER



Citrasol General Purpose Cleaner removes a wide range of soils including oils, grease, inks, smoke deposits and other hard to remove substances. It is based on natural citrus oils
and leaves a pleasant citrus scent after use. Biodegradable.
Dilutes as follows:
10:1 for HD cleaning
40:1 for medium cleaning
80:1 for light cleaning

PART NO.	MFG#	DESCRIPTION
5490847	CITRASOL	Citrasol Cleaner, 4L

XTREME CLEAN CLEANER / DEGREASER



Attacks road grime, bug bits, bird deposits, greasy smears and more so they can be wiped away without heavy scrubbing. Xtreme Clean does not contain caustic or dangerous chemicals that can damage your finish. Xtreme Clean is safe for use on all metal, fiberglass, plastic, chrome, stainless, wrapped leather and rubber surfaces.

PART NO.	MFG#	DESCRIPTION
5491094	083222PC	22 oz. (650mL)

MAX ORANGE FOAM CLEANER AEROSOL



- 1001 Uses for washable & painted surfaces
- Deep-cleaning lifts grease, dirt & grime
- Spray on - Wipe off
- Cleans, Shines & Restores true colour & appearance
- Removes Soap Scum, Finger Marks, Hair Spray, Soot & Smoke Film

PART NO.	MFG#	DESCRIPTION
5210022	C37	Foam Cleaner, Aerosol 525g

PURPLE POWER



Purple Power can be diluted up to 50:1 for excellent economy. It is great as a multi-purpose cleaner and degreaser.

It rinses completely away for a sparkling surface and is biodegradable. Contains no abrasives.

Removes: Grease, oil, tar, sap, wax, mould.

PART NO.	MFG#	DESCRIPTION
5492090	234	935mL Sprayer
5492092	235	1L
5492094	236	4L
5492095	237	20L

XTREME CLEAN



Heavy duty, readily biodegradable, water based degreaser contains no chlorinated solvents/alcohol ethoxylates/ phosphates & can be diluted 100:1 with water.

Cleans & degreases dirt, mildew & corrosion from painted surfaces, fiberglass, vinyl, upholstery, stainless steel, chrome, copper. Leaves no residue & is non-toxic.

PART NO.	MFG#	DESCRIPTION
5492080	215	1L

EASY CLEAN MARINE



- Powerful all-purpose cleaner
- Does not affect wax or polish
- For everything above the scum line

PART NO.	MFG#	DESCRIPTION
9960-690	52025	750ml
9960-691	52026	4L

MEGA CLEAN



- Powerful cleaning action that removes the most stubborn stains
- Effective on almost any surface and any type of stain

PART NO.	MFG#	DESCRIPTION
9960-692	52004	950ml
9960-693	52001	4L

BILGE CLEANER



- Let the motion of your boat clean your bilge
- Approved by the Canadian Food Inspection Agency for use in federally registered establishments, as required to be used in any food plant or fishing vessel

PART NO.	MFG#	DESCRIPTION
5490835	BILGECLEANER1L	1L
5490836	BILGECLEANER4L	4L
5490837	BILGECLEANER20L	20L

BILGE CLEANER



Bilge Cleaner contains powerful emulsifiers and detergents for quick and thorough removal of bilge crud. This water-based and biodegradable product is very quick to degrade and remove fuel and lubricant scum while eliminating odours. Leaves a fresh lemon scent.

PART NO.	MFG#	DESCRIPTION
5492070	201	1L
5492072	202	4L

ONE SHOT BILGE TREATMENT



One Shot Bilge Treatment decomposes and removes existing crud deposits while preventing further scum accumulation and foul odours with no need for messy bilge socks. This product flushes away quickly and easily leaving the bilge sweet smelling. 500mL bottle.

PART NO.	MFG#	DESCRIPTION
5492075	205	500mL

HEAVY DUTY BILGE CLEANER



A powerful and easy to use cleaner dissolves and eliminates oil, grease, gasoline, scum and sludge. Protects against vapour explosions. Biodegradable.

PART NO.	MFG#	DESCRIPTION
5491150	080532C	32 oz.
5491155	080500NC	1 Gallon

HULL CLEANER



Hull Cleaner is thickened to reduce fuming and wasteful run-off. The biodegradable detergent action removes oily or greasy residues while a gentle blend of naturally derived acids in a gelled formulation gets rid of algae and dark brown tannin deposits. Suitable for all gel coat, wood, aluminum and painted surfaces. Fresh Water Only

PART NO.	MFG#	DESCRIPTION
5492010	376	Hull Cleaner, 1L
5492012	377	Hull Cleaner, 4L
5492014	378	Hull Cleaner, 20L

EXTRA FAST HULL CLEANER



Especially useful at haul out time for its rapid removal of mineral deposits, waterlines, algae, mussels, silt and barnacles. Applied by brush, roller or sprayer. **Note:** If acids get onto anti-fouling paints, a colour change will occur along with a slight reduction in effectiveness.

PART NO.	MFG#	DESCRIPTION
5492015	383	Xtra fast 980mL
5492016	384	Xtra fast 4L
5492018	385	Xtra fast 20L

ECO HULL & BOTTOM CLEANER



Formulated for minimal aquatic toxicity and provides many user friendly benefits. Fully biodegradable formulation that works well to remove algae, water line stains, zebra mussels and barnacles.
Utilizes an acid replacement technology that offers odourless and effortless professional results with an increased dwell time of only 5 to 10 minutes. Works best on fresh, moist algae formation and is safe to use around all metals, gel coat, wood and painted surfaces.

PART NO.	MFG#	DESCRIPTION
5492000	372	Eco Hull Cleaner, 935mL

HULL CLEANER



Non-abrasive cleaner for removing water stains, rust stains and mineral deposits from fibreglass and aluminum boat hulls and bottoms

- 1/10 for heavy duty cleaning
- 1/40 for medium duty cleaning
- 1/80 for light duty cleaning

PART NO.	MFG#	DESCRIPTION
5490840	HULLCLEANER1L	1L (34 oz.)
5490841	HULLCLEANER4L	4L (4.2 Qt.)
5490842	HULLCLEANER20L	20L (5.2 Gl.)

ON & OFF HULL AND BOTTOM CLEANER



For use on fibreglass only

- Instantly removes rust and waterline, algae and gas exhaust stains
- Easy to use; just brush it on, then rinse it off

PART NO.	MFG#	DESCRIPTION
5490560	76203	32 oz., (946 ml.)
5490561	76204	1 Gl., (3.78 Ltrs)

INSTANT HULL CLEANER



- Quickly removes stains from water line
- Cleans scum lines and stains on boat hulls easily and effortlessly
- No Rubbing Or Scrubbing

PART NO.	MFG#	DESCRIPTION
5491005	081732PC	32 oz., (946 ml.)
5491006	081700NC	1 Gl., (3.78 Ltrs.)

EZ-ON EZ-OFF BOAT BOTTOM CLEANER



- Patented buffering process for a much safer product than competitive acid-based bottom cleaners
- Makes scraping and cleaning boat bottoms quick and easy

PART NO.	MFG#	DESCRIPTION
9960-363	092832C	32 oz. (946 mL)

BOAT BOTTOM CLEANER



- Removes deposits on boat bottoms, scum line and rust stains quickly and easily
- Water based, environmentally friendly, biodegradable formula
- Safe for use on fiberglass, metal, wood
- Ideal for removing marine deposits from inflatable boats and RIBs

PART NO.	MFG#	DESCRIPTION
5491000	092232PC	946ml
9960-869	092200C	3.78L

HULL CLEANER - GEL SPRAY



- Gel formula “sticks” where applied for maximum cling time and cleaning power
- Formulated to remove the toughest stains, including rust, dried fish blood and leaf stains
- Works on all fiberglass and painted surfaces; ideal for vertical surfaces
- No harmful acids, safe and easy to use

PART NO.	MFG#	DESCRIPTION
9960-640	096132C	946ml

PROFESSIONAL HULL CLEANER



- Professional acid based cleaner
- Extremely fast and efficient cleaning action

PART NO.	MFG#	DESCRIPTION
9960-696	51010	950ml
9960-697	51011	4L

ULTRA HULL CLEANER



- Powerful cleaner, yet gentle on boat surfaces
- Thickened formula reduces waste
- Removes algae, rust stains, scum, zebra mussels

PART NO.	MFG#	DESCRIPTION
9960-694	51050	950ml
9960-695	51051	4L

BOAT BOTTOM CLEANER



- Wipe on and rinse off; ‘clings as it cleans', completely cuts through hull and bottom fouling such as oil, algae, dirt and stains
- Abrasion-free thickened blend of phosphoric and oxalic acids and polishing agents is ideal for fibreglass, plastic, wood and metal hulls

PART NO.	MFG#	DESCRIPTION
9960-256	C30832	32 oz. (946 mL)

For the most up to date pricing, please visit maritimemarinesupply.ca/price

FIBERGLASS STAIN REMOVER



- A unique stain absorbing gel that serves a variety of purposes, removes oil, rust, exhaust and waterline stains on fibreglass

PART NO.	MFG#	DESCRIPTION
5490600	790	500mL Stain Remover
5490602	792	2L Stain Remover

FIBERGLASS STAIN LIFTER



- Non-abrasive, stain lifting gel, ideal for fiberglass surfaces
- Chemically lifts waterline, rust, growth and tough exhaust stains

PART NO.	MFG#	DESCRIPTION
9960-668	846	475ml

RUST STAIN REMOVER



Evapo-Rust® is a water-based, non-corrosive rust remover that removes even heavy rust completely to bare metal without sanding or scrubbing. The solution comes ready to use, with no need for mixing. It's easy – just soak, rinse, and reuse.



- Non-toxic, non-corrosive, non-flammable
- Will not harm unrusted steel, safe on other metals
- Will not affect plastic, rubber, or non-oxide based paints
- No fumes or bad odours

PART NO.	MFG#	DESCRIPTION
5490850	ER070	Rust Remover, 946 ml.
5490851	ER071	Rust Remover, 3.78l
5490852	ER019	Rust Remover, 13 Ltrs.

ALGAE & RUST REMOVER



Algae & Rust Remover is suitable for fiberglass, gel coat, metal, wood & concrete. It is concentrated and economical, makes up to 20 litres. It quickly removes algae, rust and most mildew stains and is much easier on lungs and skin than strong acids.

PART NO.	MFG#	DESCRIPTION
5492020	380	450g

RUST REMOVER



- Phosphoric acid based cleaner
- Dilute with up to 10 parts water
- Descales and removes rust and mineral deposits from hard surfaces including metals, plastic and fibreglass

PART NO.	MFG#	DESCRIPTION
5490844	RUSTREMOV750ML	750mL
5490845	RS-426RUSTREM4L	4L

RUST STAIN REMOVER



Specially formulated for marine use, it contains no harsh acids and is safe for use on fiberglass, metal and painted surfaces.

- Easy to use spray on formula removes rust stains in seconds, no rubbing or scrubbing required

PART NO.	MFG#	DESCRIPTION
5491096	089222C	22 oz., 650mL

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

ULTIMATE ALUMINUM CLEANER / RESTORER



- Formulated to clean and restore stained or dull aluminum
- Comes with sprayer for easy application

PART NO.	MFG#	DESCRIPTION
5491078	087764C	64 oz. (1.895L)

ULTIMATE ALUMINUM POLISH WITH PTEF



- Formulated to preserve the finish of aluminum pontoon boats, canoes and jon boat
- PTEF polymers provide UV protection and help repel dirt and stains
- Use after Aluminum Cleaner to enhance the look of older boats

PART NO.	MFG#	DESCRIPTION
5491077	087619C	16 oz. (473mL)

ALUMINUM MAGIC



Acid replacement technology using organic salts with magic results. You can professionally clean and strip any bare aluminum with ease and safety and leave a bright satin aluminum finish. Also also dissolves rust and cleans stainless steel. It is safe to use near glass and painted surfaces.

PART NO.	MFG#	DESCRIPTION
5492210	585	935mL

CERAMICS SIO2 METAL PROTECT



Star brite® Ceramics Metal Protect bonds to metal surfaces creating a tough, durable layer. SiO2 ceramic polymers form an invisible barrier that repels water, dirt, and grime.

Features:

- Excellent for raw and polished metals.
- SiO2 ceramic polymers block damaging UV rays.
- Protects against salt water damage.
- Resists wear and tear, corrosion and pitting.

PART NO.	MFG#	DESCRIPTION
5491130	203322C	Metal Protect, 650 ml. (22 OZ.)



GLASS CLEANER



Fast drying, multi-purpose cleaner for glass, acrylic and palstics.

Removes greasy fingerprints, road film, smoke haze, and even removes silicone! **Excellent for marine, auto, home and industrial use.**

PART NO.	MFG#	DESCRIPTION
5210015	14100	510g

STREAK PROOF GLASS CLEANER



This professional streak proof glass cleaner is safe to use on window tint film, mirrors, Plastics, Lexan and Acrylic, Windshields, Dashboards, Glass & Plastic Windows, Chrome, Vinyl, Stainless Steel, Tile, Porcelain, Fiberglass & Plexiglass.

PART NO.	MFG#	DESCRIPTION
5210017	C31	Glass Cleaner, Aerosol 525g

GLASS AND STAINLESS STEEL CLEANER



Glass & Stainless Steel Cleaner's clinging action works great even on vertical surfaces. The ideal way to bring out the sparkling shine hidden in every glass or metal surface-without harmful chlorofluorocarbons (CFCs). Leaves behind a refreshing lemon scent. Removes dirt, soil, dust, fingerprints & smudges, light grease and more.

PART NO.	MFG#	DESCRIPTION
5210016	C23319	19 oz. Aerosol

RAIN-X 2 IN 1 GLASS CLEANER



- Cleans glass and applies water-beading Rain-X technology
- Repels water and enhances visibility
- Ideal for all exterior and interior glass surfaces

PART NO.	MFG#	DESCRIPTION
9960-025	5076784	680 ml.

RAIN-X GLASS TREATMENT



- Apply to exterior of windshields, side and rear windows for increased visibility and safety
- Rain, sleet and snow bead and roll off glass, letting you see clearly

PART NO.	MFG#	DESCRIPTION
5490930	36231	Glass 207mL
5490932	36232	Glass 473ml
5490935	36236	Anti Fog 355ml

ULTIMATE VINYL GUARD



Enhances appearance and provides UV protection to all vinyl, rubber, plastic and leather surfaces. Formulated to restore suppleness to vinyl exposed to the marine environment. PTEF polymers bond to treated surface to form a barrier that helps repel stains & damaging UV rays; Acts like a sunblock for vinyl surfaces & can be used as often as needed to keep vinyl looking great.

PART NO.	MFG#	DESCRIPTION
5491064	095932C	32 oz. (946 ml.)

VINYL CLEANER AND POLISH



A revolutionary new formula that cleans, shines and protects unlike any other vinyl cleaner, protectant, or treatment. Leaves a long lasting, waterproof coating. Keeps vinyl soft and prevents drying and cracking. 16fl. oz.

PART NO.	MFG#	DESCRIPTION
5491065	091016PC	16 oz. (473 ml.)

VINYL AND RUBBER CLEANER/CONDITIONER



- Cleans and revitalizes vinyl and rubber surfaces
- Restores colour with a rich natural sheen, not the typical artificial shine produced with conventional protectants
- Provides UV protection

PART NO.	MFG#	DESCRIPTION
9960-564	7100216348	16oz (473ml)

UV PROTECTANT



UV Protectant restores the beauty of fiberglass, vinyl, leather, rubber, plastics and prevents hardening of soft surfaces. Excellent protection against UV rays. Non-toxic and biodegradable.

PART NO.	MFG#	DESCRIPTION
5492205	565	UV Protectant

CERAMICS SIO2 VINYL PROTECT



Star brite® Ceramics Vinyl Protect is the ultimate in protection for vinyl and upholstery. The SiO2 infused formula creates a durable, long lasting barrier against damaging and fabric aging UV-rays as well as stains, dirt, grime, and the drying effects of salt water.

Features:

- Advanced SiO2 ceramic formula provides MAXIMUM protection against fading, UV damage, and staining.
- Restores suppleness and moisture to vinyl, rubber, plastic, and leather surfaces

Avoid spraying on surfaces intended to be non-slip.

PART NO.	MFG#	DESCRIPTION
5491133	203922C	Vinyl Protectant, 650 ml.

NATURAL SHINE PROTECTANT



Non-greasy formula cleans, shines, and protects while providing superior UV blocking for durable protection Quickly restores color and shine to vinyl, rubber and plastic surfaces

Easy-to-use trigger spray allows you to spray-on and wipe-off excess Powerful UV blockers and Scotchgard™ Protector to defend against fading, cracking and aging

PART NO.	MFG#	DESCRIPTION
9960-609	7100216359	475ml

VINYL-GUARD



- Penetrates, revitalizes and restores
- UV protection
- Indoor and outdoor protection

PART NO.	MFG#	DESCRIPTION
9960-699	53100	650ml

POLY CLEAR



- Removes residues from any marine surface
- Forms an anti-static shield staying cleaner long

PART NO.	MFG#	DESCRIPTION
9960-698	53014	650ml

303 MULTI-SURFACE CLEANER



- Safe to use any places where vinyl, fabrics and surfaces are in need of an intensive cleaning
- Ultimate cleaning power with no residue
- Safely brightens & rejuvenates surfaces

Non-Toxic – Biodegradable – Rinses Residue Free.

PART NO.	MFG#	DESCRIPTION
5490415	130207	0.95L, 32 oz.

303 UV – AEROSPACE PROTECTANT

A premium surface treatment that provides superior protection against harmful UV rays that cause discoloration, fading, embrittlement, cracking, chalking and/or loss of mechanical properties. Safe on vinyl, clear vinyl, gel-coat, fiberglass, carbon fiber, synthetic/natural rubber, plastics & finished leather.

Good for use on: dashboards, automotive leathers, black plastic fenders, plexiglass, vinyl decals, door & trunk seals, vinyl convertible tops, boats & RV seats, and much more! . It provides an anti-static film that leaves no oily or greasy residue and keeps UV-sensitive materials 'like new' year after year.



PART NO.	MFG#	DESCRIPTION
5490402	130340	473mL, 16 oz., Trigger Spray Bottle
5490404	130313	946mL, 32 oz., Trigger Spray Bottle
5490405	130370	3.79L.

PLASTX CLEANER AND PROTECTOR



- Gel formula quickly restores optical clarity to rigid and flexible clear plastics
- Removes light oxidation, chemical degradation, surface contamination, stains and light surface scratches with ease
- Special highly water resistant polymers provide long lasting durable protection to keep clear plastics clear and beautiful longer

PART NO.	MFG#	DESCRIPTION
9960-571	7100216325	10 oz. (296 mL)

PLASTIC PLUS



Plastic Plus makes scratches less visible by sealing the pores of the plastic. It leaves a high quality antistatic film that is smudge & streak free. It may be used on clear, tinted, and coloured plastics, lexan, plexiglass, other acrylics and fiberglass.

PART NO.	MFG#	DESCRIPTION
5492200	598	500mL

INFLATABLE & VINYL CLEANER



The Inflatable & Vinyl Cleaner removes chalking and extra stubborn soil really fast. It works great on scuff marks, algae, greasy crud, silt, minerals and decayed vegetation. Water-based, biodegradable and 100% safe on all inflatables.

PART NO.	MFG#	DESCRIPTION
5492030	256	935ml

303 FABRIC GUARD



- Water and stain repellent terrific for protecting cockpit enclosure, cover, bimini top, dodger, sail covers, upholstery and carpeting
- Safe enough for the finest fabriccs like wool, silk & fine leathers-including suede.
- Non-toxic and odourless once dried; won't change fabric's feel, breathability or flammability

PART NO.	MFG#	DESCRIPTION
5490420	130616	473mL, 16 oz.
5490422	130606	946ml

FABRIC CLEANER WITH PTEF



This fabric cleaner is formulated to dissolve and remove grease, fish blood, food spills and more. PTEF polymers bond to treated surfaces to help repel stains and repair UV damage. It is ready to use for spot cleaning or for treating large areas. Simply spray it on, work it into the surface and rinse clean.

PART NO.	MFG#	DESCRIPTION
5491101	092132C	32 US fl. oz., 946mL

SCOTCHGARD™ FABRIC AND UPHOLSTERY CLEANER



- Gentle foaming action cleans colourfast fabrics restoring a fresh, new look
- Leaves behind Scotchgard anti-soiling agents to protect against future resoiling

PART NO.	MFG#	DESCRIPTION
9963-049	7100133856	10 oz. (283g) aerosol

AWNING & FABRIC CLEANER



The Awning & Fabric Cleaner is strong enough to remove tree sap, bird droppings, soot and air-borne dirt. It is water-based and completely biodegradable. Rinses thoroughly, does not dull surfaces and is suitable for all natural and synthetic fabrics.

PART NO.	MFG#	DESCRIPTION
5492185	245	935ml

FABRI-GUARD PROTECTOR



- All-purpose fabric protector and water repellant
- Ideal for preventing mold and mildew growth

PART NO.	MFG#	DESCRIPTION
9960-686	53000	950ml

WATER/STAIN REPELLENT





Water/Stain Repellent prevents water penetration to boat tops, tents and awnings while remaining flexible and allowing fabric to breathe.

It contains UV blockers that prevent fabric from rotting and degrading. It is suitable for natural or synthetic fabrics and dries clear & odourless.

PART NO.	MFG#	DESCRIPTION
5492180	581	425g Aerosol
5492182	582	935mL Spray

WATER BASED WATERPROOFING



- Adds and restores water-repellency to new, delicate, aged, worn, or sun-damaged fabrics
- Use on boat tops, covers, cushions, outdoor fabrics and gear
- Solvent-free, water-based formula is low-odor and can be used while the boat is in or near the water

PART NO.	MFG#	DESCRIPTION
5491081	082222C	22 oz

SCOTCHGARD FABRIC WATER SHIELD



Protect the things you love with Scotchgard Fabric Water Shield. Scotchgard Fabric Water Shield helps repel water-based spills without changing the feel of the fabric. That means you can wipe the surface clean before the mess sinks in for beautiful, long lasting wear.

- Ideal for household items like upholstery, curtains, pillows, table linens, backpacks, luggage and more
- Perfect for use on clothing like shirts, dresses, silk ties, suits, outerwear, canvas shoes and more , Dries clear and odorless
- Safe for use on delicate or dry-clean-only fabrics like silk and wool
- Doesn't impede fabric's breathability
- Reapply Scotchgard Fabric Water Shield after washing
- One can covers an average-sized couch, two chairs, or five jackets

PART NO.	MFG#	DESCRIPTION
5490058	7100221262	283g Spray Can

WATERPROOFING WITH PTEF



- Safe for all fabrics including Sunbrella
- For boat covers, bimini tops, sail covers, clothing and tents
- Does not change colour or feel of fabric

PART NO.	MFG#	DESCRIPTION
5491080	081922PC	22 fl. oz.
9960-803	081900NC	1 Gallon

INSTANT BLACK STREAK REMOVER



- Instantly removes black streaks so common on boats from water run off
- Breaks downs natural mineral and dirt without harsh chemicals

PART NO.	MFG#	DESCRIPTION
5491095	071622PC	22 fl. oz.

SPRAY ALL AND BLACK STREAK REMOVER



- Highly effective, all-purpose cleaner that whisks away black streaks, grease, oxidation and rust from all marine surfaces
- Eliminates tough stains on fiberglass, vinyl, fenders and canvas

PART NO.	MFG#	DESCRIPTION
9960-667	845	945ml

BLACK STREAK REMOVER



Quickly removes stains caused by water run-off. This product is suitable for gel coat, aluminum, vinyl and painted surfaces. This product is excellent as a general purpose cleaner and is also biodegradable and phosphate free.

PART NO.	MFG#	DESCRIPTION
5492130	220	935mL

NO DAMP DEHUMIDIFIER



Dries air to a level where mildew cannot grow. Eliminates odours. 12 oz. container treats 900 ft³ area. 36 oz. container treats 1800 ft³ area. Convenient and economical refill packages can be added right on top of remaining chemical.

PART NO.	MFG#	DESCRIPTION
5491300	085412C	12 oz., Bucket
5491305	085401C	36 oz., Bucket
5491301	085400C	12 oz., Refil Packet

NO DAMP ULTRA DOME



Super dry, concentrated pellet formula absorbs more moisture per ounce than flake formulas. The actual amount absorbed will vary depending on temperature and relative humidity. The Ultra Dome is the most effective and economical dehumidifier available.

PART NO.	MFG#	DESCRIPTION
5491307	085460C	24 oz., Ultra Dome
5491309	085450C	48 oz., refill

NO DAMP HANGING MOISTURE ABSORBER



No Damp Hanging Moisture Absorber is the effortless way to help control the excessive humidity that leads to musty odours, stains or corrosion aboard stored boats. The special pellets automatically remove moisture from the air, depositing it safely in the spillproof bag. Now available in bulk packaging.

PART NO.	MFG#	DESCRIPTION
5491308	085470C	16 oz., Hanging Single
5491302	085472C	Bulk Pack 25 Bags

STOR-DRY ELECTRIC HEATER



- Compact 10" Diameter x 4-3/4" H
- Rugged, corrosion resistant aluminum construction
- Low wattage element and an internal fan heat and circulate air, combating dampness, mold, mildew and musty odours
- Draws only 90 Watts at 110VAC

PART NO.	MFG#	DESCRIPTION
9932-076	9406CAABX	110VAC

AIR-DRYR MOISTURE, MOULD PREVENTION

Air-Dryr is an inexpensive and effective way to fight moisture problems, cold drafts, and corrosion. Designed to operate anywhere, 24 hours a day. Place Air-Dryr on the floor in any damp, enclosed space and plug into a 110/120V outlet.



Handles up to 500 cubic feet of living space. Draws only 0.6A, 70W
Rectangular unit measures:
14" x 5" x 4.5" (36 x 13 x 11cm)



Handles up to 1000 cubic feet of living space. Draws only 1.1A, 130W
Round unit measures:
13.5" Dia. x 4.25"H (34 x 11cm)

PART NO.	MFG#	DESCRIPTION
7251500	1459	Air-Dryr, Rectangular Unit
7251505	1458	Air-Dryr, Circular Unit

MOULD & MILDEW STAIN REMOVER



This ready to use water based mould & mildew stain remover is odourless and completely biodegradable. It contains no chlorine avoiding fabric or surface damage. This product will completely remove black mildew spots from fabrics and hard surfaces. It is also effective against many other types of stains.

PART NO.	MFG#	DESCRIPTION
5492100	250	935mL

MILDEW STAIN REMOVER



- Removes mildew stains on contact without heavy scrubbing
- Use on headliners, vinyl covers, cushions, etc.
- Safe for use on fiberglass, painted surfaces, rubber, plastic and vinyl headliners, bolsters and upholstery

PART NO.	MFG#	DESCRIPTION
5491330	085616PC	22 oz. (650 ml.)
5491331	085600C	Gallon

STAIN & ODOUR REMOVER



Converts stubborn odours and stains completely into odourless non-toxic gases. It is a water-based product that biodegrades rapidly and has a pleasant scent. Removes oils, greases, beverage stains, urine, blood or smoke from carpets, closets, counter tops, curtains, cushions, drains, refrigerators, fish and bait boxes.

PART NO.	MFG#	DESCRIPTION
5492125	240	670mL

VIROSAN DISINFECTANT



- Use on plastic, metal, fiberglass, vinyl, glass, and sealed wood
- Can be used in any area requiring rapid and thorough disinfection
- To clean, spray VIROSAN onto surface and wipe clean with a cloth or towel
- To disinfect, clean surface then spray VIROSAN, wait the recommended time as directed then wipe or allow to dry
- Registered with Health Canada, DIN 02509288

PART NO.	MFG#	DESCRIPTION
5490846	0290-650	650ml Spray

ODOUR GUARD SURFACE CLEANER/DEODORIZER/FRESHENER



Uses cutting-edge ingredients that actually capture foul odours to eliminate them on contact. It can be used on most fabrics/ carpeting to remove unwanted odours, on hard surfaces as a cleaner, or as an air freshener. The non-toxic formula makes it safe for use around people & pets.

PART NO.	MFG#	DESCRIPTION
5490501	095322C	22 oz.

AIR REFRESHNER



- 2oz aerosol
- Permanently eliminate odors at their source, refreshing the interior of any boat

PART NO.	MFG#	DESCRIPTION
9960-605	7100216327	New Car
9960-606	7100216328	Summer Breeze

ODOR ELIMINATING ALL NATURAL GEL



Kanberra Gel® Air movement takes Tea Tree Oil (TTO)Airborne to attack mold spores, bacteria, etc. Simply openthe jar, remove the inner seal and place where needed.

PART NO.	MFG#	DESCRIPTION
5492140	KG00002	Kanberra Gel, 2 oz. (57 gr.)
5492141	KG00004	Kanberra Gel, 4 oz. (113 gr.)
5492142	KG00008	Kanberra Gel, 8 oz. (227 gr.)
5492143	KG0024P	Kanberra Refill Pouch, 24 oz. (680 gr.)

ODOR ELIMINATING ALL NATUIRAL SPRAY



Kanberra Spray® • Tea Tree Oil (TTO) is a natural odor remover and surface cleaner. Simply spray where needed to attack mold spores, bacteria, etc.

- Air is odor-free within seconds.
- Safe to use around kids & pets.
- All Natural, no chemicals.

PART NO.	MFG#	DESCRIPTION
5492144	KS002	Kanberra Spray, 2 oz. (59 ml.)
5492145	KS008	Kanberra Spray, 8 oz. (227 ml.)

DISPLAY RACK



This countertop wire display rack holds a variety of 100% natural Kanberra Gels and Sprays in a mix of different sizes.

- Display only,
- **Product sold separately.**
- Comes with a display header and 50 brochures.

PART NO.	MFG#	DESCRIPTION
5492146	KG000WR	Kanberra Wire Display rack

RIB CLEANER



August Race™ Liquid Rib is capable of cleaning both Hypalon and PVC tubes and can truly bring your rib back to life.

Use LR Sealer UV annually to protect your rib tubes following Liquid Rib application.

PART NO.	MFG#	DESCRIPTION
5490340	3484009	Cleaner, Rib, 1ltr
5490341	5400449	Cleaner, Rib, 5ltrs
5490342	3484009-25	Cleaner, Rib, 25ltr

LR SEALER UV



August Race™ LR Sealer UV is our brand new super high UV protective RIB Tube Sealer that quickly absorbs into the tube to give an industry leading level of UV protection and an even glossy finish. (suitable for most types of material including fabric impression)

- A little goes a very long way
- Biodegradable

PART NO.	MFG#	DESCRIPTION
5490343	3484412	Sealer, LR, UV, 250 ml
5490344	5400456	Sealer, LR, UV, 5ltr

BOAT WASH PRO



August Race™ Liquid Rib is capable of cleaning both Hypalon and PVC tubes and can truly bring your rib back to life.

Use LR Sealer UV annually to protect your rib tubes following Liquid Rib application.

- PH Neutral
- Biodegradable

PART NO.	MFG#	DESCRIPTION
5490345	3484030	Boat Wash, Pro, 1 ltr
5490346	5400463	Boat Wash, Pro, 5 ltrs
5490347	3484030-25	Boat Wash, Pro, 25 ltrs

BRIGHT COAT GEL COAT DE-STAINER



August Race™ Bright Coat is a high strength fast acting De-Stainer for gel coats. It is capable of removing most yellowing, rust stains, water marks and mud-staining.

- VOC free.
- Biodegradable.

PART NO.	MFG#	DESCRIPTION
5490348	3484047	De-Stainer, Gelcoat, Bright Coat, 1 ltr
5490349	5400470	De-Stainer, Gelcoat, Bright Coat, 5 ltrs
5490350	3484047-25	De-Stainer, Gelcoat, Bright Coat, 25 ltrs

VINYL BRIGHT UPHOLSTERY CLEANER



August Race™ Vinyl Bright is an unrivalled deep restorative treatment that will dramatically improve the appearance of even old dull vinyl upholstery and surfaces.

Apply using a microfibre cloth and then rinse the surface thoroughly clean water.

PART NO.	MFG#	DESCRIPTION
5490351	3484054	Cleaner, Vinyl Bright, 1 ltr
5490352	5400517	Cleaner, Vinyl Bright, 5 ltrs

FENDER CLEANER/RESTORER



August Race™ Fender Clean is a highly effective cleaner for removing carbon, salt and greening from inflatable boat fenders often leaving them looking as new.

- Contains Biodegradable Detergents

PART NO.	MFG#	DESCRIPTION
5490355	3484535	Cleaner, Fender, 500 ml

SMOOTH OPACITY UV PROTECTIVE POLISH



August Race™ Smooth Opacity UV wax is an unrivalled ease-of-use deep-treating fluid that restores gloss to dull surfaces and helps to protect against UV rays.

- Yields a remarkable shine.
- Non Hazardous.
- Not Classified as Harmful to Aquatic Life.
- Biodegradable.

PART NO.	MFG#	DESCRIPTION
5490353	3484061	Wax, UV Protective, 500 ml
5490354	3484061-5	Wax, UV Protective, 5 ltrs

TEAK GEL RESTORER



August Race™ Teak Gel restorer is a safe, deep penetrating treatment that will gently restore the color to teak decks.
Apply a good quality teak oil following the treatment to help protect the teak.

PART NO.	MFG#	DESCRIPTION
5490356	3484559	Restorer, Teak, Gel, 1 ltr
5490357	5400494	Restorer, Teak, Gel, 5 ltrs

DECK SEAL



August Race™ Deck Seal is a first to market marine wood protection treatment, formulated using recycled oils! The oil comes from a variety of sources including engine oil and hydraulic oil which then goes through a de-watering and decontamination process before being incorporated into the completed Deck Seal.

- Recycled Material
- Prevents used oils from going into landfill.
- Reduces the need for virgin oils

PART NO.	MFG#	DESCRIPTION
5490358	3484955	Sealer, Deck, 500 ml
5490359	5400500	Sealer, Deck, 5 ltrs

SAIL PROTECT / CANVAS WATERPROOFER



August Race™ Sail Protect is an environmentally friendly formulation for the protection and waterproofing of boat sails, canvas and textiles.

- Not classified as toxic.
- Not classified as harmful to aquatic life.
- Not classified as harmful to user.
- VOC free.
- Contains Biodegradable Detergents.

PART NO.	MFG#	DESCRIPTION
5490360	3484733	Sail Protect, 500 ml
5490361	5400524	Sail Protect, 5 ltrs

RIB CLEANER / PROTECTOR KIT



The August Race™ RIB KIT gives you everything you need for the everyday cleaning and maintenance of your Rigid Hull Inflatable Boat or Tender

The Kit Includes:
1 x 500ml LIQUID RIB RIB Tube Restorer.
1 x 250ml LR SEALER UV - UV Protective Poly-Coating.

PART NO.	MFG#	DESCRIPTION
5490362	5400234	Cleaner / Protector, Rib, Kit

STAND-UP PADDLE BOARD KIT



The August Race™ SUP-A-CLEAN - Stand-Up Paddle Board Kit has everything you need to clean and maintain your SUP. The cleaner is specially formulated for use on inflatable / rigid paddle boards and gives genuinely amazing results by gently working deep into the surface and quickly removing salt deposits, dirt and oxidisation.

The Kit Includes:
1 x 500ml SUP-A-CLEAN
1 x 500ml SUP PROTECT

PART NO.	MFG#	DESCRIPTION
5490365	5400371	Cleaner / Protector, Sup, Kit

KAYAK CLEANER UV PROTECTOR KIT



The Augus Race™ Kayak Cleaner / UV Protector kit is a two step process specially formulated for cleaning inflatable or rigid kayaks & canoes to give amazing results by gently working deep into the surface & removing salt deposits, dirt & oxidisation.

Followed by a spray-applied UV protection treatment providing a
lasting protection against both salt & UV damage.

The Kit Includes:
1 x 500ml Kayak Kleen cleaner.
1 x 500ml Kayak Kleen Protector.

PART NO.	MFG#	DESCRIPTION
5490364	5400326	Cleaner / Protector, Kayak, Kit

HARD BOAT CLEANER PROTECTOR KIT



The August Race™ Hard Boat Kit gives you everything you need for the everyday cleaning and maintenance of your fibreglass boat

- VOC Free.
- Biodegradable.

The Kit Includes:
1 x 500ml Boat Wash Pro Foaming Cleaner.
1 x 500ml Super Valet Polish.

PART NO.	MFG#	DESCRIPTION
5490363	5400241	Cleaner / Protector, Boat, Kit



August Race™ manufacture industry leading detailing and maintenance products for boats. Relied upon of over a decade throughout the global marine industry!



NEW

BILGE RENOVATOR



A concentrated bilge cleaner formulated to break down and disperse oil, grease, fuel residues, and general bilge grime. Developed as part of the Oceans Assured MARPOL-compliant range, this cleaner is designed for safe and effective use in marine bilge systems. It can be diluted up to 50:1 with water and flushed through the bilge to clean and freshen while helping to prevent unpleasant odours.

PART NO.	MFG#	DESCRIPTION
5490366	5401415	Bilge Renovator, 1L

DECK WASH



A professional-grade concentrated deck cleaner formulated to tackle dirt, salt deposits, and general soiling from marine decks and walkways. Designed as part of the Oceans Assured MARPOL-compliant range, this cleaner can be diluted up to 50:1 with water, delivering effective cleaning performance while remaining safe for regular use. Ideal for maintaining a clean, bright deck surface without damaging finishes

PART NO.	MFG#	DESCRIPTION
5490367	5401422	Deck Wash, 1L

TOILET CLEANER



A high-performance toilet cleaner and sanitizer developed for marine applications. Part of the Oceans Assured MARPOL-compliant range. It effectively removes limescale, staining, and organic deposits from toilet bowls, pipes, and black-water systems while providing sanitising action. Safe for use on most marine toilet materials, including porcelain, ceramic, and plastic.

PART NO.	MFG#	DESCRIPTION
5490368	5401484	Toilet Cleaner, 1L

GLASS & MIRROR CLEANER



A concentrated cleaner formulated for clear, streak-free results on windows, mirrors, and acrylic surfaces in marine environments. Part of the Oceans Assured MARPOL-compliant range, this cleaner is diluted 20:1 with water in a spray bottle to remove salt spray, smudges, fingerprints, and light soils, restoring a brilliant shine without hazing or scratching. The formula is dye-free, helping to prevent accidental staining or contamination of upholstery and interior fabrics.

PART NO.	MFG#	DESCRIPTION
5490373	5401460	Glass & Mirror Cleaner, 1L

MULTI GREASE DEGREASER



A powerful general-purpose degreaser formulated for use on a wide range of hard surfaces and mechanical parts. Designed as part of the Oceans Assured MARPOL-compliant range, this concentrated cleaner is diluted 5:1 with water to remove heavy grease, oil, fuel residues, and stubborn grime. Suitable for use in engine bays, workshops, and on exterior surfaces where strong degreasing action is required.

PART NO.	MFG#	DESCRIPTION
5490369	5401477	Multi-Grease Degreaser, 1L

BIO-D ANTIFREEZE



A non-toxic, biodegradable antifreeze designed for the safe winterisation of onboard potable water systems, toilets, washdown lines, and ancillary circuits. Developed as part of the Oceans Assured™ MARPOL-compliant range, this formulation is based on food-grade propylene glycol and glycerin, combined with low-toxicity corrosion inhibitors and preservatives. It is free from nitrites, amines, phosphates, borates, and azoles, ensuring it is non-hazardous to aquatic life and safe for both marine and leisure use.

PART NO.	MFG#	DESCRIPTION
5490374	5401576	Bio-D Antifreeze, 1L

COMPLETE SHINE



A high-performance, ready-to-use spray polish formulated for the care of lacquered, painted, plastic, and metal surfaces inside the vessel. Designed as part of the Oceans Assured MARPOL-compliant range, this polish quickly removes dust, smudges, and light soils, restoring a clean, streak-free shine. Ideal for the routine maintenance of interior cabins, saloon areas, and fittings.

PART NO.	MFG#	DESCRIPTION
5490370	5401491	Complete Shine, 1L

EXTERIOR DETAIL



A high-performance, ready-to-use spray polish formulated for the care of fibreglass, painted finishes, plastics, and metal surfaces. Designed as part of the Oceans Assured MARPOL-compliant range, this polish quickly removes watermarks, salt spray residues, and carbon deposits, restoring a lasting, streak-free shine. Ideal for routine maintenance of exterior boat surfaces.

PART NO.	MFG#	DESCRIPTION
5490371	5401439	Exterior Detail, 1L

NEW

SPRAY CLEAN

Oceans Assured™



Formulated as a fast-acting, general-purpose cleaner and detailer for all marine surfaces, including metal, glass, fibreglass, plastic, vinyl and painted finishes. Designed for quick, effective cleaning, it removes salt haze, fingerprints, grime, light soiling and watermarks while leaving a clean, streak-free finish. Ideal for both routine wipe-downs and pre-departure detailing, SPRAY CLEAN is safe for use across all exterior and interior areas, making it one of the most versatile products in the Oceans Assured™ range.

PART NO.	MFG#	DESCRIPTION
5490372	5401507	Spray Clean, 1L

SALT-OFF

Oceans Assured™



Formulated to rapidly break down and dissolve salt deposits on fibreglass hulls, decks, stainless fittings, rails and all external marine surfaces. It prevents long-term salt crystallisation, corrosion and surface dulling, making it an essential part of routine maintenance for any vessel. This versatile, MARPOL-compliant formula can also be used through a hose-end proportioner /engine flush mixer, allowing safe removal of internal salt build-up in outboard cooling systems, inboard raw-water circuits, trailer brakes and other salt-exposed components.

PART NO.	MFG#	DESCRIPTION
5490375	5401514	Salt-Off, 1L



BUG-TEK



- Water-based insecticide
- Pet friendly
- Kills insect on contact
- Fog area before activity for bug relief

PART NO.	MFG#	DESCRIPTION
9960-688	50001	1L
9960-689	50176	2L

BIRD & SPIDER STAIN REMOVER



- Quickly dissolves messy spider and bird droppings
- Non-toxic, all-natural formula
- Will not remove polish or wax
- Safe for all marine surfaces and fabrics

PART NO.	MFG#	DESCRIPTION
5491098	095122PC	22 oz. (650 ml.)

SPIDER CONTROL



Kills spiders and prevents droppings & webs that are unsightly and hard to remove. An extension spout is included to reach into cracks and crevices where spiders hang out and lay eggs. Effects of Spider Control lasts for weeks.

PART NO.	MFG#	DESCRIPTION
5492999	555	16 fl.oz.

MOSQUITO-LESS



Simply spray this natural garlic oil product on your property, trees, shrubs, gardens, lawn, fences, out buildings and low areas. Ideal for backyards, cottages, marinas, etc. Good idea to keep pets out of treated area until odour dissipates, 4-5 hours, as it could be absorbed by their hair and skin. Treats up to 10,000ft² (1/4 acre).



PART NO.	MFG#	DESCRIPTION
5493000	1253-1	900mL

SALT SHIELD



Dissolve, release & remove salt crystals from any surface. Highly effective corrosion inhibitors leave a protective film on surfaces such as aluminum, copper, brass, mild steel.

Can be diluted with up to 12 parts of water & can be applied with a spray or pressure/power washer. Will not strip wax or cause streaks or spots. Biodegradable & non-toxic.

PART NO.	MFG#	DESCRIPTION
5492040	280	Salt Shield 4L
5492042	281	Salt Shield 20L



SALT-AWAY CONCENTRATE



5491253



5491252



5491254



5491255

MIXING KIT

The Salt-Away mixing kit connects to a garden hose and is manufactured to dispense at a ratio of 1 part Salt-Away to 500 parts water

- 3-position valve (Off, Rinse, Salt-Away)
- 6 oz. (177 ml) mixing unit

Part Number 5491255 includes a faucet which can be threaded into the cap of the container for dispensing.

SALT-AWAY REFILLS

Salt-Away is a maintenance product that safely removes salt from any surface.

- Does not bond to surfaces and is not a coating
- Does not cause streaks or leave spots

PART NO.	MFG#	DESCRIPTION
5491252	SA32	Concentrate, 32 oz. (946ml)
5491253	SA32M	Concentrate, 32 oz. w/ Mixing Unit
5491254	SA128	Concentrate, Gl. (3.79L)
5491255	SA05	Concentrate, 5 Gl. w/ Faucet

SALT-AWAY LIGHT DUTY SPRAY



This 4 Fluid Ounce (118 mL) Light Duty spray is a mild formula designed for use on small items and on items that may require a gentler application of pressure.

Ready to use for Sea Water and Sea Air Applications

- Safe for all surfaces.
- No need to rinse.
- Regular use prevents build-up.

PART NO.	MFG#	DESCRIPTION
5491250	SA04	4 oz. (118ml)

SALT-AWAY PROFESSIONAL STRENGTH SPRAY



The 16 Fluid Ounce (473 mL) Professional Strength Spray is formulated for stubborn areas where salt has already accumulated.

Ready to use for Sea Water and Sea Air Applications

- pray on. Let rest for a few minutes.
- Rinse. Additional applications may be required.
- Scrubbing not necessary in most cases, but ok if desired.
- Removes heavy build-up and is used for maintenance on smaller items.

PART NO.	MFG#	DESCRIPTION
5491251	SA16	16 oz. (473ml)

SALT-AWAY MIXING UNIT



The Salt-Away Mixing Unit is the required delivery system for many Salt-Away applications, including Outboard, I/O, PWC Jet Engine Flushes, most Inboard Flushes, and Pressure Washers.

- O-ring in receptacle prevents leakage.
- Constructed with a 3-position valve (Off, Rinse, Salt-Away)
- The unit is warranted to withstand water pressure up to 60psi.

Salt-Away is manufactured to be dispensed from the Mixing Unit at a ratio of 1 part Salt-Away to 500 parts water.

PART NO.	MFG#	DESCRIPTION
5491256	SAM	,6 oz.
5491257	SAM12	12 oz.

SALT-AWAY RESERVOIR KIT



Imprinted with graduation marks for both fluid ounces and milliliters

THEY FIT SALT-AWAY MIXING UNITS

Smaller reservoir has capacity of 6 fluid oz (177 mL).

- At Salt-Away's dilution ratio of 1:500 or 0.2%, area coverage is 1,450 sq feet (134.71 sq meters
- If used with a pressure washer, area coverage is 8,200 sq feet (761.80 sq meter).

Larger reservoir has capacity of 12 fluid oz (355 mL).

- At Salt-Away's dilution ratio of 1:500 or 0.2%,area coverage is 3,100 sq feet (288.00 sq meter).
- If used with a pressure washer, area coverage is 18,200 sq feet (1,690.83 sq meter).

PART NO.	MFG#	DESCRIPTION
5491258	SARS	6 oz.(177ml) & 12 oz.(355ml)

For the most up to date pricing, please visit maritimemarinesupply.ca/price

TEAK CARE KIT COMPLETE



Everything you need to clean, restore, and protect teak in one convenient package.

Restore and protect your teak and fine wood surfaces with this complete 3-step Teak Care Kit. Featuring a premium Teak Cleaner, Brightener, and Teak Oil, this kit removes grime, enhances natural color, and seals wood for long-lasting beauty. Ideal for outdoor and marine furniture, the products are safe for all fine woods, fiberglass, and painted surfaces. Give your wood a refreshed, natural finish with added UV protection and deep conditioning.

Contains one 16fl. oz. of teak oil, one 16fl. oz. bottle of teak brightener and one 16fl. oz. bottle of teak cleaner.

PART NO.	MFG#	DESCRIPTION
5491170	081216C	Teak Care Kit, 3 x 16 oz.

TEAK CLEANER & BRIGHTENER



Teak Cleaner & Brightener removes dirt, grime and old oil, leaving teak ready for oiling. It is ideal for use on all teak and fine woods. Contains no dangerous acids. Phosphate-free, biodegradable formula.

PART NO.	MFG#	DESCRIPTION
5491176	094932C	946mL

TEAK BRIGHTENER



To enhance teak and highlight wood grain to create a warmer golden brown colour when teak oil is applied

PART NO.	MFG	DESCRIPTION
5491175	081516C	16 oz. (473 ml.)

PREMIUM GOLDEN TEAK OIL



Gives teak a natural warm golden colour

- Contains ultraviolet absorbers to resist weathering
- Lasts 4 to 6 times longer than standard teak oils

Advanced tung oil polymer formula

PART NO.	MFG#	DESCRIPTION
5491190	085116PC	16 oz. (473 ml.)
5491191	085132PC	32 oz. (946 ml.)

TEAK SEALER



- No drip, no splash formula
- Replaces teak oils
- Helps keep teak from turning black
- Only one coat required for most applications

PART NO.	MFG#	DESCRIPTION
9960-179	088016C	475ml

TEAK SCRUBBER



- Use instead of bronze wool in all heavy cleaning applications
- Marine grade 100% stainless steel scrub specifically designed to remove embedded dirt and grime from teak and other fine wood

PART NO.	MFG#	DESCRIPTION
9960-181	088450	Stainless Steel

TEAK CLEANER KIT 2-STEP



2-step Teak Cleaner Kit removes weathering and aging signs from wood providing a professional restoration look without the need for sanding. Both are thickened to prevent damage and staining to nearby surfaces. Wood is restored to its original milled appearance. 2 x 500mL.

Step 1: Heavy Duty Teak Cleaner
Step 2: Heavy Duty Teak Neutralizer

PART NO.	MFG#	DESCRIPTION
5492025	260	2 x 500mL

ULTIMATE PONTOON DECK CLEANER



- Loosens and lifts dirt and stains for easy removal without scrubbing
- Safe for all decks, carpets and vinyl
- Repels stains and UV rays

PART NO.	MFG#	DESCRIPTION
5491092	096332C	Deck Cleaner, 946 ml.

NON-SKID DECK WASH WITH PTEF



- Cleans away ground-in dirt and stains
- Safe to use, contains no harsh chemicals
- Leaves a protective coating to help repel dirt and stains
- Will not remove wax or polish

PART NO.	MFG#	DESCRIPTION
5491090	085932PC	32fl. oz.

NEW

MARINE FOAM DECK + PAD CLEANER



Starbrite® Marine Foam Deck + Pad Cleaner is specially formulated for removing dirt, grime, fish blood, salt, sunscreen and tough stains without damaging or drying out surfaces.

The Fast-Acting, Ready-to-Use Spray quickly penetrates and lifts dirt without heavy scrubbing. No mixing required—just spray on, scrub lightly, and rinse clean.

Restores traction and visual appeal while being gentle on marine surfaces.

- Designed for Foam Decking – Formulated for EVA, PE, and blended marine foam pad materials.
- Safe for All Brands – Use confidently on SeaDek®, DEKit®, MarineMat®, and similar surfaces.
- Restores traction and visual appeal.
- Non-Acidic & Biodegradable – Won't damage foam or surrounding surfaces; environmentally responsible.

PART NO.	MFG#	DESCRIPTION
5491105	204922C	Deck + Pad Cleaner, 22 oz. (650 ml)
5491106	204932C	Deck + Pad Cleaner, 32 oz. (946 ml)

NON-SKID DECK WASH



Non-skid Deck Wash has a strong foaming action that loosens and removes deep-seated dirt. It rinses thoroughly and brightens dull surfaces. This is a biodegradable, phosphate free product.

PART NO.	MFG#	DESCRIPTION
5492060	230	1L

NON-SKID DECK WAX



- Provides a non-slippery barrier against stains and UV exposure
- Helps restore luster to fibreglass decks
- Protects painted surfaces

PART NO.	MFG#	DESCRIPTION
5491013	097316C	Deck Wax, 650 ml.



WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

BOAT ZOAP & SHINE



- Protects and shines while washing away dirt and grime in one easy step
- Use Zoap & Shine to clean and extend your shine between regular waxing
- Water spot resistant, removes tough dirt and grime without stripping wax

PART NO.	MFG#	DESCRIPTION
9960-662	809Q	32oz

BOAT ZOAP



- All-purpose, non-caustic cleaner that works well in fresh or salt, hot or cold water
- Great for washing greasy pots, pans, stoves, sinks and dishes, excellent for washing sails
- 100% biodegradable earth-friendly formula

PART NO.	MFG#	DESCRIPTION
9960-660	805Q	945ml
9960-661	805G	3.785L

MEGUIAR'S BOAT WASH



- Long lasting biodegradable suds safely remove grime and dirt
- Refreshing scent

PART NO.	MFG#	DESCRIPTION
5490224	7100216387	64 oz.

BOAT WASH



Heavy duty concentrated formula. Leaves surfaces sparkling. Non-streaking and does not leave residue. Biodegradable. 16fl. oz.

PART NO.	MFG#	DESCRIPTION
5491120	080416PC	16 oz.

BOAT SOAP



Removes imbedded stains, gentle enough for regular cleaning Boat Soap is Eco-Certified and pH balanced for high performance.

Strong foaming action loosens and removes deep-seated dirt and rinses thoroughly without removing polishes from surfaces. Biodegradable, phosphate free and non-corrosive.

PART NO.	MFG#	DESCRIPTION
5492050	210	Boat Soap 1L
5492052	211	Boat Soap 4L

BOAT WASH



- Non-toxic and biodegradable
- Concentrated formula -requires dilution with water to use
- Works with fresh and/or salt water. Foams when used with salt water
- Effectively removes grime and dirt from surface above and below deck
- Use to clean hulls, decks, sails, vinyl, fiberglass, galleys and heads
- Safe to use on painted and vanished surfaces

Add 5-10 ml to each liter of water.

PART NO.	MFG#	DESCRIPTION
5490855	BOSO01	Boat Wash, 1L
5490856	BOSO04	Boat Wash, 4L

CERAMICS SIO2 WASH AND WAX (CONCENTRATE)



Mix 10 ml. per every 1 Liter of water, (2 oz. per Gallon)

Star brite® Ceramics Wash & Wax ultra concentrate contains special cleaning agents that remove dirt, grime, grease, salt and fish blood, and provides instant beading and a lustrous shine. This unique SiO2-infused formula contains a "sacrificial polymer" for immediate, visible results, while the ceramic underlayer cures to a durable, stain-resistant barrier to damaging UV-rays, stains, and everyday dirt and grime.

Features:

- Powerful deep-cleaning agents that blast through dirt and grime
- Unique SiO2 ceramic technology guards against future staining
- Repels dirt, grime, dust, and waterspots for an easy-to-clean, candy-like finish

PART NO.	MFG#	DESCRIPTION
5491131	203532C	Boat Wash & Wax, 946 ml.

BOAT CARE IN A BUCKET



ALL-IN-ONE BOAT CARE SOLUTION - Includes everything you need for complete boat maintenance, packed into one durable, unbreakable bucket. No need to buy multiple products.

UNBREAKABLE VINYL BUCKET - Built to last, this round vinyl bucket is designed to withstand the toughest marine conditions, ensuring your supplies stay secure and easy to transport.

SAFE FOR ALL SURFACES - Marine-grade cleaners are safe to use on fiberglass, metal, and plastic, providing a versatile cleaning solution for every part of your boat.

Contains:

- 40105 (1) Reggae Wash Mitt
- 80308 (1) Vinyl Brite
- 80416 (1) Boat Wash In A Bottle
- 85716 (1) Premium Marine Polish
- 81732 (1) Instant Hull Cleaner
- 85932 (1) Non-Skid Deck Cleaner

PART NO.	MFG#	DESCRIPTION
9960-867	083701C	Kit





PART NO.	MFG#	DESCRIPTION
5491235	041018	18 Pack Display
5491236	041008	XL, 8 Pack Display

MEGUIARS FLAGSHIP MARINE \PREMIUM MARINE WAX



Removes light oxidation and dullness from gel coat, and adds tough, long lasting protection from UV damage

PART NO.	MFG#	DESCRIPTION
5490216	7100216332	16 oz., (473 ml.)

HIGH GLOSS POLISH



- Restores valuable oils that feed and nourish optimal gloss on fibreglass and painted marine or RV surfaces after cleaning; especially effective on dark colours

PART NO.	MFG#	DESCRIPTION
9960-560	7100216333	16 oz. (473 ml.)

CERAMICS SIO2 WAX AND SEAL



Ues the power of SiO2 tech to create a hard, durable top-layer that repels water, dirt, salt, dust, and other contaminants, as well as providing protection against damaging UV-rays and oxidation. This easy to apply formula will outlast traditional waxes and is designed for use on fiberglass, gelcoat, and painted surfaces.

Features:

- Powerful deep-cleaning surface active agents blast through dirt and grime
- Unparalleled SiO2 ceramic technology guards against future staining
- Repels dirt, grime, dust, and waterspots for an easy-to-clean, candy-like finish

PART NO.	MFG#	DESCRIPTION
5491134	204116C	Sealant Wax, 473 ml.

ONE STEP CLEANER WAX



- Non-abrasive formula cleans, polishes and protects boats and RVs in one easy step
- Removes light oxidation and haze, minor scratches and swirls
- Provides long lasting protection against salt air, corrosion and the sun's ultraviolet rays

PART NO.	MFG#	DESCRIPTION
5490213	7100216344	16 oz.
9960-628	7100216370	973 ml.

MARINE POLISH



Number one selling marine polish. Designed especially for fiberglass and aluminum. Protects against fading. Easy to apply. Lasts up to 4 times longer than other polishes.

PART NO.	DESCRIPTION
5491015	16 fl. oz.

COLOUR RESTORER WITH PTEF



Easy to use formula restores colour as well as removes heavy oxidation, chalking, and fading. Seals fiberglass to protect against future damage. Excellent for dark or brilliant coloured boats.

PART NO.	MFG#	DESCRIPTION
5491030	081816PC	16 fl. oz.

PREMIUM CLEANER WAX WITH PTEF



Unique formula cleans and restores fibreglass, metal and painted surfaces and leaves a protective coating, all in one step

PART NO.	MFG#	DESCRIPTION
5491012	089616PC	16 oz (473 ml.).
5491010	089632C	32 oz (946 ml.).

PREMIUM MARINE POLISH WITH PTEF



The ultimate protection for fiberglass, metal and painted surfaces. Leaves a super smooth, non-stick coating which repels dirt, oil, grime and stains. Provides UV protection and lasts up to six times longer than other marine waxes. Easy to use wipe on, let dry, wipe off formula.

PART NO.	MFG#	DESCRIPTION
5491020	085716PC	16 oz.
9960-591	085732C	946ml

BOAT GUARD SPEED DETAILER & PROTECTANT



- The fast, easy way to add shine and enhance colour
- For use on Fibreglass, Vinyl, Painted Surfaces, Polished Metal & Rubrails
- Restores shine to rubrails
- Protection against UV rays that cause fading
- Extends time between full waxing or polishings

PART NO.	MFG#	DESCRIPTION
5491029	081022C	22 fl. oz.(650 ml.)

CERAMICS SIO2 SPEED DETAILER



Star brite® Ceramics Speed Detailer is the fastest way to add the protective power of ceramics to your surfaces. An ideal wipe down for all of your vehicles or vessels after a day on the water, road or in the woods. Speed Detailer uses SiO2 ceramic tech to add shine, enhance water beading, and provide a long-lasting barrier to help prevent UV damage.

Features:

- Infused SiO2 Ceramic polymer for shine and protection against UV, spotting, and staining
- Cleans and adds shine to fiberglass, vinyl, painted surfaces, polished metal, and rubrails

PART NO.	MFG#	DESCRIPTION
5491132	203722C	Speed Detailer, 650 ml.

MEGUIARS QUIK WAX



- Suitable for use on fibreglass, painted surfaces, stainless steel, clear plastic and other non-porous surfaces
- Use wax only after the surface has been cleaned and restored to a “like new” or “average” finish, to maintain gloss between periodic waxings
- Use on wet or dry surface

Do not use on glass windows

PART NO.	MFG#	DESCRIPTION
9960-569	7100216349	16 oz. (473 ml.)

MULTI-SURFACE DETAILER



Black Magic Interior Multi-Surface Detailer/ Lustre revitalizes, cleans and protects leaving a non-greasy, no glare, natural finish on vinyl, rubber, metal, carbon fiber and plastic surfaces including display screens.

- Special UV inhibitors prevent cracking and fading.
- Unique dust guard formula
- Anti-Static technology prevents dust from sticking.
- Provides a natural finish dry to the touch.

PART NO.	MFG#	DESCRIPTION
5491066	36225	Multi-Surface Cleaner, 473 ml.

303 TOUCHLESS SEALANT



- Provides superior water beading and protects painted surfaces from fading
- Lasts up to 2x longer than traditional wax
- Simply Spray on and rinse
- Also great for use on windshields

PART NO.	MFG#	DESCRIPTION
5490430	130371	946ML



3M PERFECT-IT GELCOAT CUTTING PRODUCTS

3M PERFECT-IT RUBBING COMPOUND



Stage 1: The 3M Perfect-It Rubbing Compound stage removes sanding scratches. 3M's best rubbing compound when looking for the highest level of performance. Easiest clean up. Less sling and powdering. Very smooth handling. Performs better than other compounds in all conditions, especially hot and humid conditions. Suggested to use with 3M (05706) white 8" and 6" compounding foam pads.

PART NO.	MFG#	DESCRIPTION
5460707	7100210683	946ml
9960-946	7100210709	1 Gallon

3M PERFECT-IT MACHINE POLISH



Stage 2: The 3M Perfect-It Machine Polishing stage removes compounding swirls and shines paint. High Performance Machine Polish. Quickly and effectively removes compound swirl marks and produces an outstanding finish. Good handling, easy cleanup.

The Perfect-It brand means this is 3M's highest performing machine polish. Suggested to use with 3M (05707) dark grey 8" and 6" polishing foam pads.

PART NO.	MFG#	DESCRIPTION
5460708	7100068200	946mL

3M PERFECT-IT ULTRAFINE MACHINE POLISH



Stage 3: The 3M Perfect-It Ultrafine Machine Polishing stage refines polishing swirls.

Our high-performance ultrafine machine Polish has a unique formula eliminates swirl marks and produces a high gloss finish, even on the most difficult dark-coloured paints.

Good handling, easy cleanup. Suggested to use with 3M (05708) blue 8" and 6" ultrafine polishing foam pads.

PART NO.	MFG#	DESCRIPTION
5460709	7000142692	946mL

3M FINESSE-IT II FINISHING MATERIAL



Designed for use on topside paint systems to remove swirl marks after compounding, while leaving a glazed finish. Also removes light to medium oxidation on gelcoat for boat reconditioning.

PART NO.	MFG#	DESCRIPTION
5490706	7100061951	946mL

GEL COAT ONE STEP COMPOUND



- Aggressive yet safe compound cleans and restores gloss to gel coat surface in one step
- Removes moderate to heavy oxidation, stains, scratches and tough water spots on fibreglass and painted gel coat marine or RV surfaces

PART NO.	MFG#	DESCRIPTION
5490232	7100216367	32 oz. (946 ml.)

HEAVY DUTY OXIDATION REMOVER



- Removes moderate oxidation, scratches, stains and tough water spots on all fibreglass gel coat and painted marine or RV surfaces
- Restores colour by effectively removing surface degradation

PART NO.	MFG#	DESCRIPTION
5490522	7100216341	16 oz. (473 ml.)

LIQUID RUBBING COMPOUND



Effectively removes stains and scratches. For use on fiberglass, metal and painted surfaces. Ideal for hand or buffer applications. Does not "set up" like other compounds do, so removal is quick and easy. 16fl oz

PART NO.	MFG#	DESCRIPTION
5491035	081316PC	Med Strength

These high performance double-sided pads feature a quck connect design that make is easy to switch from compounding to polishing when using 3m's Perfect It systems



9960-940



9960-941



5490758



5490767- 5490776



5490768 - 5490777



5490769- 5490778

WOOL PADS - 9"DIA.

- High performance, double-sided, untwisted wool construction
- Used to refine P1200 scratches and other paint surface defects
- Intended for use with 3M™ Compound/Polish systems

FOAM PADS - 8" & 6"

- Foam pads will decrease your process time and reduce the amount of swirl comebacks – as wool is more aggressive than foam and can leave deeper swirl marks
- Reduces lint prevents slinging for faster, cleaner results

PART NO.	MFG#	DESCRIPTION
9960-940	7100145347	9" Wool Compound Pad
9960-941	7100145348	9" Wool Polishing Pad
5490758	7100141852	Quick Release Adapter
5490767	7100145280	8" Foam Compound Pad, White
5490776	7100145286	6" Foam Compund Pad, White
5490768	7100145283	8" Foam Polishing Pad, Dark Grey
5490777	7100145327	6" Foam Polishing Pad, Dark Grey
5490769	7100145281	8" Foam Polishing Pad, UltraFine, Light Blue
5490778	7100145279	6" Foam Polishing Pad, UltraFine, Light Blue

3M SUPERBUFF III COMPOUNDING PAD



- 100% untwisted wool pad; stiff centre hub
- Fits all standard 5/8" shaft slow speed polishers
- **Superbuff Adapter may be required**

PART NO.	MFG#	DESCRIPTION
5490762	7000138674	9" Pad

3M SUPERBUFF III 2 PLUS 2 COMPOUNDING PAD



3M Superbuff III 2 + 2 Compounding Pad is made of blended untwisted wool with a stiffer centre hub for more cutting power. It is a double-sided pad that is less aggressive than a wool pad. Fits all standard (5/8" shaft) slow-speed polishers.

PART NO.	MFG#	DESCRIPTION
5490763	7100015405	9" Pad

3M SUPERBUFF POLISHING PAD



- Flexible, lightweight, double-sided, extremely fine fibres produce a super high gloss on gel coat and hard paint surfaces
- Fits all standard 5/8" shaft slow speed polishers
- **Superbuff Adapter may be required**

PART NO.	MFG#	DESCRIPTION
5490764	7100015449	9" Pad

3M SUPERBUFF ADAPTER



For use with 3M Superbuff pads. Works with 3M perfect-it backup pad.

PART NO.	MFG#	DESCRIPTION
5490759	7100017371	Adapter

3M QUICK CONNECT ADAPTER



Quickly connect and disconnect Perfect-It brand compounding and polishing pads from the buffing tool. It centers the pads for a more effective use and makes it easy to change between compound and polishing pads. 5/8" threads.

PART NO.	MFG#	DESCRIPTION
5490758	7100141852	Perfect-It Adapter

Shurhold is joining our lineup of exceptional products

Check out their high-quality cleaning and detailing supplies and get the best for your maintenance needs!

SHURHOLD
CLEAN-N-SIMPLE



CLASIC SERIES DECK BRUSHES

Shurhold's classic series of 6" and 10" deck brushes that easily and positively lock into any Shurhold handle. Each brush is carved out of a solid wood block and has a rubber wrap around bumper to prevent marking the surface.
Handles sold separately



6" & 10" Extra Soft - Blue nylon bristles ideal for delicate surfaces like isinglass



6" & 10" Soft - yellow polystyrene bristles with split end fibers, safe on gelcoat, clear coat, fiberglass and paint



6" & 10" Medium -Yellow polystyrene bristles for textured and non-skid surfaces



6" & 10" Stiff -Yellow polypropylene bristles for teak, below the water line and other tough surfaces

PART NO.	MFG#	DESCRIPTION
5491345	970	6" Extra Soft
9974-163	960	6" Soft
9974-162	955	6" Medium
9974-160	950	6" Stiff
5491350	975	10" Extra Soft
5491351	980	10" Soft
5491352	985	10" Medium
9974-161	990	10" Stiff

SPECIAL APPLICATION BRUSHES

Shurhold's special application series of brushes is designed for more specialized work beyond just regular washing. This series includes attachments compatible with Shurhold handles. These are based out of a solid wood block with a rubber-around bumper to prevent marking any surface
Handles sold separately



Soft Hull brush - 8-inch brush with yellow polystyrene bristles designed for working on vertical surfaces and is safe on gelcoat, clear coat, fiberglass and paint



Extra Soft Hull brush - 8-inch brush with blue nylon bristles designed for working on vertical surfaces and is safe on delicate surfaces like isinglass and Plexiglas

PART NO.	MFG#	DESCRIPTION
5491356	308	Window/Hull Brush, Soft 8"
5491357	310	Window/Hull Brush, Extra Soft 8"

UTILITY HAND BRUSH



The Utility Brush is shaped to fit your hand and is perfect for use on upholstery, floor mats, vinyl, canvas and more. It includes a unique spot scrubber on the handle

PART NO.	MFG#	DESCRIPTION
5491360	270	Utility Hand Brush, Stiff

SCRUB HAND BRUSH



This stiff scrub brush is made using chemical resistant bristles and comes with an ergonomic handle for comfort. The Scrub Brush has a soft, comfort handle with finger grips and a safety bumper. The lightweight, knuckle-saving handle helps you get the job done faster.

PART NO.	MFG#	DESCRIPTION
5491361	272	Scrub Hand Brush, Stiff

BRUSH WITH WOODEN HANDLE

The World's Best Deck Brush...on a stick! The same quality Shurhold Brush on a standard wooden handle. Perfect for under gunnel storage.

These deck brush and handle assemblies come as one piece, so it is not compatible with other Shurhold handles.



The popular 6-inch soft brush includes a 48" threaded wood handle. The specially designed split end fibers hold more soap and water and are soft enough to safely use on gelcoat, fiberglass, and painted surfaces.



The abrasive 6-inch stiff brush includes a 48" threaded wood handle. The strong bristles are strong enough to withstand most solvents, acids and alkalies. It's great for scrubbing teak

PART NO.	MFG#	DESCRIPTION
5491358	1960	Soft Brush with Wooden Handle
5491359	1950	Stiff Brush with Wooden Handle

LONG DIP & SCRUB BRUSH



The Long Dip & Scrub Brush has stiff, chemical resistant bristles made of polypropylene. The extra-long 20-inch handle makes it faster and easier to clean those hard-to-reach areas like bait wells, wheels and water lines. It's great for removing stubborn stains like fish blood and safe to use on non-skid and teak, too!

PART NO.	MFG#	DESCRIPTION
5491362	276	Long Dip & Scrub Brush, Stiff

For the most up to date pricing, please visit maritimemarinesupply.ca/price

ROPE AND CORD BRUSH





The Flexible Rope & Cord Brush is the perfect way to clean 1/2" - 1" rope. Simple to use and easy to store, the flexible Rope & Cord brush is ideal for use on all dock lines, rope and other tubular items.

Application Examples:

- Dock Lines
- Rigging Ropes
- Hoses
- Power Cables
- Railings

PART NO.	MFG#	DESCRIPTION
5491364	273	Rope & Cord Brush,

TELESCOPING HANDLES



Handles are made with triple nodized aluminum and are compatible with over 40 different attachments. These models are telescopic for easy storage or adjusting to the perfect length. Made of high-strength, corrosion-resistant, lightweight aluminum. The SHUR-LOK quick-release system positively locks quickly and easily with more than 40 different attachment heads.

PART NO.	MFG#	DESCRIPTION
9974-150	833	Handle 6', 40" - 72"
9974-151	855	Handle 9', 60" - 108"

FIXED LENGTH HANDLES



The One-Handle-That-Does-It-All! Our handles are made with triple anodized aluminum and are compatible with more than 40 different attachments. We offer a range of lengths and grip styles to best fit your application.

All Shurhold handles are made of high-strength, corrosion resistant, lightweight aluminum. Their SHUR-LOK quick release system positively locks quickly and easily with more than 40 different attachment heads.

PART NO.	MFG#	DESCRIPTION
9974-153	740	Handle 40"
9974-154	760	Handle 60"

CURVED HANDLE ADAPTER



Scrub the crown of your vertical surfaces easily with this unique adapter. It's 10" with a 30 degree angle, allowing you to change the angle of your brush to scrub the hardtop, waterline, and more.

Those hard-to-reach areas become easier to clean with the 10 inch (25 cm) curved adapter. It adds 10 inches (25 cm) and a 30 degree angle to any of our SHUR-LOK equipped accessories.

PART NO.	MFG#	DESCRIPTION
9974-170	102CH	Provide 180 degree rotation

THREADED ADAPTER



This adaptor allows you to use screw-on attachments that aren't compatible with the SHUR-LOK System.

Threaded adapter that is compatible with most internally threaded products.

PART NO.	MFG#	DESCRIPTION
9974-169	101	Adapter

BOAT HOOK 3 IN 1



The ultimate Boat Hook! This 3-In-1 tool has a traditional boat hook, a line carrying rack, and a center push-off to get away from the dock. It snaps securely into any Shurhold Handles using the SHUR-LOK System.

***Compatible with all Shurhold handles, which are sold separately.**

PART NO.	MFG#	DESCRIPTION
9974-159	130	Boat Hook

SOFT-N-THIRSTY MOP



Dry your boat quickly with this efficient chamois mop! Made with tough synthetic strips, this mop will work harder so you don't have to. Snaps securely into any Shurhold handle using our SHUR-LOK System.

Prevent water spots on those hard to reach areas by using the Soft-N-Thirsty Mop on any Shurhold handle. This string mop is made of 5/8" (16 mm) wide strips of synthetic chamois.

PART NO.	MFG#	DESCRIPTION
9974-158	113	5/8" Wide

MOP HEADS



Wave Mop Standard:
The Wave Mop is constructed using superior man-made material and an integral wave pattern, which combine to create the ultimate chamois mop. With 10% more material than our closest competitor.

Wave Mop XL:
The XL Wave Mop is constructed using superior man-made material and an integral wave pattern, which combine to create the ultimate chamois mop. With 22% more material than our closest competitor and 33% more than the standard Wave Mop.



Features Integral Wave Pattern

- Glides Smoothly
- Absorbs More than Ever
- Wrings Out Easily
- Resists Mold & Mildew
- Made with More Material

PART NO.	MFG#	DESCRIPTION
5491386	115	Wave Mop, Standard
5491387	116	Wave Mop, XL

PVA DRYING TOWEL



PVA towels absorb 50 percent more water than natural chamois, making for faster and more effective drying. The towels prevent water spots on all surfaces and come in a large size of 17" x 27"

PART NO.	MFG#	DESCRIPTION
5491363	220	PVA Drying Towel, 17" x 27"

BUCKET SYSTEM, BLACK 5 GAL



The One Bucket System is your storage and detailing solution! Turn an ordinary 5-gallon bucket into an extraordinary multi purpose utility item that will simultaneously transform your washing experience and gear storage.

The ONE Bucket System includes:

- World's Best Rope Handle 5-gallon black Bucket
- Bucket Lid / Padded Seat combo
- Bucket Grate (Keeps your wash utensils in clean water)
- Bucket Caddy (Keeps everything you store in your bucket organized)

Dimensions:
5-gallon bucket
14.75" H x 12" W

PART NO.	MFG#	DESCRIPTION
5491385	2462	Bucket System Black, 5gal

SERIOUS MULTIPURPOSE CLEANER



Remove tough stains without discoloring or harming the surface! This powerful cleaner contains no bleach and is safe on vinyl, non-skid, and graphics. Perfect for a pre-wax cleaning.

SMC is a scientifically formulated multipurpose, multisurface cleaner.

PART NO.	MFG#	DESCRIPTION
9974-167	YBP-0305	948ml,32oz
9974-168	YBP-0306	1gal

BOAT SOAP BRITE WASH



Remove salt, grime, and dirt easily with Brite Wash! This biodegradable soap won't strip your wax and is safe for use on isinglass, plastics, vinyl, and more.

Brite Wash is scientifically formulated to clean fiberglass, clear coat, metal, rubber and painted surfaces. Cleans dirt, grease, salt and more without dulling your finish or stripping your wax.

PART NO.	MFG#	DESCRIPTION
9974-165	YBP-0301	948ml,32oz

SERIOUS SHINE QUICK DETAILER



The perfect one step detailer! Serious Shine cleans, polishes, and protects virtually any solid surface in one easy step, leaving no greasy, artificial residue. Also, it contains UV inhibitors and anti-static properties, further protecting all types of surfaces. Serious Shine is the perfect quick detailer. Features an integrated click close spray nozzle and a rust-resistant can.

Use on all solid surfaces:
Fiberglass, metal, glass, vinyl, mirrors, counters, clear vinyl and rubber

PART NO.	MFG#	DESCRIPTION
5491366	YBP-0701	Serious Shine Quick Detailer, 396g

BUFF MAGIC



The ultimate restoration compound! Buff Magic is designed to remove oxidation and surface imperfections, restoring that showroom shine. Also serves as an excellent metal polish for all your stainless hardware.

Buff Magic removes: Oxidation, Gelcoat Staining, Surface Rust, Tarnish, Plexiglas scratches, P800 and finer DA scratches. **Buff Magic is perfect for:** Boats, Cars, RV's, Pot & Pans, Acrylic Tubs & Showers

PART NO.	MFG#	DESCRIPTION
5491368	YBP-0101	Surface reconditioner & Metal Polish 624g

PRO POLISH



Protect your boat, car, or RV with Pro Polish! This advanced polymer wax offers superior protection and performance over traditional waxes without the use of talc powder. Safe on fiberglass, paint, metal, and more! Pro Polish is scientifically formulated to protect your Car, RV, Yacht, Boat, Motorcycle or Personal Watercraft from the harsh effects of the sun, saltwater, and environmental fallout. Pro Polish Repels water and provides a deep high gloss shine, while protecting your surface from the harsh effects of the sun with UV inhibitors.

PART NO.	MFG#	DESCRIPTION
5491369	YBP-0202	Pro Polish, 473ml (16fl.oz.)

MOLD, MILDEW & ORGANIC STAIN REMOVER



Moldaway is a scientifically formulated, powdered, oxygenated cleaner. It quickly removes stains caused by: Mold, Mildew, Algae, Dirt, Blood, Food & Drink

It contains no bleach or chlorine products, so it's safe on all colors as well as most fabrics including Vinyl, Canvas, Plastic, Carpeting, Interior and Exterior Cushions, Sails, Wood and Boating Accessories

PART NO.	MFG#	DESCRIPTION
5491367	YBP-0801	Remover 624g

SNAP & ZIPPER LUBE



Snaps and zippers on awnings, straps, and other items suffer the corroding effects of rain, dirt, and grime. The result is often a mechanism that either sticks or rips the surrounding canvas or plastic. A simple alternative to fighting with snaps or zippers is a quick dab of water-resistant Snap-Stick lubricant, which comes in a handy tube similar to Chapstick.

PART NO.	MFG#	DESCRIPTION
5491365	251	Snap & Zipper Lube

For the most up to date pricing, please visit maritimemarinesupply.ca/price

DUAL ACTION POLISHER 6”

The design goal of Shurhold’s Dual Action Polisher was to allow users to achieve the same high-gloss, professional finish that the pros do with a rotary buffer/ polisher, but in a unit that is less-experienced, everyday users can operate with the same effectiveness.

Traditional rotary polishers have a larger wheel spinning at a high rpm, which means the operator’s technique is important as to avoid burns and swirls. The Shurhold polisher’s dual action, 6-inch oscillating head eliminates these issues and allows anyone to get the same great finish, without burns or swirls.



General detail maintenance like waxing and buffing can now be done in half the time, with half the effort and half the amount of product.

Electrical Specs:

Rated Voltage:	120V AC
Frequency: 60Hz	
Rated Current:	4.2 Amp
Rated Power:	500 Watt

Mechanical Specs:

Variable Speed:	2,500-6,500 OPM
Backing Plate:	125 - 150mm (5” - 6”)
Pad size:	140 -165mm (5.5” - 6.5”)
Net Weight:	4.4lbs - (2kgs)
Power Cord:	20feet w/ GFCI

Included in this kit:

- Deluxe Canvas Storage Bag
- Quick Change Velcro Backing Plate
- Pad Wrench
- Standard Side Handle
- Deluxe D Handle
- 1 Pair Replacement Carbon Brushes
- 20-foot-long power cord
- GFCI Plug End

PART NO.	MFG#	DESCRIPTION
5491370	3100	Polisher Dual Action 6”

WOOL COMPOUND PAD 6.5”



Remove light oxidation and leave a professional shine with this compounding pad. Made with 100% twisted wool, this pad is designed for use with Buff Magic and the Shurhold Dual Action Polisher. **This pad is designed for use with Buff Magic and the Shurhold Dual Action Polisher.**

Sold as 2 pack

PART NO.	MFG#	DESCRIPTION
5491371	3151	Compound Pad, Wool 6.5”

WOOL COMPOUND PAD 7.5”



Remove oxidation like a professional! This 100% Twisted Wool Pad will quickly restore gelcoat and paint to like new conditions when used with a quality compound. Designed for use with Buff Magic. Attaches directly to the backing plate using Hook & Loop Velcro.

This pad was designed to work with the Shurhold Pro Rotary Polisher

Sold individually

PART NO.	MFG#	DESCRIPTION
5491380	YBP-5103	Compound Pad, Wool 7.5”

DUAL ACTION POLISHER PRO 6”

A more powerful version of the Shurhold Dual Action Polisher, the PRO features an XL, 21 mm orbit. The random orbit motion will still protect your finish from burning and swirling while giving you the professional results you desire.



Electrical Specs:

Rated Voltage:	120V AC
Rated Current:	7.5 Amps
Rated Power:	900 Watt

Mechanical Specs:

Speed Settings	
Variable Speed:	1,800-4,800
Net Weight:	5.2lbs- (2.36kgs)
Power cord:	20 ft

Included in this kit:

- 6” Quick Change Backing Plate , 2 Different Ergonomic Gripping Styles
- EZ Change Carbon Brush Ports, Thumb Controlled Variable Speed Dial
- Locking ON Button, Detailed User Guide
- Canvas Storage Bag, 20ft cord

PART NO.	MFG#	DESCRIPTION
5491390	3500	Polisher Dual Action Pro 6”

PRO POLISH/BUFF MAGIC PADS 7”



5491391 - Pro Polish Pad for Dual Action Polisher PRO - **Red** foam 7” pad, 1 per pack. It’s 7” in diameter. This pad was designed to work with the Shurhold Dual Action Polisher PRO and Shurhold’s Pro Polish and is perfect for waxing and polishing.



5491392 - Buff Magic Pad for Dual Action Polisher PRO - **Orange** foam 7” pad, 1 per pack. For light oxidation This medium cutting pad is designed to remove light oxidation and remove all surface imperfections. Use to finish the compounding process before protecting the surface with wax.



5491393 - Buff Magic Pad for Dual Action Polisher PRO - **Blue** foam 7” pad, 1 per pack. For heavy oxidation This heavy cutting pad is designed to remove the worst oxidation.

Sold individually

PART NO.	MFG#	DESCRIPTION
5491391	3552	Pro Polish, 7” - Red
5491392	3554	Buff Magic Pad, Light Oxidation, 7” - Orange
5491393	3555	Buff Magic Pad, Heavy Oxidation, 7” - Blue

PRO POLISH PAD



Easily apply wax and polish with this soft, black foam pad. Designed for use with Pro Polish and the Shurhold Dual Action Polisher, it attaches directly to the hook & loop backing plate.

Pro Polish Pad is a black foam polishing and waxing pad, 6 1/2 inches in diameter

2 pads per pack

PART NO.	MFG#	DESCRIPTION
9974-177	3152	Polish/Waxing Pad, 6.5”

PRO ROTARY POLISHER 7”

The Shurhold Pro Rotary Polisher is a professional grade tool designed to quickly remove heavy oxidation and correct surface imperfections. Built with EZ Clean Mesh Intake Vents, EZ-Change Carbon Brushes, and a soft start trigger. Prior experience with a rotary tool is recommended before using this machine. This super powerful true Rotary Polisher cuts, polishes, and buffs to bring out a mirror-like finish in even the dullest surface.



Electrical Specs:

Rated Voltage:	120V AC
Frequency: 60Hz	
Rated Current:	12 Amp
Rated Power:	1400 Watt

Mechanical Specs:

Variable Speed:	600-32,000 RPM
Backing Plate:	177mm (7”)
Pad size:	190mm (7.5”)
Net Weight:	9.7 lbs. - (3kgs)
Power Cord:	20feet

Included in this kit:

- 7” Quick Change Backing Plate , 3 Different Ergonomic Gripping Styles
- EZ Clean Mesh Air Intake Vents, EZ Change Carbon Brush Ports
- Thumb Controlled Variable Speed Dial
- Locking ON Button, Detailed User Guide
- Canvas Storage Bag

PART NO.	MFG#	DESCRIPTION
5491379	3400	Pro Rotary Polisher 7”

FOAM COMPOUND PAD 6.5”



Sold as 2 pack

The Buff Magic Foam Compounding Pad is a general purpose cutting pad designed to remove light oxidation from gel coat or paint. It’s 6 1/2” in diameter and made of specialized cutting foam. The unique dimpled pattern in the pad face helps the pad run cooler for better performance. This pad was designed to work with the Shurhold Dual Action Polisher and Shurhold’s Buff Magic compound and is perfect for removing oxidation, swirls, and scratches. Buff Magic Foam Compounding Pad is less aggressive than the wool version and lasts longer between cleanings.

This pad was designed to work with the Shurhold Dual Action Polisher

PART NO.	MFG#	DESCRIPTION
5491372	3154	Compound Pad Foam, 6.5”

POLISH PAD FOAM 7.5”



Sold individually

Easily apply wax and polish with this soft, black foam pad. Designed for use with Pro Polish and the Shurhold Rotary Pro, it attaches directly to the hook & loop backing plate. Pro Polish Pad is a black foam polishing and waxing pad, 7 1/2 inches in diameter. A unique dimpled pattern in the pad face helps the pad run cooler for better performance.

This pad was designed for Shurhold’s Pro Rotary Polisher

PART NO.	MFG#	DESCRIPTION
5491381	YBP-5203	Compound Pad Foam, 7.5”

DUAL ACTION SCRUBBER PADS



These scrub pads are designed to attach to the Dual Action Polisher backing plate. They can be used for a variety of cleaning tasks, from buffing wood to removing bottom paint. Turn your Shurhold Polisher into an aggressive power scrubber.

- Fine (White) for delicate surfaces.
- Medium (Blue) for medium duty cleaning and scrubbing.
- Coarse (Brown) for stripping and paint prep

PART NO.	MFG#	DESCRIPTION
5491373	3201	Scrubber Pad, White Fine 5”
5491374	3202	Scrubber Pad, Blue Medium 5”
5491375	3203	Scrubber Pad, Brown Coarse 5”

DUAL ACTION SCRUB BRUSHES



These scrub brushes transform your original Dual Action Polisher into a powered cleaning machine! You can use these brushes to restore non-skid, eliminate heavy stains, and remove growth. Available in three different bristles strengths.



- Stiff (White) for teak and heavily stained areas.
- Medium (Yellow) for medium duty cleaning and scrubbing. Works well on carpets.
- Soft (Yellow Flagged) for general duty cleaning and scrubbing. Also great for waxing non-skid.



All brushes are designed to easily fit Shurhold’s Dual Action Polisher and use a 5/16” 24 thread count post to attach to the machine.

PART NO.	MFG#	DESCRIPTION
5491382	3205	Polisher Scrub Brush, Stiff 5”
5491376	3206	Polisher Scrub Brush, Medium 5”
5491377	3207	Polisher Scrub Brush, Soft 5”

REPLACMENT DUAL ACTION POLISHER BACKING PLATE



This 5” polyurethane backing plate with a 5/16” (24) threaded post is a direct replacement for the Original Dual Action Polisher. Quick release hook and loop system, works with most 5.5” - 6.5” Velcro style pads

PART NO.	MFG#	DESCRIPTION
5491378	3130	Replacement Backing Pad, 5”

MICROFIBER WASH MITT



Meguiar's extra thick Microfiber Wash Mitt is the ultimate choice for show car perfect finishes. Its gentle wash action and the clear coat safe Microfiber lifts and traps dirt and grime for a brilliant, swirl-free finish.

PART NO.	MFG#	DESCRIPTION
5490294	7100178640	Wash Mitt

MICROFIBER REGGAE WASH MITT



- Microfiber material is highly absorbent yet super soft
- Will not scratch gelcoat or painted surfaces
- Use wet for washing, dry for dusting
- Machine washable

PART NO.	MFG#	DESCRIPTION
5491590	040105P	Wash Mitt

ALL-PRO 5GAL BUCKET



- Empty plastic pail
- Sturdy metal handle
- Lid sold separately

PART NO.	MFG#	DESCRIPTION
9974-060	05GL	Pail, 5gal
9974-062	5GLD	Lid

ULTIMATE MAGIC SPONGE + SCRUB XTEND





5491237 5491238

- For reaching and erasing dirt, grime, scuffs, shoe marks, streaks and stains from vinyl, plastic and fiberglass
- Dual-articulating connector allows pad to stay in contact with varying angled surfaces
- Swivel pad measures 4-1/2" x 9-3/4"
- **Handle not included**

PART NO.	MFG#	DESCRIPTION
5491237	041010	Magic Sponge Xtend
5491238	041011	Refill Sponge only

MAGIC SPONGE

All-Purpose
All-surface



Wipe away stains on fiberglass vinyl, plastic, metal, painted wood and more

Magic Sponge instantly erases dirt, grime, scuff marks, streaks and stains from vinyl, plastic and fiberglass. Ideal for walls, appliances, baseboards, showers, tubs and tiles.



5491236 5491235

PART NO.	MFG#	DESCRIPTION
5491235	041018	18 Pack Display
5491236	041008	XL, 8 Pack Display

ULTIMATE MAGIC SPONGE



- Instantly erases dirt, grime, scuff marks and streaks
- Removes scuffs and stains from vinyl, plastic and fiberglass
- Sold each

PART NO.	MFG#	DESCRIPTION
9960-194	5491235	Sponge

PLASTIC BUCKET



- Handle with a loop for rope
- 10 L capacity

PART NO.	MFG#	DESCRIPTION
9990-211	14375	10L Bucket

COLLAPSABLE BUCKET



This collapsible bucket is constructed of a watertight fabric, and holds 3 gallons (11L) water capacity.

Opens easily to 9.25" (23.5cm) tall and folds down to less than 2" (3.5cm) for compact storage. Zippered storage bag included.

PART NO.	MFG#	DESCRIPTION
5491462	42993	3 Gl., Bucket

COLLAPSIBLE WASH BUCKET



- Over 18" wide for ease of use with large wash brushes
- Collapses to 2-3/4" tall to fit in its own easy-to-carry storage bag
- Made with durable watertight fabric

PART NO.	MFG#	DESCRIPTION
9974-043	42973	5 Gl., Bucket

DECK BRUSH



This ergonomic deck brush has an extra-long handle for those hard-to-reach areas. The handle is padded for comfort and the bristles are stiff to sweep out tough dirt and grime.

Dimension: 14"L

PART NO.	MFG#	DESCRIPTION
5491404	040115	Deck Brush w/Long Handle

LARGE SCRUB PAD KIT



- Features a premium durable handle with scraper
- Includes interchangeable fine, medium, and coarse scrub pads

PART NO.	MFG#	DESCRIPTION
5491400	042023	4 1/2" x 10"

DECK BRUSH



This deluxe hand deck brush is padded for comfort and has durable stiff bristles to sweep out tough dirt and grime.

Dimensions: 5-1/2"L x 2-1/2"W x 2-1/2"H

PART NO.	MFG#	DESCRIPTION
5491405	040117	Deck Brush, Hand Held

BRUSH, CURVED PLASTIC HANDLE



- Scrub Brush with medium bristles are great for general cleaning Ideal for cleaning all surfaces including vinyl
- Chemical resistant bristles
- Molded plastic block with comfortable finger indents on the handle

PART NO.	MFG#	DESCRIPTION
5491420	040027	Scrub Brush

COMBINATION SOFT BRISTLE BRUSH & SQUEEGEE



Soft brush with squeegee. Fits all Sea-Dog Boat Hooks.

Injected Moulded Nylon/Rubber

PART NO.	MFG#	DESCRIPTION
7924129	491075-1	Brush / Squegee

ADJUSTABLE BROOM



Full size broom telescopes down from 52" to 24" for easy storage. Soft bristled head adjusts to different angles for maximum cleaning power allowing you to get into those hard to get places. The dust pan clips onto the broom for storage conveniences.

PART NO.	MFG#	DESCRIPTION
5491461	43623	Adjustable Broom

WASH HEAD



7" wide and available in four textures.

PART NO.	MFG#	DESCRIPTION	COLOR
5491436	41920	Extra Soft	Light Blue
5491437	41922	Soft	Dark Blue
5491438	41924	Medium	Yellow
5491439	41926	Stiff	White

WASH HEAD



5491440



5491444

PART NO.	MFG#	DESCRIPTION
5491440	41930	Wash Head w/Pad
5491441	41932	Replacement Pad
5491444	41948	Wash Head w/ MicroFiber Pad

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

MULTI-PURPOSE HANDLES W/BOAT HOOK



5491442

- Ergonomic tear-drop design for comfortable use
- Anodized aluminum construction resists rusting
- TPE hand grip gives you a secure and comfortable grip
- Boat hook attachment included

PART NO.	MFG#	DESCRIPTION
5491428	41902	4' Fixed
5491429	41910	2'–4' Adjustable
5491430	41912	3'–6' Adjustable
5491432	41914	5'–9' Adjustable
5491434	41916	6'–11' Adjustable
5491442	41940	Boat Hook

ADJUSTABLE HANDLE HEAD "FISHING GAFF"



Hook depth of 3-1/2"

PART NO.	MFG#	DESCRIPTION
5491443	41942	Fishing Gaff

ADJUSTABLE HANDLE HEAD "PADDLE"



22" long x 8" wide

PART NO.	MFG#	DESCRIPTION
5491446	41946	Paddle Blade

ADJUSTABLE HANDLEHEAD "LANDING NET"



17" x 20" x 30" deep

PART NO.	MFG#	DESCRIPTION
5491447	41944	Landing Net

BRUSH HANDLE ADAPTER SET



- Set includes 2 adapters to interchange various brands, handles and accessories
- 3/4-inch threaded ends male and female

PART NO.	MFG#	DESCRIPTION
5491435	41937	Adapter Kit

ADJUSTABLE MARINE WASH BRUSH



Adapts to standard garden hose.

Adjusts from 43" up to 71" long. Built-in ON/OFF switch provides full water control. Versatile brush feature an 11" wide cleaning head with two types of bristles for maximum cleaning power (White bristles will lift the dirt and gray bristles will brush it away!).

PART NO.	MFG#	DESCRIPTION
5491460	43633	Adjustable Wash Brush

DECK BRUSH WITH TELESCOPIC HANDLE



This Deck Brush is constructed of an aluminum handle that extends from 2' to 4' (62 to 124cm), a nylon screw thread end topped with an 8" polypropylene brush head with medium duty bristles.

PART NO.	MFG#	DESCRIPTION
5491403	040097	Brush w/ Telescopic Handle.

TELESCOPIC DECK BRUSH



This deluxe deck brush has high density fibers for all-purpose deck cleaning. It is made of triple anodized aluminum for years of maintenance free use. The Telescopic handle features a positive twist lock and two non-slip hand grips. It extends from 3' (94cm) to 6' (183cm).

PART NO.	MFG#	DESCRIPTION
5491402	040192	Telescoping Brush, 8"

NEW

FLOW THROUGH WASH BRUSH W/ FLOW THROUGH HANDLE

Soft bristles effectively lift grime and wash away residue, but won't scratch your surface. The handle is a lightweight aluminum and water flows through the handle, controlled by a convenient, easy-to-reach on/off switch. The wash head attaches to the handle with a square peg, eliminating aggravating swiveling while in use.



- Telescoping handle adjusts from 47 inch up to 74 inch long
- Attaches to any standard garden hose
- Flow-through handle includes built-in on/off switch for water
- White bristles help lift dirt and gray bristles help brush it away
- Wash head won't swivel while in use

PART NO.	MFG#	DESCRIPTION
5491465	41960	Wash Brush, 10" wide

HEAVY DUTY EXTENDABLE HANDLE



Lightweight and incredibly strong this extendable handle is constructed of heavy-duty aircraft grade, triple anodized aluminum to provide years of maintenance free use.
The telescoping shafts feature two non-slip hand grips with positive twist lock. The handle extends from 3' to 6' (94cm to 183cm). It has a Stainless Steel quick connect/disconnect push button for instant attachment of all Extend-A-Brush accessories. **Special air chambers allow it to float.**

PART NO.	MFG#	DESCRIPTION
5491413	040155	H/D Ext. Handle 3'–6'

DECK BRUSH DELUXE SOFT YELLOW



Wide plastic headed brush covers a lot of surface and the soft bumper protects against damage. The premium, soft fibers will not scratch delicate surfaces and will quickly break down heavy dirt and stains. Fits standard screw handles.

PART NO.	MFG#	DESCRIPTION
5491415	040161	Deck Brush Soft, 8", Bumper

REGGAE MOP





These multi-purpose mops can be used wet or dry for all of your cleaning needs. The super-absorbent microfiber strips won't scratch glass, metal, plastic or painted surfaces. They attach easily to the Starbrite extending handle and can be as easily removed to be wrung out.

PART NO.	MFG#	DESCRIPTION
5491520	040103	Reggae Wet Mop
5491521	040128	Reggae Dry Mop

For the most up to date pricing, please visit maritimemarinesupply.ca/price

EXTEND A BRUSH HANDLE



6' Extend-A-Brush Handle features two non-slip hand grips with positive twist lock to provide extension from 3' to 6'

PART NO.	MFG#	DESCRIPTION
5491455	040000	Handle 3'–6' Extension

EXTEND A BRUSH BI-LEVEL BRUSHES

These Bi-Level brushes are specifically designed for those hard to reach areas. They fit all Extend-A-Brush premium handles. They will not rot, support mildew or absorb odour.



10" SOFT BI-LEVEL Scrub Brush is a soft wash brush featuring fine Starprene* fibers with flagged ends to hold water for effective cleaning. Fibers will not scratch plastic.

10" MEDIUM BI-LEVEL Scrub Brush featuring medium duty Starprene* fibers for all around cleaning of soiled and stained surfaces.

10" STIFF BI-LEVEL Scrub Brush is constructed of stiff corrugated Starprene* fibers that quickly break down dirt and stains. Great for non-skid and textured surfaces.

PART NO.	MFG#	DESCRIPTION
5491410	040014	Washbrush "Soft" 10" Bi-Level
5491411	040015	Washbrush "Medium" 10" Bi-Level
5491412	040016	Washbrush "Stiff" 10" Bi-Level

EXTEND A BRUSH SCRUB BRUSHES



Constructed of high density fine fibers with flagged ends to hold water and cleaning solutions for easier washing. Will fit all Extend-A-Brush handles, and will not scratch plastic windows.
Colour: Yellow



Constructed of medium duty high density fibers for all around cleaning of soiled and stained surfaces. Will fit all Extend-A-Brush handles.
Colour: Blue



High density, stiff corrugated fibers quickly break down heavy dirt and stains. Great for non-skid and textured surfaces. Will fit all Extend-A-Brush handles.
Colour: White

PART NO.	MFG#	DESCRIPTION
5491407	040013	Scrub Brush, Yellow, 8"
5491408	040011	Scrub Brush, Blue, 8"
5491409	040010	Scrub Brush, White, 8"

EXTEND A BRUSH ADAPTERS





Constructed of unbreakable glass reinforced nylon for years of trouble free use. These adapters fit all Extend A Brush Premium Handles.

5491475 allows use of screw thread accessories with Extend A Brush Premium Handles.

PART NO.	MFG#	DESCRIPTION
5491470	040033	Extend A Brush Boat Hook
5491475	040034	Screw Thread Adapter

DECK BRUSH HANDLE



- 54" Wooden handle

PART NO.	MFG#	DESCRIPTION
9974-064	11992	Handle only

HEAVY DUTY DECK BRUSH



- 10" x 4 1/2"
- Handle sold separately

PART NO.	MFG#	DESCRIPTION
9974-061	40423-01	Brush only

DECK BRUSH



- 7" x 3"
- Lacquered hardwood body with plastic bristles
- Handle sold separately

PART NO.	MFG#	DESCRIPTION
9974-063	11994	Brush only

ROUND DECK BRUSHES



- Polypropylene stiff bristle
- 4-1/2" round boat brush head
- Top and side handle positions

PART NO.	MFG#	DESCRIPTION
9974-140	XP-0601	Round

UTILITY BRUSHES



These utility brushes feature 2" long Star Prene bristles with flagged ends to hold water and cleaning solutions for easier washing.

PART NO.	MFG#	DESCRIPTION
5491425	040026	Utility Brush, 20" Total Length
5491426	040025	Utility Brush, 8-1/2" Total Length

ULTIMATE WATER ABSORBER



- Safe to use on any gelcoat, fiberglass, or auto finish
- Lint-free and resistant to chemicals, mold, and mildew
- Machine washable and conveniently stores in its own packaging

PART NO.	MFG#	DESCRIPTION
5491592	040046P	1 Towel

SUPREME SHINE MICROFIBER TOWEL



Meguiar's Supreme Shine Microfiber Towels are incredibly plush and produce swirl free, mirror-like results.

The thick, deep dual-sided microfiber pile absorbs two times more than traditional terry towels providing faster wipe off with less strokes.

PART NO.	MFG#	DESCRIPTION
5490292	7100178648	3 Pack

BALBRIGGAN WIPING RAGS

- High cotton content
- Low lint, high absorbency
- 25 lb compressed bag



PART NO.	MFG#	DESCRIPTION
5220000	25BLSRAGS	25 lbs, Mixed Colours
5220001	5220001	25 lbs, All White

FAST ORANGE HAND CLEANER



- Fine pumice deep cleans the toughest dirt
- Natural citrus power does the cleaning
- Fortified with aloe, lanolin, glycerin, and other skin conditioners

PART NO.	MFG#	DESCRIPTION
5209000	25117	443mL
9960-279	25217	1.89L
5209004	25219	3.78L

PAINT HAND CLEANER



- Removes troublesome paint stains and messes from skin
- Uses pumice which gets into all the creases
- Patented microgel drills into the stain to release it from skin

PART NO.	MFG#	DESCRIPTION
9960-797	65225	433ml



For the most up to date pricing, please visit maritimemarinesupply.ca/price

FUEL LINE ASSEMBLIES





Mercury John/Evin Yamaha Niss/Tohatsu Honda

Universal

SIERRA

PART NO.	HOSE ID	HOSE LENGTH	OEM NO.	ENGINE END CONNECTOR	FUEL END CONNECTOR
JOHNSON–EVINRUDE					
S188009	3/8"	8'	398549	**S188056**	**S188056**
YAMAHA					
S188017	3/8"	8'	6Y2-24306-51-00		
UNIVERSAL					
S188013	5/16"	8'	-	-	-
S188015	3/8"	8'	-	-	-

FUEL LINE ASSEMBLIES

Assemblies use a compounded, tough & pliable UV-resistant hose to promote maximum fuel flow. Fittings are built to OEM Specifications for replacement parts. O-ring construction is used on all fittings for tight, leak-free connections.

MOELLER marine products

Mercury Clip Style



Mercury 3/8" ID Hose 83" long
Clip Style Fuel Line Assembly
1998 & Newer Engines
Replaces, OEM 32-827927A

PART NO.	MFG#	DESCRIPTION
7916000	034385-10	Mercury

Mercury Bayonet Style



Mercury 3/8" ID Hose 83" long
Bayonet Style Fuel Line Assembly
Cast Aluminum Fittings
Replaces, OEM 3280188A 2

PART NO.	MFG#	DESCRIPTION
7916002	034388-10	Mercury

Johnson / Evinrude



Johnson/Evinrude 3/8" ID Hose 83" long
Standard Style Fuel line assembly
Replaces, OEM 6Y2-24306-05-00

PART NO.	MFG#	DESCRIPTION
7916004	034391-10	Johnson/Evinrude

Yamaha



Yamaha 3/8" ID Hose 83" long
Standard Style Fuel Line Assembly

PART NO.	MFG#	DESCRIPTION
7916008	034394-10	Yamaha

Honda



Honda 3/8" ID Hose, 83" long
Fuel Line Assembly Quick connect to Tank
fitting for Model Y91+

PART NO.	MFG#	DESCRIPTION
7916010	034386-10	Honda

Universal 5/16"



5/16" ID Hose, 80" long
Universal Fuel Line Assembly,
bulb and hose only.

PART NO.	MFG#	DESCRIPTION
7916012	034395-10	Universal

Universal 3/8"



3/8" ID Hose, 80" long
Universal Fuel Line Assembly,
bulb and hose only.

PART NO.	MFG#	DESCRIPTION
7916014	034390-10	Universal

Universal 3/8"



3/8" ID Hose, 12' long
Universal Fuel Line Assembly, bulb and hose only.

PART NO.	MFG#	DESCRIPTION
7916016	033389-10	Universal

HAND PRIME PUMP



Dual internal check valves.

PART NO.	MFG#	DESCRIPTION
7916302	05869	3/8"
7916301	07494	5/16"
7916300	07813	1/4"

SIPHON PUMP



This siphon pump is self priming by simply shaking the pump gently allowing the internal one way valve to evacuate air and draw up fuel through the clear hose. The brass body pump has an anti-static feature that lets you transfer fuel without danger of sparks.

PART NO.	MFG#	DESCRIPTION
7915299	042907	1/2" Dia. X 6' Long

ALL-IN-ONE FUEL LINE ASSEMBLY



Hose ID: 3/8"
Hose Length: 72"

- Fits most 2-prong engine designs for Johnson/Evinrude, Mercury and Yamaha.
- Primer bulb prevents fuel flow back with internal check valve.
- O-Ring construction on all fittings ensures tight, leak-free connections
- Reduces hydrocarbon molecules wicking through the fuel line.
- Low Perm Certified - Meets or exceeds all applicable CARB/EPA regulations (for fuel)

PART NO.	MFG#	DESCRIPTION
7916020	034701-10-1	Fuel Line Kit

ALUMINUM ANTI-SIPHON VALVES



Delivers Coast Guard/Industry standard anti-siphon protection on all gasoline-powered boats. Convenient hose barb design.

PART NO.	MFG#	DESCRIPTION
7915294	033801-10	3/8" Hose Barb x 1/4" NPT
7915296	033802-10	3/8" Hose Barb x 3/8" NPT

REPLACEMENT FUEL LINE CONNECTORS



S188063
Johnson-Evinrude/OMC
502867, 772681
1/4" NPT Fuel Tank Connector
Mates with S188056 or S188092.



S188056
Johnson-Evinrude/OMC
174508, 775640
5/16" Barb Fuel Connector
Mates with S188063.



S188092
Johnson-Evinrude/OMC
176445, 775641
3/8" Barb Fuel Connector
Mates with S188063.



S188070
Mercury/Mariner
30185A3, 30185Q3
5/16" Fuel Connector (Male)
Mates with S188068, S188069 or S188082.



S188068
Mercury/Mariner
1/4" NPT Tank Connector (Female)
Mates with S188070.



S188069
Mercury/Mariner
22831A3, 22831Q3
5/16" Fuel Connector (Female)
Mates with S188070.



S188077
Mercury/Mariner
1/4" NPT Tank Connector
Mates with S188075, or S188085.



S188075
Mercury/Mariner
22-14213M, 2214213A
1/4" Fuel Connector
Mates with S188077.



S188085
Mercury/Mariner
5/16" Fuel Connector
Mates with S188077.



S1880410
Mercury/Mariner
22-13563A3, 22-13563Q3
3/8" Fuel Connector
Mates with S1880412



S1880418
Suzuki 65750-94404
1/4" Fuel Connector
Fits: DT4 - DT140
Mates with S1880409 or S188087.



S1880409
Suzuki 65720-94401
1/4' Fuel Connector (Motor Side)
Fits: DT4 - DT65
Mates with S1880418.



S188087
Suzuki 65720-94411
1/16" Fuel Connector (Motor Side)
Fits: DT75 - DT140
Mates with S1880418.



S1880412
Mercury/Mariner
22-816856A3, 22-816856Q3
5/16" Fuel Connector
Mates with S1880410



S188077
Yamaha
1/4" NPT Tank Connector
Mates with S1880413, S1880414, or S1880415.



S1880413
Yamaha
6Y1-24305-04
1/4" Fuel Connector
Mates with S188077.



S1880414
Yamaha
6G1-24305-05-00, 6G1-24305-04
1/4" (6mm) Fuel Connector
Mates with S188077.



S1880415
Yamaha
6E5-24305-05, 6Y2-24305-05
5/16" Fuel Connector
Mates with S188077.

John/Evin
Mercury
Suzuki
Yamaha

Mercury John/Evin Chrys/Force Suzuki Yamaha Niss/Tohatsu Honda

MOELLER marine products



7916050
Mercury, Combo Kit with 90° Elbow, threads into fuel withdraw on tank & attaches to fuel hose on the engine side. Mates with 7916051



7916051
Mercury, Fitting Attaches to the fuel hose on the fuel tank side. Mates with 7916050



7916052
Mercury, 1998 & Newer Style Engines 1/4" NPT. Threads into fuel withdraw on tank & attaches to fuel hose on the engine side. Mates with 7916053



7916053
Mercury, 1998 & Newer Style Engines 3/8" Barb Plastic Female Fuel Line Tank Connector 1998 and newer style engine: Two-Prong Clip Style Mates with 7916052



7916054
Mercury, 3/8" Barb Female Fuel Line Engine Connector
1998 and newer style engines: Two-Prong Clip Style
Mates with engine.



7916061
Johnson/Evinrude, 3/8" Barb Female Fuel Line Engine & Tank connector
Mates with 7916062



7916062
Johnson/Evinrude, 1/4" NPT Tank connector
Mates with S188056 or 7916061



7916070
Chrysler/Force, 5/16" Barb Chrome Plated Brass Female Fuel Line Engine & Tank connector
Mates with 7916072



7916083
Chrysler/Force, 3/8" Barb Chrome Plated Brass Female Fuel Line Engine & Tank connector
Mates with 7916072



7916072
Chrysler/Force, 1/4" NPT Tank connector
Mates with 7916070



7916080
Suzuki, 5/16" Barb Chrome Plated Brass Female Fuel Line Engine Connector.
For engines over 75 HP.
Mates with 7916082



7916081
Suzuki, 3/8" Barb Chrome Plated Brass Female Fuel Line Engine Connector. For engines over 75 HP.
Mates with 7916082



7916082
Suzuki, 1/4" NPT Tank connector for engines over 75hp
Mates with 7916080 & 7916081



7916083
Suzuki, 3/8" Barb Chrome Plated Brass Female Fuel Line Engine Connector. For Engines up to 75 HP. Mates with 7916084



7916084
Suzuki, 1/4" NPT Tank connector for engines up to 75 HP
Mates with 7916083



7916090
Yamaha, 5/16" Barb Female Fuel Line Engine Connector
Mates with 7916092



7916091
Yamaha, 3/8" Barb Female Fuel Line Engine Connector
Mates with 7916092



7916092
Yamaha, 1/4" NPT Male Fuel Line Engine Connector
Mates with 7916090 & 7916091



7916100
Nissan/Tohatsu, 3/8" Barb Chrome Plated Brass, for Engine size to 90hp Female Fuel Line Engine Connector
Mates with 7916101



7916101
Nissan/Tohatsu, 1/4" NPT Chrome Plated Brass tank connector, for Engine size to 90 HP
Mates with 7916100



7916102
Nissan/Tohatsu, 3/8" Barb Chrome Plated Brass, Female Fuel Line Engine Connector
Mates with 7916103



7916103
Nissan/Tohatsu, 1/4" NPT Chrome Plated Brass tank connector.
Mates with 7916102



7916110
Honda, 1/4" NPT Tank Fitting for 1991 & Newer Style Engines
Mates with 7916111



7916111
Honda 3/8" Barb Chrome Plated Brass Engine Size To 90 HP Female Fuel Line Assembly Tank End Connector. Mates with 7916110



7916112
Honda, 1/4" NPT Tank Fitting
Mates with 7916113



7916113
Honda 3/8" Barb Female Fuel Line Tank Connector
Mates with 7916112



7916114
Honda 3/8" Barb Female Fuel Line Engine Connector.
Mates with engine.

HOSE TO ENGINE CONNECTORS



Honda / Yamaha / Mercury

PART NO.	MFG#	DESCRIPTION
9970-251	05791	For Mercury – 1998 or newer, 3⁄8" hose
9970-299	05815	For Yamaha, 3⁄8" hose

HOSE TO TANK OR ENGINE CONNECTORS



Johnson/Evinrude 3/8"



Johnson/Evinrude 5/16"

PART NO.	MFG#	DESCRIPTION
9970-245	05822	for Johnson/Evinrude, 3⁄8" barb
9970-244	05787	For Johnson/Evinrude, 5⁄16" barb

TANK TO HOSE CONNECTORS



MERCURY - 1998 +



MERCURY BAYONET

PART NO.	MFG#	DESCRIPTION
9970-243	05793	For Mercury – 1998 or newer, 3⁄8" hose
9970-297	07497	Mercury Bayonet Connector 3/8"
9970-319	033492-10	For Nissan 3/8" hose"

TANK FITTING



PART NO.	MFG#	DESCRIPTION
9970-241	04075	For Yamaha

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

PREMIUM FUEL FILL/VENT HOSE



- For connecting fuel deck fill to fuel tank and fuel tank to tank vent
- Thick wall with smooth cover for excellent flexibility and bend radius; 3/4"ID and larger have helical wire reinforcement
- Resistant to aging, fire, heat, cold, ozone and permeation by all marine fuels
- Meet USCG, SAE, ABYC standards; NMMA accepted

PART NO.	MFG#	SIZE	LENGTH
9925-049	327-0346	3⁄4" ID x 1 1⁄8" OD	Per Ft.
9923-075	327-1126	1-1⁄2" ID x 1 7⁄8" OD	Per Ft.
9923-076	327-2006	2" ID x 2 1⁄2" OD	Per Ft.
9925-043	327-0345	3⁄4" ID x 1 1⁄8" OD	25ft Box
9925-044	327-1125	1-1⁄2" ID x 1 7⁄8" OD	25ft Box

TYPE A1 FUEL LINE HOSE



- USCG approved marine fuel line hose
- Thick wall with 2-spiral reinforcement
- Resists fire, heat, cold, ozone, premature aging and permeation by alcohol, diesel and gasoline

PART NO.	MFG#	SIZE	LENGTH
9923-005	365-0560-250RL	5⁄16" ID x 11⁄16" OD	Per Ft.

TYPE B1 BARRIER FUEL LINE



- Fuel Hose for both gasoline and diesel, including ethanol blends
- Built with best fuel and age resistant formulation, 2 spiral reinforcement and unique "barrier liner" on inside surface of tube so fuel is not in direct contact with rubber

PART NO.	MFG#	ID SIZE	LENGTH
9925-140	305-0565	5/16"	25ft Box
9925-141	305-0566	5/16"	50ft Box
9925-142	305-0567	5/16"	100ft Box
9925-143	305-0385	3/8"	25ft Box
9925-144	305-0386	3/8"	50ft Box
9925-145	305-0387	3/8"	100ft Box

PREMIUM FUEL LINE HOSE



- Nylon liner gives extraordinary resistance to aging and permeation by all marine fuels; 2-spiral reinforcement with excellent flexibility, bend radius, resistance to fire, heat, cold and ozone
- Burst 3/8 and 1/2", 400 PSI
- Burst 5/8", 300 PSI
- Exceeds Type A1 (USCG, SAE, ISO ABYC) standards; NMMA accepted; CE certified

PART NO.	MFG#	SIZE	LENGTH
9925-045	365-0380-250RL	3⁄8" ID x 11⁄16" OD	Per Ft.
9925-046	365-0120-250RL	1⁄2" ID x 13⁄16" OD	Per Ft.
9925-048	365-0580-250RL	5⁄8" ID x 1" OD	Per Ft.
9925-040	365-0386	3⁄8" ID x 11⁄16" OD	50ft Box
9925-041	365-0126	1⁄2" ID x 13⁄16" OD	50ft Box
9925-042	365-0585	5⁄8" ID x 1" OD	25ft Box

FUEL LINE



Universal Tygon modified vinyl fuel line is routinely used to handle gasoline, kerosene, heating oils, cutting compounds and glycol-based coolants. It resists swelling, hardening and cracking caused by hydrocarbon-based fluids. Ozone and UV light resistant.
Sold Per Foot.

PART NO.	ID SIZE	OD SIZE	PRESSURE
S188150	1/8"	1/4"	50 PSI
S188151	3/16"	5/16"	35 PSI
S188152	1/4"	3/8"	30 PSI

SILVERADO 4000 TYPE B1
OUTBOARD FUEL LINE



Resistant to ethanol blended fuels. EPA and CARB compliant. THV500 barrier layer with a Nitrile jacket to prevent permeation, a polyester reinforcement and a weather/UV resistant CPE cover. Gray colour keeps the hose cooler and helps prevent vapour lock.

Not fire retardant and is for above deck primer bulb applications. **Sold in 25' and 50' boxes.**

PART NO.	MFG#	DESCRIPTION
3954034	116-337-0565	Fuel Line, 5/16", **25' box**
3954036	116-337-0566	Fuel Line, 5/16", **50' box**
3954035	116-337-0385	Fuel Line, 3/8", **25' box**
3954040	116-337-0386	Fuel Line, 3/8", **50' box**

LOW PERMEATION TYPE A1 MARINE FUEL HOSE



Low Permeation Marine Fuel Hose has a plastic barrier veneer with an NBR outer layer tube to prevent permeation. Polyester reinforced hose complies with EPA and CARB very low permeation requirements and is weather/UV resistant. Primarily used for fuel feed (gasoline up to 85% ethanol blended fuels/diesel/all bio-diesel blends).

Meets USCG Type A1–15 requirements for pleasure boats and meets SAE J1527 Type A1 – 15, ISO 7840 Type A1 and NMMA/CE Type accepted standards. Temperature range -20°F to 212°F.
Sold in 25', 50' and 250' boxes.

PART NO.	MFG#	DESCRIPTION
3954041	116-368-0385	Fuel Line, 3/8", **25' box**
3954042	116-368-0386	Fuel Line, 3/8", **50' box**
3954043	116-368-0380	Fuel Line, 3/8", **250' box**
3954051	116-368-0125	Fuel Line, 1/2", **25' box**
3954052	116-368-0126	Fuel Line, 1/2", **50' box**
3954053	116-368-0120	Fuel Line, 1/2", **250' box**

FIRE-ACOL TYPE A2 FUEL VENT HOSE



Fire-Acol Fuel Vent hose resists gasoline/alcohol blended fuel and is fire resistant. Features a weather/UV resistant NBR/PVC cover.

Primarily used for fuel vent lines (gasoline up 85% ethanol blended fuels/diesel fuels). It meets USCG Type A2 req. for pleasure boats and meets SAE J1527 Type A2, ISO 7840 Type A2 and NMMA/CE Type accepted standards. Temperature range -20°F to 160°F.
Sold in 25' and 50' boxes.

PART NO.	MFG#	DESCRIPTION
3954556	116-369-0585	Vent Hose, 5/8", **25' box**
3954557	116-369-0586	Vent Hose, 5/8", **50' box**

FUEL HOSE, TRANSLUCENT



SOLD PER FT

The FuelFLEX 65 product line is made especially for intermittent use with petroleum based products. Its distinct translucent yellow colour identifies it as a fuel line, but also allows the user to monitor flow. The special PVC formulation uses a specific plasticizer that will not crack or dry out like other PVC compounds will in the presence of petroleum based products.

This product is not A1 RatedDimensions:

- **3/8"** - ID x 1/2" OD x 1/16" Wall
- **1/2"** - ID x 5/8" OD x 1/16" Wall

PART NO.	MFG#	ID SIZE
3954048	8365-4430	3/8"
3954049	8365-4505	1/2"

SHIELDS COMFLEX HOSE
TYPE A1 ALL-IN-ONE HOSE



SOLD PER FT

Comflex is a versatile wire reinforced hose specially designed for inspected vessels. Comflex is rated for fuel, vital water and non-vital water systems on boats requiring SAE J1942 hoses.

Applications include bilge, coolant, oil and fuel systems using gasoline, gasohol, diesel, bio-diesel, wet exhaust systems, non-potable water systems, engine intake, toilet and holding tank connections.
Tube: Black Nitrile **Reinforcement:** 2 textile plies w/ dual wire helix
Cover: Black Chlorprene **Temp. Range:** -20°F to +212°F

Specifications: SAE J1942 Code F, VW, NVW; SAE J1527 A1; SAE J2006 R2; SAE 20R2 B; SAE J20R4 B; SAE 20R5 B, SAE 30R5, ISO 7840 A1

PART NO.	MFG#	DESCRIPTION
3954058	116-321-0580	5/8" ID x 1.0" OD
3954075	116-321-0340	3/4" ID x 1.19" OD
3954100	116-321-1000	1" ID x 1.41" OD
3954125	116-321-1140	1-1/4" ID x 1.66" OD
3954150	116-321-1120	1-1/2" ID x 1.91" OD
3954200	116-321-2000	2" ID x 2.48" OD

FUEL FILL HARDWALL HOSE



SOLD PER FT

High nitrile tube resists permeation of alcohol enhanced fuels. Reinforced with two spirals of high strength synthetic fabric to provide excellent bend radius.

Fill hose sizes feature helical wire imbedded between fabric plies for superior kink resistance and durability. **Type A2 resists gasoline and diesel.** Meets SAE J1527 Type A2 & ISO 7840 Type A2 NMMA/CE Type accepted.

PART NO.	MFG#	ID SIZE
3953125	1 1/4"OILSUC-Q	1-1/4" (Not TC Approved)
3953150	116-355-1120	1-1/2" TC Approved
3953200	116-350-2000	2" TC Approved

OIL RESISTANT MP HOSE



SOLD PER FT

Multipurpose hose for gas, oil, air, water, chemicals. Red neoprene cover, synthetic braided yarns reinforcement. **Working pressure of 250 PSI temp rating 180°F. This hose is NOT Transport Canada approved for gasoline.**

PART NO.	MFG#	ID SIZE
3907038	3/8" VERSICON	3/8"
3907050	1/2" VERSICON	1/2"
3907058	RPH-10-REEL	5/8"
3907075	3/4" VERSICON	3/4"
3907100	1" VERSICON	1"
3907125	1 1/4" VERSICON	1-1/4"
3907150	1-1/2"VERSICON	1-1/2"

BRONZE FUEL TANK FITTINGS



Made to bolt or screw into fibreglass fuel tanks. The 1" fitting is designed to fit close to the tank bottom for draining.

PART NO.	THREAD SIZE	BOLT CIRCLE	BOLT HOLES
4000144	1/2"	1.5"	3- 1/4"
4000145	3/4"	2.25"	4- 1/4"
4000146	1"	3.25"	5-1/4"

PIPE DECK PLATES

BUCK ALGONQUIN MARINE HARDWARE



Available in Bronze Or Stainless Steel plate for pipe, with O-ring seal. Requires #10 mounting screws.

Bronze Plate Deck Plates

PART NO.	DIAMETER	DESCRIPTION
712150	1-1/2"	Diesel
712200	2"	Diesel
712152	1-1/2"	Cover Only
712202	2"	Cover Only
712151	1-1/2"	Key Only
712201	2"	Key Only
712153	1-1/2"	O-Ring
712203	2"	O-Ring

Stainless Steel Deck Plates

PART NO.	DIAMETER	DESCRIPTION
713150	1-1/2"	Diesel
713200	2"	Diesel
713152	1-1/2"	Cover Only
713202	2"	Cover Only
712153	1-1/2"	O-Ring
712203	2"	O-Ring
712151	1-1/2"	Key Only
712201	2"	Key Only

DECK FILLS FOR PIPE – CAST BRZ

PERKO



- Unmarked, complete with key

PART NO.	MFG#	DESCRIPTION
9972-280	0528008PLB	For 1-1⁄2" pipe
9972-282	0528009PLB	For 2" pipe
9972-277	0528P0899A	Replacement Cover, 1-1⁄2"
9972-276	0528P0999A	Replacement Cover, 2"

S/S DECK FITTING FOR HOSE



"O" Ring Seal Marked water, waste, diesel or gas.
Fits: 1-1/2" ID Hose, 1-1/2" cap thread.
Overall diameter: 3"
Overall length: 3-1/4"
Requires #10 Mounting Screws.
Stainless Key Included
Splash Guard with 7140153

PART NO.	MFG#	DESCRIPTION
7140150	30103	Water, Fit 1-1/2" Hose
7140155	30104	Waste, Fit 1-1/2" Hose
7140152	30101	Gas, Fit 1-1/2" Hose
7140151	88376-2	Cap for 1-1/2"
7140153	88372-2	Gas 1-1/2" Hose w/Guard
713210	30202	Diesel, Fit 2" Hose
713211	88379	Cap for 2"

DECK FILLS FOR HOSE STAINLESS STEEL



- 316 SS complete with key

PART NO.	MFG#	SIZE	DESCRIPTION
9972-240	80205-DIESEL	1-1/2" Deck Fill	Diesel
9972-241	80205-GAS	1-1/2" Deck Fill	Gas
9972-242	80205-WATER	1-1/2" Deck Fill	Water
9972-243	80205-WASTE	1-1/2" Deck Fill	Waste
9972-245	8407019-K	1-1/2" Deck Fill	Repl. key - 1-1/2"
9972-246	80206-DS	2" Deck Fill	Diesel
9972-247	80206-GS	2" Deck Fill	Gas
9972-248	80206-WT	2" Deck Fill	Water
9972-249	80206-WS	2" Deck Fill	Waste
9972-245	8407019-K	2" Deck Fill	Repl. key - 1-1/2"

LOCKING HOSE DECK FILL

SEADOGLINE



Locking Hose Deck Fills prevent fuel theft and include two keys. The Body Marking **GAS** fits 1-1/2" hose. The Body Marking **DIESEL** fits 2" hose. Investment Cast 316 Stainless #10 Mounting Screws.

PART NO.	MFG#	DESCRIPTION
7140100	351320L	Deck Fill, Gas, 1-1/2" Locking
9972-234	351321L	Deck Fill, Diesel, 1-1/2" Locking
7140105	351331L	Deck Fill, Diesel, 2" Locking

LOCKING DECK FILLS FOR DIESEL & GAS

PERKO



- Chrome plated zinc alloy flange with black plastic body and cap; locking cap has cover for key hole
- Cap retainer and gasket
- Fits 1 1/2" hose

PART NO.	MFG#	DESCRIPTION
9972-238	0599DPDCHR	Diesel
9972-239	0599DPGCHR	Gas

DECK FILLS WITH INSERTS

PERKO



- Suitable for 1-1⁄2" fill hose and 5⁄8" vent hose
- Chrome plated bronze with stainless steel scalloped cap; black plastic body
- Deck plate key and colour coded resin inserts for gas, diesel and water included
- Take #8 screws

PART NO.	MFG#	VENTED	DESCRIPTION
9972-252	0582DP0STS	Yes	Angled, GAS
9972-253	0030DP0004		Replacement inserts, kit of 4

VENTED FILL



Chrome plated bronze cap with straight neck and black polymer body. Stainless steel bead chain and integral tank vent with flame arrestor and anti-surge valve. Deck plate key included.

- **Requires #8 mounting screws.**
  Hose Size: 1-1/2"
  Vent Hose: 5/8" **Neck Length:** 2-7/16"

PART NO.	MFG#	DESCRIPTION
7141250	0541DPGCHR	Gas w/Vent
7141255	0541DPWCHR	Water w/Vent
7141260	0541DPDCHR	Diesel w/Vent

VENTED FILL



2" Diesel fuel fill is constructed of chrome plated bronze and an integral tank vent with flame arrester. Deck plate key, O-ring and integral retainer on cap included. Ground wire required.
Requires #8 Mounting Screws.
Fuel Hose: 2" **Vent Hose:** 5/8"
Neck Length: 3-5/8"

PART NO.	MFG#	DESCRIPTION
7141220	0577D00CHR	Diesel with 2" Vent

LOCKING CAP FOR DECK FILLS



PART NO.	MFG#	DESCRIPTION
9972-283	1324DP0BLK	Locking cap for 1 1/2" deck fill

DECK PLATE KEYS



PART NO.	MFG#	DESCRIPTION
9972-288	12487-8DP	Rpl key, fits Perko 1-1/2" deck fills
9972-289	1248009DP	Rpl key, fits Perko 2" deck fills

NYLON DECK FITTING FOR HOSE



Cap completely covers unit. 70% nylon, 30% glass fiber, complete with GPCS adhesive name plates waste, water, diesel, fuel gas and petrol.
Requires #8 mounting screws.

PART NO.	MFG#	DESCRIPTION
7122150	40017	1-1/2" Deck Fitting
7122200	40018	2" Deck Fitting

EMERGENCY DECK FILL PLUG





This Emergency Deck Fill Plug is a must for any vessel. It fits most 1-1/2" hose deck fills in the event you lose your cap. For temporary use only until you can replace your OEM cap. Constructed of fuel resistant Nitrile-Buna rubber.
Dimensions: A: 2-3/8", **B:** 1-5/16", **C:** 1-7/8"

PART NO.	MFG#	DESCRIPTION
7130000	357390-1	Emergency Deck Fill Plug

DECK PLATE KEY–UNIVERSAL



Handy, pocket-sized tool for multiple applications: all deck plate caps – slotted, raised lug, spaced hole, and winch handle. Also has common hose clamp hex slots, shackle key, screwdriver and bottle opener.

PART NO.	MFG#	DESCRIPTION
9972-318	54020	Universal

SNAP TOOL MULTI KEY



- Deck plate key fits most caps
- Snap/un-snap canvas snaps
- Other uses: Hex wrench, zipper puller, screwdriver, cutting tool, scraper etc.
- 4-1/2" L x 2-3/4" W
- Stamped 304SS

PART NO.	MFG#	DESCRIPTION
3270062	382	Snap Tool, Multi-key

HINGED DECK PLATE KEY



- For removing cap from Groco water strainer or any deck plates with 2 pin holes up to 7" apart
- Cast bronze with 1/4" and 5/16"stainless steel pins

PART NO.	MFG#	DESCRIPTION
9922-225	SW-2531	Cast bronze

HINGED DECK PLATE KEY



Bronze constructed 6" deck plate key opens to 5". Drilled for lanyard has bronze 3/16" pins on one side and 5/16" on the other.

PART NO.	MFG#	DESCRIPTION
712301	335680-1	Heavy Duty Deck Plate Key

FUEL TANK VENTS



Available in chrome plated brass or 316 stainless steel both with w/Monel Screen. For Hulls Up To 25.4mm Thick.

PART NO.	MFG#	DESCRIPTION	
7200546	13510	Chrome Plated	Fuel Tank Vent 5/8"
7200547	80210	316 S/S	Fuel Tank Vent 5/8"

90° ELBOW FUEL VENT



7200545 7200544 7200543

Monel fine screen.

PART NO.	MFG#	DESCRIPTION
7200545	13514	Chrome Vent 5/8"–Down Vents
7200544	80211	S/S Vent 5/8"–Up Vents
7200543	13517	Chrome Vent 1/2"–Up Vents

GAS TANK VENT 90° (RETAIL PACKAGED)



Made of chrome plated machined brass. **Sold 1 per pack.**

PART NO.	MFG#	A	B	C
9801300	352030-1	7/8"	2-3/8"	5/8" Hose

FUEL TANK VENT



7200542 9972-267

Gas tank vent. Chrome plated zinc alloy with black plastic splash guard. Removable 30 mesh stainless steel wire screen flame arrestor.
Hose size: 5/8"
Max hull thickness:
3/4" for 7200542
1" for 9972-267

PART NO.	MFG	DESCRIPTION
7200542	0506DP4CHR	Fits 5/8" Hose
9972-267	0561DP4CHR	90° zinc elbow , Fits 5/8" hose

FUEL TANK VENTS



Chrome plated bronze with removable 30 mesh stainless steel wire screen flame arrestor. Available for 5/8" or 3/4" hose applications.

PART NO.	MFG#	DESCRIPTION
9972-269	0509DP4CHR	Straight, for 5/8" hose
9972-270	0509DP5CHR	Straight, for 3/4" hose

FLUSH TANK VENT STAINLESS STEEL



- Flush design with attractive face allows easy fuel system pressure testing
- barb up installation prevents water contamination

PART NO.	MFG#	DESCRIPTION
9972-274	8906222	5/8" hose

ANGLED BREATHER NIPPLES – 316 SS



- Breathing capacity fulfills CE requirements
- Provided with easily cleaned stainless steel gauze, which functions as a flame arrester

PART NO.	MFG#	DESCRIPTION
9991-848	AB16B	5/8" Hose
9991-849	AB25B	1" Hose
9991-850	AB38B	1-1/2" Hose

"IN-HOSE" CHECK VALVE FLAPPER VALVE



- Perko's new patent pending "Flapper Valves" fits inside the hose itself
- In-pipe ICVs mount inside standard 1-1/2" or 2" (Diesel only) fill pipes near the connection to the fuel tank
- Eliminates the need to retool existing doghouse on plastic tanks
- Replaces in-line ICVs, eliminating 4 hose clamps & 2 leak points
- Also ideal for bilge systems and other applications

PART NO.	MFG#	DESCRIPTION
9972-236	0635DP0	1-1/2" hose
9972-237	0635DP2	2" hose

FUEL TANK VENT



Splash-resistant fuel tank vent is made of corrosion-resistant polypropylene.
Hose Size: 5/8" ID
Hull Thickness: 7/8" Max.
Hole Size: 3/4" Dia. for installation

Meets ABYC ventilation specifications and US Coast Guard regulations.

PART NO.	MFG#	DESCRIPTION
7200541	1607-3	Straight Vent, Black

RACOR LIFEGUARD FUEL VENT FILTER



Installed in the fuel tank vent line, it efficiently separates air from fuel forced into the line. Air is vented and all fuel is returned to the tank. Model LG100 is specifically designed to be used with gasoline or diesel.

Specifications LG100:

- **Dimensions:** 3-3/4"D x 9-3/4"L
- **Max Air Flow:** 17 CFM
- **Thermal Expansion:** 2.4 PSI
- **Vent Line Size:** 5/8"

PART NO.	MFG#	DESCRIPTION
3142210	LG100	Lifeguard Fuel Vent Filter

SPLASH-STOPS

- Ensures that overflowing fuel and foam will be caught inside the reservoir; excessive fuel will flow back into the main tank through the connection that also provides tank ventilation
- Connects directly to a 1-1⁄2" or 2" diameter deck fill (sold separately)





Splash-Stops for Diesel Fuel

- 0.6 gallon reservoir

PART NO.	MFG#	DESCRIPTION
9991-470	FS3816	1-1⁄2" filler cap, 5⁄8" breather
9991-471	FS5116	2" filler cap, 5⁄8" breather
9991-472	FS5125	2" filler cap, 1" breather





Splash-Stops for Diesel Fuel and Gas

- Anodized aluminum housing and hose connection
- Materials comply with CE and ABYC standards

PART NO.	MFG#	DESCRIPTION
9991-882	FSA3816	For 1-1⁄2" deck entry
9991-883	FSA5116	For 2" deck entry

BRASS IN LINE CHECK VALVE



Brass Body & Stainless Steel inside nut.

PART NO.	MFG#	DESCRIPTION
7554050	103CV-D	1/2"
7554075	103CV-E	3/4"
7554100	103CV-H	1"
7554125	103CV-J	1-1/4"
7554150	103CV-K	1-1/2"
7554200	944435	2"

GROUND KEY PLUG TYPE LEVER HANDLE



PART NO.	MFG#	DESCRIPTION
3171302	241-A	1/8"
3171301	241-B	1/4"

BRASS DRAIN COCKS BACK SEATING TYPE



PART NO.	MFG#	DESCRIPTION
317126	240-A	1/8"
317130	240-B	1/4"
317127	240-C	3/8"

THREE WAY BRASS VALVE WITH CLICK



Three way shut off with mounting bracket. Flow from either of two side ports to center port with all ports female pipe. They are recommended for low pressure use in gasoline, oil, air, water and detergent systems. Great for double fuel tanks. 3/8" FPT.

PART NO.	MFG#	DESCRIPTION
5335306	2101-C	Three Way Brass Valve w/Click

FOUR WAY VALVE WITH CLICK



Four position click valve with mounting bracket will flow from center port on the bottom to three ports on top or close flow completely. 3/8" FPT.

PART NO.	MFG#	DESCRIPTION
5335406	2102-C	Four Way Valve

TOPSIDE TANK HOLD DOWN KIT



This Moeller hold down kit for topside and permanent fuel tanks includes two universal nylon straps with easy to use quick release buckles, four stainless steel hold down brackets and mounting screws.

PART NO.	MFG#	DESCRIPTION
7915398	035711-10-1	Top Side Hold Down Kit

CRADLE TANK HOLD DOWN KIT



This Moeller cradle tank hold down kit is designed to fit a wide range of common fuel tanks. INCLUDES:

- 8 x 22"L tank cradle metal straps
- 2 x 1/4"-20 x 3" fully threaded hex head bolts
- 8 x 1/4"-20 x 1/2" cap screws
- 10 x 1/4"-20 Nyloc nuts
- 4 x #14 x 1-1/4" Phillips button head screws

PART NO.	MFG#	DESCRIPTION
7915397	300110	Cradle Hold Down Kit

FUEL TANK CUSHION MOUNTING STRIPS



These black self-adhesive mounting strips provide a cushion between the fuel tank and the hull and provide room for air circulation. They can be used on bellow deck or topside tanks. They are a closed cell poly foam construction and can also be used for padding with hold down straps. **Sold in Pairs.**

PART NO.	MFG#	DESCRIPTION
7915399	035731-10	2"W x 30"L x 1/4" Thick, 2 Pk.

FLEXIBLE FUEL PICK UP TUBE



These flexible fuel pick up tube assemblies will reach precious fuel that your straight pick up tube will not. Aluminum wire coil to prevent the hose from getting tangled up, a brass weight to keep the end at bottom & a S/S screen at end for filtering.

- Thread 1/4" NPT
- Tube 3/8"

PART NO.	MFG#	DESCRIPTION
7915390	635021-10	22" Long Tube
7915391	635022-10	36" Long Tube

HOLD DOWN KIT



These brackets allow you to properly secure your permanent fuel tank. There are convenient hold down grooves moulded directly into the fuel tank shell and they are perfectly fitted for the hold down brackets.

PART NO.	MFG#	DESCRIPTION
7915400	035710	Kit, 4 pcs.

DIESEL FUEL SENDER RETURN KIT



This diesel fuel sender has a return line fitting in place for all your diesel and gas injected engine requirements. It is made of corrosion resistant materials and is compatible with 33 to 240 ohm dash mounted fuel gauges (sold separately).

Adjustable for tank depths from 12"–24" (305 – 610mm).

Gasket and Hardware are included



PART NO.	MFG#	DESCRIPTION
7915402	035724-10	12V w/Return Line

TANK SENDING UNIT



- Swingarm can float the exact length for accurate fuel level
- Calibrated to the industry standard of 33-240 Ohms
- Complete with 5 hole gasket and screws

PART NO.	MFG#	DESCRIPTION
9970-343	035725-10	4-28" tank depth

FUEL AND WATER SENDING UNITS



- Can be used with water-gasoline-diesel-hydraulic oil
- Mounting requires 1-1/4" BSP thread or FL-2 flange adapter. Standard lengths as shown; other lengths available



PART NO.	MFG#	DESCRIPTION
9945-537	S3U12-153100	12"
9945-544	S3U14-153102	14"
9945-549	S3U16-153104	16"
9945-538	S3U18-153106	18"
9945-550	S3U-20-153108	20"
9945-542	JSP00172	FL-2 mounting flange

For the most up to date pricing, please visit maritimemarinesupply.ca/price

PERMANENT BELOW DECK FUEL TANKS

Utilizes rotationally moulded, cross-linked polyethylene plastic, allowing for complex shape designs beyond conventional and restricted aluminum tanks. Our fittings hold the highest OD and ID tolerances in the industry, ensuring you the highest level of input flow available during tank refuelling. Machined aluminum 3/8" withdraw fitting has 360° rotational capability for hook-up convenience, and a 1-1/2" easily accessible fill spout. Ideally suited for gasoline and diesel use with appropriate return kit.

These tanks include a pre-installed fuel sender.Conforms to all ABYC, NMMA and U.S. Coast Guard regulations.



7915412
12 Gallon



7915612
12 Gallon



7915413
13 Gallon



7915414
14 Gallon



7915418
18 Gallon



7915419
19 Gallon



7915619
19 Gallon



7915423
23 Gallon



7915425
25 Gallon



7915426
27 Gallon



7915427
27 Gallon



7915435
35 Gallon



7915440
40 Gallon



7915450
50 Gallon



7915458
58 Gallon

PART NO.	CAPACITY	LENGTH	WIDTH	HEIGHT
7915412	12 Gallon (45L)	20.00"	14.00"	11.75"
7915612	12 Gallon (45L)	24.50"	18.50"	7.25"
7915413	13 Gallon (49L)	32.00"	10.19"	10.19"
7915414	14 Gallon (53L)	18.00"	11.75"	16.25"
7915418	18 Gallon (68L)	36.50"	18.25"	7.25"
7915419	19 Gallon (72L)	26.00"	16.00"	11.75"
7915619	19 Gallon (72L)	18.50"	14.00"	18.00"
7915423	23 Gallon (87L)	24.00"	20.00"	12.00"
7915425	25 Gallon (95L)	47.00"	18.03"	7.50"
7915426	27 Gallon (102L)	36.00"	11.81"	16.28"
7915427	27 Gallon (102L)	36.50"	16.00"	11.75"
7915440	40 Gallon (151L)	26.00"	20.50"	18.50"
7915450	50 Gallon (190L)	45.00"	12.50"	22.00"
7915458	58 Gallon (220L)	44.00"	21.50"	18.75"

18 GALLON TOPSIDE FUEL TANK



Topside Tank for EPA-Compliant boats built after 2011. Manufactured from a sturdy, high-density polyethylene material, these tanks are designed for recreational use in the harsh marine environment. Lightweight tanks are non-corrosive, unbreakable and dent resistant.

Tanks are specifically certified and comply with industry requirements.
ISO and CSA certified 1/4" NPT fuel withdraw adapter.

PART NO.	CAPACITY	LENGTH	WIDTH	HEIGHT
7915320	18 Gallon (68L)	28.00"	15.00"	12.37"

CENTER CONSOLE & BOSTON WHALER TOPSIDE TANKS



These Moeller Marine topside fuel tanks are manufactured with high density, cross-link polyethylene with UV-stabilized resin. They will not delaminate, rust, or experience galvanic corrosion. Designed specifically for use in Boston Whaler Montauk 15' and 17' center consoles and other popular makes and models built before 2011.

These tanks have Moeller's exclusive PL3 pickup design with 360° swivel and include a 305194 - 12.25" Kelch fuel cap with sight gauge and vent.

PART NO.	CAPACITY	LENGTH	WIDTH	HEIGHT
7915322	22 Gallon (83L)	29.25"	20.50"	12.25"

NO-SMELL FILTERS FOR DIESEL TANKS



- Eliminate the unpleasant diesel fuel odours that may escape through the breather line, which is required for all fuel tanks
- **The changeable filter element should be replaced once a year**

PART NO.	MFG#	DESCRIPTION
9991-473	NSF16DS	Small, 5⁄8" hose
9991-441	NSF16FES	Spare filter element, small

UNIVERSAL INSPECTION PORT



- Large inspection port for (bio) diesel fuel, fresh water and waste water tanks has a flange-in-ring design which makes installing the port very easy in tanks constructed from most common materials
- Suitable for G.R.P., stainless steel and plastic tanks with different wall thicknesses

PART NO.	MFG#	DESCRIPTION
9991-880	ILT120B	6-1/4" cutout/ 4-3/4" clear opening

25L DIESEL TANK KIT

- Made from high-grade linear polythene
- Tank is seamless and therefore, can never leak
- Includes hold-down straps
- 2" molded inlet, 5/16" fuel lines, 3/4" breather





PART NO.	MFG#	DESCRIPTION
9991-456	FTANK25	Kit

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

ALL PURPOSE TANK



- This new universal tank is suitable for diesel, fresh water or waste water
- Made of thick walled high grade linear polythene, which is both rust free and less prone to condensation compared with a metal tank
- The contents level can be seen from outside for easy checking
- Supplied with labels which are used to specify the tank contents (diesel, fresh water or waste water)
- Supplied without fittings and therefore these can be installed wherever you choose



9991-469



9991-466
9991-467
9991-468

PART NO.	MFG#	GAL / LTR	LENGTH	WIDTH	HEIGHT
9991-447	ATANK042	11/42	18"	14	11-3/8"
9991-412	ATANK061	16/61	26"	14	11-3/8"
9991-413	ATANK088	23/88	31-1/2"	15-3/4"	13
9991-414	ATANK110	29/110	47	14	11-3/8"
9991-417	ATANK215	57/215	39-1/2"	15-3/4"	23-5/8"

Connection Kits for Diesel Fuel Tanks

PART NO.	MFG#	DESCRIPTION
9991-466	FTL3808B	5⁄16" (8 mm)
9991-467	FTL3810B	3⁄8" (10 mm)
9991-468	FTL3815B	5⁄8" (15 mm)

Interconnection Kit

PART NO.	MFG#	DESCRIPTION
9991-469	FTLDB	For two fuel tanks



IN-LINE GLASS FUEL FILTER



PART NO.	MFG#	DESCRIPTION
9943-078	033319-10	In-line fuel filter
9943-079	033318-10	Rpl elements, pkg of 3

IN-LINE FUEL FILTERS



9970-235



9970-236

- 10 micron filtration
- The clear-vial design enables visual inspection of fuel

PART NO.	MFG#	DESCRIPTION
9970-235	033317-10	Filter, 3/8" Barb
9970-236	033316-10	Filter, 5/16" Barb



JERRY CANS

Made of high-density polyethylene material, these cans are lightweight and non-corrosive keeping your valuable spare fuel safe and clean. These containers also feature user-friendly "easy pour" self-venting spouts and safety lock caps.



7915100
20 L Diesel



9970-265
20 L Diesel



7915103
20 L Water



9970-260
5 L Gas



7915102
20 L Gas



9970-263
20 L Gas



7915107
25 L Gas



7915105
10 L Gas

PART NO.	MFG#	DESCRIPTION
7915100	03711	20L/5.3 Gal.,Yellow Diesel
9970-265	07649	20L/5.3 Gal.,Yellow Diesel
7915103	04933	20L/5.3 Gal.,Blue Water
9970-260	07081	5L/1.3 Gal.,Red Gasoline
9970-263	07622	20L/5.3 Gal.,Red Gasoline
7915102	03609	20L/5.3 Gal.,Red Gasoline
7915107	07539	25L/6.6 Gal.,Red Gasoline
7915105	07079	10L/2.5 Gal.,Red Gasoline

PORTABLE FUEL TANKS

Manufactured from a sturdy high- density polyethylene, these tanks are designed for recreational use in the harsh marine environment. Lightweight, with stout handles for easy transport, tanks are non-corrosive, unbreakable and dent resistant. Tanks are specifically certified and comply with industry requirements.
ISO and CSA certified 1/4" NPT fuel withdraw adapter.

3 GALLON FUEL TANKS

SCEPTER





PART NO.	DESCRIPTION	LENGTH	WIDTH	HEIGHT
7915303	3 Gallon no gauge	17"	10.5"	8"
7915304	3.2 Gallon w/gauge	14.3"	10.4"	9.1"

6 GALLON FUEL TANKS

SCEPTER





PART NO.	DESCRIPTION	LENGTH	WIDTH	HEIGHT
7915305	6 Gallon no gauge	20.7"	13"	10.9"
7915307	6.6 Gallon w/gauge	21.5"	14.3"	9.3"

9 GALLON FUEL TANK

SCEPTER



Featuring Scepter's 2-way vented cap and convenient fuel sight gauge, this 9 Gallon portable marine fuel tank is made from UV stabilized HDPE. Certified to international standards.

PART NO.	DESCRIPTION	LENGTH	WIDTH	HEIGHT
9970-287	9 Gallon w/gauge	22.9"	14.3"	11.5"

12 GALLON FUEL TANKS

SCEPTER





PART NO.	DESCRIPTION	LENGTH	WIDTH	HEIGHT
7915313	12 Gallon w/gauge	24.3"	18.1"	10.75"
9970-288	12 Gallon w/gauge	23"	14"	14"

SCEPTER

REPLACEMENT FUEL CAP

High quality replacement vented fuel cap fits scepter tanks.



PART NO.	MFG#	DESCRIPTION
7915300	04083	Vented Fuel Cap

UNDER SEAT PORTABLE MARINE TANK

SCEPTER

Convenient stackable design for storage of multiple tanks.





PART NO.	DESCRIPTION	LENGTH	WIDTH	HEIGHT
7915302	3 Gallon w/gauge	19.3"	12.2"	6.8"
7915308	6 Gallon w/gauge	19.3"	12.2"	10.2"

PORTABLE FUEL TANK

MOELLER marine products







Designed for easy and stable storage, even in tight places. A reserve fuel area is designed right into the tank by means of a partitioned bottom. When the gauge registers empty, simply tilt the tank and the reserve fuel supply becomes available.

Features:

- Manually vented closure cap
- Universal 1/4" NPT fuel pick-up adapter
- Sight Gauge

Meets ABYC standards. ISO and CSA certified.

PART NO.	DESCRIPTION	LENGTH	WIDTH	HEIGHT
7915403	3 Gallon, w/Gauge	17"	9"	9-1/4"
7915406	6.5 Gallon, w/Gauge	21-1/2"	13-1/4"	9-3/4"

ALL-IN-ONE PORTABLE FUEL TANK KIT

MOELLER marine products





All-in-One portable 6.5 gallon Fuel Tank Kit well suited for applications with 2 prong barb engine fitting:1998 & Up Mercury, All Johnson/Evinrude and most Yamaha O/B engines.

Features:

- Large carry handle
- reserve fuel area
- Low profile 360° withdrawal swivel
- Manually vented closure cap
- Universal 1/4" NPT fuel pick-up adapter
- Sight Gauge with glass lens
- Meets ABYC standards; ISO and CSA certified

Kit Includes:

- Ultra 6, Moeller 6.5 galon fuel tank (CSA and ISO13591 certified)
- 1 Universal Fuel Line w/primer bulb
- 1 Quick disconnect to tank fuel connector
- 3 Fuel line connectors (Johnson/ Evinrude, Mercury, Yamaha)
- 1 Tank Connector with sealant
- 1 Hose clamp

PART NO.	DESCRIPTION	LENGTH	WIDTH	HEIGHT
7915409	6.5 Gallon w/gauge	21-1/2"	13-1/4"	9-3/4"

For the most up to date pricing, please visit maritimemarinesupply.ca/price

DURAMAX FLO N' GO 14 GAL. (53 L) PORTABLE FUELING STATION

SCEPTER







Safe, fast and convenient way to refill gas-powered tools, lawn tractors, boat engines, generators, snowmobiles, ATVs, etc. The DuraMax is ideally suited for farm and rural use as well as cottage and marine applications. Made from high density polyethylene, Resistant to corrosion and denting. Its sturdy six-inch wheels and extra-deep handle make it easy to deliver fuel dockside when refuelling boats or powered water craft. The patented gas pump handle allows you to eliminate spillage and overfills by stopping and restarting the flow of gas. Stands vertically or lay horizontally when refuelling gas powered engines.

- Easy To Use
- Patented Pump Handle
- Spill-Proof Shut-Off
- Sturdy 6" Wheels
- Bolt-On Hangar For Convenient Hose Storage
- Flow Rate of 2 Gallons Per Minute in Siphon Mode

Capacity: 14 Gal /53L **Flow Rate:** 2 GPM in siphon mode
Product Weight: 19 lbs **Product Dim:** 34"H x 16-1/2"W x 12-3/4"D

PART NO.	MFG#	DESCRIPTION
7915510	06792	Flo N' Go Fuel Tank

POWERED FUELING STATIONS

SCEPTER

Scepter's Powered Fueling Station is Convenient, Efficient and Portable. It is equipped with a Fill-Rite® fuel pump and an adjustable FLO N'GO® queeze handle. It can be operated cordless or from a 120V/12V source using the appropriate power cable (included).



- Long Reach 10 foot (3meter) Hose.
- Adjustable Flow Rate handle preventing overfill.
- Flow Rate, 4.5 GPM, using 8 x AA Batteries. (good batteries can provide up to 150 Gl.)
- Flow Rate, 6.0 GPM, using Power Cables.
- Rugged all terrain 6" poly-wheels.

Included: 120V Adapter
12V Accessory Adapter
12V Alligator Clips

PART NO.	MFG#	DESCRIPTION
7915502	PFSG1421	Fueling Station, Gas, 14gal.
7915503	PFSD1421	Fueling Station, Diesel, 14gal.

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

5 GALLON RACING JUG WITH TRANSFER PUMP



TRFA01 transfers automatically with a push of the button

- Power: Four (AA) Batteries, Sold Separately
- Flow Rate: 2.3 Gallons per Minute
- Suction Tube: 23 inch
- Discharge Hose: 51 inch or 4.25ft
- Compatible Liquids: Racing Fuels
- Great for refueling Boats right from the dock
- Includes Transfer Pump, 5 Gallon Jug, Gas Can Adapter & Manual

PART NO.	MFG#	DESCRIPTION
7200034	20158 - TRJ5XLR	Battery powered Tranfer Pump & Jug

ELECTRIC POWERED BUCKET TRANSFER PUMP



The TRPAIL is an electrically powered pail pump to transfer motor oil, hydraulic fluid, and other liquids from 5 gallon pails. With a powerful DC motor the TRPAIL can discharge liquids up to 4 gallons per minute.
Does not include bucket

- Applicable liquids: Motor oil, hydraulic fluid, gasoline, diesel, DEF(AdBlue), water, kerosene, antifreeze, windshield washer fluid, mild detergents, agricultural chemicals
- Pumps up to 4 gallons per minute (Oil 1.3 GPM)
- Flow control quick-stop safety nozzle
- Telescopic to fit larger buckets and pails up to 22 inches in height
- Powered by 110v AC plug-in

Pail not included

PART NO.	MFG#	DESCRIPTION
7200035	20078 - TRPAIL	Battery powered Tranfer Pump & Jug

UTILITY JUG BATTERY POWERED FUEL TRANSFER PUMP



TRFA01-XL transfers automatically with a push of the button



Gas can not included

- Power: Four (AA) Batteries, Sold Separately
- Flow Rate: 2.3 Gallons per Minute
- Suction Tube: 23 inch
- Discharge Hose: 51 inch or 4.25ft
- Compatible Liquids: Gasoline, E15, E85 (Remove pump after use, E85 may corrode seals), diesel, kerosene & non-potable water
- Includes a 4PK of Gas Can Adapters

PART NO.	MFG#	DESCRIPTION
7200031	20085 - TRFA01-XL	Battery powered Tranfer Pump

TELESCOPIC BATTERY POWERED FUEL TRANSFER PUMP, 10-FT HOSE



TREP01-TXL flow control handle allows transferring of various liquids without spilling and controls the amount of liquid that is dispensed

- Power: Two (D) Batteries, Sold Separately
- Flow Rate: 2.4 Gallons per Minute
- Adjustable Suction Tube: 15 to 20 inch
- Discharge Hose: 10 ft.
- Compatible Liquids: Gasoline, E15, E85 (Remove pump after use, E85 may corrode seals), diesel, DEF (AdBlue), non-potable water, kerosene, antifreeze, windshield washer fluid, mild detergents, agricultural chemicals & light oils
- Fits on 3 Gallon to 6 Gallon gas cans and up to 20 gallon drums

PART NO.	MFG#	DESCRIPTION
7200033	20099 - TREP01-TXL	Battery powered Tranfer Pump

MULTIPURPOSE BATTERY POWERED FUEL TRANSFER PUMP



TREP01 flow control handle allows transferring of various liquids without spilling and controls the amount of liquid that is dispensed

- Power: Two (D) Batteries, Sold Separately
- Flow Rate: 2.5 Gallons per Minute
- Suction Tube: 15 inch
- Discharge Hose: 3.28 ft.
- Compatible Liquids: Gasoline, E15, E85 (Remove pump after use, E85 may corrode seals), diesel, DEF (AdBlue), non-potable water, kerosene, antifreeze, windshield washer fluid, mild detergents, agricultural chemicals & light oils
- Fits on 3 Gallon to 6 Gallon gas cans to 5 gallon pails

PART NO.	MFG#	DESCRIPTION
7200032	20043 - TREP01	Battery powered Tranfer Pump



TELESCOPIC ELECTRIC DRUM PUMP



TREDRUMT designed to be compatible with liquids ranging from diesel to aggriculture chemicals

- Power: Electric 12V DC Adapter, Included
- Flow Rate: 7 Gallons per Minute
- Suction Tube: 33.5 ~ 49 inch
- Discharge Hose: 79 inch + 11.5 inch Nozzle
- Compatible Liquids: Diesel, DEF(AdBlue), non-potable water, kerosene, antifreeze, windshield washer fluid, mild detergents, agricultural chemicals & light engine oil
- Built-in nozzle holder for safe and convenient way of storing the discharge nozzle

PART NO.	MFG#	DESCRIPTION
7200036	20090 - TREDRUM-T	Electric Drum Pump

BATTERY POWERED FUEL TRANSFER PUMP

TRFA01 transfers automatically with a push of the button



Gas can not included



- Power: Four (AA) Batteries, Sold Separately
- Flow Rate: 2.4 Gallons per Minute
- Suction Tube: 18 inch
- Discharge Hose: 39 inch
- Compatible Liquids: Gasoline, E15, E85 (Remove pump after use, E85 may corrode seals), diesel, kerosene & non-potable water
- Includes a 3PK of Gas Can Adapters

PART NO.	MFG#	DESCRIPTION
7200030	20042 - TRFA01	Battery powered Tranfer Pump



Diesel Fuel Filter/Water Separators

Eliminates water and solid contaminants from your diesel fuel system. Designed for marine, automotive, trucking, etc.

MODEL 65 FILTER/SEPARATOR



- **REPLACEMENT PARTS ONLY**

PART NO.	MFG#	DESCRIPTION
316066	66	Dahl 65 Replacement Element

MODEL 100 FILTER/SEPARATOR



- **REPLACEMENT PARTS ONLY**

PART NO.	MFG#	DESCRIPTION
316101	101	Dahl 100 Repl. Element 2 Micron
316102	101-W	Dahl 100 Rep. Element 10 Micron
317121	100-21	Bowl w/o Probes

MODEL 150 FILTER/SEPARATOR



- **REPLACEMENT PARTS ONLY**

PART NO.	MFG#	DESCRIPTION
316151	151	Dahl 150 Repl. Element 2 Micron
316152	151-W	Dahl 150 Repl. Element 10 Micron
317121	100-21	Bowl without Probes

MODEL 200 FILTER/SEPARATOR



- **REPLACEMENT PARTS ONLY**

PART NO.	MFG#	DESCRIPTION
316201	201	Dahl 200 Repl. Element 2 Micron
316202	201-W	Dahl 200 Rep. Element 10 Micron
316203	201-30	Dahl 200 Rep. Element 30 Micron
317221	200-21	Bowl w/o Probes
317201	200-GK	Gasket Kit

"O" RING FITTING FOR DAHL FILTERS



P0503-6-6



53030606



P2503-6-6

PART NO.	SIZE	FITS MODEL #
P0503-6-6	3/8" x 3/8"	65, 100
P0503-10-8	5/8" x 1/2"	150, 200
P0503-12-12	3/4" x 3/4"	300
53030606	3/8" x 3/8"	65, 100
53040806	1/2" x 3/8"	150, 200
53041212	3/4" x 3/4"	300
P2503-6-6	3/8" x 3/8"	65, 100
P2503-10-8	5/8" x 1/2"	150, 200
P2503-12-12	3/4" x 3/4"	300

BOWL PLUG AND VALVE

Fits models 100, 150, 200 and 300.





PART NO.	MFG#	DESCRIPTION
317129	100-29	Bowl Plug
317128	100-28	Plug Gasket
3171301	241-B	1/4" Valve

SPIN-ON REPLACEMENT ELEMENTS FOR OLDER 100/200 SERIES







	120/140	220	225
	Racor Item No.	Racor Item No.	Racor Item No.
2 micron	R12S 9943-096	R24S 3142024	R26S 3142026
10 micron	R12T 9943-204	R24T 9943-205	R26T 9943-206

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

200 SERIES DIESEL FUEL FILTER/ WATER SEPARATORS – SPIN-ON

- Patented Aquabloc II element removes emulsified water and particles such as rust, dirt and algae down to 2 microns in size
- Maximum filtration and separation for applications where space is a premium
- 1/4" NPT ports (fittings not included)
- **Supplied with 2 micron element and integral hand primer pump**

PART NO.	MFG#	DESCRIPTION
9943-088	215R2	Racor 215 Series, 15GPH
3140220	230R2	Racor 230 Series, 30GPH
3140123	RK 22350-02	Bowl & Seal, 200 Series
3140100	RK 30476	Drain Valve 5/8"
3140101	RK 30488	Drain Valve 7/8"





Replacement Elements	215 - 15GPH		230 - 30GPH		245 - 45GPH	
	Racor #	Item No.	Racor #	Item No.	Racor #	Item No.
2 micron	R15S	**9943-087**	R20S	**3142022**	R25S	**9943-093**
10 micron	R15T	**9943-099**	R20T	**9943-070**	R25T	**9943-058**
30 micron	R15P	**9943-097**	R20P	**9943-077**	R25P	**9943-057**

UL LISTED 200 SERIES DIESEL FUEL FILTER / WATER SEPARATOR

Same features as regular 200 series but with UL listed metal bowl and filter element for marine inboard applications

- Supplied with 10 micron elements
- ¼" NPT ports (fittings not included)

PART NO.	MFG#	DESCRIPTION
9943-055	215RMAM	Racor Series 215RMAM, 15GPH
9943-056	230RMAM	Racor Series 230RMAM, 30GPH







Replacement Elements	215- 15GPH		230- 30GPH		245- 45GPH	
	Racor #	Item No.	Racor #	Item No.	Racor #	Item No.
10 micron	R15TUL	9943-129	R20TUL	9943-131	R25TUL	9943-193

TURBINESERIESDIESELFUELFILTER/WATERSEPARATORS

- Virtually 100% of damaging contamination and water are removed from fuel
- Double manifold units allow one unit to be serviced while the other remains operating;
- Advanced fuel shut-off valve keeps unfiltered fuel from entering clean-side passages during element removal and provides consistent prime with less chance of trapped air circulating in the fuel system; if the element is removed the valve closes and stops all fuel flow out of the assembly.
- Rugged, die cast aluminum construction; T-handle lid design enables easy element change.

PART NO.	MFG#	DESCRIPTION
3140500	500FG2	Racor 500 FG Series
3140501	500MA10	Racor 500 MA Series, 10 micron
9943-218	500MAM2	Racor 500 MAM Series, 2 micron
9943-125	75500FGX2	Racor 75/500 FXG Series
9943-122	75500MAX2	Racor 75/500 MAX Series
3142010	2010SM-OR	2010 RACOR Element 2 micron
3142011	2010TM-OR	2010 RACOR Element, 10 micron
3142012	2010PM-OR	2010 RACOR Element, 30 micron
3140100	RK 30476	Drain Valve 5/8" - 2002 and newer
3140101	RK 30488	Drain Valve 7/8" - pre 2002
9943-113	RK 15010B	Check Ball Assembly
9943-502	RK 19492	Metal Drain Valve-MA
9943-019	RK 11341	Drain Gasket
3140152	RK15405	Bowl & Seal
3140154	RK 15078	Cover
3141050	RK 15211	Seal Kit
316505	PF598	2010 2 Micron (Baldwin)
316504	PF598-10	2010 10 Micron (Baldwin)
316506	PF598-30	2010 30 Micron (Baldwin)



500 Series G
3140500



500 Series MA
3140501



500 Series MAM
9943-218



75/500FGX
9943-125



75/500MAX
9943-122

Flow Rate gph	Shield/Bowl	Gauge & Valve*	Ports	Model
500 Series				
60	plastic bowl	no	3/4"-16 SAE	500FG2
60	metal shield	no	3/4"-16 SAE	500MA
60	metal bowl	no	3/4"-16 SAE	500MAM
120	plastic bowl	yes	3/4"-16 SAE	75/500FGX
120	metal shield	yes	3/4"-16 SAE	75/500MAX

FUEL FILTER WATER SEPARATOR TURBINE

The Racor Turbine Series Fuel Filter/Water Separator use a three-stage Aquabloc® filtration system with increased dirt-holding capacity that effectively removes water and particulates from fuel, providing maximum protection for diesel engine components in applications where reliability is critical. Larger Dual Inlet/Outlet ports are less restrictive and easier to configure. A shut-off valve is integrated into the "V" series eliminating the need for up stream valves in the fuel delivery line.

Port Dimensions: 2 Input ports 1-5/16"
2 Output Ports 1-5/16"
2 Port Plugs, supplied

- A 1/4" NPT front access gauge port for optional filter monitoring.
- All models are sold with a 10 micron elements installed

RACOR 900 SERIES 90 GPH / 340 LPH SINGLE – 180 GPH / 680 LPH DUAL


900FV
3140905


900VMA
3140906

PART NO.	MFG#	DESCRIPTION	Bowl	Shield	Valve
3140905	900FV10	Single 900, 10 micron	Clear	No	Yes
3140906	900VMA10	Single 900, 10 micron	Clear	Yes	Yes
3140907	900VMAM10	Single 900, 10 micron	Metal	No	Yes
3140908	75900FV10	Dual 900, 10 micron	Clear	No	Yes
3140909	75900VMA10	Dual 900, 10 micron	Clear	Yes	Yes


900VMAM10
3140907


75900FV10
3140908


75900VMA10
3140909

PART NO.	MFG#	DESCRIPTION
Replacement Aquabloc® Filter Elements 900 series (can be used on previous models)		
3142040	2040V2	Racor Element, 2 micron
3142041	2040V10	Racor Element, 10 micron
3142042	2040V30	Racor Element, 30 micron

RACOR 1000 SERIES 180 GPH / 680 LPH SINGLE – 360 GPH / 1360 LPH DUAL


1000FV10
3141005


1000VMA10
3141006


1000VMAM10
3141007

PART NO.	MFG#	DESCRIPTION	Bowl	Shield	Valve
3141005	1000FV10	Single 1000, 10 micron	Clear	No	No
3141006	1000VMA10	Single 1000, 10 micron	Clear	Yes	No
3141007	1000VMAM10	Single 1000, 10 micron	Metal	No	Yes
3141008	751000FV10	Dual 1000, 10 micron	Clear	No	Yes
3141009	751000VMA10	Dual 1000, 10 micron	Clear	Yes	Yes
3141010	751000VMAM10	Dual 1000, 10 micron	Metal	No	Yes


751000FV10
3141008


751000VMA10
3141009


751000VMAM10
3141010

PART NO.	MFG#	DESCRIPTION
Replacement Aquabloc® Filter Elements 1000 series (can be used on previous models)		
3142020	2020V2	Racor Element, 2 micron
3142021	2020V10	Racor Element, 10 micron
3142023	2020V30	Racor Element, 30 micron

REPLACEMENT PARTS 900 / 1000 SERIES BEFORE 2022

PART NO.	MFG#	DESCRIPTION
9943-112	RK 11028B	Check Ball Assembly
9943-502	RK 19492	Metal Drain Valve-MA
9943-019	RK 11341	Drain Gasket
3140100	RK 30476	Drain Valve 5/8" - 2002 and newer
3140101	RK 30488	Drain Valve 7/8" - pre 2002
9943-009	RK 11-1927-01	Nylon Lid w/Gaskets
9943-117	RK 11-1933-01	Metal Lid w/Gaskets
9943-128	RK 11005A	Metal Lid w/T-Handle
3140102	RK 11-1606-1	Bowl & Seal
3141090	RK 11-1404	Seal Kit, 900, 1000 Series
316507	PF7889	(Baldwin) 2040SM, 2 Micron 900
316508	PF7889-10	(Baldwin) 2040TM, 10 Micron 900
316509	PF7889-30	(Baldwin) 2040PM, 30 Micron 900
316517	PF7890	(Baldwin) 2020SM, 2 Micron 1000
316518	PF7890-10	(Baldwin) 2020TM, 10 Micron 1000
316519	PF7890-30	(Baldwin) 2020PM, 30 Micron 1000

REPLACEMENT PARTS 900 / 1000 V SERIES AFTER 2022

PART NO.	MFG#	DESCRIPTION
3140125	RK11-2076	T-Handle & Lid Kit
3140126	RK11-2077	Replacement Bracket Kit
3140127	RK11-2079	Valve Rebuild Kit
3140128	RK11-2080	Replacement Centrifuge Kit
3140129	RK11-2081	Replacement Bowl Kit
3140130	RK11-2083	FV - Mounting Bracket Kit
3140131	RK 11-1952	Seal Service Kit
3140132	RK19672 (old RK19668)	Vacuum Gauge
3140133	RK11-2083-01	MA/MAM - Mounting Bracket Kit

SIERRA TURBINE SERIES RACOR REPLACEMENT FILTER ELEMENT



- Filters offer lift tabs on top of end cap for easy removal
- Sierra's fuel water separating media is OEM tested and approved.
- Replacement for: 500, 900, & 1000 Turbine series.
- Available in 2, 10, & 30 Micron Rating.

Matches OE letter color code.

PART NO.	MFG#	DESCRIPTION
S1899186	18-99186	500 SERIES 2 Micron
S1899182	18-99182	500 SERIES 10 Micron
S1899183	18-99183	500 SERIES 30 Micron
S1899191	18-99191	900 SERIES 2 Micron
S1899185	18-99185	900 SERIES 10 Micron
S1899184	18-99184	900 SERIES 30 Micron
S1899187	18-99187	1000 SERIES 2 Micron
S1899181	18-99181	1000 SERIES 10 Micron
S1899180	18-99180	1000 SERIES 30 Micron

MALE SAE TO FEMALE PIPE



PART NO.	MFG#	DESCRIPTION
9943-132	H3269X6X6	9/16"-18 SAE x 1/4" Female Pipe
9943-133	H3269X8X4	3/4" -16 SAE x 1/4" Female Pipe
9943-130	H3269X10X8	7/8"-14 SAE x 1/2"" Female Pipe

MALE SAE TO HOSE BARB



PART NO.	MFG#	DESCRIPTION
9943-135	SHU911-06-H5/6	9/16"-18 SAE x 3/8" Hose, straight
9943-141	SHU911-010-H12	7/8"-14 SAE x 3/4" Hose, straight

WATER SEPARATING GASOLINE FILTER

Approved for Ethanol Blended Fuel.



Designed and recommended for 2 & 4-cycle gasoline outboard engines with above-deck Filter installations. This fuel separating water filter assembly removes up to 98.8% of emulsified water.
The AquaVue collection bowl can be drained of water from the filter to extend service life.

- 90 GPH / 10 micron filtration.
- AquaVue collection bowl.
- 1/4" NPT Inlet and Outlet.
- Includes 2x 1/4" NPT Plugs.

Require the appropriate 1/4" NPT Hose Barbs, not supplied.

Replaces : Mercury 35-809097
Yamaha MAR-24563-00-00

PART NO.	MFG#	DESCRIPTION
3140325	18-7932-1	Filter Assembly, 90 GPH
3140326	033336	Bowl, Plastic
S187919	18-7919	Replacement Filter Element, 10 Micron

UNIVERSAL FUEL FILTER / WATER SEPARATOR



- Suitable for both Gas and Diesel, inboard or outboard
- 35 gph gas, 15 gph diesel
- 1/4" NPT ports
- Supplied with 10 micron element

PART NO.	MFG#	DESCRIPTION
9943-198	110A	Model 110AS
9943-202	R11S	2 micron element
9943-200	R11T	10 micron elemen

NEW

FUEL FILTER



Micron Rating: 20 microns
Barb Size: 5/16"
Utilizes Viton O-Rings
Replacement filter element 18-7979
Meets or Exceeds OE Specifications

Replaces : 35-879884T

PART NO.	MFG#	DESCRIPTION
S1879965	18-79965	Fuel Filter
S187979	18-7979	Replacement Element

UNIVERSAL I/O OR O/B GASOLINE FILTER

- UL Listed metal bowl and and element for inboard use
- Multi-port head for easy installation
- 1/4" NPT ports (fittings not included)
- Supplied with 10 micron element

PART NO.	MFG#	DESCRIPTION
9943-194	120R-RAC-02	30 Gph up to 165hp, I/O or O/B
9943-195	S3240TUL	10 Micron Element, 120 Series
3140320	320R-RAC-02	60 Gph up to 330hp, I/O or O/B
3142028	S3228TUL	10 Micron Element, 320 Series
9943-196	660R-RAC-02	90 Gph up to 500hp, I/O or O/B
9943-197	S3232TUL	10 Micron Element, 660 Series



9943-194 3140320 9943-196

FILTER FITTINGS



53050406



53400406

PART NO.	MFG#	DESCRIPTION
53050406	725-6B	1/4" Male NPT x 3/8" Barb
53400406	139-6B	1/4" Male NPT x 3/8" 90° Barb

FILTER BOWL WRENCH



- Used to remove all metal and see-thru spin-on bowls that feature external ribs with little effort
- The wrench is made of a corrosion proof, high-impact, high-strength engineered polymer

PART NO.	MFG#	DESCRIPTION
9943-199	**RK 22628**	High-strength

UNIVERSAL O/B ONLY FUEL WATER SEPARATED

- Plastic see-through bowl; clear contaminant collection bowl with drain valve
- High capacity, long life corrosion resistant construction
- 10 micron element

PART NO.	MFG#	DESCRIPTION
9943-064	120R-RAC-01	30 Gph up to 165hp, O/B only
9946-065	S3240	10 Micron Element, 120 Series
3140321	320R-RAC-01	60 Gph up to 330hp, O/B only
9946-067	S3227	10 Micron Element, 320 Series
9943-067	660R-RAC-01	90 Gph up to 500hp, O/B only
3142032	S3232	10 Micron Element, 660 Series



9943-064 3140321 9943-067

SNAPP MARINE DISPOSABLE FUEL FILTER/WATER SEPARATOR

This one piece SNAPP fuel filter is big protection for small engines up to 26 GPH (100 lph) and makes every filter change literally a snap. Fast, easy, clean. No tools are needed—when it's time for servicing, simply snap in a new filter assembly.

SNAPP is made of a high impact nylon body with a clear collection bowl for easy inspection of fuel quality and has a self-vent drain to easily remove collected water.



The SNAPP Marine Disposable Fuel Filter/Water Separator is compatible with Gasoline, E10 Ethanol and B-20 Bio-diesel. **For outboards only.**

Includes a stainless steel permanent mounting bracket to resist rust and corrosion in marine environments and only requires a 2.5" clearance for servicing.

Filter Includes: Filter assembly, bracket and quick connectors for 3/8" hose.
Replacement Filter Assembly Includes: Housing, filter and clear bowl

Aquabloc Rating: 10 or 30 micron
Port Size: 3/8" Hose Quick connect

Dimensions: 7.8"H x 3.8"W x 4.1"D,
6.6" Deep during servicing



PART NO.	MFG#	DESCRIPTION
9943-015	23299-02	2 Mcron Filter/Separator
9943-017	R23298-02	2 Micron Replacement Filter Assembly
3142031	23299-10	10 micron Filter/Separator
3142036	R23298-10	10 Micron Replacement Filter Assembly
3142030	23299-30	30 Mcron Filter/Separator
3142035	R23298-30	30 Micron Replacement Filter Assembly

FUEL DISPENSING FILTER



- Designed to meet the toughest fuel refueling conditions and offer easy cartridge changeouts
- Ability to drain water, differential pressure gauge, longer life than spin on and ease of service made the FBO-14-DPL the perfect solution for the application
- 25GPM diesel, 45GPM gas
- Element not included

Ports: 1-1/2" NPT Inlet/Outlet

PART NO.	MFG#	DESCRIPTION
9943-012	FBO-14-DPL	Filter Assembly
9943-013	FBO 60338	Repl. Filter 25 Micron

FILTER/WATER SEPRATORS



- Replaces standard fuel filters found on most Mercury, Mercruiser, Yamaha, Suzuki, Honda and Tohatsu marine gasoline applications
- Fits popular engine applications with 11/16" - 16 center threads
- Features 10 micron Aquabloc II media to outperform other gasoline fuel filters in inboard or outboard, two or four cycle applications
- Exceeds all OEM requirements, and is suitable for all low or high pressure injection systems

PART NO.	MFG#	DESCRIPTION
9943-212	PFF5510	10 Micron

FILTER/WATER SEPARATORS WITH DRAIN FOR OMC / VOLVO



- Direct replacement for factory filters but with Aquabloc II filter medium
- Fits 1" – 12 OMC mounting heads
- 10 micron, 60gph with metal bowl for inboard or outboard use

PART NO.	MFG#	DESCRIPTION
9943-213	B32021MAM	Filter Assembly
9943-210	S3221TUL	Replacement Element

FILTER/WATER SEPARATORS WITH DRAIN FOR OMC / JOHNSON / EVINRUDE



- Direct replacement for factory filters but with Aquabloc II filter medium
- Replaces OMC 174144 and also fits Johnson and Evenrude
- 10 micron, 60gph with self venting, plastic bowl for outboard use only

PART NO.	MFG#	DESCRIPTION
9943-216	B32013	Filter Assembly
9943-217	S3214	Replacement Element

REPLACEMENT ELEMENT FOR 200FG



PART NO.	MFG#	DESCRIPTION
3142000	2000SM-OR	2 Micron

O-RING FITTINGS CHART FOR RACOR FILTERS

Not for 900 / 1000 V Series



P0503-8-8



P2503-8-8



53040806

PART NO.	SIZE	FITS
P0503-8-8	1/2" x 1/2"	500
P0503-10-8	5/8" x 1/2"	900, 1000
P2503-8-8	1/2" x 1/2"	500
P2503-10-8	5/8" x 1/2"	900, 1000
53040806	1/2" x 3/8"	500, 900, 1000

FILTER/WATER SEPRATORS WITH DRAIN FOR MERCURY / MERCRUISER



- Filter/Water Separators with Drain for Mercury / MerCruiser
- Direct replacement for factory filters but with Aquabloc II filter medium
- Fits 11/16" 16 Mercruiser, Quick Silver, SMI, Sierra, Aquapower, and other filter heads
- 10 micron, 60gph with metal bowl for inboard or outboard use

PART NO.	MFG#	DESCRIPTION
9943-208	B32020MAM	Filter assembly
9943-209	S3220TUL	Replacement Element

FILTER/WATERSEPARATORSWITHDRAIN FOR MERCURY / YAMAHA / SUZUKI



- Direct replacement for factory filters but with Aquabloc II filter medium
- Replaces Quicksilver #35-604494-1. Also fits: Yamaha, Suzuki, SMI, Volvo Penta, Sierra, AquaPower and other filter heads
- 10 micron, 60gph with self venting, plastic bowl for outboard use only

PART NO.	MFG#	DESCRIPTION
9943-214	B32013	Filter assembly
9943-215	S3213	Replacement Element

MERCURY OUTBOARD FILTER ELEMENT– TWIN PACK



S1879814



9943-207

- Legendary Aquabloc II, 2 micron filter media
- Fits Mercury Optimax and Verado outboard engines, which use a patented Racor supplied fuel filtration system
- Replaces Mercury filter number 35-884380T or 35-8M0020349

PART NO.	MFG#	DESCRIPTION
9943-207	31871	Filter Assembly
S1879814	18-79814	Fuel Filter Tool

SIERRA®

PARTS THAT KEEP YOU MOVING.



OILS & LUBES

Sierra offers the widest variety of oils on the market to match your engine's needs. 4-stroke, 2-stroke, gear lubes and engine greases. Sierra has the right lubricant for the job. Our oils are blended to the same high standards as the OEM oils and meet the same FC-W and TC-W3 certification standards. Sierra offers specific oils for your brand of engine, not a "one oil fits all" like some companies.

SIERRA "BLUE" PREMIUM TC-W3 2-CYCLE ENGINE OIL



Manufactured to meet & exceed domestic & import engine manufacturers' warranties. Exceeds JASO, ISO, API and NMMA, for advanced generation 2 cycle lubricants.

Ideal for oil injection or pre-mix applications. Optimum burnability for smokeless combustion. Significantly reduced aquatic toxicity to fish compared to other outboard oils on the market today.

PART NO.	MFG#	DESCRIPTION
S1895001	18-9500-1	Pint
S1895002	18-9500-2	1 Quart (946ml)
S1895003	18-9500-3	1 Gallon (3.785L)

10W30 4 STROKE MARINE OUTBOARD



Regular
10W30 4-stroke marine outboard engine oil.



Synthetic
10W30 4-stroke outboard and sterndrive applications.

PART NO.	MFG#	DESCRIPTION
S1894202	18-9420-2	Regular, 1 Quart (946ml)
S1894203	18-9420-3	Regular, 1 Gallon (3.785L)
S1896902	18-9690-2	Synthetic Qt (946ml)
S1896903	18-9690-3	Synthetic Gal.(3.785L)

OIL TC-W3 SYNTHETIC BLEND DIRECT INJECTION



Sierra TC-W3 is a high performance synthetic blend lubricant that has been manufactured and designed to meet all domestic & imported engine manufacturers' warranties. Exceeds JASO, ISO, API and NMMA, for advanced generation 2 cycle lubricants.

Ideal for oil injection systems or pre-mixed applications. For Mercury Optimax, Yamaha HPHI and BRP Ficht DI.

PART NO.	MFG#	DESCRIPTION
S1895303	18-9530-3	1 Gallon (3.785L)

OIL TC-W3 FULL SYNTHETIC DIRECT INJECTION



Sierra TC-W3 is a high performance fully synthetic lubricant that has been manufactured and designed to meet all domestic & imported engine manufacturers' warranties.

Exceeds JASO, ISO, API and NMMA, for advanced generation 2 cycle lubricants. For BRP E-Tec/Universal.

PART NO.	MFG#	DESCRIPTION
S1895402	18-9540-2	1 Quart (946ml)
S1895403	18-9540-3	1 Gallon (3.785L)

10W40 SEMI-SYNTHETIC ENGINE OIL



10W40 4-stroke marine oil. Semi-synthetic formulation. Direct replacement for Suzuki.

PART NO.		DESCRIPTION
S1895512	18-9551-2	1 Quart (946mL)
S1895513	18-9551-3	1 Gallon (3.785L)

FC-W 4-STROKE MINERAL OUTBOARD ENGINE OIL 20W40



Developed to replace the 10W30 engine oil in warmer climates. Formulated to protect engines in demanding marine conditions. Contains an advanced additive package to prevent rust and corrosion under high RPM and maximum load conditions. 20W40.

PART NO.	MFG#	DESCRIPTION
S1894502	18-9450-2	1 Quart, (946ml).

25W50 FC-W ENGINE OIL (SUPERCHARGED MERCURY VERADO)



25W50 4-stroke marine engine oil. Semi-Synthetic formulation for superior protection under high loads and operating stress. For use in supercharged Mercury Verado.

PART NO.	MFG#	DESCRIPTION
S1895528	18-9552-8	1 Quart (946ml)
S1895523	18-9552-3	4L

25W40 FC-W PREMIUM BLEND STERN DRIVE ENGINE OIL



PART NO.	MFG#	DESCRIPTION
S1894002	18-9400-2	1 Quart (946mL)
S1894004	18-9400-4	5 Quart (4.75L)
S1894007	18-9400-7	55 Gallon Drum

25W40 ENGINE OIL SYNTHETIC BLEND



25W40 4-stroke for outboard applications. Synthetic blend oil.

PART NO.	MFG#	DESCRIPTION
S1894408	18-9440-8	1 Quart (946ml)
S1894403	18-9440-3	1 Gallon (3.785L)

PREMIUM CATALYST COMPATIBLE ENGINE OIL

Sierra's NMMA FC-W catalyst compatible engine oils have been specifically designed to meet the unique requirements of modern 4-stroke recreational engines with or without catalyst emission systems. Approved for all outboard, sterndrive and inboard 4-stroke applications, Sierra catalyst oil exceeds all 4-stroke requirements including FC-W and FC-W catalyst compatible.



S189400CAT4 S189400CAT2

25W40 Premium Blend Catalyst Engine Oil.

Capitalizing "ZDDP" anti-wear additive technology to prevent phosphorus depletion and extend the emission catalyst life.



S189420CAT2 S189420CAT3

10W30 Premium Blend Catalyst Engine Oil.

Provides superior corrosion protection under extreme conditions.



25W40 Synthetic Blend Catalyst Engine Oil.

Displays enhanced detergent and dispersant properties to suspend and prevent engine sludge formation.



PART NO.	MFG#	DESCRIPTION
S189400CAT2	18-9400CAT-2	1 Quart (946mL), Premium Blend, 25W40
S189400CAT4	18-9400CAT-4	5 Quarts (4.75L), Premium Blend, 25W40
S189400CAT7	18-9400CAT-7	55 Gallon Drum, Premium Blend, 25W40
S189420CAT2	18-9420CAT-2	1 Quart (946mL), Premium Blend, 10W30
S189420CAT3	18-9420CAT-3	1 Gallon (3.785L), Premium Blend, 10W30
S189440CAT2	18-9440CAT-2	1 Quart (946mL), Synthetic Blend, 25W40
S189440CAT4	18-9440CAT-4	5 Quarts (4.75L), Synthetic Blend, 25W40

15W-40 PREMIUM BLEND HEAVY DUTY ENGINE OIL

This oil is specifically formulated for the heavy duty inboard marine market, including cruisers and towboats calling for a 15W-40.



- Meets API service classification up to CK-4
- Meets the performance specifications for API service classification SM
- Premium base stocks and additive package ingredients places Sierra Heavy Duty at the leading edge of technology.
- Suitable for fuels on any sulfur levels
- Not for use in gasoline engines equipped with catalytic converters
- Gasoline/Diesel Applications

Replaces: Shell Rottella T4, Delo 400, Mercruiser, Indmar, Pleasure Craft, Crusader, Volvo Penta, MasterCraft

PART NO.	MFG#	DESCRIPTION
S1895542	18-9554-2	1 Quart
S1895544	18-9554-4	5 Quart
S1895545	18-9554-5	5 Gal.





30W FULL SYNTHETIC ENGINE OIL



A special blend of synthetic based oil and a balanced additive system that exceeds the FC-W requirements for marine engine oil.

Recommended for gasoline and diesel inboard and stern drive engines. Replaces Volvo 3842343 30W Synthetic.

PART NO.	MFG#	DESCRIPTION
S1894102	18-9410-2	1 Quart (946mL)
S1894104	18-9410-4	5 Quart (4.7L)

15W40 DIESEL ENGINE OIL



First diesel oil offered by Sierra with Increased detergency to fight soot and carbon deposits. Certified to API CL-4+ Rating. Meets the highest standards of diesel oil in the marine industry.

Meets the following manufacturers' specifications:
Volvo VDS-3, Cummins CES20078, Detroit Diesel DDC93D214, Caterpillar ECF-2, ECF-; Global DHD-1.

PART NO.	MFG#	DESCRIPTION
S1895533	18-9554-3	1 Gallon (3.785L)

SIERRA PREMIUM LOWER UNIT GEAR LUBE

(GOLD COLOURED FLUID)



For all marine applications requiring a GL-5 class lubricant. Formulated for use in freshwater and saltwater conditions and all standard marine applications. Reduces friction and protects gears, bearings and other gearcase components.

PART NO.	MFG#	DESCRIPTION
S1896002	18-9600-2	1 Quart 946mL
S1896005	18-9600-5	5 Gallons (18.95L)

"HI-PERFORMANCE" SYNTHETIC BLEND GEAR LUBE

(BLUE/GREEN COLOURED FLUID)



Hi-Performance Synthetic Blend Gear Lube. Available in 10 oz. tubes, Quarts and a 5 gal. container. Tubes and quarts have 12 per case.

PART NO.	MFG#	DESCRIPTION
S1896500	18-9650-0	1 Tube, 10 oz
S1896502	18-9650-2	1 Quart 946mL
S1896502QP	18-9650-2QP	1 Quart Kit w/ Pump & Adapters
S1896505	18-9650-5	5 Gallons (18.95L)

SIERRA FULL SYNTHETIC GEAR LUBE



Formulated to reduce operating friction for increased performance and protection of gears, bearings and other gear case components. This product is recommended for all general marine applications and performs well in both freshwater and saltwater conditions.

PART NO.	MFG#	DESCRIPTION
S1896802	18-9680-2	1 Quart (946mL)
S1896805	18-9680-5	5 Gallons

NEW

SIERRA EXTREME PERFORMANCE GEAR LUBE



This Heavy-Duty Lubricant for Sterndrive and Outboard Racing helps safeguard critical components and ensures long lasting performance. Resists breakdown at elevated temperatures to maintain performance and prevents horsepower loss.

SAE85W-90

PART NO.	MFG#	DESCRIPTION
S1896102	18-9610-2	Quart (946mL)
S1896103	18-9610-3	Gallon (3.785L)

FULL SYNTHETIC POWER STEERING FLUID



- Formulated for Mercury outboard Power Steering systems
- Readily mix with the fluid already in your system
- Synthetic SAE 0W-30W

PART NO.	MFG#	DESCRIPTION
S1897022	18-9702-2	1 Quart (946ml)

POWER TRIM AND STEERING FLUID



- For Volvo Penta hydraulic steering and power trim systems
- Protection against corrosion
- Superior performance at low temperatures

PART NO.	MFG#	DESCRIPTION
S1897012	18-9701-2	1 Quart (946ml)

SIERRA ENGINE FOGGING OIL



Protects internal engine components from rust and corrosion. Specifically formulated for seasonal storage of outboard and stern drive engines. Ideal for all 2-cycle and 4-cycle engines.

PART NO.	MFG#	DESCRIPTION
S1895500	18-9550-0	12 oz. Can
S1895503	18-9550-3	1 Gallon

ENGINE STOR



Long term metal protection. Fogging fluid for seasonal storage. Protects all internal combustion engines, ensuring longer life. Keeps pistons, rings, and cylinder walls corrosion free. Protects electrical connections in use/storage.

PART NO.	MFG#	DESCRIPTION
5210035	76068	369g

FOGGING OIL



This special spray formula protects the engine surfaces with a heavy duty coating that prevents corrosion and rust during seasonal storage. Makes starting the engine, after an extended period of storage, quick and easy.

PART NO.	MFG#	DESCRIPTION
5210033	084812C	12 oz.

FOGGING OIL



With its powerful foaming and strong clinging action, this fogging oil spray provides thorough coverage, ensuring every nook and cranny is shielded from moisture contact. Formulated with extra corrosion inhibitors, providing longer-term protection for engines, machinery, tools .

- Displaces and prevents moisture contact with metal.
- Every nook and cranny is shielded from moisture.
- Faster stalling and less smoking.
- Provides long-term protection.

PART NO.	MFG#	DESCRIPTION
5210034	272	Fogging Oil, 340g.

WHEEL BEARING GREASE



This special water-insoluble formula is highly resistant to wash out and provides superior rust and corrosion protection from salt water, salt air and atmospheric chemicals. It is recommended for corrosive marine applications on trailer wheel bearings, water pumps, hinges, pins, anchor chain reels. N.G.L.I. #2.

PART NO.	MFG#	DESCRIPTION
9960-892	026014C	14 oz. tube

CARB & CHOKE CLEANER



Cleans automatic chokes & carburetors, heat risers and PCV valves. Oxygen sensor safe. Effectively cleans dirt, gum and varnish from carburetors, fuel injection throttle bodies, automatic chokes, PCV valves and throttle linkage.

PART NO.	MFG#	DESCRIPTION
5210080	76064	312g

ANTIFREEZE 50/50 MIX



This long life antifreeze lasts for 5 years or 150,000 miles. It protects engines from freeze up and boil over while providing excellent corrosion protection on all engine metals. Is compatible with all conventional antifreezes including orange Dex-Cool.

Blending more than 10% with conventional antifreezes will decrease the extended life benefits. No mixing is required. Meets ASTM D 4985 for heavy duty diesel use.

PART NO.	MFG#	DESCRIPTION
5222005	030800NC	1 Gallon

WINTERSAFE -50°F AND -100°F DUAL PURPOSE BOAT & RV ANTI-FREEZE



Safe for all engines, including those with aluminum blocks. Non-toxic propylene glycol formula. Contains corrosion inhibitors that protect all engine components and seals. The most effective way to protect all marine engines from freeze-up during winter storage. Six (6) gallons per case.

- Safe for all engines and water systems. This is a non-toxic product.
- Safe for Copper, Brass and all types of plastic
- Ethanol-Free
- Protects water systems and engines from freeze ups during storage
- Contains corrosion inhibitors to protect all metal engine components and seals

PART NO.	MFG#	DESCRIPTION
5222000	31200	-55, 1 Gallon, 1 - 209
5222001	31500PK	-100, 1 Gallon, 1 - 209
5222055	312G55	-55, 55 Gallon, 1 - 3
5222056	315G55PK	-100, 55 Gallon, 1 - 3

STARTRON STAR COOL ENGINE COOLANT



High performance synthetic propylene glycol engine coolant utilizes Starbrite's revolutionary PCT additive package designed to allow engines to quickly reach and maintain an engine's temp for max operating hp.

Protects against boil-over to 256°F (129°C) and against freezing to -26°F (-32°C). It is non-toxic and it contains no nitrates, amines, silicates, phosphates, borate or other ingredients that clog radiators.

(exceeds OEM specs)

PART NO.	MFG#	DESCRIPTION
5222010	033264C	64 fl. oz. 1.89 L

EZ STORE FUEL ADDITIVE



Provide the ultimate seasonal storage protection with this unique formula of gas stabilizers and polymer coating. Protect engine parts that traditional fogging oils can't reach and proof all of your engine surfaces against corrosion.

One ounce treats five gallons of gas.

PART NO.	MFG#	DESCRIPTION
5210036	084308C	8 oz.
5210037	084316C	16 oz.
5210038	084332C	32 oz.

ALL SEASON DIESEL FUEL CONDITIONER



Performance formula treats most of the problems experienced in today's diesel fuels eliminating or minimizing the blending of No. 1 and No. 2 fuels for winter months and prevents year-round problems such as fuel injector plugging, and excessive wear while helping to prevent the degradation of fuel and the development of sludge when fuel is stored over extended periods. Improves octane rating while improving cold starting, reducing white smoke and maximizing the efficiency of the fuel burned in the combustion chamber.

PART NO.	MFG#	DESCRIPTION
5251010	**38565C**	16 oz Treats 60 gal
5251011	**38566C**	64 oz Treats 240 gal

STA-BIL® DIESEL ALL SEASON



Sta-Bil Diesel All-Season is an advanced year-round formula that breaks down water, cleans and lubricates the entire fuel system.

- Provides Anti-Gel protection down to -40 Celsius
- Safe for all diesel engines
- 591 ml treats 560 L of diesel fuel

PART NO.	MFG#	DESCRIPTION
5210170	15216	20 oz. (591 ml) , treats 150 gal

eGUARD ETHANOL MARINE FUEL TREATMENT



eGuard prevents fuel system corrosion from water attracted by E10 fuels and prevents gum and varnish formation for optimum performance and quick starts. eGuard contains a non-alcohol water remover that helps to reduce the chance of phase separation. eGuard is safe for use in all gasoline powered engines including generators and outdoor power equipment.

PART NO.	MFG#	DESCRIPTION
S189777	18-9777	Fuel Treatment, Gl. (3.785 L)

STA-BIL FUEL STABILIZER



Stored fuel can go bad in as little as 30-60 days. Sta-Bil Fuel Stabilizer prevents this and removes moisture to keep fuel fresh 12 months or more providing quick and easy starts after long pauses in use or long term storage.

Recommended to be used AT EVERY FILL UP to protect against corrosion caused by today's ethanol-blended fuels. Cleans carburetors and fuel injectors in all 2 cycle and 4 cycle gasoline and diesel engines.

PART NO.	MFG#	DESCRIPTION
5210160	22209	8 oz. Treats 20 gal.
5210162	22258	32 oz. Treats 80 gal.

STA-BIL MARINE ETHANOL TREATMENT



Double the corrosion preventers and over 4 times the fuel system cleaner than regular Sta-bil. It improves performance and protects 2 & 4 Cycle marine engines against the effects of ethanol (E10 fuel). Prevents ethanol induced water attraction, removes corrosion causing moisture and helps prevent phase separation.

Formulated for gas, gas/oil mix, & ethanol blends. Safe for marine gas tanks, all inboard/outboards, onboard generators and personal watercraft engines.

PART NO.	MFG#	DESCRIPTION
5210167	22257	8 oz. treats 80 gal.

STAR TRON STABILIZER+ FUEL STORAGE AND CORROSION PROTECTION



Star Tron Stabilizer+ contains Enzymes that stabilizes fuel, breaks down contaminants and provides an added layer of protection to metal surfaces.

- PREVENTS – Moisture buildup, gum, varnish, and carbon deposits
- PROTECTS – Internal components with premium corrosion inhibitors
- ENSURES – Fuel quality up to two years for all-weather, any-season storage
- Pour directly into tank, 1 oz. treats 5 gallons of gas

For all ethanol blends and non-ethanol gasoline (petrol)

PART NO.	MFG#	DESCRIPTION
5251031	14808C	8 oz., 237 ml. , Treats 40 gal
5251032	14816C	16 oz., 473 ml. , Treats 80 gal

SHOOTER FUEL ADDITIVE AND DISPLAY



This unique formula improves the performance of all engines. As well as improving fuel economy and reducing emissions, it cures and prevents ethanol fuel problems and cleans the entire fuel delivery system to allow engines to start and run smoothly.

One ounce bottle treats up to six gallons of gasoline. Handy display case comes with 24 x 1 fl. oz. bottles.

PART NO.	MFG#	DESCRIPTION
5251027	14301C	2 x 1 fl. oz., 2 pk.
5251028	14324C	Case of 24 Display

GASOLINE ADDITIVE



This revolutionary new fuel additive reduces emissions, prevents fuel oxidation and stabilizes fuel chemistry for up to 18 months. Eliminates carbon build up and enhances octane level. Also treats water build up in fuel. One 16fl. oz. bottle treats up to 250 gallons of gasoline.

PART NO.	MFG#	DESCRIPTION
5251029	093008PC	Gasoline Additive, 8 fl. oz.
5251030	093016C	Gasoline Additive, 16 fl. oz.

DIESEL ADDITIVE



Multi-functional fuel additive which uses a unique enzyme technology that breaks down excess water and sludge to a sub-micron size, allowing it to be safely burned away during normal engine operation. Eliminates performance robbing gum, varnish deposits and carbon build-up from burners, injectors and exhaust components resulting in a more complete and uniform combustion, maximum performance, increased fuel efficiency, reduced emissions and reliable operation. One 16 oz. bottle treats up to 500 gallons of diesel fuel.

PART NO.	MFG#	DESCRIPTION
9960-807	093108C	Diesel Additive, 8fl. oz.
5251035	093116C	Diesel Additive, 16fl. oz.
5251036	093132C	Diesel Additive, 32fl. oz.

FUEL RIGHT PROACTIVE



ProActive® by Fuel Right® is a unique blend of powerful proprietary chemistries intended for use in diesel.

- Dissolves, Disperses & Prevents Sludge Contamination
- Breaks down particulates enhancing fuel cleanliness
- Cleans Tanks, Fuel Lines, Filters and Strainers
- Cleans Injectors & Reduces Exhaust Emissions
- Enhances Fuel Lubricity/ Long-Term Storage Stability
- Provides a Microscopic Corrosion Barrier Film
- Warranty Safe for All Diesel Engines
- 355ml bulk treats 3550 litres
- 355ml Shock Treats 1420 litres

PART NO.	MFG#	DESCRIPTION
9943-617	FU-PROACTIVE355	355ml

BIOBOR EB GASOLINE TREATMENT



- Combats the harmful effects of ethanol in gasoline
- Stabilizes the ethanol/gasoline mixture
- Adds lubricity
- Prevents corrosion and wear
- Enhances fuel combustion
- Quick engine starting

PART NO.	MFG#	DESCRIPTION
9943-622	BIOBOREB 8 OZ	8oz, Treats 120 gal
9943-623	BIOBOREB 16OZ	16oz, Treats 240 gal

BIOBOR JF BIOCIDE



- The microbiocide that kills fungal growth in all diesel fuels, plus adds lubricity to fuel
- Cleans and disperses sludge
- Prevents clogged filters
- Protects vital engine parts from corrosion
- Improved combustion, less harmful emissions

PART NO.	MFG#	DESCRIPTION
9943-624	BIOBORJF 8 OZ	8oz, Treats 640 gal
9943-625	BIOBORJF 16OZ	16oz, Treats 1280 gal
9943-626	BIOBORJF 32OZ	32oz, Treats 2560 gal
9943-021	BIOBORJF1GAL	1 Gal
9943-023	BIOBORJF5GAL	4.6 Gal.

BIOBOR MD DIESEL ADDITIVE



- The best prescription for marine diesel. Protects diesel engines in the harsh marine environment
- Cleans and disperses sludge
- Adds lubricity
- Prevents rust and corrosion
- Enhances fuel performance

PART NO.	MFG#	DESCRIPTION
9943-627	BIOBORMD 16OZ	16oz, Treats 120 gal
9943-628	BIOBORMD 32OZ	32oz, Treats 240 gal

FUEL RIGHT - 15K FUEL ADDITIVE



- Amine chemistry dissolve existing sludge and prevents formations of new sludge
- Provides a barrier throughout the fuel system protecting it from corrosion
- Proven in the field and laboratory for more than 18 years to outperform competitive products even BIOCIDE

PART NO.	MFG#	DESCRIPTION
9943-615	FU-FR189L15K	1.89L Treats 7500 gal

OIL CONTROL SHEETS



For Marine and Industrial applications. Perfect for minor oil and chemical spills.

Dimensions :
17" x 19" x 3/16" Sheets
18" x 18" x 3" Pillow

PART NO.	MFG#	DESCRIPTION
7223351	EV-3MBWPB-CTR	Oil Control Sheets (each)
9943-148	EV-10WPILL1818	Oil Absorb Pillow (each)

OIL CONTROL BOOM



Mini boom is ideal for absorbing oil in the confined areas of a bilge. It can absorb up to 1-1/2 gallons of oil and chemicals.

PART NO.	MFG#	DESCRIPTION
7223350	EV-20WBOOM515-S	5" x 15" Mini Boom

OIL DRIP GUARD



This molded reusable plastic oil drip guard will capture a side mounted oil filter for a seamless & clean removal. It will also help prevent any remaining oil from dripping into the lower cowl.

For use on: Mercury F25hp and F30hp 4-stroke outboards and Mercury F40 through F60hp 4-stroke outboards

PART NO.	MFG#	DESCRIPTION
92-92100	92-92100	Oil Drip Guard

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

LEVER ACTION GREASE GUN



Heavy duty lever action grease gun is engineered to maximize pressure with consistent flow of grease. Made with heavy gauge steel and a corrosion resistant bright metal finish. Flexible nozzle available for hard to reach fittings. For use with 14 oz. grease cartridges.

PART NO.	MFG#	DESCRIPTION
5210805	028714	Grease Gun 14oz.
5210806	028800	Grease Gun Ext. Hose

MULTI-PURPOSE MARINE GREASE



- Provides rust and corrosion protection in both fresh and salt water environments.
- Contains special adhesive properties that allow the grease to stay in place.
- For universal marine applications including trailer wheel bearings, trailer chassis and outboards.

PART NO.	MFG#	DESCRIPTION
6889004	088-11008	Grease, Lucas Blue, 14oz (397g)

WHEEL BEARING GREASE



- Superior rust and corrosion protection from salt water, salt air and atmospheric chemicals
- Recommended for corrosive marine applications - trailer wheel bearings, water pumps, hinges, pins, winches and anchor chain reels
- Special water-insoluble formula is highly resistant to wash-out
- N.L.G.I. #2

PART NO.	MFG#	DESCRIPTION
9960-892	026014C	Grease Cart., 14 oz.

RED "N" TACKY GREASE



A smooth, tacky, red lithium grease fortified with rust and oxidation inhibitors. It has good water resistance and washout properties. Red N' Tacky Grease is fortified with a high degree of extreme pressure additives that give it a TRUE Timken load much higher than other greases of this type.

PART NO.	MFG#	DESCRIPTION
6889000	088-11008R	14 oz. (397g)

NEW

UNIVERSAL LOWER UNIT PUMP

MOELLER marine products



- Fits all quart bottles
- Extra threaded adapter for 1 1/2" neck quart and gallon bottles
- Includes 3 engine adapters for most outboards of stern drives
- Not for transfer of fuel or gasoline

PART NO.	MFG#	DESCRIPTION
7915298	053725-10	Pump Kit

LOWER UNIT QUART PUMP

Star brite



9960-895

- Adapter fits Yamaha, Nissan, Tohatsu & Honda Lower Units (2-50 hp)

- Lower Unit Quart Pump fits standard quart plastic bottles and flexible hose to get to hard-to-reach fill plugs
- Metal threaded fitting fits Mercruiser, OMC, Evinrude, Johnson, Honda (70-90hp), Volvo, Force and Gamefisher lower units

PART NO.	MFG#	DESCRIPTION
9960-894	027410	Pump w/8mm Adapter
9960-895	028401	8mm Adapter

GEAR LUBE PUMP

SIERRA



S189649

This Universal Gear Lube Pump is for use with standard and wide mouth bottles. Adapters are included for most outboards and sterndrives. Adapters included

- 3/8" Fits outboards Johnson/Evinrude, Mercury/Mariner Fits sterndrives OMC, OMC Cobra, OMCSX Cobra, Mercruiser, Speedmaster and Volvo Penta SX.
- M8 Fits Suzuki 4 stroke and Honda
- M10 Fits Yamaha, Honda, Mercury 4 stroke, Nissan and Tohatsu

PART NO.	MFG#	DESCRIPTION
S189779	18-9779	Universal Gear Lube Pump
S189649	18-9649	1-1/2" Wide Mouth Adapter

PAIL PUMP

Star brite



This manual pail pump is designed to quickly transfer heavier lubricating oils direct from a 5 – gallon pail into lower units. A 96" hose with a 3/8"-16 threaded fitting is included.

Fits: Mercruiser, OMC, Evinrude, Johnson, Honda (70-90hp), Volvo, Force and Gamefisher lower units

PART NO.	MFG#	DESCRIPTION
5210790	027405	Pail Pump, Gear Lube

PLASTIC FUNNELS

SCEPTER



Made from tough, high-density polyethylene plastic and are available in a variety of sizes, shapes and configurations that are ideal for all Marine uses.

PART NO.	MFG#	DESCRIPTION
7915206	03590	Combo Pack 4",6",8"

LOWER UNIT FILL/DRAIN KIT

SIERRA

Lower unit fill/drain kit comes with all the necessary components to convert your existing drive unit. Two fittings that permanently replace the upper vent plug and lower drain plug in your Mercury or Evinrude/Johnson outboard or stern drive lower unit. Perform quick no mess condition checks to ensure the lubricant has not become contaminated. It also allows to purge and replace the existing lubricant without the inherent risk of spills.

S182446



S182447



- Stainless steel construction to withstand the harsh marine environment
- All-in-one tool fits onto your keychain, no other tool required
- Magnet secures metal particles that could potentially harm the lower unit. Debris cap to prevent blockage at the plug

PART NO.	MFG#	DESCRIPTION
S182446	18-2446	Outboard (Johnson/Evinrude & Mercury)
S182447	18-2447	Stern Drive (Stern Drive Gearcase)

OIL FILTER WRENCH

Star brite



This heavy duty oil filter wrench has a swivel handle for use in confined areas. 2 different sizes available.

PART NO.	MFG#	DESCRIPTION
5210810	028901	2-13/16" to 3-5/32" Dia.
5210812	028902	3-1/2" to 3-7/8" Dia.
9960-898	028908	2-3/4" to 4" Dia.

CUSTOM HAULER HEAD ASSEMBLY ORDERING GUIDE

Example: 21 3 4 1 2 02

- 12", 90° style
- Aluminum mounting plate
- Cast bronze hub
- Painted steel discs
- Cast iron splitter
- Parker TB0195

Custom Build Your Hauler Assembly

Assemble an 8-digit product number using this guide, to order your head assembly built to your custom requirements.

size and Style	Mounting Plate	Hub	Discs	Splitter	Parker Motor	Char-Lynn Motor
01- 10" 90° 02- 10" Hanging	3- Aluminum	4- Cast Bronze	1- Painted Steel 5- Stainless Steel	2- Cast Iron 4- Cast Bronze	01- TB0100 02- TB0195	51- 101-1001 52- 101-1002 53- 101-1003 54- 101-1004
21- 12" 90°	3- Aluminum 5- Stainless Steel	4- Cast Bronze 5- Stainless Steel	1- Painted Steel 5- Stainless Steel	2- Cast Iron 4- Cast Bronze	02- TB0195 03- TB0230 15- TB0390	54- 101-1004 56- 101-1006
22- 12" Hanging	3- Aluminum	4- Cast Bronze 5- Stainless Steel	1- Painted Steel 5- Stainless Steel	2- Cast Iron 4- Cast Bronze	02- TB0195 03- TB0230 15- TB0390	55- 101-1005 56- 101-1006 57- 101-1007 58- 101-1008 65- 103-1005 66- 103-1006 68- 103-1008
41- 14" 90°	3- Aluminum 5- Stainless Steel	4- Cast Bronze 5- Stainless Steel	1 - Painted Steel 5- Stainless Steel	2- Cast Iron 4- Cast Bronze	21- TF0280 22- TF0405 23- TF0475	71- 104-1440 72- 104-1441
42- 14" Hanging	3- Aluminum	4- Cast Bronze 5- Stainless Steel	1- Painted Steel 5- Stainless Steel	2- Cast Iron 4- Cast Bronze	21- TF0280 22- TF0405 23- TF0475	73- 104-1434
51- 15" 90°	3- Aluminum	4- Cast Bronze	2- Cast Iron	2- Cast Iron	21- TF0475 31- TG0475	71- 104-1440
52- 15" Hanging	3- Aluminum	4- Cast Bronze	2- Cast Iron	2- Cast Iron	31- TG0475 32- TG0785 33- TG0960	73- 104-1434
71- 17" 90° 72- 17" Hanging	3- Aluminum	4- Cast Bronze	1- Painted Steel	2- Cast Iron		81- 112-1068 82- 112-1069

With a tradition of manufacturing rugged and dependable hydraulic hauling equipment spanning decades, Hydraulic Hauling Systems is the preferred choice of commercial fishermen working the challenging North Atlantic waters off Canada's East coast. Hydraulic Hauling Systems manufactures the finest hydraulic line hauling equipment available.

An extensive product range allows HHS equipment to be easily configured for virtually any application involving hauling a line, such as inshore and midshore lobster and crab fishing, trawl line fishing, mussel farming and certain net hauling operations. A variety of hauler components are available in steel, cast iron, aluminum, cast bronze and solid stainless steel.



TYPICAL HAULER INSTALLATION

1. Head assembly
2. Work lines
3. Control handle
4. Control handle connector
5. Control valve
6. Hydraulic fluid tank
7. In-line filter
8. Return line
9. Pump discharge line
10. Pump suction line
11. Hydraulic pump
12. Pump mount bracket

Low pressure suction/return lines

High pressure lines

PE 902-566-1220 NS 902-928-1900

12" 90° STYLE



14" 90° STYLE STAINLESS



15" 90° STYLE



17" 90° STYLE



90° STYLE HAULER HEAD ASSEMBLIES

Size	Max. pull lb.	Max. line speed ft/min.	Motor	Mounting Plate	Hub	Discs	Splitter	Part No.
Stainless 90° Haulers								
12"	585	630	101-1005	Stainless	Stainless	Stainless	Bronze	**21555455**
	752	481	TB0195	Stainless	Stainless	Stainless	Bronze	**21555402**
14"	1450	400	104-1434	Stainless	Stainless	Stainless	Bronze	**41555473**
	1500	390	TF0475	Stainless	Stainless	Stainless	Bronze	**41555423**
Corrosion Proof 90° Haulers								
10"	390	1060	TB0100	Aluminum	Bronze	Stainless	Bronze	**01345401**
	390	1060	101-1003	Aluminum	Bronze	Stainless	Bronze	**01345453**
12"	585	630	101-1005	Alumimum	Bronze	Stainless	Bronze	**21345455**
	752	481	TB0195	Alumimum	Bronze	Stainless	Bronze	**21345402**
	655	510	101-1006	Alumimum	Bronze	Stainless	Bronze	**21345456**
	650	412	TB0230	Alumimum	Bronze	Stainless	Bronze	**21345403**
14"	1350	645	104-1440	Aluminum	Stainless	Stainless	Bronze	**41355471**
	1350	645	TF0280	Aluminum	Stainless	Stainless	Bronze	**41355421**
	1370	485	104-1441	Aluminum	Stainless	Stainless	Bronze	**41355472**
	1425	520	TF405	Aluminum	Stainless	Stainless	Bronze	**41355422**
	1450	400	104-1434	Aluminum	Stainless	Stainless	Bronze	**41355473**
	1500	390	TF0475	Aluminum	Bronze	Stainless	Bronze	**41355423**
Economy 90° Haulers								
10"	390	1060	TB0100	Aluminum	Bronze	Steel	Cast Iron	**01341201**
	390	1060	101-1003	Aluminum	Bronze	Steel	Cast Iron	**01341253**
12"	585	630	101-1005	Alumimum	Bronze	Steel	Cast Iron	**21341255**
	699	412	TB0230	Alumimum	Bronze	Steel	Cast Iron	**21341203**
	655	510	101-1006	Alumimum	Bronze	Steel	Cast Iron	**21341256**
	752	481	TB0195	Alumimum	Bronze	Steel	Cast Iron	**21341202**
14"	1350	645	104-1440	Aluminum	Stainless	Steel	Cast Iron	**41351271**
	1350	645	TF0280	Aluminum	Stainless	Steel	Cast Iron	**41351221**
	1370	485	104-1441	Aluminum	Stainless	Steel	Cast Iron	**41351272**
	1425	520	TF0405	Aluminum	Stainless	Steel	Cast Iron	**41351222**
	1450	400	104-1434	Aluminum	Stainless	Steel	Cast Iron	**41351273**
	1500	390	TF0475	Aluminum	Stainless	Steel	Cast Iron	**41351223**
15"	2050	340	TG0475	Aluminum	Bronze	Cast Iron	Cast Iron	**51342231**
	2450	205	TG0785	Aluminum	Bronze	Cast Iron	Cast Iron	**51342232**
	2970	168	TG0960	Aluminum	Bronze	Cast Iron	Cast Iron	**51342233**
17"	2500	480	112-1069	Aluminum	Bronze	Steel	Cast Iron	**71341282**
	2150	335	112-1068	Aluminum	Bronze	Steel	Cast Iron	**71341281**

Hydraulic motor fittings included.

Head assemblies sold without fairlead rollers.

For the most up to date pricing, please visit maritimemarinesupply.ca/price

12" HANGING



14" HANGING



15" HANGING



17" HANGING



HANGING STYLE HAULER HEAD ASSEMBLIES

Hydraulic motor fittings included.
Head assemblies sold without fairlead rollers.

Size	Max. pull	Max. line speed	Motor	Mounting plate	Hub	Discs	Splitter	Part No.
Corrosion Proof Hanging								
10"	1060	390	TB0100	Aluminum	Bronze	Stainless	Bronze	**02345401**
	1060	390	101-1003	Aluminum	Bronze	Stainless	Bronze	**02345453**
12"	585	630	101-1005	Alumimum	Stainless	Stainless	Bronze	**22345455**
	650	510	101-1006	Alumimum	Stainless	Stainless	Bronze	**22345456**
14"	1350	645	104-1440	Aluminum	Stainless	Stainless	Bronze	**42355471**
	1350	645	TF0280	Aluminum	Stainless	Stainless	Bronze	**42355421**
	1425	520	TF0405	Aluminum	Stainless	Stainless	Bronze	**42355422**
	1500	390	104-1434	Aluminum	Stainless	Stainless	Bronze	**42355473**
	1500	390	TF0475	Aluminum	Stainless	Stainless	Bronze	**42355423**
Economy Hanging								
10"	1060	390	101-1003	Aluminum	Bronze	Steel	Cast Iron	**02341253**
	1060	390	TB0100	Aluminum	Bronze	Steel	Cast Iron	**02341201**
12"	585	630	101-1005	Alumimum	Stainless	Steel	Cast Iron	**22341255**
	752	481	TB0195	Alumimum	Stainless	Steel	Cast Iron	**22341202**
	650	510	101-1006	Alumimum	Stainless	Steel	Cast Iron	**22341256**
	950	315	TB0390	Aluminum	Stainless	Steel	Cast Iron	**22341215**
14"	1425	520	TF0405	Aluminum	Stainless	Steel	Cast Iron	**42351222**
	1500	390	TF0475	Aluminum	Stainless	Steel	Cast Iron	**42351223**
	1500	390	104-1434	Aluminum	Stainless	Steel	Cast Iron	**42351273**
15"	1690	340	TF0475	Aluminum	Bronze	Cast Iron	Cast Iron	**52342223**
	2050	340	TG0475	Aluminum	Bronze	Cast Iron	Cast Iron	**52342231**
	2450	205	TG0785	Aluminum	Bronze	Cast Iron	Cast Iron	**52342232**
	2970	168	TG0960	Aluminum	Bronze	Cast Iron	Cast Iron	**52342233**
17"	2500	480	112-1069	Aluminum	Bronze	Steel	Cast Iron	**72341282**
	2150	335	112-1068	Aluminum	Bronze	Steel	Cast Iron	**72341281**

DAVIT ASSEMBLY

- 3-1/2" schedule 40 aluminum pipe construction ensures years of service
- Overall height 7 feet with 30" horizontal arm for lobster block attachment
- Includes foot mount base for attachment to work deck, intermediate base to support davit as it passes through the washboard, and 1/4" thick x 17" W x 17" H aluminum plate for mounting hauler head assembly

Custom sizes are available upon request.



PART NO.	MFG#	DESCRIPTION
9911-200	DAVIT ASSY, 17X17	7' x 30"

S/S WASHBOARD CLAW



8012900

This unit is constructed with S/S material, brass bushings and S/S grease nipples for longer life. The mounting base for washboard roller measures ½" thick, 4" wide and 10" long with 4 bolt holes. This roller unit is removable from base. You must specify location of washboard roller unit when ordering. Roller location consists of bow-starboard, stern-port, or bow-port stern-starboard.

PART NO.	MFG#	DESCRIPTION
8012900	8012900	Bow-Starboard & Stern-Port
8012901	8012901	Bow-Port & Stern Starboard

LOBSTER BLOCKS



- Cast aluminum frames and sheaves, stainless steel shafts and bolts, galvanized swivel eye, grease fittings on shaft and swivel eye
- Sheaves have stainless steel sleeves with bronze 'Oilite' bushings
- Drilled for spray shields;

Spray shields not included



PART NO.	DESCRIPTION
9911-224	5" sheave, 1-1⁄2" throat clearance
9911-119	5" sheave, 2-1⁄2" throat clearance
9911-222	6" sheave, 3-1⁄2" throat clearance

Spray Shields for Lobster Blocks

- Complete with stainless steel mounting bracket, fabric reinforced rubber shield and stainless steel bolts (blocks sold separately)

PART NO.	DESCRIPTION
9911-118	Spray shield for 5" block
9911-117	Spray shield for 6" block

Replacement Parts

Block Size	5" x 1-1/2" Item No.	5" x 2-1/2" Item No.	6" x 3-1/2" Item No.
Front plate	**9912-224**	**9912-119**	**9912-222**
Rear frame	**9913-224**	**9913-119**	**9913-222**
Shaft	**9916-224**	**9916-119**	**9916-222**
Shaft Sleeve	**9915-224**	**9915-119**	**9915-222**
Roller	**9914-224**	**9914-119**	**9914-222**
Eye bolt kit	**9920-224**	**9920-224**	

S/S BOW ARM



Lobster Block not Included.

This unit is for bow use on either port or starboard side of the boat. This support arm is constructed with 2" SCH 40 S/S pipe; support arm pivots on a solid S/S bottom base. The support arm comes with 2" x 30" long (1/4" x 1-1/2" S/S) stiffener arm braces. This arm is designed for hanging blocks or davit blocks and measures 60" in height, but can be cut to desired length. The arm length is 24".

PART NO.	MFG#	DESCRIPTION
8012910	8012910	S/S Bow Arm (Port & Starboard)

For the most up to date pricing, please visit maritimemarinesupply.ca/price

HAULER HEAD ASSEMBLY REPLACEMENT PARTS



Please use the table at left to select the correct part for your head assembly. This diagram is intended as a guide only. Many items are available in a variety of materials. Be sure to use the correct part number for the material you require. Quantities required for some parts such as shims and fasteners may vary between head assemblies.

1 Backing Plate
2 Hub
3 Disc Set
4 Disc Shim 1/16" thick
5 Disc Shim 1/32" thick
6 Hub Cover Gasket
7 Hub Cover
8 Disc Bolts
9 Splitter Shim
10 Splitter
11 Splitter Bolts
12 Rope Deflector Assembly
13 Motor Mount Bolts
14 Hydraulic Motor
15 Motor Fittings





12"





14"





FAIRLEAD ROLLERS – ALUMINUM

- Solid machined aluminum rollers, bronze bushings and stainless steel shafts

PART NO.	DESCRIPTION
9911-218	3" Dia. for old style, 10" & 12" haulers (7/16" pin)
9911-216	3" Dia. for 12", new style (1/2" pin)
9911-219	4" Dia. for 14" haulers
9911-215	5" Dia. for 15" haulers
9911-217	5" Dia. for 17" haulers



3" FOR 12" HAULERS



4" FOR 14" HAULERS



5" FOR 15"- 17" HAULERS

FAIRLEAD ROLLERS – REPLACEMENT PARTS

3" Replacement Parts

PART NO.	DESCRIPTION
9912-218	Roller only
9913-216	1/2"- UNF Pin (no sleeve required)
9913-218	7/16" Pin
9914-218	Sleeve

4" Replacement Parts

PART NO.	DESCRIPTION
9912-219	Roller only
9913-219	Pin
9914-219	Sleeve

5" Replacement Parts

PART NO.	DESCRIPTION
9912-215	Roller only, 15" haulers
9912-217	Roller only, 17" haulers
9913-217	Pin
9914-215	Sleeve for 15" haulers
9914-217	Sleeve for 17" haulers

HANGING HAULER REPLACEMENT EYE BOLT KITS



- Kit includes eye bolt, nut and roll pin

PART NO.	DESCRIPTION
9920-086	10"
9920-087	12"
9920-088	14"
9920-089	17"

PE 902-566-1220 NS 902-928-1900

HAULER HEAD ASSEMBLY REPLACEMENT PARTS

	Head Assembly Size	10"	12"	14"	15"	17"
		Parts No.	Parts No.	Parts No.	Parts No.	Parts No.
1	90° mounting plate, aluminum	9911-050	9911-070	9911-090	9911-105	9911-110
	90° mounting plate, stainless	—	9911-160	9911-170	—	—
	Hanging style mounting plate	9911-086	9911-087	9911-088	9911-188	9911-089
	Replacement eye bolt kit	9920-086	9920-087	9920-088	9920-088	9920-089
2	Hub, cast bronze	9911-053	9911-073	9911-093	9911-103	9911-154
	Hub, stainless steel	—	9911-084	9911-094	—	—
3	Hub washer, stainless steel	—	—	—	9911-114	9911-115
	Discs, painted steel, set of 2	9911-051	8012012	8014010	—	9911-111
	Discs, stainless, set of 2	9911-143	8012013	9911-152	—	—
	Discs, cast iron, set of 2	—	—	—	9911-096	—
4	Reinforcing disc, each	—	—		—	—
5	Disc shim 1⁄16" thick, each	9912-055	8013014	8013014	9911-155	9911-155
6	Disc shim 1⁄32" thick, each	9911-055	8013015	8013015	—	—
	Hub cover gasket	9912-057	9912-077	9912-077	9912-078	9912-078
7	Hub cover, stainless steel	—	9911-077	9911-077	9911-157	9911-157
	Hub cover, aluminum	9911-057	—	—		
8	Disc bolts, each	88200616	88200716	88200820	88200840	88200832
9	Splitter shim 1/32" thick, ea.	8013008	8013008	8013008	9911-076	—
	Splitter shim 1/16" thick, ea.	8013009	8013009	8013009	9912-076	9911-066
10	Splitter, cast iron	9911-052	9911-072	9911-092	9911-097	9911-153
	Splitter, cast bronze	9911-144	9911-146	9911-148	—	—
11	90° splitter bolts, ea.	88200540	9983-230	88200548	88200540	88200672
	Hanging splitter bolts, ea.	88200552	88200548	88200556	9983-232	88200680
	90° splitter bolt nuts, ea.	—	—	—	—	9983-555
12	Hanging splitter bolt nuts, ea.	9983-554	9983-554	9983-554	9983-554	9983-555
	Rope deflector assembly	9911-058	9911-054	9911-054	9911-059	—
13	Motor mount bolts, ea.	88300616	88300616	9911-098	9911-098	9911-158
14	Motor mount bolt nuts, ea.	—	—	8810081	8810081	9983-558
15	Hydraulic motor	See page 871 for complete motor selection				
	Hydraulic motor fittings, Parker, each	P3107-8-8	P3107-8-8	— —		9912-189
	Hydraulic motor fittings, Char-Lynn, each	P3107-8-8	P3107-8-8	P0507-10-12	P0507-10-12	P0507-16-16

*NOTE: Old Style 14" Disc bolts 7/16" **88200720**

For the most up to date pricing, please visit maritimemarinesupply.ca/price

12" HEAD ASSEMBLY
HIGHEST QUALITY MODEL



All stainless steel hauler head. Assembled with polished stainless steel backing plate, stainless steel discs, stainless steel hub with grease passage, stainless steel hub cover with grease nipple, stainless steel rope deflector, stainless steel splitter and stainless steel fasteners throughout.

(1) 101-1006 Char-lynn
(2) TB0230 Parker

	PART NO.	TORQUE	LINE PULL	LINE SPEED
(1)	**8012005**	2669 ft·lbs	667 lbs	508 fpm
(2)	**8012105**	2797 ft·lbs	699 lbs	412 fpm

14" HEAD ASSEMBLY
HIGHEST QUALITY MODEL



All stainless steel hauler head. Assembled with stainless steel backing plate, stainless steel discs, stainless steel hub with grease passage, stainless steel hub cover with grease nipple, stainless steel rope deflector, stainless steel splitter and stainless steel fasteners throughout.

(1) 104-1434 Char-lynn
(2) TF0475 Parker

	PART NO.	TORQUE	LINE PULL	LINE SPEED
(1)	**8014007**	7470 ft·lbs	1500 lbs	400 fpm
(2)	**8014007**	6790 ft·lbs	1360 lbs	408 fpm

12" & 14" HAULER WITHOUT MOTOR
CORROSION PROOF MODEL

Kit includes: All stainless steel; discs, splitter, hub, cover and rope deflector with necessary hardware and aluminum backing plate.



PART NO.	DESCRIPTION
8012-MSA	12" Hauler
8014-MSA	14" Hauler

12" & 14" HAULER WITHOUT MOTOR
HIGHEST QUALITY MODEL



Kit includes: Stainless steel back plate discs, hub, cover, splitter, rope deflector and fasteners.

PART NO.	DESCRIPTION
8012-MSS	12" Hauler
8014-MSS	14" Hauler

S/S MOUNTING PLATE



12" Stainless Stele



14" Stainless Steel

PART NO.	DESCRIPTION
8012016SS	12" Stainless Steel 90°
8014016SS	14" Stainless Steel 90°

HAULER DISCS, GALVANIZED LINERS



PART NO.	HOLE SIZE	DESCRIPTION
8010014	3/8"	10" Galvanized Liners
8012012	7/16"	12" Steel Discs
8012013	7/16"	12" Stainless Steel Discs
8012014	7/16"	12" Galvanized Liners Standard
9911-100	7/16"	12" Galvanized Liners Heavy Duty
8012024	7/16"	12" Stainless Steel Liners
8014012	7/16"	14" Steel Discs
8014012SS	7/16"	14" Stainless Steel Discs
8014014	1/2"	14" Galvanized Liners Standard
9911-101	1/2"	14" Galvanized Liners Heavy Duty
88200716		7/16" Bolts for 12" Discs
88200720		7/16" Bolts for 14" Discs
9911-096	1/2"	15" Discs, Cast Iron
9911-111	1/2"	17" Discs, Painted Steel

12" MUSSEL DISC



Custom designed for the Mussel farming industry, this 12" disc replaces the outside disc to any 12" hauler.

PART NO.	HOLE SIZE	DESCRIPTION
8012012M	7/16"	Single Disc /ea

SPLITTERS



PART NO.	DESCRIPTION
9911-052	10" Splitter Cast Iron
9911-144	10" Splitter Cast Bronze
8012021	12" Splitter Stainless Steel
9911-072	12" Splitter Cast Iron
9911-146	12" Splitter Cast Bronze
8014021	14" Splitter Stainless Steel
9911-092	14" Splitter Cast Iron
9911-148	14" Splitter Cast Bronze
9911-097	15" Splitter Cast Iron
9911-153	17" Splitter Cast Iron
88200540	Bolts for 12" Splitter
88200548	Bolts for 14" Splitter

SPLITTER SHIMS



PART NO.	DESCRIPTION
8013008	Thin Shim .030" , White
8013009	Thick Shim .060" , Black

STAINLESS STEEL FAIRLEAD ROLLERS



Machined from solid stainless steel with bronze bushing, stainless sleeve and bolt with grease nipple.

7/16" bolt 5/8" bolt

PART NO.	DESCRIPTION
8012019	3" Roller for 10" & 12" Haulers
8014020	4" Rollers for 14" Haulers

DISC SHIMS



Thin Thick

PART NO.	DESCRIPTION
8013015	Thin Shim .030", White
8013014	Thick Shim .060" , Black

STAINLESS STEEL HUBS



Precision machined hauler hubs in stainless steel. **Hubs will fit all 12" or 14" haulers. Complete with stainless steel set screw.** All hubs have grease passage to allow easy greasing of hauler motor shaft to prevent pitting and extend seal life.

PART NO.	HOLE SIZE	DESCRIPTION
8012020	7/16"	12" Stainless Steel Hub
8014019	7/16"	14" Stainless Steel Hub

STAINLESS STEEL ROPE DEFLECTOR



PART NO.	DESCRIPTION
8013020	Rope Deflector

EXTERNAL CONTROL HANDLE



- For direct attachment to valve spool
- No bulkhead required

PART NO.	MFG#	DESCRIPTION	BORE
9911-048	EXT HANDLE 25P	w/25P connector	3/4"
9911-049	EXT HANDLE SPW4	w/SPW4 connector	9/16"

STAINLESS STEEL CONTROL HANDLE

830020



Stainless Steel control handle with machined base and oilite bushing. **For use on 25P, SPW4 or any rotary control valve.**

Requires connector listed below.



8013019
8013021
8023022

PART NO.	DESCRIPTION	BORE
8013016	Stainless Steel Control Handle/Flange	
8013019	Stainless Steel Connector 25P	3/4"
8013021	Stainless Steel Connector SPW4	9/16"
8013022	Stainless Steel Connector VA20	11/16"
830020	Replacement Handle Ball Only	

CONNECTORS ONLY

Connectors for control handles



PART NO.	MFG#	DESCRIPTION
9911-067	11-067	Connector for SPW4 – 9/16"
9911-068	11-068	Connector for 25P – 3/4"
9911-489		Connector for 8013170 BRAND MDC valve
9911-498	11-498	Connector for DC

For the most up to date pricing, please visit maritimemarinesupply.ca/price

HAULER HEAD ASSEMBLY 12" MANGANESE BRONZE



This hauler has a greasable motor shaft bearing cage to eliminate side load and premature shaft seal failure on hydraulic motors.

All external parts made from high strength, corrosion resistant manganese bronze.

PART NO.	DESCRIPTION
2128006	Hauler With #6 Danfoss Motor
2128010	Hauler Without Motor



HAULER HEAD ASSEMBLY REPLACEMENT PARTS

	PART NO.	DESCRIPTION
1	**6001225**	Danfoss Hydraulic Motor #6
2	**2128020**	Shaft Assembly Including Key
3	**2128030**	Fibre Washer
4	**2128041**	Bearing Cage
5	**2128052**	Bearing Cage Bearing
6	**2128061**	Base Plate
7	**2128071**	Coupling
8	**2128081**	Hauling Disc (2 required)
9	**2128101**	Cap
10	**2128111**	Finger
11	**2138121**	Rope Deflector

CHAR-LYNN MOTORS





EATON
Powering Business Worldwide

PART NO.	MFG#	DISPL. CU. IN./REV	PEAK PSI	PEAK TORQUE	SPEED (RPM)	SHAFT
8013401	101-1001-009 EAT	2.8	1800	643	969	1"
8013403	101-1003-009 EAT	5.9	1800	1368	585	1"
8013404	101-1004-009 EAT	9.7	1650	2059	353	1"
8013405	101-1005-009 EAT	11.3	1600	2343	304	1"
8013406	101-1006-009 EAT	14.1	1450	2669	243	1"
8013407	101-1007-009 EAT	17.9	1350	3110	192	1"
8013408	101-1008-009 EAT	22.6	1250	3604	152	1"
8013409	103-1005-012 EAT	11.9	2000	3178	281	1"
8013415	103-1006-012 EAT	14.9	1850	3633	226	1"
8013410	103-1008-012 EAT	22.6	1300	3811	150	1"
8013411	104-1440-006 EAT	18.7	3000	6750	246	1-1/4"
8013412	104-1434-006 EAT	30.0	1750	7470	153	1-1/4"
8013414	104-1441-006 EAT	24.03	2250	6840	191	1-1/4"
8067668	112-1068-006 EAT	29.9	3000	12800	307	1-1/2"
8067669	112-1069-006 EAT	59.9	2000	14920	153	1-1/2"

CHAR-LYNN HYDRAULIC MOTOR SERVICE PARTS

PART NO.	MFG#	DESCRIPTION
8067903	60023-000 EAT	Seal Kit 101-007- Series (old)
8067902	60540-000 EAT	Seal Kit 101-009- Series (new)
8067958	61258-000 EAT	Seal Kit 104-1440, 1434 Series
8067932	60539-000 EAT	Seal Kit 103-1009 Series
8067960	61237-000 EAT	Front Seal Kit for 112/005
8067961	61238-000 EAT	Rear Seal Kit for 112/005
9911-576	14932-008	Woodruff Key, 104 Series

HYDRAULIC MOTORS



PART NO.	MFG#	DISPL. CU. IN./REV	PEAK PSI	PEAK TORQUE	SPEED (RPM)	SHAFT
8013434	016-0206-002	9.7	1650	2059	353	1"
8013436	016-0208-002	14.1	1450	2669	243	1"
8013438	016-0246-002	22.6	1250	3604	152	1"

PARKER MOTORS







PART NO.	MFG#	DISPL. CU. IN./REV	PEAK PSI	PEAK TORQUE	PEAK GPM	SPEED (RPM)	SHAFT	PORT SIZE
9911-600	TB0100FP100AAAB	6	1800	1411	15	454	1"	1/2" NPT
9911-601	TB0195FP100AAAB	11.9	1800	3011	15	230	1"	1/2" NPT
9911-602	TB0230FP100AAAB	13.9	1500	2797	15	246	1"	1/2" NPT
9911-604	TB0390FP100AAAB	24	1200	3792	15	143	1"	1/2" NPT
9911-620	TE0195FP100AAAB	11.9	2000	3360	15	281	1"	1/2" NPT
9911-622	TE0295FP100AAAB	17.9	1450	3784	20	256	1"	1/2" NPT
9911-624	TE0365FP100AAAB	22.6	1378	4133	20	203	1"	1/2" NPT
9911-610	TF0280MS030AAAB	17.1	2000	4502	25	334	1-1/4"	5/8" ORB
9911-612	TF0405MS030AAAB	24.7	1850	5800	25	231	1-1/4"	5/8" ORB
9911-611	TF0475MS030AAAB	29.1	1645	6027	25	195	1-1/4"	5/8" ORB
9911-630	TG0475MS030AAAB	29.1	2000	8445	30	157	1-1/4"	5/8" ORB
9911-631	TG0785MS030AAAB	48	1500	10108	30	95	1-1/4"	5/8" ORB
9911-632	TG0960MS030AAAB	58.5	1500	12262	30	78	1-1/4"	5/8" ORB

PARKER SEAL KITS

PART NO.	MFG#	DESCRIPTION
8013921	SK000090	Seal Kit "TB" & TE" Motors
8013922	SK000092	Seal Kit "TF" & TG" Motors

HYDRAULIC MOTORS





The BMP and BMPH Gerotor gear set, shaft distribution flow, hydraulic motors are a compact, highly efficient, low speed-high torque design which can be used in either parallel or series systems. These low weight advanced construction design motors are manufactured in accordance with the requirements of the ISO 9001-2008 quality system.

PART NO.	MFG#	DISPL. CU. IN./REV	PEAK PSI	PEAK TORQUE	SPEED (RPM)	SHAFT
8013420	BM3Y-315P11A1VY5/T11	20 Cu. In.	2400	7354	222	1-1/4"
8013421	BM3Y-400P11A1VY5/T11	25 Cu. In.	2400	7555	179	1-1/4"
8013422	BM3Y-500P11A1VY5/T11	29 Cu. In.	2400	7877	151	1-1/4"

WHITE MOTOR SEAL KITS ONLY



PART NO.	MFG#	DESC
9911-680	200222001	200 Series
9911-683	PT666251	700 Series
9911-658	P9888200	800 Series

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

3000 SERIES GEAR PUMP



The 3000 Gear Pump has been our best selling pump for many years, Its simplicity in design and ruggedness makes it one of the most reliable pumps on the market. **Same Bolt Pattern as TC24.**

(Mounting flange same as TC24) 1-1/4" Ports

This pump has a front shaft bearing for support of electric clutches. Beware of other brands on the market that do not have this.

PART NO.	MODEL	MAX PSI	GPM at 1200 RPM	SHAFT SIZE	ROTATION
8013240	"A" 6 Bolt	2500	26	1" Keyed	Bi-Rotational
8013278	"B" 2 Bolt	2500	26	7/8" Splined	Bi-Rotational

* Depth from mounting flange to back of pump = 8-1/4"

SPARE/REPLACEMENT PARTS

PART NO.	DESCRIPTION
8013242	P3000 Seal Kit
8013243	P3000 Roller Bearing
8013244	P3000 Key
8013245	P3000 Front Shaft Bearing
8013246	MH30/31 Seal Kit for 8013240
8013256	Thrust Plate

5000 AND 3700 SERIES GEAR PUMPS



The 5000 Gear Pump with 1-1/4" pipe thread ports.
* Depth from mounting flange to back of pump = 8-1/2"



The 3700 Gear Pump with 1-1/4" NPT ports
* Depth from mounting flange to back of pump = 10-1/4"

PART NO.	MFG#	MODEL	MAX PSI	GPM at 1200 RPM	SHAFT SIZE	ROTATION
8013280	MPN8058093	5000 "B" 2 Bolt	2500	29	1-1/4" Keyed	Bi-Rotational
8013281	MPN8053589	5000 "B" 2 Bolt	2500	29	1-1/4" Splined	Bi-Rotational
8013290	MPN8050993	3700 "C" 4 Bolt	3000	37 at 2000 PSI	1-1/4" Splined	Bi-Rotational
8013282	A37-80-31100			Seal Kit		
8013261	X03-33-13576			Front Bearing		
9911-788	TJ74702-11D			Roller Bearing		
8013257	A37-70-10000			Thrust Plate		

MH SERIES GEAR PUMP



- SAE 4-Bolt C Mount
- 1-1/4" splined shaft
- 30 gpm @ 1200 RPM, 2500 psi
- 1 1/4" ORB Ports
- Use CW or CCW rotation

PART NO.	MFG#	DESCRIPTION
8013250	MPN8098472	MHP51
8013284	A50-80-31100	Seal Kit
8013249	X03-16-13272	Front Bearing
8013260	X03-24-13349	Roller Bearing
8013258	A51-70-20000	Thrust Plate

PERMCO HYDRAULIC GEAR PUMPS



- Maximum pressure 2,000 psi
- 1-1⁄4" ORB inlet and outlet
- 1-1⁄4" splined shaft
- SAE C 4-bolt mounting flange
- Operates in either direction

PART NO.	MFG#	DESCRIPTION
9911-509	50-7022 (51-5002)	29 gpm @ 1,200 rpm
9911-479	RPH-P5000-S	P5000 seal kit
9911-608	P3700-A-267-AZ-US256	37 gpm @ 1,200 rpm
9911-499	P3700-SK	P3700 Seal Kit

"FISH PUMP" HYDRAULIC GEAR PUMP



- Maximum pressure 3,500 psi
- 1 1/4" NPT inlet and outlet
- 1" keyed shaft
- SAE A 6-bolt round flange
- Operates in either direction

PART NO.	MFG#	DESCRIPTION
9911-609	50-7021 (51-5004)	25 gpm @ 1200 rpm
9911-607	P3000SP	Seal Kit
9911-478	W09-01	Fish Pump key

HYDRAULIC VANE PUMPS



PART NO.	MFG#	MODEL	ROTATION	MAX. PSI	GPM @ 1200 RPM	INLET	OUTLET	SHAFT SIZE IN.
9911-502	TB12-100-75-K-CW	TB12	CW	1500	11.0	1" NPT	3/4" NPT	3/4"
9911-503	TB12-100-75-K-CCW	TB12	CCW	1500	11.0	1" NPT	3/4" NPT	3/4"
9911-506	TC24-125-100-B-CW	TC24	CW	1500	23.4	1-1/4" NPT	1" NPT	1"
9911-507	TC24-125-100-B-CCW	TC24	CCW	1500	23.4	1-1/4" NPT	1" NPT	1"

Service Kits and Replacement Parts TB Pumps

PART NO.	MFG#	DESC
9911-467	1012-002	12 gpm Ring
9911-550	K-8002-B	Bearing and seal kit
9911-470	1002-001	Rotor
9911-472	1012-002	Shaft
9911-473	1023-003	Exhaust flange
9911-476	K-8003	Cover kit

Service Kits and Replacement Parts TC Pumps

PART NO.	MFG#	DESC
9911-468	0858-002	24 gpm Ring
8013202	K-9003-F	Bearing and seal kit
9911-460	0835-001	Rotor
9911-461	1018-001	Vane (12 per pump), each
9911-462	1023-003	Shaft
8013204	0861-007	Exhaust flange
9911-466	K-9004	Cover kit

25P HYDRAULIC VALVE



- Rotary valve, single SS spool
- 35 gpm, 1500 psi max
- 3/4"NPT working, 1"NPT inlet/outlet

GRESEN

PART NO.	MFG#	DESCRIPTION
9911-515	07101223	With SS Spool
9911-552	11637005	25P replacement spool
9911-589	08650384	25P spool positioning kit
8013152	06432001	25P valve seal kit
8013150	2931001	25P Spool Seal (2 Needed)

DC ROTARY CONTROL VALVE

BRAND HYDRAULICS



The Brand, MDC directional control valve utilizes internal load checks designed to minimize load drop as the valve is shifted from neutral flow to work-port flow and vise versa. The manual S/S rotary handle provides metering to either port and work-port, the flow is directly proportional to the movement of the lever.

Designed with the marine industry in mind, it has a cast iron body and end caps, a precision ground **stainless steel spool** with Buna-N O-rings and for added protection the valve is painted with a non-corrosive epoxy paint. 20 – Micron filtration is recommended. Salt spray tested per ASTM B-117
Flow: Rated at 0-40 GPM (0-151 LPM)
Pressure: Rated at 3000 PSI (207 bar)
Ports: 1" ORB, all ports

PART NO.	MFG#	DESCRIPTION
8013170	MDC16TM404HB	4-Way, Directional
8013171	MDC-K	Seal Kit

COMBINATION DIRECTIONAL AND FLOW CONTROL VALVE

CROSS



This valve allows you to use the functions of a regular control valve, as well as a flow control valve all in one unit.
Maximum PSI 2500, up to 25 GPM, 3/4" inlets, 1/2" work ports.

PART NO.	MFG#	DESCRIPTION
8013123	121853	Detent Control Valve
8013124	120825	Spring Centered Control Valve
8013120	1V1703	Spare Handle
8013121	4Z4306	Handle Bracket
8013122	1V1701	Handle Pin Kit
8013125	1V0294	Detent Kit
8013126	1V1225	Spring Centering Kit
8013127	4Z0017	Flow Control Knob
8013128	1A0294P	End Cap
8013129	2V0020	Seal Kit
9911-526	502-025-0075	Allen Head Screw
9911-527	1V0208	Power Beyond Sleeve – 1V0208
9911-533	1V1789	Flow Divider Assembly

V20 HYDRAULIC CONTROL VALVES

Parker



Inlet/Outlet Port Size: 3/4"
GPM: 30
Work Port Size: 1/2"

PART NO.	MFG#	DESCRIPTION
8013130	V208845A	V20 Load Sensing (Rotary)
8013131	K-6035-V20	V20 Spool Seal Kit
8013132	K-6121-V20	V20 O-Ring Kit

VA20 PARKER VALVE



8013180

8013179

A good replacement for the 25P Valve, this well priced rotary valve, can be simplified in many different configurations. **"In" and "Out" ports are 1" with 3/4" work ports rated at 45 GPM and 2500 PSI.**

PART NO.	DESCRIPTION
8013180	VA20 Rotary
8013181	VA20 Rotary with S/S Spool
8013179	VA20 Double Rotary
8013188	Extra Work Section Rotary
8013189	Extra Work Section Spring Centered
8013187	Power Beyond Cover
8013183	2 Section Bolt Kit
8013182	Seal Kit
8013186	Repl. Spool for VA20 Valve, Steel
8013190	Rotary Kit for VA20
8013191	Spring Centering Kit for VA20
8013193	Handle/Bracket Kit for VA20
8013195	Repl. Spool for VA20 Valve, S/S

SPW4 HYDRAULIC VALVE

GRESEN



- Rotary valve, single spool
- 20 gpm, 1500 psi max
- 1/2" NPT working, 3/4" NPT inlet/outlet

PART NO.	MFG#	DESCRIPTION
9911-521	08650671	With Regular Spool
9911-421	07214570	With SS Spool
9911-568	11404001	SPW4 replacement spool, SS
9911-566	02671001	SPW4 replacement spool
8013162	06459001	SPW4 valve seal kit
8013163	00967001	SPW4 replacement dust boot

ROTARY CONTROL VALVE S/S SPOOL

BRAND HYDRAULICS



- Maximum flow 18 gpm
- Maximum pressure 3,000 psi; integral, adjustable relief valve is factory set at 1500 psi
- 3⁄4" NPT inlet and outlet ports; 1⁄2" NPT work ports
- Small in size, yet big on performance

PART NO.	MFG#	DESCRIPTION
8013146	AO755T4HRE	Rotary Valve

HYDRAULIC BALL VALVE



- Up to 5,000 PSI
- Steel Body
- Steel Nickle Plate Ball
- Polyamide Ball Seal

PART NO.	SIZE
7553038	3/8"
7553050	1/2"
7553075	3/4"
7553100	1"

IN-LINE FLOW CONTROL VALVE



For smaller applications such as speed control on hydraulic washdown pumps.

Maximum Operating Pressure: 5075 PSI

PART NO.	DESCRIPTION
8071006	3/8" PT
8071008	1/2" Needle pt

FLOW CONTROL VALVE



- Maximum flow capacity 30 gpm
- Pressure rating up to 3,000 psi
- 3/4" ports
- Output flow adjustable from 0–100%; bypass flow can be used to power another circuit or returned to tank
- Pressure compensated outlet flows ensure smooth flow regardless of pressure changes

PART NO.	MFG#	DESCRIPTION
8071012	FC51-3/4	Model CFQ-A

SELECTOR VALVE

GRESEN

SINGLE





DOUBLE

PART NO.	STYLE	DESCRIPTION	PORT SIZE
8013675	A	2 Position-Single	3/4"
8013680	A	2 Position-Single	1"
8013698	B	2 Position-Double	3/4"

4 – WAY DIRECTIONAL CONTROL VALVE

BRAND HYDRAULICS

30 micron filtration is recommended.



This small compact 4-way valve is positive metering (Not for hauler applications) in either direction with a manual spring centered handle. It has a precision ground IOSSO plated steel spool for long life.

Specifications:

- Rated for 0 - 18 GPM (0-68 lpm)
- Rated for 3000 PSI (207 bar)
- **Port sizes:** 3/4" NPT inlet/outlet; 1/2" NPT work ports
- **Weight:** 5-1/2 lbs (2.5 kg)

PART NO.	MFG#	DESCRIPTION
8013105	A0755T4GRS	Spring Centered
8013106	A0755T4GRS	3 Position Detent
9911-485	AO755-O4-GRS	3 Position Spring Center Motor Spool
9911-487	SDC-K	Seal Kit

For the most up to date pricing, please visit maritimemarinesupply.ca/price

OGURA INDUSTRIAL CLUTCHES

250 FT-LBS CLUTCHES

OGURA and Maritime Marine Supply have teamed up and designed a 250 ft·lbs clutch that is both reliable and affordable. **The new spring design makes this clutch bi-directional, REQUIRES an insert (see below) to convert the 1" bore to your pump specifications.** The 1" bore is double keyed for a quick fix in a damaged keyway situation. **6A Draw at 12V.**

"TC" Belt Drive



"TC" mounted Belt Driven 250ft lbs clutches.
Available in both 12 and 24 volt models.
5.5 amp at 12v. 2.75 amp at 24v

PART NO.	DESCRIPTION
8630112	12V TC Belt Drive
8630124	24V TC Belt Drive
8630194	12V Coil for 8630112
8630195	24V Coil for 8630124
8630190	Bearing (3 Req)

"TC" Direct Drive



"TC" mounted Direct Drive 250ft lbs clutches.
Available in both 12 and 24 volt models.
5.5 amp at 12v. 2.75 amp at 24v

PART NO.	DESCRIPTION
8630212	12v TC Direct Drive
8630224	24v TC Direct Drive
8630294	12V Coil for 8630212
8630295	24V Coil for 8630224
8630290	Front Bearing (1 Req)
8630291	Rear Bearing (2 Req)

"B" Direct Drive



The same great clutch in a "B" mount.

Easily bolt the clutch to any "B" Mount pump & bracket with 2 bolts for a very strong & quick installation. 5.5 amp at 12v. 2.75 amp at 24v

PART NO.	DESCRIPTION
8630210	12v "B" Direct Drive
8630211	24v "B" Direct Drive
8630290	Front Bearing (1 Req)
8630291	Rear Bearing (2 Req)

450 & 1000 FT-LBS CLUTCHES

450 lbs Direct Drive



450ft lbs clutches.
Available in both 12 and 24 volt models.

REQUIRES an insert (see below) to convert the 1-3/4" bore to your pump specifications.

PART NO.	TORQUE	VOLT	AMP
8630512	450 ft·lbs	12	5.66
8630524	450 ft·lbs	24	2.83
8630591	Front Bearing (2 Required)		
8630592	Rear Bearing (2 Required)		

1000 ft-lbs Direct Drive



1000ft lbs clutches.
Available in both 12 and 24 volt models.

1-1/4" KEYED AND 1-1/4" SPLINED DOES NOT REQUIRE an insert

PART NO.	TYPE	TORQUE	VOLT	AMP
8630913	1-1/4" Keyed	1000 ft·lbs	12	8.333
8630914	1-1/4"Splined	1000 ft·lbs	12	8.333
8630912	1-3/4" Keyed	1000 ft·lbs	12	8.333
8630925	1-1/4" Keyed	1000 ft·lbs	24	4.166
8630926	1-1/4"Splined	1000 ft·lbs	24	4.166
8630924	1-3/4" Keyed	1000 ft·lbs	24	4.166
8630991	Front Bearing (2 Required)			
8630992	Rear Bearing (2 Required)			

INSERT TO CONVERT OGURA CLUTCHES

For all 250, 450 and 1000 ft·lbs clutches.





** For the Permco pumps with fitted key.*

PART NO.	TORQUE	SHAFT
8630314	250 ft·lbs	1" to 7/8" Splined Ins.
8630315	250 ft·lbs	1" to 7/8" Keyed Insert
8630350	450 ft·lbs	7/8" Splined Insert
8630351	450 ft·lbs	1" Keyed Insert
8630352	450 ft·lbs	1-1/4" Splined Insert
8630354*	450 ft·lbs	1" Keyed Insert
8630355	450 ft·lbs	1-1/4" Keyed Insert
8630362	1000 ft·lbs	1-1/4" Splined Insert
8630363	1000 ft·lbs	1-1/4" Keyed Insert

1500 FT-LBS CLUTCHES

1500 lbs Direct Drive



1500ft lbs clutches.
Available in both 12 and 24 volt models.

Does not require an insert. It comes standard with 1-3/4" 13 tooth splined.

PART NO.	TORQUE	VOLT	AMP
8630950	1500 ft·lbs	12	14.166
8630951	1500 ft·lbs	24	7.083

PE 902-566-1220 NS 902-928-1900

BELT DRIVE ELECTRIC CLUTCHES



BELT DRIVE – 90 FT.-LB.



BELT DRIVE – 200 FT.-LB.



VOLTS	AMPS	SHAFT	MOUNT	MAX. RPM	WEIGHT LB.	MODEL	PART NO.
90 ft.-lb. For Gresen TB pumps. 6" diameter, 2 groove pulley for 1/2" belts							
12	4.0	3/4" keyed	SAE A 2-bolt	5000	14	13233	**8641010**
24	2.0	3/4" keyed	SAE A 2-bolt	5000	14	13817	**9911-915**
200 ft.-lb. For Gresen TC pumps. 8" diameter, 2 groove pulley for B section belts							
12	6.0	1" keyed	SAE A 6-bolt	3600	28	13403	**8641212**
24	3.8	1" keyed	SAE A 6-bolt	3600	28	13500	**8641224**

Belt Drive Electric Clutch – 90 ft.-lb.	
8652198	12V coil for 90 ft. - lb.
9911-917	24V coil for 90 ft. - lb
9911-827	Bearing (same front & rear)
Belt Drive Electric Clutch – 200 ft.-lb.	
9911-907	Bearing
8652225	Armature assembly
9911-912	Pulley for assembly
8652405	12V coil

ELECTRIC CLUTCHES

PITTS H-Series electric clutches and mounts have become a standard specification for many marine hydraulic systems throughout the industry. The clutches and mounting brackets are designed for direct fit to any SAE A, B or C face hydraulic pumps.



DIRECT DRIVE ELECTRIC CLUTCHES

VOLTS	AMPS	SHAFT	MOUNT	MAX. RPM	WEIGHT LB.	MODEL	PART NO.
200 ft.-lb.							
12	6	7/8" splined	SAE B 2 or 4 bolt	3600	30	13394	**8641278**
12	5.6	1" keyed	SAE A 6-bolt	2500	27	13418	**9911-906**
24	2.8	1" keyed	SAE A 6-bolt	2500	26	13898	**9911-908**
400 ft.-lb.							
12	7.6	7/8" splined	SAE B 2 or 4-bolt	3600	44	13589	**9911-808**
24	3.8	7/8" splined	SAE B 2 or 4-bolt	3600	44	13859	**8642430**
12	7.6	1-1/4" splined	SAE C 2 or 4-bolt	3600	44	13378	**8641420**
12	7.6	1-1/4" keyed	SAE C 2 or 4-bolt	3600	44	13538	**8641410**
24	3.8	1-1/4" splined	SAE C 2 or 4-bolt	3600	44	13856	**8642400**
1,000 ft.-lb.							
12	7.6	1-1/4" splined	SAE C 2 or 4-bolt	3000	76	13635	**8641520**
12	7.6	1-1/4" keyed	SAE C 2 or 4-bolt	3000	76	13557	**8641510**
24	3.8	1-1/4" splined	SAE C 2 or 4-bolt	3000	76	13902	**8641530**
1,500 ft.-lb.							
12	7.6	1-3/4" splined	SAE D 2 or 4-bolt	3000	118	14153	**8641550**
24	3.8	1-3/4" splined	SAE D 2 or 4-bolt	3000	118	14154B	**9911-809**

SPICER DRIVE SHAFT

8690101



8690110



8690120

Premium Quality drive shafts designed to fit Ogura and Pitts Clutches.

PART NO.	MFG#	DESCRIPTION
8690101	SPI-9235-SF	250 ft·lbs, Coll. Length 8.88"
8690102	SPI-2-2-329	Flange
8690104	SPI-5-153X	Cross Fit
8690110	SPI-8134-SF	450/1000 ft·lbs, Coll. Length 9.50"
8690111	SPI-3-2-159	Flange
8690112	SPI-5-160X	Cross Fit
8690120	SPI-204249-6	1500 ft·lbs, Coll. Length 9.75"
8690121	SPI-5-155X	Cross for 8690120 Shaft
9911-828	SPI-4-2-669	Flange yoke for Spicer 1550

MOUNTING BRACKETS

PAINTED STEEL

8013000
8013001



STAINLESS STEEL

8013002



STAINLESS STEEL

8013304



PART NO.	MFG#	DESCRIPTION
8013000	8013000	Hinge Style, Painted Steel
8013001	8013001-NP	Hinge Style, Unpainted Steel
8013002	8013002	Hinge Style, Stainless Steel
8013304	8013303	S/S TB-TC Mount Faces Machined for Trueness (Also Fits 'A' Mount)

ADJUSTABLE PUMP BRACKETS – CAST ALUMINUM

9911-041



9911-081



9911-811 & 9911-810



PART NO.	MFG#	DESCRIPTION
9911-041	11-041	For Vickers VTM42 pump
9911-081	11-081	For Gresen TB & TC pumps

Replacement Parts

PART NO.	MFG#	DESCRIPTION
9912-081	TB/TC BASE ONLY	Base for TB/TC
9913-081	TB/TC STRAP ONLY	Strap for TB/TC
9914-081	TB/TC HANDLE ONLY	Handle for TB/TC
9913-041	VTM BASE ONLY	Base for VTM42
9914-041	VTM STRAP ONLY	Strap for VTM42
9915-041	VTM HANDLE ONLY	Handle for VTM42

FOOT MOUNT BRACKETS – CAST ALUMINUM

PART NO.	MFG#	DESCRIPTION
9911-811	FOOT MOUNT BRACKET, TB PUMP	For TB pumps
9911-810	FOOT MOUNT BRACKET, TC PUMP	For TC pumps



Construction

Maritime Marine Supply offers a wide range of hauler assemblies consisting of 12", 14", 15" and 17" haulers constructed of either aluminum or stainless steel backing plates, hard steel or stainless steel discs, 90° or hanging hauler assemblies.



Custom Building

With the variety of hauler motors, we can custom build to suit you hauling needs and a to fit your budget. Our haulers are commonly used in the lobster and crab industries throughout Atlantic Canada and beyond.

PE 902-566-1220 NS 902-928-1900

MOUNTING BRACKETS FOR 90 AND 250 FT·LBS CLUTCHES







PART NO.	MFG#	DESCRIPTION
8690201	13195	For 90 ft.-lbs. Clutch, A 2 Bolt Style
8690203	13219	For 250 ft.-lbs. Clutch, "TC" + "B" Mnt.

MOUNTING BRACKETS FOR 450/1000/1500 FT·LBS CLUTCHES

MOUNTING BRACKET #8690206



MOUNTING BRACKET #8690208



MOUNTING BRACKET #8690207





PART NO.	DESCRIPTION	FITS CLUTCH
8690206	For "B" Mount	4" Pilot 450/1000
8690207	For "C" Mount	5" Pilot 450/1000
8690208	For "D" Mount	6" Pilot 1500
88400616	3/8" x 1" Socket Head Mounting Bolt for 450-1000 lbs clutches (8 required)	

For the most up to date pricing, please visit maritimemarinesupply.ca/price

PORTABLE HYDRAULIC POWER UNITS

POWERED by HONDA



(Shown with optional handle)

Maritime Marine's portable hydraulic power units are powered by Honda with the hydraulic tank and chassis constructed of marine grade stainless steel with stainless steel fastenings. **The power units come complete with a gear driven pump, return line filter and hydraulic tank.** Easy lift handle is optional. The engine mounts have vibration absorbing inserts for smoother, quieter operation.

OPTIONAL CARRY HANDLE



Bolt on Stainless Steel handle to fit all Power Units. **Comes with stainless steel mounting bolts.**

PART NO.	MFG#	DESCRIPTION
8013710	8013710	Carry Handle

ALUMINUM TANK UNITS

5.5 HP POWER UNIT



ALUMINUM TANK

The 5.5 HP power unit comes with 5 GPM gear pump and 3.5 Gal hydraulic tank, allowing it to power up to 10" hauler assemblies.

Dimensions: 20"L x 17-1/2"W x 23"H. **Approximately 65 lbs.**

PART NO.	MFG#	DESCRIPTION
9911-128	11-128	Recoil Start
9911-126	11-126	Engine Oil Alert
9911-127	11-127	Electric Start/Engine Oil Alert
8013220	D14BA2A	Replacement Gear Pump
9911-322	686632K	Seal Kit for Gear Pump

9.0 HP POWER UNIT



ALUMINUM TANK

9 HP power unit has an 8 GPM gear pump and 5 Gal hydraulic tank, allowing it to power up to 12" hauler assemblies.

Dimensions: 22"L x 19"W x 23"H. **Approximately 85 lbs.**

PART NO.	MFG#	DESCRIPTION
9911-130	11-130	Recoil Start
9911-131	11-131	Engine Oil Alert
9911-129	11-129	Electric Start/Engine Oil Alert
8013222	D22AA2A	Replacement Gear Pump
9911-322	686632K	Seal Kit for Gear Pump

13 HP POWER UNIT



ALUMINUM TANK

The Honda GX390 engine in combination with Parker 11.3 GPM pump will give you the extra power required when needed. Comes with an 8 Gal. Tank.

Dimensions: 26"L x 23-1/2"W x 25"H. **Approximately 135 lbs.**

PART NO.	MFG#	DESCRIPTION
9911-134	11-134	Recoil Start/Oil Alert, 8 GPM
9911-135	11-135	Electric Start/Engine Oil Alert 8 GPM
9911-132	11-132	Recoil Start/Oil Alert, 11.3 GPM
9911-133	11-133	Electric Start/Engine Oil Alert 11.3 GPM
9911-307	H31AA2B	Replacement Gear Pump 11.3
9911-321	706024K	Seal Kit for Gear Pump 11.3

STAINLESS STEEL TANK UNITS

5.5 HP POWER UNIT

STAINLESS STEEL



S/S TANK

The 5.5 HP power unit comes with 5 GPM gear pump and 3.5 Gal hydraulic tank, allowing it to power up to 10" hauler assemblies.

Dimensions: 20"L x 17-1/2"W x 23"H. **Approximately 65 lbs.**

PART NO.	MFG#	DESCRIPTION
8013755	8013755	5.5 HP
NGK7131	7131	Spark Plug BPR6ES
8013221	AP-10-6.1-P2R	Replacement Pump

9.0 HP POWER UNIT

STAINLESS STEEL



S/S TANK

9 HP power unit has an 8 GPM gear pump and 5 Gal hydraulic tank, allowing it to power up to 12" hauler assemblies.

Dimensions: 22"L x 19"W x 23"H. **Approximately 85 lbs.**

PART NO.	MFG#	DESCRIPTION
8013794	8013794	With Oil Alarm
8013795	8013795	Oil Alarm & Electric Start
NGK7131	7131	Spark Plug BPR6ES
8013223	AP-10-8.0-P2R	Replacement Pump

13 HP POWER UNIT

STAINLESS STEEL



S/S TANK

The Honda GX390 engine in combination with Parker 11.3 GPM pump will give you the extra power required when needed. Comes with an 8 Gal. Stainless Steel Tank.

Dimensions: 26"L x 23-1/2"W x 25"H. **Approximately 135 lbs.**

PART NO.	MFG#	DESCRIPTION
8013797	8013797	Recoil Start/Oil Alert
8013798	8013798	Electric Start/Oil Alert
NGK7131	7131	Spark Plug BPR6ES
8013225	APQ-20-12-P1-R	Replacement Pump


8013760


8013761


8013762


8013763


8013764


8013765


8013766


8013767


8013768


8013769


8013770


8013771


8013772


8013773 - 8013773


8013775


8013765


8013766


8013767


8013768


8013769

PART NO.	MFG#	DESCRIPTION NET HP @ 3,600 RPM	GX120 3.2	GX160 4.8	GX190 5.2	GX200 5.8	GX240 7.9	GX270 8.4	GX340 10.7	GX390 11.7
8013760	17211ZL8-C	Air Filter		X	X					
8013761	17210ZE0-C	Air Filter	X							
8013762	17210Z4M-C	Air Filter		X		X				
8013763	17210ZE2-C	Air Filter					X	X		
8013764	17210ZE3-C	Air Filter							X	X
8013765	28400ZL8-C	Recoil Assembly		X						
8013766	28400Z1A-C	Recoil Assembly			X					
8013767	28400Z4M-C	Recoil Assembly		X		X				
8013768	28400Z5K-C	Recoil Assembly						X		
8013769	28400Z5T-C	Recoil Assembly							X	X
8013770	17620Z0T-C	Cap, Metal, Fuel Tank		X	X	X	X	X	X	X
8013771	30700ZE1-C	Cap, Spark Plug		X	X	X	X	X	X	X
8013772	15400PLM-C	Oil Filter, Spin On				GX610 - GX690				
8013773	15600Z0T-C	OIL Filler Dip Stick	X	X		X				
8013774	15600735-C	OIL Filler Dip Stick						X	X	X
8013775	18331883-C	Exhaust Gas Deflector		X	X	X				
8013776	36100ZF6-C	On/Off Switch	X	X	X	X	X	X	X	X
8013777	28461Z4M-C	Recoil w/55" Rope								
8013778	16910ZE8-C	Fuel Filter							X	X
8013779	95001160M-C	Fuel Line, 4.5 mm x 1m	X	X	X	X	X	X	X	X
8013780	90300Z1V-C	Air Box Cover Wingnut	X	X	X	X	X	X	X	X

For the most up to date pricing, please visit maritimemarinesupply.ca/price

3 GAL. 304 S/S POWER STEERING TANK



3 Gallon remote mount stainless steel tank. **Features include:** a vented fill cap, 3/4" NPT return ports on left and right sides, 3/4" NPT supply port.
Tank comes with two 3/8" ports to allow easy installation of optional oil level gauge kit.
Dimensions:
13-3/4"H x 15-1/2"W x 6"D

PART NO.	MFG#	DESCRIPTION
8013503	8013503	3 Gal Remote Tank

6 & 12 GAL 304 S/S HYDRAULIC TANKS



Vented cap, 1-1/4" FPT return and supply port, 1/2" drain plug and 3/8" plugged port to accommodate oil level gauge kit (optional). Tanks available with right hand or left hand return.
Dimensions:

- **6 Gal:** 18-3/4"W x 20-1/4"H x 6"D
- **12 Gal:** 22-1/4"W x 24"H x 9"D

PART NO.	MFG#	DESCRIPTION
8013505	8013505	6 Gal Left Hand Return
8013506	8013506	6 Gal Right Hand Return
8013511	8013511	12 Gal Left Hand Return
8013512	8013512	12 Gal Right Hand Return

12 GAL 304 S/S HYDRAULIC TANK
WITH EXTRA PORTS



Same as 8013512 but more suited for Load Sense Systems. As well as a vented cap, 1-1/4" FPT return and supply port, 1/2" drain plug and 3/8" plugged port to accommodate an optional oil level gauge kit, this tank also features an extra 1-1/4" supply in the bottom for a Power Steering Supply and an extra 1/2" FPT port on the left side for case drain.
Dimensions: 20" x 20" x 9"

PART NO.	MFG#	DESCRIPTION
8013513	8013513	12 Gal Right Hand Return

24 GAL HYDRAULIC TANK 304 S/S



The large 24 gal capacity gives oil longer to cool before going back through the hydraulic system, and allows air to escape the system preventing cavitation in the hydraulic pump. **The tank comes with two 1-1/4" ports on each side of the tank, a 1/2" drain and two 1-1/2" ports on the bottom of the tank.** This allows for a variety of mounting positions.

Vented cap is also included. Complete with two 1-1/4" plugs, one 1-1/2" plug and one 1/2" drain plug.
Dimensions for 8013525: 22"W x 26-1/4"H x 13"D

PART NO.	MFG#	DESCRIPTION
8013525	8013525	Stainless Steel

REPLACEMENT CAPS



Tough nylon - won't rust.



8013501



9911-069

For use as filler ports for hydraulic reservoirs, bayonet flange, plastic basket, without dipstick.

PART NO.	MFG#	DESCRIPTION
8013501	FB-12SHYS	Chrome Plated Steel Cap
9911-069	SPBS510S080A	Plastic Basket Style

HEAVY DUTY HYDRAULIC TANKS

Aluminum



UNIVERSAL



RIGHTHAND

- Manufactured with two suction ports and multiple return ports for a universal application
- Complete with breather cap and 1/4" drain plug

Size	Dimensions	Suction	Return
6 Gl.	17"L x 5"W x 17"H	1-1/4"	1-1/4"
12 Gl.	20"L x 8-1/2"W x 20"H	1-1/4"	1-1/4"
24 Gl.	22-1/4L x 21-1/4"W x 12-1/2"H	1-1/2"	1-1/2"

PART NO.	MFG#	DESCRIPTION
9911-063	11-063	6 gal. left hand return
9911-064	11-064	6 gal. right hand return
9911-078	11-078	12 gal. left hand return
9911-079	11-079	12 gal. right hand return
9911-080	11-080	24 gal. universal

HYDRAULIC TANK WITH STAND PIPE

STAINLESS STEEL



- 38-1/4" W x 16" H x 8-5/8" D
- Equipped with 1-1/2" outlet port for plumbing your hauler pump and 1-1/4" outlet for plumbing your power steering circuit
- Allows direct plumbing of hauler circuit and power steering circuit from the same tank using separate pump inlet lines, eliminating the need for running separate tanks for hauler and steering functions
- 1-1/2" NPT male 6" pipe nipple in hauler outlet port acts as a stand pipe in the tank; if a hose in your hauler circuit breaks and oil is lost, you will always have oil in the bottom of the tank for your power steering function
- Stainless Steel

PART NO.	MFG#	DESCRIPTION
9911-180	C11-180	20 gal.

OIL LEVEL GAUGE KIT (FITS 3, 6 AND 12 GAL.)



Kit includes 2 brass elbows, 2 clamps and 12" of 1/2" see-thru hose.

PART NO.	MFG#	DESCRIPTION
8013520	8013520	See-Thru Hose kit, SS tanks
9911-060	11-060	Plastic Tubing Sight Gauge Kit, aluminum tanks

HYDRAULIC IN-LINE FILTERS

	9911-560	9911-562
Ports	3/4" NPT	1-1/4" NPT
Flow	15 GPM	45 GPM
Element	10 micron	10 micron



9911-560



9911-560

PART NO.	MFG#	DESCRIPTION
9911-560	P551551/P561134	Complete filter assembly, 15 GPM
9911-561	P551551	Replacement element
9911-562	P550338/SSF120251	Complete filter assembly, 45 GPM
9911-563	P550388	Replacement element

HYDRAULIC FILTER ASSEMBLY

BALDWIN FILTERS a CLARCOR company

Available in 3/4" and 1-1/4" bases.



PART NO.	MFG#	DESCRIPTION
350532	07-25-1HYS	3/4" N.P.T. Base Only
357839	BT839-10	10 Micron Filter for 3/4" Base, 5-13/32"L
350552	120-25-1HYS	1-1/4" N.P.T. Base Only
357287	BT287-10	10 Micron Filter for 1-1/4" Base, 7"L
357389	BT389-10	10 Micron Filter for 1-1/4" Base, 10-3/4"L

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

MALE QUICK COUPLING STEEL, BRASS & STAINLESS STEEL



PART NO.	DESCRIPTION	SIZE
PH2-63	Steel	1/4"
PH3-63	Steel	3/8"
PH4-63	Steel	1/2"
PH6-63	Steel	3/4"
PH8-63	Steel	1"
PBH2-61	Brass	1/4"
PBH3-61	Brass	3/8"
PBH4-61	Brass	1/2"
PBH6-61	Brass	3/4"
PBH8-61	Brass	1"
PSH3-63	Stainless Steel	3/8"
PSH4-63	Stainless Steel	1/2"
PSH8-63	Stainless Steel	1"

PIONEER COUPLINGS 4000 SERIES



Male. Most popular around the agriculture industry–a large quantity are also sold in the marine industry. Zinc plated steel with female pipe thread.

PART NO.	MFG#	DESCRIPTION
P8010-4	QD-AGN8-8F	1/2"
P4110-5	QD-AGN12-12F	3/4"
P4010-6P	QD-AGN16-16F	1"

DUST CAP, DUST PLUG FOR QUICK COUPLINGS



Keep surface clean & free of contamination, protect the coupling halves when they are disconnected.

PART NO.	DESCRIPTION	SIZE
PH2-66M	Dust Cap	1/4"
PH3-66M	Dust Cap	3/8"
PH4-66M	Dust Cap	1/2"
PH6-66M	Dust Cap	3/4"
PH8-66M	Dust Cap	1"
PH2-65M	Dust Plug	1/4"
PH3-65M	Dust Plug	3/8"
PH4-65M	Dust Plug	1/2"
PH6-65M	Dust Plug	3/4"
PH8-65M	Dust Plug	1"

HYDRAULIC LIQUID FILLED PRESSURE GAUGES



- High quality 304 stainless steel case, brass 1/4" NPT
- Built-in snubber–5,000 PSI
- Built-in relief valve

PART NO.	MFG#	DESCRIPTION
8013500	PG-5000SG25	2-1/2"

FEMALE QUICK COUPLING STEEL, BRASS & STAINLESS STEEL



PART NO.	DESCRIPTION	SIZE
PH2-62	Steel	1/4"
PH3-62	Steel	3/8"
PH4-62	Steel	1/2"
PH6-62	Steel	3/4"
PH8-62	Steel	1"
PBH2-60	Brass	1/4"
PBH3-60	Brass	3/8"
PBH4-60	Brass	1/2"
PBH6-60	Brass	3/4"
PBH8-60	Brass	1"
PSH4-62	Stainless Steel	1/2"
PSH6-62	Stainless Steel	3/4"

PIONEER COUPLINGS 4000 SERIES



Female

PART NO.	MFG#	DESCRIPTION
P4050-4	QD-AGC8-8F	1/2"
P4150-5	QD-AGC12-12F	3/4"
P4050-6P	QD-AGC16-16F	1"

SPIRAL HOSE PROTECTOR



- High impact and wear indication
- Rounded edges to prevent wear on hoses
- Spiral design promotes flexibility

Sold Per 100ft

PART NO.	MFG#	DESCRIPTION
9911-161	12SSGN	1/2"
9911-162	16SSGN	5/8"
9911-163	20SSGN	3/4"
9911-164	25SSGN	1"
9911-165	32SSGN	1-1/4"

Smaller Lengths

PART NO.	MFG#	DESCRIPTION
9911-166	20PC25BK	5/8" x 25'
9911-167	25PC25BK	3/4" x 25'
9911-168	32PC20BK	1" x 20'
9911-169	40PC12BK	1-1/4" x 12'
9911-171	50PC10BK	1-1/2" x 10'

ABRASION RESISTANT HOSE

451TC "tough cover" hydraulic hose offers abrasion resistance, tight bend radius and **3000 PSI working pressure in all sizes.**

SOLD PER FOOT



PART NO.	SIZE	OPERATING PRESSURE PSI
P451TC-4	1/4"	5800, 2 wires
P451TC-6	3/8"	4800, 2 wires
P451TC-8	1/2"	4000, 2 wires
9911-700	1/2"	2320, 1 wire
P451TC-12	3/4"	3100, 2 wires
P451TC-16	1"	2400, 2 wires

OIL RESISTANT MP HOSE - RETURN LINE

Multipurpose hose for gas, oil, air, water, chemicals. Red neoprene cover, synthetic braided yarns reinforcement. **Working pressure of 250 PSI temp rating 180°F. This hose is NOT Transport Canada approved for gasoline.**





PART NO.	MFG#	SIZE ID
3907038	3/8" VERSICON	3/8"
3907050	1/2" VERSICON	1/2"
3907058	RPH-10-REEL	5/8"
9911-730	GRIP250-10	5/8" 300 PSI
3907075	3/4" VERSICON	3/4"
3907100	1" VERSICON	1"
3907125	1 1/4" VERSICON	1-1/4"
3907150	1-1/2"VERSICON	1-1/2"

MALE JIC



PART NO.	THREAD	HOSE
P10343-6-4	3/8"	1/4"
P10343-6-6	3/8"	3/8"
P10343-8-6	1/2"	3/8"
P10343-8-8	1/2"	1/2"
P10343-10-8	5/8"	1/2"
P10343-10-10	5/8"	5/8"
P10343-12-10	3/4"	5/8"
P10343-12-12	3/4"	3/4"
P10343-14-12	7/8"	3/4"
P10343-16-12	1"	3/4"
P10343-16-16	1"	1"

MALE SWIVEL PIPE THREAD



PART NO.	THREAD	HOSE
P11343-4-4	1/4"	1/4"
P11343-6-6	3/8"	3/8"
P11343-8-8	1/2"	1/2"
P11343-12-12	3/4"	3/4"
P11343-16-16	1"	1"

MALE ORB



PART NO.	THREAD	HOSE
9911-746	1/2"	1/2"

MALE PIPE THREAD



PART NO.	THREAD	HOSE
P10143-4-4	1/4"	1/4"
P10143-4-6	1/4"	3/8"
P10143-6-6	3/8"	3/8"
P10143-6-8	3/8"	1/2"
P10143-8-6	1/2"	3/8"
P10143-8-8	1/2"	1/2"
P10143-8-10	1/2"	5/8"
P10143-8-12	1/2"	3/4"
P10143-12-8	3/4"	1/2"
P10143-12-12	3/4"	3/4"
P10143-16-12	1"	3/4"
P10143-16-16	1"	1"
P10143-20-20	1-1/4"	1-1/4"

FEMALE SWIVEL PIPE THREAD



Hydraulic Crimp Fitting

PART NO.	THREAD	HOSE
P10743-4-4	1/4"	1/4"
P10743-8-8	1/2"	1/2"
P10743-12-12	3/4"	3/4"
P10743-16-16	1"	1"

90° JIC FEMALE SWIVEL

Hydraulic Crimp Fitting



PART NO.	JIC THREAD	HOSE
P13943-6-6	3/8"	3/8"
P13943-8-6	1/2"	3/8"
P13943-8-8	1/2"	1/2"
P13943-10-8	5/8"	1/2"
P13943-10-10	5/8"	5/8"
P13943-12-12	3/4"	3/4"
P13943-16-16	1"	1"
P13943-20-20	1-1/4"	1-1/4"

HYDRAULIC CRIMPED FITTINGS (ONE-PIECE) SWIVEL FEMALE JIC



Also jump size in stock and more!

PART NO.	THREAD	HOSE
P10643-4-4	1/4"	1/4"
P10643-4-6	1/4"	3/8"
P10643-5-4	5/16"	1/4"
P10643-6-4	3/8"	1/4"
P10643-6-6	3/8"	3/8"
P10643-6-8	3/8"	1/2"
P10643-8-6	1/2"	3/8"
P10643-8-8	1/2"	1/2"
P10643-8-10	1/2"	5/8"
P10643-10-8	5/8"	1/2"
P10643-10-10	5/8"	5/8"
P10643-12-8	3/4"	1/2"
P10643-12-10	3/4"	5/8"
P10643-12-12	3/4"	3/4"
P10643-14-12	7/8"	3/4"
P10643-16-12	1"	3/4"
P10643-16-16	1"	1"

For the most up to date pricing, please visit maritimemarinesupply.ca/price

PETROWRAP ANTI-CORROSION TAPE



- Excellent, environmentally safe corrosion protection for hydraulic hose fittings, pipe and tube fittings, piping, and valves
- Applies easily and conforms readily to irregular surfaces, withstanding temperatures from -170°C to 80°C
- Water resistant, won't crack or harden

PART NO.	MFG#	DESCRIPTION
5493700	IN-9170	50 mm x 10 m (2" x 33')
9911-351	IN-9171	100 mm x 10 m (4" x 33')
9911-353	"PVC FIRM TAPE, 2"""	50 mm x 30 m (2" x 100')

BRUSH-ON THREAD SEALANT WITH TEFLON



Economical white general purpose thread sealant, out-performs tapes and pipe dopes, resists pressure in air, oil, diesel fuel and hydraulic systems. Resists common auto and shop fluids, fuels and gases, remains pliable in service and is easily removed with hand tools. Temperature range -54°C to 150°C (-65°F to 300°F).

Applications: air condition fittings, temperature sending fittings, hydraulic fittings.

PART NO.	MFG#	DESCRIPTION
5490170	80634	Brush On Sealant 118ml

HIGH TEMPERATURE THREAD SEALANT



OEM specified. Locks and seals threaded fittings. Resists leakage, vibration loosening, moisture, hydraulic fluids and diesel fuels. Lubricates threads for easy assembly and disassembly. Won't shred or wear like Teflon tape. Parts may be repositioned up to 4 hours after application. **Temperature Range:** -65°F to 400°F (-54°C to 204°C). Contains PTFE.

PART NO.	MFG#	DESCRIPTION
5490160	59206	Thread Sealant 6mL
5490165	59234	Thread Sealant 50mL

HYDRAULIC SEALANT



- For locking and sealing high pressure hydraulic fittings
- Controlled locking strength affords easy disassembly

PART NO.	MFG#	DESCRIPTION
9960-048	54540	36ml
9960-049	54550	50ml

TEFLON TAPE



Made of 100% pure virgin PTFE. Easier to wrap, even in the cold. It may be used with pipes of any material and with any medium, including oils, solvents and the strongest alkalis, acids and other corrosive chemicals.

PART NO.	MFG#	DESCRIPTION
3270100	3467-34	1/2" x 43'
9923-268	TT34X520	3/4" x 43'
9923-269	9510575	1/2" x 44' for Diesel Application

90° MALE PIPE THREAD TO MALE JIC



PART NO.	MPT		JIC
P2103-4-4	1/4"	x	1/4"
P2103-4-6	1/4"	x	3/8"
P2103-4-8	1/4"	x	1/2"
P2103-6-4	3/8"	x	1/4"
P2103-6-6	3/8"	x	3/8"
P2103-6-8	3/8"	x	1/2"
P2103-8-6	1/2"	x	3/8"
P2103-8-8	1/2"	x	1/2"
P2103-8-10	1/2"	x	5/8"
P2103-12-6	3/4"	x	3/8"
P2103-12-8	3/4"	x	1/2"
P2103-12-10	3/4"	x	5/8"
P2103-12-12	3/4"	x	3/4"
P2103-12-16	3/4"	x	1"
P2103-16-12	1"	x	3/4"
P2103-16-16	1"	x	1"
P2103-16-20	1"	x	1-1/4"
P2103-20-16	1-1/4"	x	1"
P2103-20-20	1-1/4"	x	1-1/4"

MALE JIC "T"



PART NO.	MFG#	JIC
P033T-4-4	S3744-4	1/4"
P033T-6-6	S3744-6	3/8"
P033T-8-8	S3744-8	1/2"
P033T-12-12	S3744-12	3/4"

MALE JIC UNION



PART NO.	JIC		JIC
P0303-4-4	1/4"	x	1/4"
P0303-4-6	3/8"	x	1/4"
P0303-5-4	5/16"	x	1/4"
P0303-5-5	5/16"	x	5/16"
P0303-6-6	3/8"	x	3/8"
P0303-6-8	3/8"	x	1/2"
P0303-8-8	1/2"	x	1/2"
P0303-8-10	1/2"	x	5/8"
P0303-10-10	5/8"	x	5/8"
P0303-12-8	3/4"	x	1/2"
P0303-12-10	3/4"	x	5/8"
P0303-12-12	3/4"	x	3/4"
P0303-12-16	3/4"	x	1"
P0303-16-16	1"	x	1"

FEMALE PIPE THREAD "T"



PART NO.	MFG#	FPT
P022T-4-4	S1001-B	1/4"
P022T-6-6	S1001-C	3/8"
P022T-8-8	S1001-D	1/2"
P022T-12-12	S1001-E	3/4"
P022T-16-16	S1001-H	1"

UNION MALE PIPE THREAD



PART NO.	MPT		MPT
P0101-2-2	1/8"	x	1/8"
P0101-4-4	1/4"	x	1/4"
P0101-4-6	1/4"	x	3/8"
P0101-4-8	1/4"	x	1/2"
P0101-6-6	3/8"	x	3/8"
P0101-6-8	3/8"	x	1/2"
P0101-8-8	1/2"	x	1/2"
P0101-8-12	1/2"	x	3/4"
P0101-12-12	3/4"	x	3/4"
P0101-12-16	3/4"	x	1"
P0101-16-16	1"	x	1"
P0101-16-20	1"	x	1-1/4"
P0101-20-20	1-1/4"	x	1-1/4"
P0101-24-24	1-1/2"	x	1-1/2"

MALE PIPE THREAD TO FEMALE SWIVEL P.T.



PART NO.	MPT		FPT
P0107-2-2	1/8"	x	1/8"
P0107-4-4	1/4"	x	1/4"
P0107-6-6	3/8"	x	3/8"
P0107-6-8	3/8"	x	1/2"
P0107-8-6	1/2"	x	3/8"
P0107-8-8	1/2"	x	1/2"
P0107-8-12	1/2"	x	3/4"
P0107-12-8	3/4"	x	1/2"
P0107-12-12	3/4"	x	3/4"
P0107-12-16	3/4"	x	1"
P0107-16-12	1"	x	3/4"
P0107-16-16	1"	x	1"
P0107-20-16	1"	x	1-1/4"
P0107-20-20	1-1/4"	x	1-1/4"
P0107-24-24	1-1/2"	x	1-1/2"
P0107-32-32	2"	x	2"

PIPE THREAD BUSHING



PART NO.	MPT		FPT
P0102-4-2	1/4"	x	1/8"
P0102-6-2	3/8"	x	1/8"
P0102-6-4	3/8"	x	1/4"
P0102-8-2	1/2"	x	1/8"
P0102-8-4	1/2"	x	1/4"
P0102-8-6	1/2"	x	3/8"
P0102-12-6	3/4"	x	3/8"
P0102-12-8	3/4"	x	1/2"
P0102-16-8	1"	x	1/2"
P0102-16-12	1"	x	3/4"
P0102-24-20	1-1/2"	x	1-1/4"

FEMALE TO MALE P.T. REDUCER



PART NO.	FPT		MPT
P0201-4-2	1/4"	x	1/8"
P0201-6-4	3/8"	x	1/4"
P0201-8-4	1/2"	x	1/4"
P0201-8-6	1/2"	x	3/8"
P0201-12-8	3/4"	x	1/2"
P0201-16-12	1"	x	3/4"
P0201-20-16	1-1/4"	x	1"

45° MALE PIPE THREAD TO FEMALE SWIVEL P.T.



PART NO.	MPT		FPT
P3107-4-4	1/4"	x	1/4"
P3107-6-8	3/8"	x	1/2"
P3107-8-8	1/2"	x	1/2"
P3107-12-12	3/4"	x	3/4"
P3107-16-16	1"	x	1"
P3107-20-20	1-1/4"	x	1-1/4"

MALE PIPE THREAD TO MALE JIC



PART NO.	MPT		JIC
P0103-2-4	1/8"	x	1/4"
P0103-2-8	1/8"	x	1/2"
P0103-4-4	1/4"	x	1/4"
P0103-4-5	1/4"	x	5/16"
P0103-4-6	1/4"	x	3/8"
P0103-4-8	1/4"	x	1/2"
P0103-6-4	3/8"	x	1/4"
P0103-6-5	3/8"	x	5/16"
P0103-6-6	3/8"	x	3/8"
P0103-6-8	3/8"	x	1/2"
P0103-8-4	1/2"	x	1/4"
P0103-8-6	1/2"	x	3/8"
P0103-8-8	1/2"	x	1/2"
P0103-8-10	1/2"	x	5/8"
P0103-8-12	1/2"	x	3/4"
P0103-12-8	3/4"	x	1/2"
P0103-12-12	3/4"	x	3/4"
P0103-12-16	3/4"	x	1"
P0103-16-12	1"	x	3/4"
P0103-16-16	1"	x	1"
P0103-20-16	1-1/4"	x	1"
P0103-20-20	1-1/4"	x	1-1/4"
P0103-24-24	1-1/2"	x	1-1/2"
P0103-32-32	2"	x	2"

90° MALE PIPE THREAD TO FEMALE PIPE THREAD



PART NO.	MPT		FPT
P2107-4-4	1/4"	x	1/4"
P2107-4-6	3/8"	x	1/4"
P2107-6-4	3/8"	x	1/4"
P2107-6-6	3/8"	x	3/8"
P2107-6-8	3/8"	x	1/2"
P2107-8-4	1/2"	x	1/4"
P2107-8-6	1/2"	x	3/8"
P2107-8-8	1/2"	x	1/2"
P2107-8-12	1/2"	x	3/4"
P2107-12-8	3/4"	x	1/2"
P2107-12-12	3/4"	x	3/4"
P2107-16-12	1"	x	3/4"
P2107-16-16	1"	x	1"
P2107-24-24	1-1/2"	x	1-1/2"
P2107-32-32	2"	x	2"

For the most up to date pricing, please visit maritimemarinesupply.ca/price

MALE PIPE THREAD TO FEMALE SWIVEL JIC



PART NO.	MPT		JIC
P0106-8-8	1/2"	x	1/2"
P0106-12-12	3/4"	x	3/4"

MALE O-RING BOSS TO FEMALE PIPE THREAD



PART NO.	ORB		FPT
P0502-4-4	1/4"	x	1/4"
P0502-6-6	3/8"	x	3/8"
P0502-8-6	1/2"	x	3/8"
P0502-8-8	1/2"	x	1/2"
P0502-10-6	5/8"	x	3/8"
P0502-10-8	5/8"	x	1/2"
P0502-12-8	3/4"	x	1/2"
P0502-12-12	3/4"	x	3/4"
P0502-16-12	1"	x	3/4"
P0502-16-16	1"	x	1"
P0502-20-16	1-1/4"	x	1"
P0502-20-20	1-1/4"	x	1-1/4"
P0502-24-24	1-1/2"	x	1-1/2"

MALE O-RING BOSS TO MALE JIC



PART NO.	ORB		JIC
P0503-4-4	1/4"	x	1/4"
P0503-4-6	1/4"	x	3/8"
P0503-5-5	5/16"	x	5/16"
P0503-5-6	5/16"	x	3/8"
P0503-6-6	3/8"	x	3/8"
P0503-6-8	3/8"	x	1/2"
P0503-8-6	1/2"	x	3/8"
P0503-8-8	1/2"	x	1/2"
P0503-8-10	1/2"	x	5/8"
P0503-8-12	1/2"	x	3/4"
P0503-10-6	5/8"	x	3/8"
P0503-10-8	5/8"	x	1/2"
P0503-10-10	5/8"	x	5/8"
P0503-10-12	5/8"	x	3/4"
P0503-12-8	3/4"	x	1/2"
P0503-12-10	3/4"	x	5/8"
P0503-12-12	3/4"	x	3/4"
P0503-12-16	3/4"	x	1"
9912-059	1"	x	1/2"
P0503-16-12	1"	x	3/4"
P0503-16-16	1"	x	1"
P0503-20-16	1-1/4"	x	1"
P0503-24-24	1-1/2"	x	1-1/2"

90° MALE ORB TO FEMALE SWIVEL PIPE THREAD



PART NO.	ORB		FPT
P2507-4-4	1/4"	x	1/4"
P2507-6-4	3/8"	x	1/4"
P2507-6-6	3/8"	x	3/8"
P2507-6-8	3/8"	x	1/2"
P2507-8-6	1/2"	x	3/8"
P2507-8-8	1/2"	x	1/2"
P2507-8-12	1/2"	x	3/4"
P2507-10-8	5/8"	x	1/2"
P2507-10-12	5/8"	x	3/4"
9912-188	3/4"	x	1/2"
P2507-12-12	3/4"	x	3/4"
P2507-16-16	1"	x	1"

90° MALE ORB TO MALE JIC



PART NO.	ORB		JIC
P2503-4-4	1/4"	x	1/4"
P2503-4-6	1/4"	x	3/8"
P2503-5-6	5/16"	x	3/8"
P2503-6-6	3/8"	x	3/8"
P2503-6-8	3/8"	x	1/2"
P2503-8-6	1/2"	x	3/8"
P2503-8-8	1/2"	x	1/2"
P2503-8-10	1/2"	x	5/8"
P2503-10-6	5/8"	x	3/8"
P2503-10-8	5/8"	x	1/2"
P2503-10-10	5/8"	x	5/8"
P2503-10-12	5/8"	x	3/4"
P2503-12-8	3/4"	x	1/2"
P2503-12-12	3/4"	x	3/4"
9912-080	1'	x	1/2"
P2503-16-16	1"	x	1"
P2503-20-20	1-1/4"	x	1-1/4"

MALE O-RING BOSS TO FEMALE SWIVEL PIPE THREAD



PART NO.	ORB		FPT
P0507-4-4	1/4"	x	1/4"
P0507-6-6	3/8"	x	3/8"
P0507-8-6	1/2"	x	3/8"
P0507-8-8	1/2"	x	1/2"
P0507-8-12	1/2"	x	3/4"
P0507-10-8	5/8"	x	1/2"
P0507-10-12	5/8"	x	3/4"
P0507-12-12	3/4"	x	3/4"
P0507-16-16	1"	x	1"

45° MALE ORB TO MALE JIC



PART NO.	ORB		JIC
P3503-8-8	1/2"	x	1/2"
P3503-8-10	1/2"	x	5/8"
P3503-10-8	5/8"	x	1/2"
P3503-10-10	5/8"	x	5/8"
P3503-10-12	5/8"	x	3/4"
P3503-12-12	3/4"	x	3/4"

45° MALE ORB TO FEMALE SWIVEL PIPE THREAD



PART NO.	ORB		FPT
P3507-6-6	3/8"	x	3/8"
P3507-8-6	1/2"	x	3/8"
P3507-8-8	1/2"	x	1/2"
P3507-10-8	5/8"	x	1/2"
P3507-10-12	5/8"	x	3/4"
P3507-12-12	3/4"	x	3/4"

MALE PIPE PLUG



PART NO.	MFG#	MPT
P01CP-4	S1021-B	1/4"
P01CP-6	S1021-C	3/8"
P01CP-8	S1021-D	1/2"
P01CP-12	S1021-E	3/4"
P01CP-16	S1021-H	1"

JIC MALE PLUG



PART NO.	MFG#	JIC
P03CP-4	S3758-4	1/4"
P03CP-5	S3758-5	5/16"
P03CP-6	S3758-6	3/8"
P03CP-8	S3758-8	1/2"
P03CP-10	S3758-10	5/8"
P03CP-12	S3758-12	3/4"
P03CP-16	S3758-16	1"
P03CP-20	S3758-20	1-1/4"

MALE PIPE BRANCH TEE



Steel all Male Tee Fitting.

PART NO.	MPT	MJIC
53330806	3/8"	1/2"
991337456C	3/8"	3/8"
991337458D	1/2"	1/2"

FLARED FEMALE CAP



PART NO.	MFG#	F.JIC
P06CP-4	S3756-4	1/4"
P06CP-5	S3756-5	5/16"
P06CP-6	S3756-6	3/8"
P06CP-8	S3756-8	1/2"
P06CP-10	S3756-10	5/8"
P06CP-12	S3756-12	3/4"
P06CP-16	S3756-16	1"
P06CP-20	S3756-20	1-1/4"

O-RING BOSS MALE PLUG



PART NO.	MFG#	M.ORB
P05CP-4	S3621-4	1/4"
P05CP-6	S3621-6	3/8"
P05CP-8	S3621-8	1/2"
P05CP-10	S3621-10	5/8"
P05CP-12	S3621-12	3/4"

vetus
WWW.VETUS.COM

CREATORS OF
BOAT SYSTEMS



vetus MAXWELL
MAREX V-QUIPMENT

Ocean Born, Tech Bred



SLEIPNER
Side-Power



Ignition PROTECTED | Intelligent POWER CONTROL | Sealed Drive LIFETIME LUBRICATED | Single | Twin

Larger sizes are available and all models are available in 24V (except 30/40' series).

Choosing the proper thruster will be based on the size and type of your boat. Below is a typical sizing chart. We do encourage you however to contact us to ensure the correct thruster for you. Although Sidepower Thrusters are designed for "plug and go" operation, some care must be taken in selecting the proper components to create a system that is ideal for your application. The thruster's performance on a boat is determined by the boat's wind area, the wind area distribution and the thruster's tunnel position. By knowing these factors, we can calculate the correct amount of thrust that you require for your boat. The chart below gives general guidelines to help select a thruster for your boat. We do offer a more involved thruster calculation process for choosing the correct thruster for your boat. Please contact us for more details.

imtra CORPORATION

There are several brands to choose from if you want a bow thruster or a stern thruster and while some might appear similar on the surface, there are many and important differences.

Sleipner Side-Power is today the world's leading brand of bow thrusters and stern thrusters, chosen by a vast majority of the leading boat manufacturers around the world. There are many reasons for why these have chosen Sleipner Side-Power and while the product quality is of course perhaps the most important one, the service and dedication from the Side-Power crew around the world is also a very important factor.

PERFORMANCE

The high performance of a Side-Power thruster is a result of our continuous efforts in product development and testing.

- **Propulsion technology know-how**
- **5-bladed composite propellers Purpose-built high power electric motors**
- **Improved waterflow from streamlined gearhouse design**

RELIABILITY

The quality of a Side-Power thruster is always one step ahead:

- **In-house manufacturing and assembly**
- **Engineering through experience Use of superior materials controlled quality of every supplied part**
- **2-year limited warranty**

SAFETY

Side-Power thrusters include several features to ensure safety of boat and its passengers. Features that protect against technical & operator errors.

- **No overheating of electric motor**
- **Mechanical protection of drive gear**
- **Electronic protection against sudden change of drive direction**
- **Child safe on/off and automatic deactivation**
- **IPC comes std on all DC electric thrusters hence reducing solenoid wear and the risk of lock in**

INSTALLATION

Through our extensive experience and close co-operation with major boatbuilders, we know how important a correct installation is for the thruster system. Therefore we have made all the preparations to ensure that it is easy to install a Side-Power correctly.

- **Compact-sized units**
- **"Plug and go" electric wiring**
- **Easily accessible battery cable terminals**
- **Fast propeller mounting with locknut**
- **Professional and solid GRP stern thruster kits**
- **Easy access zinc anodes**

HYDRAULIC THRUSTERS

imtra CORPORATION



	6897124	6897130	6897140
SPECIFICATIONS	SH240	SH320HYD	SH420HYD
Light Duty Thrust	up to 528 lbs (240 kg)	up to 705 lbs (320 kg)	up to 925 lbs (420 kg)
Heavy Duty Thrust	up to 440 lbs (200 kg)	up to 594 lbs (270 kg)	up to 835 lbs (380 kg)
Typical Boat Size	42-75' (13-23m)	55-100' (17-31m)	75-110' (22-35m)
Tunnel Diameter	9.83" (250mm)	11.8" (300mm)	15.2" (386mm)
Propulsion System	Twin Counter Rotating, 5-bladed props	Twin Counter Rotating, 5-bladed props	Twin Counter Rotating, 4-bladed props
Hydraulic Power	19.7HP (14.7kW)	23.3HP (17.4kW)	41.3HP (30.8kW)
Hydraulic Motor	14cm³ (0.85 in³)	19cm³ (1.16 in³)	37cm³ (2.25 in³)
Required Flow	42.7lpm (11.3gpm)	55.9lpm (14.7gpm)	85lpm (22.5gpm)
Required Pressure	207bar (3002 PSI)	234bar (3394 PSI)	247bar (3582 PSI)

SLEIPNER
Side-Power



Hydraulic tunnel thrusters

Power from 100 kg to 1400 kg and continuous operation make a hydraulic thruster system ideal for yachts, super yachts and professional vessels. It is the natural choice when extensive thruster usage or long run cycles are required.

ELECTRIC THRUSTERS

SLEIPNER
Side-Power

imtra
CORPORATION









6897040	6897060	6897080	6897100

SPECIFICATIONS	SE40	SE60	SE80	SE100
Thrust at 10.5VDC	88 lbs (40kg)	132 lbs (60kg)	176 lbs (80kg)	220 lbs (100kg)
Thrust at 12VDC	105 lbs (48kg)	161 lbs (73kg)	212 lbs (96kg)	256 lbs (116kg)
Typical Boat Size	26-34' (8-10.5m)	29-38' (9-12m)	35-48' (10-15m)	35-55' (12-17m)
Tunnel Diameter	4.92" (125mm)	7.28" (185mm)	7.28" (185mm)	7.28" (185mm)
Propulsion System	Single	Single	Twin	Twin
Power at 10.5V	3 HP (2.2kW)	4 HP (3.1kW)	6 HP (4.4kW)	8.4 HP (6.3kW)
Operating Voltage	12VDC	12VDC	12VDC	12VDC
Minimum Battery Capacity	570 CCA SAE	665 CCA SAE	1045 CCA SAE	1425 CCA SAE
Recommended Fuse Size	250A	250A	400A	500A
Weight	22 lbs (10kg)	35 lbs (16kg)	44 lbs (20kg)	68 lbs (31kg)

DC electric tunnel thrusters

Sleipner's tunnel thrusters are the world's top-selling bow and stern thrusters for recreational boats. Over the years, our tunnel thrusters have been installed in more than 300,000 boats worldwide.

The bow and stern thrusters are fitted either in a tunnel through the boat's bow or into a stern tunnel at the boat's stern.

The electric motors, solenoid, patented IPC control system, and mechanical parts of the propulsion system are all custom designed and built - utilizing the extensive experience gained through years of leadership in the global thruster market.

Benefits

- Proven performance
- Low noise
- Flexible installation/mounting
- High-quality components
- Overheat protection
- Low maintenance
- Intelligent Power Control

TUNNELS



SLEIPNER
Side-Power

GRP Fiberglass tunnels are available in several lengths for each thruster model. They are built to suit these thrusters and provide the ultimate strength, accuracy and osmosis protection to ensure an easy and safe thruster installation. The wall thickness is adapted to the thruster's power and boat size.

PART NO.	MFG#	DESCRIPTION
6897430	SM5002	GRP Bow Tunnel 125mm x 35.4"
6897434	SM9001	GRP Bow Tunnel 185mm x 33.4"
6897439	SM9010	GRP Bow Tunnel 185mm x 39.4"
6897466	SM10015	GRP Bow Tunnel 250mm x 59"
6897467	SM10020	GRP Bow Tunnel 250mm x 78.7"
6897469	SM10025	GRP Bow Tunnel 250mm x 98.4"
6897471	SM13015	GRP Bow Tunnel 300mm x 59"
6897472	SM13020	GRP Bow Tunnel 300mm x 78"
6897473	SM13025	GRP Bow Tunnel 300mm x 98.4"
6897482	SM13720	GRP Bow Tunnel 386mm x 78.7"
6897483	SM13725	GRP Bow Tunnel 386mm x 98.4"

NEW

STERN TUNNEL

SLEIPNER



Side-Power / Sleipner's ready bored composite stern tunnels are manufactured to exacting tolerances to be consistent in diameter and wall thickness. Size and shape of the tunnels are vital for the performance and proper fit of thruster systems.

- Maximizes efficiency of the stern thruster by providing smooth radius ends to minimize turbulence.
- Pre-drilled to accept gear leg and bracket, with pre-drilled transom mounting flange.
- Dimension : 185 mm

PART NO.	MFG#	DESCRIPTION
6897490	SM90086I	Stern Tunnel, SE80, SE100, SH100

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

ANL FUSES AND HOLDER

SLEIPNER
Side-Power





Sidepower manufactures fuse holders that are engineered to minimize voltage drop and heating while saving space. Made for ANL type fuses in high current applications, they accept double cables with heavy terminals. The fuse holder comes with protective cover.

ANL Fuse, 250A - SE40/125S, SE60/185S-12, SE80/185T-24
ANL Fuse, 400A - SE80/1815T-12, SE150/215T-24, SE170/250TC
ANL Fuse, 325A - SE100/185T-24, SE120/215T-24, SE130/250T-24, SE85/300TC
ANL Fuse, 500A - SE100/185T-12, SE130/250T-12, SE210/250TC, SE240/300TC

PART NO.	MFG#	DESCRIPTION
6897555	SMANL250	250A Fuse
6897556	SMANL325	325A Fuse
6897558	SMANL400	400A Fuse
6897560	SMANL500	500A Fuse
6897550	SMANLHOLD-C	Fuse Holder

THRUSTER ANODES

Sold individually



6897500 **6897503** **6897501** **6897502**

PART NO.	MFG#	DESCRIPTION
6897500	SM71190A	SE60-SE100/SH100/ SX80&SX100/SR80&SR100
6897501	SM31180A	SE30 & SE40
6897502	SM201180A	SE120-SE285/SH160-SH300
6897503	SM501180A	SH420-SH550-SP550HYD

ANODE SIDEPOWER



- Fits Sidepower models SP30S, SP35S, SP40S, SE30 and SE40
- Measures 9/16"H x 1" OD with ¼" hole
- Hub bolt included

PART NO.	MFG#	DESCRIPTION
9941-625	SM3-1180	Sidepower Anode w/screw

PROPELLER FOR DC & HYDRAULIC

SLEIPNER
Side-Power



The 5-blade specially skewed composite propellers have been designed to reduce the noise level up to 75% while maintaining exceptional efficiency. Principally, more blades on a propeller means that you spread the load more so that the pressure peaks (heard as noise) are individually lower.

PART NO.	MFG#	DESCRIPTION
6897298	SM101271LH	10", LH. **Fits:** SE170, SE210 & SH240
6897299	SM101271RH	10",RH. **Fits:** SE130, SE170, SE210 & SH240
6897304	SM130943	12", LH. **Fits:** SE250, SE300 & SH320
6897305	SM130945	12", RH. **Fits:** SE250, SE300 & SH320

NEW

REMOTE THRUSTER CONTROL KIT

SLEIPNER





Thruster system allowing more functional use of the equipment. All models are now operating on the 868Mhz band with a new communication protocol, designed to better withstand external interference.

Features:

- Two Way communication with audiovisual warning for communication error and low thruster voltage
- External antenna solution for better reception, easier remote placement of antenna
- More energy efficient transmitter

PART NO.	MFG#	DESCRIPTION
6897201	SMRC-20U	Remote Thruster Control Kit

JOYSTICK CONTROL

SLEIPNER Side-Power



This CE approved Side-Power Joystick Thruster Control, operates at 12V and 24V. It has a child proof On/Off system with a Power On control light. It automatically deactivates after approximately 9 minutes of inactivity. It is made of UV Safe materials and has an IP65 waterproof rating. At 2-3/4" square, it requires a single 2" round mounting hole.

PART NO.	MFG#	DESCRIPTION
6897200	SM8960G	Joystick 12/24V

CONTROL HARNESS

SLEIPNER Side-Power



Take advantage of the "Plug & Go" Wiring system by using original control looms. They are available in many different lengths featuring colour coding to match the wiring diagrams and high quality connectors to ensure a correct installation.

PART NO.	MFG#	DESCRIPTION
6897307	SM61277-07M	Control Harness, 7m
6897309	SM61277-09M	Control Harness, 9m
6897312	SM61277-12M	Control Harness, 12m

Y-ADAPTER

SLEIPNER Side-Power



This 4-pin 'Y' adapter is used for joystick dual station bow thruster installations.

PART NO.	MFG#	DESCRIPTION
6897205	SM61274	Y-Adapter, For 2 Station

ELECTRONIC CONTROL BOX

SLEIPNER Side-Power



Electronic Control Box will interface with the hydraulic control valve and allow the hydraulic thruster to be controlled by manually operated electrical control panels.

PART NO.	MFG#	DESCRIPTION
6897399	SMHYD-61229	Control Box, 12/24V

JOYSTICK CONTROL

KOBELT



- For auto-pilot/jog steering valve
- Spring return and micro-switches send an on/off signal in either direction to the auto-pilot valve
- Constructed using bronze and stainless steel



Gen 1



Gen 2

PART NO.	MFG#	DESCRIPTION
9944-065	7165L-BG	Bronze an stainless steel
9944-066	6001-0104	Replacement micro switch Gen 1
9944-067	6001-0112	Replacement micro switch Gen 2

AUTO-PILOT VALVE



- Solenoid operated with adjustable flow control from 0.5 to 12.0 GPM to control rudder speed
- Combined with joystick 9944-065 makes an excellent compact second steering station

PART NO.	MFG#	DESCRIPTION
8072100	PJ017-1829-12	12V
8072101	PJ017-1829-24	24V

NEW

THRUSTER PROPELLER

LEWMAR



The Lewmar 185TT propeller is a high-performance, 5-blade propeller specifically designed for use with Lewmar's 185TT series of bow and stern thrusters. It provides equal and consistent thrust in both forward and reverse directions.

- Made of GRP (Glass Reinforced Plastic).
- Designed for 185TT Thruster.

PART NO.	MFG#	DESCRIPTION
6897614	589351	Propeller, Thruster, 185TT

NEW

THRUSTER PROPELLER

Quick® Nautical Equipment



A genuine replacement right or left hand propeller with 5 blades suitable for Quick BTQ185 model thrusters designed to fit 185mm diameter tunnels.

Anode Not Included

PART NO.	MFG#	DESCRIPTION
6897320	FVSGEL185R00A00	Right
6897321	FVSGEL185L00A00	Left

PE 902-566-1220 NS 902-928-1900

NEW

GEN2 THRUSTER CONTROLERS

LEWMAR





These Lewmar GEN2 Single Thruster Controlers provide superior tactile control and system status via a Multi-Function LED indicator to indicate thruster status, deployment, low voltage, temperature warnings, and fault alerts.

They feature a sealed, ergonomic design with a removable cover to prevent accidental activation and provide protection from the elements.

- Ergonomic tactile control for single-thruster systems.
- Designed to be installed from the front.
- Supports dual-voltage input (12V or 24V).
- Snap-on bezel hides mounting screws.

Connects to Lewmar GEN2 "Blue Box" Connects to Lewmar "Black Box" with 6897612 Converter.

PART NO.	MFG#	DESCRIPTION
6897610	589223	Thruster Control, Pad, 185 TT
6897611	589268	Thruster Control, Joystick, 185 TT

NEW

GEN2 CONVERTER INTERFACE

LEWMAR



The Lewmar Legacy Thruster Converter is a device that allows GEN2 controllers to work with previous generation TT thrusters (black box).

- Upgrades GEN2 thruster controllers to older thruster systems.
- Uses existing thruster wiring.

PART NO.	MFG#	DESCRIPTION
6897612	589842	Controller Converter, New to Old

NEW

GEN2 CONTROLLER CABLES

LEWMAR



Lewmar Gen2 Controller Cables are high-quality, durable marine-grade cables that connect a Lewmar Gen2 thruster controller to the thruster's electronic control system "Blue Box"

- Used with single or dual controllers.

PART NO.	MFG#	DESCRIPTION
6897616	589802	GEN2 Controller Cable, 7M
6897617	589803	GEN2 Controller Cable, 10M
6897618	589804	GEN2 Controller Cable, 18M

NEW

PROPELLER ANODE KIT

LEWMAR



Designed specifically for the Lewmar 185TT thruster, this Zinc anode has a stainless-steel sheath for optimal retention and a large nut for simple replacement.

- Anode material is Zinc.
- Mounting hardware is included with the kit.

PART NO.	MFG#	DESCRIPTION
6897613	589350	Zinc Anode Kit, 185TT

LEWMAR BOW THRUSTER SHEAR PIN

LEWMAR



Lewmar 140TT Bow thruster Shear Pin

PART NO.	MFG#	DESCRIPTION
6897600	559018	Shear Pin, 140TTg

NEW

THRUSTER DRIVE PINS

LEWMAR



The Lewmar Drive pin is a shear pin that protects expensive 185TT thruster motor and gearbox.

- Made of Aluminum.
- Sold in a 2 pack.

PART NO.	MFG#	DESCRIPTION
6897615	559017A	Drive Pins, Thruster, 185TT, 2pk.

LEWMAR®

A Lippert Components Company







vetus

BOW PRO SERIES

(R)EVOLUTION IN BOATING



BOW PRO THRUSTER SERIES - best of both worlds!

(R)Evolution from VETUS: a combination of the renowned electric bow thruster series and the quiet RimDrive. We proudly present the all-new BOW PRO thrusters, the best of both worlds! Precision proportional control at your fingertips, you command as little or as much power as needed!

- Precision proportional control
- Endurance Rated Run-time - In excess of 5 min. Limited by the size of your battery bank.
- Maintenance-free brushless motor
- Sealed ingression protection construction - Sealed for improved corrosion protection in damp bilge environments
- Built-in over-temp and low battery protection
- Highly resistent to abuse
- CAN based/digital control for easier interfacing with the latest joystick docking systems
- Electronic switching eliminates mechanical solenoids for improved reliability



Revolutional concept matched with proven technology

Our BOW PRO thrusters use proven induction motors without carbon brushes. As a result, the bow thruster motor is maintenance-free and has Endurance Rated* run-time! Just the tailpiece and the power circuits need regular maintenance. The induction motor is controlled by the VETUS MCV motor controller. This in-house-engineered motor controller can handle both 12 V or 24 V board systems, making the new BOW PRO thruster suitable for almost all boats. The built-in over-temp and low battery protection, combined with the brushless induction motor make the BOW PRO thruster series highly resistent to abuse and ideal for even the most inexperienced boater!

The BOW PRO thruster is controlled by proprietary CANBUS protocol (digital control). There are two fully-proportional panels available for the BOW PRO thruster series; one basic panel (BPPPA) and one panel with lock-and-hold function for easy docking (BPPJA). BOW PRO thrusters utilize the same propellers and gearboxes proven in VETUS thrusters for over 30 years. Upgrading a boat with an existing thruster to a BOW PRO thruster is easily accommodated as the Bow Pro thruster was made to share tunnel sizes with current VETUS thrusters as well as many other brands.

BOW PRO Series overview

Specifications	BOW PRO 301	BOW PRO 361	BOW PRO 421	BOW PRO 572	BOW PRO 651	BOW PRO 762	BOW PRO 902	>
Product code	BOWA0301	BOWA0361	BOWA0421	BOWA0572	BOWA0651	BOWA0762	BOWA0902	
Thrust, N (lbf)	300 (66)	360 (79)	420 (93)	570 (126)	650 (143)	760 (168)	900 (198)	
Actual Motor Power kW	1,6 kW (12 V)	1,6 kW (12 V)	2,7 kW (12 V)	3,1 kW (24 V)	2,7 kW (12 V)	3,1 kW (24 V)	5,7 kw (24 V)	Larger models under development
Tunnel diameter, internal, inch	4 5/16	4 15/16	4 15/16	5 7/8	7 5/16	7 5/16	7 5/16	
Operating time	Endurance Rated*							
Main fuse	ZE200 (200 Amps)	ZE300 (300 Amps)	ZE300 (300 Amps)	ZE200 (200 Amps)	ZE300 (300 Amps)	ZE200 (200 Amps)	ZE200 (200 Amps)	

*BOW PRO thrusters run 10 minutes at full power. At less than full power setting , run time is greatly enhanced

BOW THRUSTERS

- Streamlined bronze tail piece improves performance while reducing water flow turbulence and noise
- Most have corrosion-free composite propellers, uniquely shaped to provide maximum thrust with minimum noise
- Can also serve as stern thrusters — see stern thruster kits
- Tunnels sold separately in fibreglass, steel and aluminum

HYDRAULIC



ELECTRIC



Ignition Protected upon request



BOW25 – for Boats 18–27'

- 55 lbs. force (25 kgf)
- 4-11/32" tunnel Dia.

PART NO.	MFG#	DESCRIPTION
9991-200	BOW2512E	12V

BOW35 – for Boats 21–32'

- 77 lbs. force (35 kgf)
- 5-29/32" tunnel Dia.

PART NO.	MFG#	DESCRIPTION
9991-201	BOW3512E	12V

BOW45 – for Boats 25–38'

- 99 lbs. force (45 kgf)
- 5" tunnel Dia.

PART NO.	MFG#	DESCRIPTION
9992-240	BOW4512D	12V

BOW55 – for Boats 27–41'

- 121 lbs. force (55 kgf)
- 5-29/32" tunnel Dia.

PART NO.	MFG#	DESCRIPTION
9991-202	BOW5512D	12V
9991-279	BOW55HMD	Hydraulic

BOW60 – for Boats 29–42'

- 132 lbs. force (60 kgf)
- 7-9/32" tunnel Dia.

PART NO.	MFG#	DESCRIPTION
9991-204	BOW6012D	12V

BOW75 – for Boats 34–49'

- 165 lbs. force (75 kgf)
- 7-9/32" tunnel Dia.

PART NO.	MFG#	DESCRIPTION
9991-206	BOW7512D	12V
9991-207	BOW7524D	24V

BOW95 – for Boats 39–55'

- 210 lbs. force (95 kgf)
- 7-9/32" tunnel Dia.

PART NO.	MFG#	DESCRIPTION
9991-208	BOW9512D	12V
9991-209	BOW9524D	24V
9991-280	BOW95HMD	Hydraulic

BOW125 – for Boats 46–65'

- 275 lbs. force (125 kgf)
- 9-7/8" tunnel Dia.

PART NO.	MFG#	DESCRIPTION
9991-210	BOW12512D	12V
9991-211	BOW12524D	24V

BOW160 – for Boats 54–72'

- 352 lbs. force (160 kgf)
- 9-7/8" tunnel Dia.

PART NO.	MFG#	DESCRIPTION
9991-212	BOW16024D	24V
9991-281	BOW160HMD	Hydraulic

BOW220 – for Boats 64–85'

- 485 lbs. force (230 kgf)
- 11-13/16" tunnel Dia.

PART NO.	MFG#	DESCRIPTION
9991-213	BOW22024D	24V
9991-190	BOW230HMD	Hydraulic

BOW310 – for Boats 72–95'

- 665 lbs. force (310 kgf)
- 11-13/16" tunnel Dia.

PART NO.	MFG#	DESCRIPTION
9991-191	BOW310HMD	Hydraulic

STERN THRUSTER KITS



- **Used with a Vetus bow thruster**, the stern thruster provides even greater maneuverability of your boat in locks or harbours; side directional thrusters in both bow and transom makes mooring, sailing away and finding the right spot in the lock or the marina easy
- Motor and other electrical components are fitted to the transom internally; tunnel and propeller are installed on the transom externally
- Maintenance free kit includes tunnel with end fairings and an integral mounting flange
- Thruster sold separately

PART NO.	MFG#	DESCRIPTION
9991-269	STERN110P	For BOW25, 4-11/32" tunnel Dia.
9991-270	STERN150P	For BOW35/55, 5-29/32" tunnel Dia.
9991-271	STERN185P	For BOW60/75/95, 7-9/32" tunnel Dia.
9991-272	STERN250P	For BOW125/160, 9-7/8" tunnel Dia.
9991-273	STERN300P	For BOW220/285, 11-13/16" tunnel Dia.

BOW THRUSTER TUNNELS



PART NO.	DIA. IN	MATERIAL	LENGTH IN	MODEL
9991-230	4-11/32"	fibreglass	40"	BP110G10
9991-232	4-11/32"	steel	40"	BP110S10
9991-234	4-11/32"	aluminum	40"	BP110A10
9992-241	5"	fibreglass	40"	BP125G10
9992-242	5"	fibreglass	60"	BP125G15
9991-235	5-29/32"	fibreglass	40"	BP150G10
9991-236	5-29/32"	fibreglass	60"	BP150G15
9991-240	5-29/32"	aluminum	40"	BP150A10
9991-242	7-9/32"	fibreglass	40"	BP180G10
9991-243	7-9/32"	fibreglass	60"	BP180G15
9991-246	7-9/32"	steel	40"	BP180S10
9991-247	7-9/32"	steel	60"	BP180S15
9991-249	7-9/32"	aluminum	40"	BP180A10
9991-251	9-7/8"	fibreglass	40"	BP250G10
9991-252	9-7/8"	fibreglass	60"	BP250G15
9991-254	9-7/8"	steel	40"	BP250S10
9991-255	9-7/8"	steel	60"	BP250S15
9991-257	9 7/8"	aluminum	40"	BP250A10
9991-259	11-13/16"	fibreglass	60"	BP300G15
9991-261	11-13/16"	steel	60"	BP300S15

THRUST DIVERTERS FOR STERN TUBES



PART NO.	MFG#	DESCRIPTION
9991-275	SDKIT150	For STERN150P, 5-29/32" tunnel Dia.
9991-276	SDKIT185	For STERN185P, 7-9/32" tunnel Dia.
9991-277	SDKIT250	For STERN250P, 9-7/8" tunnel Dia.

COUPLERS – BOW THRUSTER



- Adaptor coupling sleeve for interconnection between the motor and gearbox

PART NO.	MFG#	DESCRIPTION
9991-140	SET0010	Thruster Coupler, BOW23/25
9991-141	SET0022	Thruster Coupler, BOW 35
9991-142	BP1202	Thruster Coupler, BOW 45/55/60/75/95
9991-143	BP1321	Thruster Coupler, BOW 125
9991-144	BP117	Thruster Coupler, BOW 160
9991-145	BP1074	Thruster Coupler, BOW 220/285
9991-146	BP1262	Hydraulic Thruster Coupler, 55/95HMC

REPLACEMENT SIX BLADE PROPELLERS



- Unique blade shape optimizes performance, drastically reducing cavity and thruster noise

PART NO.	MFG#	DESCRIPTION
9991-107	B90S	For BOW23
9991-215	SET0086	For BOW25, 4-11/32" Dia
9991-216	SET0087	For BOW35/55, 5-29/32" Dia.
9991-217	SET0088	For BOW60/75/95, 7-9/32" Dia.
9991-218	SET0089	For BOW50/80, 7-9/32" Dia.
9991-219	SET0090	For BOW125/130/160, 9-7/8" Dia

REPLACEMENT PROP BOW 220/285/310



- 7 blade propeller for the BOW220/285 /310 bow thrusters

PART NO.	MFG#	DESCRIPTION
9991-260	SET0171	For BOW220/285/310

THRUSTER PINS



PART NO.	MFG#	DESCRIPTION
9991-126	BP1168	Drive Pin *Each*, BOW25
9991-127	BP1129	Drive Pin *5Pk*, BOW35/55
9991-128	BP381	Drive Pin *5Pk*, BOW 50/80 <05/1997
9991-129	BP275S	Drive Pin *5Pk*, BOW 50/60/75/80/95
9991-130	BP65S	Shear Pin *5Pk*, BOW50
9991-131	BP1130	Shear Pin *5Pk*, BOW55 <05/2006
9992-243	BP228S	Shear Pin *5Pk*, BOW80

REPLACEMENT ZINC ANODESFORTHRUSTERS



PART NO.	MFG#	DESCRIPTION
9991-263	SET0148	For BOW25
9991-264	SET0149	For BOW35/55
9991-265	SET0150	For BOW75/80/95
9991-266	SET0151	For BOW125/160
9991-267	SET0152	For BOW220
9991-262	SET0221	For BOW310
9991-268	SET0153	For BOW23
9991-106	BOA002Z	For BOW23 < 05/95

"SLOW BLOW" STRIP FUSES



PART NO.	MFG#	DESCRIPTION
9991-350	ZE063	63 Amp
9991-351	ZE080	80 Amp
9991-352	ZE100	100 Amp
9991-353	ZE125	125 Amp
9991-354	ZE160	160 Amp
9991-355	ZE200	200 Amp
9991-356	ZE250	250 Amp
9991-357	ZE300	300 Amp
9991-358	ZE355	355 Amp
9991-359	ZE425	425 Amp
9991-360	ZE500	500 Amp

FUSE HOLDER



PART NO.	MFG#	DESCRIPTION
9991-361	ZEHC100	Holder

BOW THRUSTER BRUSH SETS





PART NO.	MFG#	DESC
9991-108	SET0023	Set Of 4 Brushes
9991-109	BP1187	Set Of 4 Brushes
9991-111	SET0126	Set Of 8 Brushes
9991-112	SET0029	Set Of 4 Brushes
9991-113	SET0030	Set Of 4 Brushes
9991-114	SET0127	Set Of 4 Brushes
9991-116	SET0056	Set Of 4 Brushes
9991-117	SET0040	Set Of 4 Brushes
9991-118	SET0128	Set Of 8 Brushes
9991-119	SET0129	Set Of 8 Brushes
9991-120	SET0130	Set Of 8 Brushes

BOW THRUSTER SOLENOIDS



PART NO.	MFG#	DESCRIPTION
9991-100	SET0009	Bow 23/25/35
9991-101	SET0015	Bow 55/60/75
9991-103	SET0111	Bow 95 BP231
9991-105	SET0186	Bow 125
9991-102	SET0020	Bow 55/75/80
9991-104	SET0044	Bow 95/110/125/130/60

BOW THRUSTER TAIL PIECES



PART NO.	MFG#	DESCRIPTION
9991-122	SET0078	BOW55
9991-123	SET0035	BOW75
9991-125	SET0046	BOW95



THRUSTER WIRELESS CONTROL



- For wireless install of Vetus thrusters without the need for interconnecting cable between the thruster and panel
- Includes receiver and transmitter, complete with connection plugs
- Suitable for 12V and 24V systems
- Transmitter can be installed up to 15M from receiver
- Available for single or dual station applications
- Maximum capacity of 25A

PART NO.	MFG#	DESCRIPTION
9991-903	RCBP	Single station
9991-904	RCBP2	Dual station

WIRELSS REMOTE CONTROL FOR V-CAN AND BOW PRO THRUSTERS



The CANVWRC is designed to work with "on-off" DC devices, but it can also work with VETUS V-CAN devices. The Base Unit has connections for a Single and Dual thrusters.

- Maximum operational distance is 10 to 15 meters
- Protection Class: Remote: IP66 Base Unit: IP40
- Power Supply: Remote: 3 Vdc (1x CR2032) Base Unit: 8 Vdc to 30 Vdc
- Includes: 1x base unit, 1x remote control,and 2x connection cables.

PART NO.	MFG#	DESCRIPTION
9991-984	CANVWRC	Wireless Remote Control Kit
9991-902	WRCKF	Hand Held Remote only

JOYSTICK PANEL THRUSTER CONTROLS WITH TIME DELAY

Control panel with built-in time lapse device when reversing the direction of rotation. Offers optimum safety and performance. Watertight to IP66.

Available in Single or Dual Configuration



PART NO.	MFG#	DESCRIPTION
9991-222	BPJE2	Single, with time delay
9991-223	BPJDE2	Dual, with time delay

TOUCH PANEL THRUSTER CONTROL WITH TIME DELAY

Control panel with built-in time lapse device when reversing the direction of rotation. Offers optimum safety and performance. Watertight to IP66.



PART NO.	MFG#	DESCRIPTION
9991-221	BPSE2	With time delay

HYDRAULIC THRUSTER JOYSTICK PANELS



Hydraulic bow and stern thruster panel with on/off switch and twin two step joysticks for operation at full or half power. Watertight to IP65. Two stage with ON/OFF switch.

PART NO.	MFG#	DESCRIPTION
9991-283	BPJ5D	Dual

EASY DOCKING PANEL



All the actions of twin joysticks in one easy-to-use handle!

- For boaters who find that the control of a bow and a stern thruster with two separate joysticks is not convenient or intuitive, Vetus has developed the Easy Dock control panel which unites all of the actions of twin joysticks and combines them into one easy-to-use handle.

PART NO.	MFG#	DESCRIPTION
9991-220	EZDOCK2	Model EZDOCK

NEW

THERMAL CUTOUT ASSEMBLY



Replacement thermal cutout assembly for the Vetus Thrusters - 12 and 24V motors.

PART NO.	MFG#	DESCRIPTION
9991-150	TS110A	BOW45-55-75
9991-151	TS110B	BOW95-220

CONNECTION CABLES



- For connection of control to thruster

PART NO.	MFG#	DESCRIPTION
9991-224	BP29	20'
9991-225	BP2910	33'
9991-226	BP2916	53'
9991-227	BP2918	59'
9991-228	BP2920	63'

SLT Self-Leveling Tabs For Smaller Boats

BENNETT MARINE





Small Price Tag, Big Benefits

- Plane at lower speeds
- Improve fuel efficiency
- Reduce pounding
- Improve your hole shot
- Eliminate porpoising
- Reduce engine laboring
- Eliminate chine walking
- Easy Installation



PART NO.	MFG#	DESCRIPTION
6850900	SLT6	6" x 8" Kits for Boats 10'–14'
6850902	SLT10	10" x 10" Kits for Boats 14'–20'

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

BENNETT MARINE



Bennett Trim Tabs reposition the boat's bow to cut through the water reducing pounding, drag, and engine labouring. Repositioning the bow creates greater visibility which increases safety.

Reduced pounding means greater comfort. Less drag and engine labouring translate into increased performance, greater speed, and reduced fuel consumption.

With all the advantages and efficiencies created, Bennett Trim Tabs virtually pay for themselves. Choose one inch of trim tab length per side for every foot of boat length.

These kits are intended for boats with a maximum speed under 40 MPH. Bennett Sport Tabs are available by special order for boats in the 40 to 60 MPH range.

Bennett Trim Tab Kits include: 2 Trim Tabs with actuators, hydraulic control unit, rocker switch control, hydraulic fittings and tubing, wire harness and fasteners. **Kit is complete and ready to install**.



PART NO.	MFG#	DESCRIPTION
6850918	189E	18" x 9" Kit for 15' to 19' Boats
6850924	249E	24" x 9" Kit for 22' to 27' Boats
6850930	309E	30" x 9" Kit for 25' to 30' Boats
6850936	369E	36" x 9" Kit for 28' to 34' Boats
6850942	429E	42" x 9" Kit for 32' to 38' Boats
6850948	489E	48" x 9" Kit for 36' to 44' Boats
6800102	A1114	Lower Hinge with Pin
6800101	A1101A	Actuator Assembly
6800110	VP1135G	Solenoid Valve, Green, 12/24V
6800111	VP1135R	Solenoid Valve, Red, 12/24V
6801120	V351HPU1	Hydraulic Power Unit–12V
740050	CMBNT1AZ	Trim Tab Anode 2 needed
6800403	ES2000	Trim Tab Rocker Switch

TRIM TAB KITS BY

TRIM TAB KITS "EDGEMOUNT"

LIMITED 5 YEAR



Single, 12V

Lenco Electric Edge Mount Trim Tab Kits make your boat ride smoother, dryer, faster and with increased safety whether on a small skiff or a large yacht. The Lenco ball screw design is more reliable, three times more powerful and features an instant response, which makes them very user friendly compared to typical hydraulics. Lenco fast response electric actuators are fully submersible with all plug & play waterproof Deutsch connections. Edge Mount actuators mount at the trailing edge of the plane, requiring 4" (10.16cm) less transom height than Lenco standard mount trim tabs. Trim tab blades are made of 12-gauge stainless steel. 2 x 20ft harness inc.

Minimum Transom Height: 13.5" H
Switch Kits are Sold Separately.

PART NO.	MFG#	DESCRIPTION
6852050	15014-101	9" x 12", Boats 16'–25'
6852052	15015-101	12" x 9", Boats 14'–18'
6852054	15016-101	12" x 12", Boats 17'–30'

TRIM TAB KITS "STANDARD"



Single, 12V

LIMITED 5 YEAR WARRANTY

Minimum Transom Height: 14"
Switch Kits are Sold Separately

Lenco Electric Standard Mount Trim Tab Kits make your boat ride smoother, drier, faster and with increased safety whether on a small skiff or a large yacht.

The Lenco ballscrew design is more reliable, three times more powerful and features an instant response, which makes them very user friendly compared to typical hydraulics.

Lenco fast response electric actuators are fully submersible with all plug & play waterproof Deutsch connections. Trim Tab blades are 12 Gauge–304 SS with a 5/8" flared trailing edge and 1/8" diameter hinge pin. 2 x 20ft harness inc

PART NO.	MFG#	DESCRIPTION
6852000	15000-101	9" x 9", Boats 14'–18'
6852002	15001-101	9" x 12", Boats 16'–25'
6852004	15002-101	9" x 18", Boats 22'–30'
9945-493	15003-101	9" x 24", Boats 26'–40'
6852006	15004-101	9" x 30", Boats 30'–50'
6852008	15005-101	9" x 36", Boats 34'–65'
6852010	15007-101	12" x 12", Boats 17'–30'

TRIM TAB KITS "SUPERSTRONG"

6852070
Single, 12V



LIMITED 5 YEAR WARRANTY

6852075
Dual, 12V

Lenco Electric Super Strong Trim Tab Kits were designed for sport-fishing boats, high speed cruising boats and large commercial vessels. 7 gauge flat–304 SS blades with all stainless steel mounting hardware withstand the rigours of the most demanding conditions. No spray or mist when mounted in recessed pockets.

Switch Kits and harnesses are Sold Separately.

PART NO.	MFG#	DESCRIPTION
6852070	15018-101	12" x 18", Boats 24'–40'
6852075	15023-101	16" x 30", Boats 40'–60'

LIMITED SPACE TRIM TAB KIT



For boats 14' to 25'

- Ideal for boats with a swim platform and/or ladder

LIMITED 5 YEAR WARRANTY

PART NO.	MFG#	DESCRIPTION
9945-473	15052-101	4" x 12"

Lenco Waranty Policy

This policy does not apply to product that has been:

- Damaged due to improper installation or operation
- Damaged due to abuse or neglect
- Modified from its original state without the express written consent from Lenco Marine LLC.
- Used on a vessel where the engine horsepower exceeds the recommendation of the boat manufacturer
- Damage due to Electrolysis.

The warranty period for products used commercially, or in any rental or other income producing activity will be 90 days from the original date of purchase.

BENNETT HYDRAULIC TO LENCO ELECTRIC



TAB NOT INCLUDED

LIMITED
5 YEAR WARRANTY

Convert your Bennett Hydraulic trim tab system to the Lenco Electric trim tab system with this Conversion and Performance Upgrade Kit.

It is designed as a direct replacement for the Bennett hydraulic power unit (HPU) on systems using Bennett 4-ring standard trim tab actuators. This simple Bennett Retrofit Kit includes everything necessary to upgrade your current boat without drilling or filling.

You simply discard the hydraulic pump unit and the two Bennett cylinders, connect the new actuator wiring to the existing harness (jumper wires are included for attaching to current switch). Complete installation instructions are included.

This kit consits of:
1) Electric actuators
2) Upper Brackets (same wiring as Bennetts)
3) Connectors for convertion to Bennett wiring)



PART NO.	MFG#	DESCRIPTION
6852299	15064-001	12V Bennett Retrofit Kit

DUAL ACTUATOR TRIM TAB KIT

- Offering the same features as our single system, this series gives you a longer blade design with dual actuator support for those large vessels needing that extra lift.
- Blades are constructed of 7 gauge laser cut 304 stainless steel with 3/8"dia. hinge pin

LIMITED
5 YEAR WARRANTY



PART NO.	MFG#	DESCRIPTION
9945-474	15025-101	16" x 42" tabs for boats upto 80'

LENCO ELECTRIC ACTUATORS

Lenco's instant response Electric Actuators are made of high impact glass fiber filled ultraviolet-resistant nylon material with 316 super buff stainless steel tubing. They are environmentally sealed to withstand conditions of extreme temperatures and moisture. When installed and wired properly they will withstand complete immersion under 3' of water without leakage or loss of electronic qualities. Lenco's high-torque ballscrew design is more reliable and will easily push 750 lbs. Includes pre-wired 6' leads with waterproof plug and play Deutsch connectors and stainless steel hardware.



101 Series

The 101 Actuator is used in all standard, edge mount and standard performance kits. Overall length, tip to tip, is 12-1/8".

PART NO.	MFG#	DESCRIPTION
6852200	15054-001	2-1/4" Stroke, 12VDC
6852205	15061-001	2-1/4" Stroke, 24VDC

101 XD Series

The 101 XD Actuator is used mostly with HD, XD, high performance & super strong tabs. Overall length, tip to tip, is 11-3/8".

PART NO.	MFG#	DESCRIPTION
6852210	15055-001	2-1/4" Stroke, 12VDC

101 XDS "Short" Series

The 101 XDS Actuator is used with OEM specific kits & limited space applications. Overall length, tip to tip, is 10-7/8". This is the shortest actuator manufactured by Lenco.

PART NO.	MFG#	DESCRIPTION
6852215	15057-001	2-1/4" Stroke, 12VDC

EXTENSION HARNESS FOR ACTUATORS & LIFTS



For Single or Dual Trim Tab Actuator and Hatch Lift applications on any boat, make easy and reliable installations with these Extension Harnesses. They are fully submersible with plug & play waterproof Deutsch connections.
One required per actuator. ABYC Compliant.

PART NO.	MFG#	DESCRIPTION
9945-483	30133-001D	7ft, 14 AWG
9945-484	30133-002D	14ft, 14 AWG
6852230	30133-103D	20ft, 14 AWG
6852235	30142-202	32ft, 12 AWG
6852238	30142-104	45ft, 12 AWG

GLAND SEAL KIT



- Route your actuator wires above or below the water line

PART NO.	MFG#	DESCRIPTION
9945-485	15084-001	Pkg of 2

MOUNTING BRACKETS



6852250

Standard upper mounting bracket with gland seal that slides over the actuator wires to seal the new mounting bracket to the transom. Three screw holes, one wire hole.
2008 – Present (New Style)



6852252

120 Lower Mounting Bracket Kit is used in conjunction with new XD, XDS and the 102 HD/ XD Single or Dual Actuator applications. Includes all stainless steel hardware.



6852255

Universal actuator mounting bracket replacement kit. Upper and lower brackets. Covers all actuators (for use with 1 actuator). **Includes:** 6852250, 6852256, 6852257, 6852259, Gland Seal and Stainless Steel hardware.



6852256

Standard lower mounting bracket with three screw holes.
Fits all actuators.



6852257

Standard upper mounting bracket with a gland seal that slides over the actuator wires to seal the new mounting bracket to the transom.
Three screw holes, one wire hole.
Through 2007 (Old Style)



6852259

Delrin mounting pin–1.5". Pack of 2.

PART NO.	MFG#	DESCRIPTION
6852250	15085-001	Upper Bkt, 2008–Present
6852252	15140-001	Lower Mounting Bracket Kit
6852255	15099-001	Universal Bracket Kit
6852256	50014-001D	Lower Bracket
6852257	50015-001D	Upper Bkt, through 2007
6852259	15087-001	Delrin Pin, 2-pk

STANDARD BLADES



These Standard Replacement Trim Tab Blades are made of 12 Gauge 304 Stainless Steel.

PART NO.	MFG#	DESCRIPTION
6853002	20141-001	9" x 12"
6853010	20149-001	12" x 12"
6853014	20151-001	12" x 24"

INTEGRATED ALL-IN-ONE TACTILE SWITCH KITS

6852312
Single Actuator Sys.



6852313
Single Actuator Sys.



6852314
Dual Actuator Sys.



All-in-One Integrated Tactile Switch kits have the control box built into the back of the key pad with a 30" (76.2cm) pigtail harness protruding from the end of the switch bezel. By eliminating the external control box, this technology improves accuracy and simplifies the installation. 12/24v

PART NO.	MFG#	DESCRIPTION
6852312	15169-001	Standard Single Keypad Kit
6852313	15170-001	LED Indicator Single Keypad Kit
6852314	15171-001	LED Indicator Dual Keypad Kit

INTEGRATED FLYBRIDGE KITS
FOR EXISTING ALL-IN-ONE TACTILE SWITCHES









Add a second station"All-in-One" Integrated Key Pad to your existing "All-in-One" Integrated Tactile Switch by simply plugging into the existing harness.

Both the Standard and LED Key Pads operate on 12 & 24VDC and the Standard Integrated Keypad controls Single Actuator Systems while the LED Integrated Key Pad controls both Single and Dual Actuator Systems. Both kits come with the new style All-in-One Integrated Key Pad and a 20' (6.1m) shielded harness.

PART NO.	MFG#	DESCRIPTION
6852321	11841-102	Standard Key Pad
6852322	11841-002	LED Indicator Key Pad

LENCO SWITCH KITS (OLD STYLE)



Double Rocker Trim Tab Switch Kit No Retractor feature

- 12 & 24V / Single Actuator / Standard Trim Tabs
- Double Rocker Switch Pad
- 36" (91.4cm) Power Pigtail, 14-AWG wire with DTP Plug

Dimensions:

- **Rocker Switchpad:** 2.75" x 2.75"
- **Cut-out size:** 2.25"

PART NO.	MFG#	DESCRIPTION
6852305	10222-211D	Std. Rocker Switch Kit

STINGRAY CLASSIC

- On plane up to 50% faster, reduced bow rise
- Eliminates chinewalking, porposing and cavitation
- 30 - 40% fuel efficiency increase
- More effective at reducing propeller-induced steering torque



9950-127



- Gets boats on plane quicker
- Keeps boats on plane at lower speeds
- Improves holeshots
- Maximizes stabilization
- Saves fuel
- Promotes safety by increasing visibility at lower speeds
- Reduces chinewalking, porpoising, cavitation, and ventilation

PART NO.	MFG#	DESCRIPTION
6401080	JR2-1	9.9-40 HP
6401050	SR2-1	40-300 HP
9950-127	TE-1	Torque Equalizers

STARFIRE



The Starfire is the World's First No-Drill hydrofoil that gives boaters the option to install it by drilling through the cavitation plate. Although we recommend the no-Drill installation, if you choose your engine, you will only need to drill 2 holes instead of the conventional 4 holes required by most competitors!

Starfire utilizes ribbed-neck pins rather than clunky nuts and bolts used on others. The Starfire sports a swept back Delta-wing profile and has a unique, inverted trailing edge designed to relieve drag. Graphic inlays designed to resemble polished stainless steel won't scratch, tear, peel, or fade in the sun. All of the Stingray Classic Benefits Plus:

- World's First No-Drill hydrofoil with drill through cavitations plate option
- Hidden NO-DRILL Attachment
- Best Top-End Speed in the Industry
- Best Fuel Efficiency in the Industry
- Simplest, quickest Installation

PART NO.	MFG#	DESCRIPTION
6401040	STARFIRE-1	40-300 HP

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

STINGRAY XR4





The StingRay XR4 Hydrofoil is designed to provide maximum lift, blast boats out of the hole quicker than ever before, and keep boats on plane at lower speeds – leading to significant fuel savings! Porpoising, chinewalking, cavitation, and ventilation are reduced or eliminated – stabilizing the boat and providing a safer and more comfortable ride. For boats pulling tubers, skiers, or wakeboarders the StingRay XR4 Hydrofoil helps pull them up quicker, smooths out the wake for more enjoyable towing, and increases driver visibility by getting the bow of the boat down sooner. Heavy runabouts and ocean-going center-consoles can benefit from the maximum lift provided by the StingRay XR4 Hydrofoil. The downturned wings also pack water tightly around the prop, making this an ideal solution for boats experiencing cavitation problems – a common issue found on pontoon and tritoon boats.

- Gets boats on plane quicker
- Keeps boats on plane at lower speeds
- Improves holeshots
- Maximizes stabilization
- Saves fuel
- Promotes safety by increasing visibility at lower speeds
- Reduces chinewalking, porpoising, cavitation, and ventilation

PART NO.	MFG#	DESCRIPTION
6401070	SR-XR4-1	40-300HP

STINGRAY CLASSIC PRO HYDROFOIL



- Gets boats on plane quicker, improves holeshots
- Keeps boats on plane at lower speeds
- Promotes safety by increasing visibility at lower speeds
- Reduces cavitation, and ventilation
- 2 drill hole installation

PART NO.	MFG#	DESCRIPTION
9950-128	SR-PRO-1	Classic Pro, Black

HYDROFOILS



- Fits most outboards and sterndrives from 9 to 450 hp; brings boat on plane in shorter time
- Easily installed and designed for maximum lift at high and low speeds
- Prevents bow rise, eliminates cavitation and saves fuel

PART NO.	MFG#	DESCRIPTION
9950-120	440	Per Set

"MEASURE TWICE. ORDER ONCE."

HOW TO MEASURE STEERING CABLES



Round up cable length to nearest foot for cable length required.

RACK STEERING: $\frac{\text{B (inches)} + 30"}{12}$ = cable length (feet)

Measure the B plastic jacket length.

Add 30" then divide the total by 12 for the measurement in feet. Round this up to the nearest foot and order that length of cable.

For JBS Jet Boat Cable Replacement, Measure Existing Cable as follows: Measure cable from tip to tip. (Round up to next foot if needed for whole foot.) Order that length cable.

ROTARY STEERING: $\frac{\text{B (inches)} + 18"}{12}$ = cable length (feet)

Measure the B plastic jacket length.

Add 18" then divide the total by 12 for the measurement in feet. Round this up to the nearest foot and order that length of cable.

JBS helms are ONLY for smaller jets such as Mercury Sport Jet, OMC Turbo Jet, etc. and look like the helm depicted at right. If your jet steering is different, contact Mermaid Marine.



If your engine does not have a tilt tube cable connection as shown below, please contact Maritime Marine Supply

NEW INSTALLATION:

Measure cable routing path from wheel center line to engine connection, as follows:

A = Center line of wheel to gunwale (or deck, if routed downward),

B = Dash to transom,

C = Gunwale to centerline of cable connection at centered tiller.

For Cable Installations through the Engine Tilt Tube: Add A, B & C + 6", and round up to the next foot. Order that length cable.

For Cables Mounted to Transom, Splashwell or Stringer: Add A, B & C, then subtract 6" and round up to the next foot. Order that length cable.

TYPICAL SINGLE STATION ROUTING



A single-cable, starboard drive push-pull mechanical cable system is shown in this diagram. If your mechanical system is different than the one depicted and/or you have any questions about mechanical steering after reviewing this guide, please contact Maritime Marine Supply.

Cable routings (such as those found on pontoon boats) may vary from this drawing. Confirm length by laying a garden hose (or similar object) along cable path and measure run from wheel to engine connection point.



CABLE THROUGH ENGINE TILT TUBE



SPLASHWELL CABLE MOUNT



TRANSOM CABLE MOUNT (similar to stringer type)

PE 902-566-1220 NS 902-928-1900

About Our Hydraulic Steering Designs

The following is a quick overview of our steering systems and steering component terminology. For details on a particular steering system (features, applications, ordering information and dimensions) noted below, refer to the catalogue pages describing that steering system. Distinctions made below are generalizations and should be used in conjunction with: 1) the specific steering system sections of this catalogue when selecting a system and, 2) water testing the boat.

SeaStar hydraulic steering is the most comfortable and efficient approach to steering a boat. It is available in several outboard, stern drive and inboard configurations to fit most boats.

SeaStar systems use oil to transmit force from the steering wheel to the outboard motor or rudder. Instead of the push-pull cable of a mechanical system, the SeaStar system uses a "liquid cable" which is considerable more efficient.

The SeaStar hydraulic steering system is relatively impervious to frictional loads from engine torque, etc. since most of the moving parts are running on ball bearings an in oil.

Several helm displacements are available, allowing a choice in the number of steering wheel turns to suit boat handling characteristics and individual driving preferences.

SeaStar PRO is recommended for single outboard powered boats that exceed 50 MPH. SeaStar PRO offers maximum comfort and control, with the precise response of dual cable and the smooth feel of hydraulics.

All hydraulic systems exceed ABYC safety standards and ISO/IMCI/NMMA certifications requirements and are constructed with high quality corrosion-resistant materials.

HOW TO MEASURE HYDRAULIC HOSES

NEW INSTALLATION:

Measure hose routing path from wheel center line to engine connection, as follows:



A = Center line of wheel to gunwale (or deck, if routed downward),
B = Dash to transom,
C = Gunwale to centerline of cable connection at centered tiller.

Most cylinders move with the engine/rudder; enough slack must be left in hoses/tubing to prevent sharp bends (less than 3" radius) and/or kinking.

Where rigid tubing is used, flexible hoses must be installed between tubing and cylinder, to allow cylinder articulation.

For Most Cylinders, add A, B & C + 24", round up to next even foot. Order than length hose kit, or twice that length in tubing.

Hose routings (such as those found on pontoon boats) may vary from this drawing. Confirm length by laying a garden hose along cable path and measure run from wheel to engine connection point.

TYPICAL SINGLE STATION ROUTING



A single, front-mount outboard cylinder system is shown in this diagram.

If your hydraulic system is different than the one depicted and/or you have any questions about hydraulic steering after reviewing this guide, please contact Maritime Marine Supply.

REPLACEMENT OF HYDRAULIC STEERING:

If you removed the old hoses, measure for replacement hoses as follows:

Measure existing hose from tip to tip, round up to next even foot. Order that length hose kit, or twice that length in tubing.

SEASTAR SOLUTIONS®

BLACK MACH ROTARY SYSTEM



The UFLEX Black Mach Rotary System is a universal mechanical steering system featuring the T91 high performance planetary gear helm. This steering system is designed to be a "drop in" replacement for most mechanical systems.

- Max. steering wheel diameter 16-inches (406 mm)

Kits include:

- T91 Rotary Helm, 4.2 turns Lock-Lock
- X34 90 Deg. bezel
- M90 highly flexible steering cable, Minimum bend radius: 150 mm (5.9")

PART NO.	MFG#	DESCRIPTION
8130908	FOURTECHBLK08	8' Rotary System
8130909	FOURTECHBLK09	9' Rotary System
8130910	FOURTECHBLK10	10' Rotary System
8130911	FOURTECHBLK11	11' Rotary System
8130912	FOURTECHBLK12	12' Rotary System
8130913	FOURTECHBLK13	13' Rotary System
8130914	FOURTECHBLK14	14' Rotary System
8130915	FOURTECHBLK15	15' Rotary System
8130916	FOURTECHBLK16	16' Rotary System
8130917	FOURTECHBLK17	17' Rotary System
8130918	FOURTECHBLK18	18' Rotary System
8130919	FOURTECHBLK19	19' Rotary System
8130920	FOURTECHBLK20	20' Rotary System

BLACK MACH ROTARY STEERING CABLES



These M90 Black Mach steering cables are ideal for long cable runs and tight bend applications. With increased flexibility and durability they offer high efficiency and high performance in mechanical steering systems.

- Fast connections for simple installation
- Ideal for long cable runs
- Stroke 9" (228mm)
- Minimum bend radius: 150 mm (5.9")

PART NO.	MFG#	DESCRIPTION
8131008	M90BX08	8' Black Mach Cable
8131009	M90BX09	9' Black Mach Cable
8131010	M90BX10	10' Black Mach Cable
8131011	M90BX11	11' Black Mach Cable
8131012	M90BX12	12' Black Mach Cable
8131013	M90BX13	13' Black Mach Cable
8131014	M90BX14	14' Black Mach Cable
8131015	M90BX15	15' Black Mach Cable
8131016	M90BX16	16' Black Mach Cable
8131017	M90BX17	17' Black Mach Cable
8131018	M90BX18	18' Black Mach Cable
8131019	M90BX19	19' Black Mach Cable
8131020	M90BX20	20' Black Mach Cable

SINGLE ROTARY STEERING HELM



PART NO.	MFG#	DESCRIPTION
8130900	T91	Rotary Helm, Single Cable

This Uflex T91 single cable rotary steering helm is made of high-quality corrosion resistant materials. This helm uses a planetary gear system specifically designed for high-performance and high-efficiency applications under 50 mph.

- Standard 3/4" tapered shaft
- Lock-to-lock steering wheel turns approx 4,2
- Max. steering wheel diameter 16-inches (406 mm)
- Minimal feedback



MECHANICAL STEERING

MECHANICAL STEERING SAFE-T-QC



Application: Safe-T QC replaces all Teleflex Safe-T helms made since 1968 with little or no dash modifications. Components are available for dual cable systems, but we recommend No-Feedback steering for all dual cable steered, non-power-assisted outboards and sterndrives.

This kit contains the following:

- 1 x SH5094P, (8130145) Helm
- 1 x SB2748P, (8130202) 90° Bezel Kit
- 1 x SSC62xx, Steering Cable

PART NO.	MFG#	DESCRIPTION
8130106	SS13706	6' System
8130107	SS13707	7' System
8130108	SS13708	8' System
8130109	SS13709	9' System
8130110	SS13710	10' System
8130111	SS13711	11' System
8130112	SS13712	12' System
8130113	SS13713	13' System
8130114	SS13714	14' System
8130115	SS13715	15' System
8130116	SS13716	16' System
8130117	SS13717	17' System
8130118	SS13718	18' System
8130119	SS13719	19' System
8130120	SS13720	20' System
9945-420	SS13721	21’ System
9945-421	SS13722	22’ System
9945-422	SS13723	23’ System

TELEFLEX SAFE-T II NFB MECHANICAL STEERING SYSTEM



Applications: NFB Safe-T II single-cable systems are suitable for most single-station boats with a single non-power-assisted outboard engine up to V4 and minimal engine flutter or steering instability. (NFB Safe-T II is available in single cable configuration only).

This kit contains the following:

- 1 x SH5150P, (8130200) NFB Helm
- 1 x SB27150P, (8130203) 90° Bezel Kit
- 1 x SSC62xx, Steering Cable

PART NO.	MFG#	DESCRIPTION
8130210	SS13210	10' Safe-T II System
8130211	SS13211	11' Safe-T II System
8130212	SS13212	12' Safe-T II System
8130213	SS13213	13' Safe-T II System
8130214	SS13214	14' Safe-T II System
8130215	SS13215	15' Safe-T II System
8130216	SS13216	16' Safe-T II System
8130217	SS13217	17' Safe-T II System
8130218	SS13218	18' Safe-T II System
8130219	SS13219	19' Safe-T II System
8130220	SS13220	20' Safe-T II System
8130203	SB27150P	90° NFB Bezel, Black

"THE RACK" BACK MOUNT STEERING SYSTEM



Applications: Back mount rack replaces 1984-date Teleflex "The Rack" steering without dash modification. For single station use only. Components are available for dual cable systems, but we recommend No-Feedback steering for all dual cable steered, non-power-assisted outboards and sterndrives.

4 steering wheel turns lock-to-lock.

This kit contains the following:

- 1 x SH5210P, (8130745) Helm
- 1 x SB39526P, (8130746) 90° Bezel Kit
- 1 x SSC134xx, Steering Cable

PART NO.	MFG#	DESCRIPTION
8130710	SS14110	10' Rack System
8130711	SS14111	11' Rack System
8130712	SS14112	12' Rack System
8130713	SS14113	13' Rack System
8130714	SS14114	14' Rack System
8130715	SS14115	15' Rack System
8130716	SS14116	16' Rack System
8130717	SS14117	17' Rack System
8130718	SS14118	18' Rack System
8130719	SS14119	19' Rack System
8130720	SS14120	20' Rack System

NFB RACK STEERING SYSTEM SINGLE CABLE STEERING



Applications: Suitable for most single-station boats with a single non-power-assisted outboard engine up to V6 and minimal engine flutter or steering instability. New back mount design means easy installation; helm and cable are installed as a unit from behind dash and replace standard Teleflex rack steering without dash modifications.

This kit contains the following:

- 1 x SH5230P, (8130635) NFB Helm
- 1 x SB39544P, (8130636) 90° Bezel Kit
- 1 x SSC134xx, Steering Cable

PART NO.	MFG#	DESCRIPTION
8130510	SS15110	10' Rack System
8130511	SS15111	11' Rack System
8130513	SS15113	13' Rack System
8130514	SS15114	14' Rack System
8130515	SS15115	15' Rack System
8130516	SS15116	16' Rack System
8130519	SS15119	19' Rack System
8130520	SS15120	20' Rack System

NFB 4.2 STEERING SYSTEM

FOR OUTBOARDS W/ NON-POWER-ASSISTED, SINGLE CABLE STEERING



Applications: NFB 4.2 Single-cable systems are suitable for most single-station boats with a single non-power-assisted outboard engine up to V6 and minimal engine flutter or steering instability. Use dual cable system for boats with engine flutter or steering instability.

This kit contains the following:

- 1 x SH4910P, NFB Helm (8130142)
- 1 x SB27150P, 90° Bezel Kit (8130203)
- 1 x SSC62xx, Steering Cable

PART NO.	MFG#	DESCRIPTION
8130312	SS14712	12' Rotary System
8130313	SS14713	13' Rotary System
8130314	SS14714	14' Rotary System
8130315	SS14715	15' Rotary System
8130316	SS14716	16' Rotary System

XTREME NFB MECHANICAL STEERING SYSTEM



A brand new XTREME steering cable was designed specifically for this system. This cable offers lower backlash and is more efficient than a standard steering cable.

It provides the lowest ease of effort, a close "fit" of the core to liner for lowest lost motion. The concept provides the "tight" fit of core to liner yet allows area for lubrication. The design of the helm allows higher loads to be placed into the cable requiring this new design cable. There is a quick connect feature on both the steering cable and spent travel tube for easy, quick installation.

This kit contains the following:

- 1 x SHX7606P, XTREME NFB Helm, Bezel and Hardware Kit
- 1 x SSCX64XX, Steering Cable

PART NO.	MFG#	DESCRIPTION
8130811	SSX17611	11' System
8130812	SSX17612	12' System
8130813	SSX17613	13' System
8130814	SSX17614	14' System
8130815	SSX17615	15' System
8130816	SSX17616	16' System
8130817	SSX17617	17' System
8130818	SSX17618	18' System
8130819	SSX17619	19' System
8130820	SSX17620	20' System
8130821	SSX17621	21' System
8130822	SSX17622	22' System
8130823	SSX17623	23' System
8130824	SSX17624	24' System
8130825	SSX17625	25' System

THE RACK & NFB RACK REPLACEMENT CABLES



Rack and Cable assembly that fits Teleflex The Rack and NFB Rack steering system back mount helms. Used from 1996 to present. Single cable steering applications.

PART NO.	MFG#	DESCRIPTION
8130611	SSC13411	11'
8130612	SSC13412	12'
8130613	SSC13413	13'
8130614	SSC13414	14'
8130615	SSC13415	15'
8130616	SSC13416	16'
8130617	SSC13417	17'
8130618	SSC13418	18'
8130619	SSC13419	19'
8130620	SSC13420	20'
8130622	SSC13422	22'
8130624	SSC13424	24'
8130626	SSC13426	26'

ROTARY STEERING CABLES

SAFE-T II, SAFE-T QC AND NFB

SSC62xx
Cable Only
8130122–8130240



Threaded
Helm Port



SSC62 Series
Replacement Cable



Helm Adapter
8130146 (Sold Separately)

SeaStar Solutions steering cables are designed with a rotary or rack and pinion design to fit various helm space and application requirements.
SSC62xx series standard quick connect rotary cable fits: SH5150P, SH4910P, SH4920P, SH5094-1P, SH91190P, SH91526P, SH91527P and SH91523-1P.
SSC62 series with SA27620P adapter fits: Old Safe-T (SH5023P, SH5075P, SH91075P and SH91077P), and Big-T (SH5000P and SH91525P).
All SeaStar Solutions steering cables exceed ABYC safety standards and ISO/IMCI/NMMA certification requirements.

PART NO.	MFG#	DESCRIPTION
9944-049	SSC6208	8′ Cable Only
8130229	SSC6209	9' Cable Only
8130230	SSC6210	10' Cable Only
8130231	SSC6211	11' Cable Only
8130232	SSC6212	12' Cable Only
8130233	SSC6213	13' Cable Only
8130234	SSC6214	14' Cable Only
8130235	SSC6215	15' Cable Only
8130236	SSC6216	16' Cable Only
8130237	SSC6217	17' Cable Only
8130238	SSC6218	18' Cable Only
8130239	SSC6219	19' Cable Only
8130240	SSC6220	20' Cable Only
9945-426	SSC6221	21′ Cable Only
8130122	SSC6222	22' Cable Only
9945-427	SSC6223	23' Cable Only
8130124	SSC6224	24' Cable Only
8130126	SSC6226	26' Cable Only
8130146	SA27620P	Helm Adapter*

*For Helms with Threaded Spigots

SAFE-T-QC HELM



- Quick-response of 3 turns lock-to-lock
- Standard 3/4” round tapered steering shaft
- Uses simple snap-in Quick Connect cable connection

PART NO.	MFG#	DESCRIPTION
8130145	SH5094-1P	Safe-T-QC Helm
8130202	SB27484P	900 Safe-T-QC Bezel

NO FEEDBACK RACK HELM



Back mount design.
Standard 3/4" tapered shaft. For single station, single cable.
4.0 Turns Lock-to-Lock.

PART NO.	MFG#	DESCRIPTION
8130635	SH5230P	NFB Helm, Rack
8130636	SB39544P	Bezel, 90°

SAFE-T II NFB TILT HELM



NFB 4.2 Tilt single-cable systems are suitable for most single-station boats with a single non-power-assisted outboard engine up to V6 and minimal engine flutter or steering instability. 4.2 Tilt accepts wheels up to 16" diameter. Teleflex Tilt Steering with 48° of total adjustment in five 12° increments. Standard 3/4" round tapered steering shaft. Requires separate tilt mechanism SH91800P (8130149).

Meets ABYC standards. Meets NMMA certification requirements. Comfortable 4.2 turns from lock-to-lock.

PART NO.	MFG#	DESCRIPTION
8130138	SH91526P	Safe-T-II NFB Tilt Helm

NO FEED BACK 4.2 HELM



Standard 3/4" tapered. For single station use only. For use with wheels up to 16" diameter. Comfortable 4.2 turns lock to lock.

PART NO.	MFG#	DESCRIPTION
8130142	SH4910P	NFB 4.2 Helm

RACK AND PINION HELM



- Precise, easy 4 turns lock-to-lock
- Standard 3/4” tapered steering shaft
- For wheels upto 16” dia.

PART NO.	MFG#	DESCRIPTION
8130745	SH5210P	Rack And Pinion Helm
8130746	SB39526P	Bezel, 90°
8130747	SB27448P	10° Dash Wedge Kit
8130748	SB27449P	20° Dash Wedge Kit

RACK AND PINION HELM FOR TILT



This Back Mount Rack and Pinion Helm couples with the Sport (8130149) and with the Sport Plus (SH91900P) Tilt Mechanisms.

- 4 turns (lock-to-lock)
- Helm works with single cables (SSC134 & SSC154) and with dual cables (SSC135)

PART NO.	MFG#	DESCRIPTION
8130640	SH91610P	Helm, Rack, Back Mount, Tilt

THE RIGHT DIRECTION



SAFE-T II HELM



- Patented No FeedBack™ steering
- 3 turns lock-to-lock
- 3/4” tapered steering shaft



PART NO.	MFG#	DESCRIPTION
8130200	SH5150P	Safe-T II Helm
8130203	SB27150P	90° Safe-T II Bezel

SAFE-T QC TILT HELM



The Teleflex Safe-T Quick Tilt steering helm is a single cable tilt helm for inboards and power-assisted stern drives.

Requires separate tilt mechanism SH91800P (8130149).

SSC62xxx Safe-T-QC cables required.

PART NO.	MFG#	DESCRIPTION
8130139	SH91523-1P	Safe-T QC Tilt Helm

TILT MECHANISM PRO SERIES





When coupled with a Teleflex Tilt Helm, the Pro Series Teleflex Tilt Mechanism provides a 48° range of motion in 12° increments for comfortable standing or seated steering. 3/4" tapered shaft.

Fits the following Tilt Helm Units:
8130138, NFB 4.2 Single Tilt Helm Unit (SH91526).
8130139, Safe-T QC Single Tilt Helm Unit (SH91523).
8130147, HPS Tilt Helm Unit (SH91650).

PART NO.	MFG#	DESCRIPTION
8130149	SH91800P	Tilt Mech Pro Series

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

HPS TILT STEERING (HIGH PERFORMANCE STEERING)

Combine the following components for all the comforts and conveniences offered by tilt steering and benefit from High Performance Steering designed exclusively for stern drives with power assisted steering. This unique 3-turns Lock-to-Lock system is a very direct steering system that provides the ultimate in response and can reduce backlash (free play at the wheel) associated with power steered boats to a very significant 50%. The planetary drive gearing and coated helical inner steering cable combine to deliver an incredibly smooth steering with minimal lost motion.



8130149

Tilt Mechanism
- TFXtreme 5 position

8130147



Tilt Helm
- Standard 3/4" Tapered Steering Shaft
- Meets ABYC Standards
- Meets NMMA Certification Requirements

Need to order 8130147, 8130149 and choice of cable for complete system.



PART NO.	MFG#	DESCRIPTION
8130147	SH91650P	Tilt Helm
8130149	SH91800P	Tilt Mechanism
8130252	SSC6312	12' Cable Only
8130253	SSC6313	13' Cable Only
8130254	SSC6314	14' Cable Only

WHEEL MOUNTING KIT



Fits all Teleflex wheels and helms. Includes key, nut and washer.

PART NO.	MFG#	DESCRIPTION
8130201	SA27454P	Wheel Mounting Kit

DASH WEDGE KITS



Fits:
- The Rack
- HPS Rack
- NFB Rack
- NFB Pro Rack

PART NO.	MFG#	DESCRIPTION
8130747	SB27448P	10° Dash Wedge Kit
8130748	SB27449P	20° Dash Wedge Kit

ADAPTER FOR OLD-HELM TO NEW-CABLE



- Upgrades older Teleflex rotary helms to Quick-Connect cable interface
- Required with Big-T helms
- Allowing the use of SSC61xx/SSC62xx QC cables.

PART NO.	MFG#	DESCRIPTION
8130146	SA27620P	QC II Helm Converter
9945-934	SA27245P	Hitch Pin, Pair

ALUMINUM SUPPORT TUBE



PART NO.	MFG#	DESCRIPTION
8130150	SA27274P	Alum. Support Tube

TRANSOM MOUNT KIT



- Volvo inboard transom mount kit
- Includes tall stand off bracket

PART NO.	MFG#	DESCRIPTION
9945-835	300614	Mount Kit

TRANSOM SUPPORT MOUNT



This cable connection is used for older model outboards without tilt tubes, low HP outboards or where transom design interferes with standard tilt tube mounting.

PART NO.	MFG#	DESCRIPTION
8130153	SA27256P	Support Mount

TRANSOM CLAMP BLOCK KIT FOR OUTBOARD



PART NO.	MFG#	DESCRIPTION
8130151	SA27055P	Clamp Block Kit

CLEVIS KIT



PART NO.	MFG#	DESCRIPTION
8130152	SA27314P	Clevis Kit

SPLASHWELL KIT



- 90-degree splash well support
- 3-1/2" diameter flange with 4-mounting bolts
- Includes aluminum support tube

PART NO.	MFG#	DESCRIPTION
9945-809	SA27254P	3-1/2"

SPLASHWELL MOUNTING KIT



This cable connection is used where standard tilt tube or transom support mounting is precluded by a splashwell box or lack of engine tilt tube.

PART NO.	MFG#	DESCRIPTION
8130154	SA27253P	Mounting Kit

CONTROL CABLE SPLIT GROMMETS

MarineEast



8130171 **8130172** **8130173**

Small Hole = .375"
Large Hole = 1"

Attach the motor cable control boot without disturbing the cable settings. Split the outer grommet and the inner ball in half by splitting the sections. The inner ball is made of a low durometer soft sealing material that allows the ball to swivel to its most efficient position for easy cable operation. The outer covers are made of marine grade composites, and the inner flange has a large area for bedding compound in the motor well or transom. White in colour.

PART NO.	MFG#	DESCRIPTION
8130171	1820W	1-1/2" Base, 1 Small Hole
8130172	1830W	1-1/2" Base, 1 Hole
8130173	1835W	1-1/2" Base, 3 Hole

BULKHEAD FITTING ASSEMBLY

MarineEast



7537160 7537161 *SHOWN ASSEMBLED

Easily pass pipe, wires or cables through bulkheads and prevent carbon monoxide gases from passing from one enclosure to another. Designed to have a bolt on oval flange tube assembly with two optional low durometer flexible boots as termination fixtures. These are secured by either hose clamps, or straps.

PART NO.	MFG#	DESCRIPTION
7537160	7730	Bulkhead Flange
7537161	7735	Bulkhead Tube

NEW

STEERING CABLE BOOT

SEADOG LINE



This Steering Cable Boot protects the output end of all standard steering cables keeping dirt, debris, and moisture out and extending the service life of the cable.

- Constructed of durable molded rubber.
- Includes two cable ties.

Dimensions : 8", End to End.
1", Wide End Diameter.
3/8" Narrow End Diameter.

PART NO.	MFG#	DESCRIPTION
8130204	521700-1	Steering Cable Boot

For the most up to date pricing, please visit maritimemarinesupply.ca/price

FLEX SLEEVE





Flex sleeve is a lightweight jacketing for bundling and protecting wires, cables and hoses. Braided from high temperature yarns, this flex sleeve offers total protection for wire and cable assemblies. The unique expansion characteristics make this flex sleeve easy to slip on. Only a few sizes are needed to cover a large diameter range, since each size expands up to four times its normal size.

PART NO.	MFG#	DESCRIPTION
8130185	FLX-25-DP	Flex Sleeve 1/4" x 100'
8130186	FLX-50-DP	Flex Sleeve 1/2" x 100'
8130187	FLX-75-DP	Flex Sleeve 3/4" x 100'
8130188	FLX-125-DP	Flex Sleeve 1-1/4" x 50'
8130189	FLX-150-DP	Flex Sleeve 1-1/2" x 50'

RIGGING SLEEVE ZIPPERED



Protect your cables and hoses with this easy to remove rigging sleeve. Made of rugged fabric, this sleeve will withstand the elements and resist fading. Easily zips on and off to access cables or hoses when needed. Ends are secured with cable ties sewn into pockets.

PART NO.	MFG#	DESCRIPTION
8130181	ZRS-1-DP	Rigging Sleeve 48"

STERNFLEX RIGGING HOSE & FLANGE



Shields Sternflex has a polyethylene co-polymer wall with an integral polyethylene helix. It is resistant to abrasion, crushing and UV. This hose is primarily used as a protective cover for the harness and for the hoses on the bracket mounted on outboard engines.

Bend Radius: 3" Rigging Flange is U/V stabilized black plastic.

PART NO.	MFG	DESCRIPTION
8130195	116-126-2000B-1	2" ID Sternflex, per foot
8130196	116-126-2003B-1	2" ID Sternflex, 10' length
8130199	18-9761B	Rigging Flange

CABLE PROTECTOR



Boot style black plastic cable protector, **4-1/2" base plate, approximately 3" High**. Boot can be tightened around cables.

PART NO.	MFG#	DESCRIPTION
8130170	11580	Cable Protector

STERNFLEX - TRANSOM FLANGE KITS



- For containment of wire, control cables and hoses between the transom and outboard engine
- Flange included



PART NO.	MFG#	DESCRIPTION
9925-509	TFK-4	2"x 4ft, black
9925-507	TFK-10	2" x 10ft, black,
9925-095	129-2000	2" x 50ft, black roll, No Flange
9925-505	142-2000	2" Transom Flange, black

RIGGING HOSE FLANGE KIT



- Organize and protect cables and wiring from dirt, abrasion, sun and water
- Molded polypropylene flange is internally threaded to retain rigging hose
- Includes 1 hose flange and 4' of 2-1/2" diameter hose
- Available in Black or White

PART NO.	MFG#	DESCRIPTION
8130193	RFK-2.5Y-2-DP	White Kit 4ft
8130194	RFK-2.5Y-1-DP	Black Kit 4ft

RIGGING HOSE KIT W/ FUEL PORT



- Hides all engine cables and fuel line while allowing easy access to the primer bulb
- Suitable for all outboard engine applications
- UV Stabilized plastic flange
- Includes 5' of 2" diameter Sternflex hose

PART NO.	MFG#	DESCRIPTION
S189773	18-9773-1	Hose Kit

CABLE BOOT



- Finishes & protects pass thru hole for wires & cables
- Black marine vinyl resists UV, gasoline and oil
- Cable tie snugs around wires and cables

PART NO.	MFG#	DESCRIPTION
8130197	CBO-1	3" x 6"
8130198	CBO-4	6" x 9"

STAINLESS WHEEL



Polished stainless steel wheel with black foam covering, and spinner knob. 25° spoke angle. **3/4" tapered bore** with 2-1/2" black center cap.

PART NO.	MFG#	DESCRIPTION
8105419	73063-BK	11" Dia. Steering Wheel

FOAM COVERED WHEEL



- Deep-dish 25° spoke angle
- Formed 304 stainless steel with foam covering

PART NO.	MFG#	DESCRIPTION
9944-255	230212G	11", Grey
9944-260	230101	Replacement black plastic cap

DESTROYER STYLE WHEEL



- Formed 304 stainless steel without foam covering

PART NO.	MFG#	DESCRIPTION
9944-257	230211	11"
9944-260	230101	Replacement black plastic cap

ACE STEERING WHEEL



Integral moulded center cover. **For helms with standard 3/4" tapered shaft**. Hard black PVC grip.

PART NO.	MFG#	DESCRIPTION
8105412	SW59691P	13" Wheel Steering Wheel

CHAMPION STEERING WHEEL



Made of UV and corrosion resistant materials. Comes with removable center cap. **Fits all 3/4" tapered helms**. Hard black PVC grip.

PART NO.	MFG#	DESCRIPTION
8105411	SW59291P	13-1/2" Steering Wheel
9944-235	SW59201P	13-1/2" w/Center Pad

STEALTH STEERING WHEEL



Rugged plastic wheel with hard PVC grip with removable center cap. **3/4" tapered bore**. Excellent choice for runabouts and small work boats.

PART NO.	MFG#	DESCRIPTION
9944-232	SW59401P	14" Steering Wheel

VIPER WHEEL



- Ergonomic grip

PART NO.	MFG#	DESCRIPTION
9944-233	SW52022P	14"

THERMOPLASTICS ANTI-SHOCK STEERING WHEEL



- Thermoplastic anti-shock material
- Standard 3/4" taper
- Complete with hub
- Meets EN 28848 and ABYC P22 standards

PART NO.	MFG#	DESCRIPTION
8105413	V32N	13-1/4" Steering Wheel

TALON



- Talon
- Stainless steel, 6 spoke
- Recommended for hydraulic steering

PART NO.	MFG#	DESCRIPTION
9944-234	SW56811P	14"

STAINLESS WHEEL



Polished stainless steel wheel with spinner knob. 25° spoke angle. **3/4" tapered bore** with 2-1/2" black center cap.

PART NO.	MFG#	DESCRIPTION
8105420	73062-02	13-1/2" Steering Wheel
9944-291	73062-03	15-1/2" Steering Wheel

STAINLESS STEEL SPORT WHEELS



- 304 stainless steel construction
- 3/4" shaft with keyway

PART NO.	MFG#	DESCRIPTION
9944-251	9505125	13-1/2" without knob.

STAINLESS STEEL SPORT WHEEL



Highly polished stainless steel with moulded finger grips and built in spinner. Fits Standard 3/4" taper. Removable center cap. **13-1/2" Dia.**

PART NO.	MFG#	DESCRIPTION
8105214	73065-01	13-1/2" S/S Steering Wheel

STAINLESS STEEL SPORT WHEELS



- 304 stainless steel construction
- 3/4" tapered shaft with keyway

PART NO.	MFG#	DESCRIPTION
9944-250	4361321FGK	13-1/2" with knob
9944-252	4361521FGK	15-1/2" with knob
9944-253	4361521FG	15-1/2" without knob

VISION STAINLESS STEEL SPORT WHEELS



- Super heavy duty — solid cast marine grade 316 stainless steel polished to a mirror finish
- 3/4" tapered bore
- Patented finger grip rim for sure control
- Control knob is mounted to the spoke, not the rim, providing more clearance at the helm and factory assembled to the wheel, eliminating bands or bolts that can catch sleeves or fingers

Nut not included (see below)

PART NO.	MFG#	DESCRIPTION
9944-295	7141321FG	13"
9944-296	7141321FGK	13" with control knob
9944-297	7141521FG	15"
9944-298	7141521FGK	15" with control knob
Stainless Steel Center Nuts		
9944-293	712NUT	1/2" Nut for Teleflex Mech Steering
9944-294	702NUT	12mm Nut for Uflex Steering
9944-299	758NUT	5⁄8" Nut for Teleflex Hyd Steering

GIAZZA STEERING WHEEL



8105435 **8105436**

These Giazza model Steering Wheels are made of black polypropylene and the rims have a soft touch finish. Diameter: 13-3/4" Fits: 3/4" Keyed Tapered Shaft

PART NO.	MFG#	DESCRIPTION
8105435	W181-GIAZ-WH	Steering Wheel
8105436	W207-GIAZ-WH	Steering Wheel, Brushed Finish

ROCOLO S/S STEERING WHEEL



This ROCOLO model Steering Wheel is made of 316 Stainless Steel with black urethane finger grooves on back. Stainless Steel centre nut and spinner knob.

Diameter: 13-3/4"
Fits: 3/4" Keyed Tapered Shaft

PART NO.	MFG#	DESCRIPTION
8105430	W243-ROCO-WH	Steering Wheel

STAINLESS STEEL STEERING WHEEL



15-1/2" Investment grade stainless steel wheel with power knob. **Standard 3/4" tapered bore** to fit all helms.

PART NO.	MFG#	DESCRIPTION
8105215	73065-02	15-1/2" S/S Steering Wheel

FOAM COVERED DESTROYER WHEELS



- Highest quality, stainless steel with heavy duty, die cast mounting hub
- 3/4" tapered bore
- Deep-dish 25° spoke angle; 4" finger clearance
- Black foam covered rim

PART NO.	MFG#	DESCRIPTION
9944-277	73064-02B	15", Black

DESTROYER TYPE WHEEL



Deep dish with 25° spoke angle. Constructed of high grade nonmagnetic stainless steel, these wheels have a cast and welded hub and welded spokes at the rim. Covered with quality foam at the rim for better grip and warmth. **3/4" tapered bore**. 2-1/2" black center cap.

PART NO.	MFG#	DESCRIPTION
8105416	73060-BK	15-1/2" Black Steering Wheel
8105417	73064-02G	15-1/2" Grey Steering Wheel

NON-MAGNETIC STAINLESS STEEL WHEEL DEEP DISH



Stylish well made wheel, stainless steel construction. Hardwood hub cap. 5 spoke, **3/4" tapered bore**. 2-1/2" wooden center cap.

PART NO.	MFG#	DESCRIPTION
8105415	73060	15-1/2" Steering Wheel

DESTROYER STYLE WHEELS



- Polished stainless rim & spokes, epoxy sealed die cast hub, black centre cap
- 3/4" tapered bore, 6 spoke, 10° shallow dish spoke angle

PART NO.	MFG#	DESCRIPTION
9944-283	1521611	16"
9944-284	1521811	18"
9944-285	1522011	20"
9944-289	1522411	24"

STEERING WHEELS WITH MAHOGANY RIM



- 3/4" taper bore
- S/S spoke
- Aluminum hub

PART NO.	MFG#	DESCRIPTION
9991-316	KW38	15"
9991-318	KW55	21-5/8"

STEERING WHEELS WITH MAHOGANY RIM AND SPOKES

- 3/4" taper bore
- Stainless steel spokes
- Aluminum hub



PART NO.	MFG#	DESCRIPTION
9991-321	KWL55	21-5/8"

STAINLESS STEEL WHEEL SPINNER



316 Stainless steel spinner and bracket fits most 7/8" diameter wheels.

PART NO.	MFG#	DESCRIPTION
8101011	73010	Stainless Steel Spinner

STEERING WHEEL SPINNER HEAVY DUTY



Quality spinner with aluminum ball, zinc plated base and clamp and heavy duty bearings.

PART NO.	MFG#	DESCRIPTION
8101010	WHI-80100	H/D Steering Wheel Spinner

SPINNERS - STAINLESS STEEL



MODERN



TRADITIONAL

- 3/4" - 1" clamp
- The stainless steel mirror finished knob attaches to steering wheel to allow a faster, more relaxed control of the vessel

PART NO.	MFG#	DESCRIPTION
9944-606	9417720	Modern
9944-607	9505145	Traditional

FAUX SS CENTER NUT



- A lighter weight nut with the same durability as a standard stainless steel center nuts.
- Unique design allows for Universal fit to cover your existing helm nut

PART NO.	MFG#	DESCRIPTION
9944-292	CAP0303	1⁄2" & 5⁄8"

INSTALLATION PARTS

- Includes locknut, flat washer and key



PART NO.	MFG#	DESCRIPTION
9944-014	HB0573	Shaft bushing, 3⁄4" taper to 1"straight
8130201	SA27454P	Universal hardware kit.

RUDDER POSITION INDICATOR





Rudder Indicator gives instant visual reference of rudder angle. The pointer swings a full 30° with each revolution of the wheel.

Mounts easily with its self-adhesive pad directly to your hub.

Approximate size 2" in diameter.

PART NO.	MFG#	DESCRIPTION
980050	385	Indicator, Rudder Position

REMOTE WIRELESS HORN BUTTON



- Activates by pushing a button transmitter to send a signal to the receiver to activate your existing horn
- Receiver connects to your existing horn switch wiring for an easy installation.
- The Transmitter button uses a CR2032 battery (included) and installs to your steering wheel center cap either by double back tape or two #8 fasteners (included).
- Dimensions:
- Transmitter: 2-15/16" Dia. x 7/8" H
- Receiver: 2-1/4" L x 1-1/4" W

PART NO.	MFG#	DESCRIPTION
9802020	431050-3	12V, 20A Max.

NEW

POWER GRIP KNOB



The Lewmar Stainless Steel Power Grip Knob is a power boat wheel handle with a Rolex-style lid that can be fitted onto the wheel for further precision and more tactile mooring

Features:

- Delrin ball bearings
- Twin ball bearing race
- Durable, marine-grade stainless steel construction

Hardware is included

PART NO.	MFG#	DESCRIPTION
8105204	89700862	Power Grip Knob

POWER ASSIST STEERING FOR SEASTAR MANUAL HYDRAULIC SYSTEM



For the same comfort and response as an automotive steering system, this affordable and easy to install module is designed to dramatically reduce steering wheel effort of difficult and hard to steer boats while maintaining the feel and control that high-performance boaters demand.

This Power Assist Steering System is an electronically controlled hydraulic pump that is easily installed into your SeaStar hydraulic lines. This system boosts the fluid being sent from the SeaStar helm pump to the steering cylinder. A compensating line connects the Power Assist system to the helm pump, allowing the Power Assist module to share fluid with the helm reservoir. Automatically recognizes 12/24V systems. The electrical wiring is even easier with a red and a black wire going to your battery and a purple wire going to your ignition switch.

Number of turns lock-to-lock remains the same. Compatible with autopilots. 15' wiring harness. Ignition protected (SAE J-1171). 12VDC. ABYC, CE, NMMA, ISO 10592 Approved. **Dimensions:** 10-1/2"H x 8"W x 5-7/8"D **Applications:** 150HP+ Single Outboards, Heavy 4 Stroke Outboards, Twin/Triple Outboards, Inboards where rudder torque makes wheel effort heavy or uncomfortable. **Note: SeaStar Pro Power Assist Units are to be used with SeaStar PRO Systems only.**

PART NO.	MFG#	DESCRIPTION
8121301	PA1200-3	Power Assist Unit, 1000 PSI

POWER ASSIST STEERING SYSTEM



- Simply install in an existing SeaStar steering system (1.7 to 2.4 helms) to virtually eliminate all steering loads
- Provides exceptional performance, safety and comfort
- Bulkhead or floor mount
- Ignition protected; suitable for use with autopilots
- Automatically adjusts to 12/24V
- Complete with 25' harness

PART NO.	MFG#	DESCRIPTION
9944-190	PA1225-3	12/24V

XTREME MECH POWER ASSIST STEERING WITH 12' HARNESS

The Xtreme Power Assist Steering is engineered to bring the smooth, easy control of electric power-assisted steering to a wide range of popular boats, including pontoons, runabouts, RIBS, aluminum fishing boats and center consoles. This is an affordable, easy to install solution that offers a more enjoyable driving experience.



This system differs vastly from competitive “electric helm” systems on the market, because it does not increase the load on the mechanical steering helm or cable. Once this system is installed, the mechanical steering cable now only turns the power assist unit, while the electric steering actuator actually turns the engine load. This ensures reliable long-term performance in real-world, on-the-water conditions.

- Significantly reduced steering effort provides a car-like driving experience for mechanically steered boats.
- Engineered to fit a wide range of single engine, mechanically steered outboard boats from 90-200HP.
- Integrates with any existing SeaStar rack or rotary cable steering system, so there is no need to install new steering to take advantage of this new technology.
- Designed as a self-contained, plug-and-play system which easily mounts to all major outboard brands and integrates with the boat’s existing mechanical steering in less than 30 minutes.• Built in Fail-safe System automatically reverts to mechanical steering in the event of a system failure.

Xtreme Power Assist Clearance Requirements



Xtreme Power Assist Transom Requirements



MANUFACTURER	MODEL	DIMENSION "X"
Suzuki	DF70A, DF80A, DF90A	10.2"
	DF100A, DF115A, DF140A	10.2"
	DF150A, DF175A, DF200A	10.2"
Yamaha	F75C, F100B, F115A	10.2"
	F75B, F80B, F90B, F100D	10.2"
	F75F, F90C/D, F100F/G, F115B, F130A	10.2"
	F150A/B, F150C/D/F, F165A, F175A/B, F185A, F200F/G	10.0"
Honda	BF75, BF90, BF100	10.2"
	BF115, BF135, BF150	10.2"
	BF200	10.2"
Mercury	75/90/115 four stroke, 70/90/115 SeaPro, 115 ProXS	10.2"
	135/150 four stroke, 135/150 SeaPro, 150 ProXS	10.6"
	175/200 four stroke, 200 SeaPro, 175 ProXS	10.2"
Evinrude	E75 (DPL, DPX, DSL)	9.6"
	E90 (DPL, DPX, DSL)	9.6"
	E115 (DBX, DCX, DHL, DPL, DHX, DPX, DSL, HSL)	9.6"
	E130 (DCX, DPL, DPX, DSL)	9.6"
	DE150/E150 (DCX, DPX, DBX, DCX, DHL, DPL, DPX, DSL, HSL)	9.6"
	E175 (DCX, DPL, DPX, DSL)	9.6"
	DE200/E200 (2.6L - CX, PX, DCX, DPX, DSL	9.6"

PART NO.	MFG#	DESCRIPTION
8121302	XPA1012P	Power Assist

For the most up to date pricing, please visit maritimemarinesupply.ca/price

BAYSTAR HYDRAULIC OUTBOARD STEERING KIT



BAYSTAR™

BayStar is for single-outboard powered boats rated up to 150HP, including runabouts and inflatable's–and outboard engines with ABYC standard engine tilt tubes up to 150HP (total). For single station, single engine use only. Designed just for smaller O/B's. Features low friction hydraulic steering system, and 5 turns from lock-to-lock. Meets ABYC Standards, and NMMA certification requirements.

Kit includes:

- 1 x HC4645H (8121361) Front mount cylinder, HH4314 (8121120) BayStar Helm, 2 x HT4420H (8121235) BayStar Tubing Kit, and 2 x HA5430 (8120100) SeaStar oil. **Hoses are not included.**

PART NO.	MFG#	DESCRIPTION
8121321	HK4300-4	Kit, No Tubing

Please Note **Hoses are not included, Must be ordered Separately**

SEASTAR CENTER MOUNT OUTBOARD STEERING PACKAGE



SEASTAR™

Single and dual non-power-assist outboard engines up to 350HP (700 combined HP for counter-rotating duals) that have ABYC standard engine tilt tube. (Tie bar must be purchased for dual applications). Features patented steering lock valves, low friction hydraulic steering system, and 5 turns from lock-to-lock. Meets ABYC standards, and NMMA certification requirements.

Kit includes:

- HC5345-3 (8121340) Front mount cylinder
- HH5271-4 (8121105) SeaStar I Helm
- 2 x HA5430H (8120100) SeaStar oil. **Hoses are not included.**

PART NO.	MFG#	DESCRIPTION
8121325	HK6400-4	Kit, Less Hoses
8121105	HH5271-4	Helm

Please Note **Hoses are not included, Must be ordered Separately**

SEASTAR PRO OUTBOARD STEERING KIT

SEASTAR™



Maximum steering control and comfort for high performance boats with single, non power assisted outboards up to 350 hp at speeds over 60 mph System allows the use of high performance propellers and jack plates
Kit includes 2.0 cu. in. SeaStar helm HH5770-4, SeaStar front mount cylinder HC5345-3, 2 L SeaStar oil.
Use with SeaStar Pro Outboard Hose Kits 8121244 to 8121254

PART NO.	MFG#	DESCRIPTION
9944-180	HK7500-4	Kit

BAYSTAR HYDRAULIC OUTBOARD STEERING KIT

BAYSTAR™



The most popular inboard hydraulic steering system offers unmatched comfort and control for today's inboards up to 50 feet. A wide range of helm and cylinder displacements covers most applications.

PART NO.	MFG#	DESCRIPTION
8121321	HK4300-4	Kit, No Tubing

SEASTAR TILT STEERING KIT (CLASSIC)



Single and dual non-power-assisted outboard engines up to 350 HP (700 combined HP for counter-rotating duals) that have ABYC standard engine tilt tube. Ideal for cruisers, runabouts, center console boats, offshore fishing boats and many more. Suitable for speeds up to 60 MPH and dual station use (with purchase of extra helm, hose and fittings). Allows independent engine tilt in dual engine installations. Dual engines require purchase of a tie bar kit and extra hardware.

Kit includes: HH6541 1.7 SeaStar Tilt Helm Classic (9944-115)

- HC5345-3 (8121340) SeaStar Pivot Cylinder
- 2 x HA5430H (8120100) Hydraulic oil
- 5 turns lock to lock

PART NO.	MFG#	DESCRIPTION
8121316	HK6400TC-4	Seastar Tilt Steering Kit

SEASTAR OUTBOARD FRONT MOUNT CYLINDERS

SeaStar Outboard Hydraulic Steering offers three models of steering cylinders to suit most applications. The standard and most commonly used model is the Front Mount Steering Cylinder. Before ordering it is necessary to determine the best possible application for your boat, taking into account the hull design, speed, and usage of boat. Keep in mind that engines today have become larger, more powerful and heavier than in the past.
Please see the single & dual engine application guide.



8121340 Application: Honda, Force, Yamaha, Johnson/Evinrude, Mercury/Mariner, Suzuki, Nissan, US Marine, Yanmar, Fits most late model outboard engines.

8121345 Application: Honda 115-130HP 1998 To date.

8121346 Application: Yamaha, Johnson/Evinrude, Mercury/Marnier, Suzuki, Four stroke models.

PART NO.	MFG#	DESCRIPTION
8121340	HC5345-3	See Application above
8121345	HC5347-3	See Application above
8121346	HC5358-3	See Application above
8121342	HF5548	SeaStar Bleeder Fitting

BAYSTAR CYLINDER



8121362

This balanced cylinder features a compact design that fits most splashwells. BayStar lets you install all the safety, reliability & comfort of hydraulic steering into boats rated up to 150 HP max (total).
Seal kit fits HC4645H, HC4647H, HC4648H & HC4658H.

PART NO.	MFG#	DESCRIPTION
8121361	HC4645-3	Cylinder
8121362	HP4600	Seal Kit

SEASTAR SPLASHWELL MOUNT O/B CYLINDER



This cylinder is a light duty alternative to front & side mount cylinders. It is unbalanced with 5.5/6.5 turns lock to lock and fits engines with or without support (steering) tube. The splashwell mount cylinder is for single & multiple engine capability and has total power to 600HP in counter rotating applications. It can be a transom or hull mounted cylinder. ***Note:*** *Not for use with SeaStar Pro helms*

PART NO.	MFG#	DESCRIPTION
8121329	HC5380-3	Splashwell O/B Cylinder

SEASTAR CYLINDER SEAL KIT

Cylinder seal kit, shipped **without tool**. Used for ALL SeaStar, front mounting cylinders, all years.



8121341
Tool NOT included



8121104
Tool included

PART NO.	MFG#	DESCRIPTION
8121341	HS5167	SeaStar Cylinder Seal Kit
8121104	HS5157	Seal Kit with Wrench

SPACER KIT



Spacer kit, for use with cylinder: HC5345-3 (8121340), HC5358-3 (8121346), and HC5348-3.
Applied to:

- 115-140 HP Suzuki
- 25-60 HP Yamaha and Mercury
- 115 HP Yamaha

PART NO.	MFG#	DESCRIPTION
8121347	HO5090	Spacer Kit For Tie Bar

SEASTAR CYLINDER REPLACEMENT PARTS



9944-093



9944-099

PART NO.	MFG#	DESCRIPTION
9944-093	HP6036	Support bracket nut kit
9944-099	HP6016	Support rod for HC5345 cyl

SEASTAR SIDE MOUNT OUTBOARD STEERING CYLINDER



Side mount hydraulic steering cylinder fits most late model outboard engines.

PART NO.	MFG#	DESCRIPTION
8121330	HC5370-3	Side Mount Cylinder
8121331	HS5153	Seal Kit

SEASTAR STERNDRIVE STEERING CYLINDER



Hydraulic steering cylinder for most **NON**-power-assisted Mercruisers Alpha/Bravo from 1984 to date and Volvo 280/290/Diesel to date. Can be interfaced with autopilots and multiple steering stations. For single and multiple drives.

PART NO.	MFG#	DESCRIPTION
8121311	HC5332	Stern Drive Cylinder

SEASTAR STERNDRIVE STEERING CYLINDER



Hydraulic steering cylinder for most **power-assisted** Mercruiser 1 up to 1983, Mercruisers Alpha/Bravo from 1984 to date, OMC Cobra/King Cobra from 1986 to date, Volvo 280/290 to date, Yamaha All from 1989 to 1992 and BMW all to date. Can be interfaced with autopilots and multiple steering stations. For single and multiple drives.

PART NO.	MFG#	DESCRIPTION
8121310	HC5328-3	Stern Drive Cylinder

SEASTAR CAPILANO CYLINDERS

- Bronze and stainless steel, with stainless steel ball joint or bronze clevis rod ends
- Comes with bleeder tees to facilitate air removal



Ball joint end

Clevis end

PART NO.	MFG#	DESCRIPTION
8112200	HC5357	BA200-7, Clevis
9944-080	HC5351	BA200-7, Ball
9944-075	HC5379	BA200-11, Clevis

CAPILANO CYLINDER SPARES



Seal Kits



9944-114



9944-112



9944-109



9944-098



8112015

PART NO.	MFG#	DESCRIPTION
8112151	HS5182	Seal Kit For 150 Cylinder
8112176	HS5183	Seal Kit For 175 Cylinder
8112201	HS5184	Seal Kit For 200 Cylinder
9944-308	HS5185	Seal Kit for BA200-11
9944-098	HP6031	Mounting Hardware O/B Cylinder
9944-112	HP6068	Cylinder mounting foot
9944-109	HP6013	Ball End,5/8" thread, 5/8" hole
9944-114	HP6123	Clevis, 7/8" thread, 5/8" SS pin
9944-115	HH6541-4	Bleeder Tees, package of 2

SEASTAR INBOARD HYDRAULIC CYLINDER



- Anodized aluminum construction for single or dual rudder applications
- Adjustable O-ring sealed ports; complete with bleeder fittings

9944-028
7" Stroke
7.2 cu.in. Displacement
1.25" Body Dia.
0.50" Shaft Dia.
Torque @ 1000 psi
@35° = 5024in/lbs
4 Turns Lock to Lock With SeaStar helm

9944-029
8.3 cu.in. Displacement
1.375" Body Dia.
0.625" Shaft Dia.
Torque @ 1000 psi
@ 35° = 5741in/lbs
5 Turns Lock to Lock with SeaStar helm

8121350
7" Stroke
10.2 cu.in. Displacement
1.50" Body Dia.
0.625" Shaft Dia.
Torque @ 1000 psi
@ 35° = 7117in/lbs
6 Turns Lock to Lock with SeaStar helm

8121355
7" Stroke
13.7 cu.in. Displacement
1.75 Body Dia.
0.75 Shaft Dia.
Torque @ 1000 psi
@ 35° = 12,600in/lbs.
6 Turns Lock to Lock with SeaStar helm

PART NO.	MFG#	DESCRIPTION
9944-028	HC5312-3	BA125-7ATM Cylinder
9944-029	HC5313-3	BA135-7ATM Cylinder
8121350	HC5314-3	BA150-7ATM Cylinder
8121355	HC5319-3	BA175-7TM Cylinder

FRONT MOUNT CYLINDER



8121370

8121371

These front mount cylinders are recommended for use with outboard engines 175 hp total and where the boat speed does not exceed 55 mph (48 knots). They are balanced with an equal number of turns lock-to lockfrom Port to Stern and vice-versa

- Volume 95 CC - 5.8 CU.IN
- Stroke 186 MM (7.3")
- Fittings 3/8", for high pressure flex hose
- Bleed fittings DN5 QUICK CONNECT

PART NO.	MFG#	DESCRIPTION
8121370	UC95OBF-1	Straight Link Arm
8121371	UC95OBF-3	Curved Link Arm

BAYSTAR STEERING HELM



BayStar allows you to install all of the safety, reliability and comfort of hydraulic steering into your boats rated to a maximum of 150HP (total). Combine this with a superior design rigid ISO quality control and the finest materials and precision manufacturing. BayStar continues the tradition bringing comfort and safety to boating. **1.4 in³/turn displacement**.

PART NO.	MFG#	DESCRIPTION
8121120	HH4314-4	Helm

SEASTAR I HELM
(RECREATIONAL VERSION)



This SeaStar I Standard Helm features 1/4" NPT port threads, internal pressure relief valve, front of dash fill, lock valve for positive rudder lock, patented bleed tubes and internal air pocket to eliminate oil expansion overflow. 1000 PSI relief valve setting. Compact and stylish. Fits 3" dash hole for round look with retro fit of 4-1/2" dash hole for standard SeaStar square look. **1.7 in³/turn displacement**.

PART NO.	MFG#	DESCRIPTION
8121105	HH5271-4	SeaStar 1 Helm (Rec.)

SEASTAR I HELM
(REAR MOUNT)



This SeaStar I In-Dash Mount Helm pump is the heart of the hydraulic steering system. Fits 3" dash hole for round look with retro fit of 4-1/2" dash hole for standard SeaStar square look. Internal pressure relief valve, front of dash fill, lock valve for positive rudder lock, patented bleed tubes and internal air pocket to eliminate oil expansion overflow. **1.7 in³/turn displacement**.

Features #5 ORB with 1/4" NPT port threads. Pre 2014)

PART NO.	MFG#	DESCRIPTION
8121110	HH5261-4	SeaStar I in Rear Mount

SEASTAR I HELM S/S SHAFT
(COMMERCIAL VERSION)



Specifically designed to be used on smaller fishing vessels involved in the Lobster and Crabbing Industries. The commercial helm pumps are designed with a stainless steel shaft and heavy duty shaft seal and wiper. This new shaft and seal help protect the helm pump from the abrasive effects of sediment that is brought on board by the operator handling traps or pots. **1.7 in³/turn displacement**.

PART NO.	MFG#	DESCRIPTION
8121100	HH5217-4	SeaStar I Helm S/S Shaft

SEASTAR II HELM S/S SHAFT
(COMMERCIAL VERSION)



Specifically designed to be used on smaller fishing vessels involved in the lobster and crabbing industries. The commercial helm pumps are designed with a stainless steel shaft and heavy duty shaft seal and wiper. This new shaft and seal help protect the helm pump from the abrasive effects of sediment that is brought on board by the operator handling Traps or Pots. **2.4 in³/turn displacement**.

PART NO.	MFG#	DESCRIPTION
8121200	HH5224-4	SeaStar II Helm S/S Shaft

SEASTAR II HELM
(RECREATIONAL VERSION)



This SeaStar II Standard Helm features Internal pressure relief valve, front of dash fill, lock valve for positive rudder lock, patented bleed tubes and internal air pocket to eliminate oil expansion overflow. 1000 PSI relief valve setting. Compact and stylish. Fits 3" dash hole for round look with retro fit of 4-1/2" dash hole for standard SeaStar square look. **2.4 in³/turn displacement**.

Features #5 ORB with 1/4" NPT port threads. Pre-2014)

PART NO.	MFG#	DESCRIPTION
8121201	HH5272-4	SeaStar 2 Helm (Rec.)

SEASTAR 2.4 HELM
(REAR MOUNT)



This SeaStar 2.4 In-Dash Mount Helm pump is the heart of the hydraulic steering system. Fits 3" dash hole for round look with retro fit of 4-1/2" dash hole for standard SeaStar square look. Internal pressure relief valve, front of dash fill, lock valve for positive rudder lock, patented bleed tubes and internal air pocket to eliminate oil expansion overflow. **2.4 in³/turn displacement**.

Features #5 ORB with 1/4" NPT port threads. Pre 2014)

PART NO.	MFG#	DESCRIPTION
8121202	HH5262-4	SeaStar 2.4 Rear Mout Helm

SEASTAR PRO HELM



Designed for high performance boats with single non-power-assisted outboards up to 300 HP, especially those capable of speeds over 60 MPH and boats using high performance propellers and jack plates. The new lock-valve design virtually eliminates steering wheel "walking", "running away feel" & free play. Standard replacement hydraulic helm for the SeaStar Pro HK73XX and HK7400.

Taper: 3/4" standard taper (1" per foot)
Wheelshaft Threads: 5/8"–18 UNF
Key:#606 Woodruff key (3/16") . 2.0 in3/turn

Features #5 ORB with 1/4" NPT port threads. Pre 2014)

PART NO.	MFG#	DESCRIPTION
8121203	HH5770-4	Seastar "PRO" Helm

SEASTAR TILT HELM



The ultimate in Tilt Steering Technology. Teleflex Tilt Steering delivers unsurpassed performance and flexibility making it the perfect system for all possible applications and boat types. 5 wheel positions allow adjustment to most comfortable steering position. Features, 48° tilt range (18° down–30° up). Convenient front of dash fill. Complete with elbow fittings.
1.7 in3/turn displacement
2.4 in³/turn displacement.

PART NO.	MFG#	DESCRIPTION
9944-115	HH6541-4	Sea Star 1.7 Tilt, Helm
8121206	HH6542-4	Sea Star 2.4 Tilt, Helm

SEASTAR SPORT TILT



The SeaStar Sport Tilt helm offers a No Feedback smooth and efficient steering for single and multiple outboard engines up to 350 HP (700 HP combined for counter rotating twins) for speeds up to 60 MPH. The Tilt mechanism has 5 positions offering a 48° tilt range for steering comfort. Features a remote fill point and comes complete with elbow fittings.

PART NO.	MFG#	DESCRIPTION
8121207	HH6191-4	1.7 Tilt Helm

SEA STAR SPORT PRO TILT HELM



The ultimate in Tilt Steering Technology. Teleflex Tilt Steering delivers unsurpassed performance and flexibility making it the perfect system for all possible applications and boat types. Preloaded dual taper bearings ensures minimal excess free play. Shaft seals to prevent water ingress and 48° of tilt articulation. 5 positive lock positions. Compact footprint. Fits most styled and formed dashes.

PART NO.	MFG#	DESCRIPTION
8121204	HH6489-4	1.7 Tilt Helm
8121205	HH6490-4	2.0 Tilt Helm

CAPILANO HELM PUMPS

- Port size 3/8" NPT
- Variable displacement enables the helmsman to adjust the steering wheel turns to suit various maneuvering and weather conditions





8119013

- Displacement: 8111250 - 1.7 - 3.4 cu/in
- Displacement: 8111275- 2.7- 5.4 cu/in



8110010

PART NO.	MFG#	DESCRIPTION
8111250	HH5250	1250V Helm
8111275	HH5275	1275V Helm
8119013	HP5632	Bezel/Dipstick/Filler Kit
8110010	HS5161	Seal Kit 1250 & 1275 Helm

HELM SERVICE KIT



Kit includes:
1 ea. x Jam Nut 5/8" NF
1 ea. x Woodruff Key
1 ea. x Seal Ring
1 ea. x Top Plate
3 ea. x Screws

For most BayStar and SeaStar Helms.

PART NO.	MFG#	DESCRIPTION
8121103	HP6032	Service Kit

SEASTAR HELM SEAL KITS



SeaStar helm seal kits for new and old models.

PART NO.	MFG#	DESCRIPTION
8121101	HS5151	Seal Kit 1 & 2 Before 1990

SEASTAR, BAYSTAR AND HYNAUTIC STEERING FLUID



SeaStar recommends this quality hydraulic oil to keep your system operating at peak efficiency.

PART NO.	MFG#	DESCRIPTION
8120100	HA5430H	1L Hydraulic Oil
8120101	HA5440H	1 Gallon Hydraulic Oil

OPTIMUS ELECTRONIC POWERSTEERINGFLUID



- Designed for use in Optimus EPS systems
- Blend ensures maximum life steering performance of your EPS system

PART NO.	MFG#	DESCRIPTION
8120110	HA5482	Quart

HELM FILLER / BLEEDER KIT



Faciltates filling or bleeding of SeaStar, BayStar or Hynautic hydraulic steering systems.

PART NO.	MFG#	DESCRIPTION
9945-435	HA5438	Helm Filler / bleeder Kit

HELM WEDGE



Not for use with BayStar steering kit

PART NO.	MFG#	DESCRIPTION
9944-141	HA5419	20° dash wedge kit

SEASTAR OUTBOARD STEERING HOSE KIT



Hydraulic hose kits pre-made for outboard steering system applications. Not for SeaStar Pro, BayStar, Capilano or 3-line inboard systems.

Kit includes: 2 hoses with fittings installed.

PART NO.	MFG#	DESCRIPTION
8121212	HO5112	12' Hose Kit
8121214	HO5114	14' Hose Kit
8121216	HO5116	16' Hose Kit
8121218	HO5118	18' Hose Kit
8121220	HO5120	20' Hose Kit
8121222	HO5122	22' Hose Kit
8121224	HO5124	24' Hose Kit
8121226	HO5126	26' Hose Kit

BAYSTAR TUBING KIT



Can be used with all BayStar helms, with appropriate fittings. For systems rated up to a maximum of 150 HP. Not for high performance systems.

Kit contains:

- 2 x 20' lengths of tubing with fittings installed at one end

PART NO.	MFG#	DESCRIPTION
8121235	HT4420H	Tubing Kit

SEASTAR PRO OUTBOARD HOSE KIT



SeaStar Pro outboard hose kits include 2 hoses reinforced with woven Kevlar for SeaStar Pro outboard high pressure systems.

Kit Includes: 2 hoses with fittings installed.
Use with SeaStar Pro Outboard Steering Kit 9944-180

PART NO.	MFG#	DESCRIPTION
8121244	HO5714	14’ Hose Kit
9944-131	HO5716	16’ Hose Kit
8121248	HO5718	18’ Hose Kit
8121250	HO5720	20’ Hose Kit
8121252	HO5722	22’ Hose Kit
8121254	HO5724	24’ Hose Kit

ORB FITTING KIT



For use with manual hydraulic steering and auto pilot systems requiring ORB fittings.

All current SeaStar manual hydraulic steering systems use the same 3/8" compression fittings, (ORB) which use a 9/16"-24 extra fine thread size.

PART NO.	MFG#	DESCRIPTION
8120130	HF6007	ORB Fitting Kit



AUTO PILOT FITTING KIT ADD-A-STATION



Fitting kit for SeaStar outboard steering.

Kit Includes:

- 2 x Tee fitting, 1 x end 3/8" tube male, 1 x end 1/4" NPT male, center 3/8" tube male
- 4 x Connector 3/8" tube male - 1/4" NPT male
- 4 x Tube nut - 3/8" diameter
- 1 x Non-vented filler plug
- 25' Seastar nylon tube 3/8" diameter

PART NO.	MFG#	DESCRIPTION
8130165	HF5501	Fitting Kit

AUTO PILOT FITTING KIT ADD-A-STATION



Fitting kit for SeaStar stern drive steering.

PART NO.	MFG#	DESCRIPTION
8130166	HF5502	Fitting Kit

SEASTAR FITTINGS



All SeaStar manual hydraulic steering programs use the same style of fittings for all applications. These are 3/8" compression fittings, which use a 9/16"-24 extra fine thread.

PART NO.	MFG#	DESCRIPTION
8130163	HF5527	Tube Union, 3 per kit
8130164	HF5526	Tube Nut, 6 per kit
8130168	HF5534	Elbow 90° Fitting, 3 per kit
8130169	HF5540	Elbow 45° Fitting, 2 per kit

TWIN ENGINE DUAL CYLINDER TIE BAR



For use with twin front mount cylinders in a twin engine/cylinder set up.
Used on: HC5345-3 (8121340) HC5358-3 (8121346)
22" long pin-to-pin **Please see single & dual engine application guide.**

PART NO.	MFG#	DESCRIPTION
8130159	HO6002	Tie Bar for Twin

UNIVERSAL TIE-BARS

8130156



8130157



Universal Tie-Bars used in a twin engine, single cylinder application.
Used on: HC5345-3 (8121340), HC5358-3 (8121346),17.5" long pin-to-pin
Please see single & dual engine application guide.

PART NO.	MFG#	DESCRIPTION
8130156	HO6001	Universal Tie Bar
8130157	HO6003	Tie Bar

TEE FITTING KIT



Tee fitting kit for 3/8" Hose.
Kit includes 3.

PART NO.	MFG#	DESCRIPTION
8130167	HF5530	Fitting Kit

SEASTAR BLEEDER FITTINGS



Includes O-ring. For use with Front Mount Cylinder ONLY.
For use with: HC5345 (8121340), HC5358 (8121346), HC5347 (8121345), & HC5348.
2 per kit.

PART NO.	MFG#	DESCRIPTION
8121342	HF5548	SeaStar Bleeder Fitting

FILL KIT



- Relocate SeaStar helm fill to a more convenient or concealed location

PART NO.	MFG#	DESCRIPTION
8120000	HA6450	Seal Kit

5º ORB FITTING KIT



- 5° Elbow, pack of 2-3⁄8"ORB x 3⁄8"tube

PART NO.	MFG#	DESCRIPTION
8120127	HF6011	Fitting Kit

SEASTAR BACK MOUNT KIT



Teleflex SeaStar Back Mount Kit for SeaStar Helm models HH5271-3 (8121105) and HH5272-3 (8121201) is used to reduce your helm's protrusion in tight quarters. Protrusion is reduced by a width equal to the thickness of the dash. Kit can also be used to retrofit the SeaStar 3" helm into 4.5" dash cutouts.

PART NO.	MFG#	DESCRIPTION
8121125	HA5418	Back Mount Kit

ORB FITTING KIT



- Straight ORB fitting, pack of 2
- 5/16" ORB x 3/8" tube

PART NO.	MFG#	DESCRIPTION
8120126	HF6009	Kit

ORB TEE FITTING KIT



- Horizontal tee fitting, pack of 2
- -5 (5/16") ORB x 3/8" T=tube(x2)

PART NO.	MFG#	DESCRIPTION
8120124	HF6005	Kit

STRAIGHT FITTING KIT



- Union Coupling, pack of 3
- 3/8" tube x 1/4" NPT Female

PART NO.	MFG#	DESCRIPTION
9944-556	HF5528	Fitting Kit

ORB ADAPTER



- For use with new -3 Seastar helms and cylinders
- Adapts the new ORB interface to 1/4" NPT

PART NO.	MFG#	DESCRIPTION
8120128	HF6012	Adaptor ORB to NPT, pkg/3

ORB FITTING KIT



Includes:

- 12 Tube Nut 3/8"
- 2 Connector Fitting 3/8" - 5 ORB
- 2 Tee Fitting 3 Ends - 3/8" Tube
- 1 Non-Vented Filler Plug
- 3 Straight Fitting 14 NPT to 3/8" Tube (not for use in -3 helms)
- 2 Elbow 3/8" Tube - 5 ORB (supplied with -3 Helm Pump)

- To install new Seastar -3 helm into older system
- Adapts older NPT fittings to newest 3/8" ORB interface

PART NO.	MFG#	DESCRIPTION
9944-116	HF6010	For 3/8" ORB

90º ORB FITTING KIT



- 90° Elbow, pack of 2
- -5 (5/16")" ORB x 3/8" tube

PART NO.	MFG#	DESCRIPTION
8120123	HF6004	Fitting Kit

VERTICAL TEE FITTING KIT



- Vertical tee fitting, pack of 2
- -5 (5/16") ORB x 3/8" T=tube(x2)

PART NO.	MFG#	DESCRIPTION
8120125	HF6006	Fitting Kit

VENT PLUG



- Replacement helm vent plug for single and dual station applications

PART NO.	MFG#	DESCRIPTION
8120001	HP6126	Helm vent plug

NON VENT PLUG



- Required for lower helm in dual stations

PART NO.	MFG#	DESCRIPTION
9945-997	HA5432	Helm plug, non-vented

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

SINGLE RAM SYSTEM



Our Single Ram System is very rugged and has proven itself to be very reliable.

The system includes helm, stainless steel helm plate and steering shaft, 2" bore cylinder, brass cylinder hold down bracket, bronze tiller arm, tiller arm bushing (1-1/4" only), power steering pump with tank, 7" pump pulley, adjustable pump bracket, stainless steel hardware and hose fitting kit.

PART NO.	DESCRIPTION
8150150	Kit for 1-1/2" Rudder Stock

STAINLESS STEEL DUAL RAM SYSTEM



The dual ram system is a **heavy duty system** with dual 6" rams (with rudder arm) and 1-1/4" stainless steel rod mounted on a 3/4" thick stainless steel plate.

The system also includes helm, power steering pump with tank, 7" pump pulley, stainless steel helm plate and steering shaft, adjustable pump bracket, stainless steel hardware and hose fitting kit.

PART NO.	DESCRIPTION
8150250	1-1/2" Rudder Stock w/ Double Ram
8150275	1-3/4" Rudder Stock w/ Double Ram
8150300	2" Rudder Stock w/ Double Ram

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

POWER STEERING SYSTEM WITH REMOTE TANK



The same great components as our other systems except for a V10F pump and remotely mounted 3 gal. stainless steel tank. The large tank and remote mounting allow for better cooling of the steering system, ensuring better performance and longer life. **Available in Single or Double Ram Kit.**

Can substitute to 6 or 12 gal. tank, if preferred, for even better efficiency.

PART NO.	DESCRIPTION
8150151	1-1/2" Single Ram Remote Kit
8150176	1-3/4" Single Ram Remote Kit
8150201	2" Single Ram Remote Kit
8150301	2" Double Ram Remote Kit
8150326	2 1/4" Double Ram Remote Kit
8150351	2 1/2" Double Ram Remote Kit

NEW

STAINLESS STEEL DUAL RAM 2"-3" ADVANCED TURNING



These advanced dual rams are designed to provide an additional 10° port and starboard turn angle allowing your vessel to turn sharper providing the best maneuverability on the water.

Dimensions:
27-1/4"L x 14-1/2"W x 5"H
Standard Duty version features 2" bore cylinders
Heavy Duty version features 2-1/2" bore cylinders.

PART NO.	DESCRIPTION
	2" Dual Ram Units
3000689	2" Dual Ram Unit
3000655	2" Dual Ram Unit Heavy Duty
	2-1/4"" Dual Ram Units
3000690	2-1/4" Dual Ram Unit
3000656	2-1/4" Dual Ram Unit Heavy Duty
	2-1/2"" Dual Ram Units
3000692	2-1/2" Dual Ram Unit
3000657	2-1/2" Dual Ram Unit
	3" Dual Ram Units
3000694	3" Dual Ram Unit
3000659	3" Dual Ram Unit Heavy Duty
	Parts for 2" to 3" Dual Rams
3000440	Bushing, flanged (8 required)
3000535	Replacement Cylinder Rod Ends, S/S
3000609	Seal Kit For 2" Bore Cylinder
3000610	Seal Kit For 2-1/2" Bore Cylinder Heavy Duty
3000620	Stainless Steel pin 1" x 4"
3000535	2" Bore Replacement Cylinder, S/S
3000636	2-1/2" Bore Heavy Duty Replacement Cylinder, S/S

STAINLESS STEEL DUAL RAMS 1-1/2" -2"



These rugged dual ram systems are assembled with two 1-1/4", 6" stroke cylinders. The 1-1/2", 1-3/4" and 2" dual rams have 303 stainless steel rods.

The chassis are constructed of 3/4" stainless steel and a brass rudder head assembly. There are very few moving parts and grease fittings on all pivots to assure years of reliable performance.

Dimensions: 23"L x 11"W x 5"H

PART NO.	DESCRIPTION
	1-1/2"-2" Dual Ram Units
8150024	1-1/2" Dual Ram Unit
8150028	2" Dual Ram Unit
8150032	3" Dual Ram Unit
	Parts for 2" to 3" Dual Rams
8150005	Seal Kit
8150009	Clevis
8150008	Bushing, w/o Flange (2 required)
8150018	Bushing, w/Flange (8 required)
8150014	1" x 3.5" Pin (4 required)
8150006	Replacement Cylinder, S/S Rod

STAINLESS STEEL DUAL RAM 2-1/4" – 3"



These dual rams are designed to provide reliability and comfort. Designed of a Heavy-Duty chassis, solid rugged brass rudder head and marine grade stainless steel cylinders

Dimensions:
27-1/4"L x 14-1/2"W x 5"H

Standard Duty version features 2" bore cylinders
Heavy Duty version features 2-1/2" bore cylinders.

PART NO.	DESCRIPTION
	2" Dual Ram Units
8150036	2-1/4" Dual Ram Unit
3000556	**Heavy Duty** 2-1/4" Dual Ram Unit
8150032	3" Dual Ram Unit
	2-1/2"" Dual Ram Units
8150040	2-1/2" Dual Ram Unit
3000557	**Heavy Duty** 2-1/2" Dual Ram Unit
	3" Dual Ram Units
8150048	3" Dual Ram Unit
3000559	**Heavy Duty** 3" Dual Ram Unit
	Parts for 2" to 3" Dual Rams
8150040	2-1/2" Dual Ram Unit
3000620	Ram Pin, 1" x 4", (required)
3000602	Seal Kit For 2" Bore Cylinder
3000607	Seal Kit For 2-1/2" Bore Cylinder Heavy Duty
8150041	2" Bore Replacement Cylinder, S/S
3000526	2-1/2" Bore Heavy Duty Replacement Cylinder, S/S

DUAL RAM HOSE KITS

Use to inter-connect dual ram unit ports to helm lines.



Kit for 1-1/2, 1-3/4" & 2" Includes:
2x 1/2" ORB tees
2x 1/2" 90° ORB to JIC elbows.
2x 24" 1/2" flexible braided hydraulic hoses with 1/2" female JIC swivels crimped on



Kit for 2-1/4", 2-1/2" & 3" Includes:
2x 1/2" JIC to 3/8" NPT tees
2x 3/8" 90° NPT to 1/2" JIC elbows.
2x 30" 1/2" flexible braided hydraulic hoses with 1/2" female JIC swivels crimped on

PART NO.	DESCRIPTION
8150010	Hose Kit for 1-1/2" 1-3/4" & 2" Dual Rams
8150015	Hose Kit for 2-1/4" 2-1/2" & 3" Dual Rams

DUAL RAM REBUILD KITS



Rebuild kits for Dual Rams.

PART NO.	DESCRIPTION
8149994	Pins, Bushings & Washers for 1-1/2" Ram
8149995	Pins, Bushings & Washers for 1-3/4" Ram
8149996	Pins, Bushings & Washers for 2" Ram
8149997	Pins & Bushings for 1-1/2", 1-3/4" & 2" Rams

POWER STEERING FITTING KIT



All necessary fittings for the helm, cylinder and pump.

PART NO.	DESCRIPTION
8155101	Single Ram Fitting Kit
8155102	Dual Ram Fitting Kit
8155103	Single Ram, Remote Tank
8155104	Dual Ram, Remote Tank

HYDRAULIC POWER STEERING ASSEMBLIES - DUAL CYLINDER



HT20 ASSEMBLY



HT20-SS ASSEMBLY

HT20 DUAL RAM ASSEMBLIES

- Complete with mount and tiller arm bored for rudder shafts ranging from 1-1/2" to 2-1/2"
- 2" bore x 6" stroke
- Complete assembly consisting of dual cylinders with stainless steel cylinder rods mounted on a durable corrosion resistant quadran frame

PART NO.	MFG#	DESCRIPTION
9946-000	46-000	1-1/2"
9946-100	46-100	1-3/4"
9946-200	46-200	2"
9946-300	46-300	2-1/4"
9946-400	46-400	2-1/2"

HT20-SS DUAL RAM ASSEMBLIES

- Complete with mount and tiller arm bored for rudder shafts from 1-1/2" to 2-1/2"
- 2" bore x 6" stroke
- Corrosion resistant stainless and brass cylinders

PART NO.	MFG#	DESCRIPTION
9947-000	47-000	1-1/2"
9947-100	47-100	1-3/4"
9947-200	47-200	2"
9947-300	47-300	2-1/4"
9947-400	47-400	2-1/2"

REPLACEMENT PARTS HT20 AND HT20-SS

PART NO.	DESCRIPTION
9946-010	Quadrant frame
9946-011	Quadrant mount
9946-012	Sliding bearing
9946-050	1-1/2" Tiller arm
9946-150	1-3/4" Tiller arm
9946-250	2" Tiller arm
9946-350	2-1/4" Tiller arm
9946-450	2-1/2" Tiller arm
9944-210	Cylinder
9944-211	Rod clevis kit
9944-215	Cylinder seal kit
9947-210	Cylinder, stainless steel
9947-215	Cylinder seal kit, SS Cylinder
9946-013	Clevis pin 3-1/4", 4 req.
9946-014	Clevis pin 2-7/8", 1 req.

With proper installation and maintenance, this system will outlast your boat.

Suitable for most boats up to 65' Hydraulic power steering systems offering 20,200 in.-lb. of rudder torque and 45° of rudder in each direction. 3.3 turns of the wheel lock-to-lock. Rugged, oversized construction for high strength and long life. Painted steel cylinder barrels and clevises, stainless steel cylinder rods, manganese bronze tiller arm, quadrant frame and mount, stainless steel clevis pins and fastenings, glass filled PTFE sliding bearing.

HYDRAULIC POWER STEERING ASSEMBLIES - HEAVY DUTY DUAL CYLINDER



HT39 ASSEMBLY

HEAVY DUTY HT39 DUAL RAM ASSEMBLIES

- 39,000 in.-lb. rudder torque and 45° rudder in each direction
- 2 1/2" bore x 10" stroke
- 3.2 turns of the wheel lock-to-lock
- Overbuilt components for strength and durability

PART NO.	MFG#	DESCRIPTION
9966-000	66-000	2-1/2"
9966-100	66-100	2-3/4"
9966-200	66-200	3"
9966-300	66-300	3-1/2"

REPLACEMENT PARTS – HT39

PART NO.	MFG#	DESCRIPTION
9966-010	QUADRANT FRAME CLASS 3.5	Quadrant frame
9966-011	QUADRANT MOUNT CLASS 3.5	Quadrant mount
9966-012	SLIDING BEARING, 1/2" DIA, CL	Sliding bearing
9944-220	2.5"x 10"x1.24" S316 ROD	Cylinder
9944-221	1D10035	Rod clevis kit
9944-216	1C4982	Cylinder seal kit
9966-050	DOUBLE TILLER ARM, 2-1/2", CLA	2-1/2" Tiller arm
9966-150	DOUBLE TILLER ARM, 2-3/4" CLAS	2-3/4" Tiller arm
9966-250	DOUBLE TILLER ARM, 3", CLASS 3	3" Tiller arm
9966-350	DOUBLE TILLER ARM, 3-1/2", CLA	3-1/2" Tiller arm
9946-013	46-013	Clevis pin 3 1/4"

HT14-SS ASSEMBLY



HT14 ASSEMBLY



Complete assembly consisting of a single cylinder with stainless steel cylinder rod, bronze tiller arm and cylinder mount, suitable for most boats up to 45' Offering 45° of rudder in each direction. Solid bronze tiller arm and bronze cylinder mount. 2" bore x 10" stroke. Tiller arms are bored for rudder shafts ranging from 1 1/2" - 2". No steel bushings to rust, seize or crack. Clevis pins are stainless steel and are complete with grease grooves and stainless steel grease fitting. All fasteners are stainless steel.

HT14-SS SINGLE CYLINDER ASSEMBLIES

PART NO.	MFG#	DESCRIPTION
9927-000	27-000	1-1/4", Stainless steel
9927-100	27-100	1-1/2", Stainless steel
9927-200	27-200	1-3/4", Stainless steel
9927-300	27-300	2", Stainless steel

HT14 SINGLE CYLINDER ASSEMBLIES

PART NO.	MFG#	DESCRIPTION
9926-000	26-000	1-1/4"
9926-100	26-100	1-1/2"
9926-200	26-200	1-3/4"
9926-300	26-300	2"

REPLACEMENT PARTS – HT14 AND HT14-SS

PART NO.	MFG#	DESCRIPTION
9926-050	TILLER ARM, SNG CYL 1-1/4"	1-1/4" Tiller arm
9926-150	TILLER ARM, SNG CYL, 1-1/2"	1-1/2" Tiller arm
9926-250	TILLER ARM, SNG CYL, 1-3/4"	1-3/4" Tiller arm
9926-350	TILLER ARM, SNG CYL, 2"	2" Tiller arm
9944-200	2"x10"x1.06" S316 ROD	Cylinder
9944-211	1D10033	Rod clevis kit
9944-215	1C4244	Cylinder seal kit
9926-010	QUAD MOUNT, SNG CYL	Cylinder mount
9927-210	S5394/S5244RC SS	Cylinder, stainless steel
9947-215	S5244SK	Cylinder seal kit, ss cylinder
9946-013	46-013	Clevis pin

POWER STEERING PUMP WITH TANK



VTM42 Vane pump with **3/4" keyed shaft**. 1/2" ORB pressure port and 5/8" return hose barb. 1000 PSI Relief Clockwise rotation. (Specify if counter clockwise rotation needed).



Manifold

PART NO.	ROTATION	GAL at 1200 RPM	CONTROLLED MAX FLOW
8151200	CW	4	5 GPM
8151202	CCW		
8151201	CW	6	7.5 GPM
8151203	CCW		
SPARE / REPLACEMENT PARTS			
9112715	Pump Bearing		
8151902	Pump Seal Kit		
8151905	Front Seal		
8151102	Manifold Conversion Kit for Remote Tank		

HYDRAULIC CYLINDER



8154701

With integrated SAE (O-ring) & NPT ports. The all-in-one solution!
Features
Extension Port- 2x SAE (O-ring), ***and*** 2x NPT.
Retraction Port- 1x SAE (O-ring), ***and*** 1x NPT

PART NO.	DESCRIPTION
8172008	H/D 2" Cylinder 8" Stroke
8172010	H/D 2" Cylinder 10" Stroke
8172012	H/D 2" Cylinder 12" Stroke
8172016	H/D 2" Cylinder 16" Stroke
8170105	Clevis Rod Pin 1" x 2.625"
8170106	Clip for 8170105
8170102	End Clevis
8171201	Seal Kit for 2" Cylinder
8154701	Brass Bracket, 1" Pin Hole

V10F A MOUNT POWER STEERING PUMPS



Hydraulic vane pump with internal flow control valve for power steering applications. 1" FPT inlet port, 1/2" ORB pressure port and 1/2" FPT return port.

Available in 3/4" keyed shaft, 9 tooth or 11 tooth.

Pumps are standard clockwise rotation. Please specify if counter clockwise rotation is needed. "A" Mount. **GPM at 1200. Max RPM 3200.**

PART NO.	ROTATION	SHAFT SIZE / TYPE	GPM AT 1200RPM
8151112	CW	3/4" Keyed Shaft	4
8151012	CCW	3/4" Keyed Shaft	4
8151101	CW	3/4" Keyed Shaft	5
8151001	CCW	3/4" Keyed Shaft	5
8151105	CW	3/4" 9 Tooth Shaft	5
8151005	CCW	3/4" 9 Tooth Shaft	5
8151106	CW	3/4" 11 Tooth Shaft	5
8151006	CCW	3/4" 11 Tooth Shaft	5

SPARE / REPLACEMENT PARTS

8151104	Pump Bearing
8151109	Pump Seal Kit
8151113	Cartridge Kit 4 GL
8151114	Cartridge Kit 6 GL
9911-852	Shaft Seal

PARTS FOR CHAR-LYNN POWER STEERING HELM



The new Char-Lynn 10 series helm—now rated with higher back pressure on the return line—is the perfect choice for dual helm and auto pilot applications. This series uses metric thread on shaft mounting face.

Requires 4 x 88251040 mounting bolts.

PART NO.	DESCRIPTION
8159613	Seal Kit for Series 10 (New Style)
8159615	Seal Kit Old Style
88251040	S/S M10 x 40 Bolts (4 Required)
9944-040	Seal Kit, Char-Lynn 211-10 Old Style

For HT39 Quadrant Assemblies

- 28.2 cu. in. displacement
- Maximum system pressure 2500 psi
- Port size 1/2" SAE straight thread ORB

PART NO.	MFG#	DESCRIPTION
9944-130	211-1176-002	28.2 C.I. for HT39

POWER STEERING HELM



The BPB1 series Steering Helms provide better performance over a wide range of low speed and heavy load applications.

- No load reaction on the steering wheel.
- Manual operation available.
- Low control torque, Continuous operation.
- ½" Orb Fittings
- Requires M¹⁰ Mounting Bolts

PART NO.	MFG#	DESCRIPTION
8159635	BPB1-160-Y41-P/D	9.75 cu.in.
8159636	BPB1-250-Y41-P/D	15.25 cu.in.
8159637	BPB1-315-Y41-P/D	19.25 cu.in.

V10F "B" MOUNT POWER STEERING PUMPS



V10F "B" Mount Power Steering Pump for application where "B" Mount is required. 1000 PSI relief valve, 6 gallon flow control 13-splined shaft.

PART NO.	DESCRIPTION
8151107	CW 13 Tooth Splined
8151007	CCW 13 Tooth Splined

PARKER POWER STEERING PUMP



Standard SAE "A" 2 bolt mount.

- Minimum 500 RPM for operation
- Fixed 1.178 cu. in. displacement gear pumps very compact and lightweight for their capacity
- Built-in flow control set at 5 GPM, and integral pressure relief at 1,000 psi
- Maximum speed 4,000 rpm, maximum pressure 2,500 psi

PART NO.	DESCRIPTION
8151121	3/4" Keyed Shaft -Counter Clockwise
8151122	3/4" Keyed Shaft–Clockwise
8151123	5/8" 9 Tooth Splined -Counter Clockwise
8151124	5/8" 9 Tooth Splined-Clockwise
8151125	3/4" 11 Tooth Splined-Counter Clockwise
8151126	3/4" 11 Tooth Splined -Clockwise
9911-320	Seal Kit

NEW

HELM PLATE ASSEMBLY



- High quality stainless steel
- 3/4" tapered shaft
- Oilite bushing
- 1/2" coarse thread hex nut
- 4" adapter provides more access to helm behind the console/dash.

PART NO.	DESCRIPTION
3000209	5" Dia. Short Body, Standard
3000222	5" Dia. Short Body with 4" adapter
3000232	5" Dia. Long Body with 4" adapter
88251040	M10 x 40 Bolts for Metric Helms (4 required)
88200624	3/8" x 1-1/2" Bolt for Standard Helms (4 required)

STEERING COLUMNS – STAINLESS STEEL



- Quality Stainless Steel 3/4" Tapered Shaft
- "Oilite" bearing
- 5/8" Fine thread with hex nut.
- Fits metric and standard helms

PART NO.	DESCRIPTION
8159500	7" Diameter
8159501	5" Diameter
88251040	M10 x 40 Bolts for metric helms (4 required)
88200624	3/8" x 1-1/2" Bolt for standard Helms (4 required)



- Quality Stainless Steel 3/4" Tapered Shaft
- "Oilite" bearing and grease nipple
- 1/2" Coarse thread with acorn nut.
- Fits metric and standard helms

PART NO.	DESCRIPTION
9946-020	5" Diameter
9946-023	8" Diameter
88251040	M10 x 40 Bolts for metric helms (4 required)
88200624	3/8" x 1-1/2" Bolt for standard Helms (4 required)

PRIORITY, FLOW CONTROLLED STEERING VALVE



Also called 'Auto Pilot Valve'. **This unit is solenoid operated and flow control from 0.5 to 12 GPM to control rudder speed**. This system is usually used with auto pilot and/or joy stick installation.

PART NO.	DESCRIPTION
8072100	12V
8072101	24V

PUMP BRACKET



A



B

PART NO.	DESCRIPTION
8013304	(A) Pump Bracket to use w/(B) Bracket
8013000	(B) Hinge Style (Steel)
8013001	Hinge Bracket Unpainted
8013002	Hinge Bracket S/S

ADJUSTABLE PUMP BRACKETS – CAST ALUMINUM



PART NO.	MFG#	DESCRIPTION
9911-041	11-041	For Vickers VTM42 pump

Replacement Parts

PART NO.	MFG#	DESCRIPTION
9913-041	VTM BASE ONLY	Base for VTM42
9914-041	VTM STRAP ONLY	Strap for VTM42
9915-041	VTM HANDLE ONLY	Handle for VTM42

BRONZE HEAVY DUTY TILLER ARM



Cast Bronze clamp style tiller arm with stainless steel set screws and grease fittings.

PART NO.	DESCRIPTION
8156824	1-1/2"
8156828	1-3/4"
8156832	2"

S/S H/D TILLER ARM (BUSHING STYLE)



The hydraulic bushing style tiller arm gives you three options in keyway location. Simply rotate the bushing inside the S/S tiller arm and line up the holes to give you 3 multiple choices in keyway locations. Or you can rotate the bushing to your desired location and drill three new holes for your customized preference.

PART NO.	DESCRIPTION
8160001	Tiller Arm for Power Steering
	(Requires 1 Bushing Below)
8150124	Bushing for 1-1/2" Rudder Shaft
8150128	Bushing for 1-3/4" Rudder Shaft
8150132	Bushing for 2" Rudder Shaft

MANGANESE BRONZE TILLER ARMS



Bolt and Keyway type

PART NO.	BORE	LENGTH
731125	1-1/4"	9-1/2"
731150	1-1/2"	15-3/4"
731175	1-3/4"	15-3/4"
731200	2"	15-3/4"

KEY STOCK SOLD PER INCH.

PART NO.	MFG#	DESCRIPTION
9940-008	1025435	7/16", for 1-3/4" shaft

3 GAL. S/S POWER STEERING TANK



3 Gallon remote mount stainless steel tank.

Features include: a vented fill cap, 3/4" NPT return ports on left and right sides, 3/4" NPT supply port.

Tank comes with two 3/8" ports to allow easy installation of optional oil level gauge kit.

Dimensions:
13-3/4"H x 15-1/2"W x 6"D

PART NO.	DESCRIPTION
8013503	3 gal. Remote Tank

OIL LEVEL GAUGE KIT (FITS 3, 6 AND 12 GAL.)



Kit includes 2 brass elbows, 2 clamps and 12" of 1/2" see-through hose.

- Fits stainless tanks only

PART NO.	DESCRIPTION
8013520	3/8" PT

REPLACEMENT CAPS



8013501

For use as filler ports for hydraulic reservoirs. Bayonet flange, plastic basket, without dipstick.

PART NO.	DESCRIPTION
8013501	Chrome Plated Steel Cap

HYDRAULIC FILTER ASSEMBLY

Available in 3/4" and 1-1/4" bases.



PART NO.	DESCRIPTION
350532	3/4" NPT Base Only
357839	10 Micron Filter for 3/4" Base, 5-13/32"L
350552	1-1/4" NPT Base Only
357287	10 Micron Filter for 1-1/4" Base, 7"L
357389	10 Micron Filter for 1-1/4" Base, 10-3/4"L

For the most up to date pricing, please visit maritimemarinesupply.ca/price

JOYSTICK CONTROL



- For auto-pilot/jog steering valve
- Spring return and micro-switches send an on/off signal in either direction to the auto-pilot valve
- Constructed using bronze and stainless steel



Gen 1

Gen 1 micro switch before mid 2023.



Gen 2

Retrofit Kit 7165-RF-01 is required to convert Joysticks using Gen 1 micro switches to the new Gen 2 style.

Gen 2 micro switch mid 2023 to present.

PART NO.	MFG#	DESCRIPTION
9944-065	7165L-BG	Bronze and stainless steel
9944-066	6001-0104	Replacement micro switch Gen 1
9944-067	6001-0112	Replacement micro switch Gen 2

SINGLE LEVER, DUAL FUNCTION - SIDE MOUNT



Flush Mount with Stainless Steel Housing

- High gloss, polished AISI 316 stainless housing and handle
- Both transmission and throttle can be controlled with one lever

PART NO.	MFG#	DESCRIPTION
9991-654	SISCO	Side Mount

SINGLE LEVER, DUAL FUNCTION - SIDE MOUNT



Flush Mount with Plastic Housing

- AISI 316 Stainless steel handle, plastic housing
- Both transmission and throttle can be controlled with one lever

PART NO.	MFG#	DESCRIPTION
9991-655	SICO	Plastic Housing

DUAL LEVER SIDE MOUNT CONTROL



- Single function, solid brass twin lever control for light duty application
- Use with 33 series cables

PART NO.	MFG#	DESCRIPTION
9945-095	0026004	Dual Lever

SIDE MOUNT CONTROL FOR SAILBOATS



- Single lever, dual action for throttle & shift
- Surface mount design for quick, tidy installation
- Includes neutral warm up capability
- Includes hardware for two 3300/33 control cables
- Positive shift detents and neutral lock-out
- Weatherproof exterior, rugged diecast frame

PART NO.	MFG#	DESCRIPTION
8306055	CH2100P	Dual Action, Side Mount

SEASTAR UNIVERSAL-FIT CONTROL



A design that's uniquely contoured to fit in the palm of the hand. Connects to almost any current 3300/OEM type control cable. Adapts easily to most engine harnesses, including generic.

Control includes: a cable nest kit, which mates to the engines shift and throttle cable. Also supports Mercury Gen. II cables. Engine specific harness kit and accompanying harness connector relay is included. Tilt and trim is located in the handle. Side and top mount controls both have push button warm up feature. Neutral throttle interlock and ignition stop switch included with side mount only.

PART NO.	MFG#	DESCRIPTION
8306163	CHX8142P	Chrome w/Tilt Trim (top mount)

OSPREY ENGINE CONTROLS



9944-900



9944-904

The ergonomics and features of our Osprey controls are advanced beyond those of any other control on the market. A shapely, balanced handle design provides an incredibly smooth yet positive feel, neutral interlock, throttle warm-up, and start-in-gear protection features are standard on all models, with power trim/tilt, emergency cut off switches offered as an option.

Controls are suitable for use both 3300/33C or OEM type control cables without adaptation.

PART NO.	MFG#	DESCRIPTION
9944-900	CHX8050P	Side Mnt. w/On-Off
9944-904	CHX8151P	Top Mnt. w/On-Off and Trim

SL-3 CONTROLS



9945-080



9945-081



8306121



9945-083

- For virtually all inboard, I/O, and O/B engines
- Simple "Drop-In" port or starboard installation (with Morse, Teleflex, Merc., or O.M.C. cables) no complicated adjustments or modifications
- Gear mechanism enclosed and permanently lubricated
- Push or pull mode; crisp, positive detents
- Adjustable brake prevents throttle creep
- Rugged, corrosion resistant construction
- Push button for neutral engine warm up
- Neutral interlock prevents starting in gear
- Trim switch in handle grip for one-hand operation (8306121/22 only)
- Adjustable brake prevents throttle creep
- Available in top mount or side mount.

PART NO.	MFG#	DESCRIPTION
9945-080	CHX8555P	Side Mnt, w/Tilt and Trim
9945-081	CHX8640P	Top Mount
8306121	CHX8642P	Top Mnt. w/Tilt
9945-083	CHX8740P	Top Mnt, Dual Lever

SINGLE ACTION SIDE MOUNT CONTROL



FEATURES

- Flush side mounting installation.
- Particularly suitable for throttle control and hydraulic shift operation.
- Provided with adjustable brake tension release and detents.

PART NO.	MFG#	DESCRIPTION
830135	B35	Single Action Side Mount Control

SINGLE LEVER SIDE MOUNT



FEATURES

- Pull-out handle disengages shift for warm-up
- Neutral safety switch prevents in-gear starting
- All models are provided with positive lock-in neutral to prevent accidental gear engagement
- Part #830111 is provided with a power trim switch conveniently located in the handle grip that enables for easy tilting of the engine.

PART NO.	MFG#	DESCRIPTION
830110	B183	Single Lever Side Mount
830111	B184	with Power Trim
830112	B184MERC	with Power Trim For Merc.

SINGLE LEVER SIDE MOUNT CONTROL



FEATURES:

- Pull-out handle disengages shift for warm-up
- Neutral safety switch prevents in-gear starting
- Provided with a positive lock-in neutral to prevent accidental gear engage
- Black finish

PART NO.	MFG#	DESCRIPTION
830190	B90	Single Lever Control
830191	K35	Merc Connection Kit
830192	K51	OMC Connection Kit

SINGLE LEVER TOP MOUNT



Features ~ 3" travel

- Enables easy and safe shifting by preventing accidental gear engagement unless engine is idling.
- Made of chrome plated marine aluminum.
- Pull-out handle disengages shift for warm-up
- Neutral safety switch prevents in-gear starting
- Built-in friction to avoid throttle creep

PART NO.	MFG#	DESCRIPTION
830503	301456	Single
831003	BLACK KNOB	Black Knob

TWIN LEVER TOP MOUNT



- Solid brass, heavy chrome plated single function twin lever control for lighter service
- Use with ³³ series cables

PART NO.	DESCRIPTION
830100	Twin Lever Top Mount

REPLACEMENT PARTS FOR SR TWIN TOP MOUNT CONTROL



CH5400P

Replacement Parts and Accessories

PART NO.	MFG#	DESCRIPTION
9944-936	036774	Clutch Detent Kit
9944-937	039490-002	Dual Station Kit, 33C
9944-938	048501-002	Dual Station Kit, 43C
9944-939	041117	Neutral Safety Switch
9944-940	CA69060P	Control Handle
9944-945	047682	Control Cover

MT3 DUAL FUNCTION CONTROL



- Provide one-handed positive engine control
- Hand levers pull out for neutral warm-up
- Built-in friction drag helps reduce slippage and throttle creep while underway
- Hardware for 33C type control cables included
- Single lever may use 43C type control cable with 308742 connection kit

PART NO.	MFG#	DESCRIPTION
8306130	CH5310P	MT-3 Control
9944-914	CH5300P	MT3 Twin Lever Control
9944-915	305499	Neutral Safety Switch
9944-916	032778-002	Control Handle
9944-917	308598-001	Side Plate
9944-918	4009912	Red Control Knob
9944-919	CA69052P	SS Control Knob
9944-920	038853	Decal
9944-921	308742	Connection Kit for 43C cables
8306032	308727	Connection Kit Twin Lever 33c.

SEASTAR "S" AND TWIN "S" CONTROLS





- Highly polished corrosion resistant chrome plated brass covers and high strength forged chrome plated levers, with stainless steel hanger plates
- Adjustable brakes and stops
- Uses Morse 33C or 43C cables

PART NO.	MFG#	DESCRIPTION
8306140	CH5200P	Twin "S"
8306142	CH5210P	Single "S" Single Function Only
8306040	061001	Hardware Mounting Kit Twin "S"
8306041	022328	Clutch Detent Kit
8306042	306997	Throttle Hold Kit
8306032	308727	Spare Fittings Kit
9944-927	039489-002	Dual Station Kit, 33C
9944-928	042152	Dual Station Kit, 43C
9944-929	047307	Neutral Safety Switch
9944-934	CA69051P	Knob, SS

XTREME SERIES SIDE MOUNT CONTROL

The ergonomics and features of our Xtreme controls are advanced beyond those of any other control on the market.

SHAPELY, BALANCED HANDLE | **ERGONOMIC** GRIP | **CONVENIENT** SWITCH PLACEMENT



XTREME SERIES CONTROLS



SIDE MOUNT - Two new styles of side mount controls. Each designed for the correct application of either a center console or starboard side gunwale mounting. These unique handle designs place the grip and trim switches in a natural position. These controls come with the standard features of neutral safety switch, neutral lock out, neutral warm up and the safety stop switch with lanyard. You can also get the optional trim switch (most outboards) or trim and tilt (most stern drives).

These controls can use the 3300/33C style control cables and Mercury® style cables from 1965 to date, including the Gen II, OMC/Johnson/Evinrude/BRP® control cables from 1979 to date. This makes it one of the most desirable replacement controls in the market today.



PART NO.	8306110	8306172	8306170	9944-968	8306171	9944-969	8306178	8306179
TYPE	SideMount Single	SideMount Single	SideMount Single	SideMount Single	SideMount Single	SideMount Single	Center Console/ PortSide Single	Center Console/ PortSide Single
NEUTRAL INTERLOCK	YES	YES	YES	YES	YES	YES	YES	YES
ENGINE WARM UP	YES	YES	YES	YES	YES	YES	YES	YES
ENGINE CUT OFF	NO	YES	YES	YES	YES	YES	YES	YES
TRIM/TILT	NO	NO	TRIM ONLY	TRIM ONLY	TRIM/TILT	TRIM/TILT	TRIM ONLY	TRIM/TILT
MFG#	CHX8553P	CHX8050P	CHX8051P	CHX8551P	CHX8052P	CHX8552P	CHX8351P	CHX8352P

TOP MOUNT

The ergonomics and features of our controls are the most advanced available and are suitable for most types of boats with single engine applications. The shapely, balanced handle provides a very comfortable feel and the state of the art mechanism guarantees a smooth yet solid action, assuring you have maximum control at all times.



PART NO.	9944-971	8306173	9944-973	9944-974	8306176
TYPE	TopMount Single	TopMount Single	TopMount Single	TopMount Single	TopMount DUAL
NEUTRAL INTERLOCK	ON HANDLE	ON HANDLE	ON HANDLE	ON HANDLE	NO
ENGINE WARM UP	YES	YES	YES	YES	YES
ENGINE CUT OFF	NO	NO	NO	NO	NO
TRIM/TILT	TRIM ONLY	TRIM/TILT	TRIM ONLY	TRIM/TILT	TRIM/TILT
MFG#	CHX8151P	CHX8152P	CHX8651P	CHX8652P	CHX8242P



For the most up to date pricing, please visit maritimemarinesupply.ca/price

SINGLE LEVER TOP MOUNT



FEATURES ~3" travel

- Enables easy and safe shifting by preventing accidental gear engagement unless engine is idling.
- Made of marine aluminum, powder coat finish
- Pull-out handle disengages shift for warm-up
- Metal gun exterior

PART NO.	MFG#	DESCRIPTION
8307711	B501B/L	Single Lever Top Mount
830191	K35	Merc Connection Kit
830192	K51	OMC Connection Kit

DOUBLE LEVER FLUSH MOUNT



FEATURES ~ 3" travel

- Flush mount design makes them suit- able for exposed positions such as flying bridge
- Made of marine aluminum with chrome plated lever

PART NO.	MFG#	DESCRIPTION
8304800	B46	Double Lever Flush Mount

KOBELT PUSH - PULL CONTROLS

All Kobelt equipment comes with a 2-year conditional warranty that is the best in the industry. Strict quality control manufacturing and sturdy corrosion-resistant materials ensure trouble-free service above and beyond this generous warranty period.

The mechanical push-pull control is a very simple and easily installed system for smaller boats. It uses cables to connect control heads to the clutch and throttle. If the total length of cable is less than 50' (15m), push-pull can work for you. All components are made from die-cast bronze with stainless steel hardware. Kobelt's in-house bronze die casting and precision machining make these systems durable and dependable in the harshest of environments.

Features: Solid brass frame for watertight installation, stainless Steel shaft supported in 2 bearings, roller type detente, adjustable nylon throttle friction, in-line push or pull on cable end, reverse motion hook-up for clutch and throttle, several connection points for cable to suit engine and gear, and over-riding throttle (pull-out).

2042 SERIES

SIDE-MOUNT, HEAVY DUTY SINGLE LEVER CONTROL HEAD



This unit is constructed entirely in bronze and stainless steel and is intended for the discriminating boat owner who is looking for durability and performance. It incorporates all of the features that make for good boating.

The control handle has a very large arc of rotation to give good feel over both clutch and throttle. A clutch override button is provided to allow acceleration of the engine without engaging the gear. This unit is extremely compact and has a chrome plated handle and black epoxy finish front housing.

Materials: Die-cast silicon bronze with stainless steel hardware.
Weight: 9 lbs. (4kg)

PART NO.	MFG#	DESCRIPTION
8302042	2042-M	Control #2042
8303042	2042-0901	33C Connection Kit (2 required)

2046 SERIES

MEDIUM DUTY SINGLE LEVER CONTROL HEAD



3" Clutch travel + 1-5/8" throttle
Single Station

Requires 2 connection kits sold separately below.



8303047

PART NO.	MFG#	DESCRIPTION
8302046	2046-KU	Control #2046
8302045	2046-0905	2-5/8" Throttle Extension Kit for 2046
8303046	2046-0901	33C Connection Kit (2 required)
8303047	2046-0903	Neutral Safety Kit
8303048	2046-0902	43C Connection Kit (2 required)

2090 SERIES – TWO STATION SINGLE LEVER CONTROLS

The 2090 Series is the only control of its type in the world and offers the ultimate in simplicity, performance and durability. On a two-station system both handles move together. For this reason only two control heads and four cables are required for a complete single engine two-station system. With all other controls of this type the control must be put into neutral when going from one station to the next, the clutch re-engaged and the engine accelerated at the next station. These systems, requiring five components and seven cables, are constructed mainly from corrosive materials. They do not work as well as Kobelt Controls and are more expensive.



MODEL 2091 (MASTER)



2-3/4" Clutch travel and 2-1/4" throttle twin station.

Requires 2 connection kits sold separately below.

Master control to engine and gearbox uses regular 33C Cables. Contact us for details.

PART NO.	MFG#	DESCRIPTION
8302091	2091-KY	Control #2091
8303046	2046-0901	33C Connection Kit (2 Required)
8303048	2046-0902	43C Connection Kit (2 Required)
8303092	2091-0905	Throttle Extension Kit 2-3/4"

MODEL 2093 (REMOTE)



Special connection cables are needed to hook remote to master control.



Required cables for connecting Master Control Model 2091 to Remote Model 2093 are listed below.

PART NO.	MFG#	DESCRIPTION
8302093	2093-KY	Control #2093
833912	47-12	12'
833914	47-14	14'
833916	47-16	16'
833918	47-18	18'

2009 / 2010 SERIES

MEDIUM DUTY TWIN HANDLE CONTROL HEAD





Medium duty single or twin station. 3" cable stroke.

Connection Kits sold separately below.

PART NO.	MFG#	DESCRIPTION
8302009	2009-AK	Control #2009 Single or Dual Station
9945-021	2010-AK	Control #2010 Single Station
8303008	2009-0902	43C Connection Kit (2 required) #2009
8303009	2009-0901	33C Connection Kit (2 required) #2009
9945-311	2010-0902	43C Connection Kit -LT (2 required) #2010
8303010	2010-0901	33C Connection Kit (2 required) #2010
8303016	2009-0903	Neutral Safety Switch

2011 SERIES

HEAVY DUTY TWIN HANDLE CONTROL HEAD





Heavy duty single or twin station. 3" cable stroke.

Connection Kits sold separately below.



8303011

PART NO.	MFG#	DESCRIPTION
8302011	2011-AK	Control #2011
8303011	2004-0901	33C Connection Kit (2 required)
9945-312	2004-0902	43C Connection Kit (2 Required)

2015 SERIES

MEDIUM DUTY TWIN HANDLE CONTROL HEAD



Medium Duty single engine, single station. Push Pull long handles, one detente, one friction. 3" (76mm) maximum cable stroke. Chrome finish, cover and handles.

Connection Kits sold separately below.

PART NO.	MFG#	DESCRIPTION
8302015	2015-DKU	Control #2015 Single or Dual Station
8303115	2015-0901	33C Connection Kit (2 required)
8303116	2015-0902	43C Connection Kit (2 required)

DUAL STATION UNITS

- Only suitable for throttle control by pulling
- Combine single lever control action from either of two command stations for single output to the engine throttle lever or the gearbox lever
- One gearbox unit and one throttle kit per engine





PART NO.	MFG#	DESCRIPTION
9991-657	DSKITF	Dual Station Throttle Kit
9991-656	DS	Dual Station Transmission Kit

For the most up to date pricing, please visit maritimemarinesupply.ca/price



Traditional cables vary by stiffness of the core wire and how tightly it fits in the casing. Thus the classic trade-offs in control cable design: stiffer core/tighter fit offers less lost motion, but is harder to move. With longer and more complex runs, cable movement becomes more difficult. More flexible core/looser fit has an easier feel, but allows more lost motion. This approach leads to an overall sloppy feel, RPM loss or difficult gear engagement.

TFXtreme's unique design incorporates a patent-pending splined core. Ridges on the core allow a close fit with the cable's inner liner, but with minimum contact, so the core glides back and forth smoothly like a skater on ice. Result: easy movement and minimum lost motion.

TFXTREME PREMIUM CABLES

SEASTAR SOLUTIONS

10–32 SAE threads **33C Cables**



TFXTREME Cables are recommended for difficult routings/multiple stations. They have a heavy black HDPE outer casing for durability and the best resistance to UV and chemicals. Ridges on the core allow a close fit with the cables inner liner, but with minimum contact so the core glides back and forth smoothly. **4" min. bend radius.**

PART NO.	MFG#	DESCRIPTION
833806	CCX63306	6'
833807	CCX63307	7'
833808	CCX63308	8'
833809	CCX63309	9'
833810	CCX63310	10'
833811	CCX63311	11'
833812	CCX63312	12'
833813	CCX63313	13'
833814	CCX63314	14'
833815	CCX63315	15'
833816	CCX63316	16'
833817	CCX63317	17'
833818	CCX63318	18'
833819	CCX63319	19'
833820	CCX63320	20'
833821	CCX63321	21'
833822	CCX63322	22'
833823	CCX63323	23'
833824	CCX63324	24'
833825	CCX63325	25'
833826	CCX63326	26'
9945-907	CCX63327	27'
833828	CCX63328	28'
9945-909	CCX63329	29'
833830	CCX63330	30'
833832	CCX63332	32'
833834	CCX63334	34'
833836	CCX63336	36'
833838	CCX63338	38'
833840	CCX63340	40'
833842	CCX63342	42'
833844	CCX63344	44'
833846	CCX63346	46'
833850	CCX63350	50'

43C CABLE 3" TRAVEL (1/4" X 28 THREADS)

SEASTAR SOLUTIONS



Heavy duty cable, designed where push pull loads are more severe.
1/4" x 28 threads

PART NO.	MFG#	DESCRIPTION
833106	CCX43306	6'
833107	CCX43307	7'
833108	CCX43308	8'
833110	CCX43310	10'
833112	CCX43312	12'
833114	CCX43314	14'
833116	CCX43316	16'
833118	CCX43318	18'
833120	CCX43320	20'
833122	CCX43322	22'
833124	CCX43324	24'
833126	CCX43326	26'
833128	CCX43328	28'
833130	CCX43330	30'
833132	CCX43332	32'
833134	CCX43334	34'
833136	CCX43336	36'
833138	CCX43338	38'
833140	CCX43340	40'
9945-882	CCX43342	42'

UTILITY CONTROL HEADER

SEASTAR SOLUTIONS



For remote operation of choke, throttle, engine shutoff,
fuel valves, etc. Clamp not included wtih T-handle utility cable

T-Handle Utility Cables

PART NO.	MFG#	DESCRIPTION
9945-900	CC34310	10'
9945-901	CC34315	15'
9945-902	CC34320	20'

UTILITY CABLE

UFLEX



- Designed for throttle, fuel shut-off and many more applications.
- Comes with cable clamp block and stop collar

PART NO.	MFG#	DESCRIPTION
833208	B14x08	8'
833210	B14x10	10'
833212	B14x12	12'
833216	B14x16	16'
833218	B14x18	18'
833220	B14x20	20'
833222	B14x22	22'
833223	B14x23	23'
833224	B14x24	24'

MACH 14 CONTROL CABLES JOHNSON/EVINRUDE/OMC/ AFTER 1979



Heavy-duty 18 lay wire conduit for long life & high efficiency in high performance outer blue jacket that resists abrasion, UV and most chemicals.

- Maintenance free, stainless steel cable end fittings
- Stroke: 3” (75mm)
- Minimum bend radius 8" (200mm)

PART NO.	MFG#	DESCRIPTION
834208	MACH14X08	8’
834209	MACH14X09	9’
834210	MACH14X10	10’
834211	MACH14X11	11’
834212	MACH14X12	12’
834213	MACH14X13	13’
834214	MACH14X14	14’
834215	MACH14X15	15’
834216	MACH14X16	16’
834217	MACH14X17	17’
834218	MACH14X18	18’
834219	MACH14X19	19’
834220	MACH14X20	20’

MACH 36 GEN II HIGH EFFICIENCY CONTROL CABLES



Heavy-duty 18 lay wire conduit for long life & high efficiency in a high performance blue outer jacket
that resists abrasion, UV and most chemicals.

- Maintenance free, stainless steel cable end fittings
- Stroke: 3-1/2” (88mm)
- Minimum bend radius 8" (200mm)

PART NO.	MFG#	DESCRIPTION
834308	MACH36X08	8’
834309	MACH36X09	9’
834310	MACH36X10	10’
834311	MACH36X11	11’
834312	MACH36X12	12’
834313	MACH36X13	13’
834314	MACH36X14	14’
834315	MACH36X15	15’
834316	MACH36X16	16’
834317	MACH36X17	17’
834318	MACH36X18	18’
834319	MACH36X19	19’
834320	MACH36X20	20’

MACH ZERO 33C STYLE HIGH EFFICIENCY CONTROL CABLES



For use with inboard, sterndrive and outboard engines. Ideal for high performance applications, long cable runs and complex routings providing a smooth, easy and precise shift and throttle control. The high performance blue outer jacket resists against abrasion, UV and most chemicals.

- Suitable for outboards - inboards and sterndrives
- 10-32 UNF threads on both ends
- 3-1/2” stroke (88mm)
- Minimum bend radius 8" (200mm)

PART NO.	MFG#
834108	MACHZEROX08
834109	MACHZEROX09
834110	MACHZEROX10
834111	MACHZEROX11
834112	MACHZEROX12
834113	MACHZEROX13
834114	MACHZEROX14
834115	MACHZEROX15
834116	MACHZEROX16
834117	MACHZEROX17
834118	MACHZEROX18
834119	MACHZEROX19
834120	MACHZEROX20
834121	MACHZEROX21
834122	MACHZEROX22
834123	MACHZEROX23
834124	MACHZEROX24
834125	MACHZEROX25
834126	MACHZEROX26
834127	MACHZEROX27
834128	MACHZEROX28
834129	MACHZEROX29
834130	MACHZEROX30
834132	MACHZEROX32
834134	MACHZEROX34
834136	MACHZEROX36

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

MERCURY AND MERCRUISER CABLE



- Drop in style cable for Mercury and Mercruiser and 1993 to present Force and Mariner engines
- S/S core wire and brass fittings

PART NO.	MFG#	DESCRIPTION
833408	CCX17908	8'
833409	CCX17909	9'
833410	CCX17910	10'
833411	CCX17911	11'
833412	CCX17912	12'
833413	CCX17913	13'
833414	CCX17914	14'
833415	CCX17915	15'
833416	CCX17916	16'
833417	CCX17917	17'
833418	CCX17918	18'
833419	CCX17919	19'
833420	CCX17920	20'
9949-115	CCX17921	21'
833422	CCX17922	22'
9949-117	CCX17923	23'
9949-118	CCX17924	24'

JOHNSON, EVINRUDE, OMC (AFTER 1979)



For OMC outboard and inboards (1979 and later)
S/S core wire and brass fittings

PART NO.	MFG#	DESCRIPTION
833308	CCX20508	8'
833309	CCX20509	9'
833311	CCX20511	11'
833312	CCX20512	12'
833313	CCX20513	13'
833314	CCX20514	14'
833315	CCX20515	15'
833316	CCX20516	16'
9949-011	CCX20517	17'
833318	CCX20518	18'
9949-013	CCX20519	19'
833320	CCX20520	20'
9949-015	CCX20521	21'
9949-016	CCX20522	22'
9949-017	CCX20523	23'
9949-018	CCX20524	24'

JOHNSON, EVINRUDE, OMC (PRE-1979)

S/S core wire and brass fittings



PART NO.	MFG#	DESCRIPTION
833510	CC17010	10'
833511	CC17011	11'
833512	CC17012	12'
833513	CC17013	13'
833514	CC17014	14'
833515	CC17015	15'

MERCURY GEN II CABLES



Premium Mercury Gen. II type cables. Designed to fit Mariner, Mercury, Mercruiser and other engines using Mercury 2003-present 4000 Series controls.

PART NO.	MFG#	DESCRIPTION
834008	CCX18908	8'
834009	CCX18909	9'
834010	CCX18910	10'
834011	CCX18911	11'
834012	CCX18912	12'
834013	CCX18913	13'
834014	CCX18914	14'
834015	CCX18915	15'
834016	CCX18916	16'
834017	CCX18917	17'
834018	CCX18918	18'
834019	CCX18919	19'
834020	CCX18920	20'
834021	CCX18921	21'
834022	CCX18922	22'
9949-084	CCX18923	23'
834024	CCX18924	24'
834026	CCX18926	26'
834028	CCX18928	28'

3600/3300 MERCURY INBOARD KIT



Mercury Inboard Kit converts 300 cables to fit all mercury inboards.

PART NO.	MFG#	DESCRIPTION
835011	CA27373P	Mercury Inboard Adaptor Kit

UNIVERSAL 3300 INBOARD CONNECTION KIT



Universal Connection Kit

PART NO.	MFG#	DESCRIPTION
835040	CA27024P	Inboard Connection Kit

ENGINE SPECIFIC OUTBOARD CABLE ADAPTER KITS FOR 3300/33C CABLES



These hardware kits enable the standard 3300/33C control cable to be adapted to fit Mercruiser outboards/sterndrives and OMC sterndrives/outboards **after 1979.**

PART NO.	MFG#	DESCRIPTION
833301	CA27320P	OMC Adapter Kit
833401	CA27319P	Mercruiser Adapter Kit

OEM CONTROL CONNECTION KIT



These OEM Connection Kits for 3300/33C/33C TF Xtreme cables are for use with Single Lever, Dual Function Controls.

PART NO.	MFG#	DESCRIPTION
833302	304939	OMC, 33C to Control Kit
833403	301074	Merc, 33C to Control Kit

REPLACEMENT THROTTLE KNOB



316 Stainless Steel control knob fits most popular controls with 3/8" threaded ends. **Lifetime warranty**.

PART NO.	MFG#	DESCRIPTION
830020	50020	Replacement Throttle Knob

TERMINAL EYE PINS, PIN KIT, TERMINAL EYES



835030



835032 / 835027



9945-927

33C Kit contains terminal eye pin plus retaining ring, nut and washer. 43C has terminal eyes for making dual station parallel connections.

PART NO.	MFG#	DESCRIPTION
835030	301456	33C Terminal Eye Pin Kit
835032	317413	33C Terminal Eye
9945-927	300646	33C Terminal Eye, Nylon, Red
835027	041134	43C Terminal Eye

STOP COLLAR



835025



835016

PART NO.	MFG#	DESCRIPTION
835025	037693	33C Stop Collar
835016	L13	33C Pivot, U-Flex, L13

DC CONTROL



DC Control

Bracket

- Compatible with 33C or 43C type cables
- Recommended for controlling throttle, choke, air or fuel shutdown, governor or valve control
- Can be mounted flush on dashboard or used with optional angle bracket 45-105

PART NO.	MFG#	DESCRIPTION
830009	301916	DC Control
830011	048210	Stainless Steel Mounting Bracket

CABLE BRAKE



Stainless Steel
Applied at control end of cable. Can be used on 33C, 43C or 60 series cables.

PART NO.	MFG#	DESCRIPTION
835050	044386	Cable Brake

BRACKET STAINLESS STEEL



Single



Dual

PART NO.	MFG#	DESCRIPTION
9945-908	036174	Stainless Steel Single 33C
835015	835015	Stainless Steel Single 33C (imported)
835018	035531	Stainless Steel Dual 33C

CLEVIS



Type "A"



Type "B"

PART NO.	MFG#	DESCRIPTION	
835019	L25	A	33C
8350190	031125	B	33C
835022	L26	A	43C
8350220	029025	B	43C

CLAMP, SHIM AND BOLTS



33C Kit

43C Kit



Clamp

Shim

PART NO.	MFG#	DESCRIPTION
835037	CA28020P	33C Kit
835009	L14	33C Kit, U-Flex, L14
835023	CA28018P	43C Kit
835008	031509	33C Clamp Only
8350230	031532	43C Clamp Only
8350080	031538	Shim 33C & 43C

BALL JOINT



PART NO.	MFG#	DESCRIPTION
835010	031126	33C
835012	029104	43C

33C S/S PIVOT





Stainless Steel.
Adjustable to fit all 33C style cables.

PART NO.	MFG#	DESCRIPTION
835020	L12	33C Pivot

33C/43C BRASS PIVOT



PART NO.	MFG#	DESCRIPTION
9945-914	031539	1/4" Pin x 3/16" 33C
9945-915	031537	1/4" Pin x 13/64" 43C
835024	036361	1/4" Pin x 17/64" 43C
9945-431	CP006050A2	Pivot Cotter Pin

PVC CABLE BOOT OUTLET



- Flexible weatherproof outlet for the exit of steering and control cables from the transom

PART NO.	MFG#	DESCRIPTION
9945-903	9503179	PVC

DRIVESAVERS



- A flexible, non-metallic impervious barrier between transmission and shaft that reduces drive train vibration and noise, blocks electrical currents from the water and helps control damage and misalignment from torsional engine movement
- The Drivesaver absorbs the extreme shock and torque of collision and breaks apart, leaving transmission and engine intact
- Works under normal conditions for the life of the drive train, with no lubrication or maintenance
- Installs quickly without cutting or machining shaft; separate drive flanges, insert coupling, align and bolt
- Plus Rated Drivesavers (PR) for more powerful commercial diesel engine applications
- Model may vary according to gear reduction ratio
- **call us if you have any questions about the model you should use**

TO CALCULATE TORQUE ft. - lb. = $\frac{\text{Engine Horsepower}}{\text{Engine rpm}}$ × 5,250 × Reduction Ratio

Transmission Model	Flange Dia.	Bolts	Bolt Dia.	Bolt Circle	Pilot Dia.	Coupling OD	Torque ft/lbs.	Model	Item No.
Drivesavers									
Velvet Drive 71C with 4" Dia. Coupling	4"	4	3/8"	3 -1/4"	2-1/2"	5"	550	404A	**9941-530**
Yanmar	100 mm	4	10 mm	78 mm	50 mm	4-1/4"	550	424Y	**9943-532**
Yanmar	120 mm	4	10 mm	100 mm	65 mm	5-1/4"	675	524Y	**9943-533**
Velvet Drive 71C with 5" Dia. coupling	5"	4	7/16"	4-1/4"	2-1/2"	6"	675	504	**9941-531**
ZF IRM 301	5-3/4"	6	1/2"	4-3/4"	3"	6-3/8"	1,800	5756	**9941-535**
Velvet Drive 73C	5-3/4"	6	1/2"	4-3/4"	3"	6-13/16"	1,800	5756	**9941-536**
Twin Disc MG506 – requires bushing kit**	5-3/4"	6	1/2"	4-3/4"	3"	6-13/16"	1,800	5756	**9941-536**
Twin Disc MG507 – requires bushing kit**	5-3/4"	6	1/2"	4-3/4"	3"	6-13/16"	1,800	5756	**9941-536**
**Bushing Kit for Model 5756 - used to reduce required bolt size from 5/8" to 1/2" Dia.									**9941-549**
Twin Disc MG506 – requires bushing kit*	7-1/4"	6	5/8"	6"	3-3/4"	8-3/8"	3,200	7256	**9941-539**
Twin Disc MG507 – requires bushing kit*	7-1/4"	6	5/8"	6"	3-3/4"	8-3/8"	3,200	7256	**9941-539**
Twin Disc MG509 – requires bushing kit*	7-1/4"	6	5/8"	6"	3-3/4"	8-3/8"	3,200	7256	**9941-539**
* Bushing Kit for Model 7256 - used to reduce required bolt size from 3/4" to 5/8" Dia.									**9941-550**
Plus Rated Drivesavers									
For Diesels over approx. 120 hp	5"	4	7/16"	4-1/4"	2-1/2"	6"	1,600	504PR	**9941-546**
For Diesels over approx. 250 hp	5-3/4"	6	1/2"	4-3/4"	3"	6-3/8"	3,000	5756APR	**9941-545**
For Diesels over approx. 250 hp	5-3/4"	6	1/2"	4-3/4"	3"	6-13/16"	3,000	5756PR	**9941-547**
For Diesels over approx. 350 hp	7-1/4"	6	5/8"	6"	3-3/4"	8-3/8"	4,400	7256PR	**9941-548**

FLEXABLE SHAFT COUPLINGS



R&D MARINE LTD.

Transmission

- Reduces engine noise and vibration while providing an impervious barrier that prevents electrical currents from passing from the propeller shaft to the engine
- Tough, resilient polyurethane molded into a contoured disc that flexes freely to take up any temporary misalignment as boat flexes or engine moves on its mounts. The steel straps make the coupling fail safe and ensure drive is maintained in both forward and reverse

	Gearbox Flange Dimensions						Flexible Coupling		Earthing Connector
	Flange Dia.	No. Bolts	Holes Dia.	Bolt Pitch Circle	Register	Torque ft/lbs.	Model	Item No.	Item No.
B/W, RPM, ZF-Hurth, Technodrive	100mm	4	10mm	82.5mm	63.5mm	225	910-001	**9691029**	**9941-770**
Yanmar KM3, KBW10	100mm	4	10mm	78mm	50mm	157	910-002	**9941-711**	**9941-770**
Borg-Warner 71C	4"	4	3/8"	3-1/4"	2-1/2"	368	910-004	**9941-710**	**9941-771**
Borg-Warner 71C, 72C	5"	4	7/16"	4-1/4"	2-1/2"	683	910-009	**9691090**	**9941-772**
Yanmar	5"	4	10mm	100mm	65mm	550	910-012	**9941-719**	**9941-772**
Hurth, PRM, B.W.	4"	4	10mm	3 1/4"	2-1/2"	157	910-014	**9941-721**	**9941-770**
Volvo	4"	4	10mm	80mm	60mm	157	910-019	**9941-723**	**9941-770**
Volvo	4"	4	10mm	80mm	60mm	225	910-020	**9941-725**	**9941-770**
Borg-Warner 72C	5"	4	1/2"	4-1/4"	2-1/2"	1050	910-029	**9691091**	**9941-774**
Borg-Warner 73C 7000 series	5 3/4"	6	1/2"	4-3/4"	3"	1050	910-003	**9691030**	**9941-772**
Borg-Warner 7000 series 73C	5 3/4"	6	1/2"	4-3/4"	3"	1471	910-025	**9941-718**	**9941-773**
ZF IRM 301,Twin Disc MG506, MG507	5 3/4"	6	1/2"	4-3/4"	3"	1050	910-006	**9691060**	**9941-772**
ZF IRM 301,Twin Disc MG506, MG507	5 3/4"	6	1/2"	4-3/4 "	3"	1471	910-026	**9691040**	**9941-773**
ZF IRM 310,Twin Disc MG506, MG507	4 1/4"	6	5/8"	4-3/4 "	3"	2100	910-018	**9691041**	
Twin Disc MG506,MG507, MG509	7 1/4"	6	5/8"	6"	3-3/4"	2100	910-017	**9941-726**	**9941-773**
Twin Disc MG507, MG509	7 1/4"	6	1/2"	6"	3-3/4"	2888	910-039	**9691180**	**9941-774**
Twin Disc MG510, MG511	9"	8	1/2"	7-1/2"	6"	3098	910-022	**9691200**	----

PE 902-566-1220 NS 902-928-1900

TRANSMISSIONS "MUST" BE PURCHASED THROUGH AUTHORIZED SERVICING DEALERS

CONTACT MARITIME MARINE DIRECTLY FOR YOUR NEAREST AUTHORIZED SERVICING DEALER.

71 & 72 SERIES VELVET DRIVE TRANSMISSIONS

26 Spline Input Shaft.

Available Ratios: 1.52, 1.88, 2.10, 2.57, 2.91

Dry Weight (direct drive) 109 lbs. Dry Weight (reduction) 153 lbs.

The Velvet Drive V-Drive marine transmission is a compact, self-contained unit that helps create extra cargo and cabin space by allowing you to move your engines further aft. Because the V-Drive requires no universal joints, a potentially costly maintenance item is completely eliminated.



HOW TO DETERMINE WHAT RATIO YOU CAN USE AS DETERMINED BY AN ENGINE'S TORQUE RATING IN FT LBS.

FIRST: Determine your engine's torque rating.

TORQUE (ft lbs) = Rated Horsepower / Rated RPM X 5250

SECOND: Rate the use of your craft.

1. Pleasure
2. Light Duty Commercial ie. Lobstering, crabbing
3. Heavy Duty Commercial ie. Any scallop dragging or ground fishing.

THIRD: Read the chart to the right to determine what transmission will match your torque rating.

VELVET DRIVE 72 SERIES RATING

CRAFT USE	TRANSMISSION	MAX RATING
Pleasure	1, 2.27, 2.91:1	**450 ft·lbs**
Pleasure	2.10:1	**375 ft·lbs**
L/D Commercial	1, 2.57, 2.91:1	**350 ft·lbs**
L/D Commercial	2.10:1	**325 ft·lbs**
H/D Commercial	1, 2.57, 2.91:1	**275 ft·lbs**
H/D Commercial	2.10:1	**225 ft·lbs**

Warranty: 1 yr. Pleasure Craft 6 Months Commercial

FLEXIBLE ENGINE MOUNTS



- 5/8" UNF stud; slotted holes
- All parts zinc plated for corrosion resistance
- Designed specifically to accept propeller thrust in marine applications with excellent vibration isolation
- Pre-loaded during manufacturing to restrict engine movement
- Adjustable height simplifies alignment

PART NO.	MFG#	Capacity lb.	Size L x W in
9943-022	800-010	80–230	5 x 2.44
9943-024	800-011	120–410	5 x 2.44
9943-026	800-012	250–560	5 x 2.44
9943-028	800-014	300–680	5 x 2.44
9943-030	800-013	340–760	5 x 3.3
9943-032	800-015	500–1,200	7 x 4

FLEXIBLE ENGINE MOUNTS • M16*1.5 thread

vetus



KSTEUN25

For 6-20 hp diesel engines & 1 or 2 cyl generator sets

- Vibration damping rubber compound



KSTEUN40

For 3-cylinder diesel engines

- Vibration damping rubber compound
- Internal buffers limit engine movement secured against overload and shearing off



KSTEUN50
KSTEUN75
KSTEUN100

For engines up to 80 hp



HY100
HY150

For 40–170 hp engines

- Suitable for diesel engines; low vertical stiffness combined with high longitudinal stiffness





MITSTEUN

For 25–35 hp engines

- Maximum thrust 50 kg
- For engines up to 3 cylinders, with horizontal and vertical movements
- Hydro-damper with conventional rubber-metal damper and hydraulic shock absorber

PART NO.	MFG#	Max. Load lb.	Size L x W in	Mtg Holes centres in.
9991-670	KSTEUN25V	77	3-11/16" x 2-9/16"	2-15/16"
9991-671	KSTEUN40A	88	5-1/8" x 2-3/8"	3-15/16"
9991-672	KSTEUN50V	112	3-11/16" x 2-9/16"	4"
9991-673	KSTEUN75V	165	3-11/16" x 2-9/16"	4"
9991-674	KSTEUN100V	220	3-11/16" x 2-9/16"	4"
9991-676	HY100	220	7" x 3"	5-1/2"
9991-677	HY150	330	7" x 3"	5-1/2"
9991-675	MITSTEUN	148	4-3/4" x 3-1/8"	4"

71C AND 72C DIRECT DRIVE



* Refer to Assembly Number on ID Tag (See Fig. 1)
** Refer to Reduction section in back of Manual
NSS–Not serviced separately, but next higher assembly.

	PART NO.	DESCRIPTION	QTY
	10-17-000-*	Transmission (Model 71C)	
	10-18-000-*	Transmission (Model 72C)	
1	4775L	Output Shaft Nut	1
2	4547BA	Coupling (10-17 Only) 4" dia.	1
2A	4547AY	Coupling (10-18 Only) 5" dia.	1
3	71-7	Bearing Retainer (10-17 Only)	1
3A	72-7	Bearing Retainer (10-18 Only)	1
4	0000179859	Hex Head Bolt (10-17 Only)	6
4A	10-00-183-043	Hex Head Bolt (10-18 Only)	6
5	0000103322	Lockwasher(7/16)(10-17Only)	6
6	71C-110	Oil Seal	1
7	B111AG	Bearing	1
7A	10-00-130-018	Bearing (10-17) B308AGS	1
7B	B309AGS	Bearing (10-18)	1
8	71-147	Bearing Ret. Gasket (10-17)	1
8A	72-147	Bearing Ret. Gasket (10-18)	1
9	**	Adapter	1
9A	**	Adapter	1
9B	**	Adapter	1
10	**	Lock Bolt (7/16-14 x 7/8)	6
11	**	Lockwasher (10-18 Only)	6
11A	**	Lockwasher (10-17 Only)	6
12	**	Hex Head Bolt	2
13	**	Lockwasher (7/16)	2
14	**	Adapter Gasket	1
15	**	Bearing	1
16	**	Retaining Ring	1
17	10-17-559-001	Dipstick (except -015 &-016)	1
17A	10-13-559-001	Dipstick (for -015 & -016)	1
18	10-04-034-002	Dipstick Tube	1

	PART NO.	DESCRIPTION	QTY
19	71-79B	Shift Lever	1
20	9418892	Hex Nut (5/16-24)	1
21	0000108579	Lockwasher (5/16)	1
22	0000103340	Flatwasher (5/16)	1
23	0000453632	Steel Ball (5/16)	1
24	71-42	Poppet Spring	1
25	10-00-640-004	Neutral Safety Switch	1
27	10-00-141-046	• O-Ring	1
28	10-16-039-001	• Valve Cover	1
29	0000179796	Hex Head Bolt (1/4-20x1/2)	3
30	0000103319	Lockwasher (1/4)	3
31	10-16-099-001	Switch Cam	1
32	71-14	Valve Cover Gasket	1
33	71-A244A	Control Valve Assembly	1
34	4821	• Snap Ring	1
35	71-246	• Spring Retainer	1
36	71-242	• Valve Spring	1
37	71-243	• Regulator Valve	1
38	4804H	• O-Ring	1
39	71-244A	• Control Valve	1
40	71C-A60	Pump Assembly	1
41	10-00-183-021	HexHead Bolt(5/16-18x1-3/8)	4
42	10-00-044-014	• Oil Seal	1
43	3-61	Pump Gasket	1
44	4873	Woodruff Key	1
45	71C-A8	For. & Rev. Adapter Assembly	1
46	4911	Cap Screw (3/8-16 x 1-1/4)	4
47	NO NUMBER	• For. & Re. Adapter (NSS)	1
48	4840D	• Needle Bearing	1
49	71-144B	Gasket	1

	PART NO.	DESCRIPTION	QTY
50	0000444858	Pipe Plug (1/4)	1
51	71-35	Reverse Clutch Piston	1
52	4805A	Clutch Sealing Ring	1
53	4804G	O-Ring	1
54	71-71	Rev. Clutch Pressure Plate	1
55	72-176	Steel Clutch Plate	*0-2
56	72-A66B	Friction Clutch Plate	*1-3
57	71-97	Pressure Plate Spring	11
58	71-87A	Dowel Pin (.312 Dia. x .43)	3
58A	R6-177	Dowel Pin (.312 Dia. x .621)	3
58B	4622E	Dowel Pin (.312 Dia. x .875)	3
58C	10-00-043-031	Dowel Pin (.312 Dia. x 1.0)	3
59	71-15B	Thrust Washer	1
59A	10-16-193-001	Thrust Washer	1
60	4822	Snap Ring	1
61	R6A-71/2	Snap Ring (10-17 Only)	1
61A	4766B	Snap Ring (10-18 Only)	1
62	4734	Snap Ring (10-17 Only)	1
62A	4559A	Snap Ring (10-18 Only)	1
63	10-00-130-017	Bearing (10-17 Only)	1
63A	10-00-130-016	Bearing (10-18 Only) B108A	1
64	71-70	For. Clutch Cyl. (10-17 Only)	1
64A	72-70	For. Clutch Cyl. (10-18 Only)	1
65	10-16-124-001	Forward Clutch Piston	1
65A	71-45	Forward Clutch Piston	1
66	5M-122	O-Ring	1
67	5L-36	Piston Sealing Ring	1
68	5C-33	Clutch Spring Bearing Ring	1
69	3-37	Clutch Belleville Spring	1
70	4755	Snap Ring	1
71	5C-175A	Clutch Pressure Plate	1
72	3-176	Steel Clutch Plate (10-17)	4
72A	3-176	Steel Clutch Plate (10-18)	6
73	5C-A66A	Friction ClutchPlate(10-17)	5
73A	5C-A66A	Friction ClutchPlate(10-18)	7
74	5L-67	Clutch Pressure Plate	1
75	10-00-139-048	Snap Ring 10-17 only Yellow	1
75A	10-00-139-049	Snap Ring 10-17 only Pink	1
75B	4768	Snap Ring 10-18 only Green	1-2
75C	4768A	Snap Ring 10-18 only Orange	1
75D	4768B	Snap Ring 10-18 only White	1
75E	10-00-139-018	Snap Ring10-18 only Purple	1
76	71-6	Ring Gear (10-17 Only)	1
76A	72-6	Ring Gear (10-18 Only)	1
77	71-17	Thrust Washer	1
78	4806J	Sealing Ring	2
79	4495	Snap Ring	1
80	71-40	For. Clutch Hub (10-17)	1
80A	10-16-179-001	For. Clutch Hub (10-18)	1
81	0000218211	Woodruff Key (10-17)	1
81A	0000124553	Woodruff Key (10-18)	1
82	71C-3A16	Drive Gear Assembly (10-17)	1
82A	72C-2A16	Drive Gear Assembly (10-18)	1
83	4806B	Sealing Ring	4
84	A4867DD	Bushing	2
85	10-17-659-***	Pinion Carrier Ass. (10-17)	1
85A	10-18-659-***	Pinion Carrier Ass. (10-18)	1
86	71-159	ThrustWash.(Bushing Style)	1
86A	10-17-193-001	ThrustWash.(SealingRing Style)	1
87	10-17-036-002	Oil Baffle (Used on 71C)	1
87A	10-18-036-001	Oil Baffle (Used on 72C)	1
88	10-00-191-002	Plug (3/8-18)	2
89	4885B	Dry Seal Bushing (3/4-14)	1
90	5L-222	Spring	1
91	35-143	Flat Washer	1
92	10-00-238-002	Oil Inlet Shield	1
93	71C-84	Oil Return Tube	1
94	10-00-238-002	Oil Strainer Assembly	1
95	A4740G	Breather	1
96	0000444866	Pipe Plug (3/8-18)	1
97	0000444687	Pipe Plug (1/8-27)	1
98	10-17-565-***	Case (10-17 Only)	1
98A	10-18-565-***	Case (10-18 Only)	1

PE 902-566-1220 NS 902-928-1900

VELVET DRIVE KITS







Gasket & Seal Kit
Overhaul Kit

PART NO.	DESCRIPTION
WA4867HA	Gasket Kit 71, 72 Series
W1000	Gasket & Clutch Kit 71, 72
W71CA60	Oil Pump 71, 72, 73
W1000149034	Rear Nut 71, 72
W1000044014	Front Oil Seal 71, 72, 73
W1000044017	Rear Flange Seal 71, 72, 3-1/4" OD
W71C110	Rear Flange Seal 71, 72 (old Style) 3-1/4" OD
8888001	7/16" x 4" stud (nut not included)

2.57 & 2.91 REDUCTION

Velvet Drive TRANSMISSIONS



2.10 REDUCTION



Velvet Drive TRANSMISSIONS



	PART NO.	DESCRIPTION	QTY
1	0000179864	Hex Head Bolt (7/16-14 x 1-3/4)	2
2	0000103322	Lockwasher (7/16)	2
3	0000179840	Hex Head Bolt (3/8-18 x 1-1/8)	6
4	0000103321	Lock Washer (3/8)	6
5	10-00-149-034	Coupling Nut	1
6	10-00-031-001	Coupling 24 Spline	1
7	4756D	Snap Ring	1
8	10-17-671-001	Output Shaft and Bushing Assembly	1
9	A4867DD	• Bushing (Kit)	1
10	L3-6	Ring Gear	1
11	NO NUMBER	Bearing Assembly	1
12	10-00-133-010	• Bearing Cone*	1
13	10-00-133-009	• Bearing Cup*	1
14	10-17-053-002	Solid Spacer (.820-.821" Long)	1
14A	10-17-053-003	Solid Spacer (.829-.830" Long)	1
14B	10-17-053-004	Solid Spacer (.832-.833" Long)	1
14C	10-17-053-005	Solid Spacer (.835-.836" Long)	1
14D	10-17-053-006	Solid Spacer (.838-.839" Long)	1
14E	10-17-053-007	Solid Spacer (.841-.842" Long)	1
14F	10-17-053-008	Solid Spacer (.844-.845" Long)	1
14G	10-17-053-009	Solid Spacer (.847-.848" Long)	1
14H	10-17-053-010	Solid Spacer (.850-.851" Long)	1
14I	10-17-053-011	Solid Spacer (.853-.854" Long)	1
14J	10-17-053-012	Solid Spacer (.856-.857" Long)	1
15	10-00-044-017	Oil Seal	1
16	NO NUMBER	Bearing Assembly	1
17	10-00-133-002	• Bearing Cone*	1
18	10-00-133-001	•Bearing Cup*	1
19	10-00-191-002	Plastic Plug	1
20	10-17-065-002	Reduction Housing	1
21	L3-24	Thrust Washer	2
22	10-17-659-006	Pinion Cage Assembly ***	1
22A	10-17-659-010	Pinion Cage Assembly ****	1
37	L4-146	Rear Adapter Gasket	1
38	10-00-183-073	Lock Bolt (7/16-14 x 7/8)	6
39	115550	Lock Washer (7/16)	6
40	4766A	Snap Ring	1
41	10-17-165-002	Sun Gear	1
42	L5-8A	Reduction Unit Adapter	1
43	L4-145	Front Adapter Gasket	1

	PART NO.	DESCRIPTION	QTY
1	0000179864	Hex Head Bolt (7/16-14 x 1-3/4)	2
2	0000103322	Lock Washer (7/16)	2
3	0000179840	Hex Head Bolt (3/8-18 x 1/8)	6
4	0000103321	Lock Washer (3/8)	6
5	10-00-149-034	Coupling Nut	1
6	10-00-031-001	Coupling 24 Spline	1
7	10-17-659-007	Pinion Case and Output Shaft	1
		Assembly (2.57:1)	
7A	10-17-659-008	Pinion Case and Output Shaft	1
		Assembly (2.91:1)	
8	L6-135	• Oil Collector Ring (2.57:1 Only)	1
8A	L4-135	• Oil Collector Ring (2.91:1 Only)	1
16	NO NUMBER	Bearing Assembly	1
17	10-00-133-010	•Bearing Cone*	1
18	10-00-133-009	•Bearing Cup*	1
19	10-17-053-002	Solid Spacer (.820-.821" Long)**	1
19A	10-17-053-003	Solid Spacer (.829-.830" Long)**	1
19B	10-17-053-004	Solid Spacer (.832-.833" Long)**	1
19C	10-17-053-005	Solid Spacer (.835-.836" Long)**	1
19D	10-17-053-006	Solid Spacer (.838-.839" Long)**	1
19E	10-17-053-007	Solid Spacer (.841-.842" Long)**	1
19F	10-17-053-008	Solid Spacer (.844-.845" Long)**	1
19G	10-17-053-009	Solid Spacer (.847-.848" Long)**	1
19H	10-17-053-010	Solid Spacer (.850-.851" Long)**	1
19I	10-17-053-011	Solid Spacer (.853-.854" Long)**	1
19J	10-17-053-012	Solid Spacer (.856-.857" Long)**	1
20	10-00-044-017	Oil Seal	1
21	NO NUMBER	Bearing Assembly	1
22	10-00-133-002	• Bearing Cone*	1
23	10-00-133-001	• Bearing Cup*	1
24	4776BB	Lock Bolt (7/16-14 x 7/8)	2
27	4734	Snap Ring	1
28	L6-104	Sun Gear (2.57:1 Only)	1
28A	L7-104	Sun Gear (2.91:1 Only)	1
29	4853E	Lock Bolt (7/16-14 x 1-1/4)	6
30	0000115550	Lock Washer (7/16)	6
31	4756E	Snap Ring (2.57:1 Only)	1
31A	4756D	Snap Ring (2.91:1 Only)	1
32	L6-31	Stationary Gear Plate (2.57:1 Only)	1
32A	L7-31	Stationary Gear Plate (2.91:1 Only)	1
33	L6-6	Ring Gear (2.57:1 Only)	1
33A	L3-6	Ring Gear (2.91:1 Only)	1
34	L4-146	Rear Adapter Gasket	1
35	L7-8A	Reduction Unit Adapter	1
36	4816	Snap Ring	1
37	10-00-130-018	Bearing B308AGS	1
38	L4-145	Front Adapter Gasket	1

* Replace both parts if one is damaged
** Select correct size spacer at assembly. Only One required
*** Used with Transmissions 10-17-000-009 & 10-18-000-007.
**** Used with Transmissions 10-17-000-010 & 10-18-000-008
Has Drill spots on planetary cage for identification

For the most up to date pricing, please visit maritimemarinesupply.ca/price

Check dimensions for damper clearance

SPRING TYPE DAMPER DRIVE PLATES

For 71 & 72 Series Velvet Drives. 26 Spline Shaft





Fits Cummins "B" Series, John Deere, and more

Dimensions:

- **A** – 13.87"
- **B** – 13.13"
- **C** – 0.99"
- **D** – 0.80"
- **E** – 1.35"

PART NO.	MFG#	DESCRIPTION
4255126	1004650001	Spring Drive Plate, 26 Spline





Dimensions:

- **A** – 6.18"
- **B** – 5.59"
- **C** – 0.54"
- **D** – 0.80"
- **E** – 1.35"

PART NO.	MFG#	DESCRIPTION
4254126	1004650002	Spring Drive Plate, 26 Spline





Fits Cummins GM,Perkins and more. Torque 350 lbs

Dimensions:

- **A** – 7.98"
- **B** – 7.13"
- **C** – 1.05"
- **D** – 1.10"
- **E** – 1.35"

PART NO.	MFG#	DESCRIPTION
4259638	1004650003	Spring Drive Plate, 26 Spline





Fits Cummins, John Deere, Isuzu 215 HP and more.

Dimensions:

- **A** – 15"
- **B** – 14.50"
- **C** – 1.00"
- **D** – .80"
- **E** – 1.35"

PART NO.	MFG#	DESCRIPTION
4256414	1004650005	Spring Drive Plate, 26 Spline





Bolt Circle Chart
Diameter "B"

10.375	11.375	10.625	11.625
10.875	12.375	12.625	

Fits most Gas Engines, Ford Diesel, Mitsubishi, Volvo and more.

Dimensions:

- **A** – 13.25"
- **B** – See Chart
- **C** – 0.80"
- **D** – 0.80"
- **E**– 1.35"

PART NO.	MFG#	DESCRIPTION
4267226	1004650007	Spring Drive Plate, 26 Spline

Velvet Drive TRANSMISSIONS

PE 902-566-1220 NS 902-928-1900

R & D MARINE DAMPER DRIVE PLATES

R & D damper drive plate has machined back plate & polyurethane element which is unaffected by oils and offers good heat resistance.

They will stop powertrain rattle at low RPM's. The polyurethane damper plate has no springs to rust or break.

Drive plate will transmit power even if polyurethane element fails, allowing for a safe return to port. Use the equation below to determine the torque rating needed.

$$\text{Torque (ft lbs)} = \frac{\text{Engine Horsepower x 5250}}{\text{Engine RPM}}$$

Why you should buy R & D Marine Damper Drive Plates

1. Reduces gear noise.
2. Allows engine to run at lower speeds.
3. Back plate punched ready to install.
4. Fail safe design.
5. No springs to rust, solid – worry-free from rattles





Damper Dimensions

WW		XX	
mm	inches	mm	inches
5.0	0.2	28.7	1.1
5.0	0.2	28.7	1.1
5.0	0.2	29.5	1.2
0.0	0.0	28.7	1.1
0.0	0.0	31.8	1.3

YY		ZZ	
mm	inches	mm	inches
35.0	1.4	207.0	8.1
35.0	1.4	182.0	7.1
36.0	1.4	183.0	7.2
43.0	1.7	182.0	7.1
39.0	1.5	312.0	12.3

For 71, 72 Series, 1.394"–26 Splines

PART NO.	MODEL #	BACK PLATE	TORQUE
9943-410	2B4	6-1/8"	100 ft·lbs
4259233	7J7	7-1/8"	300 ft·lbs
4259232	6N6	8"	450 ft·lbs
4259235	4R25	11-1/4"	550 ft·lbs
4259230	4R5	13-7/8"	550 ft·lbs
4259226	3M3	13-1/4"	400 ft·lbs
9943-416	4P3	13-1/4"	550 ft·lbs
4259229	3M2	14-1/4"	400 ft·lbs
4259212	4R2	14-1/4"	550 ft·lbs
9943-419	4P97	15"	550 ft·lbs

For 7000 Series, 1.50"–10 Spline

PART NO.	MODEL #	BACK PLATE	TORQUE
4259237	10N6	8"	450 ft·lbs
4257005	11P5	13-7/8"	550 ft·lbs
4257003	11S14	13-7/8"	750 ft·lbs

For Newage PRM

PART NO.	SPLINE	MODEL#	DIA.	TORQUE
4259213	1.595"-18	21P2	14-1/4"	550 ft·lbs
4259210	1"-10	14G2	14-1/4"	250 ft·lbs
4259214	1.595"-18	21S15	14-1/4"	750 ft·lbs

DAMPER PLATE BOLTS

Check Flywheel Depth to ensure proper installation



Hardened Steel shoulder bolts with 3/8" UNC thread and 10mm shoulder 24mm overall length.

When installing a damper plate it is very important to use the correct style shoulder bolt. Using non-shoulder bolts (ie. threaded all the way) can allow misalignment of the damper plate, causing the plate to spin off center.

This can cause major damage to your new plate or transmission.

PART NO.	MFG#	DESCRIPTION
4250006	1-3416783M	Damper Plate Bolt

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

TRANSMISSION COUPLINGS

- Cast from ductile iron and machined to SAE J755 specifications
- Most are machined with our universal bolthole pattern
- Supplied with mounting hardware

SPLIT COUPLINGS



4" Male

- Bolt diameter: 4 x 3/8"
- Bolt circle: 3-1/4"
- Pilot diameter: 2-1/2"

PART NO.	MFG#	DESCRIPTION
964078	50401S0875	7/8" shaft
964100	50401S1000	1" shaft
964125	50401S1250	1-1/4"shaft

5" Male

- Bolt diameter: 4 x 7/16"
- Bolt circle: 4 1/4"
- Pilot diameter: 2 1/2"
- 4" Long

PART NO.	MFG#	DESCRIPTION
9941-580	50500C1500	5" Dia. x 1-1/2" shaft
965150	50500A1500	5" Dia. x 1-1/2" shaft x 3-7/16" L
965175	50500C1750	5" Dia. x 1-3/4" shaft
965200	50500C2000	5" Dia. x 2" shaft

5 3/4" Female

- Bolt diameter: 6 x 1/2"
- Bolt circle: 4 3/4"
- Pilot diameter: 3"
- 4 3/16" Long

PART NO.	MFG#	DESCRIPTION
966150	50575150U	5-3/4" Dia. x 1-1/2" shaft
9941-750	50575175U	5-3/4" Dia. x 1-3/4" shaft x 5-3/32" L
966175	50575175U	5-3/4" Dia. 1-3/4" shaft
966200	50575200U	5-3/4" Dia. x 2 shaft
9941-752	50575225U	5-3/4" Dia. x 2-1/4" shaft

7 1/4" Female

- Bolt diameter: 6 x 3/4"
- Bolt circle: 6"
- Pilot diameter: 3 3/4"
- 5 1/2" Long

PART NO.	MFG#	DESCRIPTION
9675200	50725B2000U	7-1/4" Dia. x 2" shaft
9941-591	50725B2250U	7-1/4" Dia. x 2-1/4" shaft
9941-592	50725B2500U	7-1/4" Dia. x 2-1/2" shaft

Conversion Coupling Spigots, Male

- Use spigot to convert female couplings above to male



PART NO.	MFG#	DESCRIPTION
9941-595	CM-41-595	5", fits Borg-Warner
9941-596	CM-41-596	5-3/4", fits Borg-Warner
9941-597	CM-41-597	7-1/4", fits Twin Disc

Yanmar Couplings

- Bolt diameter: 10mm
- Bolt circle: 78mm
- Pilot diameter: 50mm

PART NO.	MFG#	DESCRIPTION
9941-570	50400YS075	4" Dia. x 3/4" Shaft
9941-571	50400YS087	4" Dia. x 7/8" Shaft
9941-572	50400YS100	4" Dia. x 1" Shaft

HEAVY DUTY MACHINED STEEL SPLIT COUPLINGS



These heavy duty couplings are machined to fit a variety of shaft and flange sizes.

For sizes not listed below, please contact us directly for price and availability

PART NO.	SHAFT	BOLT SIZE	FLANGE	BOLTS
9650175	1-3/4"	7/16"	Female 5"	4
9650176	1-3/4"	7/16"	Male 5"	4
9650200	2"	7/16"	Female 5"	4
9650201	2"	7/16"	Male 5"	4
9660175	1-3/4"	5/8"	Female 5-3/4"	6
9660200	2"	5/8"	Female 5-3/4"	6
9660225	2-1/4"	5/8"	Female 5-3/4"	6
9670200	2"	3/4"	Female 7-1/4"	6
9670225	2-1/4"	3/4"	Female 7-1/4"	6
9670250	2-1/2"	3/4"	Female 7-1/4"	6
1055554	2-3/4"	3/4"	Female 7-1/4"	6
1057513	2-1/4"	16mm	Female 6.69"	12
1057515	2-1/2"	16mm	Female 6.69"	12
1057516	2-3/4"	16mm	Female 6.69"	12
1057514	3"	16mm	Female 6.69"	12
1057632	2"	18mm	Female 8"	10
1057633	2-1/4"	18mm	Female 8"	10
1057643	2-1/2"	18mm	Female 8"	10
1057654	2-3/4"	18mm	Female 8"	10
1057663	3"	18mm	Female 8"	10
1055733	2-1/4"	7/8"	Female 9"	8
1055743	2-1/2"	7/8"	Female 9"	8
1055754	2-3/4"	7/8"	Female 9"	8
1055766	3"	7/8"	Female 9"	8

KEYWAY SIZES FOR TRANSMISSION COUPLINGS

SHAFT DIAMETER	KEY SIZE
3/4"	3/16"
7/8" - 1-1/8"	1/4"
1-1/4" - 1-3/8"	5/16"
1-1/2"	3/8"
1-3/4"	7/16"
2"	1/2"
2-1/4"	9/16"
2-1/2" - 2-3/4"	5/8"
3" - 3-1/4"	3/4"
3-1/2" - 3-3/4"	7/8"
4"	1"

SOLID COUPLINGS



4" Male

- Bolt diameter: 4 x 3/8"
- Bolt circle: 3-1/4"
- Pilot diameter: 2-1/2"
- 2-1/4" Long

PART NO.	MFG#	DESCRIPTION
9941-573	50MC004087	4" Dia. x 7/8" shaft
9941-574	50MC004100	4" Dia. x 1" shaft
9941-575	50MC004125	4" Dia. x 1-1/4" shaft

5" Male

- Bolt diameter: 4 x 7/16"
- Bolt circle: 4 1/4"
- Pilot diameter: 2 1/2"
- 2 5/8" Long

PART NO.	MFG#	DESCRIPTION
9941-605	50MC005125	5" Dia. x 1-1/4"
9941-606	50MC005150	5" Dia. x 1-1/2"

Yanmar Solid Coupling

- Bolt size: 4 x10mm
- Bolt circle: 78mm
- Pilot diameter: 50mm
- 2 1/4" Long

PART NO.	MFG#	DESCRIPTION
9941-576	50MCY00410	4" Dia. X 1" shaft

Yanmar Solid Coupling

- Bolt size: 4 x10mm
- Bolt circle: 100mm
- Pilot diameter: 65mm
- 2 3/8" Long

PART NO.	MFG#	DESCRIPTION
9941-577	50MCY00512	4-3/4" Dia. X 1-1/4" shaft

COUPLING BOLTS & NUTS

FINE THREAD



Bolts are grade 8 designed for use in high-strength and high-stress applications. They have been plated with a clear zinc coating and are then coated again with a yellow dichromate for corrosion resistance



All Metal Lock Nuts are grade C, Zinc plated steel that provide a vibration resistant friction fit and will withstand higher temperatures than nylon insert locknuts.

PART NO.	MFG#	DIMENSIONS	DESCRIPTION
965001	18876	7/16"–20 x 1-1/2"	Bolt, Full Thread
965002	37306	7/16"–20	Top Lock Nut
965003	18914	1/2"–20 x 2"	Bolt, Partial Thread
965004	37308	1/2"–20	Top Lock Nut
965005	18961	5/8"–18 x 2-1/4"	Bolt, Partial Thread
9650055	18962	5/8"–18 x 2-1/2"	Bolt, Partial Thread
965006	37312	5/8"–18	Top Lock Nut
965007	18992	3/4"–16 x 2-1/2"	Bolt, Full Thread
965008	37314	3/4"–16	Top Lock Nut

TAPERED COUPLINGS AND NUTS



Gives a more repeatable shaft to transmission alignment, and a stronger mechanical contact than split style couplings.

Available in all the same shaft and flange sizes as the split couplings.

Machined to fit Marine Source tapered shafts.

Please contact Maritime Marine Supply directly for application and pricing .





High-performance CNC machined propellers delivering efficiency, speed, & economy.

ZF Propellers



4 Blade



5 Blade





High performance propellers manufactured by ZF Marine Propulsion.

CNC machined giving very high accuracy and efficiency. Available in both high strength and corrosion resistant nickel aluminum bronze, and manganese bronze.

In house propeller sizing calculation are available, using industry leading software.

We offer both a standard design, and custom designs based on your application.

Please contact Maritime Marine Supply directly for sizing and pricing .

MACHINED BRONZE PROPELLER NUTS



PART NO.	MFG#	DESCRIPTION
7600150	BN1.5	1-1/2"
7600175	BN1.75	1-3/4"
7600200	BN2.0	2"
7600225	BN2.25-2.5	2-1/4", 2-1/2"

PROPELLER NUTS – BRASS

BUCK ALGONQUIN



- Heavy hex nut complete with jam nut

PART NO.	MFG#	DESCRIPTION
9941-105	SMKIT1.25	For 1-1/4" shaft
9941-107	SMKIT1.50	For 1-1/2" shaft
9941-108	SMKIT1.75	For 1-3/4" shaft
9941-109	SMKIT2.00	For 2" shaft
9941-110	SMKIT2.50	For 2 1/4" and 2 1/2" shafts

PROPELLER SHAFT NUT & KEY STOCK KIT



Each kit contains brass key stock cut to length, stainless steel cotter pin, brass finished hex nut and a jam nut.

PART NO.	MFG#	DESCRIPTION
7600075	592014	3/4" Prop Nut & Key Stock Kit
7600100	592034	1" Prop Nut & Key Stock Kit
7600118	592044	1-1/8" Prop Nut & Key Stock Kit
7600125	592054	1-1/4" Prop Nut & Key Stock Kit

BRASS PROPELLER NUT KITS



Kit includes a full nut, jam nut, key stock, and cotter pin.

Sold in complete sets.

Shaft Size	Full & Jam Nut Size	Keystock Dimensions	Cotter Pin Dimensions
1-1/2"	1-1/8"-7	3/8" x 3-1/2"	5/32" x 1-1/2"
1-3/4"	1-1/4"-7	7/16" x 4-7/32"	3/16" x 1-3/4"
2"	1-1/2"-6	1/2" x 4-15/16"	3/16" x 2"
2-1/4"	1-3/4"-5	9/16" x 5-5/8"	1/4" x 2-1/4"
2-1/2"	1-3/4"-5	5/8" x 6-3/32"	1/4" x 2-1/4"
2-3/4"	2"- 4-1/2	5/8" x 6-21/32"	1/4" x 2-1/2"
3"	2-1/4"- 4-1/2	3/4" x 7-11/32"	1/4" x 3"

PART NO.	MFG#	DESCRIPTION
9911-835	PSK750	for 3/4" shaft
9911-836	PSK875	for 7/8" shaft
9911-837	PSK100	for 1" shaft
9911-838	PSK112	for 1-1/8" shaft
9911-839	PSK125	for 1-1/4" shaft
7600151	PSK150	for 1-1/2" shaft
7600176	PSK175	for 1-3/4" shaft
7600201	PSK200	for 2" shaft
7600226	PSK225	for 2-1/4" shaft
7600250	PSK250	for 2-1/2" shaft
7600275	PSK275	for 2-3/4" shaft
7600300	PSK300	for 3" shaft

PROPELLER FASTENER KITS



In the event of a breakdown, all boaters should carry a spare prop nut kit aboard their vessel. These prop nut kits are easy to install and are inexpensive. Suited for all makes and models listed below.

PART NO.	MFG#	DESCRIPTION
6214801	02025	Johnson,Evn.74-pres. 9.9-15 HP
6214803	02027	Johnson,Evn.74-pres. 60-140 HP
6214807	02031	Yam. 84-pres. V4, V6, pro 150
6214809	02033	Mercury,Mariner, 85-pres.35-75 HP
		4,4.5,7.5,9.8 HP & 110-20 models
6214811	02035	Mercury, Mariner, 9.9-20 HP

PROPELLER COTTER PINS – STAINLESS STEEL



PART NO.	MFG#	DESCRIPTION
9980-013	CP006100A4	1/16" x 1"
7602012	5080-051	1/16" x 1-1/2"
9980-015	CP009100A4	3/32" x 1"
9980-016	CP009150A4	3/32" x 1-1/2"
7602021	5080-141	1/8" x 1"
9980-018	CP012150A4	1/8" x 1-1/2"
7602022	CP012200A2	1/8" x 2"
7602032	5080-200	3/16" x 2"
7602043	CP025300A2	1/4" x 3"

PROPELLER REDUCING BUSHING



Nylon bushing and brass step key



Bronze bushing

PART NO.	MFG#	ADAPTS FROM
6212016	NB6	Nylon 1-1/4" to 1"
6212220	NB9	Nylon 1-3/8" to 1-1/4"
6212420	NB10	Nylon 1-1/2" to 1-1/4"
6212422	NB11	Nylon 1-1/2" to 1-3/8"
6212824	NB13	Nylon 1-3/4" to 1-1/2"
6213224	NB14	Nylon 2" to 1-1/2"
6213228	NB15	Nylon 2" to 1-3/4"
6213632	NB16	Nylon 2-1/4" to 2"
6214032	NB17	Nylon 2-1/2" to 2"
6214036	NB18	Nylon 2-1/2" to 2-1/4"
6223228	BB15	Bronze 2" to 1-3/4"
6223632	BB16	Bronze 2-1/4" to 2"
6224032	BB17	Bronze 2-1/2" to 2"
6224036	BB18	Bronze 2-1/2" to 2-1/4"

PROPELLER PULLER



Designed to fit most propellers with 3 threaded puller holes.

Eliminates the possibility of prop damage with a hammer when removing.

PART NO.	SHAFT SIZE	BOLT CIRCLE
7000030	2"	2-7/16"
7000051	2-1/4", 2-1/2"	2-11/16", 3"
7000064	2-3/4"	3-1/4"
7000074	3"	3-1/2"

NEW

PROP WRENCH KIT



This kit is designed for marine use and typically includes multiple sockets to fit various prop nut sizes.

PART NO.	MFG#	DESCRIPTION
6214998	72501	Universal, 13-27mm

PROP WRENCH KIT

attwood



This Prop Wrench is made of a durable composite material and comes with multiple sockets to fit from 17/32" to 1-1/4" .

PART NO.	MFG#	DESCRIPTION
6214999	11370-7	Prop Wrench

For the most up to date pricing, please visit maritimemarinesupply.ca/price



Available in both AQ22HS and 316 stainless. Custom machined to your needs, with propeller bore machining to SAE 755 standards. Diameters up to 8". AQ22HS is a high strength, high corrosion resistance alloy, and is the best overall choice for boat shafting.

Please contact Maritime Marine Supply directly for pricing and lead time.

HANGER BOLTS - BRONZE



- Supplied with 2 nuts each

PART NO.	MFG#	DESCRIPTION
9985-051	85-051	1/2" x 4"
9985-050	85-050	1/2" x 5"
9985-052	85-052	1/2" x 6"
9985-060	85-060	5/8" x 5"
9985-062	85-062	5/8" x 6"
9985-065	85-065	3/4" x 8"

STAINLESS STEEL KEY STOCK

High quality stainless steel key stock in a variety of sizes.



SOLD PER FOOT.

Keystock Guideline

SHAFT SIZE	KEYSTOCK SIZE
5/8" to 7/8"	**3/16"**
1-5/16" to 1-1/4"	**1/4"**
1-5/16" to 1-3/8"	**5/16"**
1-7/16" to 1-1/2"	**3/8"**
1-3/4"	**7/16"**
2"	**1/2"**
2-1/4"	**9/16"**
2-1/2" to 2-3/4"	**5/8"**

PART NO.	MFG#	DESCRIPTION
9940-004	1025415	3/16"
885104	885104	1/4"
885105	885105	5/16"
885106	885106	3/8"
9940-008	1025435	7/16"
885108	885108	1/2"
9940-010	1025445	9/16"
885110	885110	5/8"

SHAFT COLLAR AND CARBON BRUSH ASSEMBLY



Stray current in shaft-line travels through collar and brush to a hull anode.

The low maitenance brass collar does not collect as much dirt and oils as a bare shaft and thefore provides better grounding to the brush.

PART NO.	DESCRIPTION
4000503	2" Shaft Size Collar
4000504	2-1/4" Shaft Size Collar
4000505	2-1/2" Shaft Size Collar
4000506	2-3/4" Shaft Size Collar
4000509	3" Shaft Size Collar
	BRUSHES AND REPLACEMENT BRUSHES
4000507	Carbon Brush & Holder

MARINE PROPELLER SHAFT STAINLESS STEEL GROUNDING STRAP



Marine Protection Systems

Adjustable Shaft Strap electrically connects a vessels drive shafts to the Vessel Bonding System and further reduces the incidence of galvanic corrosion on expensive metal drive parts.

- Unmatched surface area connection to shafts
- Tinned copper braiding strap & back up bonding connection.
- 316 marine grade stainless pivot arm and mount
- 11 positioning holes to suit most drive shafts
- Spring loaded locking pins for easy adjustment





Standard Size 6918020

The stainless-steel arm is 250mm (9.85") long x 22mm (.9") wide, the braided section is 330mm (13") long, and there are 11 positioning holes.Designed for 1"-4" diameter shafts.

Long Reach 6918021

The stainless-steel arm is 250mm (9.85") long x 22mm (.9") wide, the braided section is 450mm (17.7") long, and there are 11 positioning holes. Designed for 3"-6" diameter shafts.

PART NO.	MFG#	DESCRIPTION
6918020	CMPSSS07	Standard Ground Strap, 1”-4” Shaft
6918021	CMPSSS10	Long Reach Ground Strap, 3”-6” Shaft

INSIDE PACKING BOX



Cast bronze packing box with undrilled rectangular flange for custom mounting. Casting is machined and grooved with O-rings installed for watertight fit to sterntubing.

PART NO.	DESCRIPTION	PACKING SIZE	TUBE OD
6910175	1-3/4"	3/8"	2-3/8"
6910200	2"	3/8"	2-7/8"
6910225	2-1/4"	1/2"	2-7/8"
6910250	2-1/2"	1/2"	3-1/2"
6910001	Replacement O-Ring Per foot		

OUTSIDE BRONZE STERN BEARING



High quality cast body with rubber shaft bearing and rectangle mounting flange. Flange has no holes so it can be custom drilled for individual applications. Stern bearing comes machined, grooved and with O-rings installed for watertight fit to stern tubing.

PART NO.	MFG#	DESCRIPTION	TUBE OD
6911175	42050	1-3/4"	2-3/8"
6911200	42055	2"	2-7/8"
6911225	42060	2-1/4"	2-7/8"
6911250	42065	2-1/2"	3-1/2"
6910001	Replacement O-Ring Per foot		

BRASS STERN BEARINGS



High strength design with rubber sleeve bearing.

The boss end of the box can be machined plain, threaded, or grooved for o-rings to accommodate use with stern tubes.

Please contact Maritime Marine Supply directly with specifications for pricing.

SHAFT SIZE	BASE DIMENSION	BOLT HOLES	BOLT SIZE
1-3/4"	9 1/4" x 4"	4	5/8"
2"	9 1/4" x 4 5/8"	4	5/8"
2-1/4"	10 1/2" x 5 1/4"	4	3/4"
2-1/2"	11 1/2" x 5 3/4"	4	3/4"
2-3/4"	12 3/4" x 6 3/8"	4	7/8"

STAINLESS STEEL BULKHEAD STUFFING BOXES



- Gland style with grease nipple and lantern ring for lubrication.

Parts No.	Shaft	Diameter	Bolt Circle	Bolt	Packing
1517998	2 1/4"	6"	5"	1/2"	3/8"
1517956	2 1/2"	6"	5 1/4"	1/2"	3/8"
1517974	3"	6"	5 1/4"	1/2"	3/8"
1517980	3 1/2"	7 1/2"	5 5/8"	1/2"	1/2"
1517984	4"	8"	7 1/8"	1/2"	1/2"
1517988	4 1/2"	8 1/2"	7 5/8"	1/2"	1/2"

BRASS SHAFT PACKING BOXES



Available with both rectangular (4 hole) and oval (2 hole) mounting flanges, and with left or right hand threaded nuts. The boss end of the box can be machined plain, threaded, or grooved for o-rings to accommodate use with stern tubes.

PLEASE CONTACT MARITIME MARINE SUPPLY DIRECTLY WITH SPECIFICATIONS FOR PRICING.

Replacement Parts

Style	Shaft	Length	Bolt Size	Packing	Nut Rotation	Locknut Parts No.	Packing Nut Parts No.
2 Hole Oval	1-3/4"	8"	5/8"	5/16"	Left hand	**1501320**	**1502320**
2 Hole Oval	1-3/4"	8"	5/8"	5/16"	Right Hand	**1501325**	**1502325**
2 Hole Oval	2"	9"	5/8"	5/16"	Left Hand	**1501330**	**1502330**
2 Hole Oval	2"	9"	5/8"	5/16"	Right Hand	**1501340**	**1502340**
4 Hole Rectangular	1-3/4"	7"	5/8"	3/8"	Left hand	**1501420**	**1502420**
4 Hole Rectangular	1-3/4"	7"	5/8"	3/8"	Right Hand	**1501425**	**1502425**
4 Hole Rectangular	2"	7-5/8"	5/8"	3/8"	Left Hand	**1501430**	**1502430**
4 Hole Rectangular	2"	7-5/8"	5/8"	3/8"	Right Hand	**1501440**	**1502440**
4 Hole Rectangular	2-1/4"	9-3/4"	5/8"	7/16"	Left hand	**1501450**	**1502450**
4 Hole Rectangular	2-1/4"	9-3/4"	5/8"	7/16"	Right hand	**1501455**	**1502455**
4 Hole Rectangular	2-1/2"	10"	3/4"	7/16"	Left hand	**1501460**	**1502460**
4 Hole Rectangular	2-1/2"	10"	3/4"	7/16"	Right Hand	**1501465**	**1502465**

RUDDER STUFFING BOXES



- Inside mount
- Complete with packing nut and locknut

Rudder Stuffing Box

Parts No.	Shaft	Under Flange	Flange	Bolt Holes	Bolt	Packing
7663100	1"	3-3/8"	3-7/8"x3-7/8"	2-3/4"x2-3/4"	3/8"	1/4"
7663125	1-1/4"	4"	4-1/4"x4-1/4"	3-1/16"x3-1/16"	3/8"	1/4"
7663150	1-1/2"	5"	3-5/8"x7"	2-1/4"x5-1/4"	1/2"	1/4"
7663175	1-3/4"	5"	4-1/8"x7-1/8"	2-1/2"x5-1/2"	1/2"	7/16"
7663200	2"	5"	4-1/8"x7-1/8"	2-1/2"x5-1/2"	1/2"	3/8"
7663225	2-1/4"	7"	6"x10"	not drilled	not drilled	3/8"
9942-220		9942-240	6"x12"	not drilled	not drilled	3/8

Replacement Parts

Locknut Parts No.	Packing Nut Parts No.
9942-224	**9924-234**
9942-225	**9942-235**
9942-226	**9942-236**
9942-227	**9942-237**
9942-227	**9942-238**
9942-230	**9942-239**
9942-230	**9942-240**

HEAVY DUTY MANGANESE BRONZE RUDDER STUFFING BOXES

- Inside mount, right hand thread
- Complete with packing nut and locknut
- Higher strength than red brass



Rudder Stuffing Box

Parts No.	Shaft	Under Flange	Flange	Bolt Holes	Bolt	Packing
1507100	1 1/2"	4 3/8"	4 3/4"x 4 3/4"	3 3/8"	1/2"	5/16"
1507200	1 3/4"	5 1/2"	6" x 6"	4 1/2"	5/8"	5/16"
1507300	2"	6"	6 3/8" x 6 3/8"	4 5/8"	5/8"	5/16"

Replacement Parts

Locknut Parts No.	Packing Nut Parts No.
1501315	**1502315**
1501325	**1502325**
1501340	**1502340**

HEAVY-DUTY STAINLESS STEEL RUDDER STUFFING BOXES



- Gland style, with an extra thick flange and body for the most demanding applications

Parts No.	Shaft	Under Flange	Diameter	Bolt Circle	Bolt	Packing
1507830	2"	3 1/2"	6"	5"	1/2"	5/16"
1507840	2 1/4"	3 1/2"	7"	5 1/2"	5/8"	5/16"
1507850	2 1/2"	3 1/2"	7 1/2"	6 3/8"	3/4"	7/16"
1507860	3"	3 1/2"	8"	7"	3/4"	7/16"

For the most up to date pricing, please visit maritimemarinesupply.ca/price

BRONZE PACKING BOX – SPUD TYPE



- Self aligning
- Complete with hose and 4 stainless hose clamps
- Right hand thread

SHAFT SIZE	HOSE I.D.	PACKING	PACKING BOX	REPL. SPUD	REPL. LOCK NUT	REPL. CLAMPS
7/8"	1-3/4"	5/16"	**9942-102**	**9942-106**	**9942-117**	**9922-580**
1"	1-3/4"	1/4"	**9942-103**	**9942-107**	**9942-117**	**9922-580**
1-1/4"	2-1/4"	1/4"	**9942-109**	**9942-235**	**9942-226**	**9922-312**
1-1/2"	2-1/2"	1/4"	**9942-104**	**9942-236**	**9942-226**	**9922-581**

STUFFING BOX HOSE



- 5 ply rubber marine hose used on Buck Algonquin's self aligning style packing boxes
- Length of 12"

PART NO.	MFG#	DESCRIPTION
9942-200	80HO15012	1-1/2" I.D. x 2-1/4" O.D.
9942-201	80HO17512	1-3/4" I.D. x 2-3/8" O.D.
9942-202	80HO20012	2" I.D. x 2-3/4" O.D.
9942-203	80HO22512	2-1/4" I.D. x 3" O.D.
9942-204	80HO25012	2-1/2" I.D. x 3-1/4" O.D.

ULTRA-X PACKING



- Impregnated graphite provides excellent lubricity and high thermal conductivity for cool running shafts
- Virtually eliminates maintenance



10 lb. Reels

PART NO.	DESCRIPTION
9940-130	1/4" – 200'
9940-131	5/16" – 130'
9940-132	3/8" – 95'
9940-140	7/16" – 70'
9940-133	1/2" – 50'
9940-134	5/8" – 32'
9940-143	3/4" – 23'

5' Packages

PART NO.	MFG#	DESCRIPTION
9940-135	40-135	1/4"
9940-136	40-136	5/16"
9940-137	40-137	3/8"
9940-141	40-141	7/16"
9940-138	40-138	1/2"
9940-139	40-139	5/8"
9940-142	UX0750-05	3/4" – 11-1/2'

STUFFING BOX PACKING – PTFE



10 lb. Reels

PART NO.	DESCRIPTION
9940-080	1/4" – 167'
9940-081	5/16" – 135'
9940-082	3/8" – 115'
9940-044	7/16" – 100'
9940-083	1/2" – 70'
9940-084	5/8" – 38'

5' Packages

PART NO.	DESCRIPTION
9940-085	1/4"
9940-086	5/16"
9940-087	3/8"
9940-048	7/16"
9940-088	1/2"
9940-089	5/8"

STUFFING BOX PACKING – TALLOW

Sold in 30" package or 10 lb packing spool.



Packing Requirement Guideline

SHAFT SIZE	PACKING SIZE
3/4"	**1/8"**
7/8"	**3/16"**
1"	**3/16"**
1-1/8"	**1/4"**
1-1/4"	**1/4"**
1-3/8"	**5/16"**
1-1/2"	**5/16"**
1-3/4"	**5/16"**
2"	**3/8"**
2-1/4"	**7/16"**
2-1/2"	**1/2"**

Note: This chart is only a guideline. Always confirm the correct size packing for your stuffing box.

Packing Size may vary depending on Manufacturer.

SIZE	30" PART #	PKG	5' PART #	10 LB. PART #
3/16"	6912018			
1/4"	6912025		9940-038	9940-030
5/16"	6912030		9940-034	6912031
3/8"	6912038		9940-035	6912039
7/16"	6912040		9940-047	9940-045
1/2"	6912050		9940-036	6912051
5/8"	6912058		9940-039	9940-037

PE 902-566-1220 NS 902-928-1900

PACKING EXTRACTOR



Packing Extractor with a flexible handle, a T-grip and a cork screw tip.

PART NO.	MFG#	DESCRIPTION
6912095	PE725	Packing Extractor, 7-1/4"
6912097	PE1200	Packing Extractor, 12"

FIBERGLASS STERNTUBE

CENTEK INDUSTRIES



Must be ordered in lengths suggested below

- Filament wound fibreglass tubing with vinylester resins for unsurpassed corrosion resistance
- Up to 70% continuous glass strands result in strength-to-weight ratio much higher than conventional metal tubing or pipe

Have your stern tube professionally machined to the precise finished OD to mate with our stern bearings and stuffing boxes or shaft seals. Includes machining a 3" long portion on both ends to the finished OD.

PART NO.	MFG#	ID	OD	SOLD IN LENGTH OF
PRICED PER FT. AND SOLD IN VARIOUS LENGTH PER BELOW				
6909100	1100234-10KNOT	1-9/32"	1-1/2"	5 or 10 ft
6909125	1100204-10KNOT	1-1/2"	2"	5 or 10 ft
6909138	1100209-10KNOT	1-3/4"	2-1/4"	5 or 10 ft
6909176	1100203-10KNOT	2"	2-1/2"	5 or 10 ft
6909201	1100216-10KNOT	2-1/2"	3"	5 or 10 ft
6909277	1100280-10KNOT	2-1/2"	4"	5 or 10 ft
6909278	1100242-10KNOT	2-7/8"	3-7/8"	5 or 10 ft
6909300	1100211-10KNOT	3"	3-1/2"	5 or 10 ft
6909400	1100232-10KNOT	3"	4"	5 or 10 ft
6909401	1100232-20KNOT	3"	4"	5/10/15/20 ft
6909315	1100253-10KNOT	3-15/32"	4-1/2"	5 or 10 ft
6909375	1100248-10KNOT	3-3/4"	4-1/2"	5 or 10 ft
6909376	1100257-10KNOT	3-3/4"	5"	5 or 10 ft
6909425	1100227-10KNOT	4-1/4"	5-1/4"	5 or 10 ft
6909426	1100291-10KNOT	4-1/4"	6"	5 or 10 ft
6909475	1100260-10KNOT	4-3/4"	6"	5 or 10 ft
PRICED AND SOLD AS FULL LENGTH				
9942-267	1100320-19	3"	3-5/8"	19 ft
9942-269	1100241-10KNOT	3-1/4"	4"	10 ft
9942-283	1100283-10KNOT	4-15/16"	6"	10 ft
9942-285	1100290-10KNOT	4-15/16"	6-1/2"	10 ft
9942-115	Machine Charge, Up to 5" OD			
9942-116	Machine Charge, over 5" OD			

Stern Tube machining is available.
Contact us for more info e-mail info@mmsupply.ca

STAINLESS STEEL GREASE NIPPLES



PART NO.	MFG#	DESCRIPTION
5250002	904SS-610	1/8" NPT Thread
5250004	904SS-641	1/4"–28 Thread
5250005	SWA1969-S	1/4"–28 Thread 90°

STEADY BEARING

Heavy duty babbitt Steady Bearing. Grooved for better lubrication. Shim used in assembly may be removed for bearing wear. For shaft speed up to 1600 RPM.



PART NO.	BASE HOLES	CAP HOLES	SHAFT SIZE
6925300	4	2	3"
6925325	4	4	3-1/4"
6925350	4	4	3-1/2"
6925400	4	4	4"

STANDARD BABBIT STEADY BEARINGS

- Cast iron



2 BOLT MOUNT

PART NO.	SHAFT SIZE	BOLT HOLE SIZE
9941-225	1"	3-1/2"
9941-226	1-1/4"	4-1/8"
9941-214	1-1/2"	4-3/4"
9941-216	1-3/4"	5-1/4"
9941-227	2"	6"

4 BOLT MOUNT

PART NO.	SHAFT SIZE	BOLT HOLE SIZE
9941-228	2"	6-1/2" x 1-3/4"
9941-229	2-1/4"	7" x 1-3/4"
9941-230	2-1/2"	8" x 2"
9941-231	2-3/4"	8-1/4" x 2-1/2"
9941-232	3"	8-1/2" x 2-1/2"
9941-233	3-1/2"	10-1/2" x 2-1/2"

WATER LUBRICATED SHAFT BEARINGS

DURAMAX MARINE®LLC

- Adapt equally well to strut and stern tube mounts, and often used effectively as rudder-stock bushings
- Diameters are precision fitted to the shaft size with correct clearance for efficient water lubrication

Johnson® CUTLESS BEARINGS only by DURAMAX MARINE®



PART NO.	Shaft Size	OD	Length	Code
9942-548	3/4"	1-1/4"	3"	ABLE
9942-549	7/8"	1-3/8"	3-1/2"	APEX
9942-547	7/8"	1-1/4"	3-1/2"	ACID
9942-546	7/8"	1-1/2"	3-1/2"	ATOM
9942-550	1"	1-1/4"	4"	BACK
9942-551	1"	1-3/8"	4"	BAIT
9942-552	1"	1-1/2"	4"	BALE
9942-554	1"	2"	4"	BASE
9942-556	1-1/8"	1-1/2"	4-1/2"	BEAM
9942-557	1-1/8"	1-5/8"	4-1/2"	BELT
9942-559	1-1/4"	1-1/2"	5"	BIND
9942-560	1-1/4"	1-3/4"	5"	BIRD
9942-561	1-1/4"	2"	5"	BITE
9942-563	1-3/8"	1-7/8"	5-1/2"	BOAT
9942-565	1-3/8"	2-1/8"	5-1/2"	BOND
9942-567	1-1/2"	2"	6"	BOSS
9942-568	1-1/2"	2-3/8"	6"	BRAD
9942-571	1-3/4"	2-3/8"	7"	BROW
9942-572	1-3/4"	2-5/8"	7"	BUCK
9942-575	2"	2-5/8"	8"	CALL
9942-576	2"	3"	8"	CALM
9942-579	2-1/4"	2-15/16"	9"	CARE
9942-582	2-1/4"	3"	9"	CARD
9942-580	2-1/4"	3-1/8"	9"	CART
9942-581	2-1/4"	3-3/8"	9"	CASE
9942-583	2-1/2"	3-1/8"	10"	CORD
9942-584	2-1/2"	3-3/8"	10"	CORN
9942-585	2-1/2"	3-1/2"	10"	COVE
9942-586	2-3/4"	3-3/8"	11"	CROW
9942-587	2-3/4"	3-3/4"	11"	CURD
9942-588	3"	3-3/4"	12"	DANE
9942-590	3"	4"	12"	DARE
9942-592	3-1/4"	4"	13"	DARN
9942-593	3-1/4"	4-1/4"	13"	DELL
9942-595	3-1/2"	4-1/4"	14"	DINE
9942-596	3-1/2"	4-1/2"	14"	DOCK
9942-589	3-3/4"	4-1/2"	15"	DONE
9942-597	4"	5"	16"	EARN
9942-598	4"	5-1/4"	16"	EASE
9942-601	4-1/4"	5-1/2"	17"	EDIT
9942-602	4-1/2"	5-1/2"	18"	EPIC
9942-603	4-1/2 "	5-3/4"	18"	EDGE
9942-608	5"	6-1/8"	20"	FACE
9942-609	5"	6-1/2"	20"	FACT
9942-610	5-1/2"	7"	22"	FIND

WATER LUBRICATED BEARINGS

vetus



Lightweight, non-corroding Phenolic resin is ideal for use in aluminum boats

Available for 20 to 100 mm shaft diameters and 1" to 4"

For 25 mm shaft, 1-1/2" OD x 100 mm L

PART NO.	MFG#	DESCRIPTION
9991-805	RULAGER25	Bronze shell – RULAGER25
9991-808	RULAG25PH	Phenolic shell – RULAG25PH

For 30 mm shaft, 1-3/4" OD x 120 mm L

PART NO.	MFG#	DESCRIPTION
9991-806	RULAGER30	Bronze shell – RULAGER30
9991-809	RULAG30PH	Phenolic shell – RULA30PH

For 35 mm shaft, 1-7/8" OD x 140 mm L

PART NO.	MFG#	DESCRIPTION
9991-807	RULAGER35	Bronze shell – RULAGER35
9991-810	RULAG35PH	Phenolic shell – RULA35PH

WATER LUBRICATED, NON METALIC, SHAFT BEARINGS

DURAMAX MARINE®LLC

Johnson Cutless® Non-Metallic Sleeve Bearings are made of engineered reinforced thermoset plastic with specially compounded Nitrile Rubber securely bonded to the shell with all tolerances maintained for proper water lubrication. Ideally suited for installations where corrosion and electrolysis are problems.



Johnson® CUTLESS BEARINGS only by DURAMAX MARINE®

- Non-Corrosive.
- Anti-Electrolytic.
- Resistant to all known chemicals.

PART NO.	Shaft Size	OD	Length	Code
9942-611	1-3/4"	2-5/8"	7"	GLORIA
9942-612	2"	3"	8"	HELEN
9942-613	2-1/4"	3"	9"	IRIS
9942-614	2-1/2"	3-3/8"	10"	JOSIE
9942-615	2-3/4"	3-3/4"	11"	KATHY
9942-616	3"	3-3/4"	12"	KIM
9942-617	3-1/4"	4-1/4"	13"	LISA
9942-618	3-1/2"	4-1/2"	14"	MARIE
9942-619	4"	5"	16"	OLGA
9942-620	4-1/2"	5-1/2"	18"	PAULA
9942-621	4-1/2"	5-3/4"	18"	PENNY

PSS Shaft Seals





The PSS Shaft Seal is the number one selling marine mechanical seal worldwide.
Recognized as the premiere retrofit (aftermarket) seal on the world market as it eliminates the maintenance, constant adjustment & cost associated with traditional packing type glands. Aside from these benefits, the PSS Shaft Seal helps to eliminate water in the bilge (100% water tight) & wear to the propeller shaft.
The PSS Shaft Seal can be easily retrofitted and is available for shafts ranging from 3/4" to 6" (20mm to 150mm).

PART #	MFG#	A SHAFT DIA.	B (STERNTUBE O.D.)	C	C (COMPRESSED)	D	E
765100150	02-100-112	1"	1-1/2" - 1-5/8"	6.975"	6.225"	2.375"	1.5"
765118175	02-118-134	1-1/8"	1-3/4" - 1-7/8"	6.975"	6.225"	2.375"	1.5"
765125175	02-114-134	1-1/4"	1-3/4" - 1-7/8"	7.38"	6.38"	2.875"	1.5"
765125200	02-114-200	1-1/4"	2"	7.38"	6.38"	2.875"	1.5"
765125225	02-114-214	1-1/4"	2-1/4" - 2-3/8"	7.38"	6.38"	2.875"	1.5"
765125250	02-114-212	1-1/4"	2-1/2" - 2-5/8"	7.38"	6.38"	2.875"	1.5"
765150250	02-112-212	1-1/2"	2-1/2" - 2-5/8"	9.175"	8.175"	3.75"	2"
765150275	02-112-234	1-1/2"	2-3/4" - 2-7/8"	9.175"	8.175"	3.75"	2"
765150300	02-112-300	1-1/2"	3"	9.175"	8.175"	3.75"	2"
765150325	02-112-314	1-1/2"	3-1/4" - 3-3/8"	9.175"	8.175"	3.75"	2"
765175300	02-134-300	1-3/4"	3"	9.175"	8.175"	3.75"	2"
765175325	02-134-314	1-3/4"	3-1/4" - 3-3/8"	9.175"	8.175"	3.75"	2"
765175350	02-134-312	1-3/4"	3-1/2" - 3-5/8"	9.175"	8.175"	3.75"	2"
765200300	02-200-300	2"	3"	9.175"	8.175"	3.75"	2"
765200350	02-200-312	2"	3-1/2" - 3-5/8"	9.175"	8.175"	3.75"	2"
765200400	02-200-400	2"	4" - 4-1/8"	9.175"	8.175"	3.75"	2"
765225350	02-214-312	2-1/4"	3-1/2" - 3-5/8"	9.625"	8.375"	4.2"	2"
765225400	02-214-400	2-1/4"	4" - 4-1/8"	9.625"	8.375"	4.2"	2"
765250350	02-212-312	2-1/2"	3-1/2" - 3-5/8"	9.625"	8.375"	4.2"	2"
765250400	02-212-400	2-1/2"	4" - 4-1/8"	9.625"	8.375"	4.2"	2"
765275425	02-234-414	2-3/4"	4-1/4" - 4-3/8"	10.3125"	9.3125"	5"	2.5"
765275500	02-234-500	2-3/4"	5" - 5-1/8"	10.125	9.125"	5"	2.5"
765300450	02-300-412	3"	4-1/2" – 4-5/8"	10.125"	9.125"	5"	2.5"
765300425	02-300-414	3"	4-1/4" - 4-3/8"	10.3125"	9.3125"	5"	2.5"
765300500	02-300-500	3"	5" - 5-1/8"	10.3125	9.3125"	5"	2.5"
765325525	02-314-514	3-1/4"	5-1/4" - 5-3/8"	10.675"	9.675"	6"	2.5"
765350525	02-312-514	3-1/2"	5-1/4" - 5-3/8	10.675"	9.675"	6"	2.5"
765350600	02-312-600	3-1/2"	6" - 6-1/8"	10.675"	9.675"	6"	2.5"
765400575	02-400-534	4"	5-3/4" - 5-7/8"	13.189"	12.189"	7"	2.5"

PSS Maintenance Kits



It is recommended to get a maintenance kit and replace the rubber bellow every six years.

The PSS Maintenance Kit includes:

- New Rubber Bellow
- 2 x O-rings
- 5 x Set Screws
- 4 x Hose Clamps
- 4 x Clamp Jackets
- 1 x Allen Wrench

CLAMP JACKETS

Clamp Jackets slip over the ends of hose clamp tails. They protect user from possible injury. Helps eliminate wear to surrounding material. Made from EPDM which is resistant to weathering and performs well in brake fluids, acids, alkalies, ketones, oils & greases, water and steam up to 400°F.



**Hose clamp not included*

PART NO.	DESCRIPTION
3899000	5/16" Clamp Jacket
3899100	1/2" Clamp Jacket

PART #	MFG#	SHAFT	STERN TUBE
764100150	07-100-112R	1"	1-1/2" - 1-5/8"
764100175	07-100-134R	1"	1-3/4 - 1-7/8"
764118175	07-118-134R	1-1/8"	1-3/4 - 1-7/8"
764125250	07-114-212R	1-1/4"	2-1/2" - 2-5/8"
764138225	07-138-214R	1-3/8"	2-1/4" - 2-3/8"
764138250	07-138-212R	1-3/8"	2-1/2" - 2-5/8"
764150250	07-112-212R	1-1/2"	2-1/2" - 2-5/8"
764150275	07-112-234R	1-1/2"	2-3/4" - 2-7/8"
764150300	07-112-300R	1-1/2"	3"
764150350	07-112-312R	1-1/2"	3-1/2" - 3-5/8"
764175300	07-134-300R	1-3/4"	3"
764175350	07-134-312R	1-3/4"	3-1/2" - 3-5/8"
764200300	07-200-300R	2"	3"
764200350	07-200-312R	2"	3-1/2" - 3-5/8"
764225350	07-214-312R	2-1/4"	3-1/2" - 3-5/8"
764225400	07-214-400R	2-1/4"	4" - 4-1/8"
764250350	07-212-312R	2-1/2"	3-1/2" - 3-5/8"
764250400	07-212-400R	2-1/2"	4" - 4-1/8"
764275425	07-234-414R	2-3/4"	4-1/4" - 4-3/8"
764275500	07-234-500R	2-3/4"	5" - 5-1/8"
764300425	07-300-414R	3"	4-1/4" - 4-3/8"
764300500	07-300-500R	3"	5" - 5-1/8"
764325525	07-314-514R	3-1/4"	5-1/4" - 5-3/8"
764350525	07-312-514R	3-1/2"	5-1/4" - 5-3/8"

For the most up to date pricing, please visit maritimemarinesupply.ca/price

STUBBY PRO HEAVY DUTY SHAFT SEALS



The Stubby Pro is a modern take on a traditional self-aligning shaft seal designed to take advantage of technical advancements in packing material technology.

The added water feed allows the packing to remain cool without dripping, keeping your bilge dry and your mind at ease.

PART NO.	MFG#	SHAFT SIZE	HOSE I.D.
9942-380	SP-2000-3.0	2”	3”
9942-381	SP-2000-3.5	2”	3-1/2”
9942-382	SP-2250-3.5	2-1/4”	3-1/2”
9942-383	SP-2500-3.5	2-1/2”	3-1/2”
9942-384	SP-2500-4.0	2-1/2”	4”
9942-385	SP-2750-4.25	2-3/4”	4-1/4”
9942-386	SP-3000-5.0	3”	5”
9942-387	SP-3500-5.25	3-1/2”	5-1/4”
9942-388	SP-4000-6.0	4”	6”

PROPELLER SHAFT SEAL SYSTEMS

DURAMAX MARINE®LLC



- Reduced shaft wear; no overheating or shaft scoring leading to costly repairs; works fine on a badly scored shaft, making it more cost effective than expensive shaft repair work. Easy installation — no stuffing box to hang
- The quiet DURAMAX Propeller Shaft Seal System is a face type seal designed to eliminate the deficiencies associated with the traditional stuffing box. No adjustments or packing replacement; tolerates substantial shaft misalignment without leaking.

SPECIAL ORDERS WELCOME Many other sizes for shafts from 3/4" to 12" are available by special order.

See your local dealer or email us at **info@mmsupply.ca or call 902-928-1900**

Shaft Size in.		Shaft Seal Item No.		Install Kit Item No.	Stern Tube Clamp Stern Tube OD	Stern Tube Clamp Item No.
1 1/2"	DXU-1500	9942-319	IXU-1000	9942-335	SXU - 1000 - 2-3/8"	9942-343
					SXU - 1000 - 2-15/16"	9942-345
1 3/4"	DXU-1750	9942-320			SXU - 1000 - 2-3/8"	9942-343
					SXU - 1000 - 2-15/16"	9942-345
2"	DXU-2000	9942-321	IXU-2000	9942-336	SXU - 2000 - 2-7/8"	9942-344
					SXU - 2000 - 3"	9942-346
2 1/4"	DXU-2250	9942-322			SXU - 2000 - 3-1/2"	9942-347
					SXU - 2000 - 3-3/4"	9942-348
2 1/2"	DXU-2500	9942-323			SXU - 2000 - 4"	9942-349
2 3/4"	DXU-2750	9942-324			SXU - 2000 - 4-1/2"	9942-350
3"	DXU-3000	9942-325	IXU-3000A	9942-337	SXU - 3000 - 4-1/2"	9942-351
3 1/4"	DXU-3250	9942-326				
3 1/2"	DXU-3500	9942-327			SXU - 3000 - 5"	9942-352
4"	DXU-4000	9942-328	IXU-4000	9942-339	SXU - 4000 - 6"	9942-353
4-1/2”	DXU-4500A	9942-329				

JPROP® Sailboat Propellers

JPROP is ideal for cruising sailboats – it is strong, efficient and easy to install.
A full range of 2 and 3 blade models are available in multiple shaft sizes.

JPROP’s pitch may be adjusted without having to remove any parts; the adjustment is so easy it can be accomplished by a diver with the boat still in the water, great for experimenting to find the most efficient prop pitch.

SPECIAL ORDERS WELCOME

For pricing and lead time, please contact us at the number listed below and speak to one of our sales representatives with your specific requirements.

Phone 1-800-565-0231
or Email info@mmsupply.ca





SHAFT MOUNTED CUTTER SYSTEMS



SPURS®

Cuts line with each revolution (forward and reverse)

- No more emergency dives to cut prop-fouling lines in freezing or high seas.
- Eliminates costly commercial "Down Time" for repairs.
- Prevents need for Coast Guard towing.
- No more shafts torn loose that can sink your vessel.
- Avoid expensive haul-outs, dry docking & divers charges.
- Prevents burnt bearings and engine overload repairs.

Measurements Required For Ordering & Installation
Metric sizes available



A. Shaft Size

B. Propeller Hub Diameter

C. Space between Propeller & Stern Bearings (Port & Starboard)

D. Stern Tube or Strut Hub Diameter

E. Length of Exposed Taper Forward of Propeller Face

Other sizes available in stock.
email us at info@mmsupply.ca

SPURS ASSEMBLY

MODEL #	SIZE OF SHAFT
A	3/4", 7/8", 1", 1-1/8, 1-1/4"
B	1-1/2"
C	1-1/2", 1-3/4", 2"
D	1-3/4", 2", 2-1/4"
E	2", 2-1/4", 2-1/2", 2-3/4"
F	2", 2-1/2", 2-3/4", 3", 3-1/4", 3-1/2"

SPARE/REPLACEMENT PARTS

PART NO.	MFG#	DESCRIPTION
763001	BEARING "A"	Bearing Kit for "A" Model
763002	763002	Bearing Kit for "B" Model
763003	763003	Bearing Kit for "C" Model
763004	763004	Bearing Kit for "D" Model
763007	763007	Bearing Kit for "E" Model
763011	763011	Bearing Kit for "F" Model
9941-181	BEARING "F1"	Bearing Kit for "F1" Model
763005	ZINC FOR MODEL B	Anode for Model "A", "B"
763006	ZINC FOR MODEL C,D,E	Anode for Model "C", "D", "E"
763010	ANODE F	Anode for Model "F","F1"
763008	#2 BLOCK/S	#2 Holding Block
763009	#3 BLOCK/S	#3 Holding Block
763012	#3ABLOCKS/S	#3A Holding Block
763020	S/C "C"	Stationary Cutter "C"
763021	S/C "D"	Stationary Cutter "D"
763022	S/C "E"	Stationary Cutter "E"
763023	S/C "F"	Stationary Cutter "F"
763030	28-D/C "C"	Driven Cutter "C"
763040	A PLUG SET	Nylon Plug for Model "A"
763041	B PLUG SET	Nylon Plug for Model "B"
763042	C/D PLUG SET	Nylon Plug for Model "C", "D"
763043	E PLUGSET	Nylon Plug for Model "E", "F1", "F"
763044	F2/F3 PLUG	Nylon Plug for Model "F2", "F3"
763045	F/F1 PLUGSET	Nylon Plug for Model "F", "F1"

PIRANHA DUAL LINE CUTTERS

PIRANHA LINE CUTTERS
R.E. THOMAS MARINE HARDWARE, INC.



- Dual serrated cutting edges, precision machined from high quality 316 stainless steel
- Simple, stable split design eliminates the need to remove your propeller
- Complete with 316 SS bolts
- Cutter blades can be re-sharpened

Metric sizes not available

PART NO.	MFG#	DESCRIPTION
9941-000	PDLC 1000	1" shaft, 3" Dia. x 3/4"W
9941-001	PDLC 1250	1-1/4" shaft, 3 1/2" Dia. x 3/4"W
9941-003	PDLC 1500	1-1/2" shaft, 4 1/2" Dia. x 7/8"W
9941-004	PDLC 1750	1-3/4" shaft, 4 7/8" Dia. x 1"W
9941-005	PDLC 2000	2" shaft, 5" Dia. x 1"W
9941-006	PDLC 2250	2-1/4" shaft, 6 1/4" Dia. x 1 1/8"W
9941-007	PDLC 2500	2-1/2" shaft, 6 3/4" Dia. x 1 1/8"W
9941-008	PDLC 2750	2-3/4" shaft, 7 1/4" Dia. x 1 1/4"W
9941-009	PDLC 3000	3" shaft, 8" Dia. x 1 1/4"W

EMERGENCY ROPE CUTTER

PLASTIMO



This easy to install slide on Emergency Rope Cutter is made from 'high-quality stainless steel' and has an extremely sharp serrated edge. It can cut Nylon and Kevlar ropes as well as small diameter stainless steel cables (4 – 6 mm).

Dimensions :
3-1/8" Dia x 3/4" Thick
79 mm x 18 mm

PART NO.	MFG#	DESCRIPTION
9990-900	24708	Cutter, 25 mm Shaft
9990-901	24709	Cutter, 1" Shaft
9990-902	24711	Cutter, 30 mm Shaft

For the most up to date pricing, please visit maritimemarinesupply.ca/price

TURNING POINT® PROPELLERS

BETTER THAN THE OEM PROPELLER

*Note: To find the correct installation kit and propeller housing, locate the HP, gearcase size, and prop shaft spline count of your outboard or sterndrive.

6-20hp

ENGINES WITH A
2.5" GEARCASE

MasterGuard® HUB SYSTEM
200 Series Installation Kits

Premium corrosion resistant brass splines.
Eliminate hub system vibration & chatter.
Reduce gear shock & engine/drive damage.
Reduce prop replacement cost by up to 33%.



AN INSTALLATION KIT IS REQUIRED
MasterGuard Kits include a Lifetime Warranty
FOR PROPS LISTED TO THE RIGHT

1

Engine Brand - Various Splined Prop Shafts	Kit	MFG. Part #	ORDER Part #
EVINRUDE & JOHNSON: (13 spline) 2 stroke ('74-'95): 9.9, 15 4 stroke: 8hp ('96+), 9.9hp ('95-'01), 15hp ('95+)	202	11100201	6215002
EVINRUDE & JOHNSON: (10 spline) 4 stroke ('02+): 9.9, 15hp	206	11100601	6215006
HONDA: (8 spline) BF 4 Stroke: 8hp ('01+) / 9.9, 15, 20hp. Note: Does not fit 8 Classic, pin drive.	205	11100501	6215005
MERCURY & MARINER: (8 spline, lock nut) 2 stroke: 6hp, 8hp, 9.9hp, 15hp / Sea Pro/Marathon 10hp, 15hp 4 stroke: 8hp, 9.9hp ('95-'04), 15hp ('89-'06)	201	11100101	6215001
MERCURY & MARINER: (14 spline shaft made by Nissan, cotter pin) 4 stroke Bigfoot / CT ('05+): 8hp, 9.9hp / 4 stroke ('07+): 15hp, 20hp	207	11100701	6215007
NISSAN & TOHATSU: (14 spline) 2 stroke: 9.9hp ('84-'05), 12hp ('85-'88) / 15 & 18hp ('85-'05) / 4 stroke: 9.9hp, 15hp, 18hp, 20hp	207	11100701	6215007
PARSUN: (8 spline) 9.9hp, 15hp	205	11100501	6215005
SUZUKI: (10 spline TYPE M) DT 2 stroke: 9.9 ('83-'87), 15hp, 15C/ DF 4 stroke: 8A, 9.9, 9.9A, 9.9B, 15 / ('12+): 15A, 20A Note: Does not fit DT 8C & 9.9C ('88-'97)	206	11100601	6215006
YAMAHA: (8 spline) 2 stroke: 9.9, 15 / 4 stroke: 9.9 ('00-'07), 15, 15C, 20hp	205	11100501	6215005



AN INSTALLATION KIT IS REQUIRED
MasterGuard Kits include a Lifetime Warranty
FOR PROPS LISTED TO THE RIGHT

2

Engine Brand - 12 Spline Prop Shaft	Kit	MFG. Part #	ORDER Part #
NISSAN & TOHATSU: (12 spline) 2 & 4 stroke: 8hp, 9.8hp	208	11100801	6215008
MERCURY & MARINER: (12 spline, cotter pin) 4 stroke ('05 & newer): 8hp, 9.9hp	208	11100801	6215008

9.9-35hp

ENGINES WITH A
3" GEARCASE

MasterGuard® HUB SYSTEM
20 Series Installation Kits
Premium corrosion resistant brass splines.
Eliminate hub system vibration & chatter.
Reduce gear shock & engine/drive damage.
Reduce prop replacement cost by up to 33%.

Note: Find Additional 3" Gearcase Engines on the next page.



AN INSTALLATION KIT IS REQUIRED
MasterGuard Kits include a Lifetime Warranty
FOR PROPS LISTED TO THE RIGHT

1

Engine Brand - Various Splined Prop Shafts	Kit	MFG. Part #	ORDER Part #
EVINRUDE & JOHNSON: (14 spline) 2 stroke: 20, 25 ('84+), 25 commercial ('93-'05), 30 ('84+), 35 ('76-'05) / E-Tec: 25hp, 30hp / H.O.: 15hp	22	11200200	6215022
FORCE: (10 spline) 25hp ('95-'98)	21	11200100	6215021
MERCURY & MARINER: (10 spline) 2 stroke: 18hp ('80-'85), 20hp ('86+), 25hp ('85+) 4 stroke Bigfoot / Sail: 9.9hp ('99-'05), 15hp ('99-'05)	21	11200100	6215021



AN INSTALLATION KIT IS REQUIRED
MasterGuard Kits include a Lifetime Warranty
FOR PROPS LISTED TO THE RIGHT

2

Engine Brand - 10 Spline Prop Shaft	Kit	MFG. Part #	ORDER Part #
HONDA: BF 4 Stroke: 25, 30hp	28	11200800	6215028
MERCURY & MARINER: 4 stroke ('06 & newer, cotter pin shaft): 25hp , 30hp	28	11200800	6215028
PARSUN: 20hp, 25hp	25	11200500	6215025
NISSAN & TOHATSU: 2 and 4 stroke: 25hp, 30hp	28	11200800	6215028
YAMAHA: 2 stroke: 20hp, 25hp, 30hp / 4 stroke: 25hp	25	11200500	6215025

PE 902-566-1220 ● NS 902-928-1900

WANT A DIAMETER AND PITCH RECOMMENDATION?

TURNING POINT PROPELLERS PROP WIZARD® NEED A PROP? SEEK THE WIZARD

Quicky calculates the best props for a boat.
Visit http://tpprops.com/propwizard or Call 904-900-7739



Turning Point manufactures propellers to fit 6-300+hp Evinrude, Force, Honda, Johnson, Mariner, Mercruiser, Mercury, Nissan, OMC, Parsun, Suzuki, Tohatsu, Volvo Penta, and Yamaha Outboards and Sterndrives. Choose one of our Lifetime Warranty MasterGuard Installation Kits to fit your engine, then choose the propeller that matches your boating requirements. There are 3 & 4 blade, left & right rotation prop models with a variety of diameter & pitch options available for almost all boat types. Our Props Run Faster, Pull Harder, and Handle Better.

LH Left Rotation RH Right Rotation (standard)

1 HUSTLER® ALUMINUM PROPELLERS



ALUMINUM 3 BLADE
Model: R4

Dia x Pitch	MFG. Part #	ORDER Part #
9 x 9	21100910	6215140
9 x 10	21101010	6215141

©2022 Turning Point Propellers, Inc. All Rights Reserved. Evinrude, Johnson, and Cobra are registered trademarks of BRP US, Inc. Honda is a registered trademark of American Honda Motor Co., Inc. Mercury, Mariner, Force, MerCruiser, Alpha One™ and Bravo One™ are registered trademarks of Brunswick Corporation. Parsun is a registered trademark of Suzhou Parsun Power Machine Co., LT. Nissan is a registered trademark of Nissan Marine. Suzuki is a registered trademark of American Suzuki Motor Corporation. Tohatsu is a registered trademark of Tohatsu Corp. Volvo is a registered trademark of AB Volvo Penta. Yamaha is a registered trademark of Yamaha Motor Corporation.

NOT SURE WHICH PROPELLER TO GET?

TURNING POINT PROPELLERS PROP WIZARD® NEED A PROP? SEEK THE WIZARD

Get a Free Diameter and Pitch Recommendation With Our Online Tool Prop Wizard:

http://tpprops.com/propwizard

or Call Propeller Support at: +1-904-900-7739 x1
Office Hours M-F 9-5pm ET

2 HUSTLER® ALUMINUM PROPELLERS



ALUMINUM 3 BLADE
Model: R5

Dia x Pitch	MFG. Part #	ORDER Part #
9 x 9	21110910	6215150
9 x 10	21111010	6215151



LIFETIME WARRANTY HUB SYSTEMS FOR ENGINES/DRIVES FROM 6-300+hp

- Reduce prop replacement cost by up to 33%.
- Reduce gear shock and engine/drive damage
- Minimizes propeller vibration and chatter
- Corrosion resistant brass splines and nylon
- Eliminates spun hubs
- Ends hub cracking
- Hub included in MasterGuard Installation Kits

MASTERGUARD® HUB SYSTEM



1 HUSTLER® ALUMINUM PROPELLERS



ALUMINUM 3 BLADE
Model: R1

Dia x Pitch	MFG. Part #	ORDER Part #
10.5 x 11	21201110	6215101
10.125 x 13	21201310	6215100

1 MACH3 EXPRESS® STAINLESS STEEL PROPELLERS



STAINLESS STEEL 3 BLADE
Model: EX1

Dia x Pitch	MFG. Part #	ORDER Part #
10.5 X 11	31201111	6215819
10.125 X 13	31201311	6215820

2 HUSTLER® ALUMINUM PROPELLERS



ALUMINUM 3 BLADE
Model: R2

Dia x Pitch	MFG. Part #	ORDER Part #
10.325 x 11	21211110	6215121
10.375 x 13	21211310	6215120

2 MACH3 EXPRESS® STAINLESS STEEL PROPELLERS



STAINLESS STEEL 3 BLADE
Model: EX2

Dia x Pitch	MFG. Part #	ORDER Part #
10.325 X 11	31211111	6215821
10.375 X 13	31211311	6215822

TURNING POINT® PROPELLERS

BETTER THAN THE OEM PROPELLER

*Note: To find the correct installation kit and propeller housing, locate the HP, gearcase size, and prop shaft spline count of your outboard or sterndrive.

20-30hp

ENGINES WITH A 3" GEARCASE

MasterGuard HUB SYSTEM

20 Series Installation Kits

Premium corrosion resistant brass splines.
Eliminate hub system vibration & chatter.
Reduce gear shock & engine/drive damage.
Reduce prop replacement cost by up to 33%.

Note: Find Additional 3" Gearcase Engines on the previous page.



AN INSTALLATION KIT IS REQUIRED
MasterGuard Kits include a Lifetime Warranty

FOR PROPS LISTED TO THE RIGHT

3

Engine Brand - 10 Spline Prop Shaft	Kit	MFG. Part #	ORDER Part #
EVINRUDE & JOHNSON: 4 stroke: 25hp, 30hp	26	11200600	6215026
SUZUKI: DT 2 stroke ('87+): 20, 25, 25C, 30, 30C DF 4 stroke: 25hp, 30hp	26	11200600	6215026

NOT SURE WHICH PROPELLER TO GET?

TURNING POINT PROPELLERS PROP WIZARD® NEED A PROP? SEEK THE WIZARD

Get a Free Diameter and Pitch Recommendation With Our Online Tool Prop Wizard: http://tpprops.com/propwizard
or Call Propeller Support +1-904-900-7739 x1
Office Hours M-F 9-5pm ET

25-75hp

ENGINES WITH A 3.5" GEARCASE

MasterGuard HUB SYSTEM

10 Series Installation Kits

Premium corrosion resistant brass splines.
Eliminate hub system vibration & chatter.
Reduce gear shock & engine/drive damage.
Reduce prop replacement cost by up to 33%.



AN INSTALLATION KIT IS REQUIRED
MasterGuard Kits include a Lifetime Warranty

FOR PROPS LISTED TO THE RIGHT

1

Engine Brand - 13 Spline Prop Shaft	Kit	MFG. Part #	ORDER Part #
EVINRUDE & JOHNSON: 4 stroke: 40hp, 50hp	11	11300101	6215011
FORCE: 40hp ('95-'98), 50hp ('95-'98), 70hp ('91-'95), 75hp ('96-'98)	11	11300101	6215011
HONDA: BF 4 stroke: 35, 40, 45, 50, 60hp, (not P60)	12	11300200	6215012
MERCURY & MARINER: 2 stroke: 30hp ('94+) / 35, 45, 55 / 40, 50, 60 ('77+) / 70hp ('77-'83) 4 stroke: 25hp, 30hp Bigfoot / 30hp ('94-'05) / 40hp (*not Bigfoot, CT, or SeaPro 4cyl.), 45hp, 48hp(Mariner), 50hp (*not bigfoot or CT), 55hp (SeaPro), 60hp (*not Bigfoot, CT, or SeaPro) *note: see 4.25" Gearcase for Bigfoot / CT 40-60hp & 2 stroke 70hp.	11	11300101	6215011
NISSAN & TOHATSU: Note: Do not use 12in diameter propellers. 35B ('84 & older), 40C, 40D, 50A('14+), 50D, 50C, 60A, MFS60, 70A2, 60B, 70B	13	11300301	6215013
PARSUN: T30, T35, T36, T40	12	11300200	6215012
SUZUKI: DT 2 stroke ('89+): 35C, 40, 50, 50M, 55, 60, 65hp DF 4 stroke: 40hp, 50hp / ('10+): 40A, 50A, 60A	11	11300101	6215011
YAMAHA: 2 stroke: 40hp to 55hp / 4 stroke: FT25 High Thrust, 30hp to 60hp	12	11300200	6215012



AN INSTALLATION KIT IS REQUIRED
MasterGuard Kits include a Lifetime Warranty

FOR PROPS LISTED TO THE RIGHT

2

Engine Brand - 13 Spline Prop Shaft	Kit	MFG. Part #	ORDER Part #
EVINRUDE & JOHNSON: 2 cyl.: 40hp, 48hp / 50hp ('75-'05) / 55hp ('76-'79) / 60hp, 65hp ('80-'85) 3 cyl. (with small gearcase): 75hp ('75-'85) Sprint and Formula E ('86-'92)	12	11300200	6215012



WANT A DIAMETER AND PITCH RECOMMENDATION?

TURNING POINT PROPELLERS PROP WIZARD® NEED A PROP? SEEK THE WIZARD

Quicky calculates the best props for a boat.
Visit http://tpprops.com/propwizard or Call 904-900-7739



Turning Point manufactures propellers to fit 6-300+hp Evinrude, Force, Honda, Johnson, Mariner, Mercruiser, Mercury, Nissan, OMC, Parsun, Suzuki, Tohatsu, Volvo Penta, and Yamaha Outboards and Sterndrives. Choose one of our Lifetime Warranty MasterGuard Installation Kits to fit your engine, then choose the propeller that matches your boating requirements. There are 3 & 4 blade, left & right rotation prop models with a variety of diameter & pitch options available for almost all boat types. Our Props Run Faster, Pull Harder, and Handle Better.

LH Left Rotation RH Right Rotation (standard)

3 HUSTLER® ALUMINUM PROPELLERS



ALUMINUM 3 BLADE
Model: R3

Dia x Pitch		MFG. Part #	ORDER Part #
10.5 x 11	RH	21221110	6215131
10.125 x 13	RH	21221310	6215130

3 MACH3 EXPRESS® STAINLESS STEEL PROPELLERS



STAINLESS STEEL 3 BLADE
Model: EX3

Dia x Pitch		MFG. Part #	ORDER Part #
10.5 X 11	RH	31221111	6215823
10.125 X 13	RH	31221311	6215824

1 HUSTLER® ALUMINUM PROPELLERS



ALUMINUM 3 BLADE
Model: H1

Dia x Pitch		MFG. Part #	ORDER Part #
12.5 X 8	RH	21300810	6215200
12 X 10.5	RH	21301010	6215201
10.875 X 11	RH	21301110	6215202
10.75 X 12	RH	21301210	6215203
10.5 X 13	RH	21301310	6215204
10.375 X 14	RH	21301410	6215205
10.125 X 15	RH	21301510	6215206

1 MACH3 EXPRESS® STAINLESS STEEL PROPELLERS



STAINLESS STEEL 3 BLADE
Model: E1

Dia x Pitch		MFG. Part #	ORDER Part #
10.75 X 12	RH	31301212	6215825
10.5 X 13	RH	31301312	6215826
10.375 X 14	RH	31301412	6215827

2 HUSTLER® ALUMINUM PROPELLERS



ALUMINUM 3 BLADE
Model: H2

Dia x Pitch		MFG. Part #	ORDER Part #
12 X 10.5	RH	21311010	6215226
12.5 X 13	RH	21311310	6215227
12.125 X 15	RH	21311510	6215228
11.75 X 17	RH	21311710	6215229

NOT SURE WHICH PROPELLER TO GET?



TURNING POINT PROPELLERS PROP WIZARD® NEED A PROP? SEEK THE WIZARD

Get a Free Diameter and Pitch Recommendation With Our Online Tool Prop Wizard:

http://tpprops.com/propwizard

or Call Propeller Support at: +1-904-900-7739 x1
Office Hours M-F 9-5pm ET

TURNING POINT® PROPELLERS

BETTER THAN THE OEM PROPELLER

*Note: To find the correct installation kit and propeller housing, locate the HP, gearcase size, and prop shaft spline count of your outboard or sterndrive.

40-150hp

ENGINES WITH A
4.25" GEARCASE

MASTERGUARD HUB SYSTEM

500 Series Installation Kits

Use on engines under 200hp with aluminum or stainless steel props or most engines 200hp and above with aluminum props only.
Premium corrosion resistant brass splines.
Eliminate hub system vibration & chatter.
Reduce gear shock & engine/drive damage.
Reduce prop replacement cost by up to 33%.

MASTERTORQ SDH Sound Dampening Hub

800 Series Installation Kits
For noisy lower units - quieter ride
Use on engines 40hp and above with stainless steel props.
Includes a limited 1 year warranty.

500 MasterGuard & 800 MasterTorq Series Installation Kits & Corresponding Prop Housings are Compatible with, and Upgrade Competitors' Hub & Prop Systems. Interchangeable with Mercury Flo-Torq II, Michigan Wheel XHS, Solas Rubex™ hub kit systems. NOTE: Not applicable with Turning Point's 10, 20 and 200 Hub Kit series.



AN INSTALLATION KIT IS REQUIRED FOR PROPS LISTED TO THE RIGHT

MasterGuard 500 Series Kits include a Lifetime Warranty

Engine Brand - Various Splined Prop Shafts	Kit	MFG. Part #	ORDER Part #
EVINRUDE & JOHNSON: (13 spline shaft) 2 cyl: 50hp ('71-'74) / 45 to 55hp commercial 3 cyl: 55, 60, 65, 70hp, 75hp with large gearcase, 65hp commercial 4 cyl: 75, 85, 88, 90, 100, 110, 115, 120 ('86-'94), 125, 135 ('73-'76), 140 ('77-'84, '86-'94) / H.O. (includes E-TEC H.O.): 60, 90, 115hp E-TEC: 40, 50, 60, 65, 75hp / 20" shaft: 90, 115hp (not pontoon series), 130hp ('09-'10)	503	11500300	6215053
EVINRUDE & JOHNSON: (13 spline shaft) 4 stroke (Johnson): 60hp, 70hp	506	11500600	6215056
FORCE: (15 spline shaft) 75hp ('99) / 90hp to 150hp ('95+)	501	11500100	6215051
HONDA: (15 spline shaft) ('95-'98): 75hp, 90hp	501	11500100	6215051
HONDA: (15 spline shaft) P60 / 75, 90 ('99+) / 100, 115 (not 115D), 130hp	507	11500700	6215057
MERCURY & MARINER: Note1: Use 801F kit on noisy lower units with stainless steel propellers. Note2: Props Not Available for '77 & Older models. (15 spline shaft) (2 & 4 stroke) 40 to 60 CT, Bigfoot, FourStroke / 70 ('87-'89) / 75, 80 ('78-'89), 90, 100, 115, 125, 140hp / 150 XR4/6 (thru 1993, includes equivalent Mariner Magnum I, II, III.) FourStroke™ & SeaPro™ 4cyl: 40 to 75hp / OptiMax: 75, 90, 115, 125hp	501	11500100	6215051
	801F	11800100	6215081
NISSAN & TOHATSU: (15 spline) 60C, 70C, 70('02-'09) / (not BFT): 90 to 140hp / 115 TLDI ('14+)	505	11500500	6215055
NISSAN & TOHATSU: (15 spline shaft) BFT ('14+): W60, 60, 75, 90hp	507	11500700	6215057
OMC: (13 spline shaft) Cobra 400: 2.3 to 3.0L ('78-'89) / Sea Drive: 1.6 to 1.8L	503	11500300	6215053
PARSUN: (15 spline shaft) T60, T75, T85, T90	500	11500000	5215050
SUZUKI: (13 spline shaft) DT 2 Stroke ('89+): 75 to 140hp / DF 4 Stroke ('98-'09): 60hp, 70hp	506	11500600	6215056
SUZUKI & JOHNSON: (Use 4 blade props only) 4 stroke: ('09+) 70A, 80A, 90A, 70, 80 / ('01+) 90, 100, 115 (Not 115A)	509	11500900	6215059
SUZUKI & JOHNSON: (Use 4 blade props only) DF 4 stroke: 50AV, 60AV, 115A, 140, 140A	501	11500100	6215051
YAMAHA: Note1: Use 800F kit on noisy lower units with stainless steel propellers. Note2: If prop strikes trim tab, replace with Yamaha part #6E5-45371-10. High Thrust: FT50, FT60 / 2 stroke: 60 to 100hp / 4 stroke: 70, 75 ('03-'16), 80, 90 ('03-'16), 100hp	500	11500000	6215050
	800F	11800000	6215080
YAMAHA: (15 spline shaft) Note1: Use 805F kit on noisy lower units with stainless steel propellers. Note2: If prop strikes trim tab, replace with Yamaha part #6E5-45371-10. 2 stroke: 115 to 130hp / 4 stroke: 75 ('17+), 90 ('17+), 115hp	505	11500500	6215055
	805F	11800500	6215085

HUSTLER® ALUMINUM PROPELLERS

NEW ENGINEERING CRANKS UP BOAT PERFORMANCE

Stainless Steel Performance at Aluminum s

New unique blade geometry and manufacturing processes results in the highest performance aluminum propellers on the block. Hustler propellers out performed most competitive stainless steel props in recent tests. Not only does top speed, handling and hole shot improve, but also mid-range performance, which will save you a ton in gas usage.

Squeeze Cast for Added Strength

Stainless steel performance is built into the Hustler Aluminum prop line. This is achieved through unique blade geometry and an exclusive Turning Point manufacturing process, Squeeze Casting. It generates the highest mechanical properties attainable in a cast aluminum prop resulting from a tighter grain structure. Stiffer blades means less flex and a faster prop. Competitors still use old Die-Cast processes that produce blades that flex, resulting in overall poor performance.



WANT A DIAMETER AND PITCH RECOMMENDATION?

TURNING POINT PROPELLERS
PROP WIZARD®
NEED A PROP? SEEK THE WIZARD

Quicky calculates the best props for a boat.
Visit http://tpprops.com/propwizard or Call 904-900-7739



Turning Point manufactures propellers to fit 6-300+hp Evinrude, Force, Honda, Johnson, Mariner, Mercruiser, Mercury, Nissan, OMC, Parsun, Suzuki, Tohatsu, Volvo Penta, and Yamaha Outboards and Sterndrives. Choose one of our Lifetime Warranty MasterGuard Installation Kits to fit your engine, then choose the propeller that matches your boating requirements. There are 3 & 4 blade, left & right rotation prop models with a variety of diameter & pitch options available for almost all boat types. Our Props Run Faster, Pull Harder, and Handle Better.

Left Rotation Right Rotation (standard)

HUSTLER® ALUMINUM PROPELLERS



ALUMINUM 3 BLADE

Model: LE1/LE2

Dia x Pitch	MFG. Part #	ORDER Part #
14 x 11	21431111	6215507
14 x 13	21431311	6215508
13.75 x 15	21431511	6215545
13.25 x 17	21431711	6215546
13.25 x 19	21431911	6215547
13.25 x 21	21432111	6215548
13.25 x 23	21432311	6215513

MACH3 EXPRESS® STAINLESS STEEL PROPELLERS



STAINLESS STEEL 3 BLADE

Model: EX1/EX2

Dia x Pitch	MFG. Part #	ORDER Part #
13.75 x 15	31431512	6215800
13.25 x 17	31431712	6215801
13.25 x 19	31431912	6215802
13.25 x 21	31432112	6215803

HUSTLER® ALUMINUM PROPELLERS



ALUMINUM 4 BLADE

Swept Cleaver Series

Model: LE1/LE2-4

Dia x Pitch	MFG. Part #	ORDER Part #
14 x 11	21431130	6215743
14 x 13	21431330	6215744
13.5 x 15	21431530	6215745
13.25 x 17	21431730	6215746
13 x 19	21431930	6215747
13 x 21	21432130	6215748

MACH4 EXPRESS® STAINLESS STEEL PROPELLERS



STAINLESS STEEL 4 BLADE

Swept Cleaver Series

Model: EX1/EX2-4

Dia x Pitch	MFG. Part #	ORDER Part #	
14 x 9	31430930	SPEC ORD	--
14 x 11	31431130	SPEC ORD	--
14 x 13	31431330	SPEC ORD	--
13.5 x 15	31431530	6215830	
13.5 x 15	31431540	SPEC ORD	--
13.25 x 17	31431740	SPEC ORD	--
13 x 19	31431930	6215832	
13 x 19	31431940	SPEC ORD	--
13 x 21	31432130	SPEC ORD	--
13 x 21	31432140	SPEC ORD	--
13 x 23	31432330	SPEC ORD	--
13 x 23	31432340	SPEC ORD	--

SHE'LL DO THINGS YOU NEVER THOUGHT POSSIBLE

Express® Mach3™: Looking for Top Speed? Get one, and hold on!
Express® Mach4™: Max Cornering? Like you're on rails! Hole Shot? Like a rocket!
Express® Mach3™ OS™: Big Blades for Big Horsepower. Get Peak Performance on Pontoon, Center Console, or Walleye Boats.



TURNING POINT® PROPELLERS

BETTER THAN THE OEM PROPELLER

*Note: To find the correct installation kit and propeller housing, locate the HP, gearcase size, and prop shaft spline count of your outboard or sterndrive.

90-300+hp

ENGINES WITH A
4.75"+ GEARCASES

MasterGuard Hub System

500 Series Installation Kits
Use on engines under 200hp with aluminum or stainless steel props or most engines 200hp and above with aluminum props only.

Super Duty MasterGuard Hub System

700 Series Installation Kits
For heavy duty extreme load applications
Use on engines 200hp and above with stainless steel props.

MasterTorq Sound Dampening Hub SDH

800 Series Installation Kits
For noisy lower units - quieter ride
Use on engines 40hp and above with stainless steel props.

MasterTorq Fat Shaft Hub FSH

621 Series Installation Kits
Engineered For Big Prop Shafts
Use on 1.25" Mercury Prop Shafts with stainless steel or aluminum props.

Installation Kits & Corresponding Prop Housings are Compatible with, and Upgrade Competitors' Hub & Prop Systems. Interchangeable with Mercury Flo-Torq II, Michigan Wheel XHS, Solas Rubex™ hub kit systems. NOTE: Not applicable with Turning Point's 10, 20 and 200 Hub Kit series.

*Note: Lifetime Warranty on 500 & 700 Series Hubs Apply To Non-Commercial Use Only, for terms & conditions visit: http://tpprops.com/warranty



AN INSTALLATION KIT IS REQUIRED — **FOR PROPS LISTED TO THE RIGHT**

MasterGuard Kits 500 and 700 ser. include a Lifetime Warranty

Engine Brand - Various Splined Prop Shafts	Kit	MFG. Part #	ORDER Part #
EVINRUDE & JOHNSON: (15 spline shaft) V4 with V6 large gearcase: 100hp commercial, 120hp ('85),130hp ('95-'96), 140hp ('85), Pleasure ('95+): 115hp, 130hp / H.O. (includes E-TEC H.O.): (25" shaft) 90, 115, 135, 150, 200, 225, 250hp E-TEC (includes pontoon series - NOT for E-TEC G2): 90hp (25" shaft), 115hp, 130hp ('09-'10), 135hp to 300hp / V6: 135hp to 250hp / V8: 250hp to 300hp	502	11500200	6215052
EVINRUDE E-TEC G2™: (15 spline shaft) **Note: Use 711 Super Duty Kit for 200+hp Engines w/ SS Props.** G2 Series Only: 140hp w/ large gearcase, 150 H.O. to 300hp	511	11501100	6215061
	711	11700110	6215079
HONDA: (15 spline shaft) **Note: Use 708 Super Duty Kit for 200+hp Engines w/ SS Props.** BF115D ('11+), BF135 ('04+), BF150 ('04+), BF200 ('02+), BF225 ('02+), BF250 ('12+)	508	11500800	6215058
	708	11700800	6215078
JOHNSON: (use Express Mach3 OS series props only) 4 stroke: 200- 225hp	707	11700700	6215077
MERCURY & MARINER: (15 spline shaft) **Note: See Installation Kit Application Guide for best kit selection.** ProXS 115CT / FourStroke™ & SeaPro™: 90CT, 115CT, 150hp, 200 to 300 V6: 135 to 300hp / Verado 135 to 300hp(not HD) / OptiMax: 150, 200, 250hp	501	11500100	6215051
	701	11701100	6215071
	801F	11800100	6215081
MERCURY: (19 spline shaft) **Designed for HD (Heavey Duty) 1.25" prop shaft - HD 5.25-5.44" gearcases:** Pro XS 175-250hp w/ Torque Master gearcase, Verado 300-400hp, Sport Master, Torque Master I & II (Torque Master Gearcases to fit 200XS, 225X, 2.5 EFI, 225 Pro X, 250XS, 300X), Fleet Master	621	11602100	6215062
MERCRUISER: (15 spline shaft) Alpha One and Bravo One ('83+) **Note: Use 701 Super Duty Kit for 200+hp Bravo One Drives w/ SS Props. For all other applications use 501 kit w/ stainless steel or aluminum props. Note: If propeller strikes trim tab, replace with Mercury part #822777A1**	501	11500100	6215051
	701	11700100	6215071
MERCRUISER: (19 spline shaft) **Designed for HD (Heavey Duty) 1.25" prop shaft - HD 5.25-5.44" gearcases:** Bravo One XR/XZ, Sport Master, shorty Sport Master Bravo One XR	621	11602100	6215062
OMC: (15 spline shaft) **Note: SX drives, see Volvo Penta SX listing below.** Cobra 800: 3.0 to 7.5L / King Cobra: 454, 502, 7.4-8.2L ('90+) / Sea Drive: 2.0 to 4.0L	502	11500200	6215052
SUZUKI: (15 spline shaft) **Note: Use 707 Super Duty Kit for 200+hp Engines w/ SS Props.** DT 2 stroke: 150hp to 225hp	507	11500700	6215057
	707	11700700	6215077
SUZUKI: (15 spline shaft) **Note: Use 707 Super Duty Kit for 200+hp Engines w/ SS Props. (use Express Mach3 OS series props only)** DF 4 stroke: 150 to 300hp	507	11500700	6215057
	707	11700700	6215077
TOHATSU: (15 spline shaft) **Note: Use 708 Super Duty Kit for 200+hp Engines w/ SS Props.** BFT115, BFT150, BFT200, BFT225, BFT250	508	11500800	6215058
	708	11700800	6215078
VOLVO PENTA SX & OMC SX COBRA: (19 spline) ('94+): 3.0 to 8.2L. Not for Volvo DuoProp or Aquamatic drives.	504	11500400	6215054
VOLVO PENTA AQ: (17 spline) **(4 blade props only)** 200,250,270,280,290	510	11501000	6215060
YAMAHA: (15 spline shaft) **Note: See Installation Kit Application Guide for kit selection. Note: Use 805FT Kit with Express Mach3 OS Propellers Housings Note: If Express Mach3 OS Prop strikes trim tab, replace with TP part #41505060.** 2 & 4 stroke: 150 to 250hp / F300 (V6 only '09+) / Sterndrives 3.0 to 7.4L	505	11500500	6215055
	705	11700500	6215075
	805F	11800500	6215085
	805FT	11800510	6215086
YAMAHA: (use Express Mach3 OS series props only) F350	715	11701500	6215072



INSTALLATION KIT APPLICATION GUIDE	Kit Series	Prop Shaft	Engine Brands	200-300+hp 4.75"+ GC SS Props	90CT-175hp 4.75" GC SS Props	90CT-300+hp 4.75" GC AL Props	Warranty
MasterGuard (for typical use applications)	500	1.00"	various		✔	✔	Lifetime
MasterGuard Super Duty (for heavy duty extreme load applications)	700	1.00"	various	✔			Lifetime
MasterTorq Sound Dampening Hub (for noisy lower units - quieter ride)	800	1.00"	Yamaha & Mercury	✔	✔		1 year
MasterTorq Fat Shaft Hub (for Mercury engines with big prop shafts)	621	1.25"	Mercury	✔	✔	✔	1 year

PE 902-566-1220 ● NS 902-928-1900

WANT A DIAMETER AND PITCH RECOMMENDATION?

TURNING POINT PROPELLERS PROP WIZARD® NEED A PROP? SEEK THE WIZARD

Quicky calculates the best props for a boat.
Visit http://tpprops.com/propwizard or Call 904-900-7739



Turning Point manufactures propellers to fit 6-300+hp Evinrude, Force, Honda, Johnson, Mariner, Mercruiser, Mercury, Nissan, OMC, Parsun, Suzuki, Tohatsu, Volvo Penta, and Yamaha Outboards and Sterndrives. Choose one of our Lifetime Warranty MasterGuard Installation Kits to fit your engine, then choose the propeller that matches your boating requirements. There are 3 & 4 blade, left & right rotation prop models with a variety of diameter & pitch options available for almost all boat types. Our Props Run Faster, Pull Harder, and Handle Better.

Left Rotation Right Rotation (standard)

HUSTLER® ALUMINUM PROPELLERS



ALUMINUM 3 BLADE
Model: LE

Dia x Pitch	MFG. Part #	ORDER Part #
15.25 x 15	21501511	6215550
14.25 x 17	21501711	6215551
14.25 x 19	21501911	6215552
14.25 x 21	21502111	6215553
14.25 x 23	21502311	6215554

HUSTLER® ALUMINUM PROPELLERS



ALUMINUM 4 BLADE
Dual Geometry Series
Model: LE-4

Dia x Pitch	MFG. Part #	ORDER Part #
15 x 15	21501530	6215650
15 x 15	21501540	6215649
14.5 x 17	21501730	6215651
14.5 x 17	21501740	6215655
14 x 19	21501930	6215652
14 x 19	21501940	6215657
14 x 21	21502131	6215653
14 x 21	21502141	6215658

SpeedZone® MAX3 STAINLESS STEEL PROPELLERS



Scan for recommended Hub Kit Info

STAINLESS STEEL 3 BLADE
Bass Boat Series
Series: SZM3

Dia x Pitch	MFG. Part #	ORDER Part #
NEW 14.8 x 23	31542310	SPEC ORD
NEW 14.8 x 24	31542410	SPEC ORD
NEW 14.8 x 25	31542510	SPEC ORD

MACH3 EXPRESS® STAINLESS STEEL PROPELLERS



STAINLESS STEEL 3 BLADE
Model: EX

Dia x Pitch	MFG. Part #	ORDER Part #	
14.5 x 15	31501512	6215810	
14.5 x 15	31501522	SPEC ORD	--
14.25 x 17	31501712	6215811	
14.25 x 17	31501722	6215816	
14.25 x 19	31501912	6215812	
14.25 x 19	31501922	6215817	
14.25 x 21	31502112	6215813	
14.25 x 21	31502122	6215818	
14.25 x 23	31502311	6215454	
14.25 x 23	31502321	6215814	

MACH4 EXPRESS® STAINLESS STEEL PROPELLERS



STAINLESS STEEL 4 BLADE
Dual Geometry Series
Model: EX-4

Dia x Pitch	MFG. Part #	ORDER Part #
15.3 x 13	31501330	6215838
15.3 x 13	31501340	6215839
15 x 15	31501532	6215840
15 x 15	31501542	6215845
14.5 x 17	31501731	6215841
14.5 x 17	31501741	6215846
14 x 19	31501931	6215842
14 x 19	31501941	6215847
14 x 21	31502131	6215843
14 x 21	31502141	6215848
14 x 23	31502331	6215844
14 x 23	31502341	6215849

MACH3 EXPRESS® OS STAINLESS STEEL PROPELLERS



STAINLESS STEEL 3 BLADE
Large Diameter OS Series
Model: OS

Dia x Pitch	MFG. Part #	ORDER Part #		Dia x Pitch	MFG. Part #	ORDER Part #
15.6 x 11	31511110	SPEC ORD	--	15.6 x 21	31512110	6215854
15.6 x 11	31511120	SPEC ORD	--	15.6 x 21	31512120	6215855
15.6 x 13	31511310	SPEC ORD	--	15.6 x 23	31512310	6215856
15.6 x 13	31511320	SPEC ORD	--	15.6 x 23	31512320	6215857
15.6 x 15	31511510	SPEC ORD	--	15.6 x 25	31512510	6215858
15.6 x 15	31511520	SPEC ORD	--	15.6 x 25	31512520	6215859
15.6 x 17	31511710	6215850		15.6 x 27	31512710	6215860
15.6 x 17	31511720	6215851		15.6 x 27	31512720	6215861
15.6 x 19	31511910	6215852				
15.6 x 19	31511920	6215853				


DON'T LET CORROSION
EAT INTO YOUR
INVESTMENT
Scan this QR
Code to view
our Website &
Catalogue
DEMAND
reliance
MDL
METAL DISTRIBUTORS LIMITED
MIL SPEC ANODES

HULL ANODES– ZINC



- 9-3/4" x 4-1/2" zinc hull anode with bronze mounting plate; plate includes through hull stud for easy grounding connection

PART NO.	DESCRIPTION
9941-681	Complete unit, 6 lbs.
9941-682	Replacement anode, 3 lbs.

HULL ANODES

- 12" x 3" x 1/4" brick



PART NO.	DESCRIPTION
9941-684	Zinc with steel tabs – 10-1/2 lbs.
9941-683	Zinc with aluminum tabs – 10-1/2 lbs.
9941-688	Aluminum with steel tabs – 5-1/4 lbs.
9941-708	Alum. w/ alum. tabs – 5-1/4 lbs.

LARGE HULL ANODES

- 14" x 6-1/2" x 1-1/2" turtle



PART NO.	DESCRIPTION
9941-686	Zinc w/ steel tabs.
9941-689	Aluminum w/ steel tabs

TEARDROP HULL ANODES



PART NO.	DESCRIPTION
9941-685	8" x 3" x 1-1/2", Zinc
9941-687	Aluminum w/ steel tabs
9941-709	9" x 3" x 1-3/8", Aluminum

TEARDROP RUDDER/HULL ANODES – ZINC



PART NO.	DESCRIPTION
9941-679	1-3/4" x 3-1/2"
9941-680	2" x 5-1/4"
9941-628	3-1/4" x 6"

BAYLINER ANODE



- 1/2" wide slots fits studs up to 7" horizontal center-to-center, and up to 3 3/4" vertical center-to center
- Three-slot hull zinc anode with a steel core
- Inserts are steel cast into the zinc

PART NO.	DESCRIPTION
9941-620	12" x 6" x 1/2"

SEA RAY ANODE



- 1/2" hole, 5" center-to-center
- 7.5 lbs
- Used on Sea Ray, Silverton, Tiara, Blackfin, Carver, Formula and other fine yachts

PART NO.	DESCRIPTION
9941-619	8-1/2" x 4-1/4" x 1"

DIVERS DREAM HULL ANODE - ZINC



PART NO.	DESCRIPTION
9940-160	7.5 lbs.,12" x 6" x 1/2"
9940-162	12 lbs.,12" x 6" x 3/4"

DIVERS DREAM HULL ANODE - ZINC



- 6" x 6" x 1/2"

PART NO.	DESCRIPTION
9940-161	4.7 lbs.

ROUND RUDDER ANODES – ZINC



PART NO.	DESCRIPTION
9941-637	1-7/8" diameter
9940-071	2-13/16" diameter
9940-072	3-3/4" diameter
9940-073	5" diameter
9940-070	6-1/2" diameter

BENNETT TRIM TAB ANODE KIT

- 1 1/2" center-to-center holes
- Kit includes: two (2) anodes and four (4) stainless steel mounting screws



PART NO.	DESCRIPTION
9941-621	3-3/4" x 1 1/8" W x 1/2"

YANMAR SAILDRIVE ANODES

- Fits SD20, SD25, SD30, SD31, SD40, SD50 and SD60
- Mounting screws included



PART NO.	DESCRIPTION
9941-622	Solid Ring
9941-623	Split ring

DONUT SHAFT ANODES – ZINC



PART NO.	MFG#	SHAFT
9941-639	C-1	3/4"
9941-641	C-2	7/8"
9941-643	C-3	1
9941-645	C-4	1-1/8"
9941-655	C-5	1-1/4"
9941-656	C-7	1-1/2"
9941-657	C-8	1-3/4"
9941-658	C-9	2"
9941-659	C-9A	2-1/4"
9941-660	C-12	2-1/2"
9941-661	C-12A	2-3/4"
9941-662	C-13	3"
9972-202	C-13A	3-1/4"
9941-663	C-14	3-1/2"
9941-664	C-15	4"
9941-629	C-18	4-1/2"
9941-630	C-19	5"
9941-631	C-25MM	25mm
9941-632	C-30MM	30mm
9941-633	C-35MM	35mm
9941-636	C-50MM	50mm

SHAFT COLLAR ANODES – ZINC



PART NO.	MFG#	SHAFT
9941-666	X-1	3/4"
9941-668	X-2	7/8"
9941-669	X-3	1"
9941-670	X-4	1-1/8"
9941-671	X-5H	1-1/4"
9941-667	X-6	1-3/8"
9941-672	X-7	1-1/2"
9941-673	X-8	1-3/4"
9941-674	X-9	2"
9941-693	X-11	2-1/2"
9941-694	X-13	3"
9941-676	X-25MM	25mm
9941-677	X-30MM	30mm
9941-678	X-35MM	35mm
9941-692	X-50MM	50mm

COMBINEDPROPELLERNUTS AND ANODES

- Protect propeller, shaft and nut if you do not have room for a shaft anode



Buy the complete unit then replace only the anode caps as required.

Shaft in.	Thread in.	Complete Unit Item No.	Replacement Bolt Item No.	Replacement Anode Item No.
1-1/2	1-1/8 NC7	9941-695	9983-692	9941-705
1-3/4	1-1/4 NC7	9941-696	9983-696	9941-706
2	1-1/2 NC6	9941-697	9983-696	9941-707

BENETEAU DONUT SHAFT ANODES



PART NO.	MFG#	DESCRIPTION
9990-446	38257	22 mm
9990-447	MD-BLC EURO-25MM	25 mm
9990-448	MD-BLC EURO-30MM	30 mm

BENETEAU PROP NUT ANODES



PART NO.	MFG#	DESCRIPTION
9941-701	BEN22/25MM (225)	22/25 mm
9941-702	BEN30MM (230)	30 mm
9941-703	BEN35MM (235)	35 mm

J PROP ANODES



PART NO.	MFG#	DESCRIPTION
9992-941	ANODE A/B	63/83 mm Hub
9992-942	ANODE C	93 mm Hub

MAX PROP ANODES



PART NO.	MFG#	DESCRIPTION
9941-698	MAX PROP 63MM	63 mm Hub, fits 2001 and older
9941-699	MAX PROP 70MM	70 mm Hub
9941-700	MAX PROP 83MM	83 mm Hub

FLEXOFOLD ANODE

- Fits standard 3-blade Flexofold propellers from 15" through 24"
- Also fits new (2016) 2-blade propellers



PART NO.	MFG#	DESCRIPTION
9941-627	MD-FX(112)	Base Diameter: 2-5/8"

I/O AND O/B ANODES FOR MERCURY & MERCRUISER



PART NO.	MFG#	DESCRIPTION
9940-074	55989	1-1/8" x 13/16" x 7/16" NPT threaded core
9940-075	31640	Small tab
9940-076	34127	Large tab

SIDE POWER ANODES

- Mounting screw included



- Fits models SP55 SP75, SP95, SE60, SE80, SE100, SX80, SX100, SR80, SR100, SH100

PART NO.	MFG#	DESCRIPTION
9941-624	SM 71190 W/HARDWARE	1-3/4" diameter

- Fits models SP55 SP75, SP95, SE60, SE80, SE100, SX80, SX100, SR80, SR100, SH100

PART NO.	MFG#	DESCRIPTION
9941-625	SM 31180 W/HARDWARE	15/16" diameter

- Fits models SP125, SP155, SP240, SP285, SE120, SE130, SE150, SE170, SE210, SE240, SE285, SH160, SH2140, SH300

PART NO.	MFG#	DESCRIPTION
9941-626	SM 201180 W/HARDWARE	1-7/8" diameter

ENGINE ANODES



PART NO.	MODEL	A in.	B in.	C UNC.
9941-648	E-2A	1	5/8	7/16
9941-652	E-0Z	1 3/4	3/8	5/16
9941-647	E-1H	2	3/8	3/8
9941-638	E-00	2	1/4	1/4
9941-646	E-1	2	1/2	3/8
9941-649	E-2	2	5/8	7/16
9941-642	E-3	2	3/4	1/2
9941-640	E-2B	3	5/8	7-16
9941-644	E-5	3 5/8	3/4	1/2

ENGINE ANODES BRASS PLUGS



PART NO.	MFG#	MNPT	UNC
9941-665	MDE-00 BP	1/8	1/4
9941-653	MDE-0 BP	1/4	5/16
9941-650	MDE-1 BP	3/8	3/8
9941-651	MDE-2 BP	1/2	7/16
9941-654	MDE-3/4/5 BP	3/4	1/2

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

QUICK THRUSTER ANODES

- Complete with mounting screws



PART NO.	MFG#	DESCRIPTION
9941-610	FVSGANBTQ110A00	110-125, each
9941-611	FVSGANBTQ14AA00	140, each
9941-612	FVSGANBTQ18AA00	185, pair
9941-613	FVSGANBTQ25AA00	250, pair
9941-614	FVSGANBTQ30AA00	300, pair

THRUSTER ANODES – ZINC



PART NO.	MFG#	DESCRIPTION
9991-263	SET0148	For BOW25
9991-264	SET0149	For BOW35/55
9991-265	SET0150	For BOW75/80/95
9991-266	SET0151	For BOW125/160
9991-267	SET0152	For BOW220
9991-268	SET0153	For all stern thrusters and BOW23A/50

ANODE

- Replaces Volvo 823661
- 1" Dia. X 1 3/4"L



PART NO.	MFG#	DESCRIPTION
9940-096	823661	3/8" UNC

ANODE

- Replaces Volvo 838929
- 11/16" Dia. X 1 3/4"L



PART NO.	MFG#	DESCRIPTION
9940-097	838929	7/16" UNC

ANODE



- Fits Yanmar: 2GM(D), 3GM(D), 2GM20, 3GM30, 3HM, 3HM35, 2QM15, 2QM20, 3QM30, YSB8, YSB12, YSM8, YSM12 Replaces Yanmar 272100-200300

PART NO.	MFG#	DESCRIPTION
9940-098	C272100-200300	20mm Dia. X 20mm L

INBOARD ANODES

The listed Reliance anodes are direct replacement components for major inboard and outboard manufacturers and meet or exceed the specifications of anodes on original equipment.

MERCRUISER

STERN DRIVE ANODES - ZINC

PART NO.	MFG#		DESCRIPTION
9940-117	34762		A
9940-118	43994		B
9940-119	821630		C
9940-120	821629		D
9940-074	55989		E
9940-121	806105		F
9940-122	865182		G
9940-123	76214-4	(Not Threaded)	H
9940-112	76214-5	(Threaded)	H
9940-075	31640		I
9940-113	46399		J
9940-076	34127		K
9940-114	806189		L
9940-115	806190		L
9940-116	806188		M



ENGINE ANODE KITS – ALUMINUM

PART NO.	MFG#	DESCRIPTION
9941-760	ALPHA 1 KIT	Mercury, Alpha 1,Includes: I, B, E
9941-761	ALPHA 1/GEN 11 KIT	Mercury, Alpha 1, Gen II, Includes: H, B, D, L, F
9941-762	BRAVO 1 KIT	Mercury, Bravo 1,Includes: H, C, L, M
9941-763	BRAVO 2-3 KIT	Mercury, Bravo 2-3, Includes: H, C, L
9941-764	BRAVO 3 (2004+) KIT	Mercury, Bravo 3 (2004+),Includes: H, H, C, L, G

VOLVO

STERN DRIVE ANODES - ZINC

PART NO.	MFG#	DESCRIPTION
9940-126	3854130	A
9940-127	3855411	B
9940-128	832598	C
9940-145	872139	D
9940-129	852835	E
9940-125	V-17	F
9940-146	V-16	G
9940-147	851983	H
9940-148	V-15	I
9940-149	875821	J
9940-150	V-18	K
9940-124	872793	L



ENGINE ANODE KITS – ALUMINUM

PART NO.	MFG#	DESCRIPTION
9941-765	VOLVO PENTA SX KIT	Volvo, Penta SX,Includes: B, A
9941-766	VOLVO PENTA 280	Volvo, Penta 280, Includes: K, C
9941-767	VOLVO PENTA DUO 280 PROP KIT	Volvo, Penta 280 Duo, Includes: J, C
9941-768	VOLVO PENTA 290	Volvo, Penta 290, Includes: D, E

PE 902-566-1220 NS 902-928-1900

OUTBOARD ANODES

The listed Reliance anodes are direct replacement components for major I/O and outboard manufacturers and meet or exceed the specifications of anodes on original equipment.



YAMAHA OUTBOARD ANODES - ZINC

PART NO.	MFG#
9940-100	61A-45371-00
9940-101	61N-45251-01
9940-102	664-45371-01
9940-103	688-45251-01
9940-104	688-45371-02
9940-105	6E0-45251-11
9940-106	6E5-45251-00
9940-107	6E5-45371-01
9940-108	6G5-45251-01
9940-109	6H1-45251-02
9940-110	6J9-45371-00
9940-111	6K1-45371-00



MERCURY OUTBOARD ANODES - ZINC

PART NO.		MFG#
9940-151		826134
9940-152		822157-C2
9940-075		31640
9940-153	(Threaded)	76214
9940-154		98432-5
9940-155		89949
9940-156		818298
9940-157		43396



For the most up to date pricing, please visit maritimemarinesupply.ca/price

HOW DOES MARTYR PROTECT?

The metal used in a sacrificial anode is critical, If the anode fails to give itself completely to absorbing the corrosive activity, it cannot protect the parts of your boat that you want it to. The two most important things that allow an anode to give full protection are proper installation and an active alloy that is free of impurities.

WHY USE "MARTYR" ANODE PROTECTION?

Martyr anodes are made from an "activated alloy"; an alloy in which catalysts have been added to the high purity zinc to ensure that the anode gives 100% of itself in the purpose of protecting your boat from corrosive action.

NEW

MERCURY VERADO MMP ANODE KIT



Complete aluminum anode kit Verado MMP

.**Kit Includes:**

- CM826134 x 2
- CM762145 x 1
- CM892227 x 2
- CM8M0012083 x 1
- CM8M0001734 x 1
- Mounting Hardware Kit

PART NO.	MFG#	DESCRIPTION
744102	CM8M0116590KITA	Anode Kit Verado MMP

BRAVO I ALUMINUM ANODE KIT



Complete aluminum anode kit 1988 - Present for salt & brackish Water. Highly Active Aluminum Anodes. Alloyed to US-Mil-A-24779 (SH).**Kit Includes:**

- CM821630C2A Anode Plate
- CM806188A Bearing Carrier Anode
- CM806190A Trim Cylinder Anode (x2)
- CM762145A Trim Tab Anode
- Mounting Hardware Kit

PART NO.	MFG#	DESCRIPTION
744001	CMBRAVO1KITA	Anode Kit Merc Bravo I

BRAVO II & III ANODE KITS

Complete anode kits 1989 - Present (Bravo II), 1989 - 2003 (Bravo III), Aluminum for Salt & Brackish waters, Magnesium for Fresh waters only. Aluminum anodes are alloyed to US-Mil-A-24779(SH) and Magnesium anodes are alloyed to meet or exceed US-Mil-AZ91D





Kit Includes:

- CM821630C2 Cavitation Plate
- CM806190 Trim Cylinder Anode (x2)
- CM762145\A Trim Tab Anode
- Mounting Hardware Kit

Mg fresh NEW MAGNESIUM

PART NO.	MFG#	DESCRIPTION
744002	CMBRAVO23KITA	Aluminum Anode Kit Merc Bravo II & III
748001	CMBRAVO23KITM	Magnesium Anode Kit Merc Bravo II & III

BRAVO III 2004 - ANODE KITS

Complete anode kits 2004 - present Aluminum for Salt & Brackish waters, Magnesium for Fresh waters only. Aluminum anodes are alloyed to US-Mil-A-24779(SH) and Magnesium anodes are alloyed to meet or exceed US-Mil-AZ91D

*** Fastening hardware & instructions included**





Kit includes:

- CM726144 Trim tab flat
- CM726145 Trim tab flat
- CM865182 Prop anode
- CM821630C2 Transom bar
- CM806190 Trim cylinder (x2)

Mg fresh NEW MAGNESIUM

PART NO.	MFG#	DESCRIPTION
744003	CMBRAVO3KITA	Aluminum Anode Kit Merc. Bravo III
748002	CMBRAVO3KITM	Magnesium Anode Kit Merc. Bravo III

ALPHA I GEN I ALUMINUM ANODE KIT



Complete aluminum anode kit 1983 - 1990 for salt & brackish water. Highly active aluminum anodes alloyed to US Mil-A 24779(SH).

Kit Includes:

- CM31640A Trim Tab Anode
- CM55989A Nut Anode (x2)
- CM821631A Gimbal Housing Anode.

PART NO.	MFG#	DESCRIPTION
744006	CMALPHAGEN1KITA	Anode Kit Merc Alpha I Gen I

ALPHA I GEN II ANODE KITS

Complete anode kits 1991 - Present, Aluminum for Salt & Brackish waters, Magnesium for Fresh waters only. Aluminum anodes are alloyed to US-Mil-A-24779(SH) and Magnesium anodes are alloyed to meet or exceed US-Mil-AZ91D.

*** Fastening hardware & instructions included**





Kit Includes:

- CM821629C Anode Plate
- CM806105 Bearing Carrier Anode
- CM806189 Trim Cylinder Anode (x2)
- CM762145 Trim Tab Anode
- CM821631 Gimbal Housing Anode

Mg fresh NEW MAGNESIUM

PART NO.	MFG#	DESCRIPTION
744000	CMALPHAKITA	Aluminum Anode Kit Merc Alpha I Gen II
748000	CMALPHAKITM	Magnesium Anode Kit Merc Alpha I Gen II

VERADO 4/OPTIMAX ANODE KITS

Martyr

Complete anode kits for a Mercury Verado 4/Optimax, present Aluminum for Salt & Brackish waters, Magnesium for Fresh waters only. Aluminum anodes are alloyed to US-Mil-A-24779(SH) and Magnesium anodes are alloyed to meet or exceed US-Mil-AZ91D.* **Fastening hardware & instructions included**





Kit includes:

- CM818298 Transom bar
- CM826134 Wedge anode (x2)
- CM76145 Trim tab flat

Mg fresh NEW MAGNESIUM

PART NO.	MFG#	DESCRIPTION
744004	CMVERADO4KITA	Aluminum Anode Kit Verado 4/Optimax
748003	CMVERADO4KITM	Magnesium Anode Kit Verado 4/Optimax

MERCURY VERADO 6 ANODE KITS

Martyr

Complete anode kits for Mercury, Verado 6, present Aluminum for Salt & Brackish waters, Magnesium for Fresh waters only. Aluminum anodes are alloyed to US-Mil-A-24779(SH) and Magnesium anodes are alloyed to meet or exceed US-Mil-AZ91D.





Kit includes:

- CM880653 Manifold
- CM892227 Trim cylinder (x4)
- CM826134 Wedge anode (x2)
- CM762145 Trim tab flat

Mg fresh NEW MAGNESIUM

PART NO.	MFG#	DESCRIPTION
744005	CMVERADO6KITA	Aluminum Anode Kit Verado 6
748004	CMVERADO6KITM	Magnesium Anode Kit Verado 6

VOLVO SX ANODE KITS

Martyr

Complete anode kits for a Volvo Penta SX, present Aluminum for Salt & Brackish waters, Magnesium for Fresh waters only. Aluminum anodes are alloyed to US-Mil-A-24779(SH) & Magnesium anodes are alloyed to meet or exceed US-Mil-AZ91D.





Kit includes:

- CM3854130 Gimbal plate anode
- CM3855441 Transom plate anode

*** Hardware & instructions provided.**

Mg fresh NEW MAGNESIUM

PART NO.	MFG#	DESCRIPTION
744015	CMSXKITA	Aluminum Anode Kit, Volvo SX
748005	CMSXKITM	Magnesium Anode Kit, Volvo SX

VOLVO SX-A/DPS ALUMINUM ANODE KIT

Martyr



Complete aluminum anode kit Volvo SX-A/DPS Engine. For Salt & Brackish Water. Highly active aluminum anodes. Alloyed to US Mil-A 24779(SH)

Kit Includes:

- CM3841427 Transom Shield Anode
- CM3883728 Outdrive Anode

PART NO.	MFG#	DESCRIPTION
744021	CMBRAVO3KITA	Volvo SX-A/DPS Anode Kit

VOLVO PENTA 280 ALUMINUM ANODE KIT

Martyr



Complete aluminum anode kit for a Volvo 280, for salt & brackish water. Highly active aluminum anodes to US-Mil-A-24779(SH).

Kit includes:

- CMV18A Carrier anode
- CM832598A Anode bar

*** Hardware & installation instructions provided.**

PART NO.	MFG#	DESCRIPTION
744016	CM280KITA	Anode Kit Volvo 280

VOLVO PENTA 280 DUAL PROP ALUMINUM ANODE KIT

Martyr



Complete aluminum anode kit for a Volvo 280 Dual Prop, for salt & brackish water. Highly active aluminum anodes to US-Mil-A-24779(SH)

Kit includes:

- CM875821A Carrier anode
- CM832598A Anode bar

*** Hardware & instructions provided.**

PART NO.	MFG#	DESCRIPTION
744017	CM280DPKITA	Anode Kit Volvo 280 Dual Prop

For the most up to date pricing, please visit maritimemarinesupply.ca/price

VOLVO PENTA 290 ALUMINUM ANODE KIT



Complete aluminum anode kit for a Volvo Penta 290, for salt & brackish water. Highly active aluminum anodes- Alloyed to US-Mil-A-24779(SH).

Kit includes:
- CMV18A Carrier anode
- CM852835A Anode bar

*** Hardware & instructions provided.**

PART NO.	MFG#	DESCRIPTION
744018	CM290KITA	Anode Kit Volvo 290

VOLVO PENTA 290 DUAL PROP ANODE KIT



Complete aluminum anode kit for a Volvo Penta 290 dual prop, for salt & brackish water. Highly active aluminum anodes- Alloyed to US-Mil-A-24779(SH).

Kit includes:
- CM875821A Carrier anode
- CM852835A Anode bar

*** Hardware & Instructions provided.**

PART NO.	MFG#	DESCRIPTION
744019	CM290DPKITA	Anode Kit, Volvo 290 Dual Prop

VOLVO DPH ALUMINUM ANODE KIT



Complete aluminum anode kit Volvo DPH Engine. For salt & brackish water. Highly active aluminum anodes alloyed to US Mil-A 24779(SH)

Kit Includes:
- CM3588745 Transom Shield Anode
- CM3863206 Outdrive Anode

PART NO.	MFG#	DESCRIPTION
744020	CMDPHKITA	Volvo DPH Anode Kit

VOLVO FOLDING PROP 3-BLADE ANODE KIT



Aluminum anode Volvo 3-Blade prop

Engines: D2-55A, B, C, D, E, and F. For salt & brackish water. Highly active aluminum anodes alloyed to US Mil-A 24779(SH).

Kit Includes:
- CM3858286 (3pcs)

PART NO.	MFG#	DESCRIPTION
744022	CM3858399KITA	Volvo 3-Blade Prop Anode

YAMAHA ANODE KITS 200-300HP (HIGH PERFORMANCE)

Complete anode kits 200-300HP Yamaha Outboard (High Performance). present Aluminum for Salt & Brackish waters, Magnesium for Fresh waters only. Aluminum anodes are alloyed to US-Mil-A-24779(SH) and Magnesium anodes are alloyed to meet or exceed US-Mil-AZ91D.





Kit Includes:
- CM6G54525101 Anode Handle Bar
- CM69L4537100 Trim Tab Anode

PART NO.	MFG#	DESCRIPTION
744033	CMYHP200300KITA	Aluminum Yamaha Anode Kit 200-300HP
748008	CMYHP200300KITM	Magnesium Yamaha Anode Kit 200-300HP

YAMAHA ANODE KIT 150-200HP (COUNTER ROTATION)



Complete aluminum anode kit 150-200HP Yamaha Outboard (Counter Rotation). For salt & brackish water. Highly active aluminum anodes alloyed to US-Mil-A 24779(SH).

Kit Includes:
- CM6G54525101 Anode Handle Bar
- CM6K14537102 Trim Tab Anode

PART NO.	MFG#	DESCRIPTION
744032	CMY150CRKITA	Yamaha Anode Kit 150-200HP (C/R)

YAMAHA ANODE KITS 150-200HP

Complete anode kits 150-200HP Yamaha Outboard. present Aluminum for Salt & Brackish waters, Magnesium for Fresh waters only. Aluminum anodes are alloyed to US-Mil-A-24779(SH) and Magnesium anodes are alloyed to meet or exceed US-Mil-AZ91D.





Kit Includes:
- CM6G54525101 Anode Handle Bar
- CM6J94537101 Trim Tab Anode.

PART NO.	MFG#	DESCRIPTION
744030	CMY150KITA	Aluminum Yam Anode Kit 150-200HP
748006	CMY150KITM	Magnesium Yam Anode Kit 150-200HP

YAMAHA ANODE KITS 200-250HP

Complete anode kits 200-250HP Yamaha Outboard. present Aluminum for Salt & Brackish waters, Magnesium for Fresh waters only. Aluminum anodes are alloyed to US-Mil-A-24779(SH) and Magnesium anodes are alloyed to meet or exceed US-Mil-AZ91D





Kit Includes:

- CM6G54525101 Anode Handle Bar
- CM61A4537100 Trim Tab Anode.

Mg fresh NEW MAGNESIUM

PART NO.	MFG#	DESCRIPTION
744031	CMY200250KITA	Aluminum Yamaha Anode Kit 200-250HP
748007	CMY200250KITM	Magnesium Yamaha Anode Kit 200-250HP

YAMAHA 40-60 ALUMINUM ANODE KIT



Complete aluminum anode kit for Salt & Brackish water. Highly active aluminum anodes. Alloyed to US-Mil-A-24779(SH). **For Yamaha:** 40 & 60 HP

Includes:

- 3 x CM6E04525111
- 1 x CM67C4525100
- 1 x CM67C4537100
-

*** Fastening hardware & instructions provided.**

PART NO.	MFG#	DESCRIPTION
744028	CMY4060KITA	Anode Kit Yamaha

OMC STRINGER ALUMINUM ANODE KIT



Complete aluminum anode kit for Salt & Brackish water. Highly active aluminum anodes. Alloyed to US-Mil-A-24779(SH). **For BRP OMC:** Stringer

Includes:

- 1 x CM983494
- 1 x CM393023
- 1 x CM431708
-

*** Fastening hardware & instructions provided.**

PART NO.	MFG#	DESCRIPTION
744011	CMSTRGERKITA	Anode Kit OMC Stringer

OMC COBRA ALUMINUM ANODE KIT



Complete aluminum anode kit for Salt & Brackish water. Highly active aluminum anodes. Alloyed to US-Mil-A-24779(SH). **For BRP OMC:** Cobra

Includes:

- 1 x CM984513
- 1 x CM393023
- 1 x CM431708

*** Fastening hardware & instructions provided.**

PART NO.	MFG#	DESCRIPTION
744012	CMCOBRAKITA	Anode Kit OMC Cobra

BRP OMC 50-75HP ALUMINUM ANODE KIT



Complete aluminum anode kit for Salt & Brackish water. Highly active aluminum anodes. Alloyed to US-Mil-A-24779(SH). **For BRP OMC:** 50 & 75 HP

Includes:

- 1 x CM393023
- 1 x CM392462
-

*** Fastening hardware & instructions provided.**

PART NO.	MFG#	DESCRIPTION
744013	CMOMC5075KITA	Anode Kit BRP OMC

BRP OMC V4-V6 ALUMINUM ANODE KIT



Complete aluminum anode kit for Salt & Brackish water. Highly active aluminum anodes. Alloyed to US-Mil-A-24779(SH). **For BRP OMC:** V4 & V6

Includes:

- 1 x CM393023
- 1 x CM392123
-

*** Fastening hardware & instructions provided.**

PART NO.	MFG#	DESCRIPTION
744014	CMOMCV4V6KITA	Anode Kit BRP OMC

EVINRUDE E-TEC G2 ALUMINUM ANODE KIT



Complete aluminum anode kit for Salt & Brackish water. Highly active aluminum anodes. Alloyed to US-Mil-A-24779(SH). **For Evinrude:** BRP ETEC G2

Includes:
- 1 X CM5007089
- 1 X CM355964
- 1 X CM357507
- 1 X CM5009138

Fastening hardware & instructions provided.

PART NO.	MFG#	DESCRIPTION
744100	CMETECG2KITA	Anode Kit Evinrude BRP ETEC

SUZUKI 150-350HP ALUMINUM ANODE KIT



Complete aluminum anode kit for Salt & Brackish water. Highly active aluminum anodes. Alloyed to US-Mil-A-24779(SH). For Suzuki 150-350 HP

Includes:
- 1 X CM3C7602181A0
- 8 X CM5532187J00
- 3 X CM5532095310

Fastening hardware & instructions provided.

PART NO.	MFG#	DESCRIPTION
744101	CMSZ150350KITA	Anode Kit Suzuki 150-350

SUZUKI 40-50HP ALUMINUM ANODE KIT



Complete aluminum anode kit for Salt & Brackish water. Highly active aluminum anodes. Alloyed to US-Mil-A-24779(SH). For Suzuki 50 & 40 HP

Includes:
- 2 x CM5532095310
- 4 x CM1113094600
- 1 x CM5512595500

Fastening hardware & instructions provided.

PART NO.	MFG#	DESCRIPTION
744045	CMSZ4050KITA	Anode Kit Suzuki

SUZUKI 90-140HP ALUMINUM ANODE KIT



Complete aluminum anode kit for Salt & Brackish water. Highly active aluminum anodes. Alloyed to US-Mil-A-24779(SH). **For Suzuki:** 90 - 100 - 115 & 140 HP

Includes:
- 1 x CM5532190J01
- 4 x CM1113094600
- 1 x CM3C7602181A0

Fastening hardware & instructions provided.

PART NO.	MFG#	DESCRIPTION
744046	CMSZ90140KITA	Anode Kit Suzuki

YAMAHA 60-90HP ALUMINUM ANODE KIT



Complete aluminum anode kit for Salt & Brackish water. Highly active aluminum anodes. Alloyed to US-Mil-A-24779(SH). **For Yamaha:** 60 & 90 HP

Includes:
- 1 x CM6884537102
- 1 x CM6H14525102

Fastening hardware & instructions provided.

PART NO.	MFG#	DESCRIPTION
744029	CMY6090KITA	Anode Kit Yamaha

NEW

YAMAHA ANODE KIT (300-350 HP)



Complete Aluminum anode kit for Salt & Brakish wa-ter. Highly active aluminum anodes. Alloyed to US-Mil-A-24779(SH).

For Yamaha: 300-350 HP

Includes:
- 1 x CM6AW4525100
- 1 x CM6AW4537300

Fastening hardware & instructions provided.

PART NO.	MFG#	DESCRIPTION
744034	CMY300350KITA	Anode Kit Yamaha

NEW

YAMAHA ANODE KIT (300-350 HP)

Martyr



Complete Magnesium anode kit for Fresh Waters. Alloyed to meet US-Mil-AZ91D.

For Yamaha: 300-350 HP

Includes:
- 1 x CM6AW4525100
- 1 x CM6AW4537300

PART NO.	MFG#	DESCRIPTION
748009	CMY300350KITM	Anode Kit Yamaha

HONDA 75-115HP ALUMINUM ANODE KIT

Martyr



Complete aluminum anode kit for Salt & Brackish water. Highly active aluminum anodes. Alloyed to US-Mil-A-24779(SH). **For Honda:** BF 75 - 90 & 115 HP

Includes:
- 1 x CM41107ZW1B01
- 1 x CM06411ZW1
- 2 x CM41109ZW1B00

Fastening hardware & instructions provided.

PART NO.	MFG#	DESCRIPTION
744040	CMHBF75115KITA	Anode Kit Honda

TRIM TAB ANODE KIT (FITS BENNETT TRIM TABS)



Complete trim tab zinc anode kit for active salt & brackish water.

Kit includes:
CMBNT1A Trim tab anodes (x2)

Hardware & installation instructions provided.

PART NO.	MFG#	DESCRIPTION
740051	CMBNT1AKITZ	Trim Tab Anode Kit

NEW

THRUSTER ANODE KIT FITS 250 & 300TT THRUSTERS

Martyr



Aluminium Anode Kit - for use in salt and brackish water.

Fits Lewmar 250 & 300TT Thrusters (250 or 300mm tunnel diameter).

This kit contains:
- CM589550 X1
- Fastening hardware X1

PART NO.	MFG#	DESCRIPTION
6897512	CM589550KITA	Aluminum Thruster Anode Kit

NEW

THRUSTER ANODE KIT FITS 140TT THRUSTERS

Martyr



Aluminium Anode Kit - for use in salt and brackish water.

Fits Lewmar 140TT Thrusters (140mm tunnel diameter).

This kit contains:
- CM589150 X1
- Fastening hardware X1

PART NO.	MFG#	DESCRIPTION
6897510	CM589150KITA	Aluminum Thruster Anode Kit

NEW

THRUSTER ANODE KIT FITS 185TT THRUSTERS

Martyr



Aluminium Anode Kit - for use in salt and brackish water.

Fits Lewmar 185TT Thrusters (185mm tunnel diameter).

This kit contains:
- CM589350 X1
- Fastening hardware X1

PART NO.	MFG#	DESCRIPTION
6897511	CM589350KITA	Aluminum Thruster Anode Kit

REPLACEMENT ZINC ANODES FOR I/O AND O/B

Martyr

S186000  **Engine:** Volvo **Replaces:** 832598-7	**S186004**  **Engine:** Volvo **Replaces:** 852835-8	**S186005**  **Engine:** Volvo **Replaces:** 875805-4	**S186008**  **Engine:** Volvo **Replaces:** 875812-0	**S186009**  **Engine:** Volvo **Replaces:** 875815-3
S186010  **Engine:** Volvo **Replaces:** 875821-1	**S186011**  **Engine:** Mercruiser **Replaces:** 31640A1	**S186012**  **Engine:** Mercruiser **Replaces:** 34127	**S186013**  **Engine:** Mercury **Replaces:** 34762A1	**S186014**  **Engine:** Mercruiser **Replaces:** 46399A1
S186015  **Engine:** Mercruiser **Replaces:** 55989A3	**S186016**  **Engine:** Mercruiser (Threaded) **Replaces:** 762145	**S186017**  **Engine:** Johnson **Replaces:** 173029, 123009	**S186018**  **Engine:** Johnson **Replaces:** 327606	**S186019**  **Engine:** OMC **Replaces:** 982277
S818298  **Engine:** Mercury **Replaces:** 43396A2	**S186023**  **Engine:** Volvo **Repl:** 815983-7, 876286-6	**S186024**  **Engine:** OMC **Replaces:** 393023	**S186025**  **Engine:** OMC **Replaces:** 433458	**S186026**  **Engine:** OMC **Replaces:** 392462
S186027  **Engine:** OMC **Replaces:** 392123	**S186028**  **Engine:** OMC **Replaces:** 984513	**S186029**  **Engine:** OMC **Replaces:** 397768	**S186031**  **Engine:** OMC **Replaces:** 38999	**S186034**  **Engine:** Yam Counter Rot. **Replaces:** 6K1-45371-00-00
S76214  **Engine:** Mercury (Threaded) **Replaces:** 76214	**S186066**  **Engine:** Mercruiser **Replaces:** 43994A2	**S186067**  **Engine:** Mercruiser **Replaces:** 806189	**S186068**  **Engine:** Honda **Replaces:** 41109-ZW1-003	**S186068**  **Engine:** Mercruiser **Replaces:** 826134
S186070  **Engine:** Yamaha **Replaces:** 688-45371-02-00	**S186080**  **Engine:** Mercruiser **Replaces:** 821629A1	**S186092**  **Engine:** Mercruiser **Replaces:** 806190	**S186093**  **Engine:** Mercruiser **Replaces:** 806105A1	**S186094**  **Engine:** Mercruiser **Replaces:** 821630A1
S186095  **Engine:** Johnson **Replaces:** 431708	**S186096**  **Engine:** Yamaha **Replaces:** 664-45371-01	**S186097**  **Engine:** Yam Standard Rot. **Replaces:** 6E5-45371-01	**S186103**  **Engine:** OMC **Replaces:** 984547	**S186123Z**  **Engine:** Volvo DPX **Transom Shield**
S984325 **Engine:** Mercury **Replaces:** 984325	**744103** **Engine:** Mercruiser **Replaces:** 97-8M0137814	**744104** **Engine:** Yamaha **Replaces:** 6CE-45373-00	Martyr ANODES	

REPLACEMENT ANODES

DONUT SHAFT ANODES



PART NO.	MFG#	SHAFT DIAMETER
742075	CMC01	3/4"
742078	CMC02	7/8"
742100	CMC03	1"
742118	CMC04	1-1/8"
742125	CMC05	1-1/4"
742138	CMC06	1-3/8"
742150	CMC07CMC07	1-1/2"
742175	CMC08	1-3/4"
742200	CMC09	2"
742225	CMC09A	2-1/4"
742250	CMC12	2-1/2"
742275	CMC12A	2-3/4"
742300	CMC13	3"
742350	CMC14	3-1/2"
742400	CMC15	4"

COLLAR SHAFT ANODES USCG APPROVED



741075 - 741201





741225 - 741300

Mg fresh FRESH WATER ONLY NEW MAGNESIUM

PART NO.	MFG#	SHAFT DIAMETER
741075	CMX01	3/4" Zinc
748075	CMX01M	3/4" Magnesium
741078	CMX02	7/8" Zinc
748078	CMX02M	7/8" Magnesium
741100	CMX03	1" Zinc
748100	CMX03M	1" Magnesium
741118	CMX04	1-1/8" Zinc
748118	CMX04M	1-1/8" Magnesium
741125	CMX05	1-1/4" Zinc
748125	CMX05M	1-1/4" Magnesium
741138	CMX06	1-3/8" Zinc
748138	CMX06M	1-3/8" Magnesium
741150	CMX07	1-1/2" Zinc
748150	CMX07M	1-1/2" Magnesium
741151	CMX07AL	1-1/2" Aluminum
741175	CMX08	1-3/4" Zinc
741176	CMX08AL	1-3/4" Aluminum
741200	CMX09	2" Zinc
741201	CMX09AL	2" Aluminum
741225	CMX10	2-1/4" Zinc
741250	CMX11	2-1/2" Zinc
741275	CMX12	2-3/4" Zinc
741300	CMX13	3" Zinc

BOLT ON TEARDROP ANODES



PART NO.	MFG#	DESCRIPTION
740006	CMT20	3-1/2" Rudder Anode
740016	CMT21	5" Rudder Anode
740013	CMZ13AZ	5-3/4" 1.5lbs Hull Anode

ROUND RUDDER ANODES



Mg fresh FRESH WATER ONLY NEW MAGNESIUM

PART NO.	MFG#	DESCRIPTION
745178	CMR01	1-7/8" Zinc
745275	CMR02	2-13/16" Zinc
748275	CMR02M	2-13/16" Magnesium
745276	CMR02AL	2-13/16" Aluminum
745375	CMR03	3-3/4" Zinc
748375	CMR03M	3-3/4" Magnesium
745376	CMR03AL	3-3/4" Aluminum
745500	CMR04	5" Zinc
748500	CMR04M	5" Magnesium
745501	CMR04AL	5" Aluminum
745550	CMR05	H/D 5" (40% More Zinc than 745500)
745700	CMR07	7" Zinc

MAX PROP ANODES

Max Prop universal zinc anode with internal retaining ring insert.



PART NO.	MFG#	DESCRIPTION
743363	CMMP63RZ	63R Max Prop Anode
743370	CMMP70RZ	70R Max Prop Anode
743383	CMMP83RZ	83R Max Prop Anode

BENETEAU PROPELLER NUT & ANODE



These two piece prop-nut anodes provide reliable corrosion protection for your Beneteau shaft. **Includes insert and hardware.**

PART NO.	MFG#	DESCRIPTION
		Complete Assembly (Nut and Anode)
743330	CMLAEC3300	30mm, 20 x 1.5mm Thread, M6 x 20 SS
		Replacement Anode Only
743323	CMAN225	22/25mm Replacement Anode
743331	CMAN230	30mm Replacement Anode
743336	CMAN235	35mm Replacement Anode

PROPELLER NUT AND ANODE

Martyr



Limited for space? You can still protect your shaft and propeller by installing a complete unit and then replacing anode as required.

Includes insert and hardware.

PART NO.	SHAFT	THREAD	DESCRIPTION
		Complete Assembly (Nut and Anode)	
743075	3/4"	1/2" NC13	1-1/2"L, 1-1/4"OD
743078	7/8"	5/8" NC11	2-1/8"L, 1-5/8"OD
743100	1"	3/4" NC10	3"L, 1-7/8" OD
743125	1-1/4"	7/8" NC9	3-16"L, 2-1/8" OD
743200	2"	1-1/2"	4"L, 3-1/4" OD
		Replacement Anode Only	
743076		3/4" Replacement Anode	
743079		7/8" Replacement Anode	
743101		1" & 1-1/8" Replacement Anode	
743126		1-1/4" Replacement Anode	
743176		1-3/4" Replacement Anode	
743201		2" Replacement Anode	

GROUPER ANODE

Temporary and Movable

Martyr



If you are docked in a very populated marina and your regular anodes are disappearing at two or three times the normal rate, the Grouper Anode is the ideal way to provide extra temporary corrosion protection to your boat and engine.

When mooring, secure the 15' cable on a cleat and lower the Grouper well below the waterline before attaching the clip to your outboard or outdrive mounting bolt, or rudder or strut ground strap, etc.

IMPORTANT: **Do not connect directly to battery**

PART NO.	MFG#	DESCRIPTION
740001	CMGROUPER	Zinc, 5.65 lbs.

THRUSTER ANODES

Sold individually

SLEIPNER Side-Power



6897500 6897501 6897502 6897503

PART NO.	MFG#	DESCRIPTION
6897500	SM71190A	SE60-SE100/SH100/ SX80&SX100/SR80&SR100
6897501	SM31180A	SE30 & SE40
6897502	SM201180A	SE120-SE285/SH160-SH300
6897503	SM501180A	SH420-SH550-SP550HYD

TRIM TAB ANODE

Martyr



Protect your trim tabs with the trim tab anode. **2 Needed.**



PART NO.	MFG#	DESCRIPTION
740050	CMBNT1AZ	Trim Tab Anode, 2 needed

NEW

ALUMINUM STREAMLINED HULL ANODE

Martyr



PART NO.	MFG#	DESCRIPTION
7400110	CMZ03BA	Aluminum, Bolt-On, 12" x 3" x 1-1/2"
7400112	CMZ15BA	Aluminum, Bolt-On, 18" x 3" x 1-1/2"

NEW

ZINC STREAMLINED HULL ANODE

Martyr



PART NO.	MFG#	DESCRIPTION
7400111	CMZ03BZ	Zinc, Bolt-On, 12" x 3" x 1-1/2"
7400113	CMZ15BZ	Zinc, Bolt-On, 18" x 3" x 1-1/2"

CATERPILLAR PENCIL ANODE



PART NO.	PLUG SIZE	A	B	C
746125	1-1/4"	2-1/8"	1-1/4"	3/4" NC
746126	Anode Only	2-1/8"	1-1/4"	3/4" NC

ZINC PENCIL ANODES WITH PLUG

Martyr



With Bronze Plug

PART NO.	PLUG SIZE	A	B
746018	1/8" NPT	2"	1/4"
746025	1/4" NPT	1-3/4"	3/8"
746038	3/8" NPT	2"	1/2"
746050	1/2" NPT	2"	5/8"
746075	3/4" NPT	3-3/8"	3/4"

PENCIL ANODES ONLY

Martyr



746045 Metric

PART NO.	A	B	C
746019	2"	1/4"	1/4" NC
746026	1-3/4"	3/8"	5/16"
746039	2"	1/2"	3/8" NC
746045	1-1/4"	11/16"	Female M8
746051	2"	5/8"	7/16" NC
746076	3-3/8"	3/4"	1/2" NC
746077	3"	3/4"	5/8" NC

BRICK STYLE ANODES (ZINC OR ALUMINUM)

Martyr

Zinc with Steel Straps



Aluminum with Steel Straps



Aluminum with Aluminum Straps



Dimensions: 11-9/16" x 2-3/4" x 1-1/2"
Zinc Anode = 10-1/2 lbsAlum Anode = 5 lbs

PART NO.	DESCRIPTION
7400105	Zinc with Steel Straps
7400106	Aluminum with Steel Straps
7400107	Aluminum with Aluminum Straps

TEARDROP STYLE ANODE (ZINC OR ALUMINUM)

Martyr







Dimensions:
8-3/4" x 3" x 1-1/2" (12" total length)
Zinc Anode = 5 lbs Alum Anode = 2 lbs

PART NO.	DESCRIPTION
740020	Zinc with Steel Straps
740021	Aluminum with Steel Straps
740019	Aluminum with Aluminum Straps

LARGE STRAP HULL STYLE ANODE (ZINC OR ALUMINUM)

Martyr



Steel straps



Steel straps

Dimensions:
14" x 6-1/2" x 1-1/2" Zinc Anode = 24 lbs Alum Anode = 11 lbs

PART NO.	MFG#	DESCRIPTION
740022	CMZ22SZ	Large Strap Zinc Hull Anode, 24lbs
740023	CMZ22SA	Large Strap Alum. Hull Anode, 11lbs

ANODE BACKING PLATE



Martyr

Bronze backing plate makes easy work out of changing Zinc Anodes. The grounding is done through the 5/16" mounting bolts.
Mounting Holes: 2 x 5/16" Silicone Bronze Flat Head, 1 x S/S tapped 3/8"–16
Weight: 3.5lbs
Anode: 8-5/8"L x 3-3/16"W x 1/2" thick

PART NO.	MFG#	DESCRIPTION
740061	10ZP900BP	4-1/2" x 9-7/8" Bronze Plate
740060	CMN1Z	Replacement Anode

PLATE ANODE



Martyr

Dimensions:
9"L x 4-1/4"H x 1" thick. 5" Bolt hole center. 1/2" Bolt size.

PART NO.	MFG#	DESCRIPTION
740010	CMMZC406	Plate Anode, Zinc
740065	CMMZC406A	Plate Anode, Aluminum

DIVERS DREAM ANODES

Martyr



Divers Dream

12"L x 6"H x 1/2" thick Zinc
2"- 9" bolt hole center
1/2" Bolt size



Mini Divers Dream

6"L x 4"H x 7/16" thick Zinc
1.25"- 4.25" Bolt hole center
1/2" Bolt size

Martyr Divers Dream anodes bolt on to hulls and with electrical cable they are inter-connected (bonded) with all metal parts such as fittings and hardware, equipment to minimize the corrosive effects of metals in the water.

Mg fresh FRESH WATER ONLY NEW MAGNESIUM

13"L x 10"H x 2" thick Aluminum
5.5" Bolt hole center to center
1/2" Bolt size

It is strongly recommended that this anode kit be installed by a certified marine technician. Maritime Marine Supply and its supplier are not liable for any damages resulting from improper installation of this kit and its contents.

PART NO.	MFG#	DESCRIPTION
740004	CMDIVERZ	Zinc Divers Dream
748020	CMDIVERM	Magnesium Divers Dream
740005	CMDIVERMINI	Zinc Mini Divers Dream
748021	CMDIVERMINIM	Magnesium Mini Divers dream

2" DIAMETER BODY LOW PRESSURE



Made of copper and brass available in 1", 1-1/4" , 1-1/2" and 1-3/4". Fits engines or transmissions. Complete with zinc pencil. 2" diameter body. Low Pressure.

Max Oil Pressure 150 PSI

PART NO.	WATER CONNECT	OIL LINE NPT	TUBE LENGTH	BODY LENGTH	OVERALL LENGTH
3706620	1-1/4"	3/8"	5"	6-1/4"	9-1/4"
3709817	1"	1/2"	9"	10-1/4"	13-1/4"
3709821	1-1/4"	1/2"	9"	10-1/4"	13-1/4"
3709825	1-1/2"	1/2"	9"	10-1/4"	13-1/4"
3709828	1-3/4"	1/2"	9"	10-1/4"	13-1/4"
3712817	1"	1/2"	12"	13-1/4"	16-1/4"
3712821	1-1/4"	1/2"	12"	13-1/4"	16-1/4"
746025	Replacement Anode with Plug				

3" DIAMETER BODY (HIGH PRESSURE)



Comes with Zinc Pencil Anode

Max oil Pressure 400 PSI

PART NO.	WATER CONNECT	OIL LINE NPT	TUBE LENGTH	BODY LENGTH	OVER-ALL LENGTH
3730615	1-1/2" Hose	3/8"	6"	6-1/2"	11-1/2"
3730616	1" NPT	1/2"	6"	6-1/2"	10"
3730916	1" NPT	1/2"	9"	9-1/2"	13"
3731216	1" NPT	1/2"	12"	12-1/2"	16"
746038	Replacement Anode with Plug				

3" DIAMETER BODY HIGH PRESSURE FOR TWIN DISC, PRM, ZF



Comes with Zinc Pencil Anode

Max Oil Pressure 400 PSI

PART NO.	WATER CONNECT	OIL LINE NPT	TUBE LENGTH	BODY LENGTH	OVER-ALL LENGTH
3790924	1-1/2" NPT	3/4"	9"	9-1/2"	13"
3790932	2" NPT	1"	9"	9-1/2"	13"
3790933	2" NPT	1"	12"	12-1/2"	16"
746038	Replacement Anode with Plug				

4" DIAMETER BODY HIGH PRESSURE COOLER



High pressure cooler for applications on larger transmissions and hydraulic systems where extra cooling is required. Zinc pencil anodes included.

Max Oil Pressure 400 PSI

PART NO.	WATER CONNECT	OIL LINE NPT	TUBE LENGTH	BODY LENGTH	OVER-ALL LENGTH
3791247	2-1/2" NPT	1"	12"	13"	15-1/2"
3791248	3" NPT	1"	12"	13"	15-1/2"
746038	Replacement Anode with Plug				

JOHN DEERE OIL COOLER



3" diameter body.

Max Oil Pressure 400 PSI

PART NO.	WATER CONNECT	OIL LINE NPT	TUBE LENGTH	BODY LENGTH	OVERALL LENGTH
3720921	1-1/2"	3/8"	6"	9"	10-1/2"
746038	Replacement Anode with Plug				

EXPANSION TANK CAP



To fit most applications.

PART NO.	PSI	X	Y
3850135	10	1-1/2"	2-3/8"

END COVER ASSEMBLIES & MOUNTING BRACKETS

End Cover Gasket



End Cover Kit



Aluminum Bracket



These end cover assemblies consist of Copper End Plate, Rubber Gasket, Gum Rubber Washer, Bolt and Instructions.

PART NO.	MFG#	DESCRIPTION
3801207	SK3200C	2" Series End Cover Kit
3801208	SK5200	2" End Cover Gasket
3800800	SK5300	3" End Cover Gasket
3800801	SK3300C	3" Series End Cover Kit
3801200	SK5400	4" End Cover Gasket
3801201	SK3400C	4" Series End Cover Kit
3801204	SK1500C	5" Series End Cover Kit
3801206	SK5500	5" End Cover Gasket
370006	SK1233S	Alum. Bracket for 3" Shell
370007	SK1244S	Alum. Bracket for 4" Shell

POWER STEERING COOLER, OMC



Replaces: OMC 983849
Core Length: 5" **Core Diameter:** 2"
Water Ports: 3/4" Hose
Oil Ports: 3/8" NPT

PART NO.	MFG#	DESCRIPTION
3791670	983849	Power Steering Cooler, OMC

POWER STEERING COOLER, OMC



Replaces: OMC 985716
Core Length: 5" **Core Diameter:** 2"
Water Ports: 3/4" Hose
Oil Ports (Hose): 3/8" x 90°, 3/8" Straight

PART NO.	MFG#	DESCRIPTION
3791672	985716	Power Steering Cooler, OMC

OIL COOLER, MERCRUISER



Mercruiser Oil Cooler with off-set oil connections that are inverted flare.

Replaces: 807371-T1
Fits:
MCM/MIE GM V8 Big Block
454 cid (7.4L) and 502 cid (8.2L).

Total Length:	10"
Body Length:	6"
Water Connection:	1-1/4"
Oil Connection:	3/8"

PART NO.	MFG#	DESCRIPTION
3791650	807371-T1	Mercruiser Oil cooler

OIL COOLER, MERCRUISER



Mercruiser Oil Cooler with inward angled oil connections that are inverted flare.

Total: 16" **Body Length:** 12" **Water Connection:** 1-1/4" **Oil Connection:** 1/2"

Replaces: 862837T
Fits:

- 330 GM 454 V8, 1982-1987
- 340 MIE W/B/W GM 454 V8, 1981-87
- 370 TRS GM 454 V8, 1985-87
- 420 GM 454 V8, 1987-89
- 425 GM 454 V8, 1990-92
- 425 (Gen. V) GM 454 V8, 1992-93
- 454 Mag. Alpha GM 454 V8, 1986-88
- 7.4L MIE W/B/W GM 454 V8, 1988-92
- 7.4L MIE W/Hurth GM 454 V8, 1989-92
- 7.4L MIE (LH) Gen. V GM 454 V8, 1992-96

PART NO.	MFG#	DESCRIPTION
3791655	862837T	Mercruiser Oil cooler

OIL COOLER, MERCRUISER



Oil Cooler for Mercruiser.

Total: 8"
Body Length: 5"
Water Connection: 1-1/4"
Oil Connection: 1/2"

Replaces: 63831A3
Fits:

- 330 GM 454 V8, 1982-87
- 340 MIE W/B/W GM 454 V8, 1981-87
- 370 TRS GM 454 V8, 1985-87
- 420 GM 454 V8, 1987-89
- 425 GM 454 V8, 1990-92
- 425 (Gen. V) GM 454 V8, 1992-93
- 454 Mag. Alpha GM 454 V8, 1986-88
- 7.4l MIE W/B/W GM 454 V8, 1988-92
- 7.4L MIE W/Hurth GM 454 V8, 1989-92
- 7.4L MIE (LH) Gen. V GM 454 V8, 1992-96

PART NO.	MFG#	DESCRIPTION
3791665	63831A3	Mercruiser Oil cooler

DUAL COOLER, MERCRUISER



Mercruiser Dual Cooler for Engine Oil and Power Steering

Total: 12-1/2"
Water Connection: 1-1/4"
Oil Connection: 1/2" NPT 3/8" Hose

Replaces: 89690-T **Fits:** 7.4 L 454 CID, 5.7 350 CID from 1981 to 1997.

PART NO.	MFG#	DESCRIPTION
3791660	89690-T	Mercruiser Dual Oil cooler

HEAT EXCHANGER, CRUSADER



Mounting Bracket
Heat Exchanger, **Replaces:** 97930
Fits Crusader 454.

PART NO.	MFG#	DESCRIPTION
3803600	97930	Heat Exchanger, Crusader

HEAT EXCHANGER, UNIVERSAL



Heat Exchanger, **3"** Diameter x 13-1/2" Long. **Replaces:** 299835 **Fits:** M25

PART NO.	MFG#	DESCRIPTION
3800003	299835	Heat Exchanger, Universal

HEAT EXCHANGER, MERCRUISER



Heat Exchanger for Mercruiser. **Replaces:** 860234A
Fits: Small Block. 4.3, 5.0, 5.7 and 6.2

PART NO.	MFG#	DESCRIPTION
3803630	860234A1	Heat Exchanger, Mercruiser



CDI Part Number Sequence

CDI P/N Sequence Example: 114-2986

Series No. / Vendor Code — OEM P/N

1st and 2nd characters: Item Series Number

10 Series: Ignition Systems
- 11 - Power packs, switch boxes, CD's
- 12 - Shift assist modules
- 13 - Triggers, sensors, preamp
- 15 - Rectifiers
- 17 - Stators
- 18 - Coils
- 19 - Voltage Regulators

20 Series: QuickStrike PRO SERIES
- 21 - Power packs, switch boxes, CD's
- 27 - Stators

30 Series: EFI
- 31 - EFI modules

40 Series: Wiring Harnesses
- 41 - Engine harnesses and cables
- 42 - Adapter harnesses
- 45 - EFI harnesses and cables
- 47 - Boat harnesses

50 Series: Test Equipment/Tools
- 51 - Test Equipment
- 53 - Test Equipment Software
- 55 - Tools

80 Series: Tilt/Trim Kits
- 83 - Adapter kits (complete)
- 85 - Relays/wiring

90 Series: Miscellaneous
- 91 - Terminals
- 92 - Connectors/plugs
- 93 - Wire
- 94 - Cables
- 95 - Diodes
- 96 - Literature
- 97 - Pins/fittings
- 98 - Chemicals
- 99 - Miscellaneous Items

3rd character: Vendor Code
- 1 - CDI Electronics
- 2 - Rapair, Inc.
- 3 - Johnson/Evinrude
- 4 - Mercury Marine
- 5 - Chrysler Marine
- 6 - Force Outboards
- 7 - Yamaha
- 8 - Suzuki
- 9 - Tohatsu/Nissan
- 0 - Other Manufacturers

Last 4 characters: Route Part Number
- Most route numbers are 4 digits.
- CDI uses last 4 digits of OEM number, whenever possible
- Examples:
  - OMC Power Pack 581731 — *CDI P/N: 113-1731*
  - Mercury Switch Box 332-2986 — *CDI P/N: 114-2986*
  - Mercury Harness 84-73369 — *CDI P/N: 414-3369*

Some Exceptions...

Mercury Switch Box P/N 18495
CDI: 114-4952 for 2 cylinder 114-4953 for 3 cylinder

Mercury Stator P/N 398-5454 CDI: 174-5454 for 4 cylinder
174-5456-16 174-5456 for 6 cylinder

Mercury Trigger P/N 96455
CDI: 134-6453 for 3 cylinder 134-6456 for 6 cylinder

NOTE: CDI Electronics Part Numbers using the OEM P/N with an R prefix are Repair and Return items. For example: R586028; R393-2918; R6N7-85510-00-00 are Repair and Return items.
(Installation instructions included with most parts.)

GXT WARRANTY INFORMATION
GXT Timing Lights are warrantied for 1 year on the assembly and 5 years on the strobe light bulb.
Warranties should be returned to the address below along with a copy of the original invoice:
GXT Inc.
Automotive Diagnostic Equipment & Tools
520 MM Riggs Drive
Cheboygan, MI 49721
Call 1-800-627-5655 for an RMA first.

STEVENS WARRANTY INFORMATION
Stevens products are warrantied for 1 year. Warranties should be returned to the address below along with a copy of the original invoice:
Stevens Instruments Inc.
111 Greenwood Ave.
Waukegan, IL 60087

FLUKE WARRANTY INFORMATION
FLUKE products are warrantied as follows: Fluke 61 and all accessories - 1 Year. Fluke 114, 115 and 116 - 3 years. Fluke 77-4 and 88-5 - Limited Lifetime warranty. For Warranties call the telephone number below for the address and the RMA number. Then ship the warranty item along with a copy of the original invoice to the address given. Call the same number for calibration services.
Fluke Corporation
Call for RMA 1-888-993-5853

CHRYSLER / FORCE MISCELLANEOUS IGNITION CROSS REFERENCE YAMAHA

CDI Electronics
DOMETIC

IGNITION COIL



Includes mounting brackets & coil wire
Replaces: 615475, 684475, F615475, F684475, 300-888791
Note: This coil will replace both the Blue & Black OEM ignition coils.

PART NO.	MFG#
182-4475R	182-4475R

UNIVERSAL RECTIFIER 20 AMP



Replaces: F474470, F404470-0, F510450, F510450-1, FA617450, F650450, F684450, F650450, F404470, F404470-1, F475450, F510450-1, F617450, F684450, FA650450, FK650450, 87-F650450, CDI 152-9209
Note: Do not use a maintenance free battery with these rectifiers as overcharging may result in voltages exceeding 18V.

PART NO.	MFG#
S1899429	18-99429

STATOR 2, 3, 4 AND 5 CYL. ENGINES



(Uses fork terminals to connect to stator and trigger)
Replaces: F653095, F653095-1, F653095-2, F653095-3, F658095, 663095, 663095-1, 663095-2, 663095-3, 663095-4, 694095,694095-1, 694095-2, 695095, 695095-1, 695095-2, 721095, 721095-2, 722095, 300-663095,300-663095-4, 300-888793, 300-F658095, 300-F694095-2, 300-F695095, 300-F721095-1, 300-F722095

PART NO.	MFG#
176-3095	176-3095

IGNITION PACK 4 CYL.



Replaces: 6E5-85540-10-00, 6E5-85540-11-00, 6E5-85540-12-00

PART NO.	MFG#
117-6E5-12	117-6E5-12

UNIVERSAL TILT/TRIM RELAY



12V, 40A for Power Trim/Tilt.

Replaces: 18-5729, 582472, 584416, 586147, 586224, 87-19761, CDI 852-9809

PART NO.	MFG#
S185705	18-5705

2 - 3 - 4 CYLINDER TERMINAL BLOCK POWER PACK

POWER PACK PP3/6

(Includes Cover and Gasket)
Fits: 1973-78 3 Cyl. & 1976-78 V6 engines.
Replaces: 18-5754, 18-5757, 581493, 581551, 581552, 581726, 582057 CDI 113-1726



PART NO.	MFG#
S1899168	18-99168

POWER PACK PP4



(Includes Cover and Gasket)
Fits: 1973-78 4 Cyl. engines.
Replaces: 18-5754, 18-5757, 581493, 581551, 581552, 581709, 581726, 582056, CDI 113-1731

PART NO.	MFG#
S1899169	18-99169

2 CYLINDER POWER PACK

POWER PACK CD2



Fits: 1985-88 2 Cyl. engines not requiring a RPM Limiter. Uses a 2 wire trigger sensor.
Replaces: 18-5763, 18-5765, 396141, 582281, 582285, 582502, 582787, 582880, 583167, 583168, 583169, 583170, 583604, 586697, 586800
Ignition Coil Wire Lengths:
Orange/Blue Wire, 20"
Orange Wire, 22"

PART NO.
113-2285

POWER PACK CD2



Fits: 1978-84 2 Cyl. engines not requiring a RPM Limiter. Uses a 2 wire trigger sensor.
Replaces: 18-5758, 581649, 581924, 581926, 581927, 582452, 582453, 583380, 583453
Note: The Orange Ignition Coil Wires plug into a harness coming from the ignition coils.

PART NO.
113-2453

POWER PACK CD2



Fits: 1992-2004 2 Cyl. engines using a 6100 RPM Limiter. Uses a 2 wire trigger sensor. Power Pack does not have SLOW function.
Replaces: 18-5768, 584767, 584768, 584908, 585074, 585224, 585260, 5000014, 5001344, CDI 113-4767
Ignition Coil Wire Lengths:
Orange/Blue Wire, 21"
Orange Wire, 23"

PART NO.
S185768

POWER PACK CD2



Fits: 1993-2006 9.9, 10 & 15 HP 2 Cyl. engines not requiring an RPM Limiter. Uses a 2 wire trigger sensor.
Replaces: 584783, 586798
Ignition Coil Wire Lengths:
Orange/Blue, 14"
Orange Wire, 11"

PART NO.
S185767

POWER PACK CD2



Fits: 1992-2005 40 & 50 HP 2 Cyl. 2 Stroke engines using a 3 wire trigger sensor and 6700 RPM Limiter. CD has the SLOW function, limiting RPM to 2500 RPM in case of engine over-heating.
Replaces: 175316, 18-5785, 585261, 585262, 878334, 878334001
Ignition Coil Wire Lengths:
Orange/Blue, 10"
Orange Wire, 10"

PART NO.
113-5316

3 CYLINDER POWER PACK

POWER PACK CD3



Fits: 1986-87 150, 155 and 175 HP 6 Cyl. engines. CD has a 6700 RPM Limiter and the SLOW function, limiting RPM to 2500 RPM in case of engine over-heating.
Replaces: 18-5766, 583748, 583786, 878949, CDI 113-3748
Ignition Coil Wire Lengths:
Orange/Blue Wire, 13"
Orange Wire, 8"
Orange/Green, 12"

PART NO.
S185766

POWER PACK CD3 AL



Fits: 1993-98 60, 70 HP & 40 Jet 3 Cyl. loop charged engines. CD has a 6700 RPM Limiter, the SLOW function, limiting RPM to 2500 RPM in case of engine over-heating and quick start function.
Replaces: 18-5774, 18-5780, 584808, 585145, 585189, 5004532, 5004533, CDI 113-4808
Ignition Coil Wire Lengths:
Orange/Blue Wire, 13"
Orange Wire, 6"
Orange/Green 9"

PART NO.
S185774

4 CYLINDER POWER PACK

POWER PACK CD 4



Fits: 1986-87 88, 90 & 110 HP 4 Cyl. engines. CD does not have a RPM Limiter.
Replaces: 18-5784, 583110, CDI 113-3110
Ignition Coil Wire Lengths:
Orange/Blue, 14"
Orange, 13"

PART NO.
S1899177

POWER PACK CD 4/8



Fits: 1988-89 88, 90, 100, 110 HP 4 Cyl. engines; 1990-96 85, 88, 90, 100, 112, 115 HP 4 Cyl. engines. CD does not have a RPM Limiter.
Replaces: 18-5770, 583773, 584027, 584028

PART NO.
113-4028

POWER PACK CD 4 AL



Fits: 1988-94 120, 130 & 140 HP 4 Cyl. engines. CD has a 6700 RPM Limiter.
Replaces: 18-5772, 583489, 584040, 584041, CDI 113-4041
Ignition Coil Wire Lengths:
Varies Bank to Bank

PART NO.
S185772

6 CYLINDER POWER PACK

POWER PACK CD 6 AL



Fits: 1988-91 150 & 175 HP Crossflow engines with 35A Charging Systems. CD has a 5800 RPM Limiter.
Replaces: 18-5885, 583865
Ignition Coil Wire Lengths:
Varies Bank to Bank

PART NO.
113-3865

POWER PACK CD 6 AL



Fits: 1988-92 185, 200 & 225 HP Loop Charged engines. CD has a 6700 RPM Limiter.
Replaces: 18-5893, 583476, 584036, 584037, 586217, 586667
Ignition Coil Wire Lengths:
Varies Bank to Bank

PART NO.
113-4037

6 CYL OPTICAL PWR. PACK



Fits: 1992-2006 150 & 175 HP 60 Degree Optical (OIS 2000) Carbureted Engines. Digitally controlled CD has a 6100 RPM Limiter. Kit includes the 113-4985 Power Pack, 931-4921, Spark Plug Wire Set and the 133-6343 Sensor.
Replaces: 18-5887, 584985, 584910, 584990, CDI 113-4985

PART NO.
S185887

4/6 CYL OPT. SENSOR



Fits: 1992-2006 150 -175 HP & 1994-2006 90 - 115 HP 60 Degree Optical (OIS 2000) Carbureted Engines.
Replaces: 584265, 584914, 586343, CDI 133-6343

PART NO.	
S185884	18-5884-1

POWER PACK CD 6 AL



Fits: 1993-2001 185, 200 and 225 HP Loop Charged Carbureted engines. CD has a 6700 RPM Limiter.
Replaces: 18-5781, 584636, 584637, 585114, 586212, 586661, CDI 113-6212
Ignition Coil Wire Lengths:
Varies Bank- Bank

PART NO.
S185781

CDI Electronics | DOMETIC

BATTERY POWERED CD IGNITIONS

Note: All clipper modules, surge suppressors and safety circuits should be removed. Failure to remove these could void the CDI Electronics warranty. After removing, be sure the ignition (red/purple) wire is connected directly to the ignition switch terminal (providing 12V from ignition switch). All battery CD ignitions include a new ignition coil.

BATTERY PWR PACK



Battery Ignition for use with points triggering. CD does not have a Tachometer circuit output.
Fits: 1968-71 55, 60, 65, 85 HP; 1971 100 HP; 1972 85 HP
Replaces: 18-5747, 18-5749, 389549, 389550, 389551, 397123, 6CB2001, 6CB2004, 6CB2007, 6CB2009 9G0M

PART NO.
113-7123

BATTERY PWR PACK





Battery Ignition for use with sensor triggering. CD does not have a Tachometer circuit output. Some minor rewiring may be required.
Fits: 1968-70 100, 115 HP 1971 125 HP 1972 100, 125 HP
Replaces: 18-5748(b), 381884(c), 382478(c), 383298(c), 384522(c), 385034(c), 385036(c), 385038(c), 398362(c), 398363(c), IDD3001(a), IDD3070(b), IDD3077(b), IDG3001A(c), IDG3001B(c), IDG3001C(c).

- CDI Electronics universal connections can be used on engines with the connectors shown below. Some minor rewiring may be required.

(a) Belt driven distributor (IDD3001) req Brass Rotor, Phase II (belt driven) req Silver Rotor - P/N 133-5107
(b) CD65 Ignitions (sensor under flywheel) require Phase I Rotor - 1" tooth, 1/2" gap.
(c) Phase II ignitions (sensor under flywheel) require Phase II Rotor - 1/2" tooth, 1" gap.

PART NO.
113-8362

IGNITION COILS

IGNITION COIL



Fits: 1973-78 3 & 6 Cyl. engines. Includes mounting bracket and spark plug wire.
Replaces: 502886, 582303

PART NO.
183-2303

IGNITION COIL



Fits: 1978-84 2, 3, 4 & 6 Cyl. engines. Includes spark plug wire.
Replaces: CDI 183-2366

PART NO.
S1899165

DUAL OUTPUT



Fits: 1991-2006 4 & 6 Cyl. 60° carbureted 2 stroke engines. Also fits most 2 Cyl. carbureted 2 stroke 1990-2006.
Replaces: 18-5170, 583740, 879614 CDI 183-3740

PART NO.
S185170

IGNITION COIL



Fits: 1973-78 4 Cyl. engines.
Replaces: 18-5194, 502890, 582160, 584632, 802373

PART NO.
183-4632

IGNITION COIL



Replaces: 18-5181, 582995, 584477, 802371, AP732, GLM72100, CDI 183-4477

PART NO.
S185181

RECTIFIERS / REGULATORS

RECTIFIER/REG 10A



Replaces: 18-5827, 584476, 585001 CDI 193-4476

PART NO.
S1899412

RECTIFIER/REG 35A



Replaces: 18-5828, 439561 584093, 585219, 8787668, CDI 193-4093

PART NO.
S1899405

RECTIFIER/REG 35A



Replaces: 18-5829, 18-5830, 586048, 586075 CDI 193-6048

PART NO.
S1899394

RECTIFIERS / REGULATORS

POWER PACK CD 6 AL



Replaces: 18-5832, 583266, 583689, 584424, 586000, 586272, 878334

PART NO.
193-3689

POWER PACK CD 6 AL



Replaces: 18-5825, 395204, 395391, 582904, 583076, 583268, 584423, 878335
Note: This rectifier/regulator can replace either the 10A or 35A OEM rectifier/regulators.

PART NO.
193-5204

POWER PACK CD 6 AL



3 Wire w/Ring Terminals

Replaces: 18-5708, 580795, 581603, 582307, 582399, 583408, CDI 153-3408

PART NO.
S185708

(ESA) MODULES

POINTS DISTRIBUTOR

or Distributors w/Electronic Points



Replaces: 123-9898-4,123-9898-6, 123-9898-8, 982749, 982755, 982774, 984036, 984276, 984281, 984730, 984740, 986342, 986837, 987738, 987739, 987740, CDI 123-9898-P

PART NO.
S185890

STATORS

6 AMP 4 CYL. STATOR



SCREW TERMINAL TYPE

Fits: 1973-77 4 Cyl. engines with a 6A charging system using the screw terminal power pack.
Replaces: 581046, 581225

PART NO.
173-1225

5 AMP 2 CYL. STATOR



Stator contains the Battery Charge Coils, High Voltage Coil & Trigger.
Fits: 1977-84, 1993-2006, 2 Cyl. electric start engines.
Replaces: 581651, 584755, 585087

PART NO.
173-1651

2 CYL. STATOR REPL. COIL



Replaces: 581670, 584504, 584840, 585073, 5000611

(For Battery Charging coils - See 173-2926K 1)

PART NO.
173-1670

9 AMP STATOR



Fits: 1990-97 4 Cyl. crossflow engines.
Replaces: 583340, 583536, CDI 173-3536

PART NO.
S1899197

9 AMP STATOR



Fits: 1992-96 40-50 HP 2 Cyl. & 1993-2001 40, 50, 60 & 70 HP 3 Cyl. electric start engines.
Replaces: 584560, CDI 173-4560

PART NO.
S1899167

9 AMP STATOR



Fits: 1978-87 4 & 6 Cyl. engines with dual power packs.
Replaces: 173-3104, 581830, 581865, 581867, 581987, 582016, 582023, 582404, 582497, 582867, 583023, 583104, 583671, 583672
CDI 173-3672

PART NO.
S1899195

35A 6 CYL OPT STATOR



Fits: 1991-2006 150 & 175 HP 60 Deg. engines with Opt. Ign.
Replaces: 584109, 584981

PART NO.
173-4981

35A 6/8 CYL. STATOR



Fits: 1988-92 185, 200, 225 HP engines & 1988-92 250, 275, 300 HP
Replaces: 18-5861, 583415, 584287

PART NO.
173-4287

CDI SWITCH BOXES

4 & 6 CYL SWITCH BOX



Fits: Most 1967-77 4 & 6 Cyl. engines.
Replaces: 18-5779, 332-2986A3, 332-2986A4, 332-2986A5, 332-2986A7, 332-2986A8, 332-2986A9, 332-2986A10, 332-2986A17, 332-2986A21, 332-2986A22, 332-2986A23, 332-2986A24, 332-2986A25, 332-2986A27
Note: Switch box and ignition coil are attached to a mounting plate for easy installation. This unit is a replacement to the original case. Does not contain a rev limiter or tach circuit.

PART NO.
114-2986

3 CYL SWITCH BOX



Fits: 1972-75 65 HP (model 650) engines.
Replaces: 332-4796A3, 332-4796A6.
Note: CDI's switch box and ignition coil are attached to a mounting plate for easy installation. This unit is a replacement to the original case. It does not contain a rev limiter or tach circuit.

PART NO.
114-4796

2 CYL SWITCH BOX



Fits: 1992-95 40 & 50 HP Force engines.
Replaces: 18495A2, 18495A5, 18495A6, 18495A8,18495A11, 18495A13

PART NO.
114-4952

2 CYL SWITCH BOX



Fits: 1972-77 20 HP (model 200), 1972-80 40 HP (model 402), 1981 40 HP.
Replaces: 18-5786, 18-5787, 332-4911A2, 332-4911A5, 332-4911A8, 332-4933A2 (may require some minor re-wiring)

PART NO.
114-4911

2 CYL SWITCH BOX



Fits: 1980-93 18 HP, 1979-87 20 & 25 HP engines using the stud type pack.
Replaces: 18-5776, 332-7452A2, 332-7452A3

PART NO.
114-7452A 3

2 CYL SWITCH BOX



Fits: 1980-96 6, 8, 9.9, 10, 15, 20 & 25 HP engines using the bullet connection pack.
Replaces: 18-5777, 18-5778, 339-7452A1, 339-7452A7, 339-7452A8, 339-7452A9, 339-7452A10, 339-7452A11, 339-7452A14, 339-7452A15, 339-7452A19, 339-7452A21, CDI 114-7452K1

PART NO.
S185777

3 CYL SWITCH BOX



Fits: 1994-95 65 Jet, 75 & 90 HP engines.
Replaces: 18-5790, 18495A10, 18495A12, 18495A15,18495A18, 18495A19, 18495A26, CDI 114-4953

PART NO.
S185790

4 CYL SWITCH BOX



Fits: 1989-97 30 HP Jet, 1989-96 40 HP, 1989-97 40 HP Jet, 1981-89 45 HP, 1976-85 50 HP, 1984-88 75 HP, 1978-83 80 HP, 1994-96 80 HP Jet, 1976-77 85 HP, 1988-96 100 HP, 1989-97 115 HP, 1994-96 125 HP Mercury engines & 1990-95 120 HP Force engines.
Replaces: 18-5881, 332-5772A1, 332-5772A2,332-5772A3, 332-5772A4,332-5772A5, CDI 1145772

PART NO.
S185881

3 & 6 CYL SWITCH BOX



Fits: 1984-90 50, 60 HP, 1976-79 65 HP, 1977-93 75 HP, 90 HP & 90 HP Jet 3 cylinder engines. Also fits 1979-86 90 HP, 1992-2000 105 Jet, 1979-89 115 HP, 1985-99 135 HP, 1979-80 140 HP, 1992-99 140 HP Jet, 1978-99 150/175/200 HP, 1981-93 225 HP, 1989-94 250/275 HP & 1980-87 300 HP engines.
Replaces: 18-5775, 332-5524, 332-7778, 332-7778A1, 332-7778A3, 332-7778A5,332-7778A6, 332-7778A9, 332-7778A12, CDI 114-7778

PART NO.
S185775

CDM. MODULE



Fits: Most engines from 1996-2005.
Replaces: 827509A1, 827509A3, 827509A4, 827509A7, 827509A9, 827509A10, 827509T7, CDI 114-7509

PART NO.
S1899161

RECTIFIERS / REGULATORS

RECTIFIER



Replaces: 18-5827, 584476, 585001
CDI 154-6770

PART NO.	
S185707	18-5707

RECTIFIER/REGULATOR



Replaces: 18-5741, 18-5742, 18-5743, 18-5744, 815279, 815279-1, 815279-2, 815279-3, 815279-4, 815279-5, 815279T, 815279T2, 815279T3, 815279T4, 815279T5, 815279A1, 815279A2, 815279A3, 817411, 817411 1, 830179, 830179-2, 830179A1, 830179A2, 830179A3, 830179T, 854514A1, 854515, 854515T1, 856747T1, 856748, 883071A1, 883072, 883072 1, 883072T, 65W-81960-00-00, CDI 194-5279

PART NO.
S185743

RECTIFIER/REG. KIT



Replaces: 194-3072K1, 854515T2, 883071T1, 883072T1, 883072T2, 893640-002

PART NO.
194-2115K 1

TRIGGERS

MERCURY 2 CYL TRIGGER



Fits: 1994 30 & 40 HP engines.
Replaces: 99021A11, 99021A14

PART NO.
134-9021-2

MERCURY 3 CYL TRIGGER



Replaces: 18-5797, 68162A3, 68162A6, 96455A1, 96455A8

PART NO.
134-6453

MERCURY 3 CYL TRIGGER



Fits: 70, 75, 80, 90 HP Mariner & Mercury engines.
Replaces: 99021A3, 990219A5, 99021A9, 99021A13, 99021A15, 99021A16, CDI 134-9021-3

PART NO.
S1899393

MERCURY 4 CYL. TRIGGER



Fits: 100, 115, 125 HP Mariner & 80 Jet Engines
Replaces: 99021A2, 99021A6, 99021K2

PART NO.
134-9021-4

MERCURY 4 CYL. TRIGGER



Straight Linkage Arm

Fits: 45, 50, 80, 85 HP Mariner & Mercury engines.
Replaces: 73372A1, 73410A1, 76681A1, 77000A2, 96452A1, 96452A4, 96452A5, CDI 134-6452

PART NO.
S1899390

MERCURY 4 CYL. TRIGGER



Hooked Arm Trigger.

Fits: 75 HP 1984-1986 and 80HP 1980-1983

Replaces : 77000A2, 96453A1, 96453A2, CDI 134-6454

PART NO.	
S1899403	18-99403

MERCURY 6 CYL. TRIGGER



Fits: 90, 115, 135, 150, 175, 200, 225 HP Mariner & Mercury engines, 105, 140 Jet engines. Magnum II & III, 150/175 Magnum, 150/175 Marathon, XR4, XR6, 150/200/225 ProMax, 150/200/225 Super Magnum, Merc Formula I.
Replaces: 18-5795, 18-5798, 68162A1, 68162A5, 68162A8, 96455A6, 96455A9, 96455A10, 96455A11

PART NO.
134-6456

4 & 6 CYL DIST. TRIGGER HOUSING



Requires the Steel Trigger Disk, included.

PART NO.
134-3736

STATORS

STATOR 2 CYL.



Replaces: 18-5863, 86617A2, 86617A3, 86617A5, 86617A9, 86617A11, 86617A13, 86617A20
Note: This stator can be used to replace P/N 86617A17 (some rewiring required)

PART NO.
174-6617K 1

CDM STATOR 2 CYL.



Replaces: 855721A4, 855721T8
CDI 174-5721

PART NO.
S1899225

BATTERY CHARGING STATOR 6 CYL.



Replaces: 398-3587, 398-3618, 398-4792, 398-4793, 398-5232

PART NO.
174-4793

9 AMP STATOR 3 & 4 CYL.



Unique Design Replaces Both 3 & 4 Cyl. Stators.
Do not use with the flywheel containing glued-in magnets!
(1988 & newer)
Replaces: 18-5859, 18-5865, 18-5866, 398-5454A21, 398-5454A22, 398-5454A24, 398-5454A25, 398-5454A26, 398-5454A42, 398-5454A56, 398-5454A62, 398-5454A63, 398-5704A2, 398-5704A4, 398-5704A5, 398-5704A7, 398-5919A2, 398-5919A3, 398-5919A6, 398-5919A7, 398-5919A8, 398-5919A10, CDI 174-5454K1

PART NO.
S1858591

9 AMP STATOR 2, 3 & 4 CYL.



Unique Design Replaces 2, 3 & 4 Cyl. Stators.
Do not use with flywheels having bolted in place magnets!
Replaces: 18-5873, 18-5874, 398-8778A 6, 398-8778A10, 398-8778A16, 398-8778A17, 398-8778A18, 398-8778A21, 398-8778A22, 398-8778A23, 398-8778A24, 398-8778A25, 398-8778A26, 398-8778A27, 398-8778A28, 398-8778A29, 398-818535A3, 398-818535A5, 398-818535A8, 398-818535A9, 398-818535A10, 398-818535A13,398-818535A14, 398-818535A15, 749095, F749095
Note: 174-8778K1 can be used with either a voltage regulator or a rectifier only.

PART NO.
174-8778K 1

16 AMP STATOR 2, 3 & 4 CYL.



Unique Design Replaces 2, 3 & 4 Cyl. Stators.
Do not use with flywheels having bolted in place magnets!
Replaces: 398-9710A11, 398-9710A12, 398-9710A14, 398-9710A15, 398-9710A17, 398-9710A18, 398-9710A22, 398-9710A23, 398-9710A25, 398-9710A28, 398-9710A30, 398-9710A33, 398-9710A34, 398-9710A36, 398-9710A38, 398-9710A39, 398-9710A43, 398-9710A45, 398-9710A46, 398-9710A47, 398-9710A48, 398-9710A49, 398-9873A9, 398-9873A17, 398-9873A19, 398-9873A24, 398-9873A25, 398-9873A29, 398-9873A35, 398-818535A17, 398-818535A18 F747095
CDI 174-9710K1

PART NO.
S1899162

9 AMP STATOR 6 CYL



Replaces: 18-5854, 18-5857, 398-5454A2, 398-5454A6, 398-5454A7, 398-5454A8, 398-5454A9, 398-5454A17, 398-5454A18, 398-5454A55

PART NO.
174-5456

16 AMP STATOR 6 CYL



Replaces: 18-5860, 18-5861, 398-5454A11, 398-5454A15, 398-5454A16, 398-5454A30, 398-5454A31, 398-5454A32, 398-5454A34, 398-5454A35, 398-5454A36, 398-5454A61, 398-5454A64, CDI 174-5456-16

PART NO.
S185860

16 AMP STATOR 2, 3 & 4 CYL.



Replaces 16A Red and Black Stators with White/Green, Green/White and 2 Yellow wires.
Do not use as a replacement for the 398-9710 series stators!
Replaces: 18-5870, 398-832075A3, 398-832075A4, 398-832075A5, 398-832075A6, 398-832075A9, 398-832075A12, 398-832075A17, 398-832075A21, 398-9873A19, 398-9873A22, 398-9873A28

PART NO.
174-2075K 2

40 AMP STATOR 6 CYL



Universal Design Replaces Both 2 & 4 Yellow Wire 40A Stators.
Replaces: 398-9610A3, 398-9610A5, 398-9610A6, 398-9610A9, 398-9610A14, 398-9610A17, 398-9610A19, 398-9610A22, 398-9610A24, 398-9610A33

PART NO.
174-9610K 2



Honda
1978-2001
2.0-130 hp,
1-4 cyl
Includes jet drives

S1801200



Honda
2002-2008
2.0-225 hp,
1-4 cyl & 6 cyl
Including jet drives

S1801202



Johnson/Evinrude
1973-1989
1.25-60 hp,
1-2 cyl

S1801302



Johnson/Evinrude
1973-1991
60-235 hp,,
3 cyl, V4, V6

S1801308



Johnson/Evinrude
1992-2001
65-300 hp,
V4, V6 and V8 engines
Includes jet drives.

S1801311



Johnson/Evinrude
1990-2001
1.25-70 hp,
Covers all inline engines,
2-stroke and 4-stroke models.

S1801312



Mercury
1965-1989
2-40 hp,
1-2 cyl

S1801404



Mercury
1965-1989
40-115 hp,
3-4 cyl

S1801406



Mercury
1965-1989
90-300 hp,
6 cyl

S1801408



Mercury
1990-2000
2.5-275 hp,
All 2 Stroke
Includes jet drives

S1801416



Mercury
2001-2009
2.5-250 hp,
All 2 Stroke
Includes jet drives

S1801418



Mercury
2005-2011
2.5-250 hp,
All 4 Stroke
Includes jet drives

S1801422



Suzuki
1988-2003
2-225 hp,
All 2 Stroke
Includes jet drives

S1801600



Suzuki
1996-2007
2-300 hp,
All 4 Stroke
Includes jet drives

S1801602





Yamaha
1984-1996
2-250 hp,
2 & 4 Stroke
Includes jet drives

S1801701



Yamaha
1997-2009
2-250 hp,
All 2 Stroke
Includes jet drives

S1801703



Yamaha
1995-2004
2.5-225 hp,
All 4 Stroke
Includes jet drives

S1801705



Yamaha
2005-2010
2.5-350 hp,
All 4 Stroke
Includes jet drives

S1801707



Mercruiser
1964-1991
All Gas Engines &
Sterndrives

S1803200



Mercruiser
1992-2000
All Gas Engines & Drives,
Includes Inboards

S1803206



Mercruiser
2001-2006
All Gas Engines & Drives,
Includes Inboards

S1803208



OMC
1964-1986
All Gas Engines & Drives,
Includes Inboards

S1803400



OMC
1986-1998
All Gas Engines
& Cobra/King Cobra
Stern Drives

S1803404



Volvo/Penta
1968-1991
All Gas Engines &
Sterndrives

S1803600



Volvo/Penta
1992-1993
All 4 cyl Gas Engines
& Sterndrives

S1803602



Volvo/Penta
1992-2003
All Gas Engines
& Sterndrives

S1803606



SeaDoo PWC
2002-2011
GTI,GTX,PRO,RXP,RXT and
Wake Models with 1494cc
engines.

S1809006



Yamaha PWC
2002-2011
All 4 Stroke Models

S1809606

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

NGK Spark Plugs



STANDARD SPARK PLUGS

The workhorse, at the heart of smooth-running engines around the world.

- OEM Quality
- Triple-Gasket Sealing Process
- Consistent Performance
- Plug of Choice in Millions of Vehicles



Count on NGK to deliver the finest quality products.

TO LOCATE THE SPARK PLUG YOU NEED PLEASE VISIT

WWW.NGK.CA



NGK – When you require the best, count on the World Leader in spark plug technology. NGK offers the highest quality products for virtually every marine application. When you choose NGK spark plugs, you're in good company. Customers around the world recognize the unsurpassed quality, reliability, and performance.

PART NO.	DESCRIPTION
NGK2910	AB6
NGK7909	AB8
NGK3110	B2
NGK3212	B6L
NGK5110	B7HS
NGK3710	B7S
NGK7938	BKR5E
NGK6953	BKR5E-11
NGK6962	BKR6E
NGK6993	BKR6EKU
NGK5553	BKR6ES-11
NGK5881	BKR7EKU
NGK4952	BKR7ES-11
NGK4838	BP8H-N-10
NGK3823	BP8HS-10
NGK6729	BP8HS-15
NGK4972	BPMR6A SOLID SPARK PLUG
NGK6703	BPMR7ASOLID SPARK PLUG
NGK2359	BPR5EFS-13 SPARK PLUG
NGK6597	BPR5EIX
NGK7734	BPR5ES
NGK6222	BPR5HS
NGK3623	BPR6EFS
NGK6637	BPR6EIX
NGK7131	BPR6ES
NGK2623	BPR6FS
NGK4085	BPR6HIX
NGK7022	BPR6HS

PART NO.	DESCRIPTION
NGK7022	BPR6HS
NGK2633	BPR6HS-10
NGK4055	BPR7EIX
NGK5534	BPR7ES
NGK5944	BPR7HIX
NGK6422	BPR7HS
NGK1092	BPR7HS-10
NGK3923	BPR8ES
NGK3725	BPR8HS
NGK7788	BPR9ES
NGK4495	BPZ8H-N-10
NGK3133	BPZ8HS-10
NGK3180	BPZ8HS-15
NGK6801	BR10EIX
NGK4684	BR10ES-SOLID
NGK7613	BR10EYA
NGK5798	BR2LM
NGK4133	BR4LM
NGK3722	BR5HS
NGK4922	BR6ES
NGK2318	BR6FIX
NGK4323	BR6FS
NGK3419	BR6HIX
NGK3922	BR6HS
NGK1090	BR6HS-10
NGK3522	BR6S
NGK6664	BR7EIX
NGK5122	BR7ES
NGK4122	BR7HS

PART NO.	DESCRIPTION
NGK1098	BR7HS-10
NGK6747	BR8EIX-SOLID
NGK5422	BR8ES
NGK7986	BR8ES-11
NGK3961	BR8ES-SOLID
NGK2663	BR8EYA
NGK1157	BR8HCS-10
NGK7001	BR8HIX
NGK4322	BR8HS
NGK1134	BR8HS-10
NGK6669	BR9ECS-5
NGK5722	BR9ES
NGK3194	BR9ES-SOLID
NGK7548	BR9EYA
NGK4522	BR9HS
NGK4551	BR9HS-10
NGK3322	BRHS
NGK6431	BU8H
NGK2322	BUE
NGK2522	BUHX
NGK7447	BUZ8H
NGK3579	BZ7HS-10
NGK5812	CM6
NGK4695	CR4HSB
NGK6689	CR5EH9
NGK6535	CR5HSB
NGK2983	CR6HSA
NGK4578	CR7E
NGK7385	CR7IEX
NGK6263	CR9E
NGK6955	CR9EB
NGK4548	CR9EK
NGK3481	DCPR6E
NGK3932	DCPR7E
NGK4339	DCPR8E
NGK2887	DPR5EA-9
NGK5531	DPR6EA-9
NGK3108	DPR6EB-9
NGK4929	DPR8EA-9
NGK4623	DR5HS
NGK4823	DR6HS
NGK7839	DR7EA
NGK7162	DR8EA
NGK2923	DR8ES-L
NGK4212	ILFR6GE SPARK PLUG
NGK91418	ILTR5E11
NGK6544	IMR9D-9H
NGK5599	ITR4A15
NGK5887	IZFR5G
NGK5899	IZFR5J
NGK4095	IZFR6F-11
NGK4462	IZFR6J
NGK4757	IZFR6N-E
NGK6499	LFR4A-E
NGK6376	LFR5A-11
NGK3672	LFR6A-11
NGK5940	BR10ECS SPARK PLUG

PART NO.	DESCRIPTION
NGK4363	PZFR5F-11
NGK7696	PZFR6H
NGK4253	PZFR7G-G
NGK7862	PZTR5A-15
NGK2238	TR5
NGK3951	TR55
NGK7164	TR55IX
NGK7397	TR5IX
NGK6630	UR4
NGK2771	UR5
NGK7177	UR5IX
NGK7773	UR6
NGK7966	UR6GP
NGK7348	UR6IX
NGK7510	WR5IX
NGK5858	XR4
NGK2953	YR5GP
NGK7558	ZFR5F



WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

OMC COBRA PARTS BY GLM

BEARING CARRIER



All OMC Cobra
1991 - 1993 with 1-1/4" Diameter Prop Shaft

Replaces: 5004257

PART NO.	MFG#	DESCRIPTION
GLM11408	11408	Bearing Carrier

SCREEN & SCREW



Screen, 1990-98
Replaces: 337778

Screen Screw
Replaces: 337061

PART NO.	MFG#	DESCRIPTION
GLM21885	21885	Screen
GLM22363	22363	Screen Screw

UPPER GEAR SET ASSEMBLIES



21:16 Ratio

Upper Gear Set, 21:16 Ratio. Fits: 5.7L 350 Chevy V8 5.8L 351 Ford V8
Replaces: 983917

PART NO.	MFG#	DESCRIPTION
GLM22522	22522	Upper Gear Set

21:17 Ratio

Upper Gear Set, 21:17 Ratio. Fits: 5.0L 305 Chevy V8 5.8L 351 Ford V8 EFI 7.5L 460 Ford V8 **Replaces:** 983919

PART NO.	MFG#	DESCRIPTION
GLM22532	22532	Upper Gear Set

21:18 Ratio

Upper Gear Set, 21:18 Ratio. Fits: 4-Cylinder 1987-90 2.3L 4-Cylinder 1986-89 3.0L, 5.0L 302 Ford V8 **Replaces:** 983918

PART NO.	MFG#	DESCRIPTION
GLM22562	22562	Upper Gear Set

21:19 Ratio

Upper gear Set, 21:19 Ratio. Fits: 4.3L 262 Chevy V6
Replaces: 984013

PART NO.	MFG#	DESCRIPTION
GLM22542	22542	Upper Gear Set

SHIFT ROD ASSEMBLY



Thrust Plate Port 1986-98
Replaces: 3852561

Thrust Plate Stbd 1986-98
Replaces: 3852562

Shift Rod Assembly
Fits: 1986-93 w/ V6 & V8 1990-93 w/ 4cyl 3.0L
Replaces: 986658

PART NO.	MFG#	DESCRIPTION
GLM21032	21032	Shift Rod Ass'y

OMC COBRA CLUTCH DOG



Clutch Dog for Standard Gear 4 Cylinder.

Fits: Small Gearcase (1986-89 3.0L, 1987-90 2.3L)
Replaces: 912607

PART NO.	MFG#	DESCRIPTION
GLM22633	22633	Clutch Dog

SHAFT & BEARING HOUSING KIT



Shaft & Bearing Housing Kit

Fits: Lower Gear Housing (1986-93 V6 & V8, 1990-93 3.0L)

PART NO.	MFG#	DESCRIPTION
GLM28481	28481	Housing Kit

SHAFT & BEARING HOUSING KIT



Shaft & Bearing Housing Kit, 4 Cylinder.

Fits: Lower Gear Housing 4Cyl (1986-89 3.0L, 1987-90 2.3L)

PART NO.	MFG#	DESCRIPTION
GLM28482	28482	Housing Kit

This is just a small portion of our extensive stock for engine parts, please call for more information regarding engine parts.

STARTER



Replaces:
Crusader 42090,
Mercruiser 50-72550A2,
50-79604A3, 50-97499A2;
OMC 982202, 981289,
Pleasurecraft RA122008

Top mount rear entry starter. Heavy duty. Clockwise rotation. For opposite rotation GM and Ford engines. Will also replace standard rotation Mercruiser built 4 cyl. 165/170/180/190/470/485/488.

PART NO.	MFG#	DESCRIPTION
S185907	18-5907	Starter
S185837	18-5837	Replacement Solenoid

STARTER



Replaces:
Crusader 42091,
Mercruiser 50-76965A3,
OMC 981288, 982195, 984982, 86007
Pleasurecraft RA122009

Counter clockwise rotation. For standard rotation GM and Ford engines.

PART NO.	MFG#	DESCRIPTION
S185908	18-5908	Starter
S185837	18-5837	Replacement Solenoid

STARTER



PMGR type 12 Vdc starter with 11 tooth pinion, CW rotation, bottom mount and offset bolt pattern.
Replaces: 50-8M0095471

Fits: Mercruiser 4.5L MPI and 6.2L MPI Non-GM engines

PART NO.	MFG#	DESCRIPTION
S1855510	18-55510	Starter

STARTER



Replaces: Mercruiser
50-69865A1,50-12872,
50-56886,
OMC 980803, 981821
Pleasurecraft RA122001,
Volvo 841066-4

Bottom mount, two bolt pattern. Clockwise rotation. For standard rotation Ford engines.

PART NO.	MFG#	DESCRIPTION
S185903	18-5903	Starter
S185801	18-5801	Replacement Solenoid

STARTER



Fits:
Volvo Penta, Mercruiser,
Marine Power, etc.

Permanent Magnet Gear Reduction Starter, 2 Long Bolt Offset Pattern Clockwise Rotation,SAE J1171. Use w/ Late Model 3.0L Engines with 14" Flywheel.

PART NO.	MFG#	DESCRIPTION
S186275	18-6275-1	Starter
S185811	18-5811-1	Replacement Solenoid

STARTER



Replaces:
50-806963A4, 50-806965A2
S/N - 0F803000AN / 0F803114AN 4.3LX/LXH Alpha/Bravo 262 CID.
S/N - 355305AN / 22560AN 5.7L Alpha (EFI)/5.7L Bravo (EFI).

Permanent magnet I/O starter, Fits: Chevy Engines with 12-3/4" flywheels. Straight across bolt pattern. SAEJ1171.

PART NO.	MFG#	DESCRIPTION
S185919	18-5919-1	Starter

STARTER



Replaces: 50-812428A3, 50-812604A2, 50-822330A2, 50-864340A2
For: Late model GM - 14" Flywheel (Clockwise). SAEJ1171
For: 4.3L (1996 & Up); 5.0 & 5.7L (1998 & Up)

Delco permanent magnet gear reduction 2 bolt starter 12V - 11 Tooth Offset Bolt Pattern.

PART NO.	MFG#	DESCRIPTION
S185913	18-5913-1	Starter

STARTER



Replaces:
50-806963A4, 50-806965A2
S/N - 0F803000AN / 0F803114AN 4.3LX/LXH Alpha/Bravo 262 CID.
S/N - 355305AN / 22560AN 5.7L Alpha (EFI)/5.7L Bravo (EFI).

Permanent magnet I/O starter, Fits: Chevy Engines with 12-3/4" flywheels. Straight across bolt pattern. SAEJ1171, 18-5919.

PART NO.	MFG#	DESCRIPTION
9201106	6563N	Starter

STARTER



Fits:
GM V-6 & V-8 Engines, MCM 3.0L 1.4kW/12 Volt, CW, 11-Tooth Pinion, 2 Long Offset bolt pattern SAE J1171 Marine Certified

Delco 9000839, Mercruiser, 863007A1, 50-807904A1, 50-863007A1, 50-77328A1, 50-77328A3, 50-99418A2, 50-822330A2, 50-12121A2, 50-12177A2, 50-812428A3, 50-812604A2, 50-806964A2, 50-806964A3, 50-806964A4, 50-864340A2, 50-863007R01, 50-99418R2, 50-806964R4, 50-806964R3, 50-864340R2, 50-99418R03, 50-864340R02, Volvo Penta-3857747, 3860566, 3885317, Sierra 18-6275

PART NO.	MFG#	DESCRIPTION
9201102	6792BN	Starter

STARTER



Fits:
GM engines with 14" flywheels 1.6kW/12 Volt, CW, 11-Tooth Pinion SAE J1171 Marine Certified

Delco 10465042, 9000762, 9000768, 9000789, 9000819, 9000851, 9000885, 9000886, Hyster 1469604, Letrika Old IS 9313, IS 9314, Mercury Marine 50-863007A1, 50-807904A1, 50-806964A4, 50-806964A350-806964A2, 50-812428A3, 50-812604A2, 50-822330A2, 50-864340A2, OMC 3855177, 3854751, Volvo 3587625, 3885317, 3856004, 3853982, 3860764, 872394, Prestolite 35261180, Sierra 18-5913

PART NO.	MFG#	DESCRIPTION
9201100	6562N	Starter

This is just a small portion of our extensive stock for engine parts, please call for more information regarding engine parts.

NEW

STARTER



Replaces:
Yanmar 129242-77010, 129608-77010, 129698-77010.
Isuzu 5-86400220-0

Fits Yanmar 1994 – 2003, 3 and 4 Cycle

- Rotation: CW
- Pinion: 11- Tooth
- System Voltage: 12 Vdc

PART NO.	MFG#	DESCRIPTION
9210208	18219N	Starter

STARTER



Replaces: 987811, RRK122014, RA122001

Permanent Magnet Starter for: 5.0L & 5.8L Ford engines.

PART NO.	MFG#	DESCRIPTION
S185920	18-5920	Starter
S186291	18-6291	Replacement Solenoid

ALTERNATOR



Replaces: 862031T–SAE J1171. 7SI/70A, Hinge Mount, Serpentine Pulley 2.44" (62mm) Diameter

PART NO.	MFG#	DESCRIPTION
S186293	18-6293	Alternator 2.44" Pulley

ALTERNATOR



Replaces: 863077T–SAE J1171

7SI/70A, Hinge Mount, Serpentine Pulley 1.97" Diameter

PART NO.	MFG#	DESCRIPTION
S186298	18-6298	Alternator 1.97" Pulley

ALTERNATOR



Replaces:
807653T

Mando Alternator, Serpentine Pulley. 65 Amp. SAE J1171

PART NO.	MFG#	DESCRIPTION
S185960	18-5960	Alternator

ALTERNATOR



Replaces:
817119A4

Mando Alternator, Single Groove Pulley. 55 Amps. SAE J1171

PART NO.	MFG#	DESCRIPTION
S185966	18-5966-1	Alternator

ALTERNATOR



Replaces: Mercruiser 69729

1 wire, 68 amp. Single wire connection fits Mercruiser and many other applications. Equipped with fan and drive pulley.

PART NO.	MFG#	DESCRIPTION
S185956	18-5956-1	Alternator

ALTERNATOR



Replaces:
817119A1, 817119A4, 805884T

Mando Alternator, 65 Amp. SAEJ1171

PART NO.	MFG#	DESCRIPTION
S185965	18-5965	Alternator

ALTERNATOR



Replaces:
807652T

Mando Alternator, Serpentine Pulley. 55 Amp. SAEJ1171

PART NO.	MFG#	DESCRIPTION
S185967	18-5967-1	Alternator

ALTERNATOR FOR VOLVO



Alternator, 75A, 12V, Serpentine

Replaces : 3884950

Fits : 3.0L, 4.3L, 5.0L, 5.8L, 8.1L (2007- Present)

PART NO.	MFG#	DESCRIPTION
S185882	18-5882	12V

NEW

ALTERNATOR, W/O PULLEY



Replaces:
8600307, 8600311, 8600308, 8600390, 8600280

- Mount Type : J180 Long Hinge, w/o Pulley
- Rotation: CW
- System Voltage: 12 Vdc
- Rated Output: 200 Amps

PART NO.	MFG#	DESCRIPTION
9113015	8745N	12 Vdc, 200 Amps, w/o Pulley

This is just a small portion of our extensive stock for engine parts, please call for more information regarding engine parts.

PE 902-566-1220 NS 902-928-1900

WATER PUMP



Replaces:
Mercruiser 884727

Fits: Late model 4 cylinder GM engines requiring hose fitting

PART NO.	MFG#	DESCRIPTION
S183593	18-3593	Water Pump

WATER PUMP



Replaces: Mercruiser 67859, 17670, 811573, Pleasurecraft RA057019, GM 6269358, OMC 987447.

GM 454 CID OMC 409 and 454 CID engines. Mercruiser 325 to 454 CID 5/8" hub shaft for 454 C.I. marine design engines.

PART NO.	MFG#	DESCRIPTION
S183577	18-3577-2	Water Pump

WATER PUMP



Replaces: Mercruiser 17437,60658, OMC 985429, Pleasurecraft RA057018, Volvo 835390-6, 856364-5.

GM Small Block V6 & V8 Steel Timing Cover Bidirectional pump OMC 185 to 260 H.P., Mercruiser 225 to 280, 898/198, Volvo Penta AQ200 to 311 engine. Chris Craft, Crusader, Owens, Flagship, Mercruiser, OMC Chevy 305, 307, 327, 350 cid V8 engine. Water bypass outlets plugged for salt water cooled engines.

Replaces:
Mercruiser 811841, 850399, 8503991

GM Small Block V6 & V8's Composite Timing Cover For late model GM V6 & V8 Engines using a composite timing cover.

PART NO.	MFG#	DESCRIPTION
S183599	18-3599-2	Water Pump

WINTERSAFE -50F DUAL PURPOSE BOAT/RV ANTIFREEZE



Safe for all engines, non-toxic propylene glycol formula. Provides protection down to -50°F (-46°C). Contains corrosion inhibitors that protect all engine components and seals. Most effective way to protect all marine engines & water systems from freeze-up during winter storage.

Not made with recycled materials.

- Safe for all engines and water systems.
- Non-toxic product.
- Safe for Copper, Brass and plastic, rubber and solder
- Ethanol-Free
- Corrosion inhibitors to protect engine components & seals.

PART NO.	MFG#	DESCRIPTION
5222000	31200	1 Gallon
5222055	312G55	55 Gallon Drum



ANTIFREEZE -100 NON-TOXIC

WINTERSAFE



The Ultimate in extreme cold weather and corrosion protection for all engines and drinking water systems. Premium additive prevents corrosion of aluminum, copper, brass or solder and will not harm rubber, plastic, seals or hose materials.

The 3X-dyed blue-green colour provides excellent blow-through visibility. Non-toxic USP-grade ingredients containing no alcohols. Ready-to-use or may be diluted – please follow label directions for dilution ratios.

Provides burst protection to -100°F (-73°C) and freeze protection within a range of -58°F to -63°F (-50°C to -52°C). Used in boats, RVs, vacation homes, pools.

PART NO.	MFG#	DESCRIPTION
5222001	31500PK	1 Gallon
5222056	315G55PK	55 Gallon Drum

This is just a small portion of our extensive stock for engine parts, please call for more information regarding engine parts.

MERCRUISER WATER PUMP KIT



Mercruiser #1, Alpha 1 Serial #2495186 through D594568 Upper Housing Kit (Without Base)
Replaces: 46-60367A1, 46-96148A5

PART NO.	MFG#	DESCRIPTION
S183517	18-3517	Upper Pump Housing Kit

MERCRUISER WATER PUMP KIT



Mercruiser Alpha I Seriel 6854393 through D594568
Complete Pump Housing Kit

PART NO.	MFG#	DESCRIPTION
S183320	18-3320	Complete Pump Housing Kit

WATER PUMP REPAIR KIT



Fits: Bravo Seawater Pump with 2 piece housing.

Replaces: Mercruiser
47-72774A89

PART NO.	MFG#	DESCRIPTION
S183155	18-3155	Water Pump Repair Kit

MERCRUISER WATER PUMP KIT



Alpha 1 Gen II D494569 & above **Replaces:** 47-43026T6, 47-43026T8, 47-43026T11

Sierra #	Description	OEM#	Qty
18-2564	Water Pump Base to Face Plate Gasket	27-43033-1	1
18-2565	Water Pump Base to Gear Housing Gasket	27-43047-1	1
18-2566	Face Plate to Water Pump Cover Gasket	27-817277	1
18-2944	Seal Ring	26-45577	1
18-3056	Impeller	47-43026-1	1
18-3122	Impeller Plate	817276	1
18-7420	O-Ring	25-21836	1

PART NO.	MFG#	DESCRIPTION
S183214	18-3214	Impeller Repair Kit

MERCRUISER WATER PUMP KIT



Bravo Water Pump Kit w/ Housing

Replaces: 46-807151A14

PART NO.	MFG#	DESCRIPTION
S183150	18-3150	Water Pump Kit w/ Housing

MERCRUISER WATER PUMP KIT



Water Pump Kit w/o Housing Bravo

Sierra #	Description	OEM#	Qty
18-3350	Wear Plate	94576	1
18-3351	Wear Plate	94916	1
18-3087	Impeller	47-59362	1
18-0386	Body Gask	27-94914	2
18-0916	Pump Gask	27-805215-1	1

PART NO.	MFG#	DESCRIPTION
S183309	18-3309	Water Pump Kit without Housing

OMC WATER PUMP KIT



Water Pump Kit w/o Housing. OMC Cobra.
Replaces: 984461

Sierra #	Description	OEM#	Qty
18-2541	O-Ring	911704	1
18-2916	Housing Gask	911702	1
18-3058	Impeller	983895	1
18-3121	Impeller Plate	911703	1
18-3145	Pump Liner	911844	1

PART NO.	MFG#	DESCRIPTION
S183212	18-3212-1	Water Pump Kit

VOLVO WATER PUMP REPAIR KITS



7790550



7790552

These Volvo Penta Repair Kits fit most 3.0, 4.3, 5.0, 5.7, 8.1 gas sterndrives w/ crank driven sea water pumps.

PART NO.	MFG#	DESCRIPTION
7790550	09-5000	1999 – 2005, Narrow Impeller Kit
7790552	09-6000	2006 and Up, Wide Impeller Kit

MERCURY OUTBOARD MAINTENANCE KIT



GLM 29570 Outboard Maintenance Kit for Mercury 40, 50, 60 HP, 4-Stroke (1C050252 & Up)

Available for 1:83 gearcase ratio or 2:33 gear case ratios

PART NO.	MFG#	DESCRIPTION
GLM29570	29570	For 1.83 gear ratio only
GLM29580	29580	For 2.33 gear ratio only

MERCURY OUTBOARD MAINTENANCE KIT



GLM 29610 Outboard Maintenance Kit for Mercury 75, 90, 115 HP, 4-Stroke (2B094996 & Up)

PART NO.	MFG#	DESCRIPTION
GLM29610	29610	Maintenance Kit 75-115hp

WATER PUMP FOR MERCRUISER



Replaces: 46-862914A13
Used on many Alpha, Bravo, Scorpion models.

PART NO.	MFG#	DESCRIPTION
S183160	18-3160-1	Mercruiser Pump
S183016	18-3016-1	Impeller

SEA WATER PUMP



Replaces: MerCruiser 46-72774A32
Fits: V8 Engines with V-Belt / 2 piece pump

PART NO.	MFG#	DESCRIPTION
S183600	18-3600	Sea Water Pump
S183087	18-3087	Impeller

PULLEY KITS
FOR MERCRUISER SEA WATER PUMPS



For Alpha & Bravo Mercruiser engines with Serpentine belt.
Fits Mercruiser Pumps:
- 46-8M0122655 , 46-8M0118062



For Mercruiser engines with Serpentine belt.
Replaces: 861579

PART NO.	MFG#	DESCRIPTION
GLM22209	22209	Pulley Kit, Sea Water Pump
GLM22213	22213	Pulley Kit, Sea Water Pump

MERCURY OUTBOARD MAINTENANCE KIT



GLM 29620 Outboard Maintenance Kit for Mercury 135, 150, 175, 200 HP, 4-Cylinder, 4-Stroke Verado (1B311420 & Up)

PART NO.	MFG#	DESCRIPTION
GLM29620	29620	Maintenance Kit 135-200hp

LOWER GEARCASE SEAL KIT



- 135 - 175 HP (1B227000 & Up)
- 200 - 225 HP(0T980000 & Up)
- 250 - 275 HP (0T801000 & Up)
- 300 HP (0P520553 & Up)

Fits the 4.80 inch Torpedo gearcase on the Fourstroke Verado outboard beginning with model year 2005.

-Will not fit the 5.44 inch.

-Replaces 26-830749A01

PART NO.	MFG#	DESCRIPTION
GLM87515	87515	Gearcase Seal Kit

This is just a small portion of our extensive stock for engine parts, please call for more information regarding engine parts.

OIL FILTER



For 2001-16 Mercury/Mariner 2-cyl, 8-20 Hp 3-cyl, 25-30 Hp outboard engines.

Replaces: Mercury 822626Q03, 822626Q1, 822626A1, 822626

PART NO.	MFG#	DESCRIPTION
35-57800	35-57800	Oil Filter

OIL FILTER



For 1963 & later MerCruiser, OMC, Volvo, Crudaser and other GM sterndrive/inboard engines. 13/16" x 16 NPT thread.

Replaces: Mercury 866340Q03
OMC 502901
Volvo 835440
PCM R077002

PART NO.	MFG#	DESCRIPTION
35-57801	35-57801	Oil Filter

OIL FILTER



For OMC, MerCruiser, Volvo & other sterndrive/inboard V6 and V8 GM & Volvo engines. 18mm x 1.5 thread.

Replaces: Mercury 883702
OMC 502903
Volvo 841750

PART NO.	MFG#	DESCRIPTION
35-57803	35-57803	Oil Filter

OIL FILTER



For PWC, Mercury, Johnson/Evinrude and other engines. 20mm x 1.5 thread.

Replaces: Mercury 8M0065103
BRP 5041144
Yamaha 5GH-13440-00-00
Honda 15400-PFB-014
Tohatsu 3R007-6150M
Kawasaki 16097-0003

PART NO.	MFG#	DESCRIPTION
35-57804	35-57804	Oil Filter

OIL FILTER



For 1996 & later PWC, Mercury, Johnson/ Evinrude and other outboard engines.

Replaces: Mercury 822626T7
BRP 5031411
Yamaha 69J-13440-00-00

PART NO.	MFG#	DESCRIPTION
35-57808	35-57808	Oil Filter

FUEL WATER SEPARATOR



For 1995-2004 Mercury & MerCruiser and other outboard, inboard and sterndrive engines.

Replaces: Mercury 802893Q01, 802893Q, 807172, 806771, 8052691, 805269, 604941, 60494A5, 57250, 60494, 55501 , 52456

PART NO.	MFG#	DESCRIPTION
35-37800	35-37800	Oil Filter

FUEL WATER SEPARATOR



For 1988-2005 Mercury & MerCruiser outboard, inboard and sterndrive engines.

Replaces: Mercury 866594K01

PART NO.	MFG#	DESCRIPTION
35-37801	35-37801	Fuel Filter

FUEL WATER SEPARATOR



For Johnson/Evinrude, OMC & other outboards, inboards & sterndrive engines. 10 micron rating.

Replaces: OMC 502905

PART NO.	MFG#	DESCRIPTION
35-37803	35-37803	Fuel Filter

FUEL WATER SEPARATOR



For various year universal sterndrive/inboard engines. 10 micro rating.

Replaces: OMC 502906
Volvo 3862228

PART NO.	MFG#	DESCRIPTION
35-37804	35-37804	Fuel Filter

This is just a small portion of our extensive stock for engine parts, please call for more information regarding engine parts.



Maritime Marine Supply stocks a large selection of **EMP Marine Parts**

Ask your sales representative about all that EMP offers



OIL FILTER



Volvo Oil Filter Cartridge Style

Replaces: Volvo 8692305

PART NO.	DESCRIPTION
S188003	Oil Filter

OIL FILTER



Oil Filter

Replaces: Mercury - 14957, 54111
Volvo - 835440-9
OMC - 173232, 502902

GM 4 Cyl, Inline 6, V8

PART NO.	MFG#	DESCRIPTION
S187824	18-7824-2	Oil Filter

OIL FILTER



Oil Filter

GM V6, Merc. 41815, OMC 173834, 502903

PART NO.	MFG#	DESCRIPTION
S187879	18-7879-1	Oil Filter

OIL FILTER



Replaces: Mercury 35-8226267, 35-822626Q15
Yamaha 69J-13440-00-00,
69J-13440-01-00, 69J-13440-02-00,
69J-13440-03-00, 69J-13440-04-00

PART NO.	MFG#	DESCRIPTION
S187906	18-7906-2	Oil Filter

OIL FILTER



Replaces: Yamaha 5GH-13440-00-00, 5GH-13440-10-00,
5GH-13440-30-00, 5GH-13440-70-00
5GH-13440-71-00
Nissan/Tohatsu 3R0-07615-0, 3R0076150M,
3R0076151M

PART NO.	MFG#	DESCRIPTION
S1879111	18-7911-1	Oil Filter

OIL FILTER



Replaces: Mercury 35-822626, A1, K03, Q1, Q03, T1
35-851847A02, 35-8M0162831.
Honda 15400-PFB-004, 014,
15400-PJ7-005, 015
15400-PM3-004, 405, 15400-ZZ3-003

PART NO.	MFG#	DESCRIPTION
S187913	18-7913	Oil Filter

OIL FILTER



Replaces: Mercury
335-822626, 1, A2, K04, Q04
Q05, T2,35-877768K01
35-8M0008397,35-8M0065103
35-8M0065104,35-8M0162829
35-8M0162830

PART NO.	MFG#	DESCRIPTION
S187914	18-7914	Oil Filter

OIL FILTER



Replaces: Mercury 35-8M0123025
Quicksilver 35-8M0176312

Fits : New and late model 175-200 hp
4-Stroke engines.
200-300hp 4-Stroke and
450hp Verado O/B

PART NO.	MFG#	DESCRIPTION
S188703	18-8703	Oil Filter

FUEL WATER SEPARATOR



Fuel Water Separator

Replaces: 3851218-2, 3852413
For: SX/EFI Models OMC Volvo

PART NO.	MFG#	DESCRIPTION
S187789	18-7789	Fuel Filter

FUEL WATER SEPARATOR



S187844 Replaces: Mercury - 35-807172, 35-802893Q
S187845 Replaces: Mercury - 35-802893Q
Yamaha - ABB-FUELLF-IL-TR
S187944 Replaces: Mercury - 35-807172, 35-802893Q
S187945 Replaces: Mercury - 35-802893Q
Yamaha - ABB-FUELLF-IL-TR

PART NO.	MFG#	DESCRIPTION
S187844	18-7844	21 Micron, Short 3.875"
S187845	18-7845	21 Micron, Long 4.35"
S187944	18-7944	10 Micron, Short 3.875"
S187945	18-7945	10 Micron, Long 4.35"

FUEL WATER SEPARATOR



Fuel Water Separator

Replaces: 98041 OMC

PART NO.	MFG#	DESCRIPTION
S187846	18-7846	Fuel Filter

MERCURY FUEL WATER SEPARATOR



Universal Design
V6 EFI 1996 & Up
Sensor is included

Replaces: Mercury 35-18458Q4

PART NO.	MFG#	DESCRIPTION
S187968	18-7968	Water Separator, 10 Micron

This is just a small portion of our extensive stock for engine parts, please call for more information regarding engine parts.

MERCRUISER ALPHA I GEN II TRANSOM SEAL KIT



18-8206 Transom Seal Kit

Replaces: 30-803099T1
For: Alpha I Gen II

PART NO.	MFG#	DESCRIPTION
S188206	18-8206-1	Transom Seal Kit

OMC COBRA STERN DRIVE GASKET KIT



Outdrive Gasket Kit
For: OMC Cobra

Sierra #	Description	OEM#	Qty.
18-2918	Gasket	911836	1
18-2996	Seal	911823	1
18-7153	O-Ring	911851	1

PART NO.	MFG#	DESCRIPTION
S182613	18-2613	Gasket Set

OMC COBRA BELLOWS KIT



Bellows Kit
For: All Cobra

Sierra #	Description	OEM#
18-2613	Outdrive Gasket Set	-
18-2765	U-Joint Bellows	983973, 987467
18-2764	Exhaust Bellows	914036
18-2763	Shift Cable Bellows	911826
18-2100	Gimbal Bearing	983937
18-7315	Hose Clamp	-

PART NO.	MFG#	DESCRIPTION
S182771	18-2771	Bellows Kit

MERCRUISER STERN DRIVE GASKET KIT



Outdrive Gasket Set
Replaces: 27-64818A3, 27-94996Q2
For: Alpha Gen II (with reservoir)

Sierra #	Description	OEM#
18-2743	Drive Shaft Housing	
18-2840	Bell Housing Gasket	27-27-35982
18-7153	O-Ring	25-25439
18-7170	O-Ring	25-33504
18-7117	O-Ring	25-35027

PART NO.	MFG#	DESCRIPTION
S182619	18-2619-1	Gasket Set

OUTDRIVE GASKET KIT



Outdrive Gasket Kit for MerCruiser MC-1, R/MR/Alpha One & Alpha Gen II transoms.
Replaces:
Mercury 94996Q2, 94996A2, 94996A20, 64818A3, 64818A2, 949962, 94996A1, 94996

PART NO.	MFG#	DESCRIPTION
27-02386	27-02386	Kit

POWER STEERING PUMP



OE style components for an exact fit and proper hydraulic line connections.

Replaces: Mercruiser 16792A39

PART NO.	MFG#	DESCRIPTION
S187508	18-7508	Mercruiser Power Steering Pump

HEAVY DUTY U-JOINT



Replaces: 75832A3, 758321, 75832T1. *Includes both straight and 90° grease fitting (Rockwell).*
Fits: Alpha I Units
S/N - B418819 & Up Also fits Alpha I SS & Bravo

PART NO.	MFG#	DESCRIPTION
S182174	18-2174	Heavy Duty U-Joint

MERCRUISER / OMC GIMBAL BEARING



Replaces: 983937
Fits: All OMC Cobra and King Cobra Drives (Link-Belt)

PART NO.	MFG#	DESCRIPTION
S182100	18-2100	Gimbal Bearing

MERCRUISER ALPHA I & GEN II SHIFT CABLE

CALL FOR APPLICATION



TFXtreme
Shift Cable Assembly

Replaces: 19543A4, 19543A10
S/N - 6225577 & Up

For AFT installation into bell housing. For use in applications using core wire with armoured strand construction (No Support Tube). 63" Conduit with hardware package.

PART NO.	MFG#	DESCRIPTION
S182190E	18-2190E	Shift Cable Assembly

OMC COBRA SHIFT CABLE



Shift Cable Assembly

Replaces: 987661
For: Cobra

PART NO.	MFG#	DESCRIPTION
S182245	18-2245-1	Shift Cable Assembly

DRAIN SCREW WASHER



Drain Screw Washer for Mercury Mariner 3-cyl, 30-125 Hp | 4-cyl, 40-175 Hp | 6-cyl, 200-350 Hp | V6, 135-250 Hp outboard gearcases. Stainless steel with a Nitrile exterior.

PART NO.	MFG#	DESCRIPTION
10-10100-1	10-10100-1	Drain Screw Washer

This is just a small portion of our extensive stock for engine parts, please call for more information regarding engine parts.

MERCRUISER V6
CALL FOR APPLICATION



Tune-Up Kit

18-5303	Contact Set	392-6325
18-5347	Condenser	392-6324
18-5403	Rotor	392-9089
18-5353	Distributor Cap	392-9086

Prestolite V6 - Single Point - Screw Cap

PART NO.	MFG#	DESCRIPTION
S185276	18-5276	Tune-Up Kit

MERC 4 CYL
CALL FOR APPLICATION



Tune-Up Kit

18-5311	Contact Set	34235
18-5345	Condenser	33662
18-5418	Rotor	58217
18-5385	Distributor Cap	393-9459

Delco In-Line 4 - Single Point

PART NO.	MFG#	DESCRIPTION
S185268	18-5268	Tune-Up Kit

OMC GM 5.0L & 5.7L
CALL FOR APPLICATION



Tune-Up Kit

18-5314	Contact Set	391-5090
18-5338	Condenser	391-5092
18-5404-1	Rotor	391-7057
		391-5088
18-5376	Distributor Cap	391-5075

Mallory V8 - Single Point - Top Terminal

PART NO.	MFG#	DESCRIPTION
S185271	18-5271	Tune-Up Kit

MERC THUNDERBOLT HEI V8



Tune-Up Kit

18-5431	Rotor	13524A5
18-5395	Distributor Cap	16457A4

Mercury Thunderbolt HEI - V8

PART NO.	MFG#	DESCRIPTION
S185273	18-5273	Tune-Up Kit

MERC THUNDERBOLT HEI V6



Tune-Up Kit

18-5432	Rotor	13524A6
18-5396	Distributor Cap	13753A2
		815407A2

Mercury Thunderbolt HEI - V6

PART NO.	MFG#	DESCRIPTION
S185274	18-5274	Tune-Up Kit

FLAME ARRESTERS



Engine	Part No.	Height 'A'	Element 'B'	Throat 'C'	Vent Tubes*
4 & 6 cylinder	S187228	2.156	1.088	3.210	1
4 & 6 cylinder	S187234†	2.280	1.550	3.100	0
V8	S187230	2.250	1.470	5.050	1
V8	S187231	2.250	1.470	5.050	2
Hi-Performance	S187232	2.969	2.190	5.050	2

* Vent tubes accept 5/8" ID hose † 7" Outside diameter



Replaces:
Mercruiser 85784A1

PART NO.	MFG#	DESCRIPTION
S187228	18-7228	Flame Arrester



Replaces:
Mercruiser 41639A1,
Chrysler I/B 4142886

PART NO.	MFG#	DESCRIPTION
S187230	18-7230	Flame Arrester



Replaces:
Mercruiser 805016A1

PART NO.	MFG#	DESCRIPTION
S187234	18-7234	Flame Arrester

This is just a small portion of our extensive stock for engine parts, please call for more information regarding engine parts.

FLUSH RITE MOTOR FLUSHER



Flush contaminants from your lower unit and cooling systems. Quickly removes salt and mineral build up with a simple flush that slips over side water inlets on most inboard and outboard lower units. Installs in seconds using a garden hose.

PART NO.	MFG#	DESCRIPTION
5999000	099076-00	Universal Round Cups
9970-258	099077-00	Universal Rectangular Cups

MOTOR FLUSHING CUP FOR VOLVO



This Volvo round cup motor flusher is easy to use and does not require any tools.

Fits 200, 250, 270, 280 and 290 lower units.

PART NO.	MFG#	DESCRIPTION
5999002	099080-00	Flushing Cup, Volvo

ENGINE FLUSHERS



- For all lower units with dual side water inlets

PART NO.	MFG#	DESCRIPTION
9970-237	099082-00	Dual feed

MOTOR FLUSHER FOR SLOTTED WATER INTAKES



Fits Inboards, performance ski boats and all boats with a tear drop shaped slotted thru hull water intake! The Stainless Steel "T" fitting slides into the intake slot in either direction for a quick fit. The flusher is supported with a 360° plastic support ring ensuring a tight fit to the bottom of the boat. A quick couple of turns of the locking nut and the flusher is fully secure and ready to use.

PART NO.	MFG#	DESCRIPTION
5999001	099085-00	Motor Flusher

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

FLUSHPRO VALVE



Flush your boat engine safely and easily... This durable check valve system is activated by water pressure from a garden hose. The transparent body allows for visual inspection of water flow. The check valve automatically shuts off the hull intake when the water pressure is applied. Can be used with onboard generators.

PART NO.	MFG#	DESCRIPTION
757990	0456DP4	5/8" Hose
757991	0456DP6	1" Hose
757992	0456DP7	1-1/4" Hose

NEW

DO-IT-YOURSELF WINTERIZING KIT



Camco Do-It-Yourself Direct Drive Winterizing Kit. Protect your boat from harsh winter conditions.

This comprehensive kit provides the ultimate solution for boat winter protection, allowing you to replace the water in your direct drive engine with marine/boat antifreeze.

A multi-valve assembly conveniently redirects the water and antifreeze flow as needed. Quick and simple to use, this essential marine accessory allows you to safeguard your marine equipment with confidence.

Kit Includes

- 1x 12" x 7" x 3-1/2" valve,
- 1x 6' hose,
- 1x 5-gallon antifreeze jug,
- 1x jug hose adapter and clamps

PART NO.	MFG#	DESCRIPTION
7013996	65506	Boat Winterizing KIT

DO-IT-YOURSELF WINTERIZING KIT



Quickly and efficiently service inboard/outboard marine engines. The patented Do-It-Yourself Winterizer allows flushing and preparation of boat engine for winter storage with just five gallons of antifreeze and your flusher.

Save time and money season after season. Great for technicians, too.
Antifreeze not included.

PART NO.	MFG#	DESCRIPTION
7013997	65501	DIY Winterizing Kit

MERCRUISER MOULDED HOSE



Water Distribution Block to End Cap.

Replaces: 32-52481
For: GM Inline 4 & 6 cyl.

PART NO.	MFG#	DESCRIPTION
S1870930	18-70930	Hose

MERCRUISER MOULDED HOSE



Distribution Block to Water Pump.

Replaces: 32-71613
For: 2.5L, & 3.0L

PART NO.	MFG#	DESCRIPTION
S1870931	18-70931	Hose

MERCRUISER MOULDED HOSE



Thermostat Cover to Port Manifold.

Replaces: 32-160211
For: 4.3L, 5.0L & 5.7L

PART NO.	MFG#	DESCRIPTION
S1870925	18-70925	Hose

MERCRUISER MOULDED HOSE



Thermostat Cover to Starboard Manifold.

Replaces: 32-871171
For: 4.3L, 5.0L, & 5.7L

PART NO.	MFG#	DESCRIPTION
S1870932	18-70932	Hose

MERCRUISER MOULDED HOSE



Seawater Pump to Oil Cooler.
Replaces: 32-860205
For: 262 Mag EFI Bravo (1996-97), 4.3L (Gen+) Bravo (1998-07), 4.3L TBI (Gen+) Bravo (1998-01), 4.3LH (Gen+) Bravo (1998-02), 4.3LX(H) (Gen+) Bravo (1996-97)

PART NO.	MFG#	DESCRIPTION
S1870951	18-70951	Hose

MERCRUISER MOULDED HOSE



Oil Cooler to Thermostat Housing With All Four Hose Connectors Cast Into The Thermostat Housing (No "T" Connector) Two Hoses to Manifold and Two Hoses to Elbow.

Replaces: 32-16012
For: MC200/230 (1987), 5.0L Alpha (1988-95), 5.0LX Alpha (1988-95), MC260 (1987), 350 Mag Alpha (1987-95), 5.7L Alpha & Bravo (1988-95), 454 Mag Bravo (1988-92), 7.4L (GenV) Bravo (1992-96)

PART NO.	MFG#	DESCRIPTION
S1870955	18-70955	Hose

MERCRUISER MOULDED HOSE



Oil Cooler to Thermostat Housing With All Four Hose Connectors Cast Into The Thermostat Housing (No "T" Connector). Two Hoses to Manifold and Two Hoses to Elbow.

Replaces: 32-16012
For: MC175/205 (1987), 4.3L (1988-92), 4.3L (Gen II) (1992-95), 4.3LX (Gen II) (1992-95).

PART NO.	MFG#	DESCRIPTION
S1870956	18-70956	Hose

MERCRUISER MOULDED HOSE



Thermostat Housing to Starboard Manifold with 2 piece Exhaust Manifold.

Replaces: 32-862124
For: 4.3L (Gen+)(1998-07)(S/N - 0L619000 & Up), 4.3L EFI (Gen+)(2000-01), 4.3LH (Gen+) (2000-02).

PART NO.	MFG#	DESCRIPTION
S1870947	18-70947	Hose

This is just a small portion of our extensive stock for engine parts, please call for more information regarding engine parts.

MERCRUISER MOULDED HOSE



Cooler to Thermostat Housing.

Replaces: 32-808033
For: 262 Mag EFI Bravo w/ Fuel Cool System (1996-97) 4.3L EFI (TBI)(1998-01), 5.0L (Gen+) Bravo (1998-2007), 5.0L EFI (Gen+)(1998-01), 350 Mag Alpha (Gen+) (1997) 350 Mag Alpha EFI (Gen+)(1997), 350 Mag Bravo MPI (Gen+)(1997), 350 Mag MPI (Gen+)(1998-01), 5.7L(1997), 5.7L(Gen+)(1998-07), 5.7L EFI (1997), 5.7L EFI (Gen+)(1998-01), 5.7LX (1997), 5.7LX Bravo EFI (Gen+)(1997), 5.7LX EFI (1997)

PART NO.	MFG#	DESCRIPTION
S1870948	18-70948	Hose

MERCRUISER MOULDED HOSE



Transom to Cooler.
Replaces: 32-96246A4
For: MC898 (1983-84), MC200 (1985-87), MC228 (1982-84), MC230 (1985-87), 5.0L & 5.0LX Alpha (1988-95), MC260 (1983-87), 300 Tempest MR (1985-86), MC320 EFI (1987-89), 350 Mag. Alpha (1986-96), 5.7L Alpha (1988-96), 5.7LX & 5.7LX EFI Alpha (1996), 454 Mag. Alpha (1986-88)

PART NO.	MFG#	DESCRIPTION
S1870958	18-70958	Hose

WATER DISTRIBUTION HOUSING STANDARD



Standard Housing for most late model Mercruiser inboards.

Alpha & Bravo replaces oem 863631T1
4.3L, 5.0L, 5.7L & 6.2L
262, 350, 377 & 383 CID

PART NO.	MFG#	DESCRIPTION
GLM15510	15510	Water Dist Housing Standard

ANTIFREEZE 50/50 MIX



This long life antifreeze lasts for 5 years or 150,000 miles. It protects engines from freeze up and boil over while providing excellent corrosion protection on all engine metals. Is compatible with all conventional antifreezes including orange Dex-Cool.

Blending more than 10% with conventional antifreezes will decrease the extended life benefits. No mixing is required. Meets ASTM
D 4985 for heavy duty diesel use.

PART NO.	MFG#	DESCRIPTION
5222005	030800NC	1Gal.

STARTRON STAR COOL ENGINE COOLANT



(exceeds OEM specs)

High performance synthetic propylene glycol engine coolant utilizes Starbrite's revolutionary PCT additive package designed to allow engines to quickly reach and maintain an engine's temp for max operating hp.

Protects against boil-over to 256° F (129° C) and against freezing to -26° F (-32° C). It is non-toxic and it contains no nitrates, amines, silicates, phosphates, borate or other ingredients that clog radiators.

PART NO.	MFG#	DESCRIPTION
5222010	033264C	64 fl oz 1.89 L

PLASTIC FUNNELS



Made from tough, high-density polyethylene plastic and are available in a variety of sizes, shapes and configurations that are ideal for all Marine uses.

PART NO.	MFG#	DESCRIPTION
7915206	03590	Combo Pack 4", 6", 8"

FUNNEL – 2 IN 1



- Can be used as a transmission funnel or flex spout detaches to be used as regular funnel.
- Supplied with 1" stainless steel screen-filter
- Top diameter: 6-1⁄2"
- Spout diameter: 11⁄16" (funnel only), 1⁄2" (flex spout)
- Overall length 7" (funnel only), 15" (w/flex spout)

PART NO.	MFG#	DESCRIPTION
9943-014	TT1-238	1 quart capacity

This is just a small portion of our extensive stock for engine parts, please call for more information regarding engine parts.

GEN III FUEL PUMP MODULE



- Fits MCM 5.0L MPI, 350 MAG and 377 MAG Bravo only with serial no. 1A343749 & above
- Fits MCM 496 MAG and 496 MAG HO with serial no. 1A349420 & above
- Fits MIE 5.7L MPI and 6.2L MPI with serial no. 1A091623 & above
- Fits MIE 8.1L and 8.1L HO with serial no. 1A380210 & above

PART NO.	MFG#	DESCRIPTION
1399-39650	1399-39650	Fuel Pump Module

CARBURETOR 4 BBL



4 Barrel – Rochester

Replaces: 1347-8288A1, 1347-804626R02
Fits: Mercruiser (Remanufactured)

PART NO.	MFG#	DESCRIPTION
S187616	18-7616-1	Mercruiser Carburetor

CARBURETOR 4 BBL





4 Barrel – Rochester

Replaces: Mercruiser 1347-9661A3, 1347-804623A1, 1347-804623R02
Rochester 17057283, 17057285, 17059291, 17059292, 17080564, 17080565
(Remanufactured)

PART NO.	MFG#	DESCRIPTION
S187605	18-7605-1	4 BBL Carb

GEAR LUBE BOTTLE KIT



Replaces:
Merc 806193A48
Fits:
Mercruiser Alpha Gen II and Bravo 1991 and Up

PART NO.	MFG#	DESCRIPTION
93-02412	93-02412	Gear Lube Bottle Kit

MERCRUISER TILT TRIM ASSEMBLY



Replaces: 865380A25
For late model sterndrive applications.

PART NO.	MFG#	DESCRIPTION
S186747	18-6747	Tilt Trim Assembly

COMPLETE POWER TRIM ASSEMBLY



Replaces: 93247A7
Replacement Pump for Prestolite High Pressure/ Low Flow System

PART NO.	MFG#	DESCRIPTION
S186768	18-6768	Complete Power Trim Assembly

TRIM PUMP ASSEMBLY



Replaces: Mercruiser 14336A9, 88183A12
Fits: 1983 and later (without 'quick connect').

PART NO.	MFG#	DESCRIPTION
S186752	18-6752	Mercruiser Trim Pump

This is just a small portion of our extensive stock for engine parts, please call for more information regarding engine parts.

TRIM PUMP ASSEMBLY



Replaces: Volvo 3587079, 3857489, 3860879
Fits: Volvo SX – Late model with coarse thread

PART NO.	MFG#	DESCRIPTION
S186806	18-6806	Volvo Trim Pump

OIL PAN – MERCRUISER



Replaces:
Merc 14244T

Fits: GM, V6 with 1 piece rear main seal. Right hand dip-stick.

PART NO.	MFG#	DESCRIPTION
S180616	18-0616	Oil Pan for Merc

OIL PAN – MERCRUISER



Replaces:
Merc 809910

Fits: GM small block V8 with 1 piece rear main seal. Right hand dip-stick.

PART NO.	MFG#	DESCRIPTION
S180612	18-0612	Oil Pan for Merc

OIL PAN – MERCRUISER



Replaces:
Merc. 845668T

Fits: GM Big Block V8 with 1 piece rear main seal, right hand dip-stick.

PART NO.	MFG#	DESCRIPTION
S180614	18-0614	Oil Pan for Merc

"MASKA" SINGLE V-BELT SHEAVES



Made from fine grained gray iron castings, carefully balanced to provide true and vibration free operation.

Require "L" Bushing (see below)

PART NO.	MFG#	DIAMETER
3373103	MBL31	3.1"
3373104	MBL42	4.2"
3373105	MBL52	5.2"
3373106	MBL62	6.2"
3373107	MBL72	7.2"
3373108	MBL82	8.2"
3373109	MBL92	9.2"
3373110	MBL102	10.2"
3373112	MBL127	12.7"
3373115	MBL157	15.7"

"MASKA" DOUBLE V-BELT SHEAVES



Made from fine grained gray iron castings, carefully balanced to provide true and vibration free operation.

Require "L" or "SD" Bushing (see below)

PART NO.	MFG#	DIAMETER
3373203	2BK32H B	3.3"
3373204	2MBL42	4.2"
3373206	2MBL62	6.2"
3373207	2MBL69	6.9"
3373208	2MBL77	7.7"
3373209	2MBL87	8.7"
3373210	2MBL97	9.7"
3373213	2MBL127	12.7"

TYPE "L" BUSHINGS



Tapered bushings for the above MASKA Sheaves are faster and easier to install - or remove. Reduced down time cuts maintenance costs. Commonly used with single groove pulleys.

PART NO.	MFG#	SHAFT DIAMETER
3373908	HX1/2	1/2"
3373909	HX9/16	9/16"
3373910	LX5/8	5/8"
3373911	HX11/16	11/16"
3373912	LX3/4	3/4"
3373913	LX13/16	13/16"
3373914	LX7/8	7/8"
3373916	LX1	1"
3373917	LX1- 1/16	1-1/16"
3373918	HX1- 1/8	1-1/8"
3373920	LX1- 1/4	1-1/4"
3373921	HX1- 5/16	1-5/16"
3373922	HX1- 3/8	1-3/8"
3373923	HX1- 7/16	1-7/16"
3373924	LX1- 1/2	1-1/2"

This is just a small portion of our extensive stock for engine parts, please call for more information regarding engine parts.



B-Section 5/8" Wide

PART NO.	MFG#	DESCRIPTION
9920-000	5930466	36" L
9920-001	5930467	37" L
9920-002	5930470	38" L
9920-003	5930369	39" L
9920-005	5930301	41" L
9920-006	5930302	42" L
9920-009	5930305	45" L
9920-010	5930306	46" L
9920-012	5939336	48" L
9920-013	5930308	49" L
9920-015	5930310	51" L
9920-016	5930311	52" L
9920-017	5930312	53" L
9920-020	5930315	56" L
9920-021	5930316	57" L
9920-023	5930318	59" L
9920-024	5930319	60" L
9920-025	5930320	61" L
9920-026	5930321	62" L
9920-027	5930322	63" L
9920-028	5930323	64" L
9920-029	5939367	65" L
9920-031	5930324	67" L
9920-032	5930325	68" L
9920-033	5930326	69" L
9920-035	5931460	71" L

A-Section 1/2" Wide

PART NO.	MFG#	DESCRIPTION
9920-045	5931367	44" L
9920-047	5931369	46" L
9920-048	5931370	47" L
9920-049	5931371	48" L

"SD" BUSHING



SD bushings are designed to be used with heavy duty sheaves. Commonly used with double groove pulleys.

PART NO.	MFG#	SHAFT DIAMETER
3373816	SDX1	1"
3373823	SDX1 7/16	1-7/16"
3373824	SDX1-1/2	1-1/2"

INDUSTRIAL V-BELTS

DAYCO





"B" SERIES BELTS

PART NO.	MFG#	DESCRIPTION
931029	B29GL	29" x 5/8"
931031	B31GL	31" x 5/8"
931032	B32GL	32" x 5/8"
931033	B33GL	33" x 5/8"
931034	B34GL	34" x 5/8"
931035	B35GL	35" x 5/8"
931036	B36GL	36" x 5/8"
931037	B37GL	37" x 5/8"
931038	B38GL	38" x 5/8"
931039	B39GL	39" x 5/8"
931040	B40GL	40" x 5/8"
931041	B41GL	41" x 5/8"
931042	B42GL	42" x 5/8"
931043	B43GL	43" x 5/8"
931044	B44GL	44" x 5/8"
931045	B45GL	45" x 5/8"
931046	B46GL	46" x 5/8"
931047	B47GL	47" x 5/8"
931048	B48GL	48" x 5/8"
931049	B49GL	49" x 5/8"
931050	B50GL	50" x 5/8"
931051	B51GL	51" x 5/8"
931052	B52GL	52" x 5/8"
931053	B53GL	53" x 5/8"
931054	B54GL	54" x 5/8"
931055	B55GL	55" x 5/8"
931056	B56GL	56" x 5/8"
931057	B57GL	57" x 5/8"
931058	B58GL	58" x 5/8"
931059	B59GL	59" x 5/8"
931060	B60GL	60" x 5/8"
931061	B61GL	61" x 5/8"
931062	B62GL	62" x 5/8"
931063	B63GL	63" x 5/8"
931064	B64GL	64" x 5/8"
931065	B65GL	65" x 5/8"
931066	B66GL	66" x 5/8"
931067	B67GL	67" x 5/8"
931068	B68GL	68" x 5/8"
931069	B69GL	69" x 5/8"
931070	B70GL	70" x 5/8"
931072	B72GL	72" x 5/8"
931074	B74GL	74" x 5/8"
931076	B76GL	76" x 5/8"
931078	BP78	78" x 5/8"
931080	B80GL	80" x 5/8"

"A" SERIES BELTS

PART NO.	MFG#	DESCRIPTION
930544	A44GL	44" x 1/2"
930545	A45GL	45" x 1/2"
930547	AP47	47" x 1/2"
930549	A49GL	49" x 1/2"
930554	A54GL	54" x 1/2"
930555	A55GL	55" x 1/2"
930557	A57GL	57" x 1/2"

This is just a small portion of our extensive stock for engine parts, please call for more information regarding engine parts.

OMC VOLVO PARTS BY SIERRA

MANIFOLD, OMC V8



Replaces:
912441 Starboard Side
912442 Port Side.
Fits most GM V8 small blocks with end riser.

PART NO.	MFG#	DESCRIPTION
S181902	18-1902	Starboard Manifold
S181903	18-1903	Port Manifold
S182902	18-2902-1-9	Manifold Gasket
S180943	18-0943-2-9	Elbow Gasket

MANIFOLD, OMC



Replaces:
3852374
Fits OMC GM 305 and 350 cu. in.

Use with S181909 (Riser)
Use 18-2949/AP# 099 Mounting Gasket.

PART NO.	MFG#	DESCRIPTION
S181986	18-1986-2	OMC Manifold

ELBOW, OMC 4 CYL



Replaces: 987784
Fits most 140 HP 3.0L (181 CID)

PART NO.	MFG#	DESCRIPTION
S181922	18-1922	Elbow
S182875	18-2875-1-9	Elbow Gasket

RISER, OMC



Replaces: OMC 913784, 3855270, 3850456,3857944
Volvo 3855270-9, 3857944-7
Fits: Many GM & Ford center rise manifolds 4" outlet 7°

Use with S181986 manifold.

PART NO.	MFG#	DESCRIPTION
S181909	18-1909-1	OMC Riser

MANIFOLD, VOLVO



Replaces:
856894-1
Fits: 4.3L
AQ175, AQ430, AQ431A, AQ431B, AQ432, AQ434

PART NO.	MFG#	DESCRIPTION
S181932	18-1932	Volvo

MANIFOLD, VOLVO V6



Replaces: 3857656
Fits: Volvo 4.3L V-6 engines.

Comes with hose, clamp, fittings and plug.

PART NO.	MFG#	DESCRIPTION
S181848	18-1848	Volvo

MANIFOLD, VOLVO



Replaces:
835804-6,
856883-4
Fits Volvo: AQ200D,200F,225D,225E, 225F,255B,260A,271A, 280A, 290A, 311A;BB225, 225AV, 225B, 260A,260AV, 260B, 260C

PART NO.	MFG#	DESCRIPTION
S181931	18-1931-1	Manifold
S182949	18-2949-9	Manifold Gasket
S182971	18-2971-1	Riser Gasket

RISER, VOLVO



Replaces:
855384-4, 856891-7
For use on S181931 Volvo Manifold

PART NO.	MFG#	DESCRIPTION
S181935	18-1935-1	Riser
S182971	18-2971-1	Riser Gasket

RISER, VOLVO



Fits Volvo Penta:
- Model 5.0/5.8L & Fi/FSi
- Ford 302/351 CID V8 (1993 & up)

Also Fits OMC:
- Model 5.0/5.8L/5.8 & 351 King EFI Ford 302/351 CID V8 (1991 & up)

PART NO.	MFG#	DESCRIPTION
GLM51332	3855271	Volvo, Port
GLM51334	3855269	Volvo, Starboard

This is just a small portion of our extensive stock for engine parts, please call for more information regarding engine parts.

ELBOW, MERCRUISER 4CYL



Replaces: 2076A2
Fits: Late Model Mercruiser 4 cyl. Engines

Use with S181956 manifold.

PART NO.	MFG#	DESCRIPTION
S181975	18-1975-1	Elbow
S182833	18-2833-9	Elbow Gasket

EXHAUST RISER KIT



This Exhaust Riser is used in 2.5L and 3.0L late model applications from and later.

- 4" Diameter
- Two bolt pattern

Includes mounting hardware, gaskets & ex-haust bellow with clamps.
Replaces Mercruiser 12076A1 and 12076A2

PART NO.	MFG#	DESCRIPTION
600033	600033	Exhaust Riser Kit

MANIFOLD, MERCRUISER



Use S181975 elbow

Replaces: 99798A18
Fits: Most late Model 2.5L 153 CID and 3.0L 181 CID with MerCarb, 5-bolt pattern.
Supplied with mounting package.

PART NO.	MFG#	DESCRIPTION
S181956	18-1956-3	Manifold
S180680	18-0680	Manifold Gasket
S182833	18-2833-9	Elbow Gasket
S180928	18-0928-1-9	End Cap Gasket

EXHAUST RISER DRY JOINT 14 DEG.



Replaces: 864591T02 Fits: 2004 & up V6 305, 350, 377 (s/n 0W310000 & up) 2002 & up V8 350, 377 (s/n 0M317000 & up)

Fits: 4.3L, 5.0L, 5.7L, 6.2L utilizing Dry Joint Manifold and Riser

PART NO.	MFG#	DESCRIPTION
57-57517	57-57517	Exhaust Riser Dry Joint

DRY JOINT



S181843
Replaces: 865735A02
Fits: 2002 & up 305, 350, 377, 5.0L, 6.2L



S181842
Replaces: : 864612T01
Fits: GM V6 (262cid) 4.3L Alpha/ Bravo engines 2002 and newer without engine catalyst



S180720
Closed
Replaces:
27-864549A02

S180721
Open
Replaces:
27-864547A02

S180722
Restricted
Replaces:
27-864850A02

PART NO.	MFG#	DESCRIPTION
S181843	18-1843	Dry Joint Exhaust Manifold
S181842	18-1842	Dry Joint Exhaust Manifold
S180720	18-0720	Closed
S180721	18-0721	Open
S180722	18-0722	Restricted

DRY JOINT ELBOW 14 DEGREE



S181845
Replaces: 864591T02 **Fits:** 2004 & up V6 305, 350, 377 (s/n 0W310000 & up) 2002 & up V8 350, 377 (s/n 0M317000 & up)
Fits: 4.3L, 5.0L, 5.7L, 6.2L utilizing Dry Joint Manifold and Riser

PART NO.	MFG#	DESCRIPTION
S181845	18-1845	Dry Joint Elbow

DRY JOINT SPACER KIT, 3”



Fits: 2004-2016 sterndrive V-6 & V-8 (305, 350 & 377 cid) non-EC engines (s/n 0W310000 and up) Fits: 2002-2016 inboard V-8 (350 & 377 cid) non-EC engines (s/n 0M390000 and up) All in One Kit Reduces Complexity and Allows for Easy Installation

PART NO.	DESCRIPTION
S181844K	Standard Cooling w/Open and Closed Gaskets
S181847K	Restricted Cooling w/Open and Restricted Gaskets

This is just a small portion of our extensive stock for engine parts, please call for more information regarding engine parts.

MERCRUISER PARTS BY SIERRA

MANIFOLD, MERCRUISER V8 SB



Replaces: 87114A19 (will fit either side)
Fits: Most Mercruiser (6m) small blocks with center riser.
Supplied with mounting package.

Use S181976 elbow.

PART NO.	MFG#	DESCRIPTION
S181953	18-1953-2	Manifold
S182949	18-2949-9	Manifold Gasket
S180897	18-0897	Elbow Gasket

MANIFOLD, MERCRUISER V8 BB



Replaces: 89011A8 (Will fit either side)
Fits: Most Mercruiser (GM) V8 big blocks with center riser.

Use S181976 elbow.

PART NO.	MFG#	DESCRIPTION
S181957	18-1957-2	Manifold
S180418	18-0418	Manifold Gasket
S180897	18-0897	Elbow Gasket

ELBOW, MERCRUISER



Replaces: 44354A3
Fits: Most Mercruiser V6 & V8 applications 7° (4" OD Riser).
Fits S181952, S181953 and S181957 manifold.

PART NO.	MFG#	DESCRIPTION
S181976	18-1976-2	Elbow
S180897	18-0897	Elbow Gasket

ELBOW, MERCRUISER



Replaces: 98562A6
Fits: Mercruiser 4 Cyl. 224 cu. in. 3.7L (Models 165, 170, 180, 190).

Use with 18-0881 (Gasket),18-8530 (Mounting Kit).

PART NO.	MFG	DESCRIPTION
S181937	18-1937	Cast Iron Elbow

MANIFOLD, MERCRUISER V6



Replaces: 99746A8
Fits: Most 4.3L (262 CID) V6 application.

Use S181976 elbow.

PART NO.		DESCRIPTION
S181952	18-1952-1	Manifold
S182909	18-2909-9	Manifold Gasket
S180897	18-0897	Elbow Gasket

MANIFOLD, MERCRUISER



Replaces: 65604A4, A12
Fits: Most (Ford) V8 Small Blocks.
Supplied with Mounting Package.

PART NO.	MFG	DESCRIPTION
S181958	18-1958-1	Manifold (Port Side Only)
S184009	18-4009	End Plate

MANIFOLD, UNIVERSAL FIT FORD



Universal Center Riser Manifold

Replaces: Barr FM-1-83
Fits: Ford 302 and 351 CID engines.

PART NO.	MFG	DESCRIPTION
S181998	18-1998-1	Ford Universal

MANIFOLD, UNIVERSAL FIT GM



Universal Center Riser Manifold

Replaces: Barr CHV-1-83
Fits: GM 283, 305, 307 and 350 CID engines.

PART NO.	MFG	DESCRIPTION
S181997	18-1997-1	GM Universal

This is just a small portion of our extensive stock for engine parts, please call for more information regarding engine parts.

OMC VOLVO PARTS BY GLM

OMC V6 CONVERSION KIT



For: OMC V6 4.3L, GM 262 CID (1986-1990)
Convert V6 Single-Piece Manifolds to 4" Center Rise Manifolds.

Kit Contains: Complete two-piece exhaust Manifolds & 4" Risers Set (Gaskets included & Mounting Bolts), 2 x Exhaust Hoses, 2 x Exhaust Hump Hoses, 2 x Exhaust Tubes, 8 x Hose Clamps.

PART NO.	MFG#	DESCRIPTION
GLM58995	58995	Complete Manifold / Riser Kit

EXHAUST MANIFOLD



Iron Casting
Fits:
- OMC & Volvo Penta Model 7.4/8.2L
- GM 454/502 CID V8 (1991 or before)

PART NO.	MFG#	DESCRIPTION
GLM51500	51500	Manifold

EXHAUST MANIFOLD/RISER KIT



Iron Castings
Fits:
- OMC GM V8 454/502 CID (1991 and up)
- Volvo Penta Model 7.4/8.2L
- GM 454/502 CID



PART NO.	MFG#	DESCRIPTION
GLM58500	58500	Complete Manifold/Riser Kit

HI-RISE EXHAUST ELBOW



This Hi-Rise single piece exhaust elbow fits Volvo Penta, GM 305/350 CID V8 S.B. 2007 and up

- Iron Casting
- 10.3" High

Replaces : 3889965

PART NO.	MFG#	DESCRIPTION
GLM51338	51338	Exhaust Elbow Kit

EXHAUST ELBOW



Fits: OMC-Model 4.3L GM 262 CID, V6 (1991 & Up), 5.7L V8, GM 350 CID (1990 & Up), 5.0L/5.8L/5.8 & 351 King EFI V8, Ford 302/351 CID (1991 & Up), 7.4L/8.2L V8, GM 454/502 CID (1991 & Up)

Volvo-Model 4.3L GM 262 CID, V6 (1992 & Up), 5.7L GM 350 CID V8 (1993 & Up), 5.0L/5.8L & Fi/FSi Ford 302/351 CID V8 (1993 & Up), 7.4/8.2L GM 454/502 CID V8 (1992 & Up) **Replaces:** 3863061.

PART NO.	MFG#	DESCRIPTION
GLM51330	51330	Elbow
S180943	18-0943-2-9	Elbow Gasket

EXHAUST MANIFOLD



Fits: OMC & Volvo Model 4.3L GM 262 CID, V6 (1991 & Up)

Replaces: 3857656

PART NO.	MFG#	DESCRIPTION
GLM51480	51480	Manifold
S182909	18-2909-9	Manifold Gasket

This is just a small portion of our extensive stock for engine parts, please call for more information regarding engine parts.

EXHAUST MANIFOLD



Fits: OMC- Model 5.0/5.8L/5.8 & 351 King EFI V8, Ford 302/351 CID Small Block (1991 & Up), Volvo- Model 5.0/5.8L & Fi/FSi Ford 302/351 CID V8, Small Block (1993 & Up) **Replaces:** 3852347

PART NO.	MFG#	DESCRIPTION
GLM51490	51490	Manifold
S180183	18-0183-1	Manifold Gasket

VOLVO EXHAUST MANIFOLD MOUNTING KIT



Fits: Volvo,AQ
120/125/131/140/145/151- BB
140/145/230/250,
4-CYL. (1973-90)

PART NO.	MFG#	DESCRIPTION
GLM53770	53770	Manifold Mounting Kit

EXHAUST MANIFOLD MOUNTING KIT



Fits: Volvo, for GM V8 305/350 CID
(1993 & Before)

PART NO.	MFG#	DESCRIPTION
GLM53775	53775	Mounting Kit





This is just a small portion of our extensive stock for engine parts, please call for more information regarding engine parts.

MERCRUISER PARTS BY GLM

MERCRUISER MANIFOLD CONVERSION KIT



This manifold conversion kit is designed to convert all Single Piece style Exhaust Manifold to the Center Rise Manifolds on V6 4.3L Engines with GM 262 CID Blocks from 1996 to 2000 that have Raw Water Cooling.

Kit Contains:

- 1 x Complete Set two-piece Exhaust Manifolds and 4" Risers
- 2 x Exhaust Elbows
- 2 x Exhaust Tubes (Riser to Exhaust Elbow)
- 2 x Exhaust Tubes (For New Y-Pipe)
- + all the hardware, hoses & gaskets to complete the conversion

Note: Does NOT contain original exhaust tube (OEM #32-807458T) to be used with original Y-pipe. You may re-use original exhaust tube with this kit.

PART NO.	MFG#	DESCRIPTION
GLM58992	58992	Mercruiser Manifold Conversion Kit

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

MERCRUISER V6 V8 S.B. DRY JOINT REPLACEMENT KIT



These Dry Joint Manifold/Exhaust kits are constructed with extra work ports, superior gasket technology eliminates surface leaks, and a removable plug for use with closed cooling systems.

Fits: Mercruiser, V6 & V8 Small Block

PART NO.	MFG#	DESCRIPTION
GLM58650	58650	Manifold/Elbow, kit V6
GLM58660	58660	Manifold/Elbow kit, V8 Small Block
GLM51148	51148	Elbow, V6 & V8 Small Block

6.2 L EXHAUST ELBOW



Cast Iron Exhaust Elbow
OEM: 807988Q03
Fits:

- Mercruiser 175 – 205

GM 229/262 CID V6 (1983–Present)

- Mercruiser 200 – 320

GM 305/350/377 CID V8 (1983–Present)

- Mercruiser 330 – 370

GM 454/502 CID V8 (BB) (1981–Present)

PART NO.	MFG#	DESCRIPTION
GLM51140	GLM51140	**51140**

ELBOW, RISER TO EXHAUST



Replaces: 14478T01
Fits:

- Mercruiser 175-205, V6, GM 229/262 CID (1983-2005)
- Mercruiser 200-320, V8 (S.B.), GM 305/350/377 CID (1983 & after)
- Mercruiser 330-370, V8 (B.B.), GM 454/502 CID (1981 & after)

PART NO.	MFG#	DESCRIPTION
GLM50750	50750	Elbow Riser

This is just a small portion of our extensive stock for engine parts, please call for more information regarding engine parts.

6" RISER KIT



Fits: MCM V6 & TBI engines with 2-piece exhaust manifolds (OM614999 & below), MCM/MIE/Ski V8 (305, 350, 377, 454, & 502 CID) engines with cast iron elbows (0M299999 & Below), MCM V8 (305, 350 CID) carb. Engines (0M300000 - 0M316999).

Replaces: 93322A12

PART NO.	MFG#	DESCRIPTION
GLM50610	50610	6" Riser Kit

EXHAUST MANIFOLD MOUNTING KIT



Fits: GM V8 Small Block.

PART NO.	MFG#	DESCRIPTION
GLM31105	31105	Mounting Kit, V8

EXHAUST MANIFOLD MOUNTING KIT



Fits: GM V6

PART NO.	MFG#	DESCRIPTION
GLM32175	32175	Mounting Kit, V6

EXHAUST MANIFOLD MOUNTING KIT



Fits: GM V8 Big Block.

PART NO.	MFG#	DESCRIPTION
GLM33765	33765	Mounting Kit, V8

WATER COOLED EXHAUST ELBOW 45°



- Extra heavy close nipple
- Brass elbow and hose adapter included

PART NO.	FPT	HOSE
306920	2"	2-3/8"
306925	2-1/2"	3"

MERCRUISER 3" EXHAUST ELBOW MOUNTING KIT



Mercruiser Exhaust Elbow Mounting Kit

Fits: 3 Inch Riser without Spacer. (For Raw Water Cooling)

PART NO.	MFG#	DESCRIPTION
GLM53300	53300	Elbow Mounting Kit (No Spacer)

MERCRUISER 4" EXHAUST ELBOW MOUNTING KIT



Mercruiser Exhaust Elbow Mounting Kit

Fits:
4" Riser without spacer (for Raw Water Cooling).

PART NO.	MFG#	DESCRIPTION
GLM53400	53400	Elbow Mounting Kit (No Spacer)

MERCRUISER 4" EXHAUST ELBOW MOUNTING KIT



Mercruiser Exhaust Elbow Mounting Kit

Fits:
4" Riser with 3" spacer (for Raw Water Cooling)

PART NO.	MFG#	DESCRIPTION
GLM53430	53430	Elbow Mounting Kit (For 3" Spacer)

MERCRUISER ELBOW GASKET



Elbow/Riser Gasket.

Fits: Model 165/170/3.7LX/470 MCM/485/488 Inline 4, 224cid, 4cyl (1980-89)

Replaces: 27-18272

PART NO.	MFG#	DESCRIPTION
GLM32470	32470	Gasket

This is just a small portion of our extensive stock for engine parts, please call for more information regarding engine parts.

UNIVERSAL GASKETING



Oilit CAF is a premium grade CAF sheet with a Nitrile/Natural rubber binder. It is designed for high temperature and pressure involving steam, gases, hot oil, fuels, solvents, alkalis, mild acids, gasoline, benzol, ether, ethyl, amyl acetates, glycol, and many other severe applications. Oilit CAF has a temperature limit of 1000°F and maximum pressure of 2000 PSI. **Thickness:** 1/16"
Available in 59" x 63" sheets or per square foot.

PART NO.	MFG#	DESCRIPTION
5495200	1/16" NA-1001	Universal Gasketing

RED RUBBER GASKETING



Albion 300 is made from an SBR compound resulting in a sheet soft enough to make a tight fluid seal, strong enough to resist a blow-out. It is suitable for use against hot or cold water, air and low pressure steam. Albion 300 has a 225°F temperature limit and exceeds ASTM D 1330-78 Grade II. **Available in two thicknesses. Available in 48" x 48" sheets or per square foot. Minimum order of 12" x 48"**

PART NO.	DESCRIPTION
5495100	1/16" thick
5495110	1/8" thick

HI-TEMP RED RTV GASKET MAKER



Sensor safe formula for high temp. applications or heavy-duty use such as towing & super charged engines. Replaces almost any cut gasket and resists auto and shop fluids. Waterproof seal resists cracking, shrinking and migrating. First generation 1970-1980 gasket maker
Temp range -54C to 343C (-65F to 650F) intermittent

Applications: valve covers, oil pans, water pumps, thermostat housings, transmission pans

PART NO.	MFG#	DESCRIPTION
5493740	59403	Hi Temp Gasket Maker

HIGH TACK SPRAY-A-GASKET SEALANT



Fast drying all-purpose spray adhesive/sealant that creates a tacky paste for holding cut gaskets in place during assembly. Helps seal cuts gaskets and resists gasoline, oil, anti-freeze, kerosene, propane, butane and axle fluids. Temperature range -54°C to 260°C (-65°F to 500°F).

Applications: seals any rubber, cork, paper, or composite gasket or for holding sanding disks.

PART NO.	MFG#	DESCRIPTION
5493760	80546	255g Aerosol

THE RIGHT STUFF, GASKET MAKER

Permatex



OEM specified by Chrysler, Ford, and GM sensor safe & non-corrosive. Will not contaminate oxygen sensors or corrode other electronic engine components. Seals instantly, forming a reliable, long lasting elastic rubber gasket. Blowout resistant, allowing leak proof gaskets to be made in just one minute. Superior resistance to power train fluids including engine oil, transmission fluids, gear lube, and coolants eliminates the need for pre-formed, pre-cut, paper, rubber or cork gaskets.

Temperature range: -60°C to 260°C (-75°F to 500°F).

Applications: Automotive, industrial, and marine gaskets, valve covers, gearbox covers, pumps, compressors, oil pans, thermostat housings, water pumps, etc.

PART NO.	MFG#	DESCRIPTION
5493731	30874	147 ml., Tube
5493730	26015	212g. can
9960-795	30876	300 ml., Cartridge

ULTRA COPPER MAX RTV SILICONE

Permatex



Will not contaminate oxygen sensors or corrode other electronic engine components. Superior adhesion to oily surfaces with long term durability designed for high performance engines or where operating temperatures are higher. Superior resistance to power train fluids including engine oil, transmission fluid, gear lube, and coolants. Temperature range -60°C to 371°C (-75°F to 700°F).

PART NO.	MFG#	DESCRIPTION
5494878	59703	Hi Temp Silicone 3 oz.

ULTRA BLUE NO LEAK RTV SILICONE

Permatex



Makes formed-in-place gaskets.

- Superior oil resistance
- Bonds to oil contaminated surfaces
- Non-corrosive

PART NO.	MFG#	DESCRIPTION
5493724	59603	Ultra Blue 80 ml.

FIBERGLASS TUBING

Sold per foot



Wet exhaust tubing. Made of a fire retardant polyester resin. Non-Burning. Stocked in 10' lengths. **Cut and sold per foot.**

PART NO.	MFG#	DESCRIPTION
3070200	1100512-10	2" OD
3070250	1100501-10	2-1/2" OD
3070300	1100502-10	3" OD
3070350	1100503-10	3-1/2" OD
3070400	1100504-10	4" OD
3070500	1100506-10	5" OD
3070600	1100507-10	6" OD
3070800	1100508-10	8" OD

VERNATUBE WET EXHAUST TUBING

Sold in 10 foot lengths.



- 250°F continuous rating
- Excellent quality alternative to hose for a rigid, non corroding and durable wet exhaust system that assembles easily using rubber exhaust hose connections

- Continuous resin impregnated filament wound for optimum strength with minimal resistance to water and exhaust gas flow
- Self-extinguishing fire retardant resins exceed ASTM and UL ratings

PART NO.	MFG#	DESCRIPTION
3071000	1100509-10	10" Sold Per 10 foot length

FIBERGLASS 90° REDUCER



Fiberglass Reducer
Made of a fire retardant Polyester resin.

Dimensions:

- A - 6.00" (152mm) Nom. OD
- B - 8.00" (203mm) Nom. OD
- C - 16.03" (407mm) Length

PART NO.	DESCRIPTION
3076890	Reducer, Elbow

COUPLINGS



PART NO.	MFG#	DESCRIPTION
9925-070	1200545	2-3⁄8" OD
9925-071	260-3001	3" OD
9925-072	260-3121	3-1⁄2" OD
9925-073	260-4001	4" OD
9925-074	260-5001	5" OD
9925-075	1200550	6" OD
9925-076	1200572	8" OD

FIBERGLASS 45° ELBOW



Wet exhaust elbow.
Made of a fire retardant polyester resin.

PART NO.	MFG#	DESCRIPTION
9925-084	1200308	2-3/8" OD
3073045	1200109	3" OD
3073545	1200111	3-1/2" OD
3074045	1200112	4" OD
3075045	1200113	5" OD
3076045	1200114	6" OD
3078045	1200216	8" OD
3071045	1200204	10" OD

FIBERGLASS 90° ELBOW



Wet exhaust elbow.
Made of a fire retardant polyester resin.

PART NO.	MFG#	DESCRIPTION
3072090	1200200	2" OD
9925-077	1200269	2-3/8" OD
3073090	1200171	3" OD
3073590	1200189	3-1/2"
3074090	1200157	4" OD
3075090	1200175	5" OD
3076090	1200162	6" OD
3078090	1200197	8" OD
3071090	1200327	10" OD

WET EXHAUST COUPLING



Made of a fire retardant polyester resin.

PART NO.	A	B
3077335	3" OD	3-1/2" OD
3077340	3" OD	4" OD
3077354	3-1/2"	4" OD
3077405	4" OD	5" OD
3077406	4" OD	6" OD
3077506	5" OD	6" OD
3077608	6" OD	8" OD

PLASTIC EXHAUST PORT



Exhaust port made of a strong plastic compound to resist cracking and heat. Over 1/4" thick. 3" & 4" ports come with plastic flap. 5" & 6" ports come with rubber flap.

PART NO.	MFG#	FITS HOSE
301301	8105	3"
301401	03014019	4"
301501	8131	5"
301601	8136	6"

TRANSOM EXHAUST FLANGE



Cast brass transom exhaust connector provides the most popular means of securing the exhaust hose.

PART NO.	HOSE SIZE	FLANGE ANGLE
301300	3"	8°
301350	3-1/2"	8°
301400	4"	16°
301500	5"	Straight
301600	6"	Straight

TRANSOM EXHAUST FLANGES – STAINLESS STEEL



PART NO.	MFG#	DESCRIPTION
9940-051	70TE300	3"
9940-057	70TE400	4"
9940-058	70TE500	5"
9940-059	70TE600	6"

EXHAUST THRU HULL

Cast 316 Stainless Steel thru hull with stainless flap and rubber seal.



Available in 2-1/2" and 3" hose fittings.



	A	B	C	D	E
301252	7-1/2"	7/8" - 1"	5-7/8"	4-1/2"	2-1/2"
301302	9-1/2"	7/8" - 1"	5-7/8"	4-1/2"	3"

PART NO.	MFG#	DESCRIPTION
301252	521125	2-1/2" Hose
301302	521130	3" Hose

TRANSOM EXHAUST FLANGES – FIBREGLASS

- Heavy duty, heat resistant white fibreglass
- 90° flange angle



Complete with Flapper

PART NO.	MFG#	DESCRIPTION
9940-060	1200298	3"
9940-061	1200326	4"
9940-062	1200342	5"

Without Flapper

PART NO.	MFG#	DESCRIPTION
9940-065	1200287	3"
9940-066	1200324	4"
9940-067	1200337	5"

Replacement Flappers

PART NO.	MFG#	DESCRIPTION
9940-077	1200313	3"
9940-078	1200340	4"
9940-079	1200345	5"

TRANSOM EXHAUST CONNECTIONS 316 STAINLESS STEEL



- Can be fitted directly to exhaust hose
- Includes check valve to prevent inflow of water through the transom

PART NO.	MFG#	DESCRIPTION
9991-785	TRC40SV	1 5/8"
9991-786	TRC45SV	1-3/4"
9991-787	TRC50SV	2"
9991-788	TRC60SV	2-3/8"
9991-789	TRC75SV	3"
9991-790	TRC90SV	3-1/2"
9991-791	TRC100SV	4"
9991-792	TRC125SV	5"

TRANSOM EXHAUST CONNECTIONS – PLASTIC

- Can be fitted directly to the transom without the need for a connector
- Includes check valve to prevent inflow of water through the transom

PART NO.	MFG#	DESCRIPTION
9991-779	TRC40PV	1-5/8"
9991-780	TRC45PV	1-3/4"
9991-781	TRC50PV	2"
9991-782	TRC60PV	2-3/8"
9991-783	TRC75PV	3"
9991-784	TRC90PV	3-1/2"

TRANSOM EXHAUST CONNECTIONS – EPDM RUBBER



- Can be mounted to the outside of the transom easily using stainless steel polished mounting ring; Vetus mufflers and goose necks with corresponding dimensions can be fitted directly
- For exhaust hose connection, a plastic hose connector will be required

PART NO.	MFG#	DESCRIPTION
9991-774	TRC40R	1-5/8"
9991-775	TRC45R	1-3/4"
9991-776	TRC50R	2"
9991-777	TRC60R	2-3/8"
9991-778	TRC7590R	3" or 3-1/2"

TRANSOM EXHAUST CONNECTIONS – TC PLASTIC

- Can be fitted directly to exhaust hose
- Includes check valve to prevent inflow of water through the transom

PART NO.	MFG#	DESCRIPTION
9991-794	TC100	4"
9991-795	TC125	5"
9991-796	TC150	6"

CHECK VALVE



The housing of each check valve is moulded from the same fiberglass reinforced fire-retardant polyester resins that are used in the well-known VERNALIFT and VERNATONE muffler assemblies. The internal working part of the check valve assembly, with the exception of the rubber check valve component, is also composed of these same compounds.

Check valves should be used when the design of a wet exhaust system allows the possibility for a reverse flow of exhaust cooling water to enter the exhaust system.

PART NO.	A	B	C
3051300	3"	5.31"	10.5"
3051350	3-1/2"	6.38"	12"
3051400	4"	6.38"	12"
3051500	5"	8.38"	15"
3051600	6"	12.2"	26.20"
3051601	6"	10.65"	18"
3051800	8"	16.25"	31.62"

RUBBER EXHAUST FLAP

Prevents backwash sea water from entering the exhaust when the engine is throttled back or stopped.

Sold with S/S clamp.



PART NO.	MFG#	DESCRIPTION
301124	42511	2-1/2" to 3-1/4"
301125	42512	3-1/4" to 4-1/4"
301126	18-4458	5" to 6"

VERNATONE MUFFLER



Above only. **Will not rust**, **corrode or deteriorate** from contact with exhaust gases, fresh or salt water. It is resistant to temperatures encountered in water-cooled exhaust systems. Electrolysis is completely eliminated. Noxious fumes and odours are drastically reduced. In the interest of fire safety, the Vernatone Muffler is constructed of fire retardant polyester resins. These resins carry rating non-burning ASTM-D.

PART NO.	A	B	C	D
3053300	3.00"	25.84"	7.07"	3.50"
3053350	3.50"	30"	8"	-
3053400	4.00"	33.69"	9.06"	3.50"
3053500	5.00"	38.75"	11.00"	4.40"
3053600	6.00"	41.12"	12.12"	4.90"
3053800	8.00"	52.70"	16.12"	5.90"

VERNALIFT MUFFLER - STYLE "B"

Style B



Above or Below, Entire water lock system is constructed of fiberglass, thus, will not corrode or permit electrolysis action. Dimensions are in inches.

PART NO.	A	B	C	D	E
3052200	2.00"	8.00"	8.36"	2.50"	4.68"
3052300	3.00"	12.00"	12.00"	3.00"	9.75"
3052350	3.50"	12.00"	12.00"	3.50"	9.75"
3052400	4.00"	12.00"	12.00"	4.00"	9.25"
3052600	6.00"	16.00"	16.00"	6.00"	9.25"
3052800	8.00"	18.00"	18.50"	6.00"	10.50"

(Other sizes available by Special order)

VERNALIFT MUFFLERS

Compact, quiet and efficient lift type mufflers for use in wet exhaust systems.

- 45° inlet, top outlet
- Fire retardant, self extinguishing fibreglass for installations above or below the waterline
- ABS certified and meets or exceeds ABYC recommendations



PART NO.	A	B	C	D	E
9941-556	3.00"	12.00"	12.34"	3.00"	6.67"
9941-557	4.00"	12.00"	12.34"	4.00"	6.92"
9941-558	5.00"	12.00"	12.34"	5.00"	6.00"
9941-559	6.00"	14.50"	16.17"	5.00"	8.75"
9941-560	8.00"	18.00"	18.50"	6.00"	10.00"

VERNALIFT MUFFLER - STYLE "A"

Style A



Above or Below, Entire water lock system is constructed of fiberglass, thus, will not corrode or permit electrolysis action.

PART NO.	A	B	C	D
3050300	3.00"	17.32"	10.00"	3.00"
3050351	3.50"	17.00"	10.00"	3.50"
3050400	4.00"	18.75"	11.00"	3.50"
3050500	5.00"	22.00"	12.34"	5.00"
3050600	6.00"	28.00"	16.17"	6.00"

For the most up to date pricing, please visit maritimemarinesupply.ca/price

EXHAUST HOSE



- Bending radius up to 150% of hose IDFlush and smooth inside to reduce back pressure in the engine
- Approval of Lloyd's; meet SAE J2006

Sold per foot.

PART NO.	MFG#	DESCRIPTION
9991-493	SLANG40	1-9/16" ID x 1-7/8" OD
9991-494	SLANG45	1-3/4" ID x 2" OD
9991-495	SLANG50	2" ID x 2-5/16" OD
9991-496	SLANG60	2-3/8" ID x 2-11/16" OD
9991-497	SLANG75	3" ID x 3-5/16" OD
9991-498	SLANG90	3 1/2" ID x 3-7/8"
9991-499	SLANG100	4" ID x 4-5/16" OD
9991-500	SLANG110	4-11/32" ID x 4-3/4" OD
9991-501	SLANG125	5" ID x 5-13/32" OD
9991-502	SLANG150	6" ID x 6-13/32" OD
9991-503	SLANG200	8" ID x 8-19/32" OD

MARINE EXHAUST/WATER SUCTION HOSE SOFTWALL



- 2 ply nylon fabric and special filler prevents panting, shock, vibration and wall collapse
- Softwall

Sold per foot.

PART NO.	MFG#	DESCRIPTION
9925-091	2"ME SOFT	2" ID x 2-1/2" OD
9923-035	2 3/8" ME SOFT	2-3/8" ID x 2-27/32" OD
9923-036	3" ME SOFT	3" ID x 3-9/16" OD
9923-038	"3 1/2"" ME SOFT"	3-1/2" ID x 4 1/16" OD
9923-040	4" ME SOFT	4" ID x 4-19/32" OD

MARINE EXHAUST/WATER SUCTION HOSE HARDWALL



- Helical wire reinforcement allows for tight bends without collapsing

Sold per foot.

PART NO.	MFG#	DESCRIPTION
9925-092	2"ME HARD	2" ID x 2-9/16" OD
9925-093	2-3/8"ME HARD	2-3/8" ID x 2-7/8" OD
9923-044	3" HD SUCTION	3" ID x 3-15/32" OD
9923-045	3-1/2" HD SUCTION	3-1/2" ID x 4" OD
9923-046	4" HD suction	4" ID x 4-1/2" OD
9923-047	5" HD suction	5" ID x 5-9/16" OD
9923-048	6" HD suction	6" ID x 6-17/32" OD

WET EXHAUST OVERHEAT DETECTOR



- Two terminal,non polarity, normally open detector that closes when wet exhaust temperature reaches 200°F and activates a visual and/or audible device.
- Adjustable band that will accomodate exhaust sizes from 2in to 8in.
- 5ft of Marine Grade Tinned wire for connections.

PART NO.	MFG#	DESCRIPTION
9945-626	20250	12v, 24v, and 32v

WET EXHAUST HOSE – SOFTWALL



UP TO 5 YEAR **WARRANTY**

- 250°F continuous rating
- Premium extra heavy tube and cover withmulti-ply reinforcement resists heat, aging,exhaust and ozone
- Exceeds SAE J2006 standards.

6 1/4" foot lengths

PART NO.	MFG#	DESCRIPTION
9925-056	200-2381	2-3/8" ID x 2-7/8" OD
9925-057	200-3001	3" ID x 3-5/8" OD
9925-058	200-3121	3-1/2" ID x 4-1/8" OD
9925-059	200-4001	4" ID x 4-5/8" OD
9925-066	200-5001	5" ID x 5-5/8" OD
9925-067	200-6001	6" ID x 6-3/4" OD
9925-068	200-8001	8" ID x 8-3/4" OD

12 1/2" foot lengths

PART NO.	MFG#	DESCRIPTION
9925-010	200-2384	2-3/8" ID x 2-7/8" OD
9925-011	200-3004	3" ID x 3 5/8" OD
9925-012	200-3124	3-1/2" ID x 4-1/8" OD
9925-013	200-4004	4" ID x 4-5/8" OD

HARDWALL MARINE EXHAUST HOSE (USCG)



Temperature Range: 200° Continuous, 250° Intermittent. Heavy wall construction reinforced with wire helix embedded between tough synthetic spiral cord plies.

Excellent flexibility and bend radius, prevents panting/collapsing. Resists engine heat, exhaust fumes, ozone, mild acids, toilet effluent, salt water and abrasion. Meets SAE J2006 Type R2 and ISO 13362:2004 Type 1 Class B. **Sold Per Foot**

PART NO.	SIZE ID	SIZE OD
3951175	1-3/4"	2-1/8"
3952200	2"	2-3/8"
3951250	2-1/2"	3"
3951300	3"	3-1/2"
3951350	3-1/2"	4"
3951400	4"	4-1/2"
3951500	5"	5-3/4"
3951600	6"	7"
3951800	8"	**Sold in 10ft or 20ft pieces only**

FLEXIBLE EXHAUST HOSE



Shieldsaust - C Hose has a black synthetic rubber tube and cover reinforced with a double wire helix embedded between plies of synthetic cord. This hose is abrasion resistant and resistant to exhaust fumes, ozone, mild chemicals, antifreeze, and saltwater. Primarily used for wet exhaust connections with significant bends, engine intake and scupper lines.

Operating Temperature: -20°F to +200°F continuous, +250°F intermittent.
This hose exceeds SAEJ2006 Type R2 standards.

PART NO.	MFG#	ID SIZE	SOLD
3944075	116-254-0340	3/4"	Per Foot
3944100	116-254-1000	1"	Per Foot
3944125	116-254-1140	1-1/4"	Per Foot
3944150	116-254-1120	1-1/2"	Per Foot
3944175	116-254-1340	1-3/4"	Per Foot
3944178	116-252-1781	1-7/8"	6-1/4'
3944200	116-254-2000	2"	Per Foot
3944238	116-252-2381	2-3/8"	6-1/4'
3944250	116-254-2121	2-1/2"	6-1/4'

MARINE EXHAUST / WATER HOSE (NO WIRE)



This marine exhaust/water hose is constructed of black heavy walled synthetic rubber, and is reinforced with 2 or 4 piles of synthetic cord.

Sold Per 6 Foot lenth

Resistant to: engine heat, exhaust fumes, ozone, mild chemicals, antifreeze, and salt water.
Temperature range: -20°F to +200°F continuous, +200°F intermittent. Meets SAE J2006 Type R1

PART NO.	ID SIZE	OD SIZE	SOLD
3950100	1"	1-3/8"	6 Ft Length
3950125	1-1/4"	1-3/4"	6 Ft Length
3950150	1-1/2"	2"	6 Ft Length
3950175	1-3/4"	2-1/4"	6 Ft Length
3950178	1-7/8"	2-3/8"	6 Ft Length
3950200	2"	2-1/2"	6 Ft Length
3950225	2-1/4"	2-3/4"	6 Ft Length
3950250	2-1/2"	3"	6 Ft Length

WET EXHAUST HOSE - HARDWALL



Smaller I.D.'s for engine intake, critical water, drain, scupper bilge & sanitation uses. Made with an extra heavy tube and covered with a wire helix between 2 plies of reinforcement provides excellent flexibility and bend radius. Resists heat, ozone, exhaust, sani chemicals, panting and collapse.

- Black High Temp EDPM Rubber 280°F (138°C) Max.
- Wire helix between a 2 ply reinforcement.
- Longer bent connections.
- Exceeds SAE J2006-R2, and ABYC & NMMA P-1 exhaust standards.

Sold as a 50 foot coil

PART NO.	MFG#	DESCRIPTION
9925-400	100-0126	1/2" I.D. x 1" O.D. x 50 ft.
9925-401	100-0586	5/8" I.D. x 1-1/8" O.D. x 50 ft.
9925-402	100-0346	3/4" I.D. x 1-1/4" O.D. x 50 ft.
9925-403	100-1006	1" I.D. x 1-1/2" O.D. x 50 ft.
9925-404	100-1146	1-1/4" I.D. x 1-3/4" O.D. x 50 ft.

MARINE EXHAUST HOSE, CORRUGATED



Trident corrugated marine wet exhaust hose for longer connections with substantial bends. Thick tube and cover with wire helix between 2 plies of reinforcement. Resists heat, ozone, exhaust fumes, panting and collapse.

- Black High Temp EDPM Rubber 280°F (138°C) Max.
- Wire helix between a 2 ply reinforcement.
- Excellent flexibility and bend radius.

Sold per foot

PART NO.	MFG#	DESCRIPTION
9925-406	252-1346	1-3/4" I.D. x 2-1/4" O.D.
9925-407	252-2006	2" I.D. x 2-1/2" O.D.
9925-408	252-2126	2-1/2" I.D. x 3" O.D.
9925-409	252-3006	3" I.D. x 3-5/8" O.D.
9925-410	252-4006	4" I.D. x 4-5/8" O.D.
9925-411	252-6006	6" I.D. x 6-3/4" O.D.

RUBBER HUMP HOSE EXHAUST CONNECTORS



Constructed of 100% high temperature EPDM rubber. Maximum operating temperature 250°F (121°C).

PART NO.	MFG#	ID SIZE	LENGTH
3941003	116-220-3000-1	3"	5.25"
3941004	116-220-4000-1	4"	5.25"
3941005	116-220-5000-1	5"	6"
3941006	116-220-6000-1	6"	6"
3941008	116-220-8000-1	8"	8"

EPDM HUMP HOSE EXHAUST CONNECTOR HIGH TEMPERATURE



This High Temperature EPDM Hump Hose Connector has a maximum operating temperature of 250°F (120°C)

PART NO.	MFG#	ANGLE	ID SIZE
3941330	116-245-3000-1	45°	3"
3941335	116-245-3120-1	45°	3-1/2"
3941340	116-245-4000-1	45°	4"
3941345	116-245-4120-1	45°	4-1/2"
3941350	116-245-5000-1	45°	5"
3941360	116-245-6000-1	45°	6" Ribbed
3941380	116-245-8000-1	45°	8" Ribbed
3941430	116-290-3000-1	90°	3"
3941435	116-290-3120-1	90°	3-1/2"
3941440	116-290-4000-1	90°	4"
3941445	116-290-4120-1	90°	4-1/2"
3941450	116-290-5000-1	90°	5"
3941460	116-290-6000-1	90°	6" Ribbed
3941480	116-290-8000-1	90°	8" Ribbed

RUBBER HUMP HOSE EXHAUST CONNECTORS

Sold without clamps.



Constructed of 100% high temperature EPDM rubber. Maximum operating temperature 250°F (121°C).

PART NO.	I.D. SIZE	LENGTH	WALL THICKNESS
3941003	3"	5-1/4"	1/4"
3941004	4"	5-1/4"	1/4"
3941005	5"	6"	1/4"
3941006	6"	6"	1/4"
3941008	8"	8"	1/4"

WET EXHAUST - HUMP HOSE AND ELBOWS

Sold without clamps.

- 250°F continuous rating
- Great resistance to vibration, heat, misalignment, and engine movement
- Install over fibreglass exhaust couplings; lubricate with water or detergent if necessary and double clamp at each end with heavy duty hose clamps



UP TO 5 YEAR **WARRANTY**

WET EXHAUST HUMP HOSE

PART NO.	MFG#	I.D. SIZE	LENGTH	WALL THICKNESS
9925-035	THH-3	3"	5-1/4"	1/4"
9925-036	THH-35	3-1/2"	5-1/4"	1/4"
9925-037	THH-4	4"	5-1/4"	1/4"
9925-038	THH-5	5"	6"	1/4"
9925-039	THH-6	6"	7"	1/4"
9925-034	THH-8	8"	5"	1/4"
9925-109	THH-10	10"	6"	1/4"

WET EXHAUST HUMP ELBOWS

Sold without clamps.

- 100% molded EPDM rubber for tight bends in wet exhaust system without kinks



90°

PART NO.	MFG#	I.D. SIZE	WALL THICKNESS
9925-022	TRL-390	3"	1/4"
9925-024	TRL-3590	3-1/2"	1/4"
9925-026	TRL-490	4"	1/4"
9925-029	TRL-590	5"	1/4"
9925-031	TRL-690	6"	1/4"
9925-027	TRL-890	8"	3/8"
9925-111	TRL-1090	10"	3/8"

45°

PART NO.	MFG#	I.D. SIZE	WALL THICKNESS
9925-023	TRL-345	3"	1/4"
9925-025	TRL-3545	3-1/2"	1/4"
9925-028	TRL-445	4"	1/4"
9925-030	TRL-545	5"	1/4"
9925-032	TRL-645	6"	1/4"
9925-033	TRL-845	8"	3/8"
9925-110	TRL-1045	10"	3/8"

VHT SILICONE WET EXHAUST HUMP HOSE AND ELBOWS

- Blue very high temperature (VHT) silicone
- 350°F continuous rating

Sold without clamps.



VHT Wet Exhaust Hump Hose

PART NO.	MFG#	I.D. SIZE	LENGTH	WALL THICKNESS
9925-100	270V6000	6"	**7"**	1/4"
9925-101	270V8000	8"	**5"**	1/4"

VHT Wet Exhaust Elbows

PART NO.	MFG#	I.D. SIZE	ANGLE	WALL THICKNESS
9925-103	240V6000	6"	45°	1/4"
9925-104	240V8000	8"	45°	3/8"
9925-106	290V6000	6"	90°	1/4"
9925-107	290V8000	8	90°	3/8"

HIGH PERFORMANCE WATERLOCK TYPE HPW

- Special composite blend (NAVIDURIN) is capable of handling temperatures up to 260ºC
- 360º Rotating bodies and hose connections (infinite connection)
- High capacity waterlift design providing complete security for your engine
- Excellent sound attenuation with minimal back pressure
- Complete with floor mounting brackets



PART NO.	MFG#	DESCRIPTION
9991-080	HPW102	4"
9991-081	HPW152	6"

MG SERIES WATERLOCKS

- Top outlet connection rotates 360°
- 45° upward angle inlet connection
- Synthetic (no corrosion or galvanic action) with stainless steel clamp bands
- Drain cock provided for winter storage



- Capacity 19.8 gal. (75 L)
- 27 1/2" H x 15 3/4 dia.

PART NO.	MFG#	DESCRIPTION
9991-772	MGS6456A	6"

- Capacity 34 1/3 gal. (130 L)
- 29 1/2" H x 19 11/16" dia.

PART NO.	MFG#	DESCRIPTION
9991-770	MGL8458A	8"

NLP HD HEAVY DUTY WATERLOCKS

- HD composite material is heat resistant up to 260 °C
- Top chamber and both inlet and outlet rotate 360°
- Superior noise reduction and minimal back pressure
- Provided with drain plugs for winter storage



Capacity 2.6 gal. (10 L)

PART NO.	MFG#	DESCRIPTION
9992-245	NLP50SHD	2"
9992-246	NLP60HD	2-1/2"
9992-247	NLP75HD	3"
9992-248	NLP90HD	3-1⁄2"

LSG SERIES WATERLOCKS

- Capacity 4 1/2 gal. (17 L)
- Check valve for added engine protection
- An exhaust temperature alarm sensor can also be fit into inlet hose connection



PART NO.	MFG#	DESCRIPTION
9991-749	LSG75	3"

NLP SERIES WATERLOCKS

- Top chamber and both inlet and outlet connectors rotate 360°
- Durable and corrosion proof, made of lightweight injection-molded plastic
- Upper and lower chambers with a horizontal partition plate and a riser tube through the centre, designed for easy installation even in confined engine spaces



Capacity 1 gal. (4-1/2L)

- Total Width 15-1/4"
- Total Height 10"
- Base Width 6-1/2"

PART NO.	MFG#	DESCRIPTION
9991-717	NLP40	1-1⁄2"
9991-718	NLP45	1-3⁄4"
9991-719	NLP50	2"

Capacity 2.2 gal. (10 L)

- Total Width 20-1/4"
- Total Height 14-1/4"
- Base Width 8-1/4"

PART NO.	MFG#	DESCRIPTION
9991-720	NLP50S	2"
9991-721	NLP60	2-3⁄8"
9991-722	NLP75	3"
9991-723	NLP90	3-1⁄2"

LSS SERIES WATERLOCKS

- Capacity 1 1/2 gal. (5 3/4 L)
- Reduced 8 7/8" height, enables easy installation under floor
- Both inlet and outlet connections rotate 360° to simplify installation
- Fitted with a drain plug for winter storage



PART NO.	MFG#	DESCRIPTION
9991-751	LSS40A	1-5⁄8"
9991-752	LSS45A	1-3⁄4"
9991-753	LSS50A	2"

LP SERIES WATERLOCKS



- Capacity 2-3/4gal. (10 1/2L)
- Suitable for longer exhaust runs
- Provided with a drain plug for winter storage

PART NO.	MFG#	DESCRIPTION
9991-728	WLOCKL50S	2"
9991-729	WLOCKLP60	2-3⁄8"
9991-730	WLOCKLP75	3"
9991-731	WLOCKLP90	3-1⁄2"

LPR SERIES WATERLOCKS



- Capacity 1-1/4gal. (4-1/4L)
- Inlet rotates 360° to simplify installation
- Fitted with a drain plug for winter storage

PART NO.	MFG#	DESCRIPTION
9991-725	WLOCKL40R	1-1⁄2"
9991-726	WLOCKL45R	1-3⁄4"
9991-727	WLOCKL50R	2"

LP30 WATERLOCK



- Capacity 0.6 gal. (2.3 L)
- Provided with a drain plug for winter storage

PART NO.	MFG#	DESCRIPTION
9991-724	WLOCKLP30	1-3⁄16"

REPLACEMENT DRAIN PLUG



PART NO.	MFG#	DESCRIPTION
9991-895	DRAIN	Plug

ROTATING MUFFLER INLET



- With O-rings

PART NO.	MFG#	DESCRIPTION
9992-249	US001	1-1⁄2" (40mm)
9992-250	US002	1-3⁄4" (45mm)
9992-251	US003	2" (50mm)

ROTATING MUFFLER INLET WITH CLAMP



PART NO.	MFG#	DESCRIPTION
9992-252	SET0001	2" (50mm)
9992-253	SET0002	2-3⁄8" (60mm)
9992-254	SET0003	3" (75mm)
9992-255	SET0004	3-1⁄2" (90mm)

HORIZONTAL WATERLOCK TYPE NLPH

- Two chamber waterlock/muffler with rotatable components and hose connections
- Simple and time-saving installation



0.8 Gallon (3 L)

- 25 11/16" OAL x 4 5/16" dia.

PART NO.	MFG#	DESCRIPTION
9991-082	NLPH40	1-1/2"
9991-083	NLPH45	1-3/4"
9991-084	NLPH50	2"

2.65 Gallon (10 L)

- 34 5/8" OAL x 6 1/8" dia

PART NO.	MFG#	DESCRIPTION
9991-085	NLPH60	2-3/8"
9991-086	NLPH75	3"
9991-087	NLPH90	4"

3-CHAMBER WATERLOCK MUFFLER

- Quietest waterlock/muffler in the world
- 10 dB less sound compared with 2-chamber systems
- Rotatable chambers and hose connections



1.32 Gallon (5 L)

- 30-3/8" OAL x 4-5/16" dia.

PART NO.	MFG#	DESCRIPTION
9991-050	NLP340	1-1⁄2"
9991-051	NLP345	1-3⁄4"
9991-052	NLP350	2"

3.43 Gallon (13 L)

- 41-5/16" OAL x 6-1/8" dia.

PART NO.	MFG#	DESCRIPTION
9991-053	NLP360	2-3⁄8"
9991-054	NLP375	3"
9991-055	NLP390	3-1⁄2"

MP SERIES EXHAUST MUFFLERS

- Creates additional mixing of water in exhaust line, improving noise reduction, with almost no resistance to the free flow of the exhaust gases



PART NO.	MFG#	DESCRIPTION
9991-732	DEMPMP40	1-1/2" – 14-1/2" L x 6-1/4" W
9991-733	DEMPMP45	1-3/4" – 14-1/2" L x 4-1/4"
9991-734	DEMPMP50	2" – 14-1/2" L x 4-1/4"
9991-735	DEMPMP60	2-3/8" – 14-1/2" L x 4-1/4"
9991-736	DEMPMP75	3" – 18" L x 5-1/8"
9991-737	DEMPMP90	3-1/2" – 18" L x 5-1/8"
9991-738	DEMPMP100	4" – 22-7/8" L x 6-5/8"

MV SERIES EXHAUST MUFFLERS WITH CHECK VALVE



- Compact, lightweight design specially for fast craft with powerful engines, where there is no space available for installation of a waterlock and/or gooseneck
- Synthetic corrosion-free materials, tremendous noise reduction and minimal back pressure
- With stainless steel mounting brackets and temperature sensor connection
- For application with water injected exhaust systems only

PART NO.	MFG#	DESCRIPTION
9991-759	MV100	4" – 27-5/8" L x 8-1/4" W
9991-760	MV125	5" – 35-7/8" L x 12-9/16" W
9991-761	MV150	6" – 35-7/8" L x 12-9/16" W

GOOSENECKS – PLASTIC

- Prevents seawater from getting into the engine via the transom connection





For Small Exhaust Systems

PART NO.	MFG#	DESCRIPTION
9991-739	WLOCKLT40	1-1/2"
9991-741	WLOCKLT50	2"
9991-742	WLOCKLT60	2-3/8"

For Larger Exhaust Systems

PART NO.	MFG#	DESCRIPTION
9991-743	LT6565	2-1/2"
9991-744	LT7575	3"
9991-745	LT9090	3-1/2"
9991-746	LT110110	4-3/8"
9991-747	LT102	4"

AIR BREATHER VENTS

- Prevents cooling water being siphoned into stopped engine, if cooling water injection point is less than 6" above or below waterline



- Self contained; requires periodic maintenance to prevent clogging

PART NO.	MFG#	DESCRIPTION
9991-435	AIRVENTV	W/ internal valve

- Hose connection to the outside of the hull
- Suitable for 1/2", 3/4", 1", and 1 1/4" ID hoses

PART NO.	MFG#	DESCRIPTION
9991-436	AIRVENTH	W/ hose, external valve

ANTI-SIPHON WITH VALVE

- Virtually maintenance free
- Can be easliy dismantled by hand for cleaning
- Suitable for 1/2", 3/4", 1", and 1 1/4" ID hoses



PART NO.	MFG#	DESCRIPTION
9991-985	ASDV	With Valve

WATER INJECTED EXHAUST ASSEMBLIES

Exhaust system assembly – water injection point 'C' **less than 6" (15 cm)** above or below the water line.

Fig. 1



Exhaust system assembly – water injection point 'C' **6" (15 cm) or more** above the water line.

Fig. 2



For the most up to date pricing, please visit maritimemarinesupply.ca/price

DRY EXHAUST MUFFLER



Engine Exhaust Silencers

These Residential Grade compact spiral chambered mufflers have an all MIG welded construction. They have a steel wool and mesh liner providing premium silencing with low back pressure. The connections are standard Slip-Fit. **These models are available in a Carbon Steel with a high-temperature black finish or 304 Stainless Steel.**

***Note:** Steel will corrode in a Salt Environment.

PART NO.	DIA.	LENGTH	PIPE OD	TYPE
3055200	7.17"	7.24"	2"	Steel
3055250	8.82"	8.23"	2-1/2"	Steel
3055300	11.81"	9.25"	3"	Steel
3055305	11.81"	9.25"	3"	S/S
3055350	11.81"	11.50"	3-1/2"	Steel
3055355	11.81"	11.50"	3-1/2"	S/S
3055400	11.81"	15.47"	4"	Steel
3055405	11.81"	15.47"	4"	S/S
3055450	16.06"	12.48"	4-1/2"	Steel
3055455	16.06"	12.48"	4-1/2"	S/S
3055500	16.06"	16.5"	5"	Steel
3055505	16.06"	16.5"	5"	S/S
3055600	16.06"	22.48"	6"	Steel
3055605	16.06"	22.48"	6"	S/S
3055800	22.00"	24.25"	8"	Steel
3055805	22.00"	24.25"	8"	S/S

STAINLESS STEEL EXHAUST FLEX PIPE WITH STEEL ENDS



Painted steel weld nipples on each end. Stainless steel exhaust flex pipe measures 18" OAL. Available in a variety of diameters.

PART NO.	MFG#	DESCRIPTION
3055112	P671-018-151130	1-1/2" ID
3055202	P671-018-021130	2" ID
3055302	P671-018-031130	3" ID
3055402	P671-018-041130	4" ID
3055502	P671-018-051130	5" ID
3055602	P671-018-061130	6" ID
3055802	P671-018-081130	8" ID

STAINLESS STEEL EXHAUST FLEX PIPE WITH THREADED STEEL ENDS



Painted steel weld nipples on each end. Stainless steel exhaust flex pipe measures 18" OAL. Available in a variety of diameters. with MNPT ends

PART NO.	MFG#	DESCRIPTION
9940-020	3" FLEX MNPT	3" MNPT
9940-021	4" FLEX MNPT	4" MNPT
9940-022	5" FLEX MNPT	5" MNPT
9940-023	6" FLEX MNPT	6" MNPT
9940-025	8" FLEX MNPT	8" MNPT

STAINLESS STEEL EXHAUST FLEX PIPE



Stainless steel pipe thread ends with stainless steel flex pipe body. 18" OAL.

PART NO.	MFG#	DESCRIPTION
3055303	P671-018-031131SS	3" MNPT
3055403	P671-018-041131SS	4" MNPT
3055603	P671-018-061130SS	6" MNPT

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

DRY EXHAUST MUFFLERS STAINLESS STEEL



- Exceptionally well made mufflers reduce noise with minimum back pressure
- Precision welded, heavy duty gauge stainless steel construction will last for many years

PART NO.	MFG#	DESCRIPTION
9925-500	4" MUFFLER	4" Dry Exhaust Muffler, SS
9925-502	6" MUFFLER	6" Dry Exhaust Muffler, SS
9925-503	8" MUFFLER	8" Dry Exhaust Muffler, SS

DRY EXHAUST RAIN CAP



PART NO.	MFG#	DESCRIPTION
3055251	WAL-35514	2-1/2"
3055301	WAL-35618	3"
3055351	WAL-35619	3-1/2"
3055401	GRC-RC-400	4"
3055451	WAL-35909	4-1/2"
3055501	GRC-RC-500	5"
3055601	WAL-35393	6"

EXHAUST LAGGING

Fiberglass rope specifically developed as an alternative to asbestos in packing and sealing applications as well as caulking and thermal insulation. **1000°F.**



PART NO.	MFG#	DESCRIPTION
3055050	ROP078F100	1" 100' Roll
3055051	3055051	1" Per Foot
3055075	ROP078F075	3/4" 100' Roll

EXHAUST WRAPPING

Fiberglass woven tape developed as an efficient, high-quality hot-wrapping and for energy-conservation applications.

1000°F, 3" wide x 1/8" thick.



PART NO.	MFG#	DESCRIPTION
3055025	TAPGW300300	100' Roll
3055026	3055026	Per Foot

EXHAUST WRAP SYSTEMS

SOUNDOWN offers two basic high temperature thermal insulation systems for use on hot exhaust pipes. Both systems use a non-asbestos, fiberglass blanket as the base insulation material. The standard blanket is flexible and has a thickness of 1" x 60" wide. It withstands temperature in excess of 1200°F.



The two systems differ in the type of covering over the fiberglass wool.
Order the high Temp Base and then pick System #1 or System #2 to cover it.

Both systems require the High Temp Fiberglass Base to be applied first. The fiberglass base is ordered separately.

Average coverage for mastic with single coat is 50 sq. ft per gallon.

System #1



SYSTEM #1
WEATHERPROOF/REWETTABLE CLOTH

Our plaster impregnated "rewettable" cloth forms an easily mouldable covering to the fiberglass blanket, which becomes weatherproof and paintable after coating with our mastic sealant. This system is ideal for treating complex shapes and exposed pipes. 60" wide.

System #2



SYSTEM #2
LACED-ON ALUMINIZED CLOTH

The laced-on covering uses an aluminized fiberglass cloth cover which is assembled to the fiberglass blanket by crimped-on stainless steel lacing hooks and washers. These covers are then held in place by wire lacings. Straight pipe runs are easily treated with this system, but complex shapes generally require greater time and effort to achieve a good fit. 60" wide.

PART NO.	MFG#	DESCRIPTION
3030310	MAT1200P100	High-Temp Fiberglass Base
3030315	CLT5145	Sys #1 Re-Wet Cloth Cover per LY
3030325	CP-10	Sys #1 Mastic Coating for Re-Wet
3030320	CLT2175BAL	Sys #2 Alum. Fiberglass Cloth Cover
3030305	LACEANCHOR	Sys #2 Lace Hook
3030306	LOCKWASHER	Sys #2 Washer for Lace

STAINLESS STEEL WIRE



304 stainless steel wire is perfect for securing exhaust wrapping etc. 20 ga. wire has a .032" diameter.

Sold in 350' roll.

PART NO.	MFG#	DESCRIPTION
3055010	0985093	Full Roll

STAINLESS STEEL WIRE



PART NO.	MFG#	DESCRIPTION
9923-097	CLTW22	.041" x 50'
9923-098	CLTW21	.032" x 65'

VINYL/FOAM INSULATION

SOUNDOWN

Heavy mass-loaded vinyl layer laminated between two layers of fire-retardant polyether foam covered by an aluminized mylar coating. The easy to clean mylar facing protects the noise dampening foam barriers from spills, mists and vapours.
Sheets are: 4-1/2' x 6' x 1-1/4" thick



"Peel & Stick" Insulation 9952-307

- Same characteristics as above, except with adhesive backing

PART NO.	SIZE	DESCRIPTION
3030210	54"W x 72"L x 1-1/4"	No adhesive Backing
9952-307	54"W x 72"L x 1-/4"	Peel & Stick Adhesive Backing
3030212	54"W x 32"L x 1-5/16"	No adhesive Backing

LEAD/FIBERGLASS INSULATION

SOUNDOWN



Heavy lead laminated between two layers of fiberglass produce a fireproof noise barrier that is Coast Guard Approved. White coating protects against absorbing fumes and oils.
Sheets are: 2' x 3' x 2" thick

PART NO.	MFG#	DESCRIPTION
3030220	ILC1020WN	24"W x 36"L

TUFF-MASS NOISE/ SOUND BARRIER

SOUNDOWN

Excellent performance in reducing transmission of both airborne & structure born noises. Performs as a combined mass layer and damper when applied to partition panels and lightweight structural bulkheads or when used as carpet underlay. The material is reinforced black vinyl with a surface density of 2 lb/ sq.ft. Thickness is just under 1/4" (6.35mm)



PART NO.	MFG#	DESCRIPTION
3030205	IMT20	54" Wide

CLAMP MAKING TOOL



- Complete with 8' .041 stainless steel wire
- Clamp anything any size, any shape, anywhere with this multi-purpose tool
- Making clamps from wire is quick and easy

PART NO.	MFG#	DESCRIPTION
9923-095	CLT05	Multi-purpose tool

INSTALLATION ACCESSORIES





Pin & Keeper

PART NO.	DESCRIPTION
3030110	Mylar Scrim Tape 2" x 125'
9952-318	White Scrim Tape 2" x 125'
3030115	White Scrim Tape 4" x 125'
3030105	Insulation Pin & Keeper
3030106	Dome Cap
5490052	Super 77 Multipurpose Spray Adhesive 16.7oz

FIXING ROSETTES

vetus



- 2" polypropylene discs dare ideal for easy installing of heavy sheets
- Come in packs of 15 pieces (screw not supplied)

PART NO.	MFG#	DESCRIPTION
9991-021	FIXP	15 pack

NOFIRE FIRE RETARDANT PAINT



- A one part non-flammable water based coating that foams and swells upon heat or flame exposure
- Provides an effective insulation and heat shield to protect the subsurface
- Nontoxic when wet, dry or exposed to heat
- Zero Flame Spread, Zero Smoke Developed
- Over 99% effective in redusing the incident of Flashover

PART NO.	MFG#	DESCRIPTION
9960-957	A18MARINE	Gallon

SCOTCH-GRIP ADHESIVE

3M CANADA



- Fast drying, high strength, resistant to water and oil; will not attack foam

PART NO.	MFG#	DESCRIPTION
9963-005	7000000797	947 mL can

SILENT RUNNING COATING

This high performance and cost effective soundproofing product virtually eliminates unwanted sound and vibration problems. Water based coating that utilizes a space-age viscoelastic polymer system which actually absorbs noise and vibration and converts it into low grade heat which is then dissipated throughout the applied surface.



Proven to be safe, effective and highly durable, this specialized coating can be applied by spray, brush or roller and has excellent adhesion to all metal, fiberglass, wood and most plastic surfaces. Cures to a hard surface yet retains excellent elongation. It will not crack or chip due to flexing or bending of the substrate.

Some applications include:

Engine room soundproofing, general enclosure soundproofing, hull vibration dampening, hatch cover soundproofing etc. Withstands temperatures from -30°F to 300°F. 100% non-toxic. Non-flammable. Clean up with soap and water.

PART NO.	MFG#	DESCRIPTION
3030000	SR500-1	1 Gallon
3030005	SR500-5	5 Gallon

Racor AFM Series Marine Air Filters/Silencers remove contaminants introduced into the air from both inside and outside the vessel, including sand, salt and carpet fibers. Trapping these contaminants in oil-impregnated filter media ensures that clean, purified air is delivered into the engine, leading to improved performance, increased fuel economy and reduced downtime. As an added benefit, the unique design of the air filter/silencer housing reduces turbo noise by up to 10 db. It features an integral hose connection that routes clean blow-by into the engine, making it ideally suited for use in closed crankcase ventilation (CCV) filtration systems. For connection to a CCV (not included), each AFM Series Filter/Silencer has a barbed outlet connection. The CCV outlet is connected to the engine's combustion air inlet via an air intake connector, where the filtered blow-by gas is recycled through the combustion process. Oil collected in the CCV Sump is returned to the crankcase through a hose and a drain check valve.
Notes on sizing and use:

Benefits:

- Ensures delivery of clean, purified air into the engine. This allows the engine to breathe easier, resulting in increased power, torque and fuel economy.
- Reduces downtime, prolongs engine, filter and turbocharger life
- Reduces turbo noise by up to 10 db
- Can integrate with Racor Closed Crankcase Ventilation (CCV) systems
- No tools needed for servicing

Features:

- Compact, high air flow, low pressure differential designs
- Cleanable air filter (with AFM82006 Cleaning Kit)

Specifications	AF M408520	AF M501012	AF M601212
Max Air Flow	800 CFM	1200 CFM	1600 CFM
Outlet Diameter	4"	5"	6"
Filter	AF M8040	AF M5050	AF M8060
Length	12-1/2"	12-1/2"	12-1/2"
Depth	9-5/8"	11-1/2"	13-1/2"
Hose Barb Size	1"	1-1/4"	1-1/4"

MARINE AIR FILTER/SILENCERS





PART NO.	MFG#	DESCRIPTION
9943-031	AF M408512	4", 800 cfm
9943-033	AF M501012	5", 1200 cfm
9943-034	AF M601212	6", 1600 cfm

REPLACEMENT ELEMENTS



- Racor Marine Cartridge Air Filters can be used as direct replacements for the intake air portion of competitive air filters / silencers
- They come in a variety of sizes, making them suitable for use with virtually any marine air filtration system

PART NO.	MFG#	DESCRIPTION
9943-035	AF M8040	For 4" filters
9943-036	AF M8050	For 5" filters
9943-037	AF M8060	For 6" filters
9943-038	AF M82006	Cleaning Kit



IF IT'S NOT A GENUINE RACOR, YOU COULD BE ASKING FOR TROUBLE

A robust, compact package, the patented Racor CCV closed crankcase ventilation filter systems provide superior oil coalescence and crankcase pressure control under the most severe conditions, eliminating crankcase emissions and providing a cleaner engine environment. They reduce oil consumption by separating the oil from crankcase gases and returning the oil to the sump. The high efficiency filter prevents fouling of the turbocharger and aftercooler. Filtered crankcase gas is returned to the engine intake system for recombustion instead of polluting the environment. Keeps engine compartments and components free of oil mist.

- Die cast head, glass filled nyon and black powder epoxy coated steel bowl
- 1/4" NPT engine block check valve fitting
- Integral crankcase pressure regulator



Typical filter service life in diesel applications is 750 hours.





Dimensions (inches)

To determine the appropriate unit:

Engine hp/40 = Engine cfm

Model	Width A	Depth B	C	D	E	Height F	G*
CCV4501	7.2	5.6	5.6	7.5	6.0	9.3	2.3
CCV6001	8.6	7.3	7.1	11.3	7.5	12.0	4.0
CCV8001	10.6	9.3	9.1	13.3	9.5	13.9	5.0

***minimum filter removal clearance**

CCV systems

PART NO.	Max. Flow Rate	Inlet/Outlet Port Size	Swivel Fittings (2)	Oil Drain Hose ID	Model
9943-180	10 cfm	1-3/16" - 12 STOR	#6 JIC	3/8"	CCV4501
9943-181	20 cfm	1-5/8" - 12 STOR	#6 JIC	3/8"	CCV6001
9943-182	40 cfm	1-7/8" - 12 STOR	#8 JIC	1/2"	CCV8001

Replacement Filters

PART NO.	Max. Flow Rate	Inlet/Outlet Port Size	Swivel Fittings (2)	Oil Drain Hose ID	Model
3460451	10 cfm	1-3/16" - 12 STOR	#6 JIC	3/8"	CCV4501
3460601	20 cfm	1-5/8" - 12 STOR	#6 JIC	3/8"	CCV6001
3460801	40 cfm	1-7/8" - 12 STOR	#8 JIC	1/2"	CCV8001

Hump Hose Fittings

- Designed for use with existing air cleaner-to-turbo rubber adapters



PART NO.	MFG#	DESCRIPTION
9943-183	CCV55113	1"
9943-184	CCV55114	1-1/4"
9943-185	CCV55115	1-1/2"

Hose and Fitting Kits



PART NO.	MFG#	DESCRIPTION
9943-189	CCV55025	1"
9943-190	CCV55047	1-1/4"
9943-191	CCV55068	1-1/2"



PE 902-566-1220 NS 902-928-1900

PA1949 AIR ELEMENT



Length: 4"
Aftermarket replacement for Volvo 858488

PART NO.	ID	OD	MAX CFM
3406949	4-1/8"	7-7/8"	476

PA2586 AIR ELEMENT



Length: 9-5/8"
Fits: Cat 3116 & 3208

PART NO.	ID	OD	MAX CFM
3406561	4-13/16"	5-15/16"	278

PA2806 AIR ELEMENT IN DISPOSABLE HOUSING



Length: 11-7/8"
Fits: John Deere 220, Cummins (4")

PART NO.	ID	OD	MAX CFM
3406806	4-1/4"	10-9/16"	500

PA2815 AIR ELEMENT IN DISPOSABLE HOUSING



Length: 12-3/8"
Fits: Mermaid, Cummins 210, John Deere (3" Intake)

PART NO.	ID	OD	MAX CFM
3406140	3"	8-1/2"	335

PA2816 AIR ELEMENT IN DISPOSABLE HOUSING



Length: 9-7/8"
Fits: Mermaid

PART NO.	ID	OD	MAX CFM
3405066	3-15/32"	9-27/32"	255

PA2818 AIR ELEMENT IN DISPOSABLE HOUSING



Length: 12-3/8"
Fits: Cummins 250, 300, 350 (4" Intake)
*Wire reinforced inside and outside



with wire reinforcement

PART NO.	ID	OD	MAX CFM
3406141	4"	8-1/2"	400

PA2820 AIR ELEMENT IN DISPOSABLE HOUSING



Length: 11-7/8"

PART NO.	ID	OD	MAX CFM
3406820	4"	10-1/2"	590

PA2827 AIR ELEMENT IN DISPOSABLE HOUSING



Length: 6-5/16"

PART NO.	ID	OD	MAX CFM
3405065	3-1/4"	8-9/16"	180

PA2831 AIR ELEMENT IN DISPOSABLE HOUSING



Length: 12-5/16"
Fits: 5" Intake

PART NO.	ID	OD	MAX CFM
3406145	5"	12-9/16"	620

PA2821 AIR ELEMENT IN DISPOSABLE HOUSING



Length: 16-3/8"
Fits: 6" Intake

PART NO.	ID	OD	MAX CFM
3406146	6"	12-1/2"	650

Camp Company
Marine Corrosion Control



Hiqh Quality Anodes available with or without brass plug.

PART NO.	REPLACES CAT #	DESCRIPTION	PLUG NPT	A	B
746036	6L2280	Anode, with Brass Plug	3/8"	1-5/8"	1/2"
746125	6L2284	Anode, with Brass Plug	1-1/4"	2-1/8"	1-1/4"
746052	6L2289	Anode, with Brass Plug	1/2"	3"	5/8"
746027	6L3104	Anode, with Brass Plug	1/4"	1-1/2"	3/8"
746078	6L2016	Anode Only (CMP)	5/8" UNC	3/4"	3/4"
746037	6L2280	Anode Only	3/8"	1-5/8"	1/2"
746126	6L2284	Anode Only	1-1/4"	2-1/8"	1-1/4"
746029	6L2283	Anode Only (CMP)	1/4" UNC	2-1/2"	3/8"
746053	6L2289	Anode Only	1/2"	3"	5/8"
746028	6L3104	Anode Only	1/4"	1-1/2	3/8"

OIL, FUEL, AND AIR FILTERS

BALDWIN FILTERS a CLARCOR company



For ENGINE	Oil Filter	Fuel Filter	Coolant Filter	Air Filter (Wire)
Fits 'B' SERIES				
210 HP	358339	318788		3406140
250 HP	358339	318788		3406141
260–370 HP	358339	3181280		3406141
Fits 'C' SERIES				
255–400 HP Up to 1999	358103	318788	3565071	3406141
350–480 HP 1999–Date	3587309	3181280	3565071	3406141
Fits QSB				
260–370 HP	3587349	3187815		N/A
Fits QSC				
490–600 HP	3587309	3187815	3565071	N/A
Fits QSL				
285–405 HP	3587309	3187815	3565071	3406141
Fits QSM				
300–715 HP	3587154	3181259	3565071	N/A
Fits N14				
360–525 HP	3587309	3181259	3565076	
Fits K19				
425–700 HP	358196		3565076	
	3587577			

FUEL SEP. FILTERS	3181212	Short Filter
	3181249	Long Filter

⚠ Base for 3181212 & 3181249
Crosses to Fleetgard FS1242

REPLACEMENT ANODES

High Quality Anodes available with or without brass plug.



CMP
CANADA METAL (PACIFIC) LTD.

For ENGINE	HP	A	B	C	QTY NEEDED	PART NO.	DESCRIPTION	PART NO.	DESCRIPTION
Fits 6 'B' Series	85–480 HP	2"	5/8"	7/16"	1	746050	Anode, With Brass Plug	746051	Anode Only
Fits 6 'C' Series	255–300 HP	2"	5/8"	7/16"	1	746050	Anode, With Brass Plug	746051	Anode Only
Fits 'C' Series	350–480 HP	2"	5/8"	7/16"	3	746050	Anode, With Brass Plug	746051	Anode Only
Fits QSB	230–480 HP	2"	5/8"	7/16"	3	746050	Anode, With Brass Plug	746051	Anode Only
Fits QSC	490 -600 HP	2"	5/8"	7/16"	4	746050	Anode, With Brass Plug	746051	Anode Only
Fits QSL	285–405 HP	2"	5/8"	7/16"	3	746050	Anode, With Brass Plug	746051	Anode Only
Fits QSM	300–715 HP	2"	5/8"	7/16"	3	746050	Anode, With Brass Plug	746051	Anode Only
Fits QSM	300–715 HP	2"	1/2"	3/8"	2	746038	Anode, With Brass Plug	746039	Anode Only

HEAT EXCHANGER FOR 4-CYL 'B' SERIES

SEAKAMP



Made of copper-nickel and brass fittings. Exact replacement.

PART NO.	MFG#	DESCRIPTION
3803190	3910582CN	Heat Exchanger

HEAT EXCHANGER
FOR 6-CYL 'B' SERIES 210

SEAKAMP



Made of copper and brass fittings. Exact replacement.

PART NO.	MFG#	DESCRIPTION
3803200	3910583	Heat Exchanger

HEAT EXCHANGER
FOR 6-CYL 'B' SERIES 250 & 315

SEAKAMP



Made of copper and brass fittings. Exact replacement.

PART NO.	MFG#	DESCRIPTION
3803201	4020101	Heat Exchanger

HEAT EXCHANGER
FOR 6-CYL 'C' SERIES

SEAKAMP



Made of copper and brass fittings. Exact replacement.

PART NO.	MFG#	DESCRIPTION
3803300	3912145	Heat Exchanger

TRANSMISSION OIL COOLER
FOR 4-CYL 'B' SERIES

SEAKAMP



Made of copper-nickel and brass fittings. Exact replacement.

PART NO.	MFG#	DESCRIPTION
3791310	3917117CN	Trans Oil Cooler

TRANSMISSION OIL COOLER
FOR 4-CYL 'B' SERIES 315

SEAKAMP



Made of copper-nickel and brass fittings. Exact replacement.

PART NO.	MFG#	DESCRIPTION
3791320	3393663CN	Trans Oil Cooler

TRANSMISSION OIL COOLER
FOR 'B' SERIES 210, OLD STYLE

SEAKAMP



Made of copper-nickel and brass fittings. Exact replacement.

PART NO.	MFG#	DESCRIPTION
3791315	3915159CN	Trans Oil Cooler

TRANSMISSION OIL COOLER
FOR 'C' SERIES

SEAKAMP



Made of copper-nickel and brass fittings. Exact replacement.

PART NO.	MFG#	DESCRIPTION
3791300	3912146CN	Trans Oil Cooler

For the most up to date pricing, please visit maritimemarinesupply.ca/price

HEAT EXCHANGER

FOR 6-CYL 'C' SERIES



Made of copper and brass fittings. Exact replacement.

PART NO.	DESCRIPTION
3803305	Heat Exchanger

END COVERS & BRACKETS

End Gasket

End Cover Kit



End Cover Kit: Copper end plate, rubber gasket, gum rubber washer, bolt & instructions.

Steel Brkt.



Alum Brkt.



PART NO.	DESCRIPTION
3801207	2" Series End Cover Kit
3801208	2" End Cover Gasket
3800800	3" End Cover Gasket
3800801	3" Series End Cover Kit
3801200	4" End Cover Gasket
3801201	4" Series End Cover Kit
3801204	5" Series End Cover Kit
3801206	5" End Cover Gasket
370006	Alum. Bracket for 3" Shell

AFTER COOLER REPLACEMENT TUBESTACK

FOR 'C' SERIES



5" diameter x 19-5/8"L





Made of copper and brass fittings. Exact replacement.

PART NO.	MFG#	DESCRIPTION
3862100	2720497M	T/S Inter-Cooler, 2728 M; Sabre
3862196	2720196	O-Rings, 2 Required

OIL PRESSURE SENDER



VDO Oil pressure sender for 'B' and 'C' series Cummins engines. 150 PSI/10 bar (10-180 Ohm). 1/8" NPT thread. Early 1990s to present.

PART NO.	DESCRIPTION
9843004	Oil Pressure Sender

TEMPERATURE SENDER



VDO Temperature sender for Cummins 'B' & 'C' series engines 1/2" NPT thread. 205°F Early 1990s to present.

PART NO.	DESCRIPTION
9843012	Temperature sender

KEY SWITCH



Key Switch – On/Off.
2 Screw Terminals.
For Cummins 'B' & 'C' Series.

PART NO.	DESCRIPTION
SMP39820	Key Switch

MAGNETIC SWITCH



Heavy duty accesory solenoid with a continuous rating 100A. 400A inrush. 12V

PART NO.	MFG#	DESCRIPTION
9200900	24612-10-COL	H/D Solenoid, 12Vdc

PLUG-IN BULB



For new VDO Gauges.
3/4" Overall length.

PART NO.	DESCRIPTION
9851211	Clear 12V .33A
9851224	Clear 24V .33A

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

PARTS ONLY FOR CUMMINS 'C' SERIES

SHERWOOD



Model: P1722C 3922589
Fits: 300, 350, 400 HP
Ports: 2" In, 1-3/4" Out

Shaft not included with 2110306.

PART NO.		DESCRIPTION
2110300	* o	Impeller
2110642	*	End Cover
2110726		Cover Screws
2109945	* o	Cover 'O' Ring
2110367	* o	Key
2110571	*	Cam
2110572		Cam Screw
2110641	* o	Wear Plate
2110454	*	Seal, Mech. 'C'
2110455	* o	Mechanical Seal
2110849		Shaft & Bearing Ass.
2110851	*(2)	Bearings
2110674	* o	Oil, Lip Seal
2110952	*(3)o	Retaining Ring
2110759	*	Flat Washer
2110772	*(2)	Flat Washer
2109946	*	O-Ring
2110305	o	Minor Repair Kit
2110304		Minor Repair Kit 'C'
2110306	*	Major Repair Kit
2110308		Major Repair Kit 'C'

***Inc. in Major Repair Kit, o Included in Minor Repair Kit**

FOR CUMMINS 'C' SERIES

SHERWOOD



Model: P1730C, 3866493
Fits: 430 HP, 6 CTA 8.3L
Ports: With no Port Elbows

Shaft not Included with 2110306 major repair kit.

PART NO.		DESCRIPTION
2110129		Pump w/Gear
2110300	* o	Impeller
2110454	*	Seal, Mech. 'C'
2110455	* o	Seal, Mech.
2110674	* o	Lip Seal
2110851	* (2)	Bearing
2110849		Shaft/Bearing Ass., Threaded
2110571	*	Cam
2109945	* o	Cover "O" Ring
2110572		Cam Screw
2110642	*	End Cover
2110726		End Cover Screw
2110367	* o	Key
2110952	*(3) o	Retaining Ring
2110772	*(2)	Flat Washer
2109946	*	O-Ring
2110641	* o	Wear Plate
2110759	*	Flat Washer
2110305	o	Minor Repair Kit
2110304		Minor Repair Kit 'C'
2110306	*	Major Repair Kit
2110308		Major Repair Kit 'C'

***Included in Major Repair Kit, o Included in Minor Repair Kit**

Please Note the Following:

As of Oct. 2011, Sherwood Pumps P1710, P1716, P1722, P1726, P1727, P1730 and P1732

have been updated and now end in 'C'. All pumps prior to the change have the "Old" style shaft and bearing assembly and water seal. Installing the "New" style shaft and bearing assembly and water seal in an "Old" style pump converts it to the updated style.
Shaft not included with 2112322

FOR CUMMINS 'C' SERIES

SHERWOOD



Model: P1727C, 3897194
Fits: 300, 350, 400 HP
Ports: Flanged inlet & outlet (Flanges not included).

Shaft not included with 2110306 major repair kit.

PART NO.		DESCRIPTION
2110132		Pump w/Gear
2110300	* o	Impeller
2110454	*	Seal, Mech. 'C'
2110455	* o	Seal, Mech.
2110674	* o	Lip Seal
2110851	* (2)	Bearing
2110845		Stainless Steel Shaft
2110849		Threaded Shaft & Bearing
2110571	*	Cam
2109945	* o	Cover "O" Ring
2110572		Cam Screw
2110642	*	End Cover
2110726		End Cover Screw
2110367	* o	Key
2110952	* (3) o	Retaining Ring
2110772	* (2)	Flat Washer
2109946	*	O-Ring
2110641	* o	Wear Plate
2110759	*	Flat Washer
2110305	o	Minor Repair Kit
2110304		Minor Repair Kit 'C'
2110306	*	Major Repair Kit
2110308		Major Repair Kit 'C'

***Inc. in Major Repair Kit, o Included in Minor Repair Kit**

WATER PORTS / FITTINGS FOR P1700 SERIES PUMPS





2110408



2110409

Water Ports for P1700 series Sherwood pumps.

PART NO.	DESCRIPTION
2110400	1-3/4", Straight
2110401	1-3/4", 90°
2110402	2", 45°
2110403	2", 90°
2110408	Water Port O-Ring
2110409	Water Port Bracket

For the most up to date pricing, please visit maritimemarinesupply.ca/price

FOR CUMMINS 'B' SERIES

SHERWOOD



Model: GC5, GC4, GC1, 3912962
Fits: 250 HP
Ports: 1-1/2" In, 1-1/2" Out

PART NO.		DESCRIPTION
2110125		Pump w/Gear
2110250	* o	Impeller
2109684		Impeller Housing
2110598	*	Cam
2112371	*	Cam Screw
2110332	* o	Key
2110656	*	Wear Plate
2109231	* o	"O" Ring
2110655	* o	Gasket
2110459	* o	Mechanical Seal
2110869		Shaft
85962023	* (2)	Bearings
2110414		Oil, Lip Seal
2110961		Retaining Ring
2110958	* (3) o	Retaining Ring Brass
2110959	* (2) o(2)	Retaining Ring
2110264	* o	Flat Washer
2110255	o	Minor Repair Kit
2110256	*	Major Repair Kit

***Incl. in Major Repair Kit, o Included in Minor Repair Kit**

FOR CUMMINS / ONAN 'B' SERIES

SHERWOOD



Model: M71, 3907458, 3912019
Fits: 210 HP
Ports: 1-1/4" In, 1-1/4" Out

PART NO.		DESCRIPTION
2110121		Pump w/Gear
2110211	* o	Impeller
2109228		Impeller Housing
2110544	*	Cam
2112371		Cam Screw
2110332	* o	Key
2110656	*	Wear Plate
2109231	* o	"O" Ring Housing
2110655	* o	Gasket Wear Plate
2110459	* o	Mechanical Seal
2110859		Shaft
85962023	* (2)	Bearings
2110414		Oil Lip Seal
2110961		Retaining Ring
2110958	* (3) o	Retaining Ring Brass
2110959	* (2) o(2)	Retaining Ring
2110264	* o	Flat Washer
2110212	o	Minor Repair Kit
2110213	*	Major Repair Kit

***Incl. in Major Repair Kit o Included in Minor Repair Kit**

Please Note:

QSB PUMP UPDATE!

QSB pumps have undergone a internal change of components, please note that 2110455 is to be only used with the original shaft and bearing assembly. The original shaft and bearing assembly has a snap ring groove between the impeller and the first ball bearing. Do not use the 2110455 with the 2110872 shaft bearing assembly designed for the pressed-on seal seat.

FOR CUMMINS QSM 11

SHERWOOD



Model: G2903X
Replaces: G1814X
Fits: 580 HP
Ports: 2-1/2" Inlet, 2" Outlet
(flanges not included)
1814X = 14 Spline
2903X = 10 Spline

PART NO.	DESCRIPTION
2110134	Pump
2110507	Minor Repair Kit 2903X
2110506	Major Repair Kit 1814X
2110508	Major Repair Kit 2903X
2110500	Impeller Model: 1814X
2110290	Impeller Model: 2903X
2110576	Mechanical Seal 2903X
2110648	Wear Plate
2110649	Cover 2903X / 1814X
2112373	Cam Liner Half 2903X / 1814X
2112382	Lip Seal 2903X / 1814X

FOR CUMMINS QSC 8.3

SHERWOOD



Model: G2603x
Fits: 490 HP QSC 8.3
Ports: Flanged inlet & outlet

(Flanges not included)

PART NO.		DESCRIPTION
2110133		Pump
2110490		Impeller
2110953	* o	Retaining Ring
2110954	* o	Retaining Ring
2110465	*	Lip Seal
2110466	* o	O-Ring
2110464	* o	Mechanical Seal
2110646	* o	Wear Plate
2110645	* o	End Cover
2110575	* o	Cam
2110660	*	Slinger
2110870		* Shaft & Bearing Ass.
2110495	o	Minor Repair Kit
2110496	*	Major Repair Kit

***Incl. in Major Repair Kit o Included in Minor Repair Kit**

FOR CUMMINS QSB

SHERWOOD



Model: P2708X
Fits: QSB 330-480 HP

PART NO.	MFG#	DESCRIPTION
2110128	P2708X	Pump
SPARE/REPLACEMENT PARTS		
2110872	25100-SHW	Shaft Assembly (2708-01,2708X)
2110497	24580-SHW	Minor Repair Kit (2701,2703)
2110505	25125-SHW	Minor Repair Kit (2708-1,2708X)
2110499	25126-SHW	Major Repair Kit
2110380	27000K-SHW	Impeller
2110726	19626-SHW	Cap Screw
2110642	18742-SHW	End Cover
2110380	27000K-SHW	Impeller Kit
2109945	15945-SHW	O-Ring (Cover)
2110572	19714-SHW	Cam Screw
2109946	19712-SHW	Cam Screw O-Ring
2110571	18271-SHW	Cam
2110640	24162-SHW	Wear Plate w/ Pin
2110952	15952-SHW	Retainer Ring (Small)
2110454	25115-SHW	Mechanical Seal Assembly
2110872	25100-SHW	Shaft and Bearing Assembly
2110409	21373-SHW	Port Bracket
2110408	21525-SHW	Flange O-Ring

ALTERNATOR FOR 'B' SERIES



3 Wire, 105A 12V, cw Negative Ground Delco 15SI style.

Fits: 'B' Series 210, 250, 300, 315 HP depending on engine serial number.

PART NO.	DESCRIPTION
9113002	Alternator

ALTERNATOR FOR 'B' SERIES



3 Wire, 105A 12V cw Negative Ground Delco 19SI style.

Fits: 'B' Series 210, 260, 315 HP depending on engine serial number.

PART NO.	DESCRIPTION
9113004	Alternator

ALTERNATOR FOR 'B' SERIES



Fits pre-1990 'B' series, 1 Wire, 72A 12V cw. Negative Ground Delco 10SI style.

PART NO.	DESCRIPTION
9113000	Alternator

ALTERNATOR FOR 'C' SERIES



1 Wire, 145A 12V Negative Ground Delco 22SI style.

Fits: 'C' Series 350, 430, 450, 480 HP, QSC 490-600, QSL 285-405, QSM 300-715 depending on engine serial number.

PART NO.	DESCRIPTION
9113008	Alternator

ALTERNATOR FOR 'C' SERIES, SELF EXCITING



1 Wire, 145-160A 12V Negative Ground Delco 21SI style. **Self Exciting.**

Fits: 'C' Series 300, 350, 400, 430 HP depending on engine serial number.

PART NO.	DESCRIPTION
9113006	Alternator



NEW

ALTERNATOR FOR TIER 3 CUMMINS



1-Wire System, 145A 12V Clockwise Negative Ground Delco 22SI Series.

Fits: Tier 3 Cummins 6.7L ISB/QSB

PART NO.	MFG#	DESCRIPTION
9113110	8076N	Alternator

ALTERNATOR



50A, 12V with 6 groove pulley.

Replaces: Cummins, Mercruiser Diesel, Mercury 882571

Fits: CMD 1.7 MI 120 I/L4, CMD 1.7 MS 120 I/L4, D1.7L DTI

PART NO.	DESCRIPTION
9113100	Alternator

UNIVERSAL 24V ALTERNATOR



Alternator–Motorola / Prestolite 8SC Series 175A/24V, CW J 180 Mount. 3 Hole mounting ear with 1/2" UNC holes. 7/8" shaft diameter. Not brushless. **Self Exciting**.

PART NO.	DESCRIPTION
9113099	Universal Alternator

BELT TENSIONERS



For 'B' Series



For QSB Series
Replaces Cummins #3914854

PART NO.	DESCRIPTION
938412	Tensioner for 'B' Series
938415	Tensioner for QSB Series

ALTERNATOR PULLEY



8 Groove pulley, fits 'B' Series with Delco 10 and 12 SI. 17mm shaft. Used with 9112996 tapered cone. 64mm OD. **Replaces Cummins #3908560.**

PART NO.	DESCRIPTION
9112995	Pulley Alternator

ALTERNATOR PULLEYS



These pulleys are machined from cold rolled steel.
Bore: 7/8 " w/Keyway
Dimensions:

- 1/2" - 79 OD x 22.23mm
- 5/8" - 91 OD x 22.23mm

PART NO.	DESCRIPTION
9112990	1/2", 13mm
9112992	5/8", 16mm

TAPERED CONE



Tapered Cone for 8 Groove pulley, fits 'B' Series with Delco 10 and 12 SI. 17mm shaft. Used with 9112995 Alternator Pulley. **Replaces Cummins #3908563.**

PART NO.	DESCRIPTION
9112996	Tapered Cone

ALTERNATOR BELTS



PART NO.	FITS	DESCRIPTION		
931537	'B' ,'C'	Top Width 1-3/32"	8 Rib	53.7" Long
931550	'B'	Top Width 1-3/32"	8 Rib	55.2" Long
931555	'B', Old	Top Width 1-3/32"	8 Rib	55.5" Long
931575	'C'	Top Width 1-3/32"	8 Rib	57.5" Long
931640	QSB	Top Width 1-3/32"	8 Rib	63.7" Long
931650	QSC & QSL	Top Width 1-3/32"	8 Rib	65.0" Long
931340	QSM	Top Width 0.68"	5 Rib	34.0" Long

STARTER, FITS 'B' SERIES



Delco 28MT Style, 12V CW 10 tooth.
Fits: 210, 250, 260, 300, 315 depending on engine serial number.

PART NO.	DESCRIPTION
9210000	Starter

STARTER, FITS 'C' SERIES



Delco 37MT Style, 12V CW 12 tooth.
Fits: 'C' series 300, 350, 400, 430, 480 HP depending on engine serial number.

PART NO.	DESCRIPTION
9210002	Starter

STARTER, FITS 'B' SERIES



Starter, Denso style. Offset gear reduction. 12V, 13 tooth.

Fits: 'B' Series depending on serial number.

PART NO.	DESCRIPTION
9210005	Starter

STARTER, FITS 'C' SERIES



Delco 38MT Style, 12V CW 12 Tooth

Fits: 'C' Series

PART NO.	DESCRIPTION
9210003	Starter

STARTER, FITS 'C' SERIES



Delco 41MT Style, 12V CW 12 tooth.

Fits: 'C' series, 350, 430 HP depending on engine serial number.

PART NO.	DESCRIPTION
9210004	Starter

STARTER, FITS QSM



Delco 39MT Style, 12V CW 11 tooth.

Fits: QSM 11, 300-715 HP depending on engine serial number.

PART NO.	DESCRIPTION
9210006	Starter

STARTER, FITS 855 & N14



Delco 42MT Style, 24V CW 11 tooth.

Fits: 855 and N14 Cummins depending on engine serial number.

PART NO.	DESCRIPTION
9210008	Starter

NEW

STARTER, FITS TIER 3 CUMMINS



12V CW 10 Tooth
Fits: Tier 3 Cummins 6.7L ISB/QSB

PART NO.	MFG#	DESCRIPTION
9210045	16096N	Starter

JACKSHAFT ADAPTER

CUSTOM made product



This adapter is machined to fit the Cummins 5.9L, 'B' series marine engines original 2 groove pulley. This adapter bolts to the pulley allowing for a Spicer jackshaft option.

PART NO.	DESCRIPTION
8690001	Jack Shaft Adaptor

ADAPTER PLATE

CUSTOM made product



Adapter plate from a SAE #3 housing to Borg Warner 72 Series.

Fits: Cummins and John Deere engines.

PART NO.	DESCRIPTION
9901004	Adapter plate

Damper Plates



For your Damper Plate Requirements, Please refer to the Drive Train Section of the Catalogue.

4 GROOVE PULLEYS

CUSTOM made product



These 7-1/2" four groove pulleys are manufactured to accommodate the 1310 Spicer Jackshafts **8690101**. These pulley adapters fit Cummins Marine Engines.

Note: May not fit Cummins Recon Engines.

PART NO.	DESCRIPTION
861340	Fits QSC, QSL, and 8.3L C-Series
861342	Fits 6B 5.9L B-Series (non-elec. engines)
861343	Fits QSB6.7L, 355, 380, 428, 480
861344	Fits QSB5.9L, 355

CYLINDER HEAD FOR 6 'B' SERIES



Cylinder head for 6 'B' Series. **CPL 742**.
Complete with springs and Valves.
Takes 7mm Injectors.

PART NO.	DESCRIPTION
5033000	Cylinder head
5032900	Head Bolt Kit

FOR 6 'B' SERIES CPL 742



Please call with engine serial number and CPL number to verify correct parts are provided.

Engine rebuild kit for 6 'B' Series 210 HP CPL 742
Contains: Pistons, rings, rod bearings, main bearings & gaskets.

PART NO.	DESCRIPTION
445698	Engine Rebuild Kit

Or parts also available for individual purchase listed below:

PART NO.	DESCRIPTION
4456201	Piston Kit (w/ Rings)Std
4456102	Ring Kit Std
4455113	Conn. Rod
4455100	Conn Rod Bearings Std
4455000	Main Bearing Kit Std
1050001	Upper gasket set
1050000	Lower gasket set
1050400	Cylinder Head Gasket
4047000	Crankshaft
4150889	Valve Cover Gasket
5034000	Tappets
1050900	Front Crank Seal
1050920	Rear Crank Seal
1050500	Rear Seal Retainer Gasket

THERMOSTAT FOR 'B' SERIES

Thermostat fits 'B' Series 210, 250, 260, 300 & 315. 180°. Includes gasket and seal.



PART NO.	DESCRIPTION
4150880	Thermostat

FUEL SOLENOID



Fuel Shut Off Solenoid. Fits 'B' & 'C' Series
315 'B' CPL 1975, 350 & 430 'C' CPL 8089'

PART NO.	DESCRIPTION
4150900	Fuel Solenoid

EXHAUST MANIFOLD FOR 6 'B' SERIES



PART NO.	DESCRIPTION
5961000	Exhaust Manifold for CPL 742
5961001	Manifold Gasket (each)

TURBOCHARGER GASKET



For 'B' & 'C' series.

PART NO.	DESCRIPTION
5926101	Gasket

EXHAUST OUTLET GASKET



For 'B' & 'C' series.

PART NO.	DESCRIPTION
5961004	Gasket

FUEL LIFT PUMP



Fuel Lift Pump for 'B' Series CPL 742.

PART NO.	DESCRIPTION
4150910	Fuel Lift Pump

WATER PUMP FOR 'B' SERIES



Circulation Pump for 'B' Series.

O-Ring included.

PART NO.	DESCRIPTION
4150800	WaterPump B Series

FOR 6 'C' SERIES



Please call with engine serial number and CPL number to verify correct parts are provided.

Engine rebuild kit for 6 'C' Series 255-430 HP With Short Liner
Contains: Pistons, rings, liners, rod bearings, main bearings & gaskets.

PART NO.	DESCRIPTION
445699	Engine Rebuild Kit

Or parts also available for individual purchase listed below

PART NO.	DESCRIPTION
4456200	Piston Kit for 1221/1282 Std
4456101	Ring Kit for CPL 1221 (6 per Engine) Std
4456002	Cylinder Liner for CPL 1282/8089
4456003	Liner Seal Ring
4455112	Con Rod C Series
4455110	Con. Rod Bearing
4455005	Main Bearing Kit Std
1050006	Upper Gasket Kit
1050005	Lower Gasket Set
1050402	Cylinder Head Gasket
4141999	Camshaft
4141800	Camshaft Bushing
4150890	Valve Cover Gasket
1050200	Oil Pan Gasket C Series
5034000	Tappets
1050902	Front Crank Seal
1050920	Rear Crank Seal
1050502	Rear Seal Retainer Gasket
4150885	Thermostat, 160°
4150886	Thermostat, 180°

CYLINDER HEAD FOR 6 'C' SERIES



Cylinder head for 6 'C' Series. Complete with springs and valves.

PART NO.	DESCRIPTION
5033010	Cylinder head
5032905	Head Bolt Kit

FOR 6 'C' SERIES



PART NO.	DESCRIPTION
5961002	Exhaust Manifold
5961003	Manifold Gasket (each)

EXHAUST GASKETS



For 'B' and 'C' Series Marine Engine

PART NO.	DESCRIPTION
5926101	Turbo Charger Gasket
5961004	Exhaust Outlet Gasket

INJECTOR CLAMP



Injector Clamp for 'C' Series Marine Engine

PART NO.	DESCRIPTION
4150990	Injector Clamp

WATER PUMP



Water Pump fits 'C' Series Marine Engine. Replaces #3800975.

PART NO.	DESCRIPTION
4150802	Water Pump

BELT TENSIONERS



For QSC Series



For 'C' Series

PART NO.	DESCRIPTION
938409	Tensioner for 'C' Series
938467	Tensioner for QSC Series

LUBE PUMP FOR "B' SERIES



Lube Oil Pump for "B" Series 5.9

PART NO.	DESCRIPTION
4150004	Lube Oil Pump "B" Series

LUBE PUMP FOR 'C' SERIES



Lube Oil Pump for 'C' Series 6CTA 8.3

PART NO.	DESCRIPTION
4150002	Lube Oil Pump for 'C' Series

WEAR SLEEVES, KITS AND SEALS



Wear Sleeve Crank Front, for 6 'C' Series.

PART NO.	DESCRIPTION
1050921	Rear Seal / Wear Sleeve Kit
1050903	Front Seal / Wear Sleeve Kit
1050911	Wear Sleeve

WHERE IS THE PRICING?

As costs for products are changing constantly, we have moved our pricing online to always provide you with the most accurate and up-to-date prices.

Find the most up-to-date pricing for our products by visiting

maritimemarinesupply.ca/price

Or by using this QR Code on your phone.

ALTERNATOR



Alternator–Delco 21SI Series 70A/24V, 1-Wire System, Neg. Grd.
Daewoo L086 315-360 HP

PART NO.	DESCRIPTION
9113050	Alternator

OIL FILTER

3587239 3587241



Oil Filter
Fits Daewoo.

PART NO.	DESCRIPTION
3587239	L086. Fits 315-360HP.
3587241	L126. Fits 360-400HP.

STARTER



Nikko OSGR Replacement 4.5kW/24V, CW, 11-Tooth Pinion

Fits: L086 Daewoo Marine

PART NO.	DESCRIPTION
9210040	Starter

IMPELLER FOR SEAWATER PUMP



Impeller for 400 HP Daewoo

PART NO.	DESCRIPTION
2117970	Impeller

OIL PRESSURE SENDER, FOR DAEWOO



Oil pressure sender for Daewoo, 0-10 bar, with isolated ground.

PART NO.	DESCRIPTION
9843020	0-10 Bar, Isolated Ground

TRANSMISSION OIL PRESSURE SENDER FOR DAEWOO



Transmission oil pressure sender for Daewoo, 25 bar, with floating ground.

PART NO.	DESCRIPTION
9843021	25 Bar, Isolated Ground

FILTERS



358075

REPLACES MITSUBISHI #		OIL FILTER
ME088519	For 345 HP	**358075**
ME034611	Cartridge (Older Style)	**358249**
ME074013	Spin on for New Series	**3581403**
ME064356	Spin on for 22 Series	**3587000**



318720

REPLACES MITSUBISHI #		FUEL FILTER
ME035393	For 16 Series 165/207 HP	**318720**
ME056670	For 22 Series	**318798**
345 HP	For 345 HP	**318970**

FILTERS

358237 358216 318825



	OIL FILTER	FUEL FILTER
Fits 135/200/240	**358237**	
Fits Sabre/Perkins 210	**358216**	
Fits 135/200/240		**318825**

HEAT EXCHANGER



For Engine Model 4-236

PART NO.	DESCRIPTION
3803325	Heat Exchanger

HEAT EXCHANGER



Heat Exchanger for Perkins 3" x 9.5" core. 12" overall length.

PART NO.	DESCRIPTION
3803330	Heat Exchanger

OIL, FUEL, AND AIR FILTERS — FORD

BALDWIN FILTERS



PART NO.	OTHER #	DESCRIPTION
318825	EFG-5	Fuel Filter All Models
358281	FL-796	Oil Filter Spin-On Metric
358002		Oil Filter Spin-On Standard
350520	FL-255	Oil Filter Spin-On. Fits 2728 Model
358237		Oil Filter Spin-On. Fits Sabre and Mermaid '93 Up
358126	2N-53	Oil Filter Spin-On Fits Lehman New Model
358252		Oil Filter Spin-On for Sabre
3405065		Air Filter, Mermaid Engines (Certain Models May Require Modification)

FILTERS — BALDWIN FILTERS — ISUZU



318723 358266 318719

	OIL FILTER	FUEL FILTER
Fits 154 HP	**318723**	**318719**
Fits 215 HP	**358266**	**318719**

FILTERS — BALDWIN FILTERS — IVECO



358325 358232 318783

REPLACES IVECO #	OIL FILTER	FUEL FILTER
1907584	358325	
1907582	358232	
1901605		318783

IMPELLER

Fits: 215 HP



JABSCO — ISUZU

PART NO.	DESCRIPTION
2117018	Impeller

STARTER, FOR ISUZU 215 — ISUZU

Starter For Isuzu Engines.12V.

Fits: 215HP



WAI

PART NO.	DESCRIPTION
9210020	Starter

OIL, FUEL, AND AIR FILTERS — BALDWIN FILTERS



3587233 Cartridge



3181238 3189921 318959



For JOHN DEERE MECHANICAL ENGINES	Oil Filter	Fuel Filter	Air Filter (Wire)
Fits 6068 **220 HP**	358259	3181238 SHORT 3187677 LONG	3406141
Fits 6068 **225 HP**	3587125	3181238 SHORT 3187677 LONG	3406141
Fits 6076 **250 HP**	358486	318959	3406141
Fits 6076 **300 HP**	358486	318959	3406141

3189921 WATER SEP FILTER

Alternator Belts

DAYCO



PART NO.	DESCRIPTION	
937590	Alternator Belt, for 220 HP	2 Needed
931625	Alternator Belt, for 225 HP & up 6068	Serpentine
931450	Alternator Belt, for 235-375 HP 6081	Serpentine

ALTERNATOR



1 Wire, 105A 12V, cw Negative Ground Delco 15SI style.
Fits: 6068 220 HP, 6076 250, 300 HP

PART NO.	DESCRIPTION
9113002	Alternator

ALTERNATOR



Alternator–Denso IR/IF120A/12V, 2-Groove Pulley for John Deere 6081/6125

PART NO.	DESCRIPTION
9113011	Alternator

ALTERNATOR



Bosch Style, 12V 120A.
Fits: 6068, 6076.

PART NO.	DESCRIPTION
9113010	Alternator

STARTERS



37 MT Delco Style, 12V, cw, 10 tooth.
Fits: 6068-6076

PART NO.	DESCRIPTION
9210010	Starter

STARTERS



- **Straight Drive**

Nippondenso, 12V cw, 11 tooth
Fits: 4045, 6068, 6081

PART NO.	DESCRIPTION
9210012	Starter

BELT TENSIONER

FOR 6068



- **28 MT Reduction Drive**

For engines with Serpentine Belt

PART NO.	DESCRIPTION
938465	Tensioner

OIL PRESSURE SENDER



VDO Oil pressure sender for 6068/6076 John Deere engines.
0-80 PSI / 0-5 bar.
1/8" NPT thread.

PART NO.	DESCRIPTION
9843002	Oil Pressure Sender

OIL, FUEL, AND AIR FILTERS








MECHANICAL ENGINES	OIL FILTER	FUEL FILTER	AIR FILTER
For 41 Series	**358447**	**318788**	**3406949**
For 41P Series	**358447**	**318788**	
For 42 Series	**358975**	**318788**	**S187890**
For 61 Series	**358075**	**318788**	**S187890**
For 63 Series	**3587397**	**318788**	
	358043 (bypass)		
For 71 Series	**358075**	**318788**	**S187890**
For 72 Series	**358075**	**318788**	
For 73 Series	**358075**	**318788**	

ELECTRONIC ENGINES	OIL FILTER	FUEL FILTER	AIR FILTER
For 74 Series	**3587397**	**318788**	
	358043 (bypass)		
For 75 Series	**3587397**	**318788**	
	358043 (bypass)		
For D4 & D6		**S188125**	
For D9	**358076SS**		
For D9	**3587685**		
For D12	**358076SS**		**3405693** (round)
For D12	**3587685**		

ALTERNATOR FOR VOLVO



Volvo IR/EF Style Pully not included
12V = CW, 50A 24V = CW, 60A
Fits: 31, 41, 42, 61, 71 to 75 Series Volvo

PART NO.	DESCRIPTION
S185939	12V
S186846	24V

STARTER FOR VOLVO



S186958 Fits: 100, 120, 121, 122 & 123

PART NO.	DESCRIPTION
S186958	Starter 24V

STARTER FOR VOLVO



Fits Volvo 31-41 Series 12 Volt Reduction Style

PART NO.	DESCRIPTION
9210100	Starter 12V

BELTS



PART NO.	DESCRIPTION
935435	For TAMD 41 & 42 (2 Req'd)
937505	For TAMD 61 & 71 (2 Req'd)
937506	For TAMD 74 & 75
937515	Water Pump & Idler for TAMD 61
931730	Alternator Belt, D3

Anodes





746045 **S186021** **746046**

PART NO.	DESCRIPTION	DIAMETER	LENGTH
746045	Small	11/16"	1-3/4"
S186021	Anode Plug for 746045 (Sierra)		
746046	Large	1"	1-3/4"

SEAWATER PUMPS



Model 10-24277
Fits: 200 HP
41 TMD and 31 TAMD
Ports: 1-1/4" in, 1-1/4" out
O-Ring Seal

PART NO.	DESCRIPTION
2110127	Pump
2117937	Impeller
7790592	Service Kit
2101095	Cam
2101091	Cam Screw
210105	End Cover
2105310	End Cover Screw (3 pk)
9112715	Bearing
7776045	Bearing Seal

PARTS FOR RAW WATER PUMP FOR TAMD74



Replacement Parts Only

PART NO.	DESCRIPTION
7772422	End Cover
7770281	O-Ring, End Cover
2117935	Impeller
7780680	Cam
7705024	Cam Screw
7781423	Wear Plate
7774505	Mech. Seal
7771504	Bearing 2
7776042	Lip Seal
7777108	Snap Ring 3
7777118	Snap Ring
7770280	O-Ring

PARTS FOR RAW WATER PUMP FOR TAMD 63L + 63P



Replacement Parts Only

PART NO.	DESCRIPTION
7770285	End Cover
7770286	Cover Gasket
7750821	Impeller
7780146	Cam
7781443	Wear Plate

SEA WATER PUMP IMPELLER FOR D9



Impeller kit for D9 Volvo

PART NO.	DESCRIPTION
2117018	Impeller Kit

SEA WATER PUMP IMPELLER FOR MD2020/2030



Impeller kit for MD2020/2030

PART NO.	DESCRIPTION
7751026	Impeller Kit

PARTS FOR RAW WATER PUMP FOR D12



Replacement Parts Only

PART NO.	DESCRIPTION
2117038	Impeller
2117039	Wear Plate

CRANK CASE FILTER



Crank case filter. Replaces Volvo #876069. Fits 30 through 74 Series Volvo Marine Diesel engines.

PART NO.	DESCRIPTION
S1857702	Crank Case Filter

TRANSMISSION OIL FILTERS



PART NO.	DESCRIPTION
358163	Trans Oil Filter Short Version for ZF301
358251	Trans Oil Filter Long Version for ZF301
358252	Trans Oil Filter for ZF304,305,310,311,320,325,350

V-BELT



PART NO.	MFG#	DESCRIPTION
9992-003	STM7369	All 2 cylinder M series engines except M2.05
9992-004	STM3669	M2.05 engines
9992-005	STM1656	M3.10 engines
9992-006	STM7439	M3.28 engines
9992-007	STM1661	M4.14 engines
9992-008	STM7966	M4.15, 4.17 engines

OIL FILTER - ALL M-SERIES ENGINES



PART NO.	MFG#	DESCRIPTION
9992-000	STM0051	Oil Filter, All M-Series engines
9992-001	STM3690	Fuel Filter, All M-Series engines

For the most up to date pricing, please visit maritimemarinesupply.ca/price

IMPELLER



PART NO.	MFG#	DESCRIPTION
9992-002	STM8076	All M-Series engines

THERMOSTAT



PART NO.	MFG#	DESCRIPTION
9992-009	STM3521	M2.04 to M3.09 & M3.28 engines
9992-010	STM3058	M3.10, 4.14 engines
9992-011	STM7654	M4.15, 4.17 engines

GLOW PLUG



PART NO.	MFG#	DESCRIPTION
9992-012	STM3684	M2.05 engines
9992-013	STM1658	M3.10, 4.14 engines

FUEL LIFT PUMP



PART NO.	MFG#	DESCRIPTION
9992-014	STM7055	M2.05, 3.10, 4.14 engines

RAW WATER PUMP



PART NO.	MFG#	DESCRIPTION
9992-015	STM8050	M3.10, 4.14 engines
9992-002	STM8076	Impeller



QUALITY PRODUCTS BACKED BY WORLD-WIDE SUPPORT



VETUS Maxwell designs boat systems built to last. We deliver a wide range of high-quality boat equipment backed by global expertise and support so you can spend more time focusing on what really matters.

WWW.VETUS.COM/USA



WE WORK AS HARD AS YOU DO

BALDWIN
FILTERS

A

Abrasives	**770, 773 - 775**
Disc	**774**
Absorbants, Oil	**910**
Accessory Plugs	**320 - 323, 413**
Accumulator Tanks	**566**
Acetone	**793**
Acrylic Lens	**681**
Adapters	
Airhead Compressor	**217**
Bilge Pump Hose	**607**
Brush Thread	**878**
Buffing	**867**
Clutch Insert	**926**
Drive Shaft	**928**
Fits or for Cummins	**1100**
Fits or for John Deere	**1100**
Fitting	**763, 911**
Garmin	**266**
Helm Converter	**963**
Hose	**664, 666, 667, 670 - 672**
Insert	**667**
Instrument	**337**
Outboard Cable	**992**
Pigtail	**376, 379**
Plumbing	**558**
Shore Power	**376 - 379**
Additives	
Diesel	**908 - 909**
Fuel	**908 - 909**
Adhesives	
3M	**793**
Epoxy	**837**
Remover	**808**
Scotch-Grip	**791, 1088**
Sealant	**808, 838 - 839**
Sika	**809**
Ultra Bond	**837**
Adjusters, Hatch	**687**
Aerators	
Controls	**607**
Pumps	**606**
Spray Nozzles	**607**
Air Conditioning	**128**
Accessories	**129**
Circulation Pumps	**129**
Air Dryers	**852**
Air Filters	**1089, 1091**
Air Horns	**462**
Air Pumps	
Electric	**217**
Hand	**217**
Air Refreshner	**853**
Air Tools	**770 - 771**
AIS	**260**
Alarms	
Alarm Monitoring System	**333**
Bells	**333, 602**
Bilge	**334, 601 - 602**
Carbon Monoxide	**464**
Components	**333**
Cooling	**335**
Dual	**333**
Engine Saver	**335**
Exhaust Temperature	**331**
Fire Warning	**335**
Holding Tank	**568**
Propane	**334**
Smoke	**464**
Tank	**568**
Vapor	**334**
Warning System	**333**
Watch	**335**
Water Levels	**602**
Alligator Clips	**386**
All Weather Copy Paper	**114**
Alternators I/O	**1054**
Fits or for Cummins	**1097 - 1098**
Fits or for Daewoo	**1103**
Fits or for John Deere	**1105**
Fits or for Volvo	**1106, 1054**

Ammeters	**336, 338**
Amplifiers	**221, 223**
Analyzers	
Oxygen Sensor/Tester	**754**
Anchors	
Aluminum Alloy	**61**
Anchor Rodes	**56**
Bruce Style	**61**
Chains	**56**
Chocks	**57**
Claw	**61**
Danforth Style	**60 - 61**
Delta Galvanized	**59**
DTX Stainless Steel	**59**
Epsilon SS	**59**
Fluke	**58 - 59**
Folding System	**58**
Grapnel Folding	**58**
Hand Held Control	**54**
Hooker	**60**
Kit	**60**
Lines	**57**
Mushroom	**58**
Navy	**60**
Plow	**61**
Quick-Set Kit	**60**
River	**58**
Rocna	**62**
Roller	**57**
Shackles	**726 - 727**
Slip Ring Fluke	**60**
Switch	**54**
Swivels	**55**
Trolley Kit	**57**
Vinyl Coated Nylon	**58**
Vulcan	**62**
Anchorsnubber	**38**
Anodes	
Alpha I Gen I	**1028**
Alpha I Gen II	**1028**
Backing Plate	**1037**
Bayliner	**1023**
Bolt on Teardrop	**1035**
Bravo III 2004 Kit	**1028**
Bravo II & III Kit	**1028**
Bravo I Kit	**1028**
Brick Style	**1037**
BRP OMC 50-75HP	**1031**
BRP OMC V4-V6	**1031**
Collar	**1035**
Divers Dream	**1023, 1037**
Engine	**1025**
Fits or for Caterpillar	**1092**
Fits or for Cummins	**1093**
Fits or for Volvo	**1025 - 1026, 1106**
Fits Yanmar	**1025**
Flexofold	**1024**
For Mercury and Mercruiser	**1024**
Grouper	**1036**
Honda 75-115HP	**1033**
Hull	**1023, 1037**
J Prop	**1024**
Kits	**1026**
Max Prop	**1024, 1035**
Mercruiser	**1026**
Mercury	**1027**
Mercury Verado 6	**1029**
OMC Cobra	**1031**
OMC Stringer	**1031**
Pencil	**1036**
Plate	**1037**
Propeller	**1024**
Propeller Nut	**1024, 1035 - 1036**
Replacement	**1034 - 1035**
Round Rudder	**1035**
Rudder	**1023**
Saildrive	**1023**
Sea Ray	**1023**
Shaft	**1024**
Side Power	**1025**
Streamlined Hull	**1036**
Suzuki 40-50HP	**1032**

For the most up to date pricing, please visit maritimemarinesupply.ca/price

Suzuki 90-140HP	**1032**
Teardrop	**1037**
Teardrop Hull	**1023**
Thruster	**948, 943, 1025**
Trim Tab	**1023, 1033, 1036**
Verano 4/Optimax	**1029**
Volvo	**1026**
Volvo DPH	**1030**
Volvo Folding Prop	**1030**
Volvo Penta 280	**1029**
Volvo Penta 280 Dual	**1029**
Volvo Penta 290	**1030**
Volvo Penta 290 Dual	**1030**
Volvo SX	**1029**
Volvo SX-A/DPS	**1029**
Yamaha	**1027, 1030 -1032**
Yamaha 60-90HP	**1032**
Yamaha 150-200HP	**1030**
Yamaha 200-300HP	**1030**
Yamaha 350HP	**1032 - 1033**
Antennas	
AIS	**234**
AM/FM	**234**
Bracket	**241**
Coaxial Adapters	**239**
Coaxial Cable	**239**
Connectors and Fittings	**239**
Extensions	**240**
HD Television	**235**
Mounts	**236, 240 - 241**
Mounts Clamp	**241**
Satellite	**235**
Short Range	**236**
Television	**235**
Testers	**239**
VHF	**236 - 238**
Anti-Fouling Paints	**810 - 811**
Antifreeze	**856**
Anti-Freeze	**572, 907, 1055, 1065**
Anti-Rattle Fasteners	**707**
Anti-Seize	**753, 837**
Anti-Syphon	
Valves	**881, 1085**
Vent Loops	**571**
With Valve	**571**
Apron	**515**
Aquascope	**203**
Autopilot Controller	**280**
Autopilot Core Packs	**280**
Autopilots	
Accessories	**263**
Hydraulic	**262 - 263**
System	**274**
AwlGrip	
Acrylic	**825**
GRIPTEX	**825, 829**
Polyester	**825**
Protective	**825**
Wash Down	**825**
Axes	**462**
Axle Tie Plates	**175**
B	
Bags	
Barrel	**108, 218, 522**
Bulkhead Sheet	**525**
Cabin	**524**
Cockpit	**524**
Dry	**107**
Gear	**109, 219, 523**
Sea Rail	**525**
Waist Pack	**108, 218, 522**
Wet	**109, 219, 523**
Winch Handle	**525**
Bait Board	**199**
Ball Valves	
Hydraulic	**925**
Propane	**152**
Barbecues	**146, 148 - 149**
Accessories	**147 - 150**
Parts	**148 - 150**
Barometers	**112**

Barrel Bolts	**710**
Bars (for Cupboards/Fridges)	**101**
Base Layers	**506**
Bathyscope	**203**
Batteries	
AGM	**288 - 289**
Alarm	**301**
Alkaline	**454, 112**
Balancer	**299**
Boxes/Holders	**290**
Cable Connectors	**388**
Cable Cutters	**767**
Cable Extender	**388**
Cables	**384**
Charger Inlets	**311, 379**
Chargers	**292 - 296, 299, 303, 305 - 309**
Charging Relays	**317**
Cleaners	**841**
Clips	**386**
Combiner	**301**
Controller	**298**
Equalizers	**841**
Isolators	**287, 301**
Jumpers	**388**
LIFELINE Marine/RV	**289**
Lithium Smart	**288**
Lugs	**384**
Maintainer	**309**
Mat	**290**
Monitors	**299 - 303, 309**
Power Posts	**387**
Protectors	**388, 841**
Smart	**288**
Smart Doungle	**303**
Smart Protect	**302**
Smart Sense	**302**
Solar Charge Control	**303**
Straps	**291**
Switches	**105, 312 - 316**
Terminals	**369, 386 - 388**
Trays	**290 - 291**
Battery Switches	**313 - 314**
Mechanical	**314**
BB_Test	**877**
Beam Optics	**453 - 454**
Bearings	
Seals	**170 - 171**
Shaft	**1010**
Steady	**1009**
Stern	**1004 - 1005**
Trailer	**171**
Belts & Tensioners	
Fits or for Cummins	**1098, 1102**
Fits or for John Deere	**1104 -1105**
Fits or for Volvo	**1106**
V-Belts	**1068**
Bilge	
Alert	**604**
Blowers	**694 - 695**
Booms	**910**
Cleaners	**844**
Hoses	**645, 649**
Meters	**336**
Paints	**817**
Panel	**603 - 604**
Pumps	**590 - 591, 594 - 597, 600**
Strainers	**675**
Switches	**603 - 604**
System	**600**
Bilge Renovator	**856**
Bimini Straps	**737**
Binoculars	**125 - 127**
Holder	**127**
Rack	**127**
Biocide	**909**
Black Streak Removers	**851**
Blocks	
Lobster	**915**
Rope	**728**
Blowers	**694**
Blow-Out Plug	**572**

Bluecharts (for Garmin)	**254 - 255**
Blue Steel Primers	**835**
Bluetooth	
Chartplotters	**250**
Stereos	**220**
Boat	
Cleaners	**861 - 864**
Covers	**79**
Handrail	**36**
Hooks	**196, 876, 496 - 498, 878**
Seat Clamp	**94**
Waxes	**861, 864 - 865**
Boat Stands	
Angled	**71**
Keel with Top	**68, 70**
Motorboat with Top	**68, 70**
Replacement Pad	**68**
Replacement Plywood	**70**
Sailboat with Top	**68**
Soft Plastic Gel	**70**
Straight	**71**
Bollards	**730, 733**
Bolts	
Barrel	**710**
Carriage, Galvanized	**749, 751**
Hanger, Bronze	**749, 1004**
Hex Head, Galvanized	**751**
Ring	**717**
'U'	**175, 716**
Wheel	**168**
Bonded Handle Kits	**680**
Boots	
Dryers	**107**
Thermo	**507**
Ultra Lite	**507**
XM Cruising	**521**
Bow	
Arms	**915**
Flagpole	**739**
Guard	**64**
Rollers	**57, 172**
Stops	**172**
Thrusters	**941 - 942, 947, 949**
Bow Eyes	**716**
Box Cutters	**767**
Boxes	
Dry Storage	**459**
Brackets	
Adjustable Pump	**928**
Adjustable Pump, Hydraulic	**983**
Clutch	**928 - 929**
Control Cable	**993**
Fire Extinguisher	**463**
Foot Mount	**928**
Hatch Slide	**690**
Heat Exchanger	**1094**
Life Ring	**470**
Mounting	**119, 634**
Mounting Socket	**322**
Oil Cooler	**1038**
Outboard Motor	**65**
Swivel	**174**
Table	**724**
Trailer	**161, 173 - 174**
Brakes	**169**
Cleaners	**842**
Drum Hub	**170**
Trailer	**168 - 170**
Breakers	
Circuit	**344 - 346, 350, 361**
Panels	**338 - 339, 341, 343, 348 - 350**
Waterproof Boots	**346**
Breather Fabric	**786**
Brooms	**875**
Brushes	
Deck	**877**
Handle Adapters	**876**
Paint	**799**
Scrub	**760**
Utility	**760**
Buckets	

Collapsable	**609, 875**
Fire	**462**
Plastic	**875**
Rubber	**609**
Buffing Pads	**867**
Bulbs	
G4 Base	**443**
Hallogen	**443**
LED	**443 - 447**
LED Bayonet	**443**
LED Feston	**442 - 443**
Bulkhead Fittings	**400, 639**
Bumpers	
Dock	**25 - 28**
Dock Parts	**28**
Fenders	**14**
Bungie Cords	**41**
Bunk	
Boards	**176**
Brackets	**174**
Carpet	**176**
Guides	**176**
Slicks	**176**
Bunk Net	**524**
Buoys	
All-Purpose	**19**
Commercial	**18 - 19**
Horseshoe	**469**
Inflatable Net	**18**
Key	**107**
LD Series Low Drag	**18**
Mooring	**19 - 21**
Paint	**828**
Regatta Mark	**539**
Regatta Training	**539**
Shackles	**21**
Ski Slalom	**21**
Water Ski Markers	**21**
Winter Stick	**21**
Bus Bars	**364 - 369**
Bushings	
Propeller	**1003**
Butt Connectors	**390**

C

Cabin	
Hardware	**106, 705 - 710, 714 - 715**
Heaters	**127, 130 -138, 140 - 141**
Cables	
Battery Cable Strippers	**765**
Boot	**964**
Boot Outlet	**993**
Brakes	**993**
Caps	**387**
Clamps	**725, 396, 743, 397**
Clams	**401**
Coaxial	**239**
Connection	**950**
Connectors	**365, 386 - 387**
Connectors, Deck	**401**
Control	**945, 990 - 992**
Control Grommets	**400**
Covers	**24, 397, 537**
Cutters	**767**
Electrical	**375, 384**
Engine Control	**990**
Ethernet Extention	**282**
Extention	**282**
Glands	**400**
Hitch	**166**
Medium Duty	**282**
Morse	**990 - 991**
Outlets	**401**
Protectors	**397, 964**
Shift	**1061**
Steering	**960**
Ties	**395 - 396**
Tie Tools	**767**
USB	**301, 384**
Utility	**990**
VE. to NMEA200	**303**
Winch	**164**

For the most up to date pricing, please visit maritimemarinesupply.ca/price

Cameras	
Chartplotter	**264**
Garmin	**264**
Night Vision	**265**
Nightwave Marine	**265**
Canvas	
Fasteners	**744 -745**
Tools	**745, 761**
Cap Nuts	**748**
Caps	
Dust	**170, 934**
Exhaust	**1086**
Fuel	**893**
Hydraulic Tank	**932, 983**
Carbon Moboxide Detector	**333**
Carburetors	**1066**
Cleaners	**907**
Cargo Boom Assembly	**67**
Carpet, Bunk	**176**
Carts	
Dock	**37**
Catalysts	
Dispensers	**793**
Caterpillar, fits or for	
Engine Parts	**633, 1092**
Caulking	
Cotton	**798**
Guns	**769, 807**
Removers	**809**
CD/DVD/MP3 Players	**223**
CDI Electronics	**1040 - 1047**
Cetol Marine	**819, 826**
Chafe	
Guards	**24**
Rings	**400**
Chains	
Anchor	**55 - 56**
Counters	**52, 54**
Mooring	**55 - 56**
Pipes	**55**
Safety	**68, 166 - 167**
Shackles	**726 - 727**
Split/Lap Links	**55**
Stainless Steel	**55**
Stops	**55, 68**
Transport Chain	**55**
Windlass	**56**
Chairs	
Accessories	**94, 96**
Bluewater	**90**
Boat Seats	**88**
Bosun's	**539**
Bucket Seat	**90**
Captains Seat	**87, 89, 92**
Deck	**93**
Fishing Seats	**89**
Foldable Seat	**89 - 93**
Helm	**86 - 87, 91**
High Back	**90**
Livewell Seat	**93**
Locking Seat Swivels	**94**
Low Back Seat	**90**
Molded Plastic	**93**
Pedestals	**95, 96**
Pilot Chair	**87, 90**
Seat Swivels	**94**
Shell Seats	**92**
Sierra Torsion	**86**
Slides/Swivels	**95**
Suspension	**87**
Suspension Module	**88**
Wheelhouse Helm	**87**
Chargers	**311**
Accessories	**307, 309, 311, 317 - 318, 379**
Battery	**292 - 294, 307, 309**
Charging Relays	**317 - 318**
Control	**295**
Multi Control	**298**
Charting	
Holder	**114**
Chartplotters	**248 - 251, 259**
Accessories	**259, 266**

Charts, Electronic	**254 - 255**
Check Valves	**609, 1079**
Chocks	**733**
Wheel	**160**
Cigarette Lighters	**322, 413**
Circuit Breakers	**344 - 346, 350, 361**
Accessories	**346**
Blocks	**358**
Enclosures	**346**
Panels	**340 -341, 343**
Windlass, Hydraulic Magnetic	**52**
Clamps	
Cable	**396, 743**
Cushion	**396 - 397**
Hose	**654 - 657**
Jackets	**656, 1011**
Nylon	**396**
Rubber Hold Down	**497**
Clam Shell Vents	**699 - 700**
Cleaners	
Aerosol	**841 - 842**
Battery Terminal	**386**
Bilge	**844**
Black Streak Remover	**851**
Boat Bottom	**845**
Boat Cover/Fabric	**849 - 850**
Deck	**861 - 862**
Disinfectant	**853**
Fabric and Upholstery	**843, 849 -850**
Fiberglass	**843, 846, 851, 861 - 865**
General Purpose	**843**
Glass	**848**
Hand	**879**
Leather/Vinyl	**848 - 850**
Mould/Mildew	**852, 588 - 589**
Multipurpose	**843, 862 - 863, 589, 874**
Oxidation Remover	**866**
Rags	**588, 879, 794**
Rust Stain	**846**
Teak	**860**
Water Shield	**851**
Clear Cote Resins	**790**
Clearview Screens	**372**
Cleats	
Aluminum	**733**
Flat-Top	**731**
Folding	**731**
Heavy Duty	**731, 732**
Nylon	**733**
Open Base	**732**
Pull-Up	**731**
Sailing, Cam	**550, 553**
Stainless Steel	**732**
Standard	**732**
Clevis Kit	**963**
Clevis Pins	**537, 741**
Clinometer	**118**
Clips	
Fender	**22**
Flag	**82**
Ingelfield	**548**
Ladder	**497**
Rope	**728**
Spring, Nylon	**549**
Webbing	**737**
Clocks	
Tide/Time	**112 -113**
Clocks, Tide/Time	**113**
Clothespins	**101**
Cloths	
Drying	**879**
Microfiber	**874, 879**
Rags	**588, 794, 879**
Clutches	
Brackets	**634, 928 - 929**
Electrical	**926 - 927**
Water Pumps	**634, 637**
Coat Hooks	**708**
Coats, Floater	**494**
Coaxial	
Cables	**239**

Connectors	**239**
Compasses	**115 - 124, 539, 541**
Accessories/Replacement	**115 - 117, 120 - 124**
Modular	**125**
Connectors	
Battery Terminal	**386 - 387**
Cable	**365**
Deck Outlet	**401**
Electrical	**389 - 392, 394, 765**
Fuel	**880 - 882**
Wire	**383, 391**
Container Bag	**78**
Containers	
Flare	**459**
Mixing	**787, 801**
Control Cables	**990 - 992**
Controllers	
Lighting	**448**
Control Panels	
Waste Water	**332**
Windshield Wiper	**372**
Controls	
Accessories	**985 - 986, 992 - 993**
Engine	**984 - 989**
Converters	
DC-AC	**293, 310**
DC-DC	**293, 297 - 298**
Interface	**945**
Cookers	
Propane, Portable	**145**
Cook Tops	**145**
Coolants	**908, 1065**
CoolerBag	**109, 219, 523**
Coolers	
Accessories	**196, 108, 218**
Ice Chest	**108, 196, 218**
Mounting Kits	**196, 108, 218**
Pop-Up	**196, 108, 218**
Coolers, Oil	**1038 - 1039**
Fits or for Cummins	**1093**
Mercruiser Dual Cooler	**1039**
Power Steering	**1038**
Coosa	**806**
Cords	
Bungie Cord Hooks	**41**
Shock	**42**
Shore Power	**376, 378 - 379**
Corrosion Protection	
Anti-seize Tef-Gel	**840**
Spray Lubricant	**840**
Cotter	
Kit	**741**
Pins	**741, 537, 741, 748**
Rings	**741, 537**
Couplers	**166**
Locks	**166 - 167**
Couplings	
Cam Lock	**639**
Fiberglass	**1077**
Hydraulic	**934**
Plumbing	**641, 663, 671**
Shaft	**1000 - 1001**
Transmission	**1000 - 1001**
Wet Exhaust	**1077**
Coveralls	
Disposable	**515, 780 - 781**
Covers	
Boat	**79**
Bus Bar	**365 - 366**
Cable	**24, 397, 537**
Rigging	**24, 537**
Cowl Exhaust Silencers	**1086**
Cowl Vents	**696 - 697, 699**
Cradles	
Stainless Steel	**480**
Crimpers	
Lug	**766**
Wire	**765 - 766**
Cummins, fits or for	
Engine Parts	**630 - 631, 1093 - 1094, 1096 - 1102**
Cupboard Catches	**705**
Cups	

Holders	**105 - 106**
Current Shunt	**338**
Cushion Clamps	**396**
Cut Off Wheels	**771**
Cutters	**761**
Battery Cable	**767**
Lines/Weeds	**1013**
Rope	**759**
Cutters, Net, Weed and Line	**1013**
Cylinders	
Heads, Fits or for Cummins	**1101**
Hydraulic	**970 - 972, 978 - 979, 981**
D	
Daewoo, fits or for	
Engine Parts	**1103**
Damper Drive Plates	**998 - 999**
Dan Buoy, Telescopic	**470**
Dash Mount Kit	**136**
Davit Assembly, for haulers	**915**
Davits, Pivoting	**203, 729**
Daypack	**109, 219, 523**
Day Shapes	**472**
Deck	
Brushes	**877 - 878**
Cleaners	**861 - 862**
Fill Plugs	**886**
Fills	**885 - 886**
Fitting	**401**
Hardware	**693, 717, 734 - 735**
Hatches	**685 - 687**
Keys	**769, 886**
Lights	**409, 418, 420**
Pipes	**55**
Plates	**692 - 693, 885**
Plates Key	**886**
Primer and Caulking	**809**
Deck Flanges	**139**
Defoggers	**127**
Defroster	**138**
Kit	**136**
Degreaser	**856**
Degreasers	
AIM	**842**
Brake	**842**
Engine	**842**
Heavy-Duty	**842**
Xtreme Clean Cleaner	**843**
Dehumidifiers	**852**
Deks-Olje	**833**
Depth Finder	**246**
Depth Sounders	**246**
Descaling Fluid	**572**
Detectors	
Bilge Level	**334**
Fire	**334**
Fume	**334, 464**
Gas	**153**
Smoke	**464**
Wet Exhaust Overheat	**335**
Diaphragm Pumps	**608**
Dielectric	
Silicone Compound	**399**
Tune-up Grease	**399**
Diesel	
Additives	**908, 909**
Engine Parts	**631, 1092 - 1107**
Filters	**897 - 899, 901**
Sender Return Kits	**889**
Digital Monitors	**337**
Dimmers	
Switches	**422, 441**
Dinnerware	**100**
Distress Flags	**472**
Ditch Bags	**466**
Dividers	**114**
Dock	
Bumpers	**16, 24, 27, 28**
Carts	**37**
Cushion Bumpers	**27**
Dock pro Inflatable Wheels	**29**
Edging	**28**
Fenders	**25**

For the most up to date pricing, please visit maritimemarinesupply.ca/price

Flip Up Cleat	**29**
Floats	**28 - 29**
Hardware	**29 - 31**
Hull Bumpers	**27**
Ladder	**36**
Lights (Solar)	**451**
Lines	**39 - 40**
Steps	**37**
Trolley	**67**
Wheels Corner Mount	**29**
Dockhinge Kit	**30**
Dockshockle	**38**
Dog PFDs	**493**
Dome Lights	**434, 436 - 437**
Doors	
Bumper Pads	**707**
Diamond Sea-Glaze	**685**
Handles	**704**
Hasps	**715**
Hooks	**709**
Keeper	**707**
Latches	**704 - 708**
Stop Catch	**706**
Draft Stabilizers	**139**
Drainers	
Dish	**101**
Drains	**554**
Cockpit	**561**
Cocks	**888**
Garboard	**701**
Plugs	**202, 701 - 703, 1084**
Sink	**555**
Tubes	**703**
Valve Lubricant	**586**
Wash Hand Basin	**554**
Drawer Pulls	**104**
Drink Holders	**104 - 106**
Dripless Shaft Seals	**1011 - 1012**
Drive	
Bits	**759**
Lines	**928**
Plates	**998 - 999**
Shaft Adapters	**928**
Drivesavers	**994**
Drogue	**471**
Dry Backpack Bag	**109, 219, 522**
Drybags	**109, 219, 523**
Dry Bags	**108, 218, 522**
Dry Case Storage	**107**
Dry Duffel Bag	**109, 219, 522**
Ducting	**131**
Dynaplates	**324**
E	
Earmuffs	
Engine	**1063**
Sound	**781**
Earplugs	**781**
Edgeguard	**78**
Elbows	
Catches	**705**
Exhaust	**1069 - 1072, 1074 - 1075, 1077**
Hose Vent	**699**
Pipe	**663**
Rail	**739**
Street	**664**
Electrical	
Bus Bars	**364 - 368**
Connector Kits	**744**
Connectors	**389 - 394, 401, 765**
Junction Boxes	**369**
Panels	**323, 338 - 339, 341, 343, 348 - 350**
Power Bar Connector	**366**
Switches	**344 - 346, 350 -352, 361**
Tapes	**399**
Wires	**382, 384**
Electric Drum Pump	**896**
Electric Motor Driven Pumps	**640**
Enclosures	
Panels	**342**
End Caps & Junctions	**9**
Engine	

Alarms	**335**
Control Accessories	**992 - 993**
Controls	**984 - 989**
Degreasers	**842**
Diesel Engine Parts	**631, 633, 1092, 1093 - 1107**
Drain	**1065**
Electrical O/B Parts	**1040 - 1047**
Oil	**904 - 906**
Panels	**325**
Parts, I/O	**1052 - 1057, 1060 -1062, 1064 - 1075**
Service Manuals	**1049**
Supports	**66**
Tune-Up Kits	**1062**
Engine Driven Pumps	**640**
Engine Flushers	**762, 1063**
Engine Mounts	**995**
Engine Parts, Internal	
Fits or for Cummins	**1098, 1100 - 1102**
Entertainment System	**220**
EPIRBs	**477**
Replacement	**477**
Epoxy	
Accessories	**787 - 788**
Additives	**785**
Adhesive	**785, 789, 837**
Fairing Putty	**789**
Fillers	**793**
Glues	**837**
Pigments	**787**
Pump Sets	**784**
Putties	**798**
Repairs	**798**
Resins	**782, 790**
Rollers	**788, 796 - 797**
Sealer	**789**
Exhaust	
Blankets/Sound Wraps	**1086 - 1087**
Check Valves	**1079**
Couplings	**1077**
Elbow Mounting Kits	**1075**
Elbows	**1069, 1070 -1072, 1074 - 1075, 1077**
Flanges	**1078**
Flaps	**1078 - 1079**
Flex Pipes	**1086**
Hoses	**645, 1081**
Hump Hose Connectors	**647, 1081 - 1082**
Lagging	**1086**
Manifold Mounting Kits	**1073, 1075**
Manifolds	**1069 - 1074**
Mufflers	**1079, 1086**
Overheat Detector	**646, 1080 - 1081**
Pipes	**1077**
Rain Caps	**1086**
Risers	**1069, 1072**
Wrapping	**1086 - 1087**
Wrapping Wires	**1087**
Exhaust Connections	**1078**
Exhaust Flanges	**1078**
Extension Cords	**379**
Extension Handle	**65**
Extension Harness	**953**
Exterior Detail Polish	**856**
Extinguishers, Fire	**463**
Eyes	
Bolts	**718**
Pad	**716 - 717**
Screw	**718**
Straps	**716 - 717**
F	
Fabric	
Cleaners/Protectors	**849 - 851**
Waterproofing	**851**
Face Shields	**777**
Fairlead Rollers	
Aluminum	**916**
Fans	
Bora Series	**111**
Cabin	**111**
Oscillanting	**111**
Turbo	**111**
Fasteners	

For the most up to date pricing, please visit maritimemarinesupply.ca/price

Canvas	**744 - 745**
Courtain	**745**
Kits	**742 - 744**
Silicon Bronze	**749**
Fast Metal Repair	**837**
Faucets	
Washdown	**653**
Fenders	
Adjusters	**21 - 23**
Bass Boat	**16**
Big B Inflatable	**12**
Bow	**16**
Brackets	**161**
Centre Hole Boat	**11**
Covers	**13 - 14**
Defender	**13**
Economy Fender	**12**
Flat	**17**
F Series	**14**
G Series	**14**
Hangers	**21, 23**
Heavy Duty	**13**
Holder	**24**
Hooks	**21 - 22**
HTM Series	**14**
Hull Gard Inflatable	**12**
Hull Gugr Contour	**17**
Hull Gugr PWC	**16**
Inflatable	**12 - 13**
Ladder	**17**
Lifeline Clip	**22**
Lines	**40**
Locks	**21**
Multi Fenders	**17**
Pontoon	**16, 22**
Quick Release Lock	**21**
Racks	**24**
Ski Slalom	**21**
Softside Mooring	**16**
Steps	**17**
Straps	**22**
Tidy Up Kits	**23**
Trailer	**161**
Twin Eye	**11**
Fiberglass	
Catalysts	**790**
Cleaners	**843, 851, 861 - 862, 864 - 865**
Cloth	**786, 797**
Cloth Tape	**797**
Epoxies	**782 - 784, 786**
Fabrics	**786, 797**
Fillers	**794**
Hardeners	**790**
Mat	**797**
Pigments	**787, 790**
Polyester Resins	**790**
Repair Cloth	**797**
Repair Kits	**784, 791- 792**
Repair Mat	**797**
Repair Tape	**797**
Rollers	**796 - 797**
Roller Sleeve	**796**
Shears	**797**
Stern Tubes	**1009**
Tapes	**786, 797**
Tubing/Accessories	**1077**
Waxes	**861**
Fillers	
Body	**794**
Wood	**833**
Fillet Tables	**99, 194, 199**
Filters	
Air	**1089, 1091**
Bowl Wrench	**901**
Caterpillar	**1092**
Crankcase	**1107**
Daewoo	**1103**
Ford	**1104**
Fuel	**898, 900 - 901**
Fuel Vent	**888**
Holding Tank Vent	**570**
Hydraulics	**933, 983**

In-Line Fuel	**892**
Isuzu	**1104**
Iveco	**1104**
John Deere	**1104**
Mitsubishi	**1103**
Odour, for Diesel Tanks	**891**
Oil	**1107**
Oil I/O	**900, 1058, 1060**
Parker Racor	**902**
Perkins	**1103**
Respirator	**778 - 779**
Volvo	**1106**
Water	**559**
Water Separator	**897 - 902, 1058, 1060**
Wrenches	**764, 764, 911**
ZF	**1107**
Fire	
Axe Brackets	**462**
Axes	**462**
Blanket	**467**
Brick	**144**
Buckets	**462**
Detectors	**334**
Extinguisher Brackets	**463**
Extinguishers	**463**
Hose Nozzles	**652**
Hoses	**652, 464**
Fire Detection	**333**
Fire Ports	**462**
Fire Retardant Paint	**1088**
First Aid Kits	**467**
Fishfinders	
Garmin	**248 - 250**
Portable	**193, 247**
Simrad	**277 - 278**
Fishing	
Bait/Lures	**188 - 190**
Fish Barometer	**187**
Hooks	**191**
Jigs	**188**
Lines	**192, 194 - 195**
Road Holder	**194 - 195**
Road Tip	**187**
Rods/Reels	**183 - 188**
Sinkers	**191**
Striper Rigs	**190**
Swivels	**191**
Wire Leaders	**191**
Worm Bait	**188**
Fishing Rain Gear	**514**
Fittings	
Brass	**152, 658 - 659, 662, 664**
Bulkhead	**672**
Bulkhead Assembly	**963**
Dahl	**897**
Exhaust Hull	**131**
Fuel Line	**663, 880, 883**
Hose	**642**
Hose Pillars	**663**
Hydraulic	**935 - 939**
Keel Cooler	**663**
Mast and Boom	**550**
Nylon	**670 - 671**
Pipe	**641, 658 - 662**
Plastic	**671**
Racor	**902**
Rail	**734 - 740**
Solder Inlet	**663**
Steel	**939**
'T'	**660**
Top	**736**
Washdown Outlet	**614**
Flags	
Canada	**81**
Clips	**82**
Distress	**472**
Diver Down	**80**
International Code Set	**80**
Jolly Roger	**81**
New Brunswick	**81**
Newfoundland	**81**
Novelty	**80**

For the most up to date pricing, please visit maritimemarinesupply.ca/price

Ontario	**81**
Poles	**81 - 82**
Poles Holder	**81**
Poles Holder Mount	**81**
Pole Sockets	**82**
Prince Edward Island	**81**
Provincial	**81**
Quebec	**81**
Sockets	**81**
Teak Poles	**81**
Flagship Portlight	**688**
Flame Arresters	**1062**
Flanging Tools	**703, 769**
Flares	**457 - 459**
Containers	**459**
Flashlights	**460**
Beam Optics	**453 - 454**
Floating	**454**
LED	**454**
Pure Beam Focoussing	**453**
Safety	**454**
Spot Beam	**453**
Waterproof	**454, 461**
Flattening Agents	**815**
Flex Pipes, Exhaust	**1086**
Flex Sleeves	**964**
Flex Trim	**689**
Floater Coats	**494**
Floating Lanyard	
Card Saver Kit	**107**
Floating Safety Cushion	**469**
Floats, Dock	**29**
Float Switches	**601 - 602**
Flood Lights	
LED	**421**
LED Area Lights	**424 - 430**
LED Deck	**418**
LED Extreme Beam	**420**
LED Lunasea	**420**
LED Optilux Cube	**421**
LED Rechargeable	**419**
Flotation Pants	**494**
Flotation Suits	**494 - 495**
Flow Alarms	**335**
Flow Control Valves	**925**
Fluid Sensor	**332**
Flushers, Motor	**1063**
Flybridge Kits	**954**
Flyscreens	**680, 945**
Fog Bell	**462**
Fogging Oils	**907**
Fog Horns	**461**
Folding Steep	**36**
Foot Rests	**96**
Ford, fits or for	
Engine Parts	**1103 - 1104**
Freeze Off Solvent	**841**
Freezer	**155**
Fresheners	
Water	**589**
Fuel	
Additives/Conditioners	**908 - 909**
Connectors	**881 - 882**
Filters	**897 - 902**
Gauges	**325**
Lift Pump	**1108**
Lines	**648, 880 - 881, 884**
Pick-up Tubes	**889**
Pumps (Electric)	**143**
Senders	**327**
Sensors	**259**
Splash-Stops	**888**
Tank Caps	**893**
Tank Mounts	**889**
Tanks	**890 - 891, 893**
Tank Vents	**887**
Vent Filters	**888**
Water Separators	**897 - 902**
Fuel Tank Vents	**887**
Fume Detectors	**334**
Funnels	**764, 911, 1065**
Fuel	**617, 764, 1065**

Furnaces	**130**
Accessories	**130 - 133**
Fuses	
AGC	**355**
Assortments	**355**
ATC	**355, 357**
Blade	**355**
Blocks	**357 - 363**
Class T	**363**
Holders	**356 - 357, 360, 949**
Kit	**355**
Panels	**347, 349**
Strip	**948**
Terminal	**359 - 360**
G	
Galvanic Isolators	**287**
Galvanizing Sprays	**840**
Garbage Bags	**110**
Garboard Drains	**701**
Garmin	
Navigators Mounts	**243**
Off-Road Navigators	**242**
Off-Road Navigators Cables	**243**
Gas Cans	**892**
Gas control & Detection	**334**
Gaskets	**683**
Elbow	**1070, 1075**
Kit	**1061**
Makers	**838, 1076**
Material	**1076**
Spray	**838, 1076**
Gas Springs	**691**
Gator Patch	**471**
Gauges	**328 - 331**
Digital	**330**
Engine	**325 - 326**
Instrument	**331**
Oil Level	**933**
Oil Level Kits	**983**
Oil Pressure	**325**
Panel	**327**
Pressure	**151, 934**
Gearboxes	**995**
Gearcase Fillers	**763**
Gear Lubricants	**763, 906, 910, 911, 1066**
Gel Coat Restoration	
Compound	**866**
Gelcoats	**790 - 792**
Generators	**284 - 286**
Inverter Generator	**285**
Parallel Kits	**286**
Gimbal Bearing	
Tools	**758**
Gland Seal Kit	**953**
Glass	
Cleaners	**848**
Scrapers	**767**
Glass Cleaner	**856**
Glasses	
Retainer	**197**
Safety	**779**
Sun	**197**
Glide Sticks	**176**
GLM Products	**1052, 1069, 1072 - 1075**
Gloves	**517**
Cotton Lined	**516**
Disposable	**518, 780**
ICE Gripper	**518**
Knit	**519**
Latex	**518 - 519, 780**
Leather	**519**
Mechanics	**519**
Nitrile	**516 - 518**
Polyurethane	**517**
PVC	**516 - 517**
PVC Thermal	**517**
PVC With Sleeves	**516**
Safety	**519**
Sailing	**521**
Thermal	**519**
Glow Plug	**1108**
Glues	**837**

For the most up to date pricing, please visit maritimemarinesupply.ca/price

Goosenecks	**1085**
GPS	
Accessories	**245**
Antennas	**261**
Chartplotters	**248 - 252**
EPRIB with AIS	**475**
Handheld	**244 - 245**
Maps	**244**
Grab Rails	**711 - 712**
Greases	
Guns	**763, 910**
Lithium	**171, 840, 910**
Trailer	**840**
Wheel Bearing	**171, 907, 910**
Grill	
Accessories	**129**
Grip-Tex	**825**
Groco Water Strainers	**674**
Grommets	**397**
Control Cable	**963, 400**
Utility	**400**
Ground Plates	**324**
Guardrails	
Back Supporters	**164, 178, 179 - 181, 535, 694**
Netting	**164, 178, 179 - 181, 535, 694**
Guides, Boat	**176 - 177**
Guns	
Caulking	**769, 807**
Grease	**763, 910**
Heat	**756**
H	
Hailers	**231**
Halyard	
Diverter Wheel	**539**
Feeder	**539**
Hammocks	**524**
Gear	**110**
Hook	**110**
Hand Cleaners	**879**
Handles	**711 - 713**
Ball Valve	**665**
Extension	**196, 801, 876 - 878**
Replacement Pats	**683**
Valve Control	**924, 925**
Hand Pumps	**23, 608 - 609**
Handrails	
Teak	**711**
Hangers, Coat	**708**
Harnesses	
Adapter	**159**
Engine	**325**
Safety	**491**
Hasps	**710, 714 - 715**
Hatches	
Access	**676, 682**
Adjusters	**687, 691**
Catch	**680**
Cover	**687**
Escape	**686**
Flat Base	**678**
Handles	**686**
Innovative Series	**677**
Lifters	**690, 712**
Locking Kit	**676**
Low Profile Inspection	**677, 679**
Opening Portlight	**679**
Oval	**683**
Quick Release	**684**
Rectangular	**682, 713**
Repacement Seal	**681**
Replacement	**683**
Round	**683 - 684**
Square	**679, 683**
Tapes	**689**
Tubs	**677**
Watertight	**683 - 685**
Hats, Ball/Thermal	**505**
Haulers	
90° Style	**913**
Discs/Liners	**918**
Hanging Style	**914**
Ordering Guide	**912**

Parts	**916 - 919**
Stainless Steel	**918, 920**
Hawse Pipes	**730**
Heaters	
Accessories	**130 - 133, 143, 567**
Cabin	**127, 130, 136 -141**
Diesel	**139**
Electric	**127, 852**
Engine Compartment	**127**
Forced Air	**132**
Hose	**138**
Hot Water Cabin	**138**
Kit	**137**
Parts	**131, 136, 139, 143**
Water	**567**
Heat Exchangers	
Fits or for Crusader	**1039**
Fits or for Cummins	**1093 - 1094**
Fits or for Mercruiser	**1039**
Fits or for Perkins	**1103**
Universal	**1039**
Heat Guns	**75, 756 - 757**
Heat Shrink	
Tubing	**392 - 394**
Wire Connectors	**389 - 391, 394**
Helms	
Hydraulic	**973 -974**
Mechanical	**961, 962**
Plate	**982**
Power Steering	**982**
Service Kit	**974**
Wedge	**974**
Hinges	
Beckson Nylon	**723**
Butt	**719**
Cabinet	**722**
Caps	**681**
Cupboard Door	**721 - 722**
Deck	**734, 735**
Door	**720**
Flat	**721**
Flush Door	**720**
Flush Two Pin	**720**
Friction	**719**
Hatch	**723**
Heavy Duty	**719 - 721**
Kit	**680**
Lift Gate Pontoon	**723**
Light Duty	**720**
Medium Duty	**720 - 721**
Offset	**722 - 723**
Piano	**723**
Round	**719 - 720**
Separating	**721**
Stainless Steel	**720 - 721**
Take-Apart	**721**
T-Hinges	**722**
Hino, fits or for	
Engine Parts	**1104**
Hitches	
Adjustable Cushion	**165**
Lock	**167**
Mounts	**165 - 166**
Pins	**742**
Hold Down Straps	**181**
Clamps (Rubber)	**497**
Holders	
Boat Hook	**497**
Boots	**107**
Cell Phone	**110**
Cockpit Organizers	**110**
Door	**706 - 707**
Drink	**105 - 106, 525**
Hand Held Radio	**229**
Knife	**110**
Line	**23, 40**
Paper Towel	**101**
Plate	**101**
Radio	**110**
Rod	**194**
Holding Tanks	**568**
Treatment Chemicals	**586 - 588**
Hooks	

For the most up to date pricing, please visit maritimemarinesupply.ca/price

Boat	**196, 496 - 497, 876, 878**
Coat	**708**
Door	**709**
Fender	**21**
Holders	**497**
Mooring	**497**
Pelican	**724**
Replacement	**525**
Snap	**497, 724 - 725, 737**
Swivel	**725**
Telescopic	**497**
Horns	
Air	**83 - 84, 462**
Compact	**83 - 84**
Electric	**83 - 85**
Electromagnetic	**84**
Electronic	**84**
Fog	**461**
Horn with Grill	**83**
Push Button	**85**
Remote Wireless Button	**85**
Shark Horn Top Mount	**83**
Signal	**462**
Smile Horn Top Mount	**83**
Stainless Steel	**83 - 84**
Hoses	
Accesories	**566, 612, 653**
Adapters	**666 - 667, 671 - 672, 1090**
Adjustable Nozzle	**573, 613**
Air Conditioner Duct	**129**
Bilge	**645, 649 - 650**
Black Nitrile	**652**
Blower	**138, 695**
Chrome Brass	**558**
Clamps	**654, 656 - 657**
Connections Flexible Tanks	**570**
Connections Rigid Tanks	**570**
Couplings	**559, 573, 639, 653**
Drinking Water	**573, 651**
Exhaust	**645 - 646, 1080, 1081**
Flex Protector	**559**
Fuel	**648, 883, 884**
Fuel Fill/Vent	**883**
Fuel Line Connectors	**883**
General Purpose	**644**
Hand Lever Nozzle	**573, 613**
Hanger	**573**
Heater	**644**
Heavy Duty	**645**
Hump Connectors	**647, 1082, 647, 1081**
Hydraulics	**935**
Industrial Nozzle	**573, 613**
Layflat	**652**
Male Sae to Female Pipe	**900**
Male Sae to Hose Barb	**900**
Moulded	**1064, 1065**
Multi-Purpose	**644 - 645, 648, 884, 935**
Nozzles	**464, 652 - 653**
Plumbing	**574**
Polyester	**652**
Power Steering	**979**
Propane	**152**
Protectors	**934**
PVC	**645, 649 - 650**
Rigid Tanks	**570**
Sanitation	**645, 650 - 651**
Sea Pex	**574**
Spray Kit	**651**
Steering	**975**
Suction	**645**
Tees	**664**
Toilet	**651**
Ventilation	**644, 650, 695**
Washdown	**651 - 652, 464**
Water	**572, 645, 573, 613, 651 - 652**
Water Discharge	**644, 649 - 650**
Water Suction	**644 - 645**
Hull	
Cleaners	**844 - 845**
Liner	**793**

Hull Scraper	**496**
Hump Hose	
Elbows	**647, 1082**
Hydraulic Power Steering Assemblies	
Single Cylinder	**980 - 981**
Hydraulics	
Cylinders	**969 - 972, 981**
Filters	**983**
Fittings	**935 - 939**
Helms	**973 - 974**
Hoses	**935**
In-line Filters	**933**
Jacks	**756**
Motors	**920 - 923**
Oil	**974**
Power Packs	**930**
Pumps	**922**
SPW4 Valve Parts	**925**
Tank Caps	**932, 983**
Tanks	**932, 933**
Thrusters	**941**
Trim Tabs	**951**
Valves	**924 - 925**
Hydraulic Vane Pumps	**923**
Hydrofoils	**955**
Hydrostatic Release Units	**477**
Hydro Tails	**955**
I	
Ice Trays	**101**
Ignition	**1040**
Parts	**1040 - 1047**
Switches	**354**
Immersion Suits	**495**
Impellers	**1108, 621 - 624, 1108**
Fits or for Cummins	**631, 1096**
Fits or for Daewoo	**1103**
Fits or for Iveco	**1104**
Fits or for Volvo	**1106 - 1107**
Removal Tools	**625, 762**
Inclinometers	**118**
Indicators	
Lights	**351**
Wind	**538**
Inflatables	
Air Pressure Gauge	**217**
Life Jackets & PFDs	**482**
PFD Belt Packs	**484**
PFDs	**482**
Repair Kits	**216**
Water Tubes	**210 - 213**
Inlets, Water	**559**
Inspection Hatches	**685**
Insulation	**1087**
Intake Strainers	**566, 675**
Internal Engine Parts	
Fits or for Cummins	**1100 - 1101**
Inverter Generators	**285**
Inverters	**295, 304, 305, 310**
Accessories	**295, 298, 300, 310**
Charger	**293, 295 - 297, 305, 311**
Control	**295, 305**
Remote Control	**304**
Remotes	**305, 311**
Isolators	
Battery	**287**
Galvanic	**287**
Isuzu, fits or for	
Engine Parts	**1104**
Iveco, fits or for	
Engine Parts	**1104**
J	
Jackets	
Clamp	**1011**
Hoodie Midlayer	**503, 505**
Offshore	**520**
Rain	**502, 508 - 511, 514**
Softshell	**503**
Waterproof	**206, 502**
Windshell	**505**
Winter	**502 - 504**
Work	**511 - 516**

For the most up to date pricing, please visit maritimemarinesupply.ca/price

Jacklines	**481**
Jacks	
Stern Drive	**756**
Trailer	**165**
Jaw Kit	**530**
Jerry Cans	**892**
Jib Furling	**542 - 543**
John Deere, fits or for	
Engine Parts	**1104 - 1105**
Joker Valves	**590**
Jumpers	
Battery	**388**
Terminal Block	**364**
Junction Boxes	**369**
LED Driver	**422**
K	
Kayaks	
Inflatable	**204**
Paddle	**499**
Keel Cooler Tubing and Fittings	**663**
Keel Guards	**63**
Keel Pads	**176**
Keel Protector	**63**
Keel Rollers	**172**
Keys	
Boxes	**714**
Buoys	**107**
Chains	**107**
Deck Plate	**769, 886**
Stock	**1004**
Switches	**354**
Key Stock	**983, 1003 - 1004**
Kill Switches	**354**
Kneeboard	**207**
Knee Pads	**507**
Knives	
Basic	**198**
Companion	**198 - 199**
Craft Rope	**199**
Fillet	**199**
Holder	**195**
Offshore	**471**
Pocket	**198**
Rigging	**537**
Roe Ball Point Tip	**198**
Safety	**198 - 199**
Utility	**767**
Knobs	
Drawer	**713 - 714**
Power Grip	**968**
Throttle	**993**
L	
Labels	
Electrical	**339**
Lacing Hooks	**548**
Ladders	
4-Step	**34**
Clips	**497**
Dive	**33**
Dock	**32, 36**
Flip-up	**36**
Folding	**35**
Gunwale	**32**
Hardware Kit	**32**
Hook	**33**
Platform	**34**
Rope	**32, 35**
Safety	**35**
Swim	**34**
Telescoping	**33, 35**
Transom	**34**
Under Platform	**33, 35**
Lagging, Exhaust	**1086**
Lanyards	
Deck Plate	**693**
Latches	**704 - 707**
Lever Kit	**680**
Life Cells	**466**
Life Jackets	
APF Foam Vest	**491**
Inflatable	**483, 486 - 487**

Keyhole	**488**
Lights	**460, 475**
Livery Foam Vest	**491**
PFD	**486**
Solaris Foam Vest	**489**
Sprayhood	**487**
Strap	**487**
TC SOLAS	**488**
Whistles	**461**
With Harness	**486**
Life Rafts	**479**
Life Rings	**469 - 470**
Brackets	**470**
Holder	**470**
Lights	**460**
Lights	
Accent	**437**
Accessories	**410**
Anchor	**412**
Bar	**429**
Bases	**410**
Brackets	**403**
Bulbs	**435, 442 - 447**
Cabin	**431 - 432, 434, 436 - 437, 440 - 441**
Ceiling	**432, - 433, 435, 437**
Chart	**413**
Controls	**448**
Courtesy	**436 - 437**
Deck Lights	**409, 431, 451**
Docking	**452**
Dock/Post (Solar)	**451 - 452**
Dome	**434 - 436**
Dura-LED	**433**
Engine Room	**431 - 432, 434, 441**
Flood/Deck/Work	**409, 418**
Floodlights	**409, 420, 444**
Fluorescent	**444**
Folding Mount Tower	**409**
Halogen Bulbs	**445**
Halogen Map Lamp	**413**
Handheld Search/Spot	**419**
Hand Operated	**414 - 415**
Indicator	**351**
Interior	**431**
LED All-Around	**411**
LED Bimini	**431**
LED Flex-Neck	**413**
LED Floating Lifebuoy	**460**
LED Flood	**420**
Led Flush Stern	**408**
LED Headlamp	**455**
LED Interior	**432 - 441**
LED Lantern	**419**
LED Light Bars	**421**
LED Navigation	**404 - 408, 412**
LED Retrofit	**443 - 447**
LED Slim	**438**
LED Soft	**432**
LED Solar	**451 - 452**
LED Spot	**419, 422**
LED Strip	**438**
LED Surface Strip	**431**
LED T8 Tube	**428**
LED Tear Drop	**433**
LED Touch	**434**
Led Transom	**408**
LED Transom	**408**
LED Undermount	**421**
LED Underwater	**450**
LED Worklight	**418**
Lifebuoy	**460**
Lifejacket	**460**
Man Overboard	**460**
Map	**413**
Mast Tower	**412**
Mirror w/Dimmer	**433**
Motion Sensor	**451**
Navigation	**402 - 408, 412**
Navigation, LED	**406**
Perimeter Area	**420**
Plug In Bulbs	**444**
Pole	**409 - 410, 412**

For the most up to date pricing, please visit maritimemarinesupply.ca/price

Pole Bases	**410**
Pontoon Strip	**438**
Replacement Bulbs	**414**
Running	**406**
Sealed Beams	**445**
Searchlights	**415 - 417**
Search/Spot	**414 - 417, 419, 421, 423**
Solar	**451 - 452**
Spotlights	**414**
Spot, Remote	**416**
Stern Light Plug-In	**412**
Switches	**441**
Trailer	**158 - 159**
Underwater	**448 - 450**
Utility	**413, 437**
Vapourtight	**428**
White All-Round LED	**409**
Work	**418**
Lines	
Anchor	**57**
Bungie Hooks	**41**
Dock	**39 - 40**
Fender	**40**
Fishing	**189, 192**
Fuel	**648, 880, 884**
Grabbers	**38**
Holders	**23, 40**
Life	**468**
Links, Quick (for Chain)	**727**
Lobster Blocks	**915**
Locator Beacon	**253, 474 - 475**
Locks	
Combination	**714**
Door	**704**
Hasps/Latches	**704, 707, 715**
Mortise Lock Set	**704**
Padlocks	**167, 714**
Rim Lock Set	**704**
Tank	**885 - 886**
Loctite	**753, 836**
Log Books	**114**
Long Underwear	**506**
Looms, Wire	**397**
Loops, Vented	**571**
Loud Hailer w/Microphone	**231**
Lower Unit Drain Kits	**763, 911**
Low Voltage Disconnects	**318**
Lubricants	
Engine Oil	**904, 905 - 906, 908**
Gear Lubes	**906**
Grease	**171, 907, 910**
Penetrating	**841**
PTFE	**841**
Snap & Zipper	**839**
Spray	**840 - 841**
Trailer Grease	**840**
Lug Nuts	**168**
Lugs	
Copper	**384**
Heavy Duty	**386**
Lugs, Battery	**384**
Lumber Sheets	**807**
M	
Macerator Pumps	**583**
Machine Screws	
Round Head, Stainless Steel	**753**
Mainsheet System Kit	**553**
Manifolds	**1069 - 1073**
Fits or for Cummins	**1101 - 1102**
Mounting Kits	**1073, 1075**
Pump Valve	**620**
Risers	**1069, 1072**
Through-Hull	**672**
Man Overboard Lights	**460**
Maps, Electronic	**254 - 255, 279**
Marine Gas Control	**153**
Marine Lumber Sheets	**807**
Masking Tapes	**795, 804**
Masks, Safety	**777 - 779**
Mast Towers	**412**
Mesh Trash Bag	**110, 526**

Metal Cleaners/Polishes	**846**
Meters	
Ammeters	**338**
Bilge	**336**
Multimeters	**755**
Temperature	**337**
Voltmeters	**337 - 338**
Microfiber Cloths	**874, 879**
Microphones	
Handheld	**221**
VHF Radio	**228**
Mildew Controls	**852, 588 - 589**
Mirrors	
Signalling	**459**
Mitsubishi, fits or for	
Engine Parts	**1103**
Mixing Containers	**787, 801**
Mixing Pot and Stir Sticks	**791**
Monitors	
AC	**336**
DC	**336**
Vessel Systems	**332, 336**
Mooring	
Hooks	**724**
Snubbers	**37**
Staples	**730**
Whips	**30**
Mops	**877**
Morse Control Cables	**990 - 991**
Mosquito Control	**858**
Motion Sickness Wristbands	**467**
Motors	
Brackets (Outboard)	**64 - 65**
Flushers	**762, 1063**
Holder (Outboard)	**65**
Hydraulic	**920 - 921, 923**
Outboard Rack	**67**
Outboard Stand	**67**
Supports	**65**
Mouldings	
End Cap	**8**
Gunwale	**8**
Kit	**10**
Mounting System	**150**
Mounts	
Antenna	**240 - 241**
Bracket	**246, 278**
Radar	**268 - 269**
Radar Cable Seals	**269**
Radar Lights	**268**
Radar Rail Clamp	**269**
Wake Tower Bracket	**224**
Mufflers	**1079, 1085 - 1086**
Dry Exhaust	**1086**
Inlet	**1084**
Inlet w/Clamp	**1084**
Multimeters	**338, 755, 757**
Tools	**755**
Multi-Tools	**760**
N	
N2K Backbone	
Starter Kit	**282**
Nails	
Finishing	**746**
Stainless Steel	**746**
Nautical Plotter	**114**
Navigation	
AIS	**475**
Navigation Lights	**402 - 410, 412**
Light Panel	**405**
Navigation Plotter	**114**
Nets	
Landing	**196, 876**
Network Expansion Module	**282**
Nipples	
Angled Breather	**887**
Grease	**1009**
Pipe	**658 - 659, 671**
NMEA 2000	
Cables/Connectors	**263, 283**
No Damp Dehumidifiers	**852**
Noise Controls	

Silent Running	**1088**
Soundown	**1087**
Non-Skid	
Additives	**825**
Deck Washes	**861**
Paints	**817**
Tapes	**29**
Waxes	**861**
Note Books, All Weather	**114**
Nozzles, Hose	**652 - 653**
NSS Sun Cover	**278**
Nuts	
Acorn	**748**
Acorn/Cap	**748**
Bronze Lock	**1003**
Coupling	**750**
Hex, Galvanized	**749**
Hex, Silicon Bronze	**749**
Hex, Stainless Steel	**747**
Propeller	**1002 - 1003**
Stainless Steel	**747 - 748**
T	**748**
Through-Hull	**668**
O	
Oars	**499 - 500**
Collars	**501**
Counter Balance	**500**
Locks	**500 - 501**
Sockets	**500 - 501**
Odour Removers	**853, 587 - 588, 853**
Oil	**904 - 906**
Absorbants	**910**
Control Sheets	**910**
Filters I/O	**1060**
Filter Wrenches	**764, 911**
Fogging	**907**
Gauge Kits	**983**
Hydraulic Steering	**974**
Level Gauges	**933**
Pans	**1067**
PowerSteering	**906**
Presure Monitor	**334 - 335**
Oil Change Pumps	**616**
Oil Change Systems	**618**
Oil Coolers	**1038 - 1039**
Fits or for Cummins	**1093**
Organizers	**110**
O-Ring Kits	**742**
Outboard Motor Lock	**66**
Outboard Motor Trolly	**67**
Ovens	
Diesel	**142**
Oxidation Remover	**866**
P	
Packing	
Bronze Box - Spud Type	**1008**
Inside Packing Boxes	**1005**
Paddlers' Safety Packs	**469**
Paddles	**196, 876, 498 - 499**
Aluminum	**498**
Bracket	**499**
Sup	**499**
Telescoping	**496, 498**
Wooden	**499**
Pad Eyes	**717**
Hinged	**717**
Padlocks	**167, 714**
Pads	
Buffing	**867**
Knee	**507**
Scotch-Brite	**775**
Wash Head	**876**
Wool	**867**
Pail Pump	**911**
Paint	
Anti-Fouling	**813, 821, 828**
Bilge	**817**
Brushes	**799, 801**
Buoy	**828**
Dewaxer	**815**
Fiberglass	**813**
Fiberglass Cleaner	**831**

Fiberglass Dewaxer	**828**
Fire Retardant	**835**
Flattening Agents	**815**
Interprotect	**815**
Marker	**835**
Mixing Containers	**801**
Mono-Urethane	**830**
Non-Skid	**817, 829**
Performance Enhancer	**823**
Poly-Urethane	**830**
Polyurethane Enamel	**822**
Primers	**815, 823, 828, 831, 832, 835**
Rollers	**799, 800**
Solvent	**815**
Spout	**800**
Spray	**835**
Strainer Cones	**801**
Thinners	**815, 823, 828, 831**
Topside	**817, 830, 832**
Trays	**799, 801**
Undercoat	**823**
Varnishes	**819, 826, 832**
Yacht Coating	**827**
Panels	**530**
120VAC	**342**
Backlighting	**339**
Breaker	**54, 343**
Circuit Breaker	**341, 343**
Composite, Polyurethane	**806**
Covers	**339**
Electrical	**338, 339, 341, 343, 347, 348, 349, 350**
Enclosures	**342**
Engine	**325**
Fiberglass	**806**
Indicator Lights	**351**
Insulating Back Cover	**341**
Labels	**339**
Lights	**124, 452**
Polymer	**806**
Switches	**338 - 339, 348 - 350**
Pans, Oil	**1067**
Pants	
Base Layer	**506**
Bib	**509 - 513**
Rain	**508 - 509, 511, 514**
Service	**506**
Work	**506**
Pawls	**530**
Pedestals	
Grill	**99**
Seat	**95 - 96**
Steel	**96**
Table	**98**
Pela Oil Extractor Pumps	**616**
Pelican Hooks	**724**
Perkins, fits or for	
Engine Parts	**1103**
Personal Locator Lights	**460**
Petrowrap Tapes	**936**
PFDs	
Buoyancy AID	**489**
Children's Vest	**492**
Fishing Vest	**493**
Flotation	**489**
General Purpose	**490**
Industrial Vest	**488 - 489**
Inflatable	**482 - 483**
Inflatable Belt Packs	**484**
Mesh Vest	**483 - 484, 488**
Neoprene	**491**
Paddle	**491 - 492**
Pet	**493**
Re-arm Kits	**485**
Recreational	**490**
Utility Float Cushion	**493**
Water Sport	**490**
Women Life Vest	**490**
Young Vest	**490**
Pigtail Adapters	**376, 379**
Pins	
Clevis	**537, 741**

For the most up to date pricing, please visit maritimemarinesupply.ca/price

Cotter	**748**
Hitch	**742**
Quick Release	**737**
Pipes	
Exhaust	**1077, 1086**
Extraction	**569**
Fittings	**658 - 664**
Hawse	**730**
Nipples	**658 - 659**
Sealants	**669, 836, 753**
Stove	**139, 143**
Plastic	
Cleaners/Polishes	**850**
Sheeting	**795**
Plates	
Deck	**692 - 693, 885**
Dinner	**100**
Drive	**998 - 999**
Tank Access	**693**
Trolling	**66**
Pliers	**761**
Plug-ins	
12V	**322 - 323, 413**
USB	**320 - 321, 323**
Plugs	
Drain	**701 - 703**
Emergency	**703, 886**
Garboard Drain	**701, 703**
Holders (AC)	**311, 379**
Spark	**1050 - 1051**
Plumbing	
Accessories	**574 - 575**
Fittings	**574 - 575**
Hoses	**574**
Plywood (Marine Lumber)	**807**
Polish	**856**
Liquid	**864**
Metal	**847**
Pads	**867**
Polyester Resins	**790 - 791**
Pontoon Block	**72, 78**
Pontoon Guards	**64**
Portable Fueling Station	**894**
Porta-Potti	
2.5 Gallons	**585**
2.6 Gallons	**584 - 585**
2.8 Gallon	**584**
5.0 Gallon	**584**
Carrying Bag	**585**
Marine MSD	**585**
Ports	
Clear Fixed	**688**
Exhaust	**1078**
Non-Opening	**688**
Round Opening	**688**
Self-Drain Opening	**688**
Windows	**688**
Wire	**401**
Pots & Pans	**145**
Power Cords	**286, 375 - 379**
Accessories	**376 - 379**
Grip Dogbone	**375**
Power Equipment Covers	**286**
Power Packs	**930**
Power Steering	**978 - 983**
Accessories	**979, 982 - 983**
Pressure Gauges	**934**
Primers	
Paint	**815, 832**
Priority Valves	**983**
Pro Coat	**823**
Propane	
Accessories	**151 - 153, 756,**
Barbecues	**146, 148 - 149**
Cylinder	**153**
Detectors	**334**
Fume Detector	**153**
Heaters	**140**
Lockers	**153**
Pressure Gauges	**151**
Regulators	**150 - 151**
Stoves	**145**

Propellers	
Aluminum	**1015 - 1021**
Anode Kit	**945**
Bushings	**1003**
Cotter Pins	**1003**
Nuts	**1002 - 1003**
O/B and I/O	**1014 - 1016, 1020**
Replacement	**948**
Shaft	**1005**
Thruster	**943**
Wrenches	**764, 1003**
Protection Material	**795**
Pulleys	**1057, 1067, 1098**
4-Groove (fits or for Cummins)	**1100**
Bushings	**1067 - 1068**
Rope Blocks	**728**
Pulls	
Drawer	**104, 713 - 714**
Flush	**712 - 714**
Lift	**712 - 713**
Ring	**713**
Pump	
Cordless Bucket	**620**
Pumps	**619**
Aerator	**606**
Air	**217**
Ballast	**607, 610, 612**
Banjo	**638 - 639**
Banjo Coupling Gaskets	**639**
Barrel	**609**
Bilge	**590, 591, 594, 596, 597, 598, 600, 602, 606, 608, 609**
Bracket	**983**
Centrifugal	**138**
Circulating	**610, 614, 615**
Diaphragm	**608**
Diaphragm Foot	**558**
Diesel	**615**
Diesel Transfer	**619**
Electric Clutch	**634, 636, 637**
Electric Motor Driven	**640**
Engine Cooling	**1057, 626, 627, 628, 629, 630, 631, 633, 1059, 1095, 1097, 628, 629**
Faucet Combo	**558**
Fish Pump	**923**
Fits or for Caterpillar	**633**
Fits or for Cummins	**631, 1096, 1102**
Fits or for Ford	**1103**
Fits or for Volvo	**1106, 1107**
Fittings	**628, 630, 632, 1095**
Flomax	**642**
Fluid Extractors	**616**
Foot	**217**
Fuel	**143**
Galley	**558**
Gas Engine Driven	**640**
Gear Lube	**763**
General Purpose	**129, 610, 614, 615, 1057, 626 - 631, 1057, 1059, 1095 - 1097**
Hand	**23, 217**
Hand Prime	**881**
Hand Pumps	**608**
Hose End Cap	**609**
Hydraulic	**274, 922**
Hydraulic Vane	**923**
Impellers	**621, 624, 628 - 629**
Kit	**617, 764, 911**
Livewell	**605, 607**
Livewell Dual Port	**605**
Lower Unit	**764**
Lower Unit Pump	**617**
Macerator	**583**
Oil Change	**616 - 620**
Oil Transfer	**619**
Pacer	**640**
Parts	**601, 634, 637 - 638**
Pedestal Mounted	**640**
Ports	**628, 630, 632, 639, 1095**
Power Steering	**133, 491, 474, 680, 713, 865, 870, 981, 982**

For the most up to date pricing, please visit maritimemarinesupply.ca/price

Power Steering (Sterndrive)	**1061**
Power Trim	**1066 - 1067**
Raw Water	**629, 632 - 633**
Replacement Pressure Switches	**562**
Rule Automatic	**594**
Sea Water	**628, 633**
Shower Drain	**560**
Shower Sump	**560**
Siphon	**881**
Stern Drive	**1055**
Submersible	**610**
Utility	**610, 617**
Vane	**615**
Washdown	**607, 612**
Washdown/Livewell	**605, 613**
Water Pressure Systems	**562 - 566**
Water Transfer	**615**
Purple Power	**843**
Putties	
Epoxy	**798**
Filler	**794**
Knives	**798**
PVC	
Cement	**28**
Cuffs	**516**
Sleeves	**516**
Q	
Queaz-Away	**467**
Quick Connects	**639**
Cam Locks	**639**
Hydraulic	**934**
Washdown	**653**
Quick Links	**727**
Quick Release Pins	**737**
R	
Racks	
Buoy	**470**
Rods	**195**
Racor	
Crankcase Vent	**1090**
Turbine	**898**
Radars	**260, 261, 266, 275, 281**
Reflectors	**472, 473**
Radiators, Hot Water	**139**
Radios	
Accessories	**231**
AM/FM/Satellite	**220, 222**
Bluetooth	**222**
Receiver	**52**
Remote Control	**52**
Speakers	**224, 231**
VHF	**226 - 231**
VHF Handheld	**227**
Walkie Talkies	**228**
Rags	**588, 794, 879,795**
Rail	
Fittings	**734 - 740**
Tubing	**738**
Rain	
Jackets	**502 - 503, 514**
Pants	**514**
RAIN-X	**848**
Windshiel Treatment	**374**
Ratchets	
Straps	**181**
Re-arm Kits (PFD)	**485 - 486**
Receptacles (12V)	**322 - 323**
Reflective Tapes	**465**
Refrigerators	**154 - 157**
Drawer	**155**
Ice Box Conversion Kit	**157**
Regulators	**151**
Propane	**150 - 151**
Water Pressure	**559**
Rekay	**319**
Release Fabric	**786**
Remote Display	**293**
Mass Combi	**293**
Repair Kits	
Vinyl	**216**

Replacement Bobbins	**484**
Rescue Lines	**468**
Rescueme PLB1	**477**
Rescue Ring Kit	**469**
Rescue Sling	**471**
Resins	
Epoxy	**782 - 784**
Polyester	**790**
Respirators	**777 - 779**
Restraint Straps	**691**
Reusable Respirator	**777**
Rigging	
Cable Covers	**537**
Hose Kit	**964**
Knives	**537**
Sleeves	**964**
Rigid Vinyl Rub Rail	
Stainless Steel	**10**
Rings	
Bolts	**717**
Split	**191**
Stainless Steel	**717**
Terminals	**388, 392**
Risers	**1069, 1072**
Rivets	
Rivet Hand Tool	**746, 760**
Stainless Steel Rivets	**760, 760, 746**
Rod Holders	**195**
Rollers	
Epoxy	**788**
Fairlead, Aluminum	**916**
Guide	**177**
Paint	**799 - 800**
Pal Nuts	**174**
Resin	**796 - 797**
Shaft Sets	**174**
Trailer	**172 - 174**
Rope	
Clutches	**531**
Ropes	
Bahama Mooring	**42**
Blocks	**728**
Clips	**728**
Cutters	**42, 759**
Deck Pipe	**55**
Dock Lines	**42**
Float	**468**
Life Buoy	**468**
Manila	**41**
Mooring	**42**
Nylon	**40, 41**
Rescue	**468**
Sailing Control Line	**53 - 534**
Slalom	**215**
Strand	**41**
Thimbles	**728**
Wakesurf	**215**
Waterski	**214 - 215**
Watersports	**214, 216**
Rubber Straps	**181**
Rubbing Compounds	**848, 864, 866**
Rub Rails	**9**
Aluminum	**9**
Bino	**9**
Kits	**9 - 10**
Rigid	**8**
Rub Strakes	**9**
Rudder	
Indicators	**327, 968**
Rudder Stuffing Box Packing	**1006 - 1007**
Rules	**114**
Parallel	**114**
Rust	
Converters	**835**
Dissolvers	**846**
Inhibitors	**840**
Remover	**834**
Stain Removers	**846**
S	
Safety	
Ear Protection	**781**
Glasses	**779**

For the most up to date pricing, please visit maritimemarinesupply.ca/price

Harness	**491**
Hook	**481**
Kits	**468 - 469**
Knife	**471**
Ladder	**471**
Masks	**777 - 779**
Sailing Accessories	
Halyard Bag	**527**
Hatch Cover	**526**
Outboard Cover	**526**
Rope Cover	**527**
Sea Rail Protector	**526**
Stay Protection	**526**
Sunshade	**526**
Winch Covers	**527**
Sailing Hardware	
Bailers	**552**
Bearing Blocks	**545**
Cable Covers	**535**
Cleats	**550**
Clips	**525**
Control Line	**547**
Drain Sockets	**552**
Dynamic Blocks	**546**
Fairleads	**548**
Hatch Covers	**552**
Ingelfield Clips	**548**
Laser Kicker	**553**
Line Tamer	**524**
Outhaul Pack	**553**
Pintles and Gudgeons	**549**
Rigging Screw	**535**
Rope Clips	**525**
Soft Shackles	**531, 533**
Spar Package	**539**
Splicer Tools	**536**
Spreader Boot	**535, 547**
Stanchion Mounted Blocks	**547**
Stay Adjusters	**551**
Tiller Extensions	**551**
Trapeze Equipment	**552**
Sailing Instruments	
Depth	**267, 541**
Multi	**541**
Replacement Cover	**267, 541**
Speed	**267, 541**
Wind	**267, 541**
Salt-Away Concentrate	**859**
Salt-Away Mixing Unit	**859**
Salt-Away Reservoir	**859**
Salt Removal	**858, 859**
Salt Shield	**858**
Sanders	**770 - 771**
Sanding	
Belts	**770**
Block Kits	**774**
Discs	**770, 773 -774**
Filter Bags	**771**
Paper	**774 - 775**
System	**772**
Satellite	
Receiver Kits	**222**
Scaffolding	**72**
Scissors	**768**
Fiberglass	**768**
Scotch Brite Pads	**775**
Scrapers	
Glass	**767**
Screwdrivers	
Kits	**759**
Screws	
Allen Head Cap	**752**
Carriage Bolts	**753**
Flat Head Machine, Stainless	**753**
Flat Head Tapping, Stainless	**750**
Flat Head Wood	**752**
Head	**737**
Hex Head	**752 - 753**
Lag, Galvanized	**751**
Lag, Stainless Steel	**750**
Oval Head	**750**
Pan Head Machine, Stainless	**753**

Pan Head Tapping, Stainless	**751 - 752**
Round Head Machine, Stainless	**753**
Self Drilling	**752**
Set Screws	**740**
Socket Head Coarse Thread	**748**
Wood, Silicon Bronze	**749**
Wood, Stainless	**752**
Scrub	
Brushes	**875 - 876, 878**
Pads	**874 - 875**
Scuppers	**700, 701**
Sealants	
Elastomeric	**809**
Guns	**769, 807**
Hydraulic	**936**
Paint Protection	**865**
SIKA	**809**
Thread	**669, 753, 936,**
Touchless Protection	**865**
Sealed Contactor	**319**
Sea Pex	
Accessories	**574**
Cutting Tools	**574, 768**
Piping	**574**
Sea Rail Cover	**524**
Search Lights	**414, - 419**
Seascooter	**204**
Sea Sickness Wristband	**467**
Seatalk NG	
Kit	**275**
Seating	**87, 90, 92, 93**
Accessories	**94 - 96**
Portable Folding Seat	**92**
Seat Slides	**88**
Senders	
Fits or for Cummins	**1094**
Fuel, Oil, Temperature	**327**
Sending Units	**329**
Fuel and Water	**327, 889**
Sensors	
Fuel	**331**
Separators	
Fuel/Water	**898**
Service Kits	
Hydraulic Pumps	**923**
Service Manuals	**1049**
Shackle	**547**
Shackles	**726, 727**
Shaft	
Couplings	**1000 - 1001**
Seals	**1011 - 1012**
Shears, Fiberglass	**768**
Sheeting	
Plastic Overspray	**795**
Vacuum Bag	**788**
Shift Cables	**1061**
Shirts	
Base Layer	**506**
Shockles Linesnubber	**38**
Shock Pump	**88**
Shocks, Gas	**691**
Shore Power	
Accessories	**376 - 379**
Cords	**376, 378 - 379**
Plugs	**376, - 379**
Showers	
Adjustable Bulkhead	**561**
Basic Kit (No Pump)	**560**
Drains/Drain Kits	**560 - 561**
Mixer	**561**
ON/OFF Push Button	**561**
Rail	**561**
Showerheads	**561**
Solar	**561**
Spary Elbow	**561**
Shrink Tubing	**392 - 394**
Shrink Wrap	
Access Door	**78**
Accessories	**74 - 78**
Corrosion Inhibiting Capsule	**78**
Rolls	**73 - 74**
Safety Gloves	**76**

For the most up to date pricing, please visit maritimemarinesupply.ca/price

Strap Dispenser	**76**
Strapping Protector	**77**
Strap Tensioning Tool	**76**
Signal Horns	**461 - 462**
Signalling Mirrors	**459**
Silent Running	**1088**
Silicone	
Gasket Makers	**1076**
Lubricants	**841**
Sinkers	**191**
Sinks	
Cylindrical	**554**
Double	**554**
Drains	**555**
Elbow Connector	**558**
Faucets	**555 - 558**
Oval	**554**
Parts	**554**
Plastic	**555**
Rectangular	**554 - 555**
Round	**555**
Siphon Pumps	**881**
Skeg Guards	**62, 63**
Ski	
Combo	**206**
Ski Tow Hooks	**209**
Sleeves	
Rigging	**964**
Sliders, Seat	**95**
Smartemp Digital Control	**130**
Smoke Alarm	**333**
Smoke Cap	**139**
Smoke Signals	**457, 459**
Snap Hooks	**497, 737**
Snaps	**744**
Cap Tool	**745**
Snubbers	**37, 38**
Socks	
Winter	**507**
Solar	
Lights	**452**
Vents	**696**
SOLAS	
Reflective Tapes	**465**
Rescue Lights	**474**
Solder Pellets	**383**
Solenoids	**47, 52, 54**
Battery	**317**
Solvents	**815**
Sonar	**280**
Accessories	**273, 275**
Downvision	**273**
GPS	**271, 275**
Realvision 3D	**273**
Sound Proofing	**1087 - 1088**
Spacer	**530**
Spade Terminals	**390**
Spanner Wrench	**886**
Spark Plugs	**1050 - 1051**
Spashwell Kit	**963**
Speakers	
Bluetooth	**223**
Coaxial Marine	**225**
Connector Kits	**392**
Hailers	**231**
Marine	**225, 231**
Remote RGB Led	**224**
Stereo	**223 - 225**
Wire	**225, 382**
Speed/Deepth System	**281**
Speedometers	**326**
Spider Controls	**858**
Spinners, Wheel	**968**
Spinning Rod	**184, 186, 187**
Splicing Spikes	**39**
Split Looms	**397**
Split Rings	**191**
Spot Lights	**417, 419, 421, 423**
Spray	
Gun	**803**
Paints	**835**
Socks	**780**

Waxes	**861, 865**
Spray Hood	**483**
Spray Nine	**843**
Spray Rails	**8**
Spray Sock Hood	**515, 780**
Spreaders	**787, 798, 801**
Spring Hold-Open	**691**
Springs	
Trailer	**175**
Spurs	**1013**
Squeegies	**801**
Stabilizer Fins	**955**
Stainless Steel Hollow Oval	**9**
Stainless Steel Solid Oval	**9**
Stain Removal	**588 852, 853,**
Stands	
Winch	**173**
Stand-Up Console	**97**
Staples, Mooring	**730**
Starters	**1053**
Fits or for Cummins	**1099**
Fits or for Daewoo	**1103**
Fits or for Hino	**1104**
Fits or for John Deere	**1105**
Fits or for Volvo	**1106**
Panel	**354**
Starter Switches	**354**
Steady Bearings	**1009**
Steering	
Accessories	**968 - 977**
Cables	**958, 960, 963**
Cylinders	**969 - 972**
Hoses	**975**
Hydraulic	**969 - 976**
Joystick Control	**984**
Mechanical	**959 - 963**
Power	**978 - 983**
Rotary System	**958**
Tank	**983**
Wheels	**965 - 967**
Wheel Spinners	**968**
Steering Systems	
Power Assist	**969**
Steps	
Folding	**714**
Stereos	**220, 223**
Accessories	**222 - 223, 225**
Bluetooth	**220 - 223**
Cable	**221**
Speakers	**223 - 225**
Stern	
Bearings	**1004 - 1005**
Thrusters	**941 - 942**
Tubes	**1009**
Stern Drives	
Jacks	**756**
Stern Tunnel	**943**
Storage	
Boxes	**97**
Net	**110**
Tubes	**693**
Stoves	
Accessories	**143 - 144**
Alcohol	**146**
Diesel	**142**
Electric Drop-In	**146**
Propane	**144**
Propane, with Oven	**145**
Strainers	
Aerator	**607**
Bilge	**675**
Cooling Water	**673**
Inlet	**675**
Intake	**633, 641, 566, 675**
Paint	**801**
Pump Inlet	**566, 612**
Water	**566, 672, 674**
Straps	
Battery	**291**
Bimini	**737**
Ratchet	**181**
Restraint	**691**

For the most up to date pricing, please visit maritimemarinesupply.ca/price

Rubber	**181**
Tie Down	**181**
Velcro	**107**
Winch	**164**
Stretch Cords	**41**
Strip Discs	**771**
Stud Catches	**705**
Stuffing Box Packing	**1008**
Suits	
Flotation	**494 - 495**
Immersion/Survival	**495**
Rain	**514**
Sunglasses	**197**
Survival Suits	**495**
Switches	**653**
AC Source	**341**
Aerator	**607**
Battery	**312 - 316**
Bilge Pump	**601 - 604**
Bilge Pump Panels	**603**
Deck Wash	**653**
Electrical	**344 - 346, 350, 361**
Float	**601 - 602**
Foot	**54**
Hatch Lift	**690**
Ignition	**354**
Kill	**354**
Mounting Panels	**350**
Panel	**338 - 339, 34 - 350**
Push-Button	**441, 353**
Push Button/Toggle	**351 - 352**
Rocker	**321, 350**
Starter	**354**
Toggle	**351 - 352**
Swivelling Pushpit-Mount	**67**
Swivels	
Eye and Jaw	**726**
Eye Bolt Snap	**725**
Galvanized	**726**
Hasp Heavy Duty	**714**
Jaw and Jaw	**726**
Stainless Steel	**726**

T

Tables	
Bracket	**724**
Brackets	**99**
Fillet	**194, 199**
Fillet & Prep Table	**99**
Oval	**98**
Party Platter	**98**
Pedestals	**98, 99**
Round	**98**
Table Leg and Base System	**99**
Top Base	**98**
Tableware	**100, 101**
Tabs, Trim	**951 - 954**
Tachometers	**325 -326**
Digital Tester	**754**
Tack Cloth	**795**
Tackle Boxes	**195**
Tack Rags	**795**
Tank Cleaners, Deodorants	**588**
Tank Floats	**331**
Tanks	**569 - 570**
Accessories	**569 - 570**
Access Plates	**693**
Accumulator	**566**
Alarms	**568**
All Purpose	**569**
Caps	**893, 1038**
Carry Handle	**930**
Connection Kit	**570**
Deck Fills	**885, 886**
Deodorant	**587**
Fresh Water, Flexible	**569**
Fuel	**890 - 891, 893**
Grey Water	**569**
Hold Down Kit	**889**
Holding	**568**
Holding Vent Filter	**570**
Hydraulic	**932**
Kit	**891**

Locks	**153, 885 -886**
Monitors	**336 - 337**
Mounting Kits (Fuel)	**889**
Power Steering	**932**
Propane	**153**
Sanitizers	**589**
Sending Unit	**889**
Treatment Chemicals	**586 - 588**
Vent Filters	**888**
Vents	**887**
Waste Water	**569**
Waste Water, Filters	**570**
Water	**568**
Water, Flexible	**569**
Tap	
In-Line Connector Buttom	**558**
Tapes	
Anti-Corrosion	**936**
Anti-skid	**465**
Biaxial	**786**
Butyl Caulking	**794**
D-Splicer	**536**
Duct Tape	**805**
Electrical	**399**
Fiberglass	**786, 797**
Hatch	**689**
Liquid Electrical	**399**
Masking	**75, 804 - 805**
Mastboot	**535**
Painters	**804**
Petrowrap	**936**
Reflective	**465**
Repair	**839, 794**
Rigging	**535**
Sail Patch Repair	**535**
Sealing	**399, 794**
Silicone Sealing	**839**
Teflon	**399, 669, 936**
Vacuum Bag Sealant	**788**
Vinyl	**804**
Waterproof	**805**
Weather Seal	**689**
Teak	
Cleaners	**860**
Drawer Knobs	**713**
Drawer Pulls	**713**
Oils	**860**
Scrubber	**860**
Sealer	**860**
Teak Cabin Accessories	**102 - 104**
Teak Maintenance	
Brightener	**860**
Coating	**831**
Teak Oil	**860**
Tees	
Pipe	**664, 671, 939**
Rail	**739**
Teflon Tapes	**399, 669, 936**
Televisions	
Antennas	**235**
Tell Tales	**538**
Tenders	
Covers	**202**
Drain Plugs	**202**
Holdall	**202**
Inflatable	**201**
Parts	**202**
Saddlebag	**202**
Terminals	
Battery	**386 - 387**
Battery Connection	**388**
Blocks	**364 - 366**
Jumpers	**364**
test1	**8**
Thermal Blanket	**467**
Thermal Cutout Assembly	**950**
Thermostat	**1108**
Thermostatic Mixers	**558**
Thimbles (for Rope)	**728**
Thinners, Paint	**815**
Thread	
Lockers	**753, 836**

For the most up to date pricing, please visit maritimemarinesupply.ca/price

Sealants	**669, 753, 936**
Threaded Rods	**750**
Through-Hulls	**668, 670**
Exhaust	**1078**
Nuts	**668**
Strainers	**675**
Tools	**669, 769**
Throw Bags	**468**
Throw Line	**468**
Thru-Hulls	
For Pipe	**668, 669**
Thruster Controls	**944, 950**
Thrusters	**941 - 942**
Accessories	**943 - 944, 948, 950, 1033**
Controlers	**945**
Drive Pins	**945**
Pins	**948**
Propeller	**944**
Stern, Kits	**947**
Tie Downs	**178, 181**
Tiller Arms	**983**
Time Delay Relay	**319**
Tire Carriers	**160**
T-Nuts	**748**
Toggle Switches	**354**
Toilet Cleaner	**856**
Toilets	**580 - 581**
Accessories	**570 - 571, 577, 581**
Deodorants	**587 - 588**
Electric	**577 - 579**
Foot Pedal Control	**582**
Gravity Flush Toilet	**582**
Hose	**645, 650**
Manual	**581**
Repair Kits	**577**
Replacement Parts	**579 - 581**
Service Kit	**582**
Super Compact	**581**
Tissue Digester	**586**
Toilet Hose Collars	**651**
Treatment Chemicals	**586 - 588**
Toilet Tissue	**586**
Tools	
Airtools	**771**
Battery Cable Strippers	**765**
Bellows Expander	**758**
Cable Cutters	**767**
Cable Tie	**767**
Canvas	**745, 761**
Clamp Making	**655, 768, 1087**
Crimpers	**765, 766**
Cutters	**765, 768**
Deck Plate Key	**769**
Distributor Timing	**758**
Engine Alignment	**758**
Fish Tape	**768**
Flanging	**703, 769**
Gimbal Bearing	**758**
Glass Scrapers	**767**
Grease Filler Adaptor	**763**
Heat Guns	**756**
Hinge Pin	**758**
Impeller Removal	**625, 762**
Insert Tool	**758**
Kit Sanding	**776**
Lug Crimpers	**766**
Multimeters	**755**
Multi-Tools	**199, 760**
Packing Extractors	**1009**
Propeller Wrenches	**764, 1003**
Putty Knives	**798**
Shift Cable Snake	**758**
Shift Cable Socket	**758**
Spanner Wrench	**758**
Torches	**756**
Utility Knives	**767**
Wire Cutters/Strippers	**765, 767**
Wrenches	**759**
Top Fittings	**736**
Torches	**756**
Tow	

Hook Combo	**215**
Mounts	**209**
Ropes	**214, 216**
Towables	
Airstream	**208**
Binar	**208**
Chaser	**208**
Droplet	**209**
Repair Kit	**216**
Repair Kits	**202**
Ridge	**209**
Rope	**215 - 216**
Rumble	**209**
Trainer	**208**
Towables (Water Toys)	**210 - 212**
Traction Strips and Tape	**29**
Trailer	
Adapters	**159**
Axle Hardware	**175**
Bearings	**171**
Bearing Seals	**170 - 171**
Boat Guides	**176, 177**
Brake Line Kit	**169**
Brakes	**168 - 169**
Cable	**159**
Chocks	**160**
Coating Protection	**174**
Couplers	**166**
Couplers Lock	**167**
Fenders	**161**
Guides	**176 - 177**
Hardaware Kit	**171**
Harness	**159**
Hubs	**170**
Jacks	**165, 167**
Locks	**167**
Plate Mounting Bracket	**160**
Receivers	**166**
Rollers	**172 - 173**
Safety Chains	**166, 167**
Shackles	**175**
Springs	**175**
Step	**160**
Tire Carriers	**160**
Wheel Cylinder Kits	**169**
Wheel Docks	**160**
Trailers	
Bow Roller	**172**
Safety Chain	**166**
Winches	**162**
Transducers	**256, 258, 259, 267, 541**
Adapters/Cables	**257**
GWind	**266**
Transfer Pump	
Battery Powered	**895 - 896**
Electric Powered Bucket	**895**
Racing Jug	**895**
Transformers	**297**
Transmissions	**995**
Couplings	**1000 - 1001**
Parts	**997**
Pressure Gauges	**325, 327**
Transom	
Clamp Block Kit	**963**
Flange Kit	**964**
Kit	**963**
Retractable Wheels	**203**
Support Mount	**963**
Trash Baggers	**110**
Trays	
Ice	**101**
Paint	**799, 801**
Trim	
Assemblies	**1066**
Switch Kits	**954**
Tabs	**951 - 954**
Trolling Motor	**182**
Trolling Plates	**66**
Tubes	
Drain	**703**
Inflatable	**210 - 213**

For the most up to date pricing, please visit maritimemarinesupply.ca/price

Keepers	**210, 211**
Storage	**693**
Valves	**216**
Tubing	
Copper	**663**
Fiberglass	**1077**
Heat Shrink	**392 - 394**
Soft Copper	**152**
Stainless Steel	**738**
Stern	**1009**
Wet Exhaust	**1077**
Tunnels (for Thrusters)	**943**
Turnbuckles	**729**
Closed	**729**
Galvanized	**728**
Open	**729**
U	
U-Bolts	**716**
Undergarments	**506**
Universal Inspection Port	**570, 891**
USB Plug-ins	**320 - 321, 323**
Utility Knives	**767**
V	
Vacuum	
Bag Film	**788**
Bagging Kits	**788**
Bag Sealant Tapes	**788**
Valves	
3-Way	**888**
4-Way	**888**
Anti-Syphon	**881**
Autopilot	**983**
Auto-pilot Steering Control	**944**
Ball	**665 - 666, 925**
Boston	**216**
Check	**575, 609, 663, 887, 888, 1079**
Drain	**888**
Flow Control	**924 - 925, 983**
Full Flow Sea	**666**
Hydraulic	**924, 925**
In-line Check	**570**
Joker	**590**
Non-Return	**602**
Priority	**983**
Propane	**152**
'Y'	**570**
Vapour Cartridges	**778**
Vapourtight Lights	**428**
Varnishes	**819, 823, 826, 832, 833**
Ventilation	
Hoses	**650, 695**
Ventilators	
Deck	**696**
Electric	**696**
Extraction	**694**
Round	**698**
Vents	
Air Breather	**571, 1085**
Airflow	**77**
Box	**697, 698**
Butterfly	**700**
Clam Shell	**699, 700**
Cowl	**696 - 697, 699**
FlushTank	**887**
Fuel	**887**
Locker	**700**
Loops	**571**
Louvered	**698 - 700**
Mushroom	**696**
PVC	**699**
Round	**698**
Shell	**699**
Solar Powered	**696**
Stainless Steel	**696 - 700**
Triangular	**77**
Ventilator	**698**
Vessel Identifacion Numerals	**80**
Vessel Systems Monitors	**332, 336**
VHF Radios	**226 - 231**
Accessories	**231**
Antenna Testers	**239**
Microphones	**226, 228**

Speakers	**228, 231**
Vinyl Cleaners/Protectors	**848 - 850**
Voltage	
Converters	**293**
Voltmeters	**337 - 338**
DC	**336 - 337**
External Mount	**337**
Volvo, fits or for	
Engine Parts	**1106 - 1107**
Vynyl Repair Kit	**838**
W	
Wake	
Boards	**207**
Surfers	**207**
Wall Liner	**141**
Wall Plates	**141**
Teak	**104**
Washboard Claws	**915**
Washdown Hose	**653**
Washers	**746**
Fender	**747**
Flat, Silicon Bronze	**750**
Flat, Stainless Steel	**747 - 749**
Kit	**741**
Lock Kit	**741**
Lock, Stainless Steel	**748**
Stainless Steel	**748**
Waste Pumps	**583**
Waste Water Control Panel	**332**
Water	
EZ Units	**561**
Filters	**559**
Flow Detectors	**335**
Fresheners	**589**
Heater Bypass Kits	**572**
Heaters	**567**
Hose Coupling	**559**
Hoses	**573, 645, 651, 572, 613**
Inlets	**559, 886**
Nylon Cooler	**213**
Outlets	**653**
Pressure Regulator	**614**
Pressure Regulators	**559**
Pumps (Engine)	**1055**
Replacement Filter	**900**
Separators	**897 - 902**
Strainers	**672 - 674**
Strainers - Brass Cover (Old)	**674**
Strainers - Drain Plugs	**674**
Strainers - Kit	**674**
Strainers - Monel Basket	**674**
Strainers - Plastic Cover (New)	**674**
Strainers - Poly Basket	**674**
Strainers - Sight Glass	**674**
Tank Cleaners	**586 - 589**
Tanks	**568**
Toys	**210 - 213**
Waterproofing	**851**
Water Hammock	**213**
Waterlocks	**1082 - 1084**
Water Pressure System	**563**
Waterproofing	**851**
Watersports	
Slalom Buoys	**206**
Water System Pumps	**1108**
Waxes	**861, 864 - 865**
Additives	**790**
Liquid	**865**
Weather Seal Tapes	**689**
Weather Stations	**232, 233**
Welding Deflection Paper	**795**
West System Epoxy	**782 - 784**
Accessories	**784 - 788**
Adhesive	**784**
Epoxy	**784**
Wet Exhaust Hump Hose	**647, 1082**
Wheel Bearing Greases	**171, 907, 910**
Wheels	
Bearings	**171, 910**
Bearings Grease	**171, 910**
Chocks	**160**
Spinners	**968**

For the most up to date pricing, please visit maritimemarinesupply.ca/price

Steering	**965 - 967**
Transom	**203**
Whistles	**461**
Winches	**528**
Cables	**164**
Circlip	**529**
Grease	**530**
Handle	**529**
Handle Pocket	**529**
Maintenance Kit	**530**
Rebuild Kit	**530**
Stands	**173**
Straps	**164**
Trailer	**162 - 163**
Wind	
Meters	**538**
Sensors	**266**
Tels	**538**
Vanes	**538**
Windlasses	**46**
Accessories	**47 - 52**
Chains	**48, 49, 50, 51**
Circuit Breaker	**47**
Control	**47, 51 - 52**
Hand Held Remote Controls	**51**
Replacement Parts	**54**
Switch	**47, 51**
Windshield	
Washer Accessories	**374**
Windshield Wipers	
Motors	**372**
Wind Tells	**538**
Windvanes	**538**
Winter	
Coveralls	**505**
Winterizing Kits	**1063**
Wipers	
Accessories	**373 - 374**
Adapters	**373**
Arms	**370 - 373**
Blades	**371 - 373**
Control Boxes	**370, 373**
Hand Windshield	**373**
Motor Cover	**373**
Motors	**370 - 373**
Switches	**372 - 374**
Wireless Remote	**221**
Wire Loom	**397**
Wiremold	
Blank End Fitting	**398**
Cover Clip	**398**
Device Box	**398**
External Elbow	**398**
Extra Deep Device Box	**398**
Flat Elbow	**398**
Internal Elbow	**398**
Junction Box	**398**
Raceways	**398**
Reducing Connector	**398**
Tee	**398**
Wire Clip	**398**
Wire Ports	**401**
Wires	
Clamps, Nylon	**396**
Clips	**379, 396**
Connectors	**389 - 394, 765**
Covers	**369, 397**
Crimpers/Strippers	**765 - 766**
Cutters	**765, 767, 768**
Electrical	**382 - 384**
Rope Clips	**728**
Seals	**400**
Speaker	**225, 382**
S/S Wrapping	**1087**
Testers	**755**
Tie Mounts	**396**
Ties	**395 - 396**
Wire, Stainless Steel	**655**
Wood	
Fillers	**833**
Marine Lumber	**807**
Sealer	**823**

Teak Cleaners/Oils	860
Wrap It Ups	
Organizer	107
Wrenches	
Adjustable	759
Drain Plug	703, 769
Oil Filter	764, 911, 764
Propeller	764, 1003
Thru-Hull	669, 769
Wristbands w(Motion Sickness)	467
X	
X-port Tactician	118
Y	
'Y'-Valves	570
Z	
Zincs	1034 -1035
Zip Ties	395 - 396



SIMRAD

NSS® 4

SWIPE. TWIST. PUSH.

With touch, dial and keypad controls, NSS4 is built to perform in all conditions.
Why settle for anything less?



Hybrid controls

Lightning quick Qualcomm® 8-core processor

Dual channel CHIRP sonar

simrad-yachting.com/NSS-4

Reg. U.S. Pat. & Tm. Off, and ™ common law marks. Visit www.navico.com/intellectual-property to review the global trademark rights and accreditations for Navico Group and other entities.